



Metro.

Offering sophisticated storage solutions, extra-thick worksurfaces and design innovations that anticipate the needs of a company's upper management set, Metropolis offers a complete line of conference rooms, executive suites, professional workspaces and team stations that package luxury, style and approachability in one.

Executive. (1.5-inch thickness) Contemporary style with distinguished appeal.

Desktops, Tabletops, Countertops and Filing and Storage Tops

- All Executive worksurfaces coffee and end tabletops, countertops, and freestanding filing and storage tops are 1½" thick fabricated from thermally fused melamine with 45-lb/cu ft density industrial grade composite wood core.
- Worksurfaces are available in a choice of 15 standard laminates. Custom laminates are available upon request.
- Surfaces are finished with a vinyl decorative edge available in three styles and 17 colors. All wood grain laminates have a matching wood grain vinyl trim.
- Grommet covers are ABS.

Assembly

- Overhead hutches ship assembled.
- Desks that include storage will ship assembled. Assembled goods will be palletized with protective corners and shrink-wrapped.
- Desks and bridge surfaces that do not contain a storage unit will require some assembly on site. Non-assembled

goods will be packaged in a carton and shipped on pallets to negate any assembly challenges. Installation instructions will be included with each component.

- Peninsula tables are shipped ready to assemble.
- Desks are assembled using a combination of 90-degree brackets and wooden dowels. Holes for dowels are predrilled for ease of assembly.
- Surfaces have the ability of be supported by a pedestal or gable support.

Straight Desks

- Straight desks consist of a worksurface with two full end gables and modesty.
- Modesties can be recessed or flush to the end of the worksurface.
- Desks with flush modesties include ABS grommets and are available with partial or full modesties.
- Desks with recessed full modesties come with or without ABS grommets.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of the unit.



Metro.

- Desks are available in 21", 24", 30" and 36" depths. 21" deep desks range from 60" to 84" wide in 6" increments. 24" deep desks range from 30" to 84" wide in 6" increments.

Arc Desks

- Arc desks consist of a worksurface with two full end gables and a recessed full modesty.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of the unit.
- Arc desks are 36" deep at each end and 42" deep at the midpoint of the surface. Desks without pedestals come in widths of 72", 78" and 84". Desks with pedestals come in widths of 72" and 84".
- Arc desks come with or without ABS grommets.

Executive Tables

- Seven table shapes are available for executive and conferencing requirements. D-, K-, J-, P- and F-Tables come with grommets.
- C- and U-Tables are available in 42", 48" and 60" widths. The grain direction runs the same direction as the depth of the table.
- Table post supports are 3" in diameter and are available in a choice of nine paint finishes. Post supports come with an adjustable glide to provide height adjustability for the table.

5-Sided Corner Desks

- Corner desks consist of a worksurface, two partial gables, and a choice of full modesties or partial modesties in combination with a modesty post to support the back corner of the surface.
- Corner worksurfaces are available in six sizes with a straight or curved front.

- Five-sided Corners include ABS grommets.

Unitized Desks

- Unitized desks consist of a worksurface, one full end gable and one partial end gable, and a choice of two full modesties or two partial modesties in combination with a modesty post to support the back corner of the surface.
- Surfaces are available with a curved front edge that accommodates a keyboard tray.

Bridges

- Bridge surfaces consist of a worksurface and a choice of a full or partial modesty. Intermediate gables, if needed, must be specified as a separate item per configuration. Bridge surfaces are intended to be joined to an adjacent desk on either side and share the support gables of the adjacent desks.
- Straight, bowed, notched and concave front bridges are available.
- Grain direction on directional laminates runs the depth of bridge worksurfaces.
- Worksurfaces are available in 24" and 30" depths and widths ranging from 30" to 48" in 6" increments. Straight bridges are also available in 21" depths.
- All bridges come with grommets.

Returns

- Returns consist of a worksurface, an end gable and a full or partial modesty.
- Straight, notched and bowed returns are available.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of straight returns.



Metro.

- Worksurfaces are available in 21", 24", and 30" depths, and widths ranging from 30" to 60" in 6" increments.
- Returns come with ABS grommets

Straight Transition Surfaces

- Straight transition surfaces consist of a worksurface and a partial or full modesty.
- Transition surfaces join a 24" deep worksurface to a 30" worksurface and come in widths ranging from 24" to 60" in 6" increments.
- Transition worksurfaces come with ABS grommets.

Credenzas

- Credenzas include underdesk storage and filing units in the product code and ship as a complete piece, or can be specified as a shell separate from storage and filing components.
- Credenzas consist of a worksurface with two full end gables and a choice of full or partial modesty. Where the credenza includes a pedestal or underdesk storage cabinet, the storage unit acts as a gable/modesty by providing support to the worksurface.
- Credenzas are available in 21" or 24" depths and widths of 60", 66" and 72".

Gable Supports

- Gable supports are specified as part of the overall configuration. As a result they come as right or left-handed. Partial gables include a grommet for wire management.
- Intermediate Gable supports can be specified for additional support.
- Gables come with a 1½" long glide providing one inch of

height adjustability to the desk.

Pedestals

- A wide variety of laminate under desk and mobile pedestals are available.
- Pedestals are constructed of 11/16" thermally fused melamine and can be specified for 21", 24", 30" and 36" deep surfaces.
- A stationary base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Pedestals are available with combinations of 6" and 12" high drawer fronts.
- Drawer slides are used to attach the drawer to the case. Each drawer has the capacity to support a load of up to 100lb. Drawers and slides are removable and interchangeable on-site.
- All pedestals come equipped with a locking mechanism. One lock has the ability to lock two drawers. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Pedestal file drawers can accommodate legal or letter size documents.
- Box and file drawers have full extension steel ball-bearing slides and the top box drawer in a box/box/file includes a pencil tray.
- Mobile pedestals come equipped with a fifth caster on the bottom drawer to ensure stability. Mobile pedestals have an 11/16" top finished in 2mm vinyl edge banding. Two-inch diameter casters allow the pedestal to slide easily under the desk.



Metro.

Lateral Files

- Lateral files are available as freestanding or underdesk units.
- Full-extension ball-bearing slides on the drawers allow complete and unobstructed access with front-to-back or side-to-side filing rails to maximize the use of drawer filing space and to better organize documents. Legal and letter size documents can be filed front to back or laterally within the drawer.
- Units have a built-in anti-tilt mechanism, which only allows one drawer to be opened at a time for safety purposes. Lateral file case and fronts are constructed of thermally fused melamine. Drawer interiors in lateral files accept adjustable hanger bars for filing letter and legal hanging files.
- All lateral files come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Lateral files have four 1½" high glides that allow the lateral file to adjust up to one inch in height.

Underdesk Lateral Files

- Underdesk lateral files are available in widths of 30", 36" or 42" and come in either 19" or 21" deep sizes.
- A 2-drawer lateral file fits below a 21", 24" or 30" deep desk module.

Freestanding Lateral Files

- Freestanding lateral files are available in 2 drawer high, 3 drawer high, and 4 drawer high configurations. Two drawer files are available in 30", 36" or 42" widths. Three drawer and four drawer lateral files are available in widths of 30" or 36".
- The lateral file top is 1½" thick thermally fused melamine

with 45-lbs/cu. Ft. density wood core. The top attaches to the lateral file case.

- Lateral file tops are available in a choice of three decorative edge details and 17 standard colors.

Storage Cabinets

- Underdesk and freestanding storage cabinets are available in widths of 30", 36" and 42". Underdesk storage cabinets can be 19" or 21" deep, while freestanding storage cabinets are always 21" deep.
- Freestanding cabinet tops are 1½" thick thermally fused melamine with a choice of three decorative edge trims.
- Cabinets come standard with locks.
- The cabinet base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.

Combination Cabinet

- The combination cabinet is available as a 28" high underdesk unit or a 29½" high freestanding unit.
- The cabinet has a file drawer on one side and two box drawers on the other side with a lateral file drawer located below the box and file drawers and can be specified as right- or left-handed.
- A pencil tray is included in the top box drawer of the cabinet.
- Box drawers have full extension steel ball-bearing slides.
- The casing is 36" wide and 21" deep.
- The cabinet top is 1½" thick thermally fused melamine with 2mm vinyl edging to match the work surface trim.
- Drawer slides are used to attach the drawer to the case.



Metro.

Box and file drawer slides have the capacity to support a load of up to 100 lb. Lateral drawers can support a load of up to 200 lb. Drawers and slides are removable and interchangeable on-site.

- All cabinets come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.

Double-Height Cabinets

- Double-Height cabinets are 68" high and 21" deep.
- Casings are constructed of 11/16" thermally fused melamine with a 1½" thick top with a choice of three decorative edge details to match work surface edges.
- A 24" wide cabinet is available with a coat bar and shelves.
- 18" wide cabinets are available in the following combinations:
 - > Storage cabinet with shelves
 - > Box/box/file bottom with cabinet top
 - > File/file bottom with cabinet top
- 36" wide cabinets are available in the following options:
 - > Lateral file bottom with double-door cabinet top
 - > Combination cabinet bottom with a double door cabinet top
- The cabinet portion of units with cabinet doors comes with choice of 11/16" thermally fused melamine door with vinyl edge, or optional textured acrylic doors. They also come equipped with two adjustable shelves.

Hutches

- Storage Hutches are available to sit on desks, credenzas, and filing cabinets, or mount to the wall.
- Hutch bodies are 1" thick and fabricated from thermally fused melamine with 45-lbs/cubic foot density industrial grade composite wood core. Hutch bodies are finished

with 2mm vinyl edge banding.

- The top of each hutch is 1½" thick with a choice of three decorative trim styles.
- Hutch doors are available in either 11/16" thick thermally fused melamine with 45-lbs/cubic foot density industrial grade composite wood core, or optional textured acrylic doors with aluminum framing in a choice of nine paint colors.
- Laminate hutch doors are finished in vinyl edge banding; available in a choice of 15 standard laminates. Hutch doors can be ordered in a different color from the hutch body.
- Open and hinged door hutches can be ordered with pigeonholes.
- Hutches are 15" deep and available in widths ranging from 30" to 84" in 6" increments.

Laminate, Vinyl, and Metal Handle Finishes for Filing and Cabinetry

- Filing and cabinetry are available in 15 laminate finishes. Drawer handles come in a choice of six styles and six standard colors. Laminates are finished with a combination of tape matching the laminate, and vinyl edge banding. Vinyl is available in 17 standard colors. All wood grain laminates have a matching wood grain vinyl trim.
- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.

Bookcases

- Full height bookcases are 68" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.



Metro.

- Straight bookcases are 12" deep and available in widths of 30" or 36".
- Radius bookcases come in full 68" height, 29½" desk-height, or desktop 38" height. Desktop radius bookcases are 15" deep. Full height and under desk bookcases come in 21" or 24" depths.

O-Tables

- O-Tables are available in 36", 42" and 48" diameters. Tabletops are 1½" thick with a choice of three decorative edge profiles.
- O-Tables can be outfitted in a choice of three base styles: Post support, drum and cross base.

Reception Units

- Reception units can be ordered as singular units including worksurfaces and a countertop and with or without filing.
- There is a straight 72" wide configuration and an L-shaped configuration to choose from.
- L-Shaped stations come in 6' x 6' or 6' x 6'-6" configurations.

Coffee and End Tables

- Coffee and end tables are with and without a fixed shelf.
- Rectangular coffee tables are 20" deep with widths of 36", 42" and 48".
- Square end tables are available in the following sizes:
 - > 20" x 20"
 - > 24" x 24"
 - > 30" x 30"



Metro.

Profesional. (1-inch thickness) Teaming with style and functionality.

Desktops, Tabletops, Countertops and Filing and Storage Tops

- All Profesional worksurfaces coffee and end tabletops, countertops, and freestanding and filing and storage tops are 1" thick thermally fused melamine with 45-lb/cu ft density industrial grade composite wood core.
- Worksurfaces are available in a choice of 24 standard laminates. Custom laminates are available upon request.
- Surfaces are finished with 2mm vinyl edgebanding in a choice of 23 colors. All wood grain laminates have a matching wood grain vinyl trim.
- Grommet covers are ABS.

Assembly

- Overhead hutchers ship assembled.
- Desks that include storage will ship assembled. Assembled goods will be palletized with protective corners and shrink-wrapped.
- Desks and bridge surfaces that do not contain a storage unit will require some assembly on site. Non-assembled goods will be packaged in a carton and shipped on pallets to negate any assembly challenges. Installation instructions will be included with each component.
- Peninsula tables are shipped ready to assemble.
- Desks are assembled using a combination of 90-degree brackets and wooden dowels. Holes for dowels are predrilled for ease of assembly.
- Surfaces have the ability of be supported by a pedestal or gable support.

Straight Desks

- Straight desks consist of a worksurface with two full end gables and modesty.
- Modesties can be recessed or flush to the end of the worksurface.
- Desks with flush modesties include ABS grommets and are available with partial or full modesties.
- Desks with recessed full modesties come with or without ABS grommets.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of the unit.
- Desks are available in 21", 24", 30" and 36" depths. 21" deep desks range from 60" to 84" wide in 6" increments. 24" deep desks range from 30" to 84" wide in 6" increments.

Arc Desks

- Arc desks consist of a worksurface with two full end gables and a recessed full modesty.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of the unit.
- Arc desks are 36" deep at each end and 42" deep at the midpoint of the surface. Desks without pedestals come in widths of 72", 78" and 84". Desks with pedestals come in widths of 72" and 84".
- Arc desks come with or without ABS grommets.

Professional Tables

- Seven table shapes are available for executive and conferencing requirements. D-, K-, J-, P- and F-Tables come with grommets.



Metro.

- C- and U-Tables are available in 42", 48" and 60" widths. The grain direction runs the same direction as the depth of the table.
- Table post supports are 3" in diameter and are available in a choice of nine paint finishes. Post supports come with an adjustable glide to provide height adjustability for the table.

5-Sided Corner Desks

- Corner desks consist of a worksurface, two partial gables, and a choice of full modesties or partial modesties in combination with a modesty post to support the back corner of the surface.
- Corner worksurfaces are available in six sizes with a straight or curved front.
- Five-sided Corners include grommets.

Unitized Desks

- Unitized desks consist of a worksurface, one full end gable and one partial end gable, and a choice of two full modesties or two partial modesties in combination with a modesty post to support the back corner of the surface.
- Surfaces are available with a curved front edge that accommodates a keyboard tray.

Bridges

- Bridge surfaces consist of a worksurface and a choice of a full or partial modesty. Intermediate gables, if needed, must be specified as a separate item per configuration. Bridge surfaces are intended to be joined to an adjacent desk on either side and share the support gables of the adjacent desks.
- Straight, bowed, notched and concave front bridges are available.
- Grain direction on directional laminates runs the depth of

bridge worksurfaces.

- Worksurfaces are available in 24" and 30" depths and widths ranging from 30" to 48" in 6" increments. Straight bridges are also available in 21" deep sizes.
- All bridges come with grommets.

Returns

- Returns consist of a worksurface, an end gable and a full or partial modesty.
- Straight, notched and bowed returns are available.
- Box/box/files, file/files, and suspended box/file pedestals can be ordered as part of the straight return units.
- Worksurfaces are available in 21", 24", and 30" depths, and widths ranging from 30" to 60" in 6" increments.
- Returns come with ABS grommets

Straight Transition Surfaces

- Straight transition surfaces consist of a worksurface and a partial or full modesty.
- Transition surfaces join a 24" deep worksurface to a 30" worksurface and come in widths ranging from 24" to 60" in 6" increments.
- Transition worksurfaces come with ABS grommets.

Credenzas

- Credenzas include underdesk storage and filing units in the product code and ship as a complete piece, or can be specified as a shell separate from storage and filing components.
- Credenzas consist of a worksurface with two full end gables and a choice of full or partial modesty. Where the



Metro.

credenza includes a pedestal or underdesk storage cabinet, the storage unit acts as a gable/modesty by providing support to the worksurface.

- Credenzas are available in 21" or 24" depths and widths of 60", 66" and 72".

Gable Supports

- Gable supports are specified as part of the overall configuration. As a result they come as right or left-handed. Partial gables include a grommet for wire management.
- Intermediate Gable supports can be specified for additional support.
- Gables come with a 1½" glide providing one inch of height adjustability to the desk.

Pedestals

- A wide variety of laminate under desk and mobile pedestals are available.
- Pedestals are constructed of 11/16" thermally fused melamine and can be specified for 21", 24", 30" and 36" deep surfaces.
- A stationary base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Pedestals are available with combinations of 6" and 12" high drawer fronts.
- Drawer slides are used to attach the drawer to the case. Each drawer has the capacity to support a load of up to 100lb. Drawers and slides are removable and interchangeable on-site.
- All pedestals come equipped with a locking mechanism. One lock has the ability to lock two drawers. Stations can

be keyed-alike upon request. Master keys are available for the facility manager.

- Pedestal file drawers can accommodate legal or letter size documents.
- Box and file drawers have full extension steel ball-bearing slides and the top box drawer in a box/box/file includes a pencil tray.
- Mobile pedestals come equipped with a fifth caster on the bottom drawer to ensure stability. Mobile pedestals have an 11/16" top finished in 2mm vinyl edge banding. Two-inch diameter casters allow the pedestal to slide easily under the desk.

Lateral Files

- Lateral files are available as freestanding or underdesk units.
- Full-extension ball-bearing slides on the drawers allow complete and unobstructed access with front-to-back or side-to-side filing rails to maximize the use of drawer filing space and to better organize documents. Legal and letter size documents can be filed front to back or laterally within the drawer.
- Units have a built-in anti-tilt mechanism, which only allows one drawer to be opened at a time for safety purposes. Lateral file case and fronts are constructed of thermally fused melamine. Drawer interiors in lateral files accept adjustable hanger bars for filing letter and legal hanging files.
- All lateral files come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Lateral files have four 1½" high glides that allow the pedestal to adjust up to one inch in height.



Metro.

Underdesk Lateral Files

- Underdesk lateral files are available in widths of 30", 36" or 42" and either 19" or 21" deep sizes.
- A 2-drawer lateral file fits below a 21", 24" or 30" deep desk module.

Freestanding Lateral Files

- Freestanding lateral files are available in 2 drawer high, 3 drawer high, and 4 drawer high configurations. Two drawer files are available in 30", 36" or 42" widths. Three drawer and four drawer lateral files are available in widths of 30" or 36".
- The lateral file top is 1" thick thermally fused melamine with 45-lbs/cu ft density wood core. The top attaches to the lateral file case.

Storage Cabinets

- Underdesk and freestanding storage cabinets are available in widths of 30", 36" and 42" and come with 19" and 21" depths.
- Cabinets come standard with locks.
- They have leveling glides for height adjustability.

Combination Cabinet

- The combination cabinet is available as a 28" high underdesk unit or 29" high freestanding unit.
- The cabinet has a file drawer on one side and two box drawers on the other side with a lateral file drawer located below the box and file drawers and can be specified as right- or left-handed.
- A pencil tray is included in the top box drawer of the cabinet.
- Box drawers have full extension steel ball-bearing slides.

- The casing is 36" wide, 19" and 21" deep.
- The cabinet top is 1" thick thermally fused melamine with 2mm vinyl edging to match the work surface trim.
- The cabinet base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Drawer slides are used to attach the drawer to the case. Box and file drawer slides have the capacity to support a load of up to 100 lb. Lateral drawers can support a load of up to 200 lb. Drawers and slides are removable and interchangeable on-site.
- All cabinets come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.

Double-Height Cabinets

- Double-Height cabinets are 67" high and 21" deep.
- Casings are constructed of 11/16" thermally fused melamine with a 1" thick top.
- A 24" wide cabinet is available with a coat bar and shelves.
- 18" wide cabinets are available in the following combinations:
 - > Storage cabinet with shelves
 - > Box/box/file bottom with cabinet top
 - > File/file bottom with cabinet top
- 36" wide cabinets are available in the following options:
 - > Lateral file bottom with double-door cabinet top
 - > Combination cabinet bottom with a double door cabinet top
- The cabinet portion of units with cabinet doors comes with choice of 11/16" thermally fused melamine door with vinyl edge, or optional textured acrylic doors. They also come equipped with two adjustable shelves.



Metro.

Hutches

- Storage Hutches are available to sit on desks, credenzas, and filing cabinets, or mount to the wall.
- Hutch bodies are 1" thick and fabricated from thermally fused melamine with 45-lbs/cubic foot density industrial grade composite wood core. Hutch bodies are finished with 2mm vinyl edge banding.
- Hutch doors are available in either 11/16" thick thermally fused melamine with 45-lbs/cubic foot density industrial grade composite wood core, or optional textured acrylic doors with aluminum framing in a choice of nine paint colors.
- Laminate hutch doors are finished in vinyl edge banding; available in a choice of 24 standard laminates. Hutch doors can be ordered in a different color from the hutch body.
- Open and hinged door hutches can be ordered with pigeonholes.
- Hutches are 15" deep and available in widths ranging from 30" to 84" in 6" increments.

Laminate, Vinyl, and Metal Handle Finishes for Filing and Cabinetry

- Filing and cabinetry are available in 24 laminate finishes. Drawer handles come in a choice of six styles and six standard colors. Laminates are finished with a combination of tape matching the laminate, and vinyl edge banding. Vinyl is available in 23 standard colors. All wood grain laminates have a matching wood grain vinyl trim.
- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.

Bookcases

- Full height bookcases are 67" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.
- Straight bookcases are 12" deep and available in widths of 30" or 36".
- Radius bookcases come in full 67" height, 29" desk-height, or desktop 37" height. Desktop radius bookcases are 15" deep. Full height and under desk bookcases come in 21" or 24" depths.

O-Tables

- O-Tables are available in 36", 42" and 48" diameters. Tabletops are 1" thick.
- O-Tables can be outfitted in a choice of three base styles: Post support, drum and cross base.

Reception Units

- Reception units can be ordered as singular units including worksurfaces and a countertop and with or without filing.
- There is a straight 72" wide configuration and an L-shaped configuration to choose from.
- L-Shaped reception stations come in 6' x 6' or 6' x 6'-6" configurations.

Coffee and End Tables

- Coffee and end tables are with and without a fixed shelf.
- Rectangular coffee tables are 20" deep with widths of 36", 42" and 48".
- Square end tables are available in the following sizes:
 - > 20"x20"
 - > 24"x24"
 - > 30"x30"



Metro.

Conference. An invitation to meet in elegance.

Conference Tables

- Conference tabletops are 1½" thick with a choice of three decorative trim styles in 17 vinyl trim colors. All wood grain laminates have a matching wood grain vinyl trim.
- Conference tables consist of a variety of mix and match tabletops and bases. Straight, Boat-Shaped, and Racetrack shaped surfaces combine with a choice of post-support, drum base, Wedge-base, Gable and Modesty base or Elliptical Base.
- Tables range in size from 72" x 36" up to 144" x 48" at 12" increments. An additional center support is included on tables between 108" in length to 144" in length.
- Conference tables come with optional flip-up grommets for tabletop access to power, phone and data feeds. Grommets are available in black or silver.
- Conference tables are available in 15 laminate finishes.

Conference Hutches

- Storage Hutches are available to sit on credenzas, filing and storage cabinets.
- Hutch bodies are 1" thick and fabricated from thermally fused melamine with 45-lbs/cubic foot density industrial grade composite wood core. Hutch bodies are finished with 2mm vinyl edge banding.
- The top of each hutch is 1½" thick with a choice of three decorative trim styles.
- Hutch doors are available in either 11/16" thick thermally fused melamine with 45-lbs/cubic foot density industrial

grade composite wood core, or optional textured acrylic doors with aluminum framing in a choice of nine paint colors.

- Laminate hutch doors are finished in vinyl edge banding; available in a choice of 17 standard laminates. Hutch doors can be ordered in a different color from the hutch body.
- Hutches are 15" deep and available in 30", 36", 60", 66" and 72".

Conference Credenzas

- Credenzas include under desk storage and filing units in the product code and ship as a complete piece.
- Credenzas consist of a worksurface with two full end gables and a choice of full or partial modesty. Where the credenza includes a lateral or under desk storage cabinet, the storage unit acts as a gable/modesty by providing support to the worksurface.
- Credenzas are available in 21" depths and widths of 60", 66" and 72".

Conference Cabinetry

- Conference filing and storage options include:
 - > Double-door cabinets
 - > Lateral Files
 - > Serving Cabinets
 - > Storage Cabinets with shelves
 - > Double Door storage with shelves
 - > Double Door storage with lateral file bottom
 - > Audio Visual Unit
- Filing and cabinetry are available in 15 laminate finishes.
- Laminates are finished with a combination of tape matching the laminate, and vinyl edge banding. Vinyl is



Metro.

available in 17 standard colors. All wood grain laminates have a matching wood grain vinyl trim.

- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.
- 5" wide drawer handles come in a choice of six styles and five standard colors.
- Full-height Conference room cabinets are 78" high to suit the proportions of a conference room.

Conference Bookcases

- Full height bookcases are 78" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.
- Straight bookcases are 15" deep and available in widths of 30" or 36". The radius corner bookcase has a 21" radius.

Presentation Tools

- Whiteboards come with an dry erase marker board and tackboards on the interior of the cabinet doors.
- Lecterns are mobile and height adjustable
- The Mobile Media Center accommodates storage of media-players, projectors and CDs.

Accessories

- Task lights are UL listed, CSA certified and available in widths of 24", 36", and 48".
- Task lights hang from the bottom side of both open and closed shelving units. They are shipped complete with

a fluorescent lamp, switch, cord, and plug.

- The low profile black pencil drawer is two inches high provides ample storage without interfering with underdesk knee space.
- Tackboards are available to mount to the back of hutches in widths that correspond with hutch sizes. Tackboards are available in 139 fabric choices.
- Articulating keyboard trays allow the user to swivel, lift, lower and tilt the keyboard from the horizontal position to a negative angle.
- Mouse trays can easily be positioned on the left or right-hand side of the keyboard to accommodate the user.
- Under desk and mobile CPU holders are also available.
- Flat Screen Monitor Arms are height adjustable, meet VESA standards and will accommodate all standard monitor sizes.

Test Results

- Canadian Government Standards
- Freestanding Office Desk Products and Components: CAN/CGSB-44.227-00



Metro.

Collaborate. Welcome to the team.

Posts

- Two posts are available: the small post is used to support partitions in order to create privacy between stations, while the large post must be used to support overhead storage and also accommodates partitions.
- The large post is 24" high only; the small post is available in heights of 8", 12", 16", 24", and 32".
- Posts are mounted into holes in the tops of executive and professional worksurfaces.

Partitions

- Laminate, tackable fabric, glazed, whiteboard, and accessory partitions are available.
- Laminate, tackable fabric, glazed, and whiteboard partitions are available in heights of 4", 8", 12", 16", 24", and 32", and in widths of 18" to 72" in 3-inch increments.
- Accessory partitions are 8" high and 18" to 72" wide, in 3-inch increments.

Overhead Storage

- The open hutch is 17" high, 15" deep, and available in widths of 24", 30", 36", 42", 48", 54", 60", 66", and 72". It can be specified with a 1" or 1.5" thick top. 1.5" thick tops are available with a choice of 3 edge trim profiles: Straight, Wave, Gothic.
- The hinged door overhead storage cabinet is 17" high, 15" deep, and available in widths of 24", 30", 36", 42", 48", 54", 60", 66", and 72". It can be specified with a 1" or 1.5" thick top. 1.5" thick tops are available with a choice of 3 edge trim profiles: Straight, Wave, Gothic.

- The hinged door overhead storage cabinet with glazed doors is 17" high, 15" deep, and available in widths of 24", 30", 36", 42", 48", 54", 60", 66", and 72". It can be specified with a 1" or 1.5" thick top. 1.5" thick tops are available with a choice of 3 edge trim profiles: Straight, Wave, Gothic.

- The open laminate shelf is 17" high, 15" deep, and available in widths of 24", 30", 36", 42", 48", 54", 60", 66", and 72".

- All overhead storage options must be mounted to the large posts.

Transaction Tops

- Transaction tops are 12" deep and available in widths of 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", and 72".
- Transaction tops are available in tempered glass, 1-inch thick laminate, or 1.5-inch thick laminate

Accessories

- Task lights are UL listed, CSA certified and available in widths of 24", 36" and 48".
- Task lights hang from the bottom side of both open and closed shelving units. They are shipped complete with a fluorescent lamp, switch, cord, and plug.
- The low profile black pencil drawer is two inches high provides ample storage without interfering with underdesk knee space.



Metro.

Collaborate. Welcome to the team.

- Articulating keyboard trays allow the user to swivel, lift, lower and tilt the keyboard from the horizontal position to a negative angle.
- Mouse trays can easily be positioned on the left or right-hand side of the keyboard to accommodate the user.
- Under desk and mobile CPU holders are also available.
- Flat Screen Monitor Arms are height adjustable, meet VESA standards and will accommodate all standard monitor sizes.

Test Results

- Canadian Government Standards
- Freestanding Office Desk Products and Components:
CAN/CGSB-44.227-00