



Tables Pricebook

July 2021

contents

Height Adjustable Tables	5
straight	6
straight base	8
straight surface	9
5 sided	10
5 sided base	12
5 sided surface	13
unitized	14
unitized base	23
unitized surface	24
Norris tables	33
super ellipse without power and data	34
super ellipse with power and data	36
video without power and data	38
video with power and data	40
boat without power and data	42
boat with power and data	44
straight without power and data	46
straight with power and data	48

Kip tables	51
community table without power and data	52
community table with power and data	54
Koko tables	57
rectangular table	58
round table	59
Hanna tables	61
T base - slim	62
T base - tubular	64
X base - slim	66
X base - tubular	68
super ellipse top	70
round top	72
squircle top	74
rectangular top	76
square top	78
One-touch tables	81
Flip-Top Mobile	82





Height Adjustable Table Pricebook

July 2021

Height Adjustable Tables

straight	6
base	8
surface	9
5 sided	10
base	12
surface	13
unitized	14
base	23
surface	24



height adjustable base

height adjustable surface

What's Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 250lb with worksurface.

Freestanding Options:

Width	34", 40", 46", 52", 58", 64", 70"	
Depth	23", 29"	
Worksurface Laminate	laminate color	
Leg color	silver	white

Integrated Options:

Width	36", 42", 48", 54", 60", 66", 72"	
Depth	24", 30"	
Worksurface Laminate	laminate color	
Leg color	silver	white


Code	Price	W (in)	D (in)	Volume (ft³)	Weight (lb)
straight - freestanding					
R-TS0G-3624-HA	1266	36	24	14.5	108
R-TS0G-4224-HA	1281	42	24	16.92	111
R-TS0G-4824-HA	1316	48	24	19.33	118
R-TS0G-5424-HA	1372	54	24	21.75	124
R-TS0G-6024-HA	1388	60	24	24.17	128
R-TS0G-6624-HA	1426	66	24	26.58	132
R-TS0G-7224-HA	1444	72	24	29	136
R-TS0G-3630-HA	1294	36	30	18.13	115
R-TS0G-4230-HA	1309	42	30	21.15	119
R-TS0G-4830-HA	1352	48	30	24.17	123
R-TS0G-5430-HA	1387	54	30	27.19	127
R-TS0G-6030-HA	1407	60	30	30.21	131
R-TS0G-6630-HA	1459	66	30	33.23	135
R-TS0G-7230-HA	1470	72	30	36.25	139

Code	Price	w (in)	D (in)	Volume (ft³)	Weight (lb)
straight - integrated					
R-TS0G-3423-HA	1266	34	23	3.26	106
R-TS0G-3429-HA	1294	34	29	3.43	113
R-TS0G-4023-HA	1281	40	23	3.34	109
R-TS0G-4029-HA	1309	40	29	3.53	117
R-TS0G-4623-HA	1316	46	23	3.42	112
R-TS0G-4629-HA	1352	46	29	3.63	121
R-TS0G-5223-HA	1372	52	23	3.5	115
R-TS0G-5229-HA	1387	52	29	3.73	125
R-TS0G-5823-HA	1388	58	23	3.58	118
R-TS0G-5829-HA	1407	58	29	3.83	129
R-TS0G-6423-HA	1426	64	23	3.66	121
R-TS0G-6429-HA	1459	64	29	3.93	133
R-TS0G-7023-HA	1444	70	23	3.74	124
R-TS0G-7029-HA	1470	70	29	4.03	137

straight - base

Code	Price	H Range (in)	W(in)	Weight (lb)	Volume (ft³)
R-HATB-24	1040	36-42	24	88	2.8
R-HATB-30	1064	36-42	30	90	2.86
R-HATB-SM-24	1040	46-72	24	88	2.8
R-HATB-SM-30	1064	46-72	30	90	2.86

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
surface - freestanding					
R-WS0G-3624	225	36	24	0	16
R-WS0G-3630	230	36	30	0	20
R-WS0G-4224	241	42	24	0	18.66
R-WS0G-4230	245	42	30	0	23.33
R-WS0G-4824	275	48	24	0	21.33
R-WS0G-4830	288	48	30	0	26.67
R-WS0G-5424	332	54	24	0	24
R-WS0G-5430	355	54	30	0	30
R-WS0G-6024	348	60	24	0	26.67
R-WS0G-6030	371	60	30	0	33.31
R-WS0G-6624	386	66	24	0	29.33
R-WS0G-6630	395	66	30	0	36.65
R-WS0G-7224	404	72	24	0	32
R-WS0G-7230	406	72	30	0	40
surface integrated					
R-WS0G-3423	225	34	23	0	15.98
R-WS0G-3429	230	34	29	0	19.97
R-WS0G-4023	241	40	23	0	18.64
R-WS0G-4029	245	40	29	0	23.3
R-WS0G-4623	275	46	23	0	21.31
R-WS0G-4629	288	46	29	0	26.64
R-WS0G-5223	322	52	23	0	23.98
R-WS0G-5229	332	52	29	0	29.77
R-WS0G-5823	348	58	23	0	26.65
R-WS0G-5829	343	58	29	0	33.28
R-WS0G-6423	386	64	23	0	29.31
R-WS0G-6429	395	64	29	0	36.62
R-WS0G-7023	404	70	23	0	31.98
R-WS0G-7029	406	70	29	0	39.77



What’s Included:

Unitized Height Adjustable Table (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5” from the ground and raised to a maximum height of 51” from the ground.

Load capacity of 350lb with worksurface.

Freestanding Options:

Width/Depth	48”, 54”, 60”,	
End	24”, 30”	
Worksurface Laminate	laminate color	
Leg color	silver	white

Integrated Options:

Width/Depth	46”, 52”, 58”	
End	23”, 29”	
Worksurface Laminate	laminate color	
Leg color	silver	white

Code	Price	W (in.)	Depth(in.)	End(in.)	Volume (ft ³)	Weight (lb)
freestanding-curved						
R-T5CG-4824-HA	2585	48	48	188	188	5.22
R-T5CG-4830-HA	2628	48	48	196	196	5.41
R-T5CG-5424-HA	2653	54	54	192	192	5.32
R-T5CG-5430-HA	2752	54	54	207	207	5.67
R-T5CG-6024-HA	2716	60	60	199	199	5.47
R-T5CG-6030-HA	2843	60	60	214	214	5.87
freestanding- 90 degree						
R-T5NG-4824-HA	2585	48	48	188	188	5.22
R-T5NG-4830-HA	2628	48	48	196	196	5.41
R-T5NG-5424-HA	2653	54	54	192	192	5.32
R-T5NG-5430-HA	2752	54	54	207	207	5.67
R-T5NG-6024-HA	2716	60	60	199	199	5.47
R-T5NG-6030-HA	2843	60	60	214	214	5.87


Code	Price	W (in)	D (in)	Volume (ft³)	Weight (lb)
integrated - curved					
R-T5CG-4623-HA	2585	46	46	185	5.14
R-T5CG-4629-HA	2628	46	46	193	5.31
R-T5CG-5223-HA	2653	52	52	189	5.32
R-T5CG-5229-HA	2752	52	52	204	5.6
R-T5CG-5823-HA	2716	58	58	196	5.52
R-T5CG-5829-HA	2843	58	58	210	5.77
integrated - 90 degree					
R-T5NG-4623-HA	2585	46	48	188	5.22
R-T5NG-4629-HA	2628	46	48	196	5.41
R-T5NG-5223-HA	2653	52	54	192	5.32
R-T5NG-5229-HA	2752	52	54	207	5.67
R-T5NG-5823-HA	2716	58	60	199	5.47
R-T5NG-5829-HA	2843	58	60	214	5.87

base only

Code	Price	H Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-SM-24	2097	46-64	24	146	4.22
R-HA3B-SM-30	2121	46-64	30	148	4.27
R-HA3B-LG-24	2097	78-84	24	146	4.22
R-HA3B-LG-30	2121	78-84	30	148	4.27

surface only

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
freestanding curved					
R-W5CG-4824	487	48	24	5.22	47.43
R-W5CG-4830	507	48	30	5.22	50.21
R-W5CG-5424	556	54	24	5.22	49.45
R-W5CG-5430	631	54	30	5.22	51.63
R-W5CG-6024	619	60	24	5.22	54.2
R-W5CG-6030	722	60	30	5.22	56.32
freestanding 90 degree					
R-W5NG-4824	487	48	24	5.22	47.43
R-W5NG-4830	507	48	30	5.22	50.21
R-W5NG-5424	556	54	24	5.22	49.45
R-W5NG-5430	631	54	30	5.22	51.63
R-W5NG-6024	619	60	24	5.22	54.2
R-W5NG-6030	722	60	30	5.22	56.32
freestanding integrated curved					
R-W5CG-4623	487	46	23	5.22	47.43
R-W5CG-4629	507	46	29	5.22	50.21
R-W5CG-5223	556	52	23	5.22	49.45
R-W5CG-5229	631	52	29	5.22	51.63
R-W5CG-5823	619	58	23	5.22	54.2
R-W5CG-5829	722	58	29	5.22	56.32
freestanding integrated 90 degree					
R-W5NG-4623	487	46	23	5.22	47.43
R-W5NG-4629	507	46	29	5.22	50.12
R-W5NG-5223	556	52	23	5.22	49.43
R-W5NG-5229	631	52	29	5.22	51.6
R-W5NG-5823	619	58	23	5.22	54.01
R-W5NG-5829	722	58	29	5.22	56.03



What's Included:

Unitized Height Adjustable Table (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Freestanding Options:

Width	60", 66", 72", 78", 84"	
Depth	48", 54", 60"	
End	24", 30"	
Worksurface Laminate	laminate color	
Leg color	silver	white

Integrated Options:

Width	58", 64", 70", 76", 82"	
Depth	46", 52", 58"	
End	23", 29"	
Worksurface Laminate	laminate color	
Leg color	silver	white

14

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding - curved						
R-TUCG-604824-L-HA	2807	60	48	24	196	5.42
R-TUCG-604824-R-HA	2807	60	48	24	196	5.42
R-TUCG-604830-L-HA	2850	60	48	30	207	5.67
R-TUCG-604830-R-HA	2850	60	48	30	207	5.67
R-TUCG-605424-L-HA	2876	60	54	24	201	5.52
R-TUCG-605424-R-HA	2876	60	54	24	201	5.52
R-TUCG-605430-L-HA	2920	60	54	30	211	5.77
R-TUCG-605430-R-HA	2920	60	54	30	211	5.77
R-TUCG-664824-L-HA	2885	66	48	24	201	5.52
R-TUCG-664824-R-HA	2885	66	48	24	201	5.52
R-TUCG-664830-L-HA	2928	66	48	30	211	5.77
R-TUCG-664830-R-HA	2928	66	48	30	211	5.77
R-TUCG-665424-L-HA	2960	66	54	24	205	5.62
R-TUCG-665424-R-HA	2960	66	54	24	205	5.62
R-TUCG-665430-L-HA	3003	66	54	30	216	5.87
R-TUCG-665430-R-HA	3003	66	54	30	216	5.87
R-TUCG-666024-L-HA	3035	66	60	24	209	5.72
R-TUCG-666024-R-HA	3035	66	60	24	209	5.72
R-TUCG-666030-L-HA	3078	66	60	30	220	5.97
R-TUCG-666030-R-HA	3078	66	60	30	220	5.97
R-TUCG-724824-L-HA	2921	72	48	24	205	5.62
R-TUCG-724824-R-HA	2921	72	48	24	205	5.62
R-TUCG-724830-L-HA	2964	72	48	30	215	5.87
R-TUCG-724830-R-HA	2964	72	48	30	215	5.87
R-TUCG-725424-L-HA	2999	72	54	24	209	5.72
R-TUCG-725424-R-HA	2999	72	54	24	209	5.72
R-TUCG-725430-L-HA	3044	72	54	30	220	5.97
R-TUCG-725430-R-HA	3044	72	54	30	220	5.97

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-TUCG-726024-L-HA	3077	72	60	24	214	5.72
R-TUCG-726024-R-HA	3077	72	60	24	214	5.72
R-TUCG-726030-L-HA	3121	72	60	30	224	6.07
R-TUCG-726030-R-HA	3121	72	60	30	224	6.07
R-TUCG-784824-L-HA	3023	78	48	24	209	5.72
R-TUCG-784824-R-HA	3023	78	48	24	209	5.72
R-TUCG-784830-L-HA	3068	78	48	30	219	6.07
R-TUCG-784830-R-HA	3068	78	48	30	219	6.07
R-TUCG-785424-L-HA	3109	78	54	24	214	5.92
R-TUCG-785424-R-HA	3109	78	54	24	214	5.92
R-TUCG-785430-L-HA	3155	78	54	30	224	6.07
R-TUCG-785430-R-HA	3155	78	54	30	224	6.07
R-TUCG-786024-L-HA	3195	78	60	24	219	5.82
R-TUCG-786024-R-HA	3195	78	60	24	219	5.82
R-TUCG-786030-L-HA	3240	78	60	30	232	6.27
R-TUCG-786030-R-HA	3240	78	60	30	232	6.27
R-TUCG-844824-L-HA	3112	84	48	24	213	5.82
R-TUCG-844824-R-HA	3112	84	48	24	213	5.82
R-TUCG-844830-L-HA	3158	84	48	30	224	6.07
R-TUCG-844830-R-HA	3158	84	48	30	224	6.07
R-TUCG-845424-L-HA	3208	84	54	24	218	6.02
R-TUCG-845424-R-HA	3208	84	54	24	218	6.02
R-TUCG-845430-L-HA	3252	84	54	30	228	6.27
R-TUCG-845430-R-HA	3252	84	54	30	228	6.27
R-TUCG-846024-L-HA	3302	84	60	24	222	6.02
R-TUCG-846024-R-HA	3302	84	60	24	222	6.02
R-TUCG-846030-L-HA	3346	84	60	30	232	6.27
R-TUCG-846030-R-HA	3346	84	60	30	232	6.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding 90 degree						
R-TUNG-604824-L-HA	2807	60	48	24	196	5.42
R-TUNG-604824-R-HA	2807	60	48	24	196	5.42
R-TUNG-604830-L-HA	2850	60	48	30	207	5.67
R-TUNG-604830-R-HA	2850	60	48	30	207	5.67
R-TUNG-605424-L-HA	2876	60	54	24	201	5.52
R-TUNG-605424-R-HA	2876	60	54	24	201	5.52
R-TUNG-605430-L-HA	2920	60	54	30	211	5.77
R-TUNG-605430-R-HA	2920	60	54	30	211	5.77
R-TUNG-664824-L-HA	2885	66	48	24	201	5.52
R-TUNG-664824-R-HA	2885	66	48	24	201	5.52
R-TUNG-664830-L-HA	2928	66	48	30	211	5.77
R-TUNG-664830-R-HA	2928	66	48	30	211	5.77
R-TUNG-665424-L-HA	2960	66	54	24	205	5.52
R-TUNG-665424-R-HA	2960	66	54	24	205	5.52
R-TUNG-665430-L-HA	3003	66	54	30	216	5.87
R-TUNG-665430-R-HA	3003	66	54	30	216	5.87
R-TUNG-666024-L-HA	3035	66	60	24	209	5.72
R-TUNG-666024-R-HA	3035	66	60	24	209	5.72
R-TUNG-666030-L-HA	3078	66	60	30	220	5.97
R-TUNG-666030-R-HA	3078	66	60	30	220	5.97
R-TUNG-724824-L-HA	2921	72	48	24	205	5.52
R-TUNG-724824-R-HA	2921	72	48	24	205	5.52
R-TUNG-724830-L-HA	2964	72	48	30	215	5.77
R-TUNG-724830-R-HA	2964	72	48	30	215	5.77

Code	Price	W (in)	Depth (in)	End (in)	Volume ft³)	Weight (lb)
freestanding 90 degree- continued						
R-TUNG-725424-L-HA	2999	72	54	24	209	5.62
R-TUNG-725424-R-HA	2999	72	54	24	209	5.62
R-TUNG-725430-L-HA	3044	72	54	30	220	5.97
R-TUNG-725430-R-HA	3044	72	54	30	220	5.97
R-TUNG-726024-L-HA	3077	72	60	24	214	5.72
R-TUNG-726024-R-HA	3077	72	60	24	214	5.72
R-TUNG-726030-L-HA	3121	72	60	30	224	6.07
R-TUNG-726030-R-HA	3121	72	60	30	224	6.07
R-TUNG-784824-L-HA	3023	78	48	24	209	5.72
R-TUNG-784824-R-HA	3023	78	48	24	209	5.72
R-TUNG-784830-L-HA	3068	78	48	30	219	6.07
R-TUNG-784830-R-HA	3068	78	48	30	219	6.07
R-TUNG-785424-L-HA	3109	78	54	24	214	5.72
R-TUNG-785424-R-HA	3109	78	54	24	214	5.72
R-TUNG-785430-L-HA	3155	78	54	30	224	6.07
R-TUNG-785430-R-HA	3155	78	54	30	224	6.07
R-TUNG-786024-L-HA	3195	78	60	24	219	6.07
R-TUNG-786024-R-HA	3195	78	60	24	219	6.07
R-TUNG-786030-L-HA	3240	78	60	30	232	6.27
R-TUNG-786030-R-HA	3240	78	60	30	232	6.27
R-TUNG-844824-L-HA	3112	84	48	24	213	5.82
R-TUNG-844824-R-HA	3112	84	48	24	213	5.82
R-TUNG-844830-L-HA	3158	84	48	30	224	6.07
R-TUNG-844830-R-HA	3158	84	48	30	224	6.07
R-TUNG-845424-L-HA	3208	84	54	24	218	6.02
R-TUNG-845424-R-HA	3208	84	54	24	218	6.02
R-TUNG-845430-L-HA	3252	84	54	30	228	6.27
R-TUNG-845430-R-HA	3252	84	54	30	228	6.27
R-TUNG-846024-L-HA	3302	84	60	24	222	6.02
R-TUNG-846024-R-HA	3302	84	60	24	222	6.02
R-TUNG-846030-L-HA	3346	84	60	30	232	6.27
R-TUNG-846030-R-HA	3346	84	60	30	232	6.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated- curved						
R-TUCG-584623-L-HA	2807	58	46	23	192	5.22
R-TUCG-584623-R-HA	2807	58	46	23	192	5.22
R-TUCG-584629-L-HA	2850	58	46	29	200	5.57
R-TUCG-584629-R-HA	2850	58	46	29	200	5.57
R-TUCG-585223-L-HA	2876	58	52	23	198	5.52
R-TUCG-585223-R-HA	2876	58	52	23	198	5.52
R-TUCG-585229-L-HA	2920	58	52	29	207	5.67
R-TUCG-585229-R-HA	2920	58	52	29	207	5.67
R-TUCG-644623-L-HA	2885	64	46	23	196	5.42
R-TUCG-644623-R-HA	2885	64	46	23	196	5.42
R-TUCG-644629-L-HA	2928	64	46	29	207	5.77
R-TUCG-644629-R-HA	2928	64	46	29	207	5.77
R-TUCG-645223-L-HA	2960	64	52	23	200	5.62
R-TUCG-645223-R-HA	2960	64	52	23	200	5.62
R-TUCG-645229-L-HA	3003	64	52	29	211	5.67
R-TUCG-645229-R-HA	3003	64	52	29	211	5.67
R-TUCG-645823-L-HA	3035	64	58	23	205	5.52
R-TUCG-645823-R-HA	3035	64	58	23	205	5.52
R-TUCG-645829-L-HA	3078	64	58	29	215	5.77
R-TUCG-645829-R-HA	3078	64	58	29	215	5.77
R-TUCG-704623-L-HA	2921	70	46	23	201	5.52
R-TUCG-704623-R-HA	2921	70	46	23	201	5.52
R-TUCG-704629-L-HA	2964	70	46	29	211	5.77
R-TUCG-704629-R-HA	2964	70	46	29	211	5.77
R-TUCG-705223-L-HA	2999	70	52	23	205	5.52
R-TUCG-705223-R-HA	2999	70	52	23	205	5.52
R-TUCG-705229-L-HA	3044	70	52	29	215	5.77
R-TUCG-705229-R-HA	3044	70	52	29	215	5.77

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated - curved continued						
R-TUCG-705823-L-HA	3077	70	58	23	209	5.62
R-TUCG-705823-R-HA	3077	70	58	23	209	5.62
R-TUCG-705829-L-HA	3121	70	58	29	220	5.97
R-TUCG-705829-R-HA	3121	70	58	29	220	5.97
R-TUCG-764623-L-HA	3023	76	46	23	205	5.52
R-TUCG-764623-R-HA	3023	76	46	23	205	5.52
R-TUCG-764629-L-HA	3068	76	46	29	215	5.87
R-TUCG-764629-R-HA	3068	76	46	29	215	5.87
R-TUCG-765223-L-HA	3109	76	52	23	209	5.62
R-TUCG-765223-R-HA	3109	76	52	23	209	5.62
R-TUCG-765229-L-HA	3155	76	52	29	220	5.77
R-TUCG-765229-R-HA	3155	76	52	29	220	5.77
R-TUCG-765823-L-HA	3195	76	58	23	213	5.82
R-TUCG-765823-R-HA	3195	76	58	23	213	5.82
R-TUCG-765829-L-HA	3240	76	58	29	224	6.07
R-TUCG-765829-R-HA	3240	76	58	29	224	6.07
R-TUCG-824623-L-HA	3112	82	46	23	209	5.72
R-TUCG-824623-R-HA	3112	82	46	23	209	5.72
R-TUCG-824629-L-HA	3158	82	46	29	220	5.97
R-TUCG-824629-R-HA	3158	82	46	29	220	5.97
R-TUCG-825223-L-HA	3208	82	52	23	214	5.72
R-TUCG-825223-R-HA	3208	82	52	23	214	5.72
R-TUCG-825229-L-HA	3252	82	52	29	224	5.97
R-TUCG-825229-R-HA	3252	82	52	29	224	5.97
R-TUCG-825823-L-HA	3302	82	58	23	218	5.92
R-TUCG-825823-R-HA	3302	82	58	23	218	5.92
R-TUCG-825829-L-HA	3346	82	58	29	228	6.17
R-TUCG-825829-R-HA	3346	82	58	29	228	6.17

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree						
R-TUNG-584623-L-HA	2807	58	46	23	192	5.22
R-TUNG-584623-R-HA	2807	58	46	23	192	5.22
R-TUNG-585223-L-HA	2876	58	52	23	198	5.52
R-TUNG-585223-R-HA	2876	58	52	23	198	5.52
R-TUNG-585229-L-HA	2920	58	52	29	207	5.67
R-TUNG-585229-R-HA	2920	58	52	29	207	5.67
R-TUNG-644623-L-HA	2885	64	46	23	196	5.42
R-TUNG-644623-R-HA	2885	64	46	23	196	5.42
R-TUNG-645223-L-HA	2960	64	52	23	200	5.62
R-TUNG-645223-R-HA	2960	64	52	23	200	5.62
R-TUNG-645229-L-HA	3003	64	52	29	211	5.67
R-TUNG-645229-R-HA	3003	64	52	29	211	5.67
R-TUNG-645823-L-HA	3035	64	58	23	205	5.52
R-TUNG-645823-R-HA	3035	64	58	23	205	5.52
R-TUNG-645829-L-HA	3078	64	58	29	215	5.77
R-TUNG-645829-R-HA	3078	64	58	29	215	5.77
R-TUNG-704623-L-HA	2921	70	46	23	201	5.52
R-TUNG-704623-R-HA	2921	70	46	23	201	5.77
R-TUNG-705223-L-HA	2999	70	52	23	205	5.52
R-TUNG-705223-R-HA	2999	70	52	23	205	5.52
R-TUNG-705229-L-HA	3044	70	52	29	215	5.77
R-TUNG-705229-R-HA	3044	70	52	29	215	5.77
R-TUNG-705823-L-HA	3077	70	58	23	209	5.62
R-TUNG-705823-R-HA	3077	70	58	23	209	5.62

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree- continued						
R-TUNG-705829-L-HA	3121	70	58	29	220	5.97
R-TUNG-705829-R-HA	3121	70	58	29	220	5.97
R-TUNG-764623-L-HA	3023	76	46	23	205	5.52
R-TUNG-764623-R-HA	3023	76	46	23	205	5.52
R-TUNG-765223-L-HA	3109	76	52	23	209	5.62
R-TUNG-765223-R-HA	3109	76	52	23	209	5.62
R-TUNG-765229-L-HA	3155	76	52	29	220	5.77
R-TUNG-765229-R-HA	3155	76	52	29	220	5.77
R-TUNG-765823-L-HA	3195	76	58	23	213	5.82
R-TUNG-765823-R-HA	3195	76	58	23	213	5.82
R-TUNG-765829-L-HA	3240	76	58	29	224	6.07
R-TUNG-765829-R-HA	3240	76	58	29	224	6.07
R-TUNG-824623-L-HA	3112	82	46	23	209	5.72
R-TUNG-824623-R-HA	3112	82	46	23	209	5.72
R-TUNG-825223-L-HA	3208	82	52	23	214	5.72
R-TUNG-825223-R-HA	3208	82	52	23	214	5.72
R-TUNG-825229-L-HA	3252	82	52	29	224	5.97
R-TUNG-825229-R-HA	3252	82	52	29	224	5.97
R-TUNG-825823-L-HA	3302	82	58	23	218	5.92
R-TUNG-825823-R-HA	3302	82	58	23	218	5.92
R-TUNG-825829-L-HA	3346	82	58	29	228	6.17
R-TUNG-825829-R-HA	3346	82	58	29	228	6.17

base only

Code	Price	H Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-SM-24	2097	46-64	24	146	4.22
R-HA3B-SM-30	2121	46-64	30	148	4.27
R-HA3B-LG-24	2097	78-84	24	146	4.22
R-HA3B-LG-30	2121	78-84	30	148	4.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding curved						
R-WUCG-604824-L	710	60	48	24	5.42	46.03
R-WUCG-604824-R	710	60	48	24	5.42	46.03
R-WUCG-604830-L	729	60	48	30	5.42	48.13
R-WUCG-604830-R	729	60	48	30	5.42	48.13
R-WUCG-605424-L	779	60	54	24	5.42	47.06
R-WUCG-605424-R	779	60	54	24	5.42	47.06
R-WUCG-605430-L	800	60	54	30	5.42	49.32
R-WUCG-605430-R	800	60	54	30	5.42	49.32
R-WUCG-664824-L	787	66	48	24	5.42	48.13
R-WUCG-664824-R	787	66	48	24	5.42	48.13
R-WUCG-664830-L	809	66	48	30	5.42	49.56
R-WUCG-664830-R	809	66	48	30	5.42	49.56
R-WUCG-665424-L	863	66	54	24	5.42	49.26
R-WUCG-665424-R	863	66	54	24	5.42	49.26
R-WUCG-665430-L	882	66	54	30	5.42	51.96
R-WUCG-665430-R	882	66	54	30	5.42	51.96
R-WUCG-666024-L	937	66	60	24	5.42	52.36
R-WUCG-666024-R	937	66	60	24	5.42	52.36
R-WUCG-666030-L	958	66	60	30	5.42	54.65
R-WUCG-666030-R	958	66	60	30	5.42	54.65
R-WUCG-724824-L	824	72	48	24	5.42	52.33
R-WUCG-724824-R	824	72	48	24	5.42	52.33
R-WUCG-724830-L	844	72	48	30	5.42	53.69
R-WUCG-724830-R	844	72	48	30	5.42	53.69
R-WUCG-725424-L	901	72	54	24	5.42	53.65
R-WUCG-725424-R	901	72	54	24	5.42	53.65
R-WUCG-725430-L	923	72	54	30	5.42	55.21
R-WUCG-725430-R	923	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-726024-L	980	72	60	24	5.42	55.36
R-WUCG-726024-R	980	72	60	24	5.42	55.36
R-WUCG-726030-L	1001	72	60	30	5.42	57.31
R-WUCG-726030-R	1001	72	60	30	5.42	57.31
R-WUCG-784824-L	926	78	48	24	5.42	54.16
R-WUCG-784824-R	926	78	48	24	5.42	54.16
R-WUCG-784830-L	948	78	48	30	5.42	56.19
R-WUCG-784830-R	948	78	48	30	5.42	56.19
R-WUCG-785424-L	1011	78	54	24	5.42	56.61
R-WUCG-785424-R	1011	78	54	24	5.42	56.61
R-WUCG-785430-L	1034	78	54	30	5.42	58.17
R-WUCG-785430-R	1034	78	54	30	5.42	58.17
R-WUCG-786024-L	1098	78	60	24	5.42	57.96
R-WUCG-786024-R	1098	78	60	24	5.42	57.96
R-WUCG-786030-L	1120	78	60	30	5.42	58.62
R-WUCG-786030-R	1120	78	60	30	5.42	58.62
R-WUCG-844824-L	1015	84	48	24	5.42	56.16
R-WUCG-844824-R	1015	84	48	24	5.42	56.16
R-WUCG-844830-L	1037	84	48	30	5.42	58.32
R-WUCG-844830-R	1037	84	48	30	5.42	58.32
R-WUCG-845424-L	1110	84	54	24	5.42	58.6
R-WUCG-845424-R	1110	84	54	24	5.42	58.6
R-WUCG-845430-L	1131	84	54	30	5.42	59.63
R-WUCG-845430-R	1131	84	54	30	5.42	59.63
R-WUCG-846024-L	1205	84	60	24	5.42	59.99
R-WUCG-846024-R	1205	84	60	24	5.42	59.99
R-WUCG-846030-L	1226	84	60	30	5.42	61.34
R-WUCG-846030-R	1226	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding 90 degree						
R-WUCG-604824-L	710	60	48	24	46.03	5.42
R-WUCG-604824-R	710	60	48	24	5.42	46.03
R-WUCG-604830-L	729	60	48	30	5.42	48.13
R-WUCG-604830-R	729	60	48	30	5.42	48.13
R-WUCG-605424-L	779	60	54	24	5.42	47.06
R-WUCG-605424-R	779	60	54	24	5.42	47.06
R-WUCG-605430-L	800	60	54	30	5.42	49.32
R-WUCG-605430-R	800	60	54	30	5.42	49.32
R-WUCG-664824-L	787	66	48	24	5.42	48.13
R-WUCG-664824-R	787	66	48	24	5.42	48.13
R-WUCG-664830-L	809	66	48	30	5.42	49.56
R-WUCG-664830-R	809	66	48	30	5.42	49.56
R-WUCG-665424-L	863	66	54	24	5.42	49.26
R-WUCG-665424-R	863	66	54	24	5.42	49.26
R-WUCG-665430-L	882	66	54	30	5.42	51.96
R-WUCG-665430-R	882	66	54	30	5.42	51.96
R-WUCG-666024-L	937	66	60	24	5.42	52.36
R-WUCG-666024-R	937	66	60	24	5.42	52.36
R-WUCG-666030-L	958	66	60	30	5.42	54.65
R-WUCG-666030-R	958	66	60	30	5.42	54.65
R-WUCG-724824-L	824	72	48	24	5.42	52.33
R-WUCG-724824-R	824	72	48	24	5.42	52.33
R-WUCG-724830-L	844	72	48	30	5.42	53.69
R-WUCG-724830-R	844	72	48	30	5.42	53.69
R-WUCG-725424-L	901	72	54	24	5.42	53.65
R-WUCG-725424-R	901	72	54	24	5.42	53.65
R-WUCG-725430-L	923	72	54	30	5.42	55.21
R-WUCG-725430-R	923	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding 90 degree - continued						
R-WUCG-726024-L	980	72	60	24	55.36	5.42
R-WUCG-726024-R	980	72	60	24	5.42	55.36
R-WUCG-726030-L	1001	72	60	30	5.42	57.31
R-WUCG-726030-R	1001	72	60	30	5.42	57.31
R-WUCG-784824-L	926	78	48	24	5.42	54.16
R-WUCG-784824-R	926	78	48	24	5.42	54.16
R-WUCG-784830-L	948	78	48	30	5.42	56.19
R-WUCG-784830-R	948	78	48	30	5.42	56.19
R-WUCG-785424-L	1011	78	54	24	5.42	56.61
R-WUCG-785424-R	1011	78	54	24	5.42	56.61
R-WUCG-785430-L	1034	78	54	30	5.42	58.17
R-WUCG-785430-R	1034	78	54	30	5.42	58.17
R-WUCG-786024-L	1098	78	60	24	5.42	57.96
R-WUCG-786024-R	1098	78	60	24	5.42	57.96
R-WUCG-786030-L	1120	78	60	30	5.42	58.62
R-WUCG-786030-R	1120	78	60	30	5.42	58.62
R-WUCG-844824-L	1015	84	48	24	5.42	56.16
R-WUCG-844824-R	1015	84	48	24	5.42	56.16
R-WUCG-844830-L	1037	84	48	30	5.42	58.32
R-WUCG-844830-R	1037	84	48	30	5.42	58.32
R-WUCG-845424-L	1110	84	54	24	5.42	58.6
R-WUCG-845424-R	1110	84	54	24	5.42	58.6
R-WUCG-845430-L	1131	84	54	30	5.42	59.63
R-WUCG-845430-R	1131	84	54	30	5.42	59.63
R-WUCG-846024-L	1205	84	60	24	5.42	59.99
R-WUCG-846024-R	1205	84	60	24	5.42	59.99
R-WUCG-846030-L	1226	84	60	30	5.42	61.34
R-WUCG-846030-R	1226	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved						
R-WUCG-584623-L	710	58	46	23	5.42	46
R-WUCG-584623-R	710	58	46	23	5.42	46
R-WUCG-584629-L	729	58	46	29	5.42	48.1
R-WUCG-584629-R	729	58	46	29	5.42	48.1
R-WUCG-585223-L	779	58	52	23	5.42	47.03
R-WUCG-585223-R	779	58	52	23	5.42	47.03
R-WUCG-585229-L	800	58	52	29	5.42	49.3
R-WUCG-585229-R	800	58	52	29	5.42	49.3
R-WUCG-644623-L	787	64	46	23	5.42	48
R-WUCG-644623-R	787	64	46	23	5.42	48
R-WUCG-644629-L	809	64	46	29	5.42	48.92
R-WUCG-644629-R	809	64	46	29	5.42	48.92
R-WUCG-645223-L	863	64	52	23	5.42	49.23
R-WUCG-645223-R	863	64	52	23	5.42	49.23
R-WUCG-645229-L	882	64	52	29	5.42	51.93
R-WUCG-645229-R	882	64	52	29	5.42	51.93
R-WUCG-645823-L	937	64	58	23	5.42	52.33
R-WUCG-645823-R	937	64	58	23	5.42	52.33
R-WUCG-645829-L	958	64	58	29	5.42	54.62
R-WUCG-645829-R	958	64	58	29	5.42	54.62
R-WUCG-704623-L	824	70	46	23	5.42	52.3
R-WUCG-704623-R	824	70	46	23	5.42	52.3
R-WUCG-704629-L	844	70	46	29	5.42	53.66
R-WUCG-704629-R	844	70	46	29	5.42	53.66
R-WUCG-705223-L	901	70	52	23	5.42	53.62
R-WUCG-705223-R	901	70	52	23	5.42	53.62
R-WUCG-705229-L	923	70	52	29	5.42	55.18
R-WUCG-705229-R	923	70	52	29	5.42	55.18

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved - continued						
R-WUCG-705823-L	980	70	58	23	5.42	55.33
R-WUCG-705823-R	980	70	58	23	5.42	55.33
R-WUCG-705829-L	1001	70	58	29	5.42	57.28
R-WUCG-705829-R	1001	70	58	29	5.42	57.28
R-WUCG-764623-L	926	76	46	23	5.42	54.13
R-WUCG-764623-R	926	76	46	23	5.42	54.13
R-WUCG-764629-L	948	76	46	29	5.42	56.16
R-WUCG-764629-R	948	76	46	29	5.42	56.16
R-WUCG-765223-L	1011	76	52	23	5.42	56.58
R-WUCG-765223-R	1011	76	52	23	5.42	56.58
R-WUCG-765229-L	1034	76	52	29	5.42	57.14
R-WUCG-765229-R	1034	76	52	29	5.42	57.14
R-WUCG-765823-L	1098	76	58	23	5.42	57.93
R-WUCG-765823-R	1098	76	58	23	5.42	57.93
R-WUCG-765829-L	1120	76	58	29	5.42	58.59
R-WUCG-765829-R	1120	76	58	29	5.42	58.59
R-WUCG-824623-L	1015	82	46	23	5.42	56.13
R-WUCG-824623-R	1015	82	46	23	5.42	56.13
R-WUCG-824629-L	1037	82	46	29	5.42	58.28
R-WUCG-824629-R	1037	82	46	29	5.42	58.28
R-WUCG-825223-L	1110	82	52	23	5.42	58.57
R-WUCG-825223-R	1110	82	52	23	5.42	58.57
R-WUCG-825229-L	1131	82	52	29	5.42	59.6
R-WUCG-825229-R	1131	82	52	29	5.42	59.6
R-WUCG-825823-L	1205	82	58	23	5.42	59.96
R-WUCG-825823-R	1205	82	58	23	5.42	59.96
R-WUCG-825829-L	1226	82	58	29	5.42	61.31
R-WUCG-825829-R	1226	82	58	29	5.42	61.31

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree						
R-WUNG-584623-L	745	60	48	24	5.42	46.03
R-WUNG-584623-R	745	60	48	24	5.42	46.03
R-WUNG-585223-L	817	60	48	30	5.42	48.13
R-WUNG-585223-R	817	60	48	30	5.42	48.13
R-WUNG-585229-L	839	60	54	24	5.42	47.06
R-WUNG-585229-R	839	60	54	24	5.42	47.06
R-WUNG-644623-L	826	60	54	30	5.42	49.32
R-WUNG-644623-R	826	60	54	30	5.42	49.32
R-WUNG-645223-L	905	66	48	24	5.42	48.13
R-WUNG-645223-R	905	66	48	24	5.42	48.13
R-WUNG-645229-L	926	66	48	30	5.42	49.56
R-WUNG-645229-R	926	66	48	30	5.42	49.56
R-WUNG-645823-L	983	66	54	24	5.42	49.26
R-WUNG-645823-R	983	66	54	24	5.42	49.26
R-WUNG-645829-L	1005	66	54	30	5.42	51.96
R-WUNG-645829-R	1005	66	54	30	5.42	51.96
R-WUNG-704623-L	865	66	60	24	5.42	52.36
R-WUNG-704623-R	865	66	60	24	5.42	52.36
R-WUNG-705223-L	945	66	60	30	5.42	54.65
R-WUNG-705223-R	945	66	60	30	5.42	54.65
R-WUNG-705229-L	968	72	48	24	5.42	52.33
R-WUNG-705229-R	968	72	48	24	5.42	52.33
R-WUNG-705823-L	1028	72	48	30	5.42	53.69
R-WUNG-705823-R	1028	72	48	30	5.42	53.69
R-WUNG-705829-L	1050	72	54	24	5.42	53.65
R-WUNG-705829-R	1050	72	54	24	5.42	53.65
R-WUNG-764623-L	972	72	54	30	5.42	55.21
R-WUNG-764623-R	972	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree - continued						
R-WUNG-765223-L	1060	72	60	24	5.42	55.36
R-WUNG-765223-R	1060	72	60	24	5.42	55.36
R-WUNG-765229-L	1085	72	60	30	5.42	57.31
R-WUNG-765229-R	1085	72	60	30	5.42	57.31
R-WUNG-765823-L	1151	78	48	24	5.42	54.16
R-WUNG-765823-R	1151	78	48	24	5.42	54.16
R-WUNG-765829-L	1175	78	48	30	5.42	56.19
R-WUNG-765829-R	1175	78	48	30	5.42	56.19
R-WUNG-824623-L	1065	78	54	24	5.42	56.61
R-WUNG-824623-R	1065	78	54	24	5.42	56.61
R-WUNG-825223-L	1164	78	54	30	5.42	58.17
R-WUNG-825223-R	1164	78	54	30	5.42	58.17
R-WUNG-825229-L	1187	78	60	24	5.42	57.96
R-WUNG-825229-R	1187	78	60	24	5.42	57.96
R-WUNG-825823-L	1264	78	60	30	5.42	58.62
R-WUNG-825823-R	1264	78	60	30	5.42	58.62
R-WUNG-825829-L	1286	84	48	24	5.42	56.16
R-WUNG-825829-R	1286	84	48	24	5.42	56.16




Tables Pricebook July 2021 Norris Tables

Norris tables

super ellipse without power and data	34
super ellipse with power and data	36
video without power and data	38
video with power and data	40
boat without power and data	42
boat with power and data	44
straight without power and data	46
straight with power and data	48

Add-on Kits

Code	Price	Description
R-ESMU-A	102	USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER)
R-ESMU-K	605	USB KIT (4EA DUAL USB PORTS WITH HUB)



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth	Laminate Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BE1N-7236	1937	28	72	36	5.04	72.58
R-BE1N-8436	2075	28	84	36	5.88	84.67
R-BE1N-9636	2181	28	96	36	6.72	96.77
R-BE1N-7242	2155	28	72	42	5.88	84.67
R-BE1N-8442	2263	28	84	42	6.86	98.78
R-BE1N-9642	2374	28	96	42	7.84	112.9
R-BE1N-10842	2488	28	108	42	8.82	127.01
R-BE1N-12042	2605	28	120	42	9.8	141.12
R-BE1N-8448	2401	28	84	48	7.84	112.9
R-BE1N-9648	2484	28	96	48	8.96	129.02
R-BE1N-10848	3364	28	108	48	10.08	145.15
R-BE1N-12048	3513	28	120	48	11.2	161.28
R-BE1N-13248	3870	28	132	48	12.32	177.41
R-BE1N-14448	4031	28	144	48	13.44	193.54
R-BE1N-15648	4188	28	156	48	14.56	209.66
R-BE1N-16848	4535	28	168	48	15.68	225.79
R-BE1N-18048	4599	28	180	48	16.8	241.92
R-BE1N-19248	4659	28	192	48	17.92	258.05
R-BE1N-20448	5837	28	204	48	19.04	274.18
R-BE1N-21648	6004	28	216	48	20.16	290.3
R-BE1N-22848	6169	28	228	48	21.28	306.43
R-BE1N-24048	6513	28	240	48	22.4	322.56
R-BE1N-10860	4043	28	108	60	12.6	181.44
R-BE1N-12060	4223	28	120	60	14	201.6
R-BE1N-13260	4404	28	132	60	15.4	221.76
R-BE1N-14460	4589	28	144	60	16.8	241.92
R-BE1N-15660	4772	28	156	60	18.2	262.08
R-BE1N-16860	4950	28	168	60	19.6	282.24
R-BE1N-18060	5135	28	180	60	21	302.4
R-BE1N-19260	5315	28	192	60	22.4	322.56
R-BE1N-20460	6576	28	204	60	23.8	342.72
R-BE1N-21660	6766	28	216	60	25.2	362.88
R-BE1N-22860	6953	28	228	60	26.6	383.04
R-BE1N-24060	7136	28	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" horizontal center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BE1E-7236	2897	28	72	36	5.04	72.58
R-BE1E-8436	3035	28	84	36	5.88	84.67
R-BE1E-9636	3140	28	96	36	6.72	96.77
R-BE1E-7242	3114	28	72	42	5.88	84.67
R-BE1E-8442	3222	28	84	42	6.86	98.78
R-BE1E-9642	3333	28	96	42	7.84	112.9
R-BE1E-10842	3447	28	108	42	8.82	127.01
R-BE1E-12042	3564	28	120	42	9.8	141.12
R-BE1E-8448	3361	28	84	48	7.84	112.9
R-BE1E-9648	3443	28	96	48	8.96	129.02
R-BE1E-10848	5283	28	108	48	10.08	145.15
R-BE1E-12048	5432	28	120	48	11.2	161.28
R-BE1E-13248	5897	28	132	48	12.32	177.41
R-BE1E-14448	6058	28	144	48	13.44	193.54
R-BE1E-15648	6215	28	156	48	14.56	209.66
R-BE1E-16848	6562	28	168	48	15.68	225.79
R-BE1E-18048	6626	28	180	48	16.8	241.92
R-BE1E-19248	6686	28	192	48	17.92	258.05
R-BE1E-20448	8772	28	204	48	19.04	274.18
R-BE1E-21648	8870	28	216	48	20.16	290.3
R-BE1E-22848	9075	28	228	48	21.28	306.43
R-BE1E-24048	9464	28	240	48	22.4	322.56
R-BE1E-10860	6070	28	108	60	12.6	181.44
R-BE1E-12060	6251	28	120	60	14	201.6
R-BE1E-13260	6431	28	132	60	15.4	221.76
R-BE1E-14460	6617	28	144	60	16.8	241.92
R-BE1E-15660	6798	28	156	60	18.2	262.08
R-BE1E-16860	6977	28	168	60	19.6	282.24
R-BE1E-18060	7161	28	180	60	21	302.4
R-BE1E-19260	7343	28	192	60	22.4	322.56
R-BE1E-20460	9537	28	204	60	23.8	342.72
R-BE1E-21660	9655	28	216	60	25.2	362.88
R-BE1E-22860	9884	28	228	60	26.6	383.04
R-BE1E-24060	10114	28	240	60	28	403.2



What’s Included:

- Steel bridge under structure.
- 1.5” thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108” and 240” come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72”, 84”, 96”, 108”, 120”, 132”, 144”, 156”, 168”, 180”, 192”, 204”, 216”, 228”, 240”
Depth	36”, 42”, 48”, 60”
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BV1N-7236	1937	28	72	36	5.04	72.58
R-BV1N-8436	2075	28	84	36	5.88	84.67
R-BV1N-9636	2181	28	96	36	6.72	96.77
R-BV1N-7242	2155	28	72	42	5.88	84.67
R-BV1N-8442	2263	28	84	42	6.86	98.78
R-BV1N-9642	2374	28	96	42	7.84	112.9
R-BV1N-10842	2488	28	108	42	8.82	127.01
R-BV1N-12042	2605	28	120	42	9.8	141.12
R-BV1N-8448	2401	28	84	48	7.84	112.9
R-BV1N-9648	2484	28	96	48	8.96	129.02
R-BV1N-10848	3364	28	108	48	10.08	145.15
R-BV1N-12048	3513	28	120	48	11.2	161.28
R-BV1N-13248	3870	28	132	48	12.32	177.41
R-BV1N-14448	4031	28	144	48	13.44	193.54
R-BV1N-15648	4188	28	156	48	14.56	209.66
R-BV1N-16848	4535	28	168	48	15.68	225.79
R-BV1N-18048	4599	28	180	48	16.8	241.92
R-BV1N-19248	4659	28	192	48	17.92	258.05
R-BV1N-20448	5837	28	204	48	19.04	274.18
R-BV1N-21648	6004	28	216	48	20.16	290.3
R-BV1N-22848	6169	28	228	48	21.28	306.43
R-BV1N-24048	6513	28	240	48	22.4	322.56
R-BV1N-10860	4043	28	108	60	12.6	181.44
R-BV1N-12060	4223	28	120	60	14	201.6
R-BV1N-13260	4404	28	132	60	15.4	221.76
R-BV1N-14460	4589	28	144	60	16.8	241.92
R-BV1N-15660	4772	28	156	60	18.2	262.08
R-BV1N-16860	4950	28	168	60	19.6	282.24
R-BV1N-18060	5135	28	180	60	21	302.4
R-BV1N-19260	5315	28	192	60	22.4	322.56
R-BV1N-20460	6576	28	204	60	23.8	342.72
R-BV1N-21660	6766	28	216	60	25.2	362.88
R-BV1N-22860	6953	28	228	60	26.6	383.04
R-BV1N-24060	7136	28	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BV1E-7236	2897	28	72	36	5.04	72.58
R-BV1E-8436	3035	28	84	36	5.88	84.67
R-BV1E-9636	3140	28	96	36	6.72	96.77
R-BV1E-7242	3114	28	72	42	5.88	84.67
R-BV1E-8442	3222	28	84	42	6.86	98.78
R-BV1E-9642	3333	28	96	42	7.84	112.9
R-BV1E-10842	3447	28	108	42	8.82	127.01
R-BV1E-12042	3564	28	120	42	9.8	141.12
R-BV1E-8448	3361	28	84	48	7.84	112.9
R-BV1E-9648	3443	28	96	48	8.96	129.02
R-BV1E-10848	5283	28	108	48	10.08	145.15
R-BV1E-12048	5432	28	120	48	11.2	161.28
R-BV1E-13248	5897	28	132	48	12.32	177.41
R-BV1E-14448	6058	28	144	48	13.44	193.54
R-BV1E-15648	6215	28	156	48	14.56	209.66
R-BV1E-16848	6562	28	168	48	15.68	225.79
R-BV1E-18048	6626	28	180	48	16.8	241.92
R-BV1E-19248	6686	28	192	48	17.92	258.05
R-BV1E-20448	8772	28	204	48	19.04	274.18
R-BV1E-21648	8870	28	216	48	20.16	290.3
R-BV1E-22848	9075	28	228	48	21.28	306.43
R-BV1E-24048	9464	28	240	48	22.4	322.56
R-BV1E-10860	6070	28	108	60	12.6	181.44
R-BV1E-12060	6251	28	120	60	14	201.6
R-BV1E-13260	6431	28	132	60	15.4	221.76
R-BV1E-14460	6617	28	144	60	16.8	241.92
R-BV1E-15660	6798	28	156	60	18.2	262.08
R-BV1E-16860	6977	28	168	60	19.6	282.24
R-BV1E-18060	7161	28	180	60	21	302.4
R-BV1E-19260	7343	28	192	60	22.4	322.56
R-BV1E-20460	9537	28	204	60	23.8	342.72
R-BV1E-21660	9655	28	216	60	25.2	362.88
R-BV1E-22860	9884	28	228	60	26.6	383.04
R-BV1E-24060	10114	28	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent	Color

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" center plinth.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BB1N-7236	1937	28	72	36	5.04	72.58
R-BB1N-8436	2075	28	84	36	5.88	84.67
R-BB1N-9636	2181	28	96	36	6.72	96.77
R-BB1N-7242	2155	28	72	42	5.88	84.67
R-BB1N-8442	2263	28	84	42	6.86	98.78
R-BB1N-9642	2374	28	96	42	7.84	112.9
R-BB1N-10842	2488	28	108	42	8.82	127.01
R-BB1N-12042	2605	28	120	42	9.8	141.12
R-BB1N-8448	2401	28	84	48	7.84	112.9
R-BB1N-9648	2484	28	96	48	8.96	129.02
R-BB1N-10848	3364	28	108	48	10.08	145.15
R-BB1N-12048	3513	28	120	48	11.2	161.28
R-BB1N-13248	3870	28	132	48	12.32	177.41
R-BB1N-14448	4031	28	144	48	13.44	193.54
R-BB1N-15648	4188	28	156	48	14.56	209.66
R-BB1N-16848	4535	28	168	48	15.68	225.79
R-BB1N-18048	4599	28	180	48	16.8	241.92
R-BB1N-19248	4659	28	192	48	17.92	258.05
R-BB1N-20448	5837	28	204	48	19.04	274.18
R-BB1N-21648	6004	28	216	48	20.16	290.3
R-BB1N-22848	6169	28	228	48	21.28	306.43
R-BB1N-24048	6513	28	240	48	22.4	322.56
R-BB1N-10860	4043	28	108	60	12.6	181.44
R-BB1N-12060	4223	28	120	60	14	201.6
R-BB1N-13260	4404	28	132	60	15.4	221.76
R-BB1N-14460	4589	28	144	60	16.8	241.92
R-BB1N-15660	4772	28	156	60	18.2	262.08
R-BB1N-16860	4950	28	168	60	19.6	282.24
R-BB1N-18060	5135	28	180	60	21	302.4
R-BB1N-19260	5315	28	192	60	22.4	322.56
R-BB1N-20460	6576	28	204	60	23.8	342.72
R-BB1N-21660	6766	28	216	60	25.2	362.88
R-BB1N-22860	6953	28	228	60	26.6	383.04
R-BB1N-24060	7136	28	240	60	28	403.2



What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.


Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate Color	
Gable + Plinth Laminate Color	
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BB1E-7236	2897	28	72	36	5.04	72.58
R-BB1E-8436	3035	28	84	36	5.88	84.67
R-BB1E-9636	3140	28	96	36	6.72	96.77
R-BB1E-7242	3114	28	72	42	5.88	84.67
R-BB1E-8442	3222	28	84	42	6.86	98.78
R-BB1E-9642	3333	28	96	42	7.84	112.9
R-BB1E-10842	3447	28	108	42	8.82	127.01
R-BB1E-12042	3564	28	120	42	9.8	141.12
R-BB1E-8448	3361	28	84	48	7.84	112.9
R-BB1E-9648	3443	28	96	48	8.96	129.02
R-BB1E-10848	5283	28	108	48	10.08	145.15
R-BB1E-12048	5432	28	120	48	11.2	161.28
R-BB1E-13248	5897	28	132	48	12.32	177.41
R-BB1E-14448	6058	28	144	48	13.44	193.54
R-BB1E-15648	6215	28	156	48	14.56	209.66
R-BB1E-16848	6562	28	168	48	15.68	225.79
R-BB1E-18048	6626	28	180	48	16.8	241.92
R-BB1E-19248	6686	28	192	48	17.92	258.05
R-BB1E-20448	8772	28	204	48	19.04	274.18
R-BB1E-21648	8870	28	216	48	20.16	290.3
R-BB1E-22848	9075	28	228	48	21.28	306.43
R-BB1E-24048	9464	28	240	48	22.4	322.56
R-BB1E-10860	6070	28	108	60	12.6	181.44
R-BB1E-12060	6251	28	120	60	14	201.6
R-BB1E-13260	6431	28	132	60	15.4	221.76
R-BB1E-14460	6617	28	144	60	16.8	241.92
R-BB1E-15660	6798	28	156	60	18.2	262.08
R-BB1E-16860	6977	28	168	60	19.6	282.24
R-BB1E-18060	7161	28	180	60	21	302.4
R-BB1E-19260	7343	28	192	60	22.4	322.56
R-BB1E-20460	9537	28	204	60	23.8	342.72
R-BB1E-21660	9655	28	216	60	25.2	362.88
R-BB1E-22860	9884	28	228	60	26.6	383.04
R-BB1E-24060	10114	28	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent	Color

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" center plinth.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BS1N-7236	1937	28	72	36	5.04	72.58
R-BS1N-8436	2075	28	84	36	5.88	84.67
R-BS1N-9636	2181	28	96	36	6.72	96.77
R-BS1N-7242	2155	28	72	42	5.88	84.67
R-BS1N-8442	2263	28	84	42	6.86	98.78
R-BS1N-9642	2374	28	96	42	7.84	112.9
R-BS1N-10842	2488	28	108	42	8.82	127.01
R-BS1N-12042	2605	28	120	42	9.8	141.12
R-BS1N-8448	2401	28	84	48	7.84	112.9
R-BS1N-9648	2484	28	96	48	8.96	129.02
R-BS1N-10848	3364	28	108	48	10.08	145.15
R-BS1N-12048	3513	28	120	48	11.2	161.28
R-BS1N-13248	3870	28	132	48	12.32	177.41
R-BS1N-14448	4031	28	144	48	13.44	193.54
R-BS1N-15648	4188	28	156	48	14.56	209.66
R-BS1N-16848	4535	28	168	48	15.68	225.79
R-BS1N-18048	4599	28	180	48	16.8	241.92
R-BS1N-19248	4659	28	192	48	17.92	258.05
R-BS1N-20448	5837	28	204	48	19.04	274.18
R-BS1N-21648	6004	28	216	48	20.16	290.3
R-BS1N-22848	6169	28	228	48	21.28	306.43
R-BS1N-24048	6513	28	240	48	22.4	322.56
R-BS1N-10860	4043	28	108	60	12.6	181.44
R-BS1N-12060	4223	28	120	60	14	201.6
R-BS1N-13260	4404	28	132	60	15.4	221.76
R-BS1N-14460	4589	28	144	60	16.8	241.92
R-BS1N-15660	4772	28	156	60	18.2	262.08
R-BS1N-16860	4950	28	168	60	19.6	282.24
R-BS1N-18060	5135	28	180	60	21	302.4
R-BS1N-19260	5315	28	192	60	22.4	322.56
R-BS1N-20460	6576	28	204	60	23.8	342.72
R-BS1N-21660	6766	28	216	60	25.2	362.88
R-BS1N-22860	6953	28	228	60	26.6	383.04
R-BS1N-24060	7136	28	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft ³)	Weight (lb)
R-BS1E-7236	2897	28	72	36	5.04	72.58
R-BS1E-8436	3035	28	84	36	5.88	84.67
R-BS1E-9636	3140	28	96	36	6.72	96.77
R-BS1E-7242	3114	28	72	42	5.88	84.67
R-BS1E-8442	3222	28	84	42	6.86	98.78
R-BS1E-9642	3333	28	96	42	7.84	112.9
R-BS1E-10842	3447	28	108	42	8.82	127.01
R-BS1E-12042	3564	28	120	42	9.8	141.12
R-BS1E-8448	3361	28	84	48	7.84	112.9
R-BS1E-9648	3443	28	96	48	8.96	129.02
R-BS1E-10848	5283	28	108	48	10.08	145.15
R-BS1E-12048	5432	28	120	48	11.2	161.28
R-BS1E-13248	5897	28	132	48	12.32	177.41
R-BS1E-14448	6058	28	144	48	13.44	193.54
R-BS1E-15648	6215	28	156	48	14.56	209.66
R-BS1E-16848	6562	28	168	48	15.68	225.79
R-BS1E-18048	6626	28	180	48	16.8	241.92
R-BS1E-19248	6686	28	192	48	17.92	258.05
R-BS1E-20448	8772	28	204	48	19.04	274.18
R-BS1E-21648	8870	28	216	48	20.16	290.3
R-BS1E-22848	9075	28	228	48	21.28	306.43
R-BS1E-24048	9464	28	240	48	22.4	322.56
R-BS1E-10860	6070	28	108	60	12.6	181.44
R-BS1E-12060	6251	28	120	60	14	201.6
R-BS1E-13260	6431	28	132	60	15.4	221.76
R-BS1E-14460	6617	28	144	60	16.8	241.92
R-BS1E-15660	6798	28	156	60	18.2	262.08
R-BS1E-16860	6977	28	168	60	19.6	282.24
R-BS1E-18060	7161	28	180	60	21	302.4
R-BS1E-19260	7343	28	192	60	22.4	322.56
R-BS1E-20460	9537	28	204	60	23.8	342.72
R-BS1E-21660	9655	28	216	60	25.2	362.88
R-BS1E-22860	9884	28	228	60	26.6	383.04
R-BS1E-24060	10114	28	240	60	28	403.2




Tables Pricebook
July 2021
Kip Tables

Kip tables

community table without power and data	52
community table with power and data	54

Add-on Kits

Code	Price	Description
R-ESMU-A	102	USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER)
R-ESMU-K	605	USB KIT (4EA DUAL USB PORTS WITH HUB)



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers may match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.


Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.

Options:

Width	60”, 72”, 84”, 96”, 108”, 120”, 144”
Depth	30”, 36”, 42”
Outershell	Laminate Color
Inner Cover	Laminate Color
Metal Accent	Color

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PT2N-6030	4045	42	60	30	5	72
R-PT2N-7230	4107	42	72	30	6	86.4
R-PT2N-8430	4137	42	84	30	7	100.8
R-PT2N-9630	4198	42	96	30	8	115.2
R-PT2N-6036	4047	42	60	36	6	86.4
R-PT2N-7236	4109	42	72	36	7.2	103.68
R-PT2N-8436	4139	42	84	36	8.4	120.96
R-PT2N-9636	4200	42	96	36	9.6	138.24
R-PT2N-10836	6191	42	108	36	10.8	155.52
R-PT2N-12036	6256	42	120	36	12	172.8
R-PT2N-13236	6321	42	132	36	13.2	190.08
R-PT2N-14436	6386	42	144	36	14.4	207.36
R-PT2N-7242	4111	42	72	42	8.4	120.96
R-PT2N-8442	4141	42	84	42	9.8	141.12
R-PT2N-9642	4202	42	96	42	11.2	161.28
R-PT2N-10842	6195	42	108	42	12.6	181.44
R-PT2N-12042	6261	42	120	42	14	201.6
R-PT2N-13242	6325	42	132	42	15.4	221.76
R-PT2N-14442	6390	42	144	42	16.8	241.92



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers may match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.

Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.
- Tops between 60”-96” come with one flush surface power unit consisting of 2 power & 2 USB.
- Tops from 108”-144” come with two power units, consisting of 2 power & 2 USB.
- When choosing optional side-mounted USB:
 - Tables without mid-legs have 4 USB power modules.
 - Up to 4 side mount USB units can be connected to one hub.

Options:

Width	60”, 72”, 84”, 96”, 108”, 120”, 144”
Depth	30”, 36”, 42”
Outershell	Laminate Color
Inner Cover	Laminate Color
Metal Accent	Color


Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PT2P-6030	4635	42	60	30	5	72
R-PT2P-7230	4700	42	72	30	6	86.4
R-PT2P-8430	4766	42	84	30	7	100.8
R-PT2P-9630	4833	42	96	30	8	115.2
R-PT2P-6036	4638	42	60	36	6	86.4
R-PT2P-7236	4703	42	72	36	7.2	103.68
R-PT2P-8436	4770	42	84	36	8.4	120.96
R-PT2P-9636	4835	42	96	36	9.6	138.24
R-PT2P-10836	7214	42	108	36	10.8	155.52
R-PT2P-12036	7280	42	120	36	12	172.8
R-PT2P-13236	7346	42	132	36	13.2	190.08
R-PT2P-14436	7411	42	144	36	14.4	207.36
R-PT2P-7242	4706	42	72	42	8.4	120.96
R-PT2P-8442	4772	42	84	42	9.8	141.12
R-PT2P-9642	4837	42	96	42	11.2	161.28
R-PT2P-10842	7217	42	108	42	12.6	181.44
R-PT2P-12042	7283	42	120	42	14	201.6
R-PT2P-13242	7348	42	132	42	15.4	221.76
R-PT2P-14442	7413	42	144	42	16.8	241.92



Tables Pricebook
July 2021
Koko Tables

Koko tables

<u>rectangular table</u>	58
<u>round table</u>	59



What’s Included:

Aluminum rectangular laptop table.


How to Specify:

Metal paint color.

Options:

Metal color

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PTO-241616	798	24	20	14	4	26.88



What’s Included:

Aluminum round laptop table.

How to Specify:

Metal paint color.

Options:

Metal Color


Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PTR-242014	798	24	16	16	4	24.58



Tables Pricebook
July 2021
Hanna

Hanna tables

T base - slim	62
T base - tubular	64
X base - slim	66
X base - tubular	68
super ellipse top	70
round top	72
squircle top	74
rectangular top	76
square top	78



What’s Included:

One (1) metal slim T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

Depth	16”, 18”, 22”, 30”, 34”
Height	28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HSB-T-1628	573	28	18	9	14
R-HSB-T-1828	578	28	22	11	14
R-HSB-T-2228	577	28	30	15	14
R-HSB-T-3028	585	28	34	17	14
R-HSB-T-3428	607	35	16	11.5	17.5
R-HSB-T-1635	807	35	18	12.5	17.5
R-HSB-T-1835	809	35	22	14.5	17.5
R-HSB-T-2235	811	35	30	18.5	17.5
R-HSB-T-3035	819	35	34	20.5	17.5
R-HSB-T-3435	840	41	16	14.5	20.5
R-HSB-T-1641	807	41	18	15.5	20.5
R-HSB-T-1841	809	41	22	17.5	20.5
R-HSB-T-2241	811	41	30	21.5	20.5
R-HSB-T-3041	819	41	34	23.5	20.5
R-HSB-T-3441	840	41	34	23.5	20.5



What’s Included:

One (1) metal tubular T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

Depth	16”, 18”, 22”, 30”, 34”
Height	28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft3)	Weight (lb)
R-HTB-T-1628	573	28	16	8	14
R-HTB-T-1828	575	28	18	9	14
R-HTB-T-2228	577	28	22	11	14
R-HTB-T-3028	585	28	30	15	14
R-HTB-T-3428	769	28	34	17	14
R-HTB-T-1635	756	35	16	11.5	17.5
R-HTB-T-1835	758	35	18	12.5	17.5
R-HTB-T-2235	761	35	22	14.5	17.5
R-HTB-T-3035	769	35	30	18.5	17.5
R-HTB-T-3435	979	35	34	20.5	17.5
R-HTB-T-1641	807	41	16	14.5	20.5
R-HTB-T-1841	809	41	18	15.5	20.5
R-HTB-T-2241	811	41	22	17.5	20.5
R-HTB-T-3041	819	41	30	21.5	20.5
R-HTB-T-3441	1029	41	34	23.5	20.5



What’s Included:

One (1) metal slim X base.


How to Specify:

Metal color.	
Round	Square
24”dia - 16” spread	18”d - 16” spread
30”dia - 18” spread	24”d - 18” spread
36”dia - 22” spread	30”d - 22” spread
42”dia - 26” spread	36”d - 26” spread
48”dia - 30” spread	42”d - 30” spread
	48”d - 34” spread

Options:

Depth	16" 18", 22", 22", 26", 30", 34",
Height	15", 21", 28", 35", 41"
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HSB-X-1615	761	15	18	9.5	7.5
R-HSB-X-1815	766	15	22	11.5	7.5
R-HSB-X-2215	786	15	26	13.5	7.5
R-HSB-X-2615	812	15	30	15.5	7.5
R-HSB-X-3015	842	15	34	17.5	7.5
R-HSB-X-3415	868	21	16	9	10.5
R-HSB-X-1621	761	21	18	10.5	10.5
R-HSB-X-1821	766	21	22	12.5	10.5
R-HSB-X-2221	786	21	26	14.5	10.5
R-HSB-X-2621	812	21	30	16.5	10.5
R-HSB-X-3021	842	21	34	18.5	10.5
R-HSB-X-3421	868	28	16	12	14
R-HSB-X-1628	761	28	18	13.5	14
R-HSB-X-1828	766	28	22	15.5	14
R-HSB-X-2228	786	28	26	17.5	14
R-HSB-X-2628	812	28	30	19.5	14
R-HSB-X-3028	842	28	34	21.5	14
R-HSB-X-3428	868	35	16	15	17.5
R-HSB-X-1635	995	35	18	16.5	17.5
R-HSB-X-1835	1001	35	22	18.5	17.5
R-HSB-X-2235	1021	35	26	20.5	17.5
R-HSB-X-2635	1047	35	30	22.5	17.5
R-HSB-X-3035	1076	35	34	24.5	17.5
R-HSB-X-3435	1102	41	16	17	20.5
R-HSB-X-1641	995	41	18	18.5	20.5
R-HSB-X-1841	1001	41	22	20.5	20.5
R-HSB-X-2241	1021	41	26	22.5	20.5
R-HSB-X-2641	1047	41	30	24.5	20.5
R-HSB-X-3041	1076	41	34	26.5	20.5
R-HSB-X-3441	1102	41	34	26.5	20.5



What’s Included:

One (1) metal slim X base.

How to Specify:


Metal color.

Round	Square
24”dia - 16” spread	18”d - 16” spread
30”dia - 18” spread	24”d - 18” spread
36”dia - 22” spread	30”d - 22” spread
42”dia - 26” spread	36”d - 26” spread
48”dia - 30” spread	42”d - 30” spread
54”dia - 34” spread	48”d - 34” spread
60”dia - 42” spread	54”d - 42” spread
	60”d - 48” spread

Options:

Depth	16” 18”, 22”, 22”, 26”, 30”, 34”,
Height	15”, 21”, 28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HTB-X-1615	761	15	18	9.5	7.5
R-HTB-X-1815	766	15	22	11.5	7.5
R-HTB-X-2215	786	15	26	13.5	7.5
R-HTB-X-2615	812	15	30	15.5	7.5
R-HTB-X-3015	842	15	34	17.5	7.5
R-HTB-X-3415	1005	15	42	21.5	7.5
R-HTB-X-4215	1301	15	48	24.5	7.5
R-HTB-X-4815	1462	21	16	9	10.5
R-HTB-X-1621	761	21	18	10.5	10.5
R-HTB-X-1821	766	21	22	12.5	10.5
R-HTB-X-2221	786	21	26	14.5	10.5
R-HTB-X-2621	812	21	30	16.5	10.5
R-HTB-X-3021	842	21	34	18.5	10.5
R-HTB-X-3421	1005	21	42	22.5	10.5
R-HTB-X-4221	1301	21	48	25.5	10.5
R-HTB-X-4821	1462	28	16	12	14
R-HTB-X-1628	761	28	18	13.5	14
R-HTB-X-1828	766	28	22	15.5	14
R-HTB-X-2228	786	28	26	17.5	14
R-HTB-X-2628	812	28	30	19.5	14
R-HTB-X-3028	842	28	34	21.5	14
R-HTB-X-3428	1005	28	42	25.5	14
R-HTB-X-4228	1301	28	48	28.5	14
R-HTB-X-4828	1462	35	16	15	17.5
R-HTB-X-1635	1021	35	18	16.5	17.5
R-HTB-X-1835	1026	35	22	18.5	17.5
R-HTB-X-2235	1047	35	26	20.5	17.5
R-HTB-X-2635	1072	35	30	22.5	17.5
R-HTB-X-3035	1102	35	34	24.5	17.5
R-HTB-X-3435	1183	35	42	28.5	17.5
R-HTB-X-4235	1479	35	48	31.5	17.5
R-HTB-X-4835	1705	41	16	17	20.5
R-HTB-X-1641	1021	41	18	18.5	20.5
R-HTB-X-1841	1026	41	22	20.5	20.5
R-HTB-X-2241	1047	41	26	22.5	20.5
R-HTB-X-2641	1072	41	30	24.5	20.5
R-HTB-X-3041	1102	41	34	26.5	20.5
R-HTB-X-3441	1183	41	42	30.5	20.5
R-HTB-X-4241	1479	41	48	33.5	20.5
R-HTB-X-4841	1705	41	48	33.5	20.5



What's Included:

1" laminate surface.


How to Specify:

Must be specified with two bases.

Options:

Width	30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth	24", 30", 36", 42", 48"
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TE0N-3024	316	1	30	24	0.4	14.4
R-TE0N-3624	320	1	36	24	0.48	17.28
R-TE0N-4224	363	1	42	24	0.56	20.16
R-TE0N-4824	383	1	48	24	0.64	23.04
R-TE0N-5424	442	1	54	24	0.72	25.92
R-TE0N-6024	461	1	60	24	0.8	28.8
R-TE0N-6624	499	1	66	24	0.88	31.68
R-TE0N-7224	518	1	72	24	0.96	34.56
R-TE0N-7824	558	1	78	24	1.04	37.44
R-TE0N-8424	594	1	84	24	1.12	40.32
R-TE0N-9024	666	1	90	24	1.2	43.2
R-TE0N-9624	711	1	96	24	1.28	46.08
R-TE0N-4230	394	1	42	30	0.7	25.2
R-TE0N-4830	418	1	48	30	0.8	28.8
R-TE0N-5430	459	1	54	30	0.9	32.4
R-TE0N-6030	478	1	60	30	1	36
R-TE0N-6630	534	1	66	30	1.1	39.6
R-TE0N-7230	545	1	72	30	1.2	43.2
R-TE0N-7830	585	1	78	30	1.3	46.8
R-TE0N-8430	625	1	84	30	1.4	50.4
R-TE0N-9030	700	1	90	30	1.5	54
R-TE0N-9630	749	1	96	30	1.6	57.6
R-TE0N-6036	498	1	60	36	1.2	43.2
R-TE0N-6636	554	1	66	36	1.32	47.52
R-TE0N-7236	566	1	72	36	1.44	51.84
R-TE0N-7836	606	1	78	36	1.56	56.16
R-TE0N-8436	650	1	84	36	1.68	60.48
R-TE0N-9036	727	1	90	36	1.8	64.8
R-TE0N-9636	776	1	96	36	1.92	69.12
R-TE0N-8442	710	1	84	42	1.96	70.56
R-TE0N-9042	787	1	90	42	2.1	75.6
R-TE0N-9642	836	1	96	42	2.24	80.64
R-TE0N-8448	770	1	84	48	2.24	80.64
R-TE0N-9048	855	1	90	48	2.4	86.4
R-TE0N-9648	909	1	96	48	2.56	92.16



What's Included:

1" laminate surface.


How to Specify:

Must be specified with X-base.

Options:

Diameter	24", 30", 36", 42", 48", 54", 60"
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TO0N-24	402	1	24	24	0.32	11.52
R-TO0N-30	440	1	30	30	0.5	18
R-TO0N-36	450	1	36	36	0.72	25.92
R-TO0N-42	476	1	42	42	0.98	35.28
R-TO0N-48	487	1	48	48	1.28	46.08
R-TO0N-54	559	1	54	54	1.28	52.23
R-TO0N-60	645	1	60	60	1.38	56.32



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with a X-base.

Options:

Width	24”, 30”, 36”, 42”, 48”
Depth	24”, 30”, 36”, 42”
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TQ0N-2424	402	1	24	24	0.32	11.52
R-TQ0N-3030	440	1	30	30	0.5	18
R-TQ0N-3636	450	1	36	36	0.72	25.92
R-TQ0N-4242	476	1	42	42	0.98	35.28



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with two bases.

Options:

Width	30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth	24", 30", 36", 42", 48"
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TR0N-3024	209	1	30	24	0.4	14.4
R-TR0N-3624	213	1	36	24	0.48	17.28
R-TR0N-4224	256	1	42	24	0.56	20.16
R-TR0N-4824	275	1	48	24	0.64	23.04
R-TR0N-5424	335	1	54	24	0.72	25.92
R-TR0N-6024	354	1	60	24	0.8	28.8
R-TR0N-6624	392	1	66	24	0.88	31.68
R-TR0N-7224	411	1	72	24	0.96	34.56
R-TR0N-7824	451	1	78	24	1.04	37.44
R-TR0N-8424	487	1	84	24	1.12	40.32
R-TR0N-9024	559	1	90	24	1.2	43.2
R-TR0N-9624	604	1	96	24	1.28	46.08
R-TR0N-4230	287	1	42	30	0.7	25.2
R-TR0N-4830	311	1	48	30	0.8	28.8
R-TR0N-5430	352	1	54	30	0.9	32.4
R-TR0N-6030	371	1	60	30	1	36
R-TR0N-6630	427	1	66	30	1.1	39.6
R-TR0N-7230	438	1	72	30	1.2	43.2
R-TR0N-7830	478	1	78	30	1.3	46.8
R-TR0N-8430	518	1	84	30	1.4	50.4
R-TR0N-9030	593	1	90	30	1.5	54
R-TR0N-9630	642	1	96	30	1.6	57.6
R-TR0N-6036	391	1	60	36	1.2	43.2
R-TR0N-6636	447	1	66	36	1.32	47.52
R-TR0N-7236	459	1	72	36	1.44	51.84
R-TR0N-7836	499	1	78	36	1.56	56.16
R-TR0N-8436	543	1	84	36	1.68	60.48
R-TR0N-9036	620	1	90	36	1.8	64.8
R-TR0N-9636	669	1	96	36	1.92	69.12
R-TR0N-8442	603	1	84	42	1.96	70.56
R-TR0N-9042	680	1	90	42	2.1	75.6
R-TR0N-9642	729	1	96	42	2.24	80.64
R-TR0N-8448	663	1	84	48	2.24	80.64
R-TR0N-9048	748	1	90	48	2.4	86.4
R-TR0N-9648	789	1	96	48	2.56	92.16



What’s Included:

1” laminate surface.

How to Specify:

Must be specified with a X-base.

Options:

Width	18”, 24”, 30”, 36”, 42”
Depth	18”, 24”, 30”, 36”, 42”
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TS0N-1818	249	1	18	18	0.18	6.48
R-TS0N-2424	270	1	24	24	0.32	11.52
R-TS0N-3030	292	1	30	30	0.5	18
R-TS0N-3636	320	1	36	36	0.72	25.92
R-TS0N-4242	409	1	42	42	0.98	35.28




Tables Pricebook
July 2021
One-touch


One-touch tables

Flip-Top Mobile


82



One-Touch Flip-Top Mobile Table Without Grommets



One-Touch Flip-Top Mobile Table With Grommets



One-Touch Flip-Top Mobile Table With Power and Data Grommet

How to Specify:

The one-touch Flip-Top mobile table base is silver only.

The edge trim color will default to match the finish of the worksurface unless otherwise specified.

Notes:

The One-Touch Flip-Top mobile table is available in depths of 24 and 30 inches, and widths of 42, 48, 60, and 72 inches, and is standard with a 4 inch charcoal laminate modesty.

The One-Touch Flip-Top mobile table easily collapses by pressing the button on either side of the table base. Once in the collapsed position, tables can be nested together when not in use.

Castors on the One-Touch Flip-Top mobile table are lockable.

A metal modesty panel, tray, and variety of power and wire management options can be specified separately to increase the functionality of the One-Touch Flip-Top mobile table.

When the grommet is specified, it will be centrally located along the back edge of the worksurface.The One-Touch Flip-Top table is shipped knocked down.

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
One-Touch Flip-Top Mobile Table Without Grommets						
Y-TS0N-4824	1075	29	48	24	12.95	19.33
Y-TS0N-6024	1263	29	60	24	14.95	24.17
Y-TS0N-7224	1344	29	72	24	16.95	29
Y-TS0N-4830	1119	29	48	30	14.5	24.17
Y-TS0N-6030	1312	29	60	30	17	30.21
Y-TS0N-7230	1396	29	72	30	20	36.25
One-Touch Flip-Top Mobile Table With Grommets						
Y-TS0G-4824	1139	29	48	24	12.95	19.33
Y-TS0G-6024	1327	29	60	24	14.95	24.17
Y-TS0G-7224	1408	29	72	24	16.95	29
Y-TS0G-4830	1181	29	48	30	14.5	24.17
Y-TS0G-6030	1378	29	60	30	17	30.21
Y-TS0G-7230	1460	29	72	30	20	36.25
One-Touch Flip-Top Mobile Table With Power and Data Grommet						
Y-TS0E-4824	1382	29	48	24	12.95	19.33
Y-TS0E-6024	1569	29	60	24	14.95	24.17
Y-TS0E-7224	1650	29	72	24	16.95	29
Y-TS0E-4830	1425	29	48	30	14.5	24.17
Y-TS0E-6030	1621	29	60	30	17	30.21
Y-TS0E-7230	1716	29	72	30	20	36.25