



Cosmo Pricebook

May 2023



Contract# 99999-001-SPD0000198
Supplier# 0000660069

Contents

Overview	v
the line-up	vi
product overview	x
features and benefits	xi
variable height panel combinations	xii
maximum span of panels	xiii
electrical cable length calculation	xiv
storage capacity and handle options	xv
caution	xvi
Panel Frames	16
panel frame	18
panel frame for full acrylic panel	20
panel frame with countertop capability	22
panel frame with flip-up capability	24
stack-on panel frame	26
panel door	28
acrylic sliding door	29
lockable acrylic sliding door	30
end trim	31
wall-to-panel connector	32
t-connection filler	34
90-degree filler	35
180-degree connection filler	36
135-degree 2-way connector	37
120-degree 2-way connection filler	38
120-degree 3-way connection filler	40
4-way connection filler	41
floor grippers	42
Tiles	44
acoustic tackable fabric tile	46
monolithic fabric tile	50
acrylic tiles	54
magnetic whiteboard tile	57
laminate tile	58
monolithic laminate tile	60
monolithic laminate tile	62
perforated metal tile	66
pass-through tile	68
fabric flip-up belt-line tile	69
accessory tile	70


Worksurfaces	74
straight worksurface	76
straight worksurface with power grommet	80
wave return with straight end	82
wave return with curved end	86
extended corner with curved front	90
angled worksurface with curved front	92
flexed worksurface with curved front	94
5-sided corner worksurface with straight front	96
5-sided corner worksurface with curved front	98
6-sided corner worksurface	99
panel-mounted d-table	100
panel-mounted p-table	102
panel-mounted j-table	104
panel-mounted y-table	106
c-table extension	108
u-table extension	109
bridge worksurface	110
radiused extended surface	112
tempered glass transaction top	113
laminate countertop	114
Worksurface Supports	116
cantilever arm	118
universal bracket	119
single post	120
horizontal surface support	121
laminate gable	122
intermediate gable	123
open metal gable	124
Mounted Storage	126
panel-mounted flipper cabinet	128
suspended flipper cabinet	130
wall mounted flipper cabinet	132
top mounted shared open shelf	134
cubby storage	136
open metal shelf	137
overhead back bracket	138
double channel wall mount bracket kit	139

Freestanding Storage	140
mobile pedestal	142
mobile pedestal with seat	143
freestanding pedestal	144
freestanding joined pedestal	145
freestanding lateral file	146
freestanding lateral file	147
closed storage tower	148
open storage tower with wardrobe	149
closed storage tower with closet	150
file/file/file storage tower	151
single door storage cabinet	152
double door storage tower	154
combination cabinet	155
Storage	156
end gable pedestal	158
underdesk pedestal	159
underworksurface open shelf	160
underdesk joined pedestal	161
underdesk lateral file	162
underdesk storage cabinet	163
Accessories	164
work organizers	166
accessory bar	167
pencil tray	168
coat hook	169
adjustable keyboard tray	170
retractable keyboard tray	171
top trim mounted privacy screen	172
wall mounted tackboard	174
worksurface edge mounted screen	178
panel mounted privacy screen	180
monitor arm	185
Electrics, Communication, Lighting	186
task light	188
power modules	189
electric starter harness	190
monitor arm	191
communication kit	191
power pole	192
belt-line electrics power module	194
horizontal wire manager	195
connector harness	196
male/female extension harness	198

Overview	
the line-up	vi
product overview	x
features and benefits	xi
variable height panel combinations	xii
maximum span of panels	xiii
electrical cable length calculation	xiv
storage capacity and handle options	xv
Caution	xvi

variable height panel combinations


Cosmopolitan offers the flexibility of 90, 180, 120, and 135 degree connections at varying heights. Illustrated below are a few connection possibilities for Cosmopolitan panel frames.



maximum span of panels

When specifying Cosmopolitan, it is important to be mindful of the width that panels are required to span. The following examples illustrate the maximum width that panels can span before they need to be supported by a return panel or wall.


Maximum Span of Panels




electrical cable length calculation

Use the following diagrams to calculate baseline and belt-line cabling requirements.

electrical cable length calculation on a straight panel connection




electrical cable length calculation on a straight panel connection




storage capacity and handle options

storage capacities



handle options



Caution

Load Bottom Drawer First

- ◊ Operate one drawer at a time
- ◊ Units may tip if loaded incorrectly
- ◊ Units should be attached to a wall or other furniture to reduce tipping hazard
- ◊ Always load the heaviest files in the bottom drawer

Heavy Load

- ◊ Some products must be anchored to wall to ensure stability & safety.
- ◊ It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- ◊ Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- ◊ Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- ◊ Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- ◊ Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- ◊ Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- ◊ Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- ◊ Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- ◊ Failure to follow the guidelines above may result in property damage or personal injury.



Cosmo Pricebook
May 2023
Panel Frames

panel frames and connectors

panel frame	18
panel frame for full acrylic panel	20
panel frame with countertop capability	22
panel frame with flip-up capability	24
stack-on panel frame	26
panel door	28
acrylic sliding door	29
lockable acrylic sliding door	30
end trim	31
wall-to-panel connector	32
t-connection filler	34
90-degree filler	35
180-degree connection filler	36
135-degree 2-way connector	37
120-degree 2-way connection filler	38
120-degree 3-way connection filler	40
4-way connection filler	41
floor grippers	42



What's Included:

Stack-on panel frame, metal to metal connection hardware.

Notes:

Metal frame is only available in black.


Top trim is not included. Install the top trim from the panel below.

Regular stack-on panel frame can be installed on any panel frame of the same width. Swing Door stack-on panel frame can be installed on a door of the same width between two other stackable frames or between a stackable panel frame and a panel filler.

Options:

frame type	0 regular frames 1 door frames
height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Regular Frame					
C-PS00-0818	105	8	18	4.4	0.3
C-PS00-0824	109	8	24	5	0.3
C-PS00-0830	117	8	30	5.7	0.4
C-PS00-0836	124	8	36	6.3	0.5
C-PS00-0842	131	8	42	6.9	0.6
C-PS00-0848	142	8	48	7.6	0.7
C-PS00-0854	146	8	54	8.2	0.8
C-PS00-0860	156	8	60	8.9	0.9
C-PS00-1618	119	16	18	6.2	0.5
C-PS00-1624	124	16	24	6.8	0.7
C-PS00-1630	131	16	30	7.5	0.9
C-PS00-1636	142	16	36	8.1	1
C-PS00-1642	146	16	42	8.7	1.2
C-PS00-1648	156	16	48	9.4	1.4
C-PS00-1654	161	16	54	10	1.5
C-PS00-1660	169	16	60	10.7	1.7
C-PS00-2418	130	24	18	8	0.8
C-PS00-2424	140	24	24	8.6	1
C-PS00-2430	144	24	30	9.3	1.3
C-PS00-2436	152	24	36	9.9	1.5
C-PS00-2442	158	24	42	10.5	1.8
C-PS00-2448	165	24	48	11.2	2.1
C-PS00-2454	174	24	54	11.8	2.3
C-PS00-2460	180	24	60	12.5	2.6
Door Frame					
C-PS01-0836	116	8	36	6.3	0.5
C-PS01-0842	121	8	42	6.9	0.6
C-PS01-1636	130	16	36	8.1	1
C-PS01-1642	141	16	42	8.7	1.2
C-PS01-2436	143	24	36	9.9	1.5
C-PS01-2442	147	24	42	10.5	1.8



What’s Included:

Wall-to-Panel Connector (Type 1, 2 or 3, as specified), top cap, connection hardware for drywall applications.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

The wall-to-panel connector finish color defaults to match the top cap.

Notes:

Wall-to-panel connectors fill in the gap between the wall and the panel.

Type 1 connectors allow for an adjustment range of 2.25 to 3.25 inches

Type 2 connectors allow for an adjustment range of 3 to 4.25 inches.

Type 3 connectors allow for an adjustment range of 4 to 5.25 inches.

The top cap is 66-inches and must be cut to the proper size on-site.

Options:

type	1 - type 1	2 - type 2	3 - type 3
height	29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109		
top cap finish	metal colors		
panel trim	style		

Code	Price	H (in.)	Weight (lb.)	Volume (ft3)
Type 1 (2.25 to 3.25-inches)				
C-HWA1-29	374	29	3.6	0.2
C-HWA1-37	261	37	1.1	0.2
C-HWA1-45	277	45	1.3	0.3
C-HWA1-53	293	53	1.5	0.3
C-HWA1-61	325	61	1.7	0.4
C-HWA1-69	341	69	1.9	0.4
C-HWA1-77	360	77	2.1	0.5
C-HWA1-85	380	85	2.3	0.5
C-HWA1-93	406	93	2.5	0.6
C-HWA1-101	425	101	2.7	0.6
Type 2 (3.00 to 4.25-inches)				
C-HWA2-29	389	29	4.2	0.34
C-HWA2-37	265	37	1.1	0.4
C-HWA2-45	282	45	1.3	0.4
C-HWA2-53	304	53	1.5	0.5
C-HWA2-61	333	61	1.7	0.6
C-HWA2-69	350	69	1.9	0.7
C-HWA2-77	373	77	2.1	0.7
C-HWA2-85	394	85	2.3	0.8
C-HWA2-93	420	93	2.5	0.9
C-HWA2-101	440	101	2.7	1
Type 3 (4.00 to 5.25-inches)				
C-HWA3-29	424	29	5.8	0.47
C-HWA3-37	270	37	1.1	0.4
C-HWA3-45	288	45	1.3	0.4
C-HWA3-53	309	53	1.5	0.5
C-HWA3-61	341	61	1.7	0.6
C-HWA3-69	361	69	1.9	0.7
C-HWA3-77	382	77	2.1	0.7
C-HWA3-85	404	85	2.3	0.8
C-HWA3-93	431	93	2.5	0.9
C-HWA3-101	451	101	2.7	1



full 180-degree connection filler



partial 180-degree connection filler

What’s Included:

Two 180-degree connection filler covers (full or partial, as specified), top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 180-degree filler to connect two panels that are the same height.

Use the partial 180-degree filler to connect two panel frames where a change of height occurs

Options:

height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109		
type	R full filler	P partial filler	
top cap finish	metal colors		
panel trim	style		

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full 180-degree Filler				
C-HFSR-37	165	165	1.1	0.2
C-HFSR-45	200	200	1.3	0.3
C-HFSR-53	217	217	1.5	0.3
C-HFSR-61	232	232	1.7	0.3
C-HFSR-69	255	255	1.9	0.4
C-HFSR-77	270	270	2.1	0.4
C-HFSR-85	305	305	2.3	0.5
C-HFSR-93	339	339	2.5	0.5
C-HFSR-101	358	358	2.7	0.6



What’s Included:

135-degree 2-way connector, top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.


Notes:

Use the 135-degree 2-way connector to connect two panel frames that are the same height.

Options:

height	29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109
top cap finish	metal colors
panel trim	style

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF1R-29	76	29	1.8	0.07
C-HF1R-37	110	37	1.1	0.2
C-HF1R-45	135	45	1.3	0.3
C-HF1R-53	144	53	1.5	0.3
C-HF1R-61	154	61	1.7	0.3
C-HF1R-69	161	69	1.9	0.4
C-HF1R-77	169	77	2.1	0.4
C-HF1R-85	196	85	2.3	0.5
C-HF1R-93	218	93	2.5	0.5
C-HF1R-101	227	101	2.7	0.6



What’s Included:

Full Filler: full 120-degree 2-way connection filler, top cap, connection hardware.

Partial Filler: partial 120-degree 2-way connection filler, top cap, bottom plastic connector trim, connection hardware.

Notes:

Use the full 120-degree 2-way connection filler to connect two panel frames that are the same height.

Use the partial 120-degree 2-way connection filler to connect two panel frames where a change of height occurs.

How to Specify:

Specify panel trim finish.

A metal color and panel trim style must be specified for the top cap finish.

Options:

height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109		
type	R full filler	P partial filler	
top cap finish	metal colors		
panel trim	style		

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full 120-degree 2-way Connection Filler				
C-HF2R-29	94	29	1.8	0.07
C-HF2R-37	117	37	1.1	0.2
C-HF2R-45	143	45	1.3	0.3
C-HF2R-53	149	53	1.5	0.3
C-HF2R-61	160	61	1.7	0.3
C-HF2R-69	169	69	1.9	0.4
C-HF2R-77	180	77	2.1	0.4
C-HF2R-85	204	85	2.3	0.5
C-HF2R-93	229	93	2.5	0.5
C-HF2R-101	238	101	2.7	0.6
Partial 120-degree 2-way Connection Filler				
C-HF2P-80	193	80	1.8	0.07
C-HF2P-08	65	8	0.2	0.1
C-HF2P-16	76	16	0.5	0.1
C-HF2P-24	101	24	0.6	0.1
C-HF2P-32	109	32	0.9	0.2
C-HF2P-40	135	40	1.1	0.2
C-HF2P-48	144	48	1.2	0.3
C-HF2P-56	154	56	1.4	0.3
C-HF2P-64	164	64	1.6	0.4



120-degree 3-way connection filler

What’s Included:

120-degree 3-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.
A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use the 120-degree 3-way connection filler to connect three panel frames that are the same height.

Options:

height29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finishmetal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF3R-29	81	29	1.8	0.07
C-HF3R-37	81	37	1.1	0.2
C-HF3R-45	101	45	1.3	0.3
C-HF3R-53	106	53	1.5	0.3
C-HF3R-61	108	61	1.7	0.3
C-HF3R-69	110	69	1.9	0.4
C-HF3R-77	116	77	2.1	0.4
C-HF3R-85	133	85	2.3	0.5
C-HF3R-93	152	93	2.5	0.5
C-HF3R-101	157	101	2.7	0.6



4-way connection filler

What’s Included:

4-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.
A metal color and panel trim style must be specified for the top cap finish.

Notes:


Use 4-way connection filler to connect four panel frames that are the same height.

Options:

height29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finishmetal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF4R-29	81	29	1.8	0.07
C-HF4R-37	107	37	1.1	0.2
C-HF4R-45	135	45	1.3	0.3
C-HF4R-53	142	53	1.5	0.3
C-HF4R-61	145	61	1.7	0.3
C-HF4R-69	149	69	1.9	0.4
C-HF4R-77	154	77	2.1	0.4
C-HF4R-85	183	85	2.3	0.5
C-HF4R-93	209	93	2.5	0.5
C-HF4R-101	218	101	2.7	0.6



What's Included:

Floor Gripper (for carpet floors or non-carpet floors, as specified)

How to Specify:

There are no color options for floor grippers.

Notes:

Floor grippers stabilize panels on either carpet floors or non-carpet floors.

Options:

type **C** carpeted floors **N** non-carpeted floors


Code	Price	Weight (lb)	Volume (ft3)
carpeted floors			
C-HGC0	3	0.1	0.01
non carpeted floors			
C-HGN0	3	0.1	0.01



Cosmo Pricebook
May 2023
Tiles

tiles

acoustic tackable fabric tile	46
monolithic fabric tile	50
acrylic tiles	54
magnetic whiteboard tile	57
laminate tile	58
monolithic laminate tile	60
monolithic laminate tile	62
perforated metal tile	66
pass-through tile	68
fabric flip-up belt-line tile	69
accessory tile	70



What's Included:

Acoustic Tackable Fabric Tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Accoustic tackable fabric tiles provide accoustical privacy and a tackable vertical surface.

Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	8, 16, 24		
width	18, 24, 30, 36, 42, 48, 54, 60		
finish	panel fabrics		


How to Order and Read your Code:

C	PTA	1	8	18
product line	item	fabric grade	height	width

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade-1					
C-PTA1-0818	96	8	18	1.9	0.1
C-PTA1-0824	101	8	24	2.4	0.1
C-PTA1-0836	120	8	36	3.7	0.1
C-PTA1-0842	124	8	42	4.2	0.1
C-PTA1-0848	129	8	48	5	0.1
C-PTA1-0860	140	8	60	6.2	0.2
C-PTA1-1624	117	16	24	5	0.1
C-PTA1-1630	121	16	30	6.2	0.2
C-PTA1-1636	144	16	36	7.5	0.2
C-PTA1-1642	149	16	42	8.7	0.2
C-PTA1-1648	156	16	48	10	0.3
C-PTA1-1654	160	16	54	11.2	0.3
C-PTA1-1660	166	16	60	12.5	0.4
C-PTA1-2418	124	24	18	5.6	0.2
C-PTA1-2424	131	24	24	7.3	0.2
C-PTA1-2430	141	24	30	9.3	0.3
C-PTA1-2436	168	24	36	11.2	0.3
C-PTA1-2442	176	24	42	13.1	0.4
C-PTA1-2448	182	24	48	14.9	0.4
C-PTA1-2454	191	24	54	16.8	0.5
C-PTA1-2460	197	24	60	18.7	0.5

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 2					
C-PTA2-0824	105	8	24	2.4	0.1
C-PTA2-0836	125	8	36	3.7	0.1
C-PTA2-0842	131	8	42	4.3	0.1
C-PTA2-0848	135	8	48	5	0.1
C-PTA2-0860	144	8	60	6.2	0.2
C-PTA2-1624	121	16	24	5	0.1
C-PTA2-1630	125	16	30	6.2	0.2
C-PTA2-1636	156	16	36	7.5	0.2
C-PTA2-1642	160	16	42	8.7	0.2
C-PTA2-1648	166	16	48	10	0.3
C-PTA2-1654	171	16	54	11.2	0.3
C-PTA2-1660	178	16	60	12.5	0.4
C-PTA2-2418	131	24	18	5.6	0.2
C-PTA2-2424	141	24	24	7.3	0.2
C-PTA2-2430	145	24	30	9.3	0.3
C-PTA2-2436	183	24	36	11.2	0.3
C-PTA2-2442	193	24	42	13.1	0.4
C-PTA2-2448	198	24	48	14.9	0.4
C-PTA2-2454	204	24	54	16.8	0.5
C-PTA2-2460	208	24	60	18.7	0.5

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 3					
C-PTA3-0824	107	8	24	2.4	0.1
C-PTA3-0836	133	8	36	3.7	0.1
C-PTA3-0842	141	8	42	4.3	0.1
C-PTA3-0848	143	8	48	5	0.1
C-PTA3-0860	149	8	60	6.2	0.2
C-PTA3-1624	125	16	24	5	0.1
C-PTA3-1630	131	16	30	6.2	0.2
C-PTA3-1636	165	16	36	7.5	0.2
C-PTA3-1642	171	16	42	8.7	0.2
C-PTA3-1648	178	16	48	10	0.3
C-PTA3-1654	182	16	54	11.2	0.3
C-PTA3-1660	191	16	60	12.5	0.4
C-PTA3-2418	141	24	18	5.6	0.2
C-PTA3-2424	145	24	24	7.3	0.2
C-PTA3-2430	154	24	30	9.3	0.3
C-PTA3-2436	198	24	36	11.2	0.3
C-PTA3-2442	204	24	42	13.1	0.4
C-PTA3-2448	209	24	48	14.9	0.4
C-PTA3-2454	220	24	54	16.8	0.5
C-PTA3-2460	227	24	60	18.7	0.5



8-inch

16-inch

24-inch

What’s Included:

Acrylic tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.


Notes:

Acrylic tiles are priced by piece, not by pair.

Options:

acrylic options	C - clear	F - frosted	L - fluted
height	8, 16, 24		
width	18, 24, 30, 36, 42, 48, 54, 60		
tile frame finish	metal colors		

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Clear Acrylic					
C-PTGC-0818	193	8	18	2.1	0.1
C-PTGC-0824	206	8	24	2.6	0.1
C-PTGC-0830	227	8	30	3	0.1
C-PTGC-0836	244	8	36	3.5	0.1
C-PTGC-0842	264	8	42	4	0.1
C-PTGC-0848	283	8	48	4.4	0.1
C-PTGC-0854	304	8	54	4.9	0.2
C-PTGC-0860	318	8	60	5.4	0.2
C-PTGC-1618	230	16	18	3.3	0.1
C-PTGC-1624	257	16	24	4	0.1
C-PTGC-1630	279	16	30	4.7	0.2
C-PTGC-1636	309	16	36	5.5	0.2
C-PTGC-1642	339	16	42	6.2	0.2
C-PTGC-1648	361	16	48	6.9	0.3
C-PTGC-1654	386	16	54	7.6	0.3
C-PTGC-1660	410	16	60	8.3	0.4
C-PTGC-2418	277	24	18	4.5	0.2
C-PTGC-2424	309	24	24	5.5	0.2
C-PTGC-2430	343	24	30	6.5	0.3
C-PTGC-2436	377	24	36	7.4	0.3
C-PTGC-2442	413	24	42	8.1	0.4
C-PTGC-2448	443	24	48	9.4	0.4
C-PTGC-2454	474	24	54	10.3	0.5
C-PTGC-2460	515	24	60	11.3	0.5



What’s Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates.


Notes:

Laminate tiles provide an easy to clean hard surface.
Grain direction is vertical.


Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTL0-0818	105	8	18	1.8	0.06
C-PTL0-0824	109	8	24	2.4	0.08
C-PTL0-0830	119	8	30	3.1	0.1
C-PTL0-0836	124	8	36	3.7	0.11
C-PTL0-0842	133	8	42	4.4	0.13
C-PTL0-0848	141	8	48	5	0.15
C-PTL0-0854	149	8	54	5.7	0.17
C-PTL0-0860	156	8	60	6.3	0.19
C-PTL0-1618	120	16	18	3.7	0.11
C-PTL0-1624	130	16	24	4.9	0.15
C-PTL0-1630	144	16	30	6.2	0.19
C-PTL0-1636	154	16	36	7.5	0.23
C-PTL0-1642	166	16	42	8.7	0.27
C-PTL0-1648	180	16	48	9.1	0.31
C-PTL0-1654	195	16	54	10.3	0.35
C-PTL0-1660	205	16	60	11.5	0.39
C-PTL0-2418	141	24	18	5.6	0.17
C-PTL0-2424	154	24	24	7.3	0.23
C-PTL0-2430	171	24	30	9.3	0.29
C-PTL0-2436	190	24	36	11.2	0.34
C-PTL0-2442	204	24	42	13.1	0.4
C-PTL0-2448	220	24	48	14.7	0.46
C-PTL0-2454	238	24	54	16.6	0.51
C-PTL0-2460	255	24	60	18.5	0.57



Horizontal Wood Grain



Vertical Wood Grain

What’s Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates. Specify “-WG” for horizontal woodgrain.

Options:

height	21, 29, 37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors


Notes:

Laminate tiles provide an easy to clean hard surface.

Grain direction is available in vertical and horizontal.

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Horizontal woodgrain					
C-PTLX-2118-WG	147	21	18	5.91	0.14
C-PTLX-2124-WG	158	21	24	7.88	0.18
C-PTLX-2130-WG	171	21	30	9.84	0.23
C-PTLX-2136-WG	185	21	36	11.81	0.27
C-PTLX-2142-WG	196	21	42	13.78	0.32
C-PTLX-2148-WG	207	21	48	15.75	0.36
C-PTLX-2154-WG	220	21	54	17.72	0.41
C-PTLX-2160-WG	232	21	60	19.69	0.46
C-PTLX-2918-WG	165	29	18	8.16	0.19
C-PTLX-2924-WG	182	29	24	10.88	0.25
C-PTLX-2930-WG	198	29	30	13.59	0.31
C-PTLX-2936-WG	215	29	36	16.31	0.38
C-PTLX-2942-WG	228	29	42	19.03	0.44
C-PTLX-2948-WG	245	29	48	21.75	0.5
C-PTLX-2954-WG	261	29	54	24.47	0.57
C-PTLX-2960-WG	277	29	60	27.19	0.63
C-PTLX-3718-WG	197	37	18	10.41	0.24
C-PTLX-3724-WG	215	37	24	13.88	0.32
C-PTLX-3730-WG	239	37	30	17.34	0.4
C-PTLX-3736-WG	261	37	36	20.81	0.48
C-PTLX-3742-WG	279	37	42	24.28	0.56
C-PTLX-3748-WG	300	37	48	27.75	0.64
C-PTLX-3760-WG	408	37	60	34.69	0.8
C-PTLX-4524-WG	239	45	24	16.88	0.39
C-PTLX-4530-WG	261	45	30	21.09	0.49
C-PTLX-4536-WG	300	45	36	25.31	0.59
C-PTLX-4548-WG	333	45	48	33.75	0.78
C-PTLX-5330-WG	306	53	30	24.84	0.58

Extended laminate tiles continued next page



What’s Included:

Perforated metal tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Perforated metal tiles provide a unique architectural element, while allowing for airflow.

Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

CodeCode	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
C-PTM0-0818	101	8	18	1.5	0.1
C-PTM0-0824	108	8	24	2	0.1
C-PTM0-0830	116	8	30	2.5	0.1
C-PTM0-0836	121	8	36	3.1	0.1
C-PTM0-0842	130	8	42	3.6	0.1
C-PTM0-0848	141	8	48	4.1	0.1
C-PTM0-0854	147	8	54	4.6	0.2
C-PTM0-0860	156	8	60	5.1	0.2
C-PTM0-1618	125	16	18	3	0.1
C-PTM0-1624	140	16	24	4.1	0.1
C-PTM0-1630	146	16	30	5.1	0.2
C-PTM0-1636	157	16	36	6.1	0.2
C-PTM0-1642	168	16	42	7.1	0.2
C-PTM0-1648	182	16	48	8.1	0.3
C-PTM0-1654	196	16	54	9.1	0.3
C-PTM0-1660	206	16	60	10.2	0.4
C-PTM0-2418	157	24	18	4.6	0.2
C-PTM0-2424	176	24	24	6.1	0.2
C-PTM0-2430	195	24	30	7.6	0.3
C-PTM0-2436	208	24	36	9.2	0.3
C-PTM0-2442	229	24	42	10.7	0.4
C-PTM0-2448	250	24	48	12.2	0.4
C-PTM0-2454	268	24	54	13.7	0.5
C-PTM0-2460	283	24	60	15.2	0.5



8-inch

What’s Includ:

Accessory Tile, installation hardware.

How to Specify:

Refer to the metal/vinyl card for a complete listing of metal colors

Notes:

The accessory tile supports all personal organizers. Please refer to the accessories section [on page 164](#) of this price book for details.

Options:

height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
C-PTA0-0818	141	8	18	3	0.1
C-PTA0-0824	160	8	24	3.8	0.1
C-PTA0-0830	183	8	30	4.7	0.1
C-PTA0-0836	206	8	36	5.6	0.1
C-PTA0-0842	230	8	42	6.4	0.1
C-PTA0-0848	256	8	48	7.3	0.1
C-PTA0-0854	277	8	54	8.2	0.2
C-PTA0-0860	301	8	60	9.1	0.2




Cosmo Pricebook
May 2023

Worksurfaces

worksurfaces

straight worksurface	76
straight worksurface with power grommet	80
wave return with straight end	82
wave return with curved end	86
extended corner with curved front	90
angled worksurface with curved front	92
flexed worksurface with curved front	94
5-sided corner worksurface with straight front	96
5-sided corner worksurface with curved front	98
6-sided corner worksurface	99
panel-mounted d-table	100
panel-mounted p-table	102
panel-mounted j-table	104
panel-mounted y-table	106
c-table extension	108
u-table extension	109
bridge worksurface	110
radiused extended surface	112
tempered glass transaction top	113
laminate countertop	114



What's Included:

5-Sided Corner Workspace with straight front, grommet

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick workspaces. 1.5-inch thick workspaces are available in straight and gothic profiles.
- Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 164](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-W5S0-3618	601	36	18	39.94	1.13
C-W5S0-3624	601	36	24	40.5	1.13
C-W5S0-4224	726	42	24	57.99	1.53
C-W5S0-4824	755	48	24	71.18	2
C-W5S0-4830	755	48	30	78.82	2
1.5" Thick					
CT-W5S0-3618	810	36	18	39.94	1.13
CT-W5S0-3624	810	36	24	40.5	1.13
CT-W5S0-4224	978	42	24	57.99	1.53
CT-W5S0-4824	1023	48	24	71.18	2
CT-W5S0-4830	1023	48	30	78.82	2



What’s Included:

C-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.

How To Specify:


Specify laminate color.
Specify metal color for support posts.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	16, 21, 26	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1” Thick					
C-WC00-5121-S	801	51	21	38.27	3.55
C-WC00-6326-S	860	63	26	54.56	5.41
1.5 ” Thick					
CT-WC00-5121-S	957	51	21	38.27	3.55
CT-WC00-6326-S	1032	63	26	54.56	5.41



What’s Included:

U-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.
Specify metal color for support posts.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	18,24,28	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1” Thick					
C-WU00-3918	638	39	18	13.12	0.62
C-WU00-5124-S	846	51	24	17.14	0.81
C-WU00-6328-S	972	63	28	21.17	1.02
1.5 ” Thick					
CT-WU00-3918	765	39	18	13.12	0.62
CT-WU00-5124-S	1013	51	24	17.14	0.81
CT-WU00-6328-S	1168	63	28	21.17	1.02



What’s Included:

Radiused Extended Surface

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

Specify metal color for support posts.


The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch CT 1.5-inch	
width	27, 33	
depth	27, 33	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
1" thick					
C-WC01-2727	328	27	27	13.81	0.33
C-WC01-3333	397	33	33	14.3	0.49
1.5 " thick					
CT-WC01-2727	443	27	27	13.81	0.33
CT-WC01-3333	540	33	33	14.3	0.49



What’s Included:

Tempered Glass transaction top, installation hardware, two post legs.

Notes:

The tempered glass transaction top can be mounted on top of one or two 37-inch high panel frames to provide a transaction surface for a reception station or between two workstations in a team environment.

The tempered glass transaction top is not applicable on 90, 120, or 135-degree configurations.

How To Specify:

Specify metal finish.

When the tempered glass transaction top is to be mounted over a single panel frame, specify the transaction top to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the transaction top to be the total width of the two panel frames.

Options:

width	24, 30, 36, 42, 48, 54,
depth	12
metal finish	metal colors

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-WTGS-2412	873	24	12	5	0.2
C-WTGS-3012	941	30	12	6	0.2
C-WTGS-3612	1000	36	12	7	0.3
C-WTGS-4212	1056	42	12	8	0.3
C-WTGS-4812	1120	48	12	9	0.3
C-WTGS-5412	1176	54	12	10	0.3




Cosmo Pricebook
May 2023

Worksurface Supports

worksurface supports

cantilever arm	118
universal bracket	119
single post	120
horizontal surface support	121
laminated gable	122
intermediate gable	123
open metal gable	124



What’s Included:

Cantilever Arm, installation hardware.

How to Specify:

Cantilever arms are available only in black.

Options:

size	16, 22		
position	R right	L left	

Notes:


The cantilever arm mounts to the panel frame to support worksurfaces.

Worksurfaces 24 inches and greater require the 22-inch cantilever to be used.


How to Order and Read your Code:

C	CCAB	16	L
product line	item	width	position

Code	Price	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CCAB-16	99	16	2.2	0.01
C-CCAB-16-L	99	16	2.2	0.01
C-CCAB-16-R	99	16	2.2	0.01
C-CCAB-22	107	22	2.7	0.01
C-CCAB-22-L	107	22	2.7	0.01
C-CCAB-22-R	107	22	2.7	0.01



right hand



left hand

What’s Included:

Universal Bracket, installation hardware.

How to Specify:

Specify right or left hand according to the position of the worksurface.

The universal bracket is available only in black.


Notes:

The universal bracket is primarily used for end or side corner support and must be used in conjunction with other primary supports, such as gables, cantilever arms, or single posts.

Options:

hand	R right	L left
------	----------------	---------------

Code	Price	Weight (lb)	Volume (ft³)
C-CB01-L	8	1	0.01
C-CB01-R	8	1	0.01



What’s Included:

Single Post, leveler, installation hardware.

How to Specify:

Specify metal finish. See the metal finish card for details.

Notes:


The single post is 28-inch in height and includes an integral leveler that provides a 3-inch levelling range.

This item should be used together with panel-mounted workspace supports to support semi-suspended workspaces.

Options:

finish metal finish colors

Code	Price	H (in.)	Weight (lb)	Volume (ft³)
C-CP1G-03	141	28	7	0.11



What’s Included:

Horizontal Surface Support, installation hardware.

How to Specify:

The horizontal surface support is available only in silver.

Notes:


The horizontal surface support is used to support workspaces 54-inches and longer.

This item is mounted to the underside of a workspace.

Options:

width51, 57, 63, 69, 75

Code	Price	W (in)	Weight (lb)	Volume (ft³)
C-CH00-54	67	51	4	0.05
C-CH00-60	73	57	4.5	0.05
C-CH00-66	77	63	5	0.06
C-CH00-72	81	69	5.5	0.06
C-CH00-78	86	75	6	0.07



What’s Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.


Gables can be used for single or dual workspace support in the left, right and center positions.

The left and right gables are designed to match the depth of standard workspaces. The center gable will be slightly shorter than the depth of the workspace to allow for below workspace leg room.

Options:

position	R right	L left	U - universal
depth	12, 18, 24, 30, 36		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CGL0-12	120	12	7.5	0.01	0.01
C-CGR0-12	120	12	7.5	0.01	0.01
C-CGL0-18	143	18	11.47	0.01	0.01
C-CGR0-18	143	18	11.47	0.01	0.01
C-CGL0-24	164	24	15.4	0.01	0.01
C-CGR0-24	164	24	15.4	0.01	0.01
C-CGL0-30	191	30	19.32	0.01	0.01
C-CGR0-30	191	30	19.32	0.01	0.01
C-CGL0-36	208	36	19.35	0.01	0.01
C-CGR0-36	208	36	19.35	0.01	0.01



What’s Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.


Gables can be used for single or dual workspace support in the left, right and center positions.

The left and right gables are designed to match the depth of standard workspaces. The center gable will be slightly shorter than the depth of the workspace to allow for below workspace leg room.

Options:

position	R right	L right	U - universal
depth	12, 18		
finish	laminate colors		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CGLC-12	120	28	12	7.5	0.01
C-CGRC-12	120	28	12	7.5	0.01
C-CGLC-18	143	28	18	11.47	0.01
C-CGRC-18	143	28	18	11.47	0.01



right hand

left hand

What's Included:

Open metal gable, installation hardware.

How to Specify:

Specify metal color.

Notes:

- Open metal gables can be used to support workspaces in the left or right position.
- The depth of the open metal gable should match the depth of the workspace that it will support at the end of a run.
- Use the 12 or 18-inch pen metal gable to support workspace in the middle of a run.
- Open metal gables cannot be used in freestanding applications

Options:

position	R right L right
size	12, 18, 24, 30
finish	metal colors

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Left Hand					
C-CGLM-12	459	28	12	6	0.58
C-CGLM-18	483	28	18	10	0.88
C-CGLM-24	517	28	24	14	1.17
C-CGLM-30	548	28	30	14	1.17
Right Hand					
C-CGRM-12	459	28	12	6	0.58
C-CGRM-18	483	28	18	10	0.88
C-CGRM-24	517	28	24	14	1.17
C-CGRM-30	548	28	30	14	1.17




Cosmo Pricebook
May 2023

Mounted Storage

mounted storage

panel-mounted flipper cabinet	128
suspended flipper cabinet	130
wall mounted flipper cabinet	132
top mounted shared open shelf	134
cubby storage	136
open metal shelf	137
overhead back bracket	138
double channel wall mount bracket kit	139



flipper cabinet

What’s Included:

Panel-Mounted Flipper Cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify laminate color (for laminate faced flipper only).

Specify option P for pneumatic slides.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

The panel-mounted flipper cabinet mounts on-module to panel frames of the same width.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:


depth	14							
width	30, 36, 42, 48, 54, 60							
door finish	L laminate colors		M metal colors					
enhancements	P pneumatic*							
case finish	metal colors							

* an upcharge is applicable when this option is specified

How to Order and Read your Code:

C	SOF	M	14	30	P
product line	item	door finish	depth	width	enhancements

Standard	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft3)	
Pneumatic Laminate						
C-SOFL-1430-P	1065	30	14	32.1	2.92	
C-SOFL-1436-P	1122	36	14	34.7	3.5	
C-SOFL-1442-P	1162	42	14	38.6	4.08	
C-SOFL-1448-P	1198	48	14	42.5	4.67	
C-SOFL-1454-P	1217	54	14	45.7	5.25	
C-SOFL-1460-P	1278	60	14	49.1	5.83	
Pneumatic Metal						
C-SOFM-1430-P	1135	30	14	32.1	2.92	
C-SOFM-1436-P	1198	36	14	34.7	3.5	
C-SOFM-1442-P	1247	42	14	38.6	4.08	
C-SOFM-1448-P	1284	48	14	42.5	4.67	
C-SOFM-1454-P	1301	54	14	45.7	5.25	
C-SOFM-1460-P	1374	60	14	49.1	5.83	



What’s Included:

Suspended flipper cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify laminate color (for laminate faced flipper only).

Specify option P for pneumatic slides.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

The suspended flipper cabinet mounts on-module to panel frames of the same width.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.


Options:

depth	14				
width	30, 36, 42, 48, 54, 60				
door finish	L laminate colors	M metal colors			
enhancements	P pneumatic*				
case finish	metal colors				

* an upcharge is applicable when this option is specified

Code	Price	H (in.)	W (in.)	D1 (in.)	Weight (lb)	Volume (ft³)
Standard Laminate						
C-SSFL-1430	903	16	30	14	32.1	2.1
C-SSFL-1436	958	16	36	14	34.7	3.5
C-SSFL-1442	1001	16	42	14	38.6	4.1
C-SSFL-1448	1030	16	48	14	42.5	4.7
C-SSFL-1454	1042	16	54	14	45.7	5.3
C-SSFL-1460	1103	16	60	14	49.1	5.8
Standard Metal						
C-SSFM-1430	968	16	30	14	32.1	2.92
C-SSFM-1436	1025	16	36	14	34.7	3.5
C-SSFM-1442	1079	16	42	14	38.6	4.08
C-SSFM-1448	1114	16	48	14	42.5	4.67
C-SSFM-1454	1157	16	54	14	45.7	5.25
C-SSFM-1460	1196	16	60	14	49.1	5.83

Code	Price	H (in.)	W (in.)	D1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SSFL-1430-P	1251	16	30	14	32.1	2.1
C-SSFL-1436-P	1302	16	36	14	34.7	3.5
C-SSFL-1442-P	1346	16	42	14	38.6	4.1
C-SSFL-1448-P	1376	16	48	14	42.5	4.7
C-SSFL-1454-P	1389	16	54	14	45.7	5.3
C-SSFL-1460-P	1450	16	60	14	49.1	5.8
Pneumatic Metal						
C-SSFM-1430-P	1308	16	30	14	32.1	2.92
C-SSFM-1436-P	1375	16	36	14	34.7	3.5
C-SSFM-1442-P	1425	16	42	14	38.6	4.08
C-SSFM-1448-P	1455	16	48	14	42.5	4.67
C-SSFM-1454-P	1469	16	54	14	45.7	5.25
C-SSFM-1460-P	1543	16	60	14	49.1	5.83



What’s Included:

Wall mounted flipper cabinet, installation hardware.

How to Specify:

- Specify metal color.
- Specify laminate color (for laminate faced flipper only).
- Specify wall mounting hardware separately
- Specify option P for pneumatic slides.
- The vinyl trim color will default to match the laminate color unless otherwise specified.

Notes:


- Grain direction is indicated in the above illustration.
- The wall-mounted flipper cabinet mounts off-module to walls to provide overhead storage in a workstation.
- The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:

depth	14		
width	30, 36, 42, 48, 54, 60		
door finish	L laminate colors	M metal colors	
enhancements	P pneumatic*		
case finish	metal colors		

* an upcharge is applicable when this option is specified

Code	Price	H (in.)	W (in.)	D1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SOFL-1430-P-W	1065	16	30	14	32.1	2.92
C-SOFL-1436-P-W	1122	16	36	14	34.7	3.5
C-SOFL-1442-P-W	1162	16	42	14	38.6	4.08
C-SOFL-1448-P-W	1198	16	48	14	42.5	4.67
C-SOFL-1454-P-W	1217	16	54	14	45.7	5.25
C-SOFL-1460-P-W	1278	16	60	14	49.1	5.83
Pneumatic Metal						
C-SOFM-1430-P-W	1135	16	30	14	32.1	2.92
C-SOFM-1436-P-W	1198	16	36	14	34.7	3.5
C-SOFM-1442-P-W	1247	16	42	14	38.6	4.08
C-SOFM-1448-P-W	1284	16	48	14	42.5	4.67
C-SOFM-1454-P-W	1301	16	54	14	45.7	5.25
C-SOFM-1460-P-W	1374	16	60	14	49.1	5.83



What's Included:

Top mounted shared open shelf, installation hardware

How to Specify:

- Specify laminate color.
- Specify back option.


Notes:

- Grain direction is indicated in the above illustration.
- The top mounted shared shelf mounts on top of a panel frame and provides open storage to two workstations.
- The back of the top mounted shared shelf can be finished in acrylic or whiteboard.
- The single unit can be used on top of one or two panel frames.
- The double units is used over two or more panel frames where a 3-way or 4-way 90 degree connector is also present, as illustrated above

Options:

back finish	G acrylic	W whiteboard
width	24, 30, 36, 42, 48, 54, 60	
depth	16	
height	16	
hand	L left	R right
case finish	laminate colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Single Shared Shelves						
C-SSOG-30-L	879	16	30	16	35	2.5
C-SSOG-36-L	957	16	36	16	38	3
C-SSOG-42-L	1040	16	42	16	41	3.5
C-SSOG-48-L	1121	16	48	16	44	4
C-SSOG-54-L	1199	16	54	16	47	4.5
C-SSOG-60-L	1280	16	60	16	50	5
C-SSOG-72-L	1439	16	72	16	56	6
C-SSOG-84-L	1597	16	84	16	62	7
C-SSOG-30-R	879	16	30	16	35	2.5
C-SSOG-36-R	957	16	36	16	38	3
C-SSOG-42-R	1040	16	42	16	41	3.5
C-SSOG-48-R	1121	16	48	16	44	4
C-SSOG-54-R	1199	16	54	16	47	4.5
C-SSOG-60-R	1280	16	60	16	50	5
C-SSOG-72-R	1439	16	72	16	56	6
C-SSOG-84-R	1597	16	84	16	62	7
Double Shared Shelves						
C-SSOW-24-L	751	16	30	16	35	2.5
C-SSOW-30-L	790	16	30	16	35	2.5
C-SSOW-36-L	847	16	36	16	38	3
C-SSOW-42-L	900	16	42	16	41	3.5
C-SSOW-48-L	956	16	48	16	44	4
C-SSOW-54-L	1014	16	54	16	47	4.5
C-SSOW-60-L	1071	16	60	16	50	5
C-SSOW-72-L	1181	16	72	16	56	6
C-SSOW-84-L	1294	16	84	16	62	7
C-SSOW-24-R	751	16	30	16	35	2.5
C-SSOW-30-R	790	16	30	16	35	2.5
C-SSOW-36-R	847	16	36	16	38	3
C-SSOW-42-R	900	16	42	16	41	3.5
C-SSOW-48-R	956	16	48	16	44	4
C-SSOW-54-R	1014	16	54	16	47	4.5
C-SSOW-60-R	1071	16	60	16	50	5
C-SSOW-72-R	1181	16	72	16	56	6
C-SSOW-84-R	1294	16	84	16	62	7



cubby storage

What’s Included:

Cubby storage, installation hardware.

Notes:

The panel-mounted cubby storage mounts on-module to panel frames of the same width.

How to Specify:

Grain direction is indicated in the above illustration.

Specify laminate color.

Specify hardware finish.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details

Options:

depth	11
width	24, 30, 36, 42, 48
height	8
finish	L laminate colors
hawdware finish	M metal colors

Code		Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-SCS-081124		298	24	11	N/A	1.3	
C-SCS-081130		318	30	11	N/A	1.7	
C-SCS-081136		341	36	11	N/A	2	
C-SCS-081142		363	42	11	N/A	2.3	
C-SCS-081148		414	48	11	N/A	2.7	

open metal shelf

What’s Included:

Open Metal Shelf, installation hardware

How to Specify:

Specify metal color.


Notes:

The open metal shelf is panel-mounted on-module, and provides open storage within the workstation.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code		Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-SOOM-1224		205	12	13.03	1	
C-SOOM-1230		215	12	13.03	1.25	
C-SOOM-1236		228	12	14.74	1.5	
C-SOOM-1242		238	12	16.48	1.75	
C-SOOM-1248		245	12	18.2	2	
C-SOOM-1254		256	12	19.93	2.25	
C-SOOM-1260		265	12	21.65	2.5	



What's Included:

Overhead Back Bracket, installation hardware


How to Specify:

Specify metal color.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
C-SOBB-24	33	N/A	0.01	
C-SOBB-30	36	N/A	0.02	
C-SOBB-36	41	N/A	0.02	
C-SOBB-42	45	N/A	0.02	
C-SOBB-48	47	N/A	0.03	
C-SOBB-54	52	N/A	0.03	
C-SOBB-60	55	N/A	0.03	



What's Included:

Double channel wall mount bracket kit

How to Specify:

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
C-ADWB-24-KIT	109	N/A	0.03	
C-ADWB-30-KIT	135	N/A	0.04	
C-ADWB-36-KIT	165	N/A	0.05	
C-ADWB-42-KIT	197	N/A	0.05	
C-ADWB-48-KIT	224	N/A	0.06	
C-ADWB-54-KIT	251	N/A	0.07	
C-ADWB-60-KIT	279	N/A	0.08	




Cosmo Pricebook
May 2023


Freestanding Storage

freestanding storage


mobile pedestal	142
mobile pedestal with seat	143
freestanding pedestal	144
freestanding joined pedestal	145
freestanding lateral file	146
freestanding lateral file	147
closed storage tower	148
open storage tower with wardrobe	149
closed storage tower with closet	150
file/file/file storage tower	151
single door storage cabinet	152
double door storage tower	154
combination cabinet	155



box file



box/box file



file/file

What’s Included:

One mobile pedestal, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

The mobile pedestal is 21-inches deep and is equipped with castors for easy mobility.

The Manhattan handle style is offered on mobile pedestals.

Grain direction is indicated in the above illustration.


Options:

height	21.5, 28
width	16, 17
case and drawer finish	laminate colors

How to Order and Read your Code:

C	1000	28	16	L112
product line	item	height	width	case & drawer finish

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box file						
C-1000-2317	1133	21.5	17	23	75	4.75
box/box file						
C-FPBM-1621	1011	28	16	21	60	5.64
file/file						
C-FPFM-1621	897	28	16	21	60	5.64



mobile pedestal with seat

What’s Included:

One mobile pedestal with seat, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

The mobile pedestal with seat is 21-inches deep and is equipped with castors for easy mobility.


The Manhattan handle style is offered on mobile pedestals.

Grain direction is indicated in the above illustration.


Options:

height	23
width	17
case and drawer finish	laminate colors
seating upholstery	seating fabrics

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-1030-2317	1180	23	17	23	75	4.75



box/box/file



file/file

What’s Included:

Freestanding Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Pedestals are 21-inches deep.


The box/box/file freestanding pedestal includes a pencil tray

Grain direction is indicated in the above illustration..

Options:

type	B box/box/file	F file/file
width	16	
depth	21	
case finish	laminate colors	
handle style	brooklyn	melbourne clifton humber manhattan rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box/box/file						
C-FPBF-1621	999	29	16	21	67.2	5.64
file/file						
C-FPFF-1621	881	29	16	21	67.2	5.64



What’s Included:

Freestanding Joined Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Freestanding joined pedestals are 21-inches deep.


The freestanding joined pedestal includes a pencil tray.

Grain direction is indicated in the above illustration..


Options:

width	36
depth	21
case finish	laminate colors


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPJF-3621	1731	29	36	21	130	12.69



2 drawer



3 drawer



4 drawer

What’s Included:

Freestanding Lateral File, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Laterals are 21-inches deep.


Grain direction is indicated in the above illustration..

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.


Options:

type	2 two-drawer		3 three-drawer		4 four-drawer					
width	30, 36, 42									
depth	21									
case finish	laminate colors									
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale				

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
2 Drawer						
C-FL2F-3021	1394	29	30	21	107	10.57
C-FL2F-3621	1477	29	36	21	130	12.69
C-FL2F-4221	1550	29	42	21	150	14.8
3 Drawer						
C-FL3F-3021	1907	40.5	30	21	167	14.77
C-FL3F-3621	2021	40.5	36	21	180	17.72
4 Drawer						
C-FL4F-3021	2394	52.5	30	21	200	19.14
C-FL4F-3621	2536	52.5	36	21	240	22.97



single door



double door

What’s Included:

Freestanding Storage Cabinet, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Storage cabinets are 21-inches deep.

Grain direction is indicated in the above illustration..


Options:

width	18, 30, 36					
hand (for single cabinet door only)	R right			L left		
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Single door						
C-FSF0-1821-L	801	29	18	21	80	6.34
C-FSF0-1821-R	801	29	18	21	80	6.34



laminate file/file



laminate box/box file

What’s Included:

Closed Storage Tower, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Shelves are adjustable in 1-inch increments.

Grain direction is indicated in the above illustration..


Options:

type	00 box/box/file		10 file/file							
height	66									
width	18									
depth	21									
hand	R right		L left							
case finish	laminate colors									
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale				

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-7010-6618-L	1777	66	18	21	180	13.64
C-7010-6618-R	1777	66	18	21	180	13.64
C-7000-6618-L	1876	66	18	21	180	13.64
C-7000-6618-R	1876	66	18	21	180	13.64



file/file



box/box file

What’s Included:

Storage Tower with Wardrobe, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

Shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.

Options:

type	30 box/box/file		40 file/file							
height	66									
width	24									
depth	21									
hand	R right		L left							
case finish	laminate colors									
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale				



file/file



box/box file

What’s Included:

Closed Storage Tower with Closet, shelves, coat rod, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Shelves are adjustable in 1-inch increments.


Grain direction is indicated in the above illustration..

Cabinets are 21-inches deep.

Options:

type	00 box/box/file		10 file/file							
height	66									
width	24									
depth	21									
hand	R rightL left									
case finish	laminate colors									
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale				

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-6010-6624-L	2298	66	24	21	195	19.25
C-6010-6624-R	2298	66	24	21	195	19.25
C-6000-6624-L	2399	66	24	21	195	19.25
C-6000-6624-R	2399	66	24	21	195	19.25



What’s Included:

File/File/File Storage Tower, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

Towers are 21-inches deep.


Grain direction is indicated in the above illustration..

Options:


height	42					
width	18					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne				



with coat bar
right hand



with shelves
right hand



with coat bar and shelves
right hand

What’s Included:

Single Door Storage Cabinet, shelves and/or coat bar, lock and keys, levelers

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

One shelf is fixed at worksurface height, while the other shelves are adjustable in 1 inch increments.


Cabinets are 21 or 24 inches deep.

Grain direction is indicated in the above illustration.


Options:

height	66					
width	18, 24					
depth	21, 24					
hand	R right	L left				
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FSDB-1821-L	1199	66	18	21	140	14.44
C-FSDB-1821-R	1199	66	18	21	140	14.44
C-FSDS-1821-L	1426	66	18	21	160	13.74
C-FSDS-1821-R	1426	66	18	21	160	13.74
C-FSDC-2421-L	1702	66	24	21	150	19.25
C-FSDC-2421-R	1702	66	24	21	150	19.25
Acrylic						
C-FSDB-1821-L-G	2047	66	18	21	140	14.44
C-FSDB-1821-R-G	2047	66	18	21	140	14.44



double laminate door with shelves



double laminate door with coat bar

What’s Included:

Double Door Storage Cabinet, shelves or coat rod, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

One shelf is fixed at worksurface height, while the other shelves are adjustable in 1-inch increments.


Cabinets are 21-inches deep.

Grain direction is indicated in the above illustration..


Options:

height	66					
width	36					
depth	21					
case finish	laminate colors					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSDB-3621	1858	66	36	21	195	28.88
C-FSDS-3621	2066	66	36	21	195	29.09
Acrylic						
C-FSDB-3621-G	3468	66	36	21	195	29.09
C-FSDS-3621-G	3819	66	36	21	195	29.09



Laminate Combination Cabinet



Laminate Combination Cabinet with Acrylic Doors

What’s Included:

Combination Cabinet, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.


The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.




Cosmo Pricebook
May 2023
Storage

storage

end gable pedestal	158
underdesk pedestal	159
underworksurface open shelf	160
underdesk joined pedestal	161
underdesk lateral file	162
underdesk storage cabinet	163



box/box/file



file/file

What’s Included:

End Gable Pedestal, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

End gable pedestals are 24-inches or 30-inches deep, depending on the depth of the worksurface that they will be supporting.

The box/box/file end gable pedestal includes a pencil tray.



Grain direction is indicated in the above illustration.

Options:

type	B box/box/file		F file/file							
width	16									
depth	24, 30									
hand	R right		L left							
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale				
case finish	laminate colors									

How to Order and Read your Code:

C	FPBU	16	
----------	-------------	-----------	---------



What’s Included:

Underworksurface open shelf, installation hardware.

How to Specify:

Specify laminate color.

Notes:

The underworksurface open shelf supports worksurfaces and provides below worksurface storage.

Grain direction is indicated in the above illustration.

Options:

width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	18
height	28
case finish	laminate colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSOU-2418	673	28	24	18	20	7.2
C-FSOU-3018	729	28	30	18	24	9
C-FSOU-3618	784	28	36	18	28	10.8
C-FSOU-4218	836	28	42	18	32	12.6
C-FSOU-4818	893	28	48	18	36	14.4
C-FSOU-5418	1156	28	54	18	40	16.2
C-FSOU-6018	1213	28	60	18	44	18
C-FSOU-6618	1273	28	66	18	48	19.8
C-FSOU-7218	1328					



What’s Included:

Underdesk Lateral File, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

Laterals are 21-inches deep.

Grain direction is indicated in the above illustration.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:

width	30, 36, 42					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FL2U-3021	1350	28	30	21	107	10.21
C-FL2U-3621	1422	28	36	21	130	12.25
C-FL2U-4221	1492	28				




Cosmo Pricebook
May 2023
Accessories

accessories


work organizers	166
accessory bar	167
pencil tray	168
coat hook	169
adjustable keyboard tray	170
retractable keyboard tray	171
top trim mounted privacy screen	172
wall mounted tackboard	174
workspace edge mounted screen	178
panel mounted privacy screen	180
monitor arm	185



pen holder



paper sorter



paper tray

What’s Included:

One work organizer, as specified.

How to Specify:

Work organizers are available in a variety of metal finish colors.

Refer to the metal accent and metal finish card for a complete listing of metal colors.

Notes:


Work organizers hang from accessory tile, accessory bar, and surface mounted work organizer support.

Paper trays are available in letter and legal sizes.

Options:

accessory type	S paper sorter H pen holder	P 9 paper tray (letter)	P 13 paper tray (legal)
finish	metal colors (except chrome)		

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
paper sorter					



What’s Included:

Pencil Drawer, installation hardware, mounting slides.

How to Specify:

This product is available only in black.


Options:

There are no options for this product.

Notes:

Pencil drawers provide compartmentalized pencil and stationary storage below the worksurface.


Code	Price	W (in.)	Weight (lb)	Volume (ft³)
V-ADPP	83	21	2	0.62



What’s Included:

One work organizer, as specified.

How to Specify:



What’s Included:

Adjustable Keyboard Tray, installation hardware.

How to Specify:

Specify laminate color for adjustable keyboard. The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


For adjustable keyboard with mouse, right or left hand must be specified.

This product is available only in black.

Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments.

Options:



What’s Included:

Top trim mounted privacy screen, two clamps.

How to Specify:


Specify metal color.

Specify the width of the top trim mounted privacy screen to be the same width of less than the panel frame that it is to be mounted to.


Notes:

The top trim mounted privacy screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.


The



14-inch



21-inch




24-inch

What’s Included:


Wall mounted tackboard, fasteners.

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
V-ATW0-1424-2	141	14	24	1.2	0.19
V-ATW0-1430-2	149	14	30	1.5	0.24
V-ATW0-1436-2	208	14	36	1.9	0.29
V-ATW0-1442-2	217	14	42	2.2	0.34
V					



worksurface edge mounted screen

What’s Included:



What’s Included:

Panel mounted acrylic screen, installation hardware

Code	Price	H (in.)	W (in.)	Weight (lb)
------	-------	---------	---------	-------------

