



Scene Pricebook

December 2025

Contents

caution	7
overview	8
the line-up	9
general instructions	15
workspace definition	16
screen definition	18
installation sequence	22
screen post to surface	24
screens to screen post	25
end reinforcement bars to open center gable	29
shared reinforcement bars to open center gable	30
no connector reinforcement bars to workspace	31
workspace to workspace flush plate	32
flag storage installation	34
single post support	35
low credenza to workspace fixed support	36
low credenza to wide workspace fixed support	37
workspace to high credenza installation	38
reinforcement beams to workspace	39
front inset spacer to high credenza installation	40
overhead storage - attachment to dry wall with wood studs	42
overhead storage - attachment to dry wall with wood studs	42
overhead storage - attachment to dry wall with wood studs	43
credenza mounted storage to high credenza installation	44
surface mounted screen	45
trough mounted modesty screen	46
wire management trough to surface	47
power pole installation	48
trough mounted communication box installation	50
trough mounted power box installation	51

pedestal	53
freestanding	54
mobile	56
lateral	59
2 drawer	60
3 drawer	62
4 drawer	64
credenza	67
open high	68
enclosed high	69
combo high	70
open low	72
enclosed low	73
combo low	74
cabinet	77
4 door laminate	78
4 door acrylic	79
2 door laminate	80
2 door acrylic	81
flag storage	83
open shelf	84
shared open shelf	86
left side flag storage	87
right side flag storage	88
credenza mount storage	91
single level - open shelf	92
single level - frosted sliding door	94
double level - open shelf	96
double level - open shelf/hinged door	97
double level - open shelf/frost door	98
double level - frost acrylic hinged door	100
double level - hinged door	102
wall mounted storage	105
open shelf	106
hinged door hutch	107
frost acrylic hinged door hutch	108

tower	111
closet	112
acrylic door closet	113
storage	114
acrylic door storage	116
combo storage - closet / cabinet	118
acrylic door cabinet /combo storage - closet	119
combo storage - closet / BBF / cabinet	120
acrylic door cabinet / BBF / combo storage - closet	121
combo storage - closet / FF / cabinet	122
combo storage - closet / FF / acrylic door cabinet	124
surface	127
type 1	128
arc worksurface w/ center grommet	128
arc worksurface w/ side grommet	130
straight worksurface w/ center grommet	132
straight worksurface w/ side grommet	134
straight worksurface without grommet	136
unitized desk w/ side grommet	138
D worksurface w/ side grommet	140
credenza mounted	142
D worksurface w/ side grommet	142
straight worksurface w/ side grommet	144
straight return w/ center grommet	146
flag storage	148
straight worksurface (single full side)	148
straight worksurface (single shared side)	150
straight worksurface (full / shared)	152
straight worksurface (shared / shared)	154
surface with power grommet	157
straight worksurface	158
credenza surface straight return	160
freestanding square table	164
freestanding round table	165

screens	167
privacy screen - end to end	168
solid	168
whiteboard	173
fabric	176
frost acrylic	180
privacy screen - end to share	184
solid	184
whiteboard	189
fabric	192
frost acrylic	196
privacy screen - share to share	200
solid	200
whiteboard	205
fabric	208
frost acrylic	212
screen components	217
accessories rail - end to end	218
accessories rail - end to share	220
accessories rail - share to share	221
post	222
support	225
spacer	226
end gable	228
flag storage gable	229
center gable	230
single support leg	231
low credenza support	232
mending plate	233
reinforcement bar	235
end to end	236
end to share	238
share to share	240
end to no connector	242

share to no connector	244
no connector	246
short beam	247
electrics	249
wire management trough	250
trough mounted power box	252
trough mounted data box	253
electrical splitter harness	254
electrical starter harness	255
connector harness (female to female)	256
connector harness (female to female) continued	258
connector harness (female to male)	259
power pole	260
power pole bracket	261
under worksurface mounted wire manager	262
task light	263
pop-up grommet	264
accessories	267
trough mounted modesty	268
surface mounted metal screen	270
accessory screen	271
storage cube	272
paper sorter	273
paper tray	274
pen holder	275
monitor arm	276
keyboard tray	277
pencil tray	278
credenza seat cushion	279

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

overview


the line-up	9
general instructions	15
workspace definition	16
screen definition	18
installation sequence	22
screen post to surface	24
screens to screen post	25
end reinforcement bars to open center gable	29
shared reinforcement bars to open center gable	30
no connector reinforcement bars to workspace	31
workspace to workspace flush plate	32
flag storage installation	34
single post support	35
low credenza to workspace fixed support	36
low credenza to wide workspace fixed support	37
workspace to high credenza installation	38
reinforcement beams to workspace	39
front inset spacer to high credenza installation	40
overhead storage - attachment to dry wall with wood studs	42
credenza mounted storage to high credenza installation	44
surface mounted screen	45
trough mounted modesty screen	46
wire management trough to surface	47
power pole installation	48
trough mounted communication box installation	50
trough mounted power box installation	51

the line-up

pedestal



F-FPBF



F-FPFF



F-FPLO



F-FPLS (cushion)

lateral



2H Lateral




3H Lateral




4H Lateral

credenza


high credenza



open credenza




Combo credenza




enclosed credenza


low credenza



open credenza




Combo credenza




enclosed credenza

cabinet

4 door cabinet




Laminate door




acrylic door

2 door cabinet




Laminate door





acrylic door


Flag storage




Credenza Mount storage




Wall mount storage






Tower



tower - cont'd




surface




surface with power grommet

surface type 1



straight desk
(center grommet)


credenza mounted




straight return
(center grommet w/ spacer)

table

freestanding table




square table




round table

height adjustable
table




straight table


post mounted privacy screen




Solid screen



Acrylic screen




Fabric/Tackboard
screen



whiteboard
screen

screen components




accessory rail



post


support

spacer support




Spacer- front insert
(single sided)


gable/leg support




end gable




flag storage gable




center gable



single support post




low credenza support




mending plate


reinforcement bar




end to end




end to share




share to share




end / no
connection



shared / no
connection




no connection




short beam


electrics




wire trough



trough Mounted receptacle




trough Mounted data box




splitter



starter




connector harness



power pole




task light




power pole bracket


accessory




trough mount modesty




surface mount metal screen



accessory screen




storage cube (shelf)




storage cube (sorter)




paper sorter




letter size tray




legal size tray




pen holder



Pencil drawer




credenza cushion




monitor arm single mount



monitor arm double mount



adj keyboard straight



retractable keyboard

general instructions

installation checklist

Perform a site inspection prior to the installation date to check existing site conditions and identify constraints and limitations that could possibly cause delays or problems during the actual installation.

Site Accessibility

- 1. Verify existing loading facilities and proximity of loading dock to staging area.
- 2. Verify if receiving area is accessible by trailer.
- 3. Verify access to service elevators.
- 4. Reserve service elevators in advance, if necessary.

Site Preparation

- 1. Clear all obstacles that could interfere with the installation process.
- 2. When doing a reconfiguration, ensure that all furniture to be re-used is clear of computers, accessories, books, papers and all personal effects.
- 3. Ensure that all live wires and data/communications wires are disconnected prior to installation.

Furniture Plans

- 1. Labeled furniture plans for installation purposes are located in the hardware box. Ensure that drawings are complete and handy before beginning installation.



Waste Management

- 1. Establish a trash removal area separate from the product staging area.

workspace definition

workspace definition

- 1. Pre-drilled locations, Figure 1.
- 2. Figure 2 shows how to position the post on two shared surfaces.




IMPORTANT NOTES:

- Do not drill all the pre-drilled holes, drill only where required as per furniture layout configuration.
- Check the layout for post positioning.

workspace definition (cont'd)

- 3. Figure 3 shows how to position the posts on 4 shared surfaces.




IMPORTANT NOTES:

- Do not drill all the pre-drilled holes, drill only where required as per furniture layout configuration.
- Check the layout for post positioning.


screen definition

- END TO END, Figure 1
- 1. Post
 - 2. Privacy Screens
 - 3. Worksurface



screen definition (cont'd)


- END TO SHARED, Figure 2
- 1. Post
 - 2. Privacy Screens
 - 3. Worksurface



screen definition (cont'd)


GLAZED SCREEN

- 1. Screen extrusion
- 2. Acrylic glazing
- 3. Screen gasket
- 4. Post cap
- 5. Post



TACKBOARD/FELT/WHITEBOARD/
MELAMINE SCREEN


- 1. Screen extrusion
- 2. Tackboard/Felt/Whiteboard/
Melamine screen
- 3. Screen gasket
- 4. Post cap
- 5. Post



screen definition

ACCESSORY SCREEN

- 1. Accessory screen
- 2. Post
- 3. Post cap




installation sequence

installation sequence


The following application guidelines provide detailed instructions for planning with the Elevation product line.

- 1. Position all the storages (Towers, cabinets, lateral files and cabinets).
- 2. Assemble all worksurface supports (gables and reinforcement bars).

STEP 1




STEP 2




installation sequence (cont'd)

- 3. Install the posts to the surfaces. Position all worksurfaces. Mount them to the worksurface supports or credenza.
- 4. Install the screens.

STEP 3



STEP 4



screen post to surface

screen post to surface

- 1. To install the screen post, place worksurface face down on a solid surface or floor. Place a wooden block underneath the pre-drilled holes and level the worksurface. Drill through the pre-drilled holes with a 5 mm V-point drill bit, (Figure 1).
- 2. Flip the worksurface and place it on top of the assembled worksurface supports or elevated surfaces with the topside facing up. Place screen post in position shown in (Figure 2). Use four screws (4) to attach the screen post to the surface.




FIGURE 1






FIGURE 2

- IMPORTANT NOTES:**
- Do not drill all the pre-drilled holes, drill only where required as per furniture layout configuration.
 - Check the layout for post positioning.

tools & hardware needed

					
measuring tape	torpedo level	drill	# 2 Robertson long bit	5 mm V-point drill bit	#8 x 2", Flat head screws

screens to screen post

screens to screen post

- 1. Make sure the posts are not tightly secured to the worksurface, (Figure 1).
- 2. Slide the bottom screen extrusion down the screen post, (Figure 2). For felt screen installation, see "felt screen to screen post".




FIGURE 1




FIGURE 2

tools & hardware needed



screens to screen post (cont'd)

- 3. Insert the appropriate screen gasket into the screen post grooves, (Figure 3). Slide the gasket down the screen post until it bottoms out.
- 4. Slide the screen into the gaskets within the posts, (Figure 4).




FIGURE 3




FIGURE 4

tools & hardware needed



measuring tape

screens to screen post (cont'd)

- 5. Place the top screen extrusion on top of the screen.
- 6. Repeat steps 3 to 5 until all screens are in position except accessory screen shown in (Figure 5).




FIGURE 5





FIGURE 6

tools & hardware needed



measuring tape

scene 18

SEPTEMBER 2015

screens to screen post (cont'd)

- 7. Place the post top cap shown in (Figure 7).




FIGURE 7

tools & hardware needed



end reinforcement bars to open center gable

- 1. Slide the bottom extrusion sideways, (Figure 1).
- 2. Slide the appropriate screen gasket down the felt screen, (Figure 2).




FIGURE 1





FIGURE 2

tools & hardware needed



shared reinforcement bars to open center gable

- 1. Ensure that the connector at the ends of the reinforcement beam is firmly attached; tighten the screws as necessary.
- 2. Attach the end connector to the end gable with 1/4 #20 1-inch quadrex pan head screws above, (Figure 1) and at the bottom, (Figure 2).
- 3. Proceed to attach the other end of the reinforcement bar to the required gable.




Figure 1





Figure 2

tools & hardware needed



no connector reinforcement bars to worksurface

- 1. Position the no connector reinforcement bars 3-1/16 inches from the edge of the worksurface, (Figure 1).
- 2. Attach the no connector reinforcement bars to the worksurface with #10; 1-inch oval head screws (Figure 2).




Figure 1






Figure 2

tools & hardware needed






worksurface to worksurface flush plate

- 1. With the worksurface assembled; secure the worksurface to the reinforcement beams with #10; 1-inch oval head screws, (Figure 1).




tools & hardware needed


		
drill	#2 Robertson long bit	#10 1" oval head screw

worksurface to worksurface flush plate (cont.)

- 3. Move the worksurface to one side and secure the remaining worksurfaces with flush plates and #10; 1-inch oval head screws, (Figure 3).





tools & hardware needed

		
drill	#2 Robertson long bit	#10 1" oval head screw



flag storage installation

- 1. Install the required reinforcement beam to the flag storage support; following the instructions for end reinforcement bars to open end gables, (Figure 1; short beam shown).
- 2. Attach the the flag storage support with reinforcement to the bottom of the flag storage with 11/16-inch oval head screws, (Figure 2).



single post support

- 1. Position the single post support at the center of the surface and measure 11-1/4 inches from the edge of the support plate to the edge of the surface (Figure 1; D-top shown).
- 2. Secure the single post support with #10; 11/16-inch oval head screws, (Figure 2).





tools & hardware needed



drill	measuring tape	#2 Robertson long bit	#10 11/16" oval head screw
-------	----------------	-----------------------	----------------------------

low credenza to worksurface fixed support

- 1. Along the center of the worksurface, install the low credenza worksurface support 7-1/16 inches from the edge of the worksurface with #10; 11/16-inch oval head screws (Figure 1).
- 2. Mount the worksurface above the credenza and secure the reinforcement beams to the surface (Figure 2).





tools & hardware needed




		
drill	#2 Robertson long bit	#10 11/16" oval head screw

low credenza to wide worksurface fixed support

- 1. Install two low credenza worksurface supports 5-3/8 and 7-1/16 inches from the edge of the worksurface with #10; 11/16-inch oval head screws (Figure 1).
- 2. Mount the worksurface above the credenza and secure the flush plates to the surface with #10; 1-inch oval head screws (Figure 2).
- 3. Align the credenza to the worksurface.








tools & hardware needed

			
drill	#2 Robertson long bit	#10 11/16" oval head screw	#10 1" oval head screw

worksurface to high credenza installation


- 1. From the inside of the credenza, drill through the top following the corresponding drilling points to match the inserts on the required worksurface depth, (Figure 1).
- 2. Secure the worksurface to the high credenza with #10-24; 1-1/4 inch machine screws, (Figure 2).






tools & hardware needed			
			
drill	#3 drill bit	#2 Robertson long bit	#10-24; 1 1/4" machine screw

reinforcement beams to worksurface

- 1. With the worksurface assembled; secure the worksurface to the reinforcement beams with #10; 1-inch oval head screws, (Figure 1).



tools & hardware needed		
		
drill	#2 Robertson long bit	#10 1" oval head screw

front inset spacer to high credenza installation

- 1. Remove the drawers from the credenza by disengaging the safety lock on the sides of the drawer, (Figure 1).
- 2. From the inside of the credenza, drill through the top following the corresponding drilling points to match the required worksurface spacer, (Figure 2).




Figure 1




Figure 2

front inset spacer to high credenza installation (cont'd)

- 3. Figure 3 shows the bottom of the spacer with the inserts spaced 3 inches at the back and 2-1/2 inches in front.
- 4. Secure the inset spacer to the credenza with #10-24; 1-1/4 inch machine screws, (Figure 4).




Figure 3









Figure 4

tools & hardware needed			
			
drill	#3 drill bit	#2 Robertson long bit	#10-24; 1 1/4" machine screw


overhead storage - attachment to dry wall with wood studs

- 1. Find the location of the studs with a stud finder; make marks on the wall.
- 2. Mark the location of the wooden cleat on the wall and position it to the previously marked studs. The recommended height is 54-inches from the floor to the bottom of the wooden cleat. Use the following size as a guide for mounting the wooden cleats on the wall listed in Figure 1.
- 3. Level the wooden cleat and attach it to studs with #10, 3-inch wood screws, (Figure 2).



overhead storage - attachment to dry wall with wood studs (cont'd)

- 4. Hang the hutch over the installed wooden cleat.
- 5. Secure with #10, 3-inch wood screws from the inside back panel of the hutch through the wooden cleat, (Figure 3).



WARNING

It is the owner's responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of the overhead storage unit and its contents. Failure of the wall to support all imposed loads may result in property damage and/or personal injury. When in doubt, the use of other methods of storage such as freestanding storage units, hutches and bookcases is strongly recommended.



- NOTES:**
- > use 6 screws for hutches w/o dividers (48-inches and 54-inches wide) and 8 screws for hutches with dividers (60-inches, 66-inches and 72-inches wide).
 - > make sure no electrical wires are on the way of the screws.

tools & hardware needed

 drill	 measuring tape	 torpedo level	 stud finder	 #2 Robertson long bit	 #10-3" wood screw
-----------	--------------------	-------------------	-----------------	---------------------------	-----------------------

credenza mounted storage to high credenza installation

- 1. Secure the credenza mounted storage to the spacer with two 1-1/2 inch flat head screws, (Figure 1).
- 2. The credenza mounted storage is mounted with 1/2 inch space at the front of the credenza; flush on the sides and at the back, (Figure 2).



tools & hardware needed

drill	measuring tape	#2 Robertson long bit	1 1/2" flat head screw

surface mounted screen

- 1. Position the surface mounted screen to the worksurface (Figure 1).
- 2. Attach the surface mounted screen to the underside of the worksurface using #10 1" oval head screws (Figure 2).




FIGURE 1




FIGURE 2

tools & hardware needed

measuring tape	drill	#2 Robertson long bit	#10x1" pan screws

trough mounted modesty screen

- 1. Position the trough mounted modesty screen.
- 2. Attach the trough mounted modesty screen to the wire management trough using 1/4-20 round head screws with three washers on each screw (Figure 1).




FIGURE 1

tools & hardware needed					
					
measuring tape	drill	# 2 Robertson long bit	washers (3)	1/4-20 Round machine screw	

wire management trough to surface

The wire management trough mounts to the underside of a reinforcement bar to manage power and communication cables horizontally below the worksurface level. Also, the power and/or communication box can be mounted to channels on the trough.

- 1. Ensure the worksurface is properly supported and all brackets are secured.
- 2. Position the worksurface wire management trough at the specified location (Figure 1). Use #10 1" oval head screws to attach the wire management trough to the underside of the worksurface (Figure 2).




FIGURE 1





FIGURE 2

tools & hardware needed			
			
measuring tape	drill	# 2 Robertson long bit	# 10x 1" pan screws

power pole installation

The power pole is attached to the open gables to manage cables from the ceiling to a workstation below the worksurface level.

- 1. Attach brackets to the open end gable using #10-5/8" pan self drilling screws.
- 2. Inspect ceiling condition before beginning installation if the ceiling tile is acoustical, remove the tile above the power pole before attaching the power pole to the bracket. (Figure 2).
- 3. Attach half of the power pole to the bracket using #10-32 machine screws.




FIGURE 1




FIGURE 2

tools & hardware needed

				
measuring tape	drill	# 2 Robertson long bit	#10 x 5/8" pan self drilling screws	# 10- 32 machine screws

power pole installation (cont'd)

- 4. Lay the data and power cables in the power pole. Clip the two halves of the power pole together (Figure 3).
- 5. Place the ceiling collar around the management column and mount to the cieling with 6 screws; (Figure 4).




FIGURE 3




FIGURE 4

tools & hardware needed

		
drill	#2 Robertson long bit	#10 11/16" oval head screw

trough mounted communication box installation

box installation

The cable management trough communication box mounts to the worksurface cable management trough to provide communication access below the worksurface level.

- 1. Insert the bottom edge of the trough mounted communication box, (Figure 1).
- 2. Secure in place with 3/8" metal screws, (Figure 2).




FIGURE 1






FIGURE 2

NOTES:

- > The trough mounted communication box does not come with any data cables.
- > The trough mounted communication box is equipped with one RJ11, RJ45 and a spare opening.

tools & hardware needed

 drill	 #2 Robertson long bit	 2, #6; 3/8" sheet metal screw
---	--	--

trough mounted power box installation

The cable management trough power box mounts to the worksurface cable management trough to provide power access below the worksurface level.

- 1. Attach the harness(es) to the power box before installation, (Figure 1).
- 2. Mount the trough mounted power box to the horizontal wire management trough with 5/8" metal screws, (Figure 2).




FIGURE 1






FIGURE 2

NOTES:

- > The trough mounted power box does not come with any electrical harnesses.

tools & hardware needed


 drill	 #2 Robertson long bit	 2, #6; 5/8" sheet metal screw
--	--	--




Scene Pricebook
December 2025
Pedestals

pedestal

<u>freestanding</u>	<u>54</u>
<u>mobile</u>	<u>56</u>



box/box/file pedestal
without seat cushion



file/file pedestal
without seat cushion

What’s Included:

Tall stationary pedestal (box/box/file or file/file drawer configuration) (1), box drawer pencil tray (box/box/file drawer configuration) (1), and keys for lock (2).

Notes:

- Tall stationary pedestal is 16” wide.
- Available in box/box/file or file/file drawer configuration.
- Top box drawer (box/box/file configuration) includes a plastic pencil tray to enhance organizational capabilities.
- File drawer(s) accommodate either legal paper or letter paper hanging folders.
- Contemporary metal handles on the drawers are standard.
- Four levelers with a leveling range of 2.5” are included.

How to Specify:

- Specify the drawer configuration to suit the storage requirements.
- Specify the depth of the pedestal to be the same as the depth of the worksurface being utilized above.
- Body refers to the top, side and back panels of the freestanding pedestal.
- Face refers to the drawer front of the freestanding pedestal.
- Pencil tray is available in white translucent plastic only.
- Internal drawer bodies are black low pressure laminate only.
- Freestanding pedestal can be keyed alike or keyed randomly for a workstation.
- Lock is available in satin silver metal only.


Options:

Drawer Configuration	BF box / box / file	FF file / file
Depth	18”, 24”	
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	
Foot Color	Refer to metal paint card for metal paint colors	


How to Order and Read your Code:

F	FP	BF	28	16	24
product line	item	drawer configuration	height	width	depth

Code	Price	H	W	D	Weight (lb)	Volume (ft³)
box / box / file						
F-FPBF-281618	1164	28	16	18	53.76	4.67
F-FPBF-281624	1193	28	16	24	71.68	6.22
file/file						
F-FPFF-281618	1044	28	16	18	53.76	4.67
F-FPFF-281624	1073	28	16	24	71.68	6.22



mobile pedestal
without seat cushion



mobile pedestal
with seat cushion

What's Included:

Low mobile pedestal (box/file drawer configuration) with/without seat cushion (1), box drawer pencil tray (1), and keys for lock (2).

Notes:

- Low mobile pedestal is 16” wide.
- Box drawer includes a plastic pencil tray to enhance organizational capabilities.
- File drawer accommodates either legal paper or letter paper hanging folders.
- The two front casters are lockable.
- Contemporary metal handles on the drawers are standard.

How to Specify:

- Specify the drawer configuration to suit the storage requirements.
- Specify the depth of the pedestal to be the same as the depth of the worksurface being utilized above.
- Body refers to the top, side and back panels of the freestanding pedestal.
- Face refers to the drawer front of the freestanding pedestal.
- Pencil tray is available in white translucent plastic only.
- Internal drawer bodies are black low pressure laminate only.
- Freestanding pedestal can be keyed alike or keyed randomly for a workstation.
- Lock is available in satin silver metal only.

Options:

Seat Cushion	O without seat cushion		S with seat cushion
Depth	18"		
Body Laminate	laminate color		
Face Laminate	laminate color		
Handle Color	H112 silver	H121 white	H122 black
Caster Cap Color	P112 silver	P121 white	
Seating Upholstery	seating fabrics		

Code	Price	H	W	D	Weight (lb)	Volume (ft³)
without seat cushion						
F-FPL0-231618	994	23	16	18	53.76	3.83

with seat cushion

Code	Grade 1	Grade 2	Grade 3	Grade 6	W	D	Weight (lb)	Volume (ft³)
F-FPLS-251618	1255	1289	1325	1427	16	18	53.76	4.17




Scene Pricebook
December 2025

Laterals

lateral

2 drawer	60
3 drawer	62
4 drawer	64



What’s Included:

2 drawer lateral storage

How to Specify:

Body refers to the top, side and back panels of the 2 drawer lateral.

Face refers to the drawer front of the 2 drawer lateral.

2 drawer lateral can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

2 drawer lateral is available in 30”, 36” & 42” widths.

2 drawer lateral is available in 18” & 24” depths.

Metal handles on the drawers are standard.

Each drawer includes 2 cross rails to enhance organizational capabilities.

File drawers accommodates either legal paper or letter paper hanging folders.

Four levelers with a leveling range of 2.5” are included.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.


Options:

Width	30”, 36”, 42”
Depth	18”, 24”
Body Laminate	laminate color
Face Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors
Foot Color	Refer to metal paint card for metal paint colors

How to Order and Read your Code:

F	FL	2F	28	30	18
product line	item	drawer configuration	height	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FL2F-283018	1594	28	30	18	65.74	8.75
F-FL2F-283024	1634	28	30	24	87.65	11.67
F-FL2F-283618	1656	28	36	18	78.89	10.5
F-FL2F-283624	1757	28	36	24	105.18	14
F-FL2F-284218	1771	28	42	18	92.03	12.25
F-FL2F-284224	1881	28	42	24	122.71	16.33



What’s Included:

3 drawer lateral storage

How to Specify:

Body refers to the top, side and back panels of the 2 drawer lateral.

Face refers to the drawer front of the 2 drawer lateral.

2 drawer lateral can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

3 drawer lateral is available in 30”, 36” & 42” widths.

3 drawer lateral is available in 18” & 24” depths.

Metal handles on the drawers are standard.

Each drawer includes 2 cross rails to enhance organizational capabilities.

File drawers accommodates either legal paper or letter paper hanging folders.

Four levelers with a leveling range of 2.5” are included.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.


Options:

Width	30”, 36”, 42”
Depth	18”, 24”
Body Laminate	laminate color
Face Laminate	laminate color
Spacer trim	LPL color
Handle Color	Refer to metal paint card for metal paint colors
Foot Color	Refer to metal paint card for metal paint colors

How to Order and Read your Code:

F	FL	3F	43	30	18
product line	item	drawer configuration	height	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FL3F-433018	2574	43	30	18	92.88	13.44
F-FL3F-433024	2632	43	30	24	123.84	17.92
F-FL3F-433618	2666	43	36	18	111.46	16.13
F-FL3F-433624	2853	43	36	24	148.61	21.5
F-FL3F-434218	2867	43	42	18	130.03	18.81
F-FL3F-434224	3070	43	42	24	173.38	25.08



What’s Included:

4 drawer lateral storage

How to Specify:

Body refers to the top, side and back panels of the 4 drawer lateral.

Face refers to the drawer front of the 4 drawer lateral.

4 drawer lateral can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

4 drawer lateral is available in 30”, 36” & 42” widths.

4 drawer lateral is available in 18” & 24” depths.

Metal handles on the drawers are standard.

Each drawer includes 2 cross rails to enhance organizational capabilities.

File drawers accommodate either legal paper or letter paper hanging folders.

Four levelers with a leveling range of 2.5” are included.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:

Width	30”, 36”, 42”
Depth	18”, 24”
Body Laminate	laminate color
Face Laminate	laminate color
Spacer trim	LPL color
Handle Color	Refer to metal paint card for metal paint colors
Foot Color	Refer to metal paint card for metal paint colors

How to Order and Read your Code:

F	FL	4F	56	30	18
product line	item	drawer configuration	height	width	depth


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FL4F-563018	3068	56	30	18	108	17.5
F-FL4F-563024	3155	56	30	24	144	23.33
F-FL4F-563618	3201	56	36	18	129.6	21
F-FL4F-563624	3418	56	36	24	172.8	28
F-FL4F-564218	3447	56	42	18	151.2	24.5
F-FL4F-564224	3677	56	42	24	201.6	32.67



Scene Pricebook
December 2025
Credenzas



<u>open high</u>	68
<u>enclosed high</u>	69
<u>combo high</u>	70
<u>open low</u>	72
<u>enclosed low</u>	73
<u>combo low</u>	74



What’s Included:

Open high credenza (1) with two wire managemnt grommets (2).

How to Specify:

Body refers to the top, side and back panels of the open high credenza.

Lock is available in satin silver metal only.

Notes:

Open high credenza is available in 48”, 54”, 60”, 66” & 72” widths.

Open high credenza is available in 18” depth.

Open shelf provides storage space for books, binders, and boxes, as well as large personal items such as backpacks and briefcases.

Four levelers with a leveling range of 2.5-inches are included.

Middle shelves have a notched corner to allow a pass through for power & data

Lower shelf has 2 wire management grommets


Options:

Width	48”, 54”, 60”, 66”, 72”
Body Laminate	laminate color
Foot Color	Refer to metal paint card for metal paint colors
Grommet Color	Refer to metal paint card for metal paint colors

How to Order and Read your Code:

F	CROH	28	30	18
product line	item	height	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-CROH-284818	1188	28	48	18	48.38	14
F-CROH-285418	1256	28	54	18	54.43	15.75
F-CROH-286018	1321	28	60	18	60.48	17.5
F-CROH-286618	1381	28	66	18	66.53	19.25
F-CROH-287218	1444	28	72	18	72.58	21



What’s Included:

Enclosed high credenza (file/file drawer configuration) (1), and keys for lock (4).

How to Specify:

Body refers to the top, side and back panels of the enclosed high credenza.

Face refers to the drawer front of the enclosed high credenza.

Drawer handles are finished in silver, black or white powder coat.

Enclosed high credenza can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Enclosed high credenza is available in 48”, 60” & 72” widths.

File drawer can accommodate either legal paper or letter paper hanging folders.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	48”, 54”, 60”, 66”, 72”
Handle Color	Refer to metal paint card for metal paint colors
Foot Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-CREH-284818	2544	28	48	18	96.77	14
F-CREH-286018	2768	28	60	18	120.96	17.5
F-CREH-287218	2990	28	72	18	145.15	21



left hand
drawer position

What's Included:

Combo high credenza (open shelf and file/file drawer configuration) (1) with keys for lock (2) and a wire managemnet grommet (1).

How to Specify:

Specify drawer position to be on the side/end of the credenza that is not supporting a worksurface.

Body refers to the top, side and back panels of the combo high credenza.

Face refers to the drawer front of the combo high credenza.

Drawer handles are finished in silver, black or white powder coat.

Combo high credenza can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Combo high credenza is available in 48", 54", 60", 66" & 72" widths.

Available with open shelf and file/file drawer configuration located on the left or right side of the credenza.

Open shelf provides storage space for books, binders, and boxes, as well as large personal items such as backpacks and briefcases.

One file drawer accommodates either legal paper or letter paper hanging folders.

Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.


Middle shelf has a notched corner to allow a pass through for power & data

Lower shelf has a wire management grommet

Options:

Width	48", 54", 60", 66", 72"	
Drawer position	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	
Foot Color	Refer to metal paint card for metal paint colors	
Grommet Color	Refer to metal paint card for metal paint colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Left Hand						
F-CRCH-284818-LC	1826	28	48	18	69.12	14
F-CRCH-285418-LC	1891	28	54	18	77.76	15.75
F-CRCH-286018-LC	2005	28	60	18	86.4	17.5
F-CRCH-286618-LC	2071	28	66	18	95.04	19.25
F-CRCH-287218-LC	2183	28	72	18	103.68	21
Right Hand						
F-CRCH-284818-RC	1826	28	48	18	69.12	14
F-CRCH-285418-RC	1891	28	54	18	77.76	15.75
F-CRCH-286018-RC	2005	28	60	18	86.4	17.5
F-CRCH-286618-RC	2071	28	66	18	95.04	19.25
F-CRCH-287218-RC	2183	28	72	18	103.68	21



What’s Included:

Open low credenza

How to Specify:

Body refers to the top, side and back panels of the open low credenza.

Notes:

Open low credenza is available in 48”, 54”, 60”, 66” & 72” widths.

Open low credenza is available in 18” depth.

Open low credenza top mount worksurface support enables the credenza to support the end of a worksurface(s).


Open shelf provides storage space for books, binders, and boxes, as well as large personal items such as backpacks and briefcases.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	48”, 60”, 72”
Body Laminate	laminate color
Foot Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-CROL-224818	1052	22	48	18	38.02	11
F-CROL-225418	1116	22	54	18	42.77	12.38
F-CROL-226018	1177	22	60	18	47.52	13.75
F-CROL-226618	1237	22	66	18	52.27	15.13
F-CROL-227218	1296	22	72	18	57.02	16.5



What’s Included:

Enclosed low credenza (box/file drawer configuration) (1), and keys for lock (4)

How to Specify:

Body refers to the top, side and back panels of the enclosed low credenza.

Face refers to the drawer front of the enclosed low credenza.

Drawer handles are finished in silver, black or white powder coat.

Enclosed low credenza can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Enclosed low credenza is available in 48”, 60” & 72” widths.

Enclosed low credenza top mount worksurface support enables the credenza to support the end of a worksurface(s).

Available with side-by-side box/file drawer configuration.

Two box drawers provide general storage space.

Two file drawer accommodate either legal paper or letter paper hanging folders.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	48”, 60”, 72”
Body Laminate	laminate color
Face Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors
Foot Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-CREL-224818	2290	22	48	18	76.03	11
F-CREL-226018	2469	22	60	18	95.04	13.75
F-CREL-227218	2661	22	72	18	114.05	16.5



What’s Included:

Combo low credenza (open shelf and box/file drawer configuration) (1), and keys for lock (2).

How to Specify:

Specify drawer position to be on the side/end of the credenza that is not supporting a workspace.

Body refers to the top, side and back panels of the combo low credenza.

Face refers to the drawer front of the combo low credenza.

Drawer handles are finished in silver, black or white powder coat.

Combo high credenza can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Options:

Width	48", 54", 60", 66", 72"	
Drawer position	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	
Foot Color	Refer to metal paint card for metal paint colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Left Drawer						
F-CRCL-224818-LC	1640	22	48	18	54.31	11
F-CRCL-225418-LC	1703	22	54	18	61.1	12.38
F-CRCL-226018-LC	1792	22	60	18	67.89	13.75
F-CRCL-226618-LC	1852	22	66	18	74.67	15.13
F-CRCL-227218-LC	1947	22	72	18	81.46	16.5
Right Drawer						
F-CRCL-224818-RC	1640	22	48	18	54.31	11
F-CRCL-225418-RC	1703	22	54	18	61.1	12.38
F-CRCL-226018-RC	1792	22	60	18	67.89	13.75
F-CRCL-226618-RC	1852	22	66	18	74.67	15.13
F-CRCL-227218-RC	1947	22	72	18	81.46	16.5




Scene Pricebook
December 2025

Cabinets

cabinet

4 door laminate	78
4 door acrylic	79
2 door laminate	80
2 door acrylic	81



What’s Included:

4 door cabinet and keys for locks.

How to Specify:

Body refers to the top, side and back panels of the 4 door cabinet.

Face refers to the drawer front of the 4 door cabinet.

Drawer handles are finished in silver, black or white powder coat.

4 door cabinet can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

4 door cabinet is available in 60” 66” & 72” widths.

Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.


Options:

Width	60", 66", 72"	
Drawer position	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	
Foot Color	Refer to metal paint card for metal paint colors	

How to Order and Read your Code:

F	CROH	28	30	18
product line	item	height	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FS4L-286018	2007	28	60	18	100.8	17.5
F-FS4L-286618	2088	28	66	18	105.8	19.25
F-FS4L-287218	2167	28	72	18	120.96	21



What’s Included:

4 door cabinet with acrylic doors.

How to Specify:

Body refers to the top, side and back panels of the 4 door cabinet.

Notes:

4 door cabinet is available in 60”, 66” & 72” widths.


Doors are available in frost acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	60”, 66”, 72”		
Depth	18”		
Body Laminate	laminate color		
Acrylic doors	F frosted		
Foot Color	Refer to metal paint card for metal paint colors		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FS4G-286018-F	3596	28	60	18	100.8	17.5
F-FS4G-286618-F	3733	28	66	18	105.8	19.25
F-FS4G-287218-F	3872	28	72	18	120.96	21



What’s Included:

2 door cabinet and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the 2 door cabinet.

Face refers to the drawer front of the 2 door cabinet.

Drawer handles are finished in silver, black or white powder coat.

2 door cabinet can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

2 door cabinet is available in 30", 36" & 42" widths.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	30", 36", 42"	
Drawer position	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	
Foot Color	Refer to metal paint card for metal paint colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FS2L-283018	1210	28	30	18	50.4	8.75
F-FS2L-283618	1304	28	36	18	60.48	10.5
F-FS2L-284218	1402	28	42	18	70.56	12.25



What’s Included:

2 door cabinet with acrylic doors.

How to Specify:

Body refers to the top, side and back panels of the 2 door cabinet.

Notes:

2 door cabinet is available in 30", 36" & 42" widths.

Doors are available in frost acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Width	30", 36", 42"
Acrylic doors	F frosted
Body Laminate	laminate color
Foot Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FS2G-283018-F	2001	28	30	18	50.4	8.75
F-FS2G-283618-F	2156	28	36	18	60.48	10.5
F-FS2G-284218-F	2307	28	42	18	70.56	12.25




Scene Pricebook
December 2025

Flag Storage

flag storage

<u>open shelf</u>	84
<u>shared open shelf</u>	86
<u>left side flag storage</u>	87
<u>right side flag storage</u>	88



What’s Included:

Open cabinet(1)

How to Specify:

Body refers to the top, side and back panels of the 4 door cabinet.

Face refers to the drawer front of the 4 door cabinet.

Drawer handles are finished in silver, black or white powder coat.

Feet are finished in silver, black or white powder coat.

4 door cabinet can be keyed alike or keyed randomly for a workstation.

Body refers to the top, side and back panels of the flag storage.

Notes:

Flag storage is available in 48”, 54”, 60”, 66” & 72” widths.

Flag storage backing is available in solid laminate, frosted and tackboard.

Open shelf provides storage space for books, binders, and boxes.


Options:

Width	60”, 66”, 72”		
Body Laminate	laminate color		
Shelf backing	S solid	F frosted	T tackboard


How to Order and Read your Code:

F	FS00	14	60	14	X
product line	item	height	width	depth	shelf backing

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-SFOO-144814-S	599	14	48	14	31.36	5.44
F-SFOO-145414-S	641	14	54	14	35.28	6.13
F-SFOO-146014-S	682	14	60	14	39.2	6.81
F-SFOO-146614-S	723	14	66	14	43.12	7.49
F-SFOO-147214-S	765	14	72	14	47.04	8.17
frosted acrylic						
F-SFOO-144814-F	779	14	48	14	31.36	5.44
F-SFOO-145414-F	847	14	54	14	35.28	6.13
F-SFOO-146014-F	911	14	60	14	39.2	6.81
F-SFOO-146614-F	977	14	66	14	43.12	7.49
F-SFOO-147214-F	1044	14	72	14	47.04	8.17
tackboard						
F-SFOO-144814-T	774	14	48	14	31.36	5.44
F-SFOO-145414-T	831	14	54	14	35.28	6.13
F-SFOO-146014-T	887	14	60	14	39.2	6.81
F-SFOO-146614-T	946	14	66	14	43.12	7.49
F-SFOO-147214-T	1000	14	72	14	47.04	8.17



right side open - SFSO



left side open - SFOS

What’s Included:

Open cabinet(1)

How to Specify:

Body refers to the top, side and back panels of the flag storage.

Notes:

Flag storage is available in 48”, 54”, 60”, 66” & 72” widths.

Flag storage backing is available in solid laminate, frosted acrylic and tackboard.

Open shelf provides storage space for books, binders, and boxes.

Options:

Open shelf side	OS left	SO right
Width	48”, 54”, 60”, 66”, 72”	
Body Laminate	laminate color	
Shared backing	S solid	F frosted T tackboard

left side flag storage

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-SFSO-144814-S	629	14	48	14	31.36	5.44
F-SFSO-145414-S	670	14	54	14	35.28	6.13
F-SFSO-146014-S	716	14	60	14	39.2	6.81
F-SFSO-146614-S	753	14	66	14	43.12	7.49
F-SFSO-147214-S	798	14	72	14	47.04	8.17
frosted acrylic						
F-SFSO-144814-F	806	14	48	14	31.36	5.44
F-SFSO-145414-F	869	14	54	14	35.28	6.13
F-SFSO-146014-F	938	14	60	14	39.2	6.81
F-SFSO-146614-F	1000	14	66	14	43.12	7.49
F-SFSO-147214-F	1068	14	72	14	47.04	8.17
tackboard						
F-SFSO-144814-T	872	14	48	14	31.36	5.44
F-SFSO-145414-T	926	14	54	14	35.28	6.13
F-SFSO-146014-T	985	14	60	14	39.2	6.81
F-SFSO-146614-T	1044	14	66	14	43.12	7.49
F-SFSO-147214-T	1100	14	72	14	47.04	8.17

right side flag storage

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-SFOS-144814-S	629	14	48	14	31.36	5.44
F-SFOS-145414-S	670	14	54	14	35.28	6.13
F-SFOS-146014-S	716	14	60	14	39.2	6.81
F-SFOS-146614-S	753	14	66	14	43.12	7.49
F-SFOS-147214-S	798	14	72	14	47.04	8.17
frosted acrylic						
F-SFOS-144814-F	806	14	48	14	31.36	5.44
F-SFOS-145414-F	869	14	54	14	35.28	6.13
F-SFOS-146014-F	938	14	60	14	39.2	6.81
F-SFOS-146614-F	1000	14	66	14	43.12	7.49
F-SFOS-147214-F	1068	14	72	14	47.04	8.17
tackboard						
F-SFOS-144814-T	872	14	48	14	31.36	5.44
F-SFOS-145414-T	926	14	54	14	35.28	6.13
F-SFOS-146014-T	985	14	60	14	39.2	6.81
F-SFOS-146614-T	1044	14	66	14	43.12	7.49
F-SFOS-147214-T	1100	14	72	14	47.04	8.17




Scene Pricebook
December 2025

Credenza Mount
Storage

credenza mount storage

<u>single level - open shelf</u>	<u>92</u>
<u>single level - frosted sliding door</u>	<u>94</u>
<u>double level - open shelf</u>	<u>96</u>
<u>double level - open shelf/hinged door</u>	<u>97</u>
<u>double level - open shelf/frost door</u>	<u>98</u>
<u>double level - frost acrylic hinged door</u>	<u>100</u>
<u>double level - hinged door</u>	<u>102</u>



What’s Included:

single level credenza mounted open shelf (1)

How to Specify:

Body refers to the top, side and back panels of the single level credenza mounted open shelf storage.

Notes:

Credenza mounted storage is available in 36”, 48”, 54”, 60”, 66” & 72” widths.

Credenza mounted storage backing is available in solid laminate, frosted acrylic and tackboard.

Open shelf provides storage space for books, binders, and boxes


Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”		
Backing	S solid	F frosted	T tackboard
Body Laminate	laminate color		

How to Order and Read your Code:

F	CSOO	14	60	18	X
product line	item	height	width	depth	backing

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Vol-ume (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Vol-ume (ft³)
solid							tackboard						
F-CSOO-143618-S	474	14	36	18	30.24	5.25	F-CSOO-143618-T	621	14	36	18	30.24	5.25
F-CSOO-144218-S	577	14	42	18	35.28	6.13	F-CSOO-144218-T	739	14	42	18	35.28	6.13
F-CSOO-144818-S	618	14	48	18	40.32	7	F-CSOO-144818-T	793	14	48	18	40.32	7
F-CSOO-145418-S	660	14	54	18	45.36	7.88	F-CSOO-145418-T	853	14	54	18	45.36	7.88
F-CSOO-146018-S	701	14	60	18	50.4	8.75	F-CSOO-146018-T	910	14	60	18	50.4	8.75
F-CSOO-146618-S	746	14	66	18	55.44	9.63	F-CSOO-146618-T	967	14	66	18	55.44	9.63
F-CSOO-147218-S	788	14	72	18	60.48	10.5	F-CSOO-147218-T	1027	14	72	18	60.48	10.5
frosted acrylic													
F-CSOO-143618-F	607	14	36	18	30.24	5.25							
F-CSOO-144218-F	738	14	42	18	35.28	6.13							
F-CSOO-144818-F	805	14	48	18	40.32	7							
F-CSOO-145418-F	868	14	54	18	45.36	7.88							
F-CSOO-146018-F	936	14	60	18	50.4	8.75							
F-CSOO-146618-F	999	14	66	18	55.44	9.63							
F-CSOO-147218-F	1067	14	72	18	60.48	10.5							



What’s Included:

single level credenza mounted storage(1)

How to Specify:

Body refers to the top, side and back panels of the single level credenza mounted storage.

Sliding door handles are available in Tayco leather

Notes:

Credenza mounted storage is available in 48”, 54”, 60”, 66” & 72” widths.

Credenza mounted storage backing is available in solid laminate, frosted acrylic and tackboard.


Sliding doors with leather handles provide an enclosed storage area conceal contents.

Sliding doors are available in frost and spider acrylic.

Options:

Acrylic sliding door	F frosted		
Width	48”, 54”, 60”, 66”, 72”		
Backing	S solid	F frosted	T tackboard
Body Laminate	laminate color		
Sliding Door Handle Color	leather color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
single level - frosted sliding door						
solid						
F-CSSF-144818-S	1165	14	48	18	48.38	7
F-CSSF-145418-S	1244	14	54	18	54.43	7.88
F-CSSF-146018-S	1323	14	60	18	60.48	8.75
F-CSSF-146618-S	1396	14	66	18	66.53	9.63
F-CSSF-147218-S	1473	14	72	18	72.58	10.5
frosted						
F-CSSF-144818-F	1348	14	48	18	48.38	7
F-CSSF-145418-F	1446	14	54	18	54.43	7.88
F-CSSF-146018-F	1549	14	60	18	60.48	8.75
F-CSSF-146618-F	1649	14	66	18	66.53	9.63
F-CSSF-147218-F	1751	14	72	18	72.58	10.5
tackboard						
F-CSSF-144818-T	1338	14	48	18	48.38	7
F-CSSF-145418-T	1434	14	54	18	54.43	7.88
F-CSSF-146018-T	1526	14	60	18	60.48	8.75
F-CSSF-146618-T	1618	14	66	18	66.53	9.63
F-CSSF-147218-T	1713	14	72	18	72.58	10.5



What’s Included:

Double level cabinet (1)

How to Specify:

Body refers to the top, side and back panels of the double level cabinet.

Notes:

Double level cabinet is available in 24”, 30”, 36”, 42” & 48” widths.


Double level cabinet backing is available in solid laminate and tackboard.

Open shelf provides storage space for books, binders, and boxes.

Options:

Width	24", 30", 36", 42", 48"		
Backing	S solid	T tackboard	
Body Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-CDOO-272418-S	582	27	24	18	33.33	6.75
F-CDOO-273018-S	647	27	30	18	41.66	8.44
F-CDOO-273618-S	712	27	36	18	49.99	10.13
F-CDOO-274218-S	775	27	42	18	58.32	11.81
F-CDOO-274818-S	832	27	48	18	66.65	13.5
Tackboard						
F-CDOO-272418-T	745	27	24	18	33.33	6.75
F-CDOO-273018-T	832	27	30	18	41.66	8.44
F-CDOO-273618-T	919	27	36	18	49.99	10.13
F-CDOO-274218-T	1005	27	42	18	58.32	11.81



What’s Included:

Double level cabinet with hinged doors and an open bottom shelf(1), and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the double level cabinet.

Face refers to the door front of the double level cabinet

Drawer handles are finished in silver, black or white powder coat.

Double level cabinet with hinged doors can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Double level cabinet is available in 24”, 30”, 36” & 42” widths.

Double level cabinet backing is available in solid laminate and tackboard.


Open shelf provides storage space for books, binders, and boxes.

Metal handles on the drawers are standard.

Options:

Width	24", 30", 36", 42"		
Handle Color	H112 silver	H121 white	H122 black
Backing	S solid	T tackboard	
Body Laminate	laminate color		
Face Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-CDD S-272418-S	938	27	24	18	33.33	6.75
F-CDD S-273018-S	1013	27	30	18	41.66	8.44
F-CDD S-273618-S	1089	27	36	18	49.99	10.13
F-CDD S-274218-S	1167	27	42	18	58.32	11.81
Tackboard						
F-CDD S-272418-T	1022	27	24	18	33.33	6.75
F-CDD S-273018-T	1122	27	30	18	41.66	8.44
F-CDD S-273618-T	1220	27	36	18	49.99	10.13
F-CDD S-274218-T	1324	27	42	18	58.32	11.81



What’s Included:

Double level cabinet with acrylic hinged doors and an open bottom shelf (1)

How to Specify:

Body refers to the top, side and back panels of the double level cabinet.

Notes:

Double level cabinet is available in 24”, 30”, 36” & 42” widths.

Double level cabinet backing is available in solid laminate and tackboard.


Doors are available in frost acrylic

Open shelf provides storage space for books, binders, and boxes.

Options:

Acrylic sliding door	F frosted	
Width	24”, 30”, 36”, 42”	
Depth	18”	
Backing	S solid	T tackboard
Body Laminate	laminate color	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
double level - open shelf/frost door						
solid						
F-CDDF-272418-S	1624	27	24	18	33.33	6.75
F-CDDF-273018-S	1743	27	30	18	41.66	8.44
F-CDDF-273618-S	1871	27	36	18	49.99	10.13
F-CDDF-274218-S	1994	27	42	18	58.32	11.81
tackboard						
F-CDDF-272418-T	1787	27	24	18	33.33	6.75
F-CDDF-273018-T	1933	27	30	18	41.66	8.44
F-CDDF-273618-T	2079	27	36	18	49.99	10.13
F-CDDF-274218-T	2222	27	42	18	58.32	11.81



What’s Included:

Double level cabinet with acrylic hinged doors(1)

How to Specify:

Body refers to the top, side and back panels of the double level cabinet.

Notes:

Double level cabinet is available in 30”, 36”, 42” & 48” widths.

Double level cabinet backing is available in solid laminate and tackboard.


Doors are available in frost acrylic

Metal handles on the drawers are standard.

Options:

Acrylic sliding door	F frosted	
Width	24”, 30”, 36”, 42”	
Depth	18”	
Backing	S solid	T tackboard
Body Laminate	laminate color	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
double level - frost acrylic hinged door						
solid						
F-CDHF-273018-S	2027	27	30	18	38.88	8.44
F-CDHF-273618-S	2184	27	36	18	46.66	10.13
F-CDHF-274218-S	2340	27	42	18	54.43	11.81
F-CDHF-274818-S	2492	27	48	18	62.21	13.5
tackboard						
F-CDHF-273018-T	2214	27	30	18	38.88	8.44
F-CDHF-273018-T	2214	27	30	18	46.66	10.13
F-CDHF-273018-T	2214	27	30	18	54.43	11.81
F-CDHF-273018-T	2214	27	30	18	62.21	13.5



What’s Included:

Double level cabinet with hinged doors(1), and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the double level cabinet.

Face refers to the door front of the double level cabinet.

Drawer handles are finished in silver, black or white powder coat.

Double level cabinet with hinged doors can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Double level cabinet is available in 30”, 36”, 42” & 48” widths.

Double level cabinet backing is available in solid laminate and tackboard.

Metal handles on the drawers are standard.

Options:

Width	30", 36", 42", 48"		
Backing	S solid	T tackboard	
Body Laminate	laminate color		
Face Laminate	laminate color		
Handle Color	H112 silver	H121 white	H122 black

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
solid						
F-CDHS-273018-S	1075	27	30	18	38.88	8.44
F-CDHS-273618-S	1164	27	36	18	46.66	10.13
F-CDHS-274218-S	1248	27	42	18	54.43	11.81
F-CDHS-274818-S	1327	27	48	18	62.21	13.5
Tackboard						
F-CDHS-273618-T	1292	27	36	18	38.88	8.44
F-CDHS-274218-T	1402	27	42	18	46.66	10.13
F-CDHS-274818-T	1495	27	48	18	54.43	11.81
F-CDHS-273018-T	1186	27	30	18	62.21	13.5




Scene Pricebook
December 2025

Wall Mounted Storage

wall mounted storage

<u>open shelf</u>	106
<u>hinged door hutch</u>	107
<u>frost acrylic hinged door hutch</u>	108



What’s Included:

Wall mounted open shelf (1)

How to Specify:

Body refers to the top, side and back panels of the wall mounted open shelf.

Notes:

Wall mounted storage is available in 36”, 48”, 54”, 60”, 66” & 72” widths.

Open shelf provides storage space for books, binders, and boxes.

Options:


Width36”, 42”, 48”, 54”, 60”, 66”, 72”

Body Laminate laminate color

How to Order and Read your Code:

F **SWOO** **14** **54** **14** **S**
product line item height width depth back

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SWOO-143614-S	523	14	36	14	21.6	4.08
F-SWOO-144214-S	573	14	42	14	25.2	4.76
F-SWOO-144814-S	670	14	48	14	28.8	5.44
F-SWOO-145414-S	721	14	54	14	32.4	6.13
F-SWOO-146014-S	769	14	60	14	36	6.81
F-SWOO-146614-S	817	14	66	14	39.6	7.49
F-SWOO-147214-S	866	14	72	14	43.2	8.17



What’s Included:

Wall mounted shelf with hinged doors (1), and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the wall mounted storage.

Face refers to the door front of the all mounted storage.

Notes:

Wall mounted storage is available in 36”, 48”, 54”, 60”, 66” & 72” widths.

Metal handles on the drawers are standard.

Options:


Width36”, 42”, 48”, 54”, 60”, 66”, 72”

Body Laminate laminate color

Face Laminate laminate color

Handle Color**H112** silver**H121** white**H122** black

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SWHS-143614-S	826	14	36	14	21.6	4.08
F-SWHS-144214-S	887	14	42	14	25.2	4.76
F-SWHS-144814-S	1130	14	48	14	28.8	5.44
F-SWHS-145414-S	1195	14	54	14	32.4	6.13
F-SWHS-146014-S	1402	14	60	14	36	6.81
F-SWHS-146614-S	1464	14	66	14	39.6	7.49
F-SWHS-147214-S	1526	14	72	14	43.2	8.17



What’s Included:

Wall mounted shelf with hinged doors (1)

How to Specify:

Body refers to the top, side and back panels of the wall mounted open storage.

Notes:

Wall mounted storage is available in 36”, 48”, 54”, 60”, 66” & 72” widths.

Doors are available in frost and spider acrylic\

Options:

Acrylic hinged door	F frosted
Width	36”, 48”, 54”, 60”, 66”, 72”
Body Laminate	laminate color
Face laminate	laminate color

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
frost acrylic hinged door hutch						
F-SWHF-143614-S	1697	14	36	14	21.6	4.08
F-SWHF-144214-S	1807	14	42	14	25.2	4.76
F-SWHF-144814-S	2376	14	48	14	28.8	5.44
F-SWHF-145414-S	2485	14	54	14	32.4	6.13
F-SWHF-146014-S	3053	14	60	14	36	6.81
F-SWHF-146614-S	3164	14	66	14	39.6	7.49
F-SWHF-147214-S	3272	14	72	14	43.2	8.17




Scene Pricebook
December 2025

Towers

tower

closet	112
acrylic door closet	113
storage	114
acrylic door storage	116
combo storage - closet / cabinet	118
acrylic door cabinet /combo storage - closet	119
combo storage - closet / BBF / cabinet	120
acrylic door cabinet / BBF / combo storage - closet	121
combo storage - closet / FF / cabinet	122
combo storage - closet / FF / acrylic door cabinet	124



left hand shown

What’s Included:

Tower closet with hinged door and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the tower closet.

Face refers to the door front of the tower closet.

Closet can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Refer to metal paint card for metal paint colors.

Notes:

Tower closet is available in 56” & 70” heights.

Tower closet is available in 18” & 24” depths.

Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.


Options:

Height	56”, 70”	
Depth	18”, 24”	
Door hinged side	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	

How to Order and Read your Code:

F	FTCS	54	24	18	L
product line	item	height	width	depth	door hinged side

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FTCF-562418-L	2430	56	24	18	40.32	14
F-FTCF-562418-R	2430	56	24	18	40.32	14
F-FTCF-562424-L	2435	56	24	24	53.76	18.67
F-FTCF-562424-R	2435	56	24	24	53.76	18.67
F-FTCF-702418-L	2730	70	24	18	50.4	17.5
F-FTCF-702418-R	2730	70	24	18	50.4	17.5
F-FTCF-702424-L	2745	70	24	24	67.2	23.33
F-FTCF-702424-R	2745	70	24	24	67.2	23.33



left hand shown

What’s Included:

Tower closet with acrylic hinged door

How to Specify:

Body refers to the top, side and back panels of the tower closet.

Tower closet can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Refer to metal paint card for metal paint colors

Notes:

Tower closet is available in 56” & 70” heights.

Tower closet is available in 18” & 24” depths.


Door is available in frost acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Acrylic door	F frosted
Height	56”, 70”
Depth	18”, 24”
Door hinged side	L left R right
Body Laminate	laminate color
Face Laminate	laminate color

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FTCS-562418-L	1556	56	24	18	40.32	14
F-FTCS-562418-R	1556	56	24	18	40.32	14
F-FTCS-562424-L	1558	56	24	24	53.76	18.67
F-FTCS-562424-R	1558	56	24	24	53.76	18.67
F-FTCS-702418-L	1713	70	24	18	50.4	17.5
F-FTCS-702418-R	1713	70	24	18	50.4	17.5
F-FTCS-702424-L	1725	70	24	24	67.2	23.33
F-FTCS-702424-R	1725	70	24	24	67.2	23.33



left hand shown

What’s Included:

Tower storage with hinged door and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the storage tower.

Face refers to the door front of the storage tower.

Tower storage can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Refer to metal paint card for metal paint colors.

Notes:

Tower storage is available in 56” & 70” heights.

Tower storage is available in 18” & 24” widths.

Tower storage is available in 18” & 24” depths.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Height	56”, 70”	
Width	18”, 24”	
Depth	18”, 24”	
Door hinged side	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-FTSS-561818-L	1444	56	18	18	36.29	10.5
F-FTSS-561818-R	1444	56	18	18	36.29	10.5
F-FTSS-561824-L	1550	56	18	24	48.38	14
F-FTSS-561824-R	1550	56	18	24	48.38	14
F-FTSS-562418-L	1592	56	24	18	48.38	14
F-FTSS-562418-R	1592	56	24	18	48.38	14
F-FTSS-562424-L	1711	56	24	24	64.51	18.67
F-FTSS-562424-R	1711	56	24	24	64.51	18.67
F-FTSS-701818-L	1649	70	18	18	45.36	13.13
F-FTSS-701818-R	1649	70	18	18	45.36	13.13
F-FTSS-701824-L	1774	70	18	24	60.48	17.5
F-FTSS-701824-R	1774	70	18	24	60.48	17.5
F-FTSS-702418-L	1824	70	24	18	60.48	17.5
F-FTSS-702418-R	1824	70	24	18	60.48	17.5
F-FTSS-702424-L	1967	70	24	24	80.64	23.33
F-FTSS-702424-R	1967	70	24	24	80.64	23.33



left hand shown

What’s Included:

Tower storage with acrylic hinged door.

How to Specify:

Body refers to the top, side and back panels of the tower closet.

Refer to metal paint card for metal paint colors.

Notes:

Tower storage is available in 56” & 70” heights.

Tower storage is available in 18” & 24” depths.


Door is available in frost acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Acrylic door	F frosted	
Height	56”, 70”	
Depth	18”, 24”	
Door hinged side	L left	R right
Body Laminate	laminate color	
Face Laminate	laminate color	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
frosted						
F-FTSF-561818-L	2197	56	18	18	36.29	10.5
F-FTSF-561818-R	2197	56	18	18	36.29	10.5
F-FTSF-561824-L	2301	56	18	24	48.38	14
F-FTSF-561824-R	2301	56	18	24	48.38	14
F-FTSF-562418-L	2463	56	24	18	48.38	14
F-FTSF-562418-R	2463	56	24	18	48.38	14
F-FTSF-562424-L	2582	56	24	24	64.51	18.67
F-FTSF-562424-R	2582	56	24	24	64.51	18.67
F-FTSF-701818-L	2522	70	18	18	45.36	13.13
F-FTSF-701818-R	2522	70	18	18	45.36	13.13
F-FTSF-701824-L	2645	70	18	24	60.48	17.5
F-FTSF-701824-R	2645	70	18	24	60.48	17.5
F-FTSF-702418-L	2842	70	24	18	60.48	17.5
F-FTSF-702418-R	2842	70	24	18	60.48	17.5
F-FTSF-702424-L	2985	70	24	24	80.64	23.33
F-FTSF-702424-R	2985	70	24	24	80.64	23.33



right side cabinet

What's Included:

Tower combo storage and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the tower combo storage.

Face refers to the door front of the tower combo storage.

Refer to metal paint card for metal paint colors.

Tower combo storage can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Tower combo storage is available in 56" & 70" heights.

Tower combo storage is available in 18" & 24" depths.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Height	56", 70"
Depth	18", 24"
Door hinged side	L left R right
Body Laminate	laminate color
Face Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-FCCS-562418-L	1922	56	24	18	53.76	14
F-FCCS-562418-R	1922	56	24	18	53.76	14
F-FCCS-562424-L	2046	56	24	24	71.68	18.67
F-FCCS-562424-R	2046	56	24	24	71.68	18.67
F-FCCS-702418-L	2214	70	24	18	67.2	17.5
F-FCCS-702418-R	2214	70	24	18	67.2	17.5
F-FCCS-702424-L	2371	70	24	24	89.6	23.33
F-FCCS-702424-R	2371	70	24	24	89.6	23.33



right side cabinet

What's Included:

Tower combo storage with acrylic hinged door.

How to Specify:

Body refers to the top, side and back panels of the tower combo storage.

Refer to metal paint card for metal paint colors.

Notes:

Tower combo storage is available in 56" & 70" heights.

Tower combo storage is available in 18" & 24" depths.


Storage door is available in frost and spider acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Acrylic sliding door	F frosted
Height	56", 70"
Depth	18", 24"
Door hinged side	L left R right
Body Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-FCCF-562418-L	2637	56	24	18	53.76	14
F-FCCF-562418-R	2637	56	24	18	53.76	14
F-FCCF-562424-L	2762	56	24	24	71.68	18.67
F-FCCF-562424-R	2762	56	24	24	71.68	18.67
F-FCCF-702418-L	3041	70	24	18	67.2	17.5
F-FCCF-702418-R	3041	70	24	18	67.2	17.5
F-FCCF-702424-L	3195	70	24	24	89.6	23.33
F-FCCF-702424-R	3195	70	24	24	89.6	23.33



right side cabinet

What’s Included:

Tower combo storage (box/box/file drawer configuration) and keys for lock.

How to Specify:

Body refers to the top, side and back panels of the tower combo storage.

Face refers to the drawer front of the tower combo storage.

Refer to metal paint card for metal paint colors.

Tower combo storage can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Tower combo storage is available in 56” & 70” heights.

Tower combo storage is available in 18” & 24” depths.


Metal handles on the drawers are standard.

Four levelers with a leveling range of 2.5-inches are included.

Options:

Height	56”, 70”
Depth	18”, 24”
Door hinged side	L left R right
Body Laminate	laminate color
Face Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FCBS-562418-L	2480	56	24	18	60.48	14
F-FCBS-562418-R	2480	56	24	18	60.48	14
F-FCBS-562424-L	2604	56	24	24	80.64	18.67
F-FCBS-562424-R	2604	56	24	24	80.64	18.67
F-FCBS-702418-L	2769	70	24	18	75.6	17.5
F-FCBS-702418-R	2769	70	24	18	75.6	17.5
F-FCBS-702424-L	2925	70	24	24	100.8	23.33
F-FCBS-702424-R	2925	70	24	24	100.8	23.33



right side cabinet

What’s Included:

Tower combo storage with acrylic hinged door (box/box/file drawer configuration).

How to Specify:

Body refers to the top, side and back panels of the tower combo storage closet.

Refer to metal paint card for metal paint colors.

Notes:

Tower combo storage is available in 56” & 70” heights.

Tower combo storage is available in 18” & 24” depths.


Storage door is available in frost r acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Acrylic sliding door	F frosted
Height	56”, 70”
Width	24”
Depth	18”, 24”
Door hinged side	L left R right
Body Laminate	laminate color
Handle Color	Refer to metal paint card for metal paint colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-FCBF-562418-L	2850	56	24	18	60.48	14
F-FCBF-562418-R	2850	56	24	18	60.48	14
F-FCBF-562424-L	2972	56	24	24	80.64	18.67
F-FCBF-562424-R	2972	56	24	24	80.64	18.67
F-FCBF-702418-L	3242	70	24	18	75.6	17.5
F-FCBF-702418-R	3242	70	24	18	75.6	17.5
F-FCBF-702424-L	3399	70	24	24	100.8	23.33
F-FCBF-702424-R	3399	70	24	24	100.8	23.33



right side cabinet

What's Included:

- Tower combo storage (file/file drawer configuration) and keys for lock..
- How to Specify:
 - Body refers to the top, side and back panels of the tower combo storage closet.
 - Face refers to the drawer front of the towercombo storage.
 - Refer to metal paint card for metal paint colors.
 - Tower combo storage can be keyed alike or keyed randomly for a workstation.
 - Lock is available in satin silver metal only.


Notes:

- Tower combo storage is available in 56" & 70" heights.
- Tower combo storage is available in 18" & 24" depths.
- Storage door is available in frost acrylic
- Four levelers with a leveling range of 2.5-inches are included.

Options:

Height	56", 70"	
Width	24"	
Depth	18", 24"	
Door hinged side	L left	R right
Body Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors.	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-FCFS-562418-L	2304	56	24	18	60.48	14
F-FCFS-562418-R	2304	56	24	18	60.48	14
F-FCFS-562424-L	2426	56	24	24	80.64	18.67
F-FCFS-562424-R	2426	56	24	24	80.64	18.67
F-FCFS-702418-L	2596	70	24	18	75.6	17.5
F-FCFS-702418-R	2596	70	24	18	75.6	17.5
F-FCFS-702424-L	2750	70	24	24	100.8	23.33
F-FCFS-702424-R	2750	70	24	24	100.8	23.33



right side cabinet

What's Included:

Tower combo storage with acrylic hinged door (file/file drawer configuration).

How to Specify:

Body refers to the top, side and back panels of the tower combo storage closet.

Refer to metal paint card for metal paint colors.

Tower combo storage can be keyed alike or keyed randomly for a workstation.

Lock is available in satin silver metal only.

Notes:

Tower combo storage is available in 56" & 70" heights.

Tower combo storage is available in 18" & 24" depths.

Storage door is available in frost acrylic

Four levelers with a leveling range of 2.5-inches are included.

Options:

Acrylic door	F frosted	
Height	56", 70"	
Width	24"	
Depth	18", 24"	
Door hinged side	L left	R right
Body Laminate	laminate color	
Handle Color	Refer to metal paint card for metal paint colors.	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-FCFF-562418-L	2670	56	24	18	60.48	14
F-FCFF-562418-R	2670	56	24	18	60.48	14
F-FCFF-562424-L	2791	56	24	24	80.64	18.67
F-FCFF-562424-R	2791	56	24	24	80.64	18.67
F-FCFF-702418-L	3065	70	24	18	75.6	17.5
F-FCFF-702418-R	3065	70	24	18	75.6	17.5
F-FCFF-702424-L	3219	70	24	24	100.8	23.33
F-FCFF-702424-R	3219	70	24	24	100.8	23.33




Scene Pricebook
December 2025

Surfaces

surface

type 1	
arc worksurface w/ center grommet	128
arc worksurface w/ side grommet	130
straight worksurface w/ center grommet	132
straight worksurface w/ side grommet	134
straight worksurface without grommet	136
unitized desk w/ side grommet	138
D worksurface w/ side grommet	140
credenza mounted	
D worksurface w/ side grommet	142
straight worksurface	144
straight return w/ center grommet	146
flag storage	
(single full side)	148
(single shared side)	150
(full / shared)	152
(shared / shared)	154



What’s Included:

Arc worksurface (1) with a center grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Square grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Arc worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Options:

Width	60", 66", 72", 78", 84"		
Depth	30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

How to Order and Read your Code:

F	WA0G	60	30
product line	item	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WA0G-6030	1003	1	60	30	40	1.25
F-WA0G-6630	1074	1	66	30	44	1.38
F-WA0G-7230	1142	1	72	30	48	1.5
F-WA0G-7830	1177	1	78	30	52	1.63
F-WA0G-8430	1210	1	84	30	56	1.75
F-WA0G-6036	1054	1	60	36	48	1.46
F-WA0G-6636	1110	1	66	36	52.8	1.6
F-WA0G-7236	1180	1	72	36	57.6	1.75
F-WA0G-7836	1210	1	78	36	62.4	1.9
F-WA0G-8436	1244	1	84	36	67.2	2.04



What’s Included:

Arc worksurface (1) with a side grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Square grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Arc worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	60", 66", 72", 78", 84"		
Depth	30", 36"		
Grommet side	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WASG-6030-L	1003	1	60	30	40	1.25
F-WASG-6030-R	1003	1	60	30	40	1.25
F-WASG-6036-L	1054	1	60	36	48	1.46
F-WASG-6036-R	1054	1	60	36	48	1.46
F-WASG-6630-L	1074	1	66	30	44	1.38
F-WASG-6630-R	1074	1	66	30	44	1.38
F-WASG-6636-L	1110	1	66	36	52.8	1.6
F-WASG-6636-R	1110	1	66	36	52.8	1.6
F-WASG-7230-L	1142	1	72	30	48	1.5
F-WASG-7230-R	1142	1	72	30	48	1.5
F-WASG-7236-L	1180	1	72	36	57.6	1.75
F-WASG-7236-R	1180	1	72	36	57.6	1.75
F-WASG-7830-L	1177	1	78	30	52	1.63
F-WASG-7830-R	1177	1	78	30	52	1.63
F-WASG-7836-L	1210	1	78	36	62.4	1.9
F-WASG-7836-R	1210	1	78	36	62.4	1.9
F-WASG-8430-L	1210	1	84	30	56	1.75
F-WASG-8430-R	1210	1	84	30	56	1.75
F-WASG-8436-L	1244	1	84	36	67.2	2.04
F-WASG-8436-R	1244	1	84	36	67.2	2.04



What’s Included:

Straight worksurface (1) with a center grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Square grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Straight worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 94"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WS0G-3624	330	1	36	24	17.28	0.5
F-WS0G-4224	386	1	42	24	20.16	0.58
F-WS0G-4824	416	1	48	24	23.04	0.67
F-WS0G-5424	500	1	54	24	25.92	0.75
F-WS0G-6024	524	1	60	24	28.8	0.83
F-WS0G-6624	584	1	66	24	31.68	0.92
F-WS0G-7224	607	1	72	24	34.56	1
F-WS0G-7824	660	1	78	24	37.44	1.08
F-WS0G-8424	718	1	84	24	40.32	1.17
F-WS0G-9024	814	1	90	24	43.2	1.25
F-WS0G-9624	881	1	96	24	46.08	1.33
F-WS0G-3630	398	1	36	30	21.6	0.63
F-WS0G-4230	433	1	42	30	25.2	0.73
F-WS0G-4830	469	1	48	30	28.8	0.83
F-WS0G-5430	523	1	54	30	32.4	0.94
F-WS0G-6030	552	1	60	30	36	1.04
F-WS0G-6630	629	1	66	30	39.6	1.15
F-WS0G-7230	647	1	72	30	43.2	1.25
F-WS0G-7830	701	1	78	30	46.8	1.35
F-WS0G-8430	759	1	84	30	50.4	1.46
F-WS0G-9030	865	1	90	30	54	1.56
F-WS0G-9630	936	1	96	30	57.6	1.67
F-WS0G-3636	416	1	36	36	25.92	0.75
F-WS0G-4236	446	1	42	36	30.24	0.88
F-WS0G-4836	490	1	48	36	34.56	1
F-WS0G-5436	545	1	54	36	38.88	1.13
F-WS0G-6036	577	1	60	36	43.2	1.25
F-WS0G-6636	657	1	66	36	47.52	1.38
F-WS0G-7236	675	1	72	36	51.84	1.5
F-WS0G-7836	733	1	78	36	56.16	1.63
F-WS0G-8436	793	1	84	36	60.48	1.75
F-WS0G-9036	903	1	90	36	64.8	1.88
F-WS0G-9636	974	1	96	36	69.12	2



What’s Included:

Straight worksurface (1) with a side grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Square grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Straight worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 94"		
Depth	24", 30", 36"		
Grommet side	Reversible		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WSSG-3624	330	1	36	24	17.28	0.5
F-WSSG-4224	386	1	42	24	20.16	0.58
F-WSSG-4824	416	1	48	24	23.04	0.67
F-WSSG-5424	500	1	54	24	25.92	0.75
F-WSSG-6024	524	1	60	24	28.8	0.83
F-WSSG-6624	584	1	66	24	31.68	0.92
F-WSSG-7224	607	1	72	24	34.56	1
F-WSSG-7824	660	1	78	24	37.44	1.08
F-WSSG-8424	718	1	84	24	40.32	1.17
F-WSSG-9024	814	1	90	24	43.2	1.25
F-WSSG-9624	881	1	96	24	46.08	1.33
F-WSSG-3630	398	1	36	30	21.6	0.63
F-WSSG-4230	433	1	42	30	25.2	0.73
F-WSSG-4830	469	1	48	30	28.8	0.83
F-WSSG-5430	523	1	54	30	32.4	0.94
F-WSSG-6030	552	1	60	30	36	1.04
F-WSSG-6630	629	1	66	30	39.6	1.15
F-WSSG-7230	647	1	72	30	43.2	1.25
F-WSSG-7830	701	1	78	30	46.8	1.35
F-WSSG-8430	759	1	84	30	50.4	1.46
F-WSSG-9030	865	1	90	30	54	1.56
F-WSSG-9630	936	1	96	30	57.6	1.67
F-WSSG-3636	416	1	36	36	25.92	0.75
F-WSSG-4236	446	1	42	36	30.24	0.88
F-WSSG-4836	490	1	48	36	34.56	1
F-WSSG-5436	545	1	54	36	38.88	1.13
F-WSSG-6036	577	1	60	36	43.2	1.25
F-WSSG-6636	657	1	66	36	47.52	1.38
F-WSSG-7236	675	1	72	36	51.84	1.5
F-WSSG-7836	733	1	78	36	56.16	1.63
F-WSSG-8436	793	1	84	36	60.48	1.75
F-WSSG-9036	903	1	90	36	64.8	1.88
F-WSSG-9636	974	1	96	36	69.12	2



What’s Included:

Straight worksurface (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Straight worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 94"
Depth	24", 30", 36"
Worksurface Laminate	laminate color

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WS0N-3624	306	1	36	24	17.28	0.5
F-WS0N-4224	364	1	42	24	20.16	0.58
F-WS0N-4824	389	1	48	24	23.04	0.67
F-WS0N-5424	474	1	54	24	25.92	0.75
F-WS0N-6024	501	1	60	24	28.8	0.83
F-WS0N-6624	557	1	66	24	31.68	0.92
F-WS0N-7224	586	1	72	24	34.56	1
F-WS0N-7824	642	1	78	24	37.44	1.08
F-WS0N-8424	693	1	84	24	40.32	1.17
F-WS0N-9024	792	1	90	24	43.2	1.25
F-WS0N-9624	860	1	96	24	46.08	1.33
F-WS0N-3630	376	1	36	30	21.6	0.63
F-WS0N-4230	405	1	42	30	25.2	0.73
F-WS0N-4830	441	1	48	30	28.8	0.83
F-WS0N-5430	500	1	54	30	32.4	0.94
F-WS0N-6030	527	1	60	30	36	1.04
F-WS0N-6630	606	1	66	30	39.6	1.15
F-WS0N-7230	621	1	72	30	43.2	1.25
F-WS0N-7830	681	1	78	30	46.8	1.35
F-WS0N-8430	738	1	84	30	50.4	1.46
F-WS0N-9030	839	1	90	30	54	1.56
F-WS0N-9630	910	1	96	30	57.6	1.67
F-WS0N-3636	391	1	36	36	25.92	0.75
F-WS0N-4236	426	1	42	36	30.24	0.88
F-WS0N-4836	465	1	48	36	34.56	1
F-WS0N-5436	523	1	54	36	38.88	1.13
F-WS0N-6036	555	1	60	36	43.2	1.25
F-WS0N-6636	634	1	66	36	47.52	1.38
F-WS0N-7236	654	1	72	36	51.84	1.5
F-WS0N-7836	712	1	78	36	56.16	1.63
F-WS0N-8436	772	1	84	36	60.48	1.75
F-WS0N-9036	881	1	90	36	64.8	1.88
F-WS0N-9636	949	1	96	36	69.12	2



What’s Included:

Unitized worksurface (1) with a side grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Unitized worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	54", 60", 66", 72", 78", 84", 90", 96"		
X - Depth	36", 42"		
Y - Depth	24", 30"		
Grommet side	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)
F-WUCG-543624-L	977	19	54	36	24.88	1.13	F-WUCG-724230-L	1258	19	72	42	41.13	1.75
F-WUCG-543624-R	977	19	54	36	24.88	1.13	F-WUCG-724230-R	1258	19	72	42	41.13	1.75
F-WUCG-544224-L	1099	19	54	42	39	1.31	F-WUCG-783624-L	1258	19	78	36	35.94	1.63
F-WUCG-544224-R	1099	19	54	42	39	1.31	F-WUCG-783624-R	1258	19	78	36	35.94	1.63
F-WUCG-544230-L	1099	19	54	42	39	1.31	F-WUCG-784224-L	1380	19	78	42	41.93	1.9
F-WUCG-544230-R	1099	19	54	42	39	1.31	F-WUCG-784224-R	1380	19	78	42	41.93	1.9
F-WUCG-603624-L	1035	19	60	36	27.65	1.25	F-WUCG-784230-L	1380	19	78	42	44.55	1.9
F-WUCG-603624-R	1035	19	60	36	27.65	1.25	F-WUCG-784230-R	1380	19	78	42	44.55	1.9
F-WUCG-604224-L	1157	19	60	42	32.26	1.46	F-WUCG-843624-L	1378	19	84	36	38.71	1.75
F-WUCG-604224-R	1157	19	60	42	32.26	1.46	F-WUCG-843624-R	1378	19	84	36	38.71	1.75
F-WUCG-604230-L	1157	19	60	42	34.27	1.46	F-WUCG-844224-L	1500	19	84	42	45.16	2.04
F-WUCG-604230-R	1157	19	60	42	34.27	1.46	F-WUCG-844224-R	1500	19	84	42	45.16	2.04
F-WUCG-663624-L	1091	19	66	36	30.41	1.38	F-WUCG-844230-L	1500	19	84	42	47.98	2.04
F-WUCG-663624-R	1091	19	66	36	30.41	1.38	F-WUCG-844230-R	1500	19	84	42	47.98	2.04
F-WUCG-664224-L	1214	19	66	42	35.48	1.6	F-WUCG-903624-L	1651	19	90	36	41.47	1.88
F-WUCG-664224-R	1214	19	66	42	35.48	1.6	F-WUCG-903624-R	1651	19	90	36	41.47	1.88
F-WUCG-664230-L	1214	19	66	42	37.7	1.6	F-WUCG-904224-L	1773	19	90	42	48.38	2.19
F-WUCG-664230-R	1214	19	66	42	37.7	1.6	F-WUCG-904224-R	1773	19	90	42	48.38	2.19
F-WUCG-723624-L	1138	19	72	36	33.18	1.5	F-WUCG-904230-L	1773	19	90	42	51.41	2.19
F-WUCG-723624-R	1138	19	72	36	33.18	1.5	F-WUCG-904230-R	1773	19	90	42	51.41	2.19
F-WUCG-724224-L	1258	19	72	42	38.71	1.75	F-WUCG-963624-L	1683	19	96	36	44.24	2
F-WUCG-724224-R	1258	19	72	42	38.71	1.75	F-WUCG-963624-R	1683	19	96	36	44.24	2
							F-WUCG-964224-L	1804	19	96	42	51.61	2.33
							F-WUCG-964224-R	1804	19	96	42	51.61	2.33
							F-WUCG-964230-L	1804	19	96	42	54.84	2.33
							F-WUCG-964230-R	1804	19	96	42	54.84	2.33



What’s Included:

D worksurface (1) with a grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

D worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	54", 60", 66", 72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
24" depth						
F-WD0G-544624	678	1	54	24	25.92	0.75
F-WD0G-605224	733	1	60	24	28.8	0.83
F-WD0G-665824	863	1	66	24	31.68	0.92
F-WD0G-726424	926	1	72	24	34.56	1
F-WD0G-787024	1073	1	78	24	37.44	1.08
F-WD0G-847624	1124	1	84	24	40.32	1.17
F-WD0G-908224	1177	1	90	24	43.2	1.25
F-WD0G-968824	1229	1	96	24	46.08	1.33
F-WD0G-544430	750	1	54	30	32.4	0.94
30" depth						
F-WD0G-605030	813	1	60	30	36	1.04
F-WD0G-665630	952	1	66	30	39.6	1.15
F-WD0G-726230	1030	1	72	30	43.2	1.25
F-WD0G-786830	1188	1	78	30	46.8	1.35
F-WD0G-847430	1245	1	84	30	50.4	1.46
F-WD0G-908030	1303	1	90	30	54	1.56
F-WD0G-968630	1365	1	96	30	57.6	1.67
36" depth						
F-WD0G-544236	819	1	54	36	38.88	1.13
F-WD0G-604836	891	1	60	36	43.2	1.25
F-WD0G-665436	1050	1	66	36	47.52	1.38
F-WD0G-726036	1129	1	72	36	51.84	1.5
F-WD0G-786636	1299	1	78	36	56.16	1.63
F-WD0G-847236	1367	1	84	36	60.48	1.75
F-WD0G-907836	1433	1	90	36	64.8	1.88
F-WD0G-968436	1496	1	96	36	69.12	2



What’s Included:

D worksurface (1) .

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

D worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	54", 60", 66", 72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WCDG-784836	1299	1	78	24	37.44	1.08
F-WCDG-785030	1188	1	84	24	40.32	1.17
F-WCDG-785224	1073	1	90	24	43.2	1.25
F-WCDG-845436	1367	1	96	24	46.08	1.33
F-WCDG-845630	1245	1	78	30	46.8	1.35
F-WCDG-845824	1124	1	84	30	50.4	1.46
F-WCDG-906036	1433	1	90	30	54	1.56
F-WCDG-906230	1303	1	96	30	57.6	1.67
F-WCDG-906424	1177	1	78	36	56.16	1.63
F-WCDG-966636	1496	1	84	36	60.48	1.75
F-WCDG-966830	1365	1	90	36	64.8	1.88
F-WCDG-967024	1229	1	96	36	69.12	2



What’s Included:

Straight worksurface (1)

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.


Notes:

Straight worksurface is 1-inch thick.
All worksurfaces have 2mm vinyl edge trim.
Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	78", 84", 90", 96"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WCSG-786024	660	1	78	24	37.44	1.08
F-WCSG-846624	718	1	84	24	40.32	1.17
F-WCSG-907224	814	1	90	24	43.2	1.25
F-WCSG-967824	881	1	96	24	46.08	1.33
F-WCSG-786030	701	1	78	30	46.8	1.35
F-WCSG-846630	759	1	84	30	50.4	1.46
F-WCSG-907230	865	1	90	30	54	1.56
F-WCSG-967830	936	1	96	30	57.6	1.67
F-WCSG-786036	733	1	78	36	56.16	1.63
F-WCSG-846636	793	1	84	36	60.48	1.75
F-WCSG-907236	903	1	90	36	64.8	1.88
F-WCSG-967836	974	1	96	36	69.12	2



What’s Included:

Straight return worksurface (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Straight return worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	54", 60", 66", 72", 78", 84", 90"		
Depth	24", 30", 36"		
Grommet side	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)
F-WC0G-543624-L	500	19	54	24	28.8	0.75	F-WC0G-725430-R	647	19	72	30	40.5	1.25
F-WC0G-543624-R	500	19	54	24	28.8	0.75	F-WC0G-725436-L	675	19	72	36	47.4	1.5
F-WC0G-543630-L	523	19	54	30	36	0.94	F-WC0G-725436-R	675	19	72	36	47.4	1.5
F-WC0G-543630-R	523	19	54	30	36	0.94	F-WC0G-786024-L	660	19	78	24	36.8	1.08
F-WC0G-543636-L	545	19	54	36	43.2	1.13	F-WC0G-786024-R	660	19	78	24	36.8	1.08
F-WC0G-543636-R	545	19	54	36	43.2	1.13	F-WC0G-786030-L	701	19	78	30	42	1.35
F-WC0G-604224-L	524	19	60	24	30.8	0.83	F-WC0G-786030-R	701	19	78	30	42	1.35
F-WC0G-604224-R	524	19	60	24	30.8	0.83	F-WC0G-786036-L	733	19	78	36	48.8	1.63
F-WC0G-604230-L	552	19	60	30	37.5	1.04	F-WC0G-786036-R	733	19	78	36	48.8	1.63
F-WC0G-604230-R	552	19	60	30	37.5	1.04	F-WC0G-846624-L	718	19	84	24	38.8	1.17
F-WC0G-604236-L	577	19	60	36	44.6	1.25	F-WC0G-846624-R	718	19	84	24	38.8	1.17
F-WC0G-604236-R	577	19	60	36	44.6	1.25	F-WC0G-846630-L	759	19	84	30	43.5	1.46
F-WC0G-664824-L	584	19	66	24	32.8	0.92	F-WC0G-846630-R	759	19	84	30	43.5	1.46
F-WC0G-664824-R	584	19	66	24	32.8	0.92	F-WC0G-846636-L	793	19	84	36	50.2	1.75
F-WC0G-664830-L	629	19	66	30	39	1.15	F-WC0G-846636-R	793	19	84	36	50.2	1.75
F-WC0G-664830-R	629	19	66	30	39	1.15	F-WC0G-907224-L	814	19	90	24	40.8	1.25
F-WC0G-664836-L	657	19	66	36	46	1.38	F-WC0G-907224-R	814	19	90	24	40.8	1.25
F-WC0G-664836-R	657	19	66	36	46	1.38	F-WC0G-907230-L	865	19	90	30	45	1.56
F-WC0G-725424-L	607	19	72	24	34.8	1	F-WC0G-907230-R	865	19	90	30	45	1.56
F-WC0G-725424-R	607	19	72	24	34.8	1	F-WC0G-907236-L	903	19	90	36	51.6	1.87
F-WC0G-725430-L	647	19	72	30	40.5	1.25	F-WC0G-907236-R	903	19	90	36	51.6	1.87



What’s Included:

Flag storage straight worksurface (1) with an offset grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.


Notes:

- Flag storage straight worksurface is 1-inch thick.
- All worksurfaces have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Flag storage	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)
F-WF0G-604624-L	524	19	60	24	28.8	0.83	F-WF0G-786430-R	701	19	78	30	46.8	1.35
F-WF0G-604624-R	524	19	60	24	28.8	0.83	F-WF0G-786436-L	733	19	78	36	56.16	1.63
F-WF0G-604630-L	552	19	60	30	36	1.04	F-WF0G-786436-R	733	19	78	36	56.16	1.63
F-WF0G-604630-R	552	19	60	30	36	1.04	F-WF0G-847024-L	718	19	84	24	40.32	1.17
F-WF0G-604636-L	577	19	60	36	47.52	1.25	F-WF0G-847024-R	718	19	84	24	40.32	1.17
F-WF0G-604636-R	577	19	60	36	47.52	1.25	F-WF0G-847030-L	759	19	84	30	50.4	1.46
F-WF0G-665224-L	584	19	66	24	31.68	0.92	F-WF0G-847030-R	759	19	84	30	50.4	1.46
F-WF0G-665224-R	584	19	66	24	31.68	0.92	F-WF0G-847036-L	793	19	84	36	60.48	1.75
F-WF0G-665230-L	629	19	66	30	39.6	1.15	F-WF0G-847036-R	793	19	84	36	60.48	1.75
F-WF0G-665230-R	629	19	66	30	39.6	1.15	F-WF0G-907624-L	814	19	90	24	43.2	1.25
F-WF0G-665236-L	657	19	66	36	47.52	1.38	F-WF0G-907624-R	814	19	90	24	43.2	1.25
F-WF0G-665236-R	657	19	66	36	47.52	1.38	F-WF0G-907630-L	865	19	90	30	54	1.56
F-WF0G-725824-L	607	19	72	24	34.56	1	F-WF0G-907630-R	865	19	90	30	54	1.56
F-WF0G-725824-R	607	19	72	24	34.56	1	F-WF0G-907636-L	903	19	90	36	64.8	1.88
F-WF0G-725830-L	647	19	72	30	43.2	1.25	F-WF0G-907636-R	903	19	90	36	64.8	1.88
F-WF0G-725830-R	647	19	72	30	43.2	1.25	F-WF0G-968224-L	881	19	96	24	46.08	1.33
F-WF0G-725836-L	675	19	72	36	51.84	1.5	F-WF0G-968224-R	881	19	96	24	46.08	1.33
F-WF0G-725836-R	675	19	72	36	51.84	1.5	F-WF0G-968230-L	936	19	96	30	57.6	1.67
F-WF0G-786424-L	660	19	78	24	37.44	1.08	F-WF0G-968230-R	936	19	96	30	57.6	1.67
F-WF0G-786424-R	660	19	78	24	37.44	1.08	F-WF0G-968236-L	974	19	96	36	69.12	2
F-WF0G-786430-L	701	19	78	30	46.8	1.35	F-WF0G-968236-R	974	19	96	36	69.12	2



What’s Included:

Flag storage straight worksurface (1) with an offset grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.


Notes:

- Flag storage straight worksurface is 1-inch thick.
- All worksurfaces have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Flag storage	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)
F-WF1G-605324-L	524	19	60	24	28.8	0.83	F-WF1G-787130-R	701	19	78	30	46.8	1.35
F-WF1G-605324-R	524	19	60	24	28.8	0.83	F-WF1G-787136-L	733	19	78	36	56.16	1.63
F-WF1G-605330-L	552	19	60	30	36	1.04	F-WF1G-787136-R	733	19	78	36	56.16	1.63
F-WF1G-605330-R	552	19	60	30	36	1.04	F-WF1G-847724-L	718	19	84	24	40.32	1.17
F-WF1G-605336-L	577	19	60	36	43.2	1.25	F-WF1G-847724-R	718	19	84	24	40.32	1.17
F-WF1G-605336-R	577	19	60	36	43.2	1.25	F-WF1G-847730-L	759	19	84	30	50.4	1.46
F-WF1G-665924-L	584	19	66	24	31.68	0.92	F-WF1G-847730-R	759	19	84	30	50.4	1.46
F-WF1G-665924-R	584	19	66	24	31.68	0.92	F-WF1G-847736-L	793	19	84	36	60.48	1.75
F-WF1G-665930-L	629	19	66	30	39.6	1.15	F-WF1G-847736-R	793	19	84	36	60.48	1.75
F-WF1G-665930-R	629	19	66	30	39.6	1.15	F-WF1G-908324-L	814	19	90	24	43.2	1.25
F-WF1G-665936-L	657	19	66	36	47.52	1.38	F-WF1G-908324-R	814	19	90	24	43.2	1.25
F-WF1G-665936-R	657	19	66	36	47.52	1.38	F-WF1G-908330-L	865	19	90	30	54	1.56
F-WF1G-726524-L	607	19	72	24	34.56	1	F-WF1G-908330-R	865	19	90	30	54	1.56
F-WF1G-726524-R	607	19	72	24	34.56	1	F-WF1G-908336-L	903	19	90	36	64.8	1.88
F-WF1G-726530-L	647	19	72	30	43.2	1.25	F-WF1G-908336-R	903	19	90	36	64.8	1.88
F-WF1G-726530-R	647	19	72	30	43.2	1.25	F-WF1G-968924-L	881	19	96	24	46.08	1.33
F-WF1G-726536-L	675	19	72	36	51.84	1.5	F-WF1G-968924-R	881	19	96	24	46.08	1.33
F-WF1G-726536-R	675	19	72	36	51.84	1.5	F-WF1G-968930-L	936	19	96	30	57.6	1.67
F-WF1G-787124-L	660	19	78	24	37.44	1.08	F-WF1G-968930-R	936	19	96	30	57.6	1.67
F-WF1G-787124-R	660	19	78	24	37.44	1.08	F-WF1G-968936-L	974	19	96	36	69.12	2
F-WF1G-787130-L	701	19	78	30	46.8	1.35	F-WF1G-968936-R	974	19	96	36	69.12	2



What’s Included:

Flag storage straight worksurface (1) with an offset grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Flag storage straight desk worksurface is 1-inch thick.


All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Flag storage	L left	R right	
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)	Code	Price	H (in.)	W (in.)	D 1 (in.)	Wt (lb)	Vol (ft³)
F-WF1G-968936-R	974	19	96	36	69.12	2	F-WF2G-967524-R	881	19	96	24	46.08	1.33
F-WF2G-725124-L	607	19	72	24	34.56	1	F-WF2G-967530-L	936	19	96	30	57.6	1.67
F-WF2G-725124-R	607	19	72	24	34.56	1	F-WF2G-967530-R	936	19	96	30	57.6	1.67
F-WF2G-725130-L	647	19	72	30	43.2	1.25	F-WF2G-967536-L	974	19	96	36	69.12	2
F-WF2G-725130-R	647	19	72	30	43.2	1.25	F-WF2G-967536-R	974	19	96	36	69.12	2
F-WF2G-725136-L	675	19	72	36	51.84	1.5	F-WF2G-604624	524	19	60	24	28.8	0.83
F-WF2G-725136-R	675	19	72	36	51.84	1.5	F-WF2G-665224	584	19	66	24	31.68	0.92
F-WF2G-785724-L	660	19	78	24	37.44	1.08	F-WF2G-725824	607	19	72	24	34.56	1
F-WF2G-785724-R	660	19	78	24	37.44	1.08	F-WF2G-786424	660	19	78	24	37.44	1.08
F-WF2G-785730-L	701	19	78	30	46.8	1.35	F-WF2G-847024	718	19	84	24	40.32	1.17
F-WF2G-785730-R	701	19	78	30	46.8	1.35	F-WF2G-907624	814	19	90	24	43.2	1.25
F-WF2G-785736-L	733	19	78	36	56.16	1.63	F-WF2G-968224	881	19	96	24	46.08	1.33
F-WF2G-785736-R	733	19	78	36	56.16	1.63	F-WF2G-604630	552	19	60	30	36	1.04
F-WF2G-846324-L	718	19	84	24	40.32	1.17	F-WF2G-665230	629	19	66	30	39.6	1.15
F-WF2G-846324-R	718	19	84	24	40.32	1.17	F-WF2G-725830	647	19	72	30	43.2	1.25
F-WF2G-846330-L	759	19	84	30	50.4	1.46	F-WF2G-786430	701	19	78	30	46.8	1.35
F-WF2G-846330-R	759	19	84	30	50.4	1.46	F-WF2G-847030	759	19	84	30	50.4	1.46
F-WF2G-846336-L	793	19	84	36	60.48	1.75	F-WF2G-907630	865	19	90	30	54	1.56
F-WF2G-846336-R	793	19	84	36	60.48	1.75	F-WF2G-968230	936	19	96	30	57.6	1.67
F-WF2G-906924-L	814	19	90	24	43.2	1.25	F-WF2G-604636	577	19	60	36	43.2	1.25
F-WF2G-906924-R	814	19	90	24	43.2	1.25	F-WF2G-665236	657	19	66	36	47.52	1.38
F-WF2G-906930-L	865	19	90	30	54	1.56	F-WF2G-725836	675	19	72	36	51.84	1.5
F-WF2G-906930-R	865	19	90	30	54	1.56	F-WF2G-786436	733	19	78	36	56.16	1.63
F-WF2G-906936-L	903	19	90	36	64.8	1.88	F-WF2G-847036	793	19	84	36	60.48	1.75
F-WF2G-906936-R	903	19	90	36	64.8	1.88	F-WF2G-907636	903	19	90	36	64.8	1.88
F-WF2G-967524-L	881	19	96	24	46.08	1.33	F-WF2G-968236	974	19	96	36	69.12	2



What’s Included:

Flag storage straight worksurface (1) with a center grommet (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Flag storage straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	60", 66", 72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WF2G-604624	524	1	60	24	28.8	0.83
F-WF2G-665224	584	1	66	24	31.68	0.92
F-WF2G-725824	607	1	72	24	34.56	1
F-WF2G-786424	660	1	78	24	37.44	1.08
F-WF2G-847024	718	1	84	24	40.32	1.17
F-WF2G-907624	814	1	90	24	43.2	1.25
F-WF2G-968224	881	1	96	24	46.08	1.33
F-WF2G-604630	552	1	60	30	36	1.04
F-WF2G-665230	629	1	66	30	39.6	1.15
F-WF2G-725830	647	1	72	30	43.2	1.25
F-WF2G-786430	701	1	78	30	46.8	1.35
F-WF2G-847030	759	1	84	30	50.4	1.46
F-WF2G-907630	865	1	90	30	54	1.56
F-WF2G-968230	936	1	96	30	57.6	1.67
F-WF2G-604636	577	1	60	36	43.2	1.25
F-WF2G-665236	657	1	66	36	47.52	1.38
F-WF2G-725836	675	1	72	36	51.84	1.5
F-WF2G-786436	733	1	78	36	56.16	1.63
F-WF2G-847036	793	1	84	36	60.48	1.75
F-WF2G-907636	903	1	90	36	64.8	1.88
F-WF2G-968236	974	1	96	36	69.12	2




Scene Pricebook
December 2025

**Surfaces with
Power Grommet**

surface with power grommet

<u>straight worksurface</u>	158
<u>credenza surface straight return</u>	160



What’s Included:

Straight worksurface (1) with a cable grommet (1) and a power grommet (1). Power grommet comes with a power outlet (1) and a USB port (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

- Straight worksurface is 1-inch thick.
- All worksurfaces have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a worksurface.


Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

How to Order and Read your Code:

F	WSPG	60	30
product line	item	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WSPG-3624	1123	1	36	24	17.28	0.5
F-WSPG-4224	1180	1	42	24	20.16	0.58
F-WSPG-4824	1210	1	48	24	23.04	0.67
F-WSPG-5424	1294	1	54	24	25.92	0.75
F-WSPG-6024	1321	1	60	24	28.8	0.83
F-WSPG-6624	1377	1	66	24	31.68	0.92
F-WSPG-7224	1403	1	72	24	34.56	1
F-WSPG-7824	1460	1	78	24	37.44	1.08
F-WSPG-8424	1510	1	84	24	40.32	1.17
F-WSPG-9024	1607	1	90	24	43.2	1.25
F-WSPG-9624	1677	1	96	24	46.08	1.33
F-WSPG-3630	1193	1	36	30	21.6	0.63
F-WSPG-4230	1223	1	42	30	25.2	0.73
F-WSPG-4830	1262	1	48	30	28.8	0.83
F-WSPG-5430	1317	1	54	30	32.4	0.94
F-WSPG-6030	1348	1	60	30	36	1.04
F-WSPG-6630	1422	1	66	30	39.6	1.15
F-WSPG-7230	1439	1	72	30	43.2	1.25
F-WSPG-7830	1499	1	78	30	46.8	1.35
F-WSPG-8430	1554	1	84	30	50.4	1.46
F-WSPG-9030	1658	1	90	30	54	1.56
F-WSPG-9630	1727	1	96	30	57.6	1.67
F-WSPG-3636	1210	1	36	36	25.92	0.75
F-WSPG-4236	1244	1	42	36	30.24	0.88
F-WSPG-4836	1281	1	48	36	34.56	1
F-WSPG-5436	1338	1	54	36	38.88	1.13
F-WSPG-6036	1372	1	60	36	43.2	1.25
F-WSPG-6636	1448	1	66	36	47.52	1.38
F-WSPG-7236	1471	1	72	36	51.84	1.5
F-WSPG-7836	1527	1	78	36	56.16	1.63
F-WSPG-8436	1590	1	84	36	60.48	1.75
F-WSPG-9036	1697	1	90	36	64.8	1.88
F-WSPG-9636	1768	1	96	36	69.12	2



What's Included:

Credenza worksurface (1) with cable, grommet (1) and a power grommet (1). Power grommet comes with a power outlet (1) and a USB port (1).

How to Specify:

Worksurface can be supported by a high credenza and a single support leg, a high credenza with one support gable or two support gables.

Grommet can be specified in silver, white or black.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

Straight credenza worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Options:

Width	54", 60", 66", 72", 78", 84", 90"		
Depth	24", 30", 36"		
Grommet Color	P112 silver	P121 white	P114 black
Worksurface Laminate	laminate color		

How to Order and Read your Code:

F	WCPG	60	30
product line	item	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WCPG-543624-L	1294	1	54	24	28.8	0.75
F-WCPG-543624-R	1294	1	54	24	28.8	0.75
F-WCPG-543630-L	1317	1	54	30	36	0.94
F-WCPG-543630-R	1317	1	54	30	36	0.94
F-WCPG-543636-L	1338	1	54	36	43.2	1.13
F-WCPG-543636-R	1338	1	54	36	43.2	1.13
F-WCPG-604224-L	1321	1	60	24	30.8	0.83
F-WCPG-604224-R	1321	1	60	24	30.8	0.83

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-WCPG-604230-L	1348	1	60	30	37.5	1.04
F-WCPG-604230-R	1348	1	60	30	37.5	1.04
F-WCPG-604236-L	1372	1	60	36	44.6	1.25
F-WCPG-604236-R	1372	1	60	36	44.6	1.25
F-WCPG-664824-L	1377	1	66	24	32.8	0.92
F-WCPG-664824-R	1377	1	66	24	32.8	0.92
F-WCPG-664830-L	1422	1	66	30	39	1.15
F-WCPG-664830-R	1422	1	66	30	39	1.15
F-WCPG-664836-L	1448	1	66	36	46	1.38
F-WCPG-664836-R	1448	1	66	36	46	1.38
F-WCPG-725424-L	1403	1	72	24	34.8	1
F-WCPG-725424-R	1403	1	72	24	34.8	1
F-WCPG-725430-L	1439	1	72	30	40.5	1.25
F-WCPG-725430-R	1439	1	72	30	40.5	1.25
F-WCPG-725436-L	1471	1	72	36	47.4	1.5
F-WCPG-725436-R	1471	1	72	36	47.4	1.5
F-WCPG-786024-L	1460	1	78	24	36.8	1.08
F-WCPG-786024-R	1460	1	78	24	36.8	1.08
F-WCPG-786030-L	1499	1	78	30	42	1.35
F-WCPG-786030-R	1499	1	78	30	42	1.35
F-WCPG-786036-L	1527	1	78	36	48.8	1.63
F-WCPG-786036-R	1527	1	78	36	48.8	1.63
F-WCPG-846624-L	1510	1	84	24	38.8	1.17
F-WCPG-846624-R	1510	1	84	24	38.8	1.17
F-WCPG-846630-L	1554	1	84	30	43.5	1.46
F-WCPG-846630-R	1554	1	84	30	43.5	1.46
F-WCPG-846636-L	1590	1	84	36	50.2	1.75
F-WCPG-846636-R	1590	1	84	36	50.2	1.75
F-WCPG-907224-L	1607	1	90	24	40.8	1.25
F-WCPG-907224-R	1607	1	90	24	40.8	1.25
F-WCPG-907230-L	1658	1	90	30	45	1.56
F-WCPG-907230-R	1658	1	90	30	45	1.56
F-WCPG-907236-L	1697	1	90	36	51.6	1.88
F-WCPG-907236-R	1697	1	90	36	51.6	1.88




Scene Pricebook
December 2025

Table



<u>freestanding square table</u>	164
<u>freestanding round table</u>	165



What’s Included:

Square table top (1) and four single support legs (4).

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Options:

Width	36", 42", 48"
Worksurface Laminate	laminate color
Leg Color	Refer to metal paint card for metal paint colors.


Notes:

- Table top is 1-inch thick.
- All worksurfaces have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a worksurface.

How to Order and Read your Code:

F	TSSL	42	42
product line	item	width	depth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-TSSL-3636	1680	29	36	36	97	0.75
F-TSSL-4242	1826	29	42	42	113	1.02
F-TSSL-4848	1996	29	48	48	129.01	1.33



What’s Included:

Round table top (1) and four single support legs (4).

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Options:

Width	36", 42", 48"
Worksurface Laminate	laminate color
Leg Color	Refer to metal paint card for metal paint colors.

Notes:


- Table top is 1-inch thick.
- All worksurfaces have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a worksurface.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-TOSL-36	1792	29	36	36	97	0.75
F-TOSL-42	1960	29	42	42	113	1.02
F-TOSL-48	2147	29	48	48	129.01	1.33



Scene Pricebook
December 2025
Screens

screens			
privacy screen - end to end	168	fabric	192
solid	168	6" height	192
6" height	169	12" height	193
12" height	170	14" height	194
14" height	171	20" height	195
20" height	172	frost acrylic	196
whiteboard	173	6" height	196
12" height	173	12" height	197
14" height	174	14" height	198
20" height	175	20" height	199
6" height	176	privacy screen - share to share	200
fabric	176	solid	200
12" height	177	6" height	201
14" height	178	12" height	202
20" height	179	14" height	203
frost acrylic	180	20" height	204
6" height	180	whiteboard	205
12" height	181	12" height	205
14" height	182	14" height	206
20" height	183	20" height	207
privacy screen - end to share	184	fabric 208	
solid 184		6" height	208
6" height	185	12" height	209
12" height	186	14" height	210
14" height	187	20" height	211
20" height	188	frost acrylic	212
whiteboard	189	6" height	212
12" height	189	12" height	213
14" height	190	14" height	214
20" height	191	20" height	215



What’s Included:

Privacy Screen (1), Horizontal Rails (2), Privacy Screen Retainers (2)..

How to Specify:

Available in various heights and widths to provide specific workstation requirements

Privacy screens can be specified in solid laminate, whiteboard, fabric tackboard, and frost acrylic.

Notes:

Privacy screen posts are 2-inches by 2-inches wide, sold seperately.

Options:

Height	6", 12", 14", 20"			
Width	24", 30", 36", 42", 44", 45", 46", 48", 50", 51", 52", 53", 54", 56", 57", 58", 59", 60", 62", 63", 64", 65", 66", 68", 69", 70", 71", 72"			
Screen material	S solid	W whiteboard	T fabric/tackboard	F frost

How to Order and Read your Code:

F	SEE	12	60	F
product line	item	height	width	acrylic

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-0624-S	50	5.38	20.44	0.5	2.88	0.03
F-SEE-0630-S	57	5.38	26.44	0.5	3.6	0.04
F-SEE-0636-S	66	5.38	32.44	0.5	4.32	0.05
F-SEE-0642-S	75	5.38	38.44	0.5	5.04	0.06
F-SEE-0644-S	80	5.38	40.44	0.5	5.28	0.06
F-SEE-0645-S	80	5.38	41.44	0.5	5.4	0.06
F-SEE-0646-S	86	5.38	42.44	0.5	5.52	0.07
F-SEE-0648-S	86	5.38	44.44	0.5	5.76	0.07
F-SEE-0650-S	90	5.38	46.44	0.5	6	0.07
F-SEE-0651-S	90	5.38	47.44	0.5	6.12	0.07
F-SEE-0652-S	93	5.38	48.44	0.5	6.24	0.08
F-SEE-0653-S	93	5.38	49.44	0.5	6.36	0.08
F-SEE-0654-S	93	5.38	50.44	0.5	6.48	0.08
F-SEE-0656-S	97	5.38	52.44	0.5	6.72	0.08
F-SEE-0657-S	97	5.38	53.44	0.5	6.84	0.08
F-SEE-0658-S	105	5.38	54.44	0.5	6.96	0.08
F-SEE-0659-S	105	5.38	55.44	0.5	7.08	0.09
F-SEE-0660-S	105	5.38	56.44	0.5	7.2	0.09
F-SEE-0662-S	107	5.38	58.44	0.5	7.44	0.09
F-SEE-0663-S	107	5.38	59.44	0.5	7.56	0.09
F-SEE-0664-S	114	5.38	60.44	0.5	7.68	0.09
F-SEE-0665-S	114	5.38	61.44	0.5	7.8	0.1
F-SEE-0666-S	114	5.38	62.44	0.5	7.92	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1224-S	62	11.38	20.44	0.5	5.76	0.07
F-SEE-1230-S	74	11.38	26.44	0.5	7.2	0.09
F-SEE-1236-S	88	11.38	32.44	0.5	8.64	0.11
F-SEE-1242-S	98	11.38	38.44	0.5	10.08	0.13
F-SEE-1244-S	106	11.38	40.44	0.5	10.56	0.13
F-SEE-1245-S	106	11.38	41.44	0.5	10.8	0.14
F-SEE-1246-S	114	11.38	42.44	0.5	11.04	0.14
F-SEE-1248-S	114	11.38	44.44	0.5	11.52	0.15
F-SEE-1250-S	118	11.38	46.44	0.5	12	0.15
F-SEE-1251-S	118	11.38	47.44	0.5	12.24	0.16
F-SEE-1252-S	125	11.38	48.44	0.5	12.48	0.16
F-SEE-1253-S	125	11.38	49.44	0.5	12.72	0.16
F-SEE-1254-S	125	11.38	50.44	0.5	12.96	0.17
F-SEE-1256-S	132	11.38	52.44	0.5	13.44	0.17
F-SEE-1257-S	132	11.38	53.44	0.5	13.68	0.18
F-SEE-1258-S	135	11.38	54.44	0.5	13.92	0.18
F-SEE-1259-S	135	11.38	55.44	0.5	14.16	0.18
F-SEE-1260-S	135	11.38	56.44	0.5	14.4	0.19
F-SEE-1262-S	144	11.38	58.44	0.5	14.88	0.19
F-SEE-1263-S	144	11.38	59.44	0.5	15.12	0.2
F-SEE-1264-S	148	11.38	60.44	0.5	15.36	0.2
F-SEE-1265-S	148	11.38	61.44	0.5	15.6	0.2
F-SEE-1266-S	148	11.38	62.44	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1424-S	66	13.25	20.44	0.5	6.72	0.08
F-SEE-1430-S	80	13.25	26.44	0.5	8.4	0.1
F-SEE-1436-S	93	13.25	32.44	0.5	10.08	0.12
F-SEE-1442-S	107	13.25	38.44	0.5	11.76	0.15
F-SEE-1444-S	116	13.25	40.44	0.5	12.32	0.16
F-SEE-1445-S	116	13.25	41.44	0.5	12.6	0.16
F-SEE-1446-S	121	13.25	42.44	0.5	12.88	0.16
F-SEE-1448-S	121	13.25	44.44	0.5	13.44	0.17
F-SEE-1450-S	130	13.25	46.44	0.5	14	0.18
F-SEE-1451-S	130	13.25	47.44	0.5	14.28	0.18
F-SEE-1452-S	133	13.25	48.44	0.5	14.56	0.19
F-SEE-1453-S	133	13.25	49.44	0.5	14.84	0.19
F-SEE-1454-S	133	13.25	50.44	0.5	15.12	0.19
F-SEE-1456-S	139	13.25	52.44	0.5	15.68	0.2
F-SEE-1457-S	139	13.25	53.44	0.5	15.96	0.2
F-SEE-1458-S	147	13.25	54.44	0.5	16.24	0.21
F-SEE-1459-S	147	13.25	55.44	0.5	16.52	0.21
F-SEE-1460-S	147	13.25	56.44	0.5	16.8	0.22
F-SEE-1462-S	156	13.25	58.44	0.5	17.36	0.22
F-SEE-1463-S	156	13.25	59.44	0.5	17.64	0.23
F-SEE-1464-S	161	13.25	60.44	0.5	17.92	0.23
F-SEE-1465-S	161	13.25	61.44	0.5	18.2	0.24
F-SEE-1466-S	161	13.25	62.44	0.5	18.48	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-2024-S	84	19.25	20.44	0.5	9.6	0.11
F-SEE-2030-S	95	19.25	26.44	0.5	12	0.15
F-SEE-2036-S	116	19.25	32.44	0.5	14.4	0.18
F-SEE-2042-S	132	19.25	38.44	0.5	16.8	0.21
F-SEE-2044-S	137	19.25	40.44	0.5	17.6	0.23
F-SEE-2045-S	137	19.25	41.44	0.5	18	0.23
F-SEE-2046-S	147	19.25	42.44	0.5	18.4	0.24
F-SEE-2048-S	147	19.25	44.44	0.5	19.2	0.25
F-SEE-2050-S	158	19.25	46.44	0.5	20	0.26
F-SEE-2051-S	158	19.25	47.44	0.5	20.4	0.26
F-SEE-2052-S	163	19.25	48.44	0.5	20.8	0.27
F-SEE-2053-S	163	19.25	49.44	0.5	21.2	0.28
F-SEE-2054-S	163	19.25	50.44	0.5	21.6	0.28
F-SEE-2056-S	172	19.25	52.44	0.5	22.4	0.29
F-SEE-2057-S	172	19.25	53.44	0.5	22.8	0.3
F-SEE-2058-S	182	19.25	54.44	0.5	23.2	0.3
F-SEE-2059-S	182	19.25	55.44	0.5	23.6	0.31
F-SEE-2060-S	182	19.25	56.44	0.5	24	0.31
F-SEE-2062-S	187	19.25	58.44	0.5	24.8	0.33
F-SEE-2063-S	187	19.25	59.44	0.5	25.2	0.33
F-SEE-2064-S	199	19.25	60.44	0.5	25.6	0.34
F-SEE-2065-S	199	19.25	61.44	0.5	26	0.34
F-SEE-2066-S	199	19.25	62.44	0.5	26.4	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1224-W	137	11.38	20.44	0.5	6.4	0.07
F-SEE-1230-W	166	11.38	26.44	0.5	8	0.09
F-SEE-1236-W	199	11.38	32.44	0.5	9.6	0.11
F-SEE-1242-W	227	11.38	38.44	0.5	11.2	0.13
F-SEE-1244-W	242	11.38	40.44	0.5	11.73	0.13
F-SEE-1245-W	242	11.38	41.44	0.5	12	0.14
F-SEE-1246-W	258	11.38	42.44	0.5	12.27	0.14
F-SEE-1248-W	258	11.38	44.44	0.5	12.8	0.15
F-SEE-1250-W	273	11.38	46.44	0.5	13.33	0.15
F-SEE-1251-W	273	11.38	47.44	0.5	13.6	0.16
F-SEE-1252-W	284	11.38	48.44	0.5	13.87	0.16
F-SEE-1253-W	284	11.38	49.44	0.5	14.13	0.16
F-SEE-1254-W	284	11.38	50.44	0.5	14.4	0.17
F-SEE-1256-W	303	11.38	52.44	0.5	14.93	0.17
F-SEE-1257-W	303	11.38	53.44	0.5	15.2	0.18
F-SEE-1258-W	319	11.38	54.44	0.5	15.47	0.18
F-SEE-1259-W	319	11.38	55.44	0.5	15.73	0.18
F-SEE-1260-W	319	11.38	56.44	0.5	16	0.19
F-SEE-1262-W	336	11.38	58.44	0.5	16.53	0.19
F-SEE-1263-W	336	11.38	59.44	0.5	16.8	0.2
F-SEE-1264-W	349	11.38	60.44	0.5	17.07	0.2
F-SEE-1265-W	349	11.38	61.44	0.5	17.33	0.2
F-SEE-1266-W	349	11.38	62.44	0.5	17.6	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1424-W	148	13.25	20.44	0.5	7.47	0.08
F-SEE-1430-W	185	13.25	26.44	0.5	9.33	0.1
F-SEE-1436-W	218	13.25	32.44	0.5	11.2	0.12
F-SEE-1442-W	254	13.25	38.44	0.5	13.07	0.15
F-SEE-1444-W	272	13.25	40.44	0.5	13.69	0.16
F-SEE-1445-W	272	13.25	41.44	0.5	14	0.16
F-SEE-1446-W	284	13.25	42.44	0.5	14.31	0.16
F-SEE-1448-W	284	13.25	44.44	0.5	14.93	0.17
F-SEE-1450-W	306	13.25	46.44	0.5	15.56	0.18
F-SEE-1451-W	306	13.25	47.44	0.5	15.87	0.18
F-SEE-1452-W	320	13.25	48.44	0.5	16.18	0.19
F-SEE-1453-W	320	13.25	49.44	0.5	16.49	0.19
F-SEE-1454-W	320	13.25	50.44	0.5	16.8	0.19
F-SEE-1456-W	340	13.25	52.44	0.5	17.42	0.2
F-SEE-1457-W	340	13.25	53.44	0.5	17.73	0.2
F-SEE-1458-W	356	13.25	54.44	0.5	18.04	0.21
F-SEE-1459-W	356	13.25	55.44	0.5	18.36	0.21
F-SEE-1460-W	356	13.25	56.44	0.5	18.67	0.22
F-SEE-1462-W	374	13.25	58.44	0.5	19.29	0.22
F-SEE-1463-W	374	13.25	59.44	0.5	19.6	0.23
F-SEE-1464-W	390	13.25	60.44	0.5	19.91	0.23
F-SEE-1465-W	390	13.25	61.44	0.5	20.22	0.24
F-SEE-1466-W	390	13.25	62.44	0.5	20.53	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-2024-W	200	19.25	20.44	0.5	10.67	0.11
F-SEE-2030-W	246	19.25	26.44	0.5	13.33	0.15
F-SEE-2036-W	289	19.25	32.44	0.5	16	0.18
F-SEE-2042-W	339	19.25	38.44	0.5	18.67	0.21
F-SEE-2044-W	362	19.25	40.44	0.5	19.56	0.23
F-SEE-2045-W	362	19.25	41.44	0.5	20	0.23
F-SEE-2046-W	385	19.25	42.44	0.5	20.44	0.24
F-SEE-2048-W	385	19.25	44.44	0.5	21.33	0.25
F-SEE-2050-W	405	19.25	46.44	0.5	22.22	0.26
F-SEE-2051-W	405	19.25	47.44	0.5	22.67	0.26
F-SEE-2052-W	428	19.25	48.44	0.5	23.11	0.27
F-SEE-2053-W	428	19.25	49.44	0.5	23.56	0.28
F-SEE-2054-W	428	19.25	50.44	0.5	24	0.28
F-SEE-2056-W	455	19.25	52.44	0.5	24.89	0.29
F-SEE-2057-W	455	19.25	53.44	0.5	25.33	0.3
F-SEE-2058-W	477	19.25	54.44	0.5	25.78	0.3
F-SEE-2059-W	477	19.25	55.44	0.5	26.22	0.31
F-SEE-2060-W	477	19.25	56.44	0.5	26.67	0.31
F-SEE-2062-W	497	19.25	58.44	0.5	27.56	0.33
F-SEE-2063-W	497	19.25	59.44	0.5	28	0.33
F-SEE-2064-W	524	19.25	60.44	0.5	28.44	0.34
F-SEE-2065-W	524	19.25	61.44	0.5	28.89	0.34
F-SEE-2066-W	524	19.25	62.44	0.5	29.33	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-0624-T	132	5.38	20.44	0.5	2.88	0.03
F-SEE-0630-T	160	5.38	26.44	0.5	3.6	0.04
F-SEE-0636-T	186	5.38	32.44	0.5	4.32	0.05
F-SEE-0642-T	216	5.38	38.44	0.5	5.04	0.06
F-SEE-0644-T	227	5.38	40.44	0.5	5.28	0.06
F-SEE-0645-T	227	5.38	41.44	0.5	5.4	0.06
F-SEE-0646-T	242	5.38	42.44	0.5	5.52	0.07
F-SEE-0648-T	242	5.38	44.44	0.5	5.76	0.07
F-SEE-0650-T	255	5.38	46.44	0.5	6	0.07
F-SEE-0651-T	255	5.38	47.44	0.5	6.12	0.07
F-SEE-0652-T	271	5.38	48.44	0.5	6.24	0.08
F-SEE-0653-T	271	5.38	49.44	0.5	6.36	0.08
F-SEE-0654-T	271	5.38	50.44	0.5	6.48	0.08
F-SEE-0656-T	283	5.38	52.44	0.5	6.72	0.08
F-SEE-0657-T	283	5.38	53.44	0.5	6.84	0.08
F-SEE-0658-T	297	5.38	54.44	0.5	6.96	0.08
F-SEE-0659-T	297	5.38	55.44	0.5	7.08	0.09
F-SEE-0660-T	297	5.38	56.44	0.5	7.2	0.09
F-SEE-0662-T	311	5.38	58.44	0.5	7.44	0.09
F-SEE-0663-T	311	5.38	59.44	0.5	7.56	0.09
F-SEE-0664-T	325	5.38	60.44	0.5	7.68	0.09
F-SEE-0665-T	325	5.38	61.44	0.5	7.8	0.1
F-SEE-0666-T	325	5.38	62.44	0.5	7.92	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1224-T	199	11.38	20.44	0.5	5.76	0.07
F-SEE-1230-T	241	11.38	26.44	0.5	7.2	0.09
F-SEE-1236-T	283	11.38	32.44	0.5	8.64	0.11
F-SEE-1242-T	325	11.38	38.44	0.5	10.08	0.13
F-SEE-1244-T	348	11.38	40.44	0.5	10.56	0.13
F-SEE-1245-T	348	11.38	41.44	0.5	10.8	0.14
F-SEE-1246-T	369	11.38	42.44	0.5	11.04	0.14
F-SEE-1248-T	369	11.38	44.44	0.5	11.52	0.15
F-SEE-1250-T	388	11.38	46.44	0.5	12	0.15
F-SEE-1251-T	388	11.38	47.44	0.5	12.24	0.16
F-SEE-1252-T	407	11.38	48.44	0.5	12.48	0.16
F-SEE-1253-T	407	11.38	49.44	0.5	12.72	0.16
F-SEE-1254-T	407	11.38	50.44	0.5	12.96	0.17
F-SEE-1256-T	433	11.38	52.44	0.5	13.44	0.17
F-SEE-1257-T	433	11.38	53.44	0.5	13.68	0.18
F-SEE-1258-T	450	11.38	54.44	0.5	13.92	0.18
F-SEE-1259-T	450	11.38	55.44	0.5	14.16	0.18
F-SEE-1260-T	450	11.38	56.44	0.5	14.4	0.19
F-SEE-1262-T	473	11.38	58.44	0.5	14.88	0.19
F-SEE-1263-T	473	11.38	59.44	0.5	15.12	0.2
F-SEE-1264-T	496	11.38	60.44	0.5	15.36	0.2
F-SEE-1265-T	496	11.38	61.44	0.5	15.6	0.2
F-SEE-1266-T	496	11.38	62.44	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1424-T	218	13.25	20.44	0.5	6.72	0.08
F-SEE-1430-T	269	13.25	26.44	0.5	8.4	0.1
F-SEE-1436-T	312	13.25	32.44	0.5	10.08	0.12
F-SEE-1442-T	361	13.25	38.44	0.5	11.76	0.15
F-SEE-1444-T	385	13.25	40.44	0.5	12.32	0.16
F-SEE-1445-T	385	13.25	41.44	0.5	12.6	0.16
F-SEE-1446-T	405	13.25	42.44	0.5	12.88	0.16
F-SEE-1448-T	405	13.25	44.44	0.5	13.44	0.17
F-SEE-1450-T	431	13.25	46.44	0.5	14	0.18
F-SEE-1451-T	431	13.25	47.44	0.5	14.28	0.18
F-SEE-1452-T	455	13.25	48.44	0.5	14.56	0.19
F-SEE-1453-T	455	13.25	49.44	0.5	14.84	0.19
F-SEE-1454-T	455	13.25	50.44	0.5	15.12	0.19
F-SEE-1456-T	478	13.25	52.44	0.5	15.68	0.2
F-SEE-1457-T	478	13.25	53.44	0.5	15.96	0.2
F-SEE-1458-T	501	13.25	54.44	0.5	16.24	0.21
F-SEE-1459-T	501	13.25	55.44	0.5	16.52	0.21
F-SEE-1460-T	501	13.25	56.44	0.5	16.8	0.22
F-SEE-1462-T	525	13.25	58.44	0.5	17.36	0.22
F-SEE-1463-T	525	13.25	59.44	0.5	17.64	0.23
F-SEE-1464-T	549	13.25	60.44	0.5	17.92	0.23
F-SEE-1465-T	549	13.25	61.44	0.5	18.2	0.24
F-SEE-1466-T	549	13.25	62.44	0.5	18.48	0.24


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-2024-T	284	19.25	20.44	0.5	9.6	0.11
F-SEE-2030-T	348	19.25	26.44	0.5	12	0.15
F-SEE-2036-T	407	19.25	32.44	0.5	14.4	0.18
F-SEE-2042-T	472	19.25	38.44	0.5	16.8	0.21
F-SEE-2044-T	501	19.25	40.44	0.5	17.6	0.23
F-SEE-2045-T	501	19.25	41.44	0.5	18	0.23
F-SEE-2046-T	533	19.25	42.44	0.5	18.4	0.24
F-SEE-2048-T	533	19.25	44.44	0.5	19.2	0.25
F-SEE-2050-T	562	19.25	46.44	0.5	20	0.26
F-SEE-2051-T	562	19.25	47.44	0.5	20.4	0.26
F-SEE-2052-T	594	19.25	48.44	0.5	20.8	0.27
F-SEE-2053-T	594	19.25	49.44	0.5	21.2	0.28
F-SEE-2054-T	594	19.25	50.44	0.5	21.6	0.28
F-SEE-2056-T	625	19.25	52.44	0.5	22.4	0.29
F-SEE-2057-T	625	19.25	53.44	0.5	22.8	0.3
F-SEE-2058-T	657	19.25	54.44	0.5	23.2	0.3
F-SEE-2059-T	657	19.25	55.44	0.5	23.6	0.31
F-SEE-2060-T	657	19.25	56.44	0.5	24	0.31
F-SEE-2062-T	689	19.25	58.44	0.5	24.8	0.33
F-SEE-2063-T	689	19.25	59.44	0.5	25.2	0.33
F-SEE-2064-T	720	19.25	60.44	0.5	25.6	0.34
F-SEE-2065-T	720	19.25	61.44	0.5	26	0.34
F-SEE-2066-T	720	19.25	62.44	0.5	26.4	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-0624-F	90	5.38	20.44	0.5	1.44	0.03
F-SEE-0630-F	110	5.38	26.44	0.5	1.8	0.04
F-SEE-0636-F	130	5.38	32.44	0.5	2.16	0.05
F-SEE-0642-F	148	5.38	38.44	0.5	2.52	0.06
F-SEE-0644-F	159	5.38	40.44	0.5	2.64	0.06
F-SEE-0645-F	159	5.38	41.44	0.5	2.7	0.06
F-SEE-0646-F	166	5.38	42.44	0.5	2.76	0.07
F-SEE-0648-F	166	5.38	44.44	0.5	2.88	0.07
F-SEE-0650-F	178	5.38	46.44	0.5	3	0.07
F-SEE-0651-F	178	5.38	47.44	0.5	3.06	0.07
F-SEE-0652-F	186	5.38	48.44	0.5	3.12	0.08
F-SEE-0653-F	186	5.38	49.44	0.5	3.18	0.08
F-SEE-0654-F	186	5.38	50.44	0.5	3.24	0.08
F-SEE-0656-F	199	5.38	52.44	0.5	3.36	0.08
F-SEE-0657-F	199	5.38	53.44	0.5	3.42	0.08
F-SEE-0658-F	209	5.38	54.44	0.5	3.48	0.08
F-SEE-0659-F	209	5.38	55.44	0.5	3.54	0.09
F-SEE-0660-F	209	5.38	56.44	0.5	3.6	0.09
F-SEE-0662-F	217	5.38	58.44	0.5	3.72	0.09
F-SEE-0663-F	217	5.38	59.44	0.5	3.78	0.09
F-SEE-0664-F	226	5.38	60.44	0.5	3.84	0.09
F-SEE-0665-F	226	5.38	61.44	0.5	3.9	0.1
F-SEE-0666-F	226	5.38	62.44	0.5	3.96	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1224-F	134	11.38	20.44	0.5	2.88	0.07
F-SEE-1230-F	165	11.38	26.44	0.5	3.6	0.09
F-SEE-1236-F	198	11.38	32.44	0.5	4.32	0.11
F-SEE-1242-F	226	11.38	38.44	0.5	5.04	0.13
F-SEE-1244-F	242	11.38	40.44	0.5	5.28	0.13
F-SEE-1245-F	242	11.38	41.44	0.5	5.4	0.14
F-SEE-1246-F	255	11.38	42.44	0.5	5.52	0.14
F-SEE-1248-F	255	11.38	44.44	0.5	5.76	0.15
F-SEE-1250-F	272	11.38	46.44	0.5	6	0.15
F-SEE-1251-F	272	11.38	47.44	0.5	6.12	0.16
F-SEE-1252-F	287	11.38	48.44	0.5	6.24	0.16
F-SEE-1253-F	287	11.38	49.44	0.5	6.36	0.16
F-SEE-1254-F	287	11.38	50.44	0.5	6.48	0.17
F-SEE-1256-F	303	11.38	52.44	0.5	6.72	0.17
F-SEE-1257-F	303	11.38	53.44	0.5	6.84	0.18
F-SEE-1258-F	316	11.38	54.44	0.5	6.96	0.18
F-SEE-1259-F	316	11.38	55.44	0.5	7.08	0.18
F-SEE-1260-F	316	11.38	56.44	0.5	7.2	0.19
F-SEE-1262-F	332	11.38	58.44	0.5	7.44	0.19
F-SEE-1263-F	332	11.38	59.44	0.5	7.56	0.2
F-SEE-1264-F	348	11.38	60.44	0.5	7.68	0.2
F-SEE-1265-F	348	11.38	61.44	0.5	7.8	0.2
F-SEE-1266-F	348	11.38	62.44	0.5	7.92	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-1424-F	149	13.25	20.44	0.5	3.36	0.08
F-SEE-1430-F	183	13.25	26.44	0.5	4.2	0.1
F-SEE-1436-F	217	13.25	32.44	0.5	5.04	0.12
F-SEE-1442-F	252	13.25	38.44	0.5	5.88	0.15
F-SEE-1444-F	270	13.25	40.44	0.5	6.16	0.16
F-SEE-1445-F	270	13.25	41.44	0.5	6.3	0.16
F-SEE-1446-F	283	13.25	42.44	0.5	6.44	0.16
F-SEE-1448-F	283	13.25	44.44	0.5	6.72	0.17
F-SEE-1450-F	300	13.25	46.44	0.5	7	0.18
F-SEE-1451-F	300	13.25	47.44	0.5	7.14	0.18
F-SEE-1452-F	317	13.25	48.44	0.5	7.28	0.19
F-SEE-1453-F	317	13.25	49.44	0.5	7.42	0.19
F-SEE-1454-F	317	13.25	50.44	0.5	7.56	0.19
F-SEE-1456-F	333	13.25	52.44	0.5	7.84	0.2
F-SEE-1457-F	333	13.25	53.44	0.5	7.98	0.2
F-SEE-1458-F	351	13.25	54.44	0.5	8.12	0.21
F-SEE-1459-F	351	13.25	55.44	0.5	8.26	0.21
F-SEE-1460-F	351	13.25	56.44	0.5	8.4	0.22
F-SEE-1462-F	369	13.25	58.44	0.5	8.68	0.22
F-SEE-1463-F	369	13.25	59.44	0.5	8.82	0.23
F-SEE-1464-F	386	13.25	60.44	0.5	8.96	0.23
F-SEE-1465-F	386	13.25	61.44	0.5	9.1	0.24
F-SEE-1466-F	386	13.25	62.44	0.5	9.24	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-2024-F	198	19.25	20.44	0.5	4.8	0.11
F-SEE-2030-F	241	19.25	26.44	0.5	6	0.15
F-SEE-2036-F	283	19.25	32.44	0.5	7.2	0.18
F-SEE-2042-F	330	19.25	38.44	0.5	8.4	0.21
F-SEE-2044-F	351	19.25	40.44	0.5	8.8	0.23
F-SEE-2045-F	351	19.25	41.44	0.5	9	0.23
F-SEE-2046-F	375	19.25	42.44	0.5	9.2	0.24
F-SEE-2048-F	375	19.25	44.44	0.5	9.6	0.25
F-SEE-2050-F	392	19.25	46.44	0.5	10	0.26
F-SEE-2051-F	392	19.25	47.44	0.5	10.2	0.26
F-SEE-2052-F	418	19.25	48.44	0.5	10.4	0.27
F-SEE-2053-F	418	19.25	49.44	0.5	10.6	0.28
F-SEE-2054-F	418	19.25	50.44	0.5	10.8	0.28
F-SEE-2056-F	440	19.25	52.44	0.5	11.2	0.29
F-SEE-2057-F	440	19.25	53.44	0.5	11.4	0.3
F-SEE-2058-F	463	19.25	54.44	0.5	11.6	0.3
F-SEE-2059-F	463	19.25	55.44	0.5	11.8	0.31
F-SEE-2060-F	463	19.25	56.44	0.5	12	0.31
F-SEE-2062-F	482	19.25	58.44	0.5	12.4	0.33
F-SEE-2063-F	482	19.25	59.44	0.5	12.6	0.33
F-SEE-2064-F	504	19.25	60.44	0.5	12.8	0.34
F-SEE-2065-F	504	19.25	61.44	0.5	13	0.34
F-SEE-2066-F	504	19.25	62.44	0.5	13.2	0.35



What’s Included:

Privacy screen (1), Horizontal rails (2), vertical retainers (2).

How to Specify:

Available in various heights and widths to provide specific workstation requirements

Privacy screens can be specified in solid laminate, whiteboard, fabric tackboard, and frost acrylic.

Notes:

Privacy screen posts are 2-inches by 2-inches wide and are sold seperately.

Options:

Height	6", 12", 14", 20"			
Width	24", 30", 36", 42", 44", 45", 46", 48", 50", 51", 52", 53", 54", 56", 57", 58", 59", 60", 62", 63", 64", 65", 66", 68", 69", 70", 71", 72"			
Screen material	S solid	W whiteboard	T fabric/tackboard	F frost

How to Order and Read your Code:

F	SES	12	60	F
product line	item	height	width	acrylic

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-0624-S	50	5.38	21.69	0.5	2.88	0.03
F-SES-0630-S	57	5.38	27.69	0.5	3.6	0.04
F-SES-0636-S	66	5.38	33.69	0.5	4.32	0.05
F-SES-0637-S	71	5.38	34.69	0.5	4.45	0.05
F-SES-0637D-S	71	5.38	35.19	0.5	4.51	0.05
F-SES-0638-S	71	5.38	35.69	0.5	4.58	0.06
F-SES-0638D-S	71	5.38	36.19	0.5	4.64	0.06
F-SES-0639-S	71	5.38	36.69	0.5	4.68	0.06
F-SES-0640-S	75	5.38	37.69	0.5	4.81	0.06
F-SES-0641-S	75	5.38	38.69	0.5	4.94	0.06
F-SES-0641D-S	75	5.38	39.19	0.5	5	0.06
F-SES-0642-S	75	5.38	39.69	0.5	5.04	0.06
F-SES-0643-S	80	5.38	40.69	0.5	5.17	0.06
F-SES-0644-S	80	5.38	41.69	0.5	5.28	0.06
F-SES-0644D-S	80	5.38	42.19	0.5	5.34	0.07
F-SES-0645-S	80	5.38	42.69	0.5	5.4	0.07
F-SES-0646-S	86	5.38	43.69	0.5	5.52	0.07
F-SES-0648-S	86	5.38	45.69	0.5	5.76	0.07
F-SES-0650-S	90	5.38	47.69	0.5	6	0.07
F-SES-0651-S	90	5.38	48.69	0.5	6.12	0.08
F-SES-0652-S	93	5.38	49.69	0.5	6.24	0.08
F-SES-0653-S	93	5.38	50.69	0.5	6.36	0.08
F-SES-0654-S	93	5.38	51.69	0.5	6.48	0.08
F-SES-0656-S	97	5.38	53.69	0.5	6.72	0.08
F-SES-0657-S	97	5.38	54.69	0.5	6.84	0.09
F-SES-0658-S	105	5.38	55.69	0.5	6.96	0.09
F-SES-0659-S	105	5.38	56.69	0.5	7.08	0.09
F-SES-0660-S	105	5.38	57.69	0.5	7.2	0.09
F-SES-0662-S	107	5.38	59.69	0.5	7.44	0.09
F-SES-0663-S	107	5.38	60.69	0.5	7.56	0.09
F-SES-0664-S	114	5.38	61.69	0.5	7.68	0.1
F-SES-0665-S	114	5.38	62.69	0.5	7.8	0.1
F-SES-0666-S	114	5.38	63.69	0.5		
F-SES-0668-S	118					
F-SES-0669-S	118					
F-SES-0670-S	121					
F-SES-0671-S	121					
F-SES-0672-S	121					

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1224-S	62	11.38	21.69	0.5	5.76	0.07
F-SES-1230-S	74	11.38	27.69	0.5	7.2	0.09
F-SES-1236-S	88	11.38	33.69	0.5	8.64	0.11
F-SES-1237-S	93	11.38	34.69	0.5	8.9	0.11
F-SES-1237D-S	93	11.38	35.19	0.5	9.02	0.12
F-SES-1238-S	93	11.38	35.69	0.5	9.15	0.12
F-SES-1238D-S	93	11.38	36.19	0.5	9.28	0.12
F-SES-1239-S	93	11.38	36.69	0.5	9.36	0.12
F-SES-1240-S	98	11.38	37.69	0.5	9.62	0.12
F-SES-1241-S	98	11.38	38.69	0.5	9.87	0.13
F-SES-1241D-S	98	11.38	39.19	0.5	10	0.13
F-SES-1242-S	98	11.38	39.69	0.5	10.08	0.13
F-SES-1243-S	106	11.38	40.69	0.5	10.32	0.13
F-SES-1244-S	106	11.38	41.69	0.5	10.56	0.14
F-SES-1244D-S	106	11.38	42.19	0.5	10.68	0.14
F-SES-1245-S	106	11.38	42.69	0.5	10.8	0.14
F-SES-1246-S	114	11.38	43.69	0.5	11.04	0.14
F-SES-1248-S	114	11.38	45.69	0.5	11.52	0.15
F-SES-1250-S	118	11.38	47.69	0.5	12	0.16
F-SES-1251-S	118	11.38	48.69	0.5	12.24	0.16
F-SES-1252-S	125	11.38	49.69	0.5	12.48	0.16
F-SES-1253-S	125	11.38	50.69	0.5	12.72	0.17
F-SES-1254-S	125	11.38	51.69	0.5	12.96	0.17
F-SES-1256-S	132	11.38	53.69	0.5	13.44	0.18
F-SES-1257-S	132	11.38	54.69	0.5	13.68	0.18
F-SES-1258-S	135	11.38	55.69	0.5	13.92	0.18
F-SES-1259-S	135	11.38	56.69	0.5	14.16	0.19
F-SES-1260-S	135	11.38	57.69	0.5	14.4	0.19
F-SES-1262-S	144	11.38	59.69	0.5	14.88	0.2
F-SES-1263-S	144	11.38	60.69	0.5	15.12	0.2
F-SES-1264-S	148	11.38	61.69	0.5	15.36	0.2
F-SES-1265-S	148	11.38	62.69	0.5	15.6	0.21
F-SES-1266-S	148	11.38	63.69	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1424-S	66	13.25	21.69	0.5	6.72	0.08
F-SES-1430-S	80	13.25	27.69	0.5	8.4	0.11
F-SES-1434-S	93	13.25	31.69	0.5	10.08	0.12
F-SES-1434D-S	93	13.25	32.19	0.5	10.08	0.12
F-SES-1435-S	93	13.25	32.69	0.5	10.08	0.13
F-SES-1435D-S	93	13.25	33.19	0.5	10.08	0.13
F-SES-1436-S	93	13.25	33.69	0.5	10.08	0.13
F-SES-1437-S	98	13.25	34.69	0.5	10.36	0.13
F-SES-1437D-S	98	13.25	35.19	0.5	10.5	0.13
F-SES-1438-S	98	13.25	35.69	0.5	10.64	0.14
F-SES-1438D-S	98	13.25	36.19	0.5	10.78	0.14
F-SES-1439-S	98	13.25	36.69	0.5	10.92	0.14
F-SES-1440-S	107	13.25	37.69	0.5	11.2	0.14
F-SES-1441-S	107	13.25	38.69	0.5	11.48	0.15
F-SES-1441D-S	107	13.25	39.19	0.5	11.62	0.15
F-SES-1442-S	107	13.25	39.69	0.5	11.76	0.15
F-SES-1443-S	116	13.25	40.69	0.5	12.04	0.16
F-SES-1444-S	116	13.25	41.69	0.5	12.32	0.16
F-SES-1444D-S	116	13.25	42.19	0.5	12.46	0.16
F-SES-1445-S	116	13.25	42.69	0.5	12.6	0.16
F-SES-1446-S	121	13.25	43.69	0.5	12.88	0.17
F-SES-1448-S	121	13.25	45.69	0.5	13.44	0.18
F-SES-1450-S	130	13.25	47.69	0.5	14	0.18
F-SES-1451-S	130	13.25	48.69	0.5	14.28	0.19
F-SES-1452-S	133	13.25	49.69	0.5	14.56	0.19
F-SES-1453-S	133	13.25	50.69	0.5	14.84	0.19
F-SES-1454-S	133	13.25	51.69	0.5	15.12	0.2
F-SES-1456-S	139	13.25	53.69	0.5	15.68	0.21
F-SES-1457-S	139	13.25	54.69	0.5	15.96	0.21
F-SES-1458-S	147	13.25	55.69	0.5	16.24	0.21
F-SES-1459-S	147	13.25	56.69	0.5	16.52	0.22
F-SES-1460-S	147	13.25	57.69	0.5	16.8	0.22
F-SES-1462-S	156	13.25	59.69	0.5	17.36	0.23
F-SES-1463-S	156	13.25	60.69	0.5	17.64	0.23
F-SES-1464-S	161	13.25	61.69	0.5	17.92	0.24
F-SES-1465-S	161	13.25	62.69	0.5	18.2	0.24
F-SES-1466-S	161	13.25	63.69	0.5	18.48	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-2024-S	84	19.25	21.69	0.5	9.6	0.12
F-SES-2030-S	95	19.25	27.69	0.5	12	0.15
F-SES-2034-S	116	19.25	31.69	0.5	14.4	0.18
F-SES-2034D-S	116	19.25	32.19	0.5	14.4	0.18
F-SES-2035-S	116	19.25	32.69	0.5	14.4	0.18
F-SES-2035D-S	116	19.25	33.19	0.5	14.4	0.18
F-SES-2036-S	116	19.25	33.69	0.5	14.4	0.19
F-SES-2037-S	122	19.25	34.69	0.5	14.8	0.19
F-SES-2037D-S	122	19.25	35.19	0.5	15	0.2
F-SES-2038-S	122	19.25	35.69	0.5	15.2	0.2
F-SES-2038D-S	122	19.25	36.19	0.5	15.4	0.2
F-SES-2039-S	122	19.25	36.69	0.5	15.6	0.2
F-SES-2040-S	132	19.25	37.69	0.5	16	0.21
F-SES-2041-S	132	19.25	38.69	0.5	16.4	0.22
F-SES-2041D-S	132	19.25	39.19	0.5	16.6	0.22
F-SES-2042-S	132	19.25	39.69	0.5	16.8	0.22
F-SES-2043-S	137	19.25	40.69	0.5	17.2	0.23
F-SES-2044-S	137	19.25	41.69	0.5	17.6	0.23
F-SES-2044D-S	137	19.25	42.19	0.5	17.8	0.23
F-SES-2045-S	137	19.25	42.69	0.5	18	0.24
F-SES-2046-S	147	19.25	43.69	0.5	18.4	0.24
F-SES-2048-S	147	19.25	45.69	0.5	19.2	0.25
F-SES-2050-S	158	19.25	47.69	0.5	20	0.27
F-SES-2051-S	158	19.25	48.69	0.5	20.4	0.27
F-SES-2052-S	163	19.25	49.69	0.5	20.8	0.28
F-SES-2053-S	163	19.25	50.69	0.5	21.2	0.28
F-SES-2054-S	163	19.25	51.69	0.5	21.6	0.29
F-SES-2056-S	172	19.25	53.69	0.5	22.4	0.3
F-SES-2057-S	172	19.25	54.69	0.5	22.8	0.3
F-SES-2058-S	182	19.25	55.69	0.5	23.2	0.31
F-SES-2059-S	182	19.25	56.69	0.5	23.6	0.32
F-SES-2060-S	182	19.25	57.69	0.5	24	0.32
F-SES-2062-S	187	19.25	59.69	0.5	24.8	0.33
F-SES-2063-S	187	19.25	60.69	0.5	25.2	0.34
F-SES-2064-S	199	19.25	61.69	0.5	25.6	0.34
F-SES-2065-S	199	19.25	62.69	0.5	26	0.35
F-SES-2066-S	199	19.25	63.69	0.5	26.4	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1224-W	137	11.38	21.69	0.5	6.4	0.07
F-SES-1230-W	166	11.38	27.69	0.5	8	0.09
F-SES-1236-W	199	11.38	33.69	0.5	9.6	0.11
F-SES-1237-W	209	11.38	34.69	0.5	9.88	0.11
F-SES-1237D-W	209	11.38	35.19	0.5	10.03	0.12
F-SES-1238-W	209	11.38	35.69	0.5	10.17	0.12
F-SES-1238D-W	209	11.38	36.19	0.5	10.31	0.12
F-SES-1239-W	209	11.38	36.69	0.5	10.4	0.12
F-SES-1240-W	227	11.38	37.69	0.5	10.68	0.12
F-SES-1241-W	227	11.38	38.69	0.5	10.97	0.13
F-SES-1241D-W	227	11.38	39.19	0.5	11.11	0.13
F-SES-1242-W	227	11.38	39.69	0.5	11.2	0.13
F-SES-1243-W	242	11.38	40.69	0.5	11.47	0.13
F-SES-1244-W	242	11.38	41.69	0.5	11.73	0.14
F-SES-1244D-W	242	11.38	42.19	0.5	11.87	0.14
F-SES-1245-W	242	11.38	42.69	0.5	12	0.14
F-SES-1246-W	258	11.38	43.69	0.5	12.27	0.14
F-SES-1248-W	258	11.38	45.69	0.5	12.8	0.15
F-SES-1250-W	273	11.38	47.69	0.5	13.33	0.16
F-SES-1251-W	273	11.38	48.69	0.5	13.6	0.16
F-SES-1252-W	284	11.38	49.69	0.5	13.87	0.16
F-SES-1253-W	284	11.38	50.69	0.5	14.13	0.17
F-SES-1254-W	284	11.38	51.69	0.5	14.4	0.17
F-SES-1256-W	303	11.38	53.69	0.5	14.93	0.18
F-SES-1257-W	303	11.38	54.69	0.5	15.2	0.18
F-SES-1258-W	319	11.38	55.69	0.5	15.47	0.18
F-SES-1259-W	319	11.38	56.69	0.5	15.73	0.19
F-SES-1260-W	319	11.38	57.69	0.5	16	0.19
F-SES-1262-W	336	11.38	59.69	0.5	16.53	0.2
F-SES-1263-W	336	11.38	60.69	0.5	16.8	0.2
F-SES-1264-W	349	11.38	61.69	0.5	17.07	0.2
F-SES-1265-W	349	11.38	62.69	0.5	17.33	0.21
F-SES-1266-W	349	11.38	63.69	0.5	17.6	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1424-W	148	13.25	21.69	0.5	7.47	0.08
F-SES-1430-W	185	13.25	27.69	0.5	9.33	0.11
F-SES-1434-W	218	13.25	31.69	0.5	11.2	0.12
F-SES-1434D-W	218	13.25	32.19	0.5	11.2	0.12
F-SES-1435-W	218	13.25	32.69	0.5	11.2	0.13
F-SES-1435D-W	218	13.25	33.19	0.5	11.2	0.13
F-SES-1436-W	218	13.25	33.69	0.5	11.2	0.13
F-SES-1437-W	235	13.25	34.69	0.5	11.51	0.13
F-SES-1437D-W	235	13.25	35.19	0.5	11.67	0.13
F-SES-1438-W	235	13.25	35.69	0.5	11.82	0.14
F-SES-1438D-W	235	13.25	36.19	0.5	11.98	0.14
F-SES-1439-W	235	13.25	36.69	0.5	12.13	0.14
F-SES-1440-W	254	13.25	37.69	0.5	12.45	0.14
F-SES-1441-W	254	13.25	38.69	0.5	12.76	0.15
F-SES-1441D-W	254	13.25	39.19	0.5	12.91	0.15
F-SES-1442-W	254	13.25	39.69	0.5	13.07	0.15
F-SES-1443-W	272	13.25	40.69	0.5	13.38	0.16
F-SES-1444-W	272	13.25	41.69	0.5	13.69	0.16
F-SES-1444D-W	272	13.25	42.19	0.5	13.85	0.16
F-SES-1445-W	272	13.25	42.69	0.5	14	0.16
F-SES-1446-W	284	13.25	43.69	0.5	14.31	0.17
F-SES-1448-W	284	13.25	45.69	0.5	14.93	0.18
F-SES-1450-W	306	13.25	47.69	0.5	15.56	0.18
F-SES-1451-W	306	13.25	48.69	0.5	15.87	0.19
F-SES-1452-W	320	13.25	49.69	0.5	16.18	0.19
F-SES-1453-W	320	13.25	50.69	0.5	16.49	0.19
F-SES-1454-W	320	13.25	51.69	0.5	16.8	0.2
F-SES-1456-W	340	13.25	53.69	0.5	17.42	0.21
F-SES-1457-W	340	13.25	54.69	0.5	17.73	0.21
F-SES-1458-W	356	13.25	55.69	0.5	18.04	0.21
F-SES-1459-W	356	13.25	56.69	0.5	18.36	0.22
F-SES-1460-W	356	13.25	57.69	0.5	18.67	0.22
F-SES-1462-W	374	13.25	59.69	0.5	19.29	0.23
F-SES-1463-W	374	13.25	60.69	0.5	19.6	0.23
F-SES-1464-W	390	13.25	61.69	0.5	19.91	0.24
F-SES-1465-W	390	13.25	62.69	0.5	20.22	0.24
F-SES-1466-W	390	13.25	63.69	0.5	20.53	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-2024-W	200	19.25	21.69	0.5	10.67	0.12
F-SES-2030-W	246	19.25	27.69	0.5	13.33	0.15
F-SES-2034-W	289	19.25	31.69	0.5	16	0.18
F-SES-2034D-W	289	19.25	32.19	0.5	16	0.18
F-SES-2035-W	289	19.25	32.69	0.5	16	0.18
F-SES-2035D-W	289	19.25	33.19	0.5	16	0.18
F-SES-2036-W	289	19.25	33.69	0.5	16	0.19
F-SES-2037-W	314	19.25	34.69	0.5	16.45	0.19
F-SES-2037D-W	314	19.25	35.19	0.5	16.67	0.2
F-SES-2038-W	314	19.25	35.69	0.5	16.89	0.2
F-SES-2038D-W	314	19.25	36.19	0.5	17.11	0.2
F-SES-2039-W	314	19.25	36.69	0.5	17.33	0.2
F-SES-2040-W	339	19.25	37.69	0.5	17.78	0.21
F-SES-2041-W	339	19.25	38.69	0.5	18.22	0.22
F-SES-2041D-W	339	19.25	39.19	0.5	18.45	0.22
F-SES-2042-W	339	19.25	39.69	0.5	18.67	0.22
F-SES-2043-W	362	19.25	40.69	0.5	19.11	0.23
F-SES-2044-W	362	19.25	41.69	0.5	19.56	0.23
F-SES-2044D-W	362	19.25	42.19	0.5	19.78	0.23
F-SES-2045-W	362	19.25	42.69	0.5	20	0.24
F-SES-2046-W	385	19.25	43.69	0.5	20.44	0.24
F-SES-2048-W	385	19.25	45.69	0.5	21.33	0.25
F-SES-2050-W	405	19.25	47.69	0.5	22.22	0.27
F-SES-2051-W	405	19.25	48.69	0.5	22.67	0.27
F-SES-2052-W	428	19.25	49.69	0.5	23.11	0.28
F-SES-2053-W	428	19.25	50.69	0.5	23.56	0.28
F-SES-2054-W	428	19.25	51.69	0.5	24	0.29
F-SES-2056-W	455	19.25	53.69	0.5	24.89	0.3
F-SES-2057-W	455	19.25	54.69	0.5	25.33	0.3
F-SES-2058-W	477	19.25	55.69	0.5	25.78	0.31
F-SES-2059-W	477	19.25	56.69	0.5	26.22	0.32
F-SES-2060-W	477	19.25	57.69	0.5	26.67	0.32
F-SES-2062-W	497	19.25	59.69	0.5	27.56	0.33
F-SES-2063-W	497	19.25	60.69	0.5	28	0.34
F-SES-2064-W	524	19.25	61.69	0.5	28.44	0.34
F-SES-2065-W	524	19.25	62.69	0.5	28.89	0.35
F-SES-2066-W	524	19.25	63.69	0.5	29.33	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-0624-T	132	5.38	21.69	0.5	2.88	0.03
F-SES-0630-T	160	5.38	27.69	0.5	3.6	0.04
F-SES-0636-T	186	5.38	33.69	0.5	4.32	0.05
F-SES-0637-T	202	5.38	34.69	0.5	4.45	0.05
F-SES-0637D-T	202	5.38	35.19	0.5	4.51	0.05
F-SES-0638-T	202	5.38	35.69	0.5	4.58	0.06
F-SES-0638D-T	202	5.38	36.19	0.5	4.64	0.06
F-SES-0639-T	202	5.38	36.69	0.5	4.68	0.06
F-SES-0640-T	216	5.38	37.69	0.5	4.81	0.06
F-SES-0641-T	216	5.38	38.69	0.5	4.94	0.06
F-SES-0641D-T	216	5.38	39.19	0.5	5	0.06
F-SES-0642-T	216	5.38	39.69	0.5	5.04	0.06
F-SES-0643-T	227	5.38	40.69	0.5	5.17	0.06
F-SES-0644-T	227	5.38	41.69	0.5	5.28	0.06
F-SES-0644D-T	227	5.38	42.19	0.5	5.34	0.07
F-SES-0645-T	227	5.38	42.69	0.5	5.4	0.07
F-SES-0646-T	242	5.38	43.69	0.5	5.52	0.07
F-SES-0648-T	242	5.38	45.69	0.5	5.76	0.07
F-SES-0650-T	255	5.38	47.69	0.5	6	0.07
F-SES-0651-T	255	5.38	48.69	0.5	6.12	0.08
F-SES-0652-T	271	5.38	49.69	0.5	6.24	0.08
F-SES-0653-T	271	5.38	50.69	0.5	6.36	0.08
F-SES-0654-T	271	5.38	51.69	0.5	6.48	0.08
F-SES-0656-T	283	5.38	53.69	0.5	6.72	0.08
F-SES-0657-T	283	5.38	54.69	0.5	6.84	0.09
F-SES-0658-T	297	5.38	55.69	0.5	6.96	0.09
F-SES-0659-T	297	5.38	56.69	0.5	7.08	0.09
F-SES-0660-T	297	5.38	57.69	0.5	7.2	0.09
F-SES-0662-T	311	5.38	59.69	0.5	7.44	0.09
F-SES-0663-T	311	5.38	60.69	0.5	7.56	0.09
F-SES-0664-T	325	5.38	61.69	0.5	7.68	0.1
F-SES-0665-T	325	5.38	62.69	0.5	7.8	0.1
F-SES-0666-T	325	5.38	63.69	0.5	7.92	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1224-T	199	11.38	21.69	0.5	5.76	0.07
F-SES-1230-T	241	11.38	27.69	0.5	7.2	0.09
F-SES-1235-T	283	11.38	32.69	0.5	8.64	0.11
F-SES-1236-T	283	11.38	33.69	0.5	8.64	0.11
F-SES-1237-T	306	11.38	34.69	0.5	8.9	0.11
F-SES-1237D-T	306	11.38	35.19	0.5	9.02	0.12
F-SES-1238-T	306	11.38	35.69	0.5	9.15	0.12
F-SES-1238D-T	306	11.38	36.19	0.5	9.28	0.12
F-SES-1239-T	306	11.38	36.69	0.5	9.36	0.12
F-SES-1240-T	325	11.38	37.69	0.5	9.62	0.12
F-SES-1241-T	325	11.38	38.69	0.5	9.87	0.13
F-SES-1241D-T	325	11.38	39.19	0.5	10	0.13
F-SES-1242-T	325	11.38	39.69	0.5	10.08	0.13
F-SES-1243-T	348	11.38	40.69	0.5	10.32	0.13
F-SES-1244-T	348	11.38	41.69	0.5	10.56	0.14
F-SES-1244D-T	348	11.38	42.19	0.5	10.68	0.14
F-SES-1245-T	348	11.38	42.69	0.5	10.8	0.14
F-SES-1246-T	369	11.38	43.69	0.5	11.04	0.14
F-SES-1248-T	369	11.38	45.69	0.5	11.52	0.15
F-SES-1250-T	388	11.38	47.69	0.5	12	0.16
F-SES-1251-T	388	11.38	48.69	0.5	12.24	0.16
F-SES-1252-T	407	11.38	49.69	0.5	12.48	0.16
F-SES-1253-T	407	11.38	50.69	0.5	12.72	0.17
F-SES-1254-T	407	11.38	51.69	0.5	12.96	0.17
F-SES-1256-T	433	11.38	53.69	0.5	13.44	0.18
F-SES-1257-T	433	11.38	54.69	0.5	13.68	0.18
F-SES-1258-T	450	11.38	55.69	0.5	13.92	0.18
F-SES-1259-T	450	11.38	56.69	0.5	14.16	0.19
F-SES-1260-T	450	11.38	57.69	0.5	14.4	0.19
F-SES-1262-T	473	11.38	59.69	0.5	14.88	0.2
F-SES-1263-T	473	11.38	60.69	0.5	15.12	0.2
F-SES-1264-T	496	11.38	61.69	0.5	15.36	0.2
F-SES-1265-T	496	11.38	62.69	0.5	15.6	0.21
F-SES-1266-T	496	11.38	63.69	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1424-T	218	13.25	21.69	0.5	6.72	0.07
F-SES-1430-T	269	13.25	27.69	0.5	8.4	0.11
F-SES-1434-T	312	13.25	31.69	0.5	10.08	0.12
F-SES-1434D-T	312	13.25	32.19	0.5	10.08	0.12
F-SES-1435-T	312	13.25	32.69	0.5	10.08	0.12
F-SES-1435D-T	312	13.25	33.19	0.5	10.08	0.13
F-SES-1436-T	312	13.25	33.69	0.5	10.08	0.13
F-SES-1437-T	338	13.25	34.69	0.5	10.36	0.13
F-SES-1437D-T	338	13.25	35.19	0.5	10.5	0.13
F-SES-1438-T	338	13.25	35.69	0.5	10.64	0.13
F-SES-1438D-T	338	13.25	36.19	0.5	10.78	0.14
F-SES-1439-T	338	13.25	36.69	0.5	10.92	0.14
F-SES-1440-T	361	13.25	37.69	0.5	11.2	0.14
F-SES-1441-T	361	13.25	38.69	0.5	11.48	0.14
F-SES-1441D-T	361	13.25	39.19	0.5	11.62	0.15
F-SES-1442-T	361	13.25	39.69	0.5	11.76	0.15
F-SES-1443-T	385	13.25	40.69	0.5	12.04	0.15
F-SES-1444-T	385	13.25	41.69	0.5	12.32	0.16
F-SES-1444D-T	385	13.25	42.19	0.5	12.46	0.16
F-SES-1445-T	385	13.25	42.69	0.5	12.6	0.16
F-SES-1446-T	405	13.25	43.69	0.5	12.88	0.17
F-SES-1448-T	405	13.25	45.69	0.5	13.44	0.18
F-SES-1450-T	431	13.25	47.69	0.5	14	0.18
F-SES-1451-T	431	13.25	48.69	0.5	14.28	0.19
F-SES-1452-T	455	13.25	49.69	0.5	14.56	0.19
F-SES-1453-T	455	13.25	50.69	0.5	14.84	0.19
F-SES-1454-T	455	13.25	51.69	0.5	15.12	0.2
F-SES-1456-T	478	13.25	53.69	0.5	15.68	0.21
F-SES-1457-T	478	13.25	54.69	0.5	15.96	0.21
F-SES-1458-T	501	13.25	55.69	0.5	16.24	0.21
F-SES-1459-T	501	13.25	56.69	0.5	16.52	0.22
F-SES-1460-T	501	13.25	57.69	0.5	16.8	0.22
F-SES-1462-T	525	13.25	59.69	0.5	17.36	0.23
F-SES-1463-T	525	13.25	60.69	0.5	17.64	0.23
F-SES-1464-T	549	13.25	61.69	0.5	17.92	0.24
F-SES-1465-T	549	13.25	62.69	0.5	18.2	0.24
F-SES-1466-T	549	13.25	63.69	0.5	18.48	0.24


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-2024-T	284	19.25	21.69	0.5	9.6	0.12
F-SES-2030-T	348	19.25	27.69	0.5	12	0.15
F-SES-2034-T	407	19.25	31.69	0.5	14.4	0.18
F-SES-2034D-T	407	19.25	32.19	0.5	14.4	0.18
F-SES-2035-T	407	19.25	32.69	0.5	14.4	0.18
F-SES-2035D-T	407	19.25	33.19	0.5	14.4	0.18
F-SES-2036-T	407	19.25	33.69	0.5	14.4	0.19
F-SES-2037-T	441	19.25	34.69	0.5	14.8	0.19
F-SES-2037D-T	441	19.25	35.19	0.5	15	0.2
F-SES-2038-T	441	19.25	35.69	0.5	15.2	0.2
F-SES-2038D-T	441	19.25	36.19	0.5	15.4	0.2
F-SES-2039-T	441	19.25	36.69	0.5	15.6	0.2
F-SES-2040-T	472	19.25	37.69	0.5	16	0.21
F-SES-2041-T	472	19.25	38.69	0.5	16.4	0.22
F-SES-2041D-T	472	19.25	39.19	0.5	16.6	0.22
F-SES-2042-T	472	19.25	39.69	0.5	16.8	0.22
F-SES-2043-T	501	19.25	40.69	0.5	17.2	0.23
F-SES-2044-T	501	19.25	41.69	0.5	17.6	0.23
F-SES-2044D-T	501	19.25	42.19	0.5	17.8	0.23
F-SES-2045-T	501	19.25	42.69	0.5	18	0.24
F-SES-2046-T	533	19.25	43.69	0.5	18.4	0.24
F-SES-2048-T	533	19.25	45.69	0.5	19.2	0.25
F-SES-2050-T	562	19.25	47.69	0.5	20	0.27
F-SES-2051-T	562	19.25	48.69	0.5	20.4	0.27
F-SES-2052-T	594	19.25	49.69	0.5	20.8	0.28
F-SES-2053-T	594	19.25	50.69	0.5	21.2	0.28
F-SES-2054-T	594	19.25	51.69	0.5	21.6	0.29
F-SES-2056-T	625	19.25	53.69	0.5	22.4	0.3
F-SES-2057-T	625	19.25	54.69	0.5	22.8	0.3
F-SES-2058-T	657	19.25	55.69	0.5	23.2	0.31
F-SES-2059-T	657	19.25	56.69	0.5	23.6	0.32
F-SES-2060-T	657	19.25	57.69	0.5	24	0.32
F-SES-2062-T	689	19.25	59.69	0.5	24.8	0.33
F-SES-2063-T	689	19.25	60.69	0.5	25.2	0.34
F-SES-2064-T	720	19.25	61.69	0.5	25.6	0.34
F-SES-2065-T	720	19.25	62.69	0.5	26	0.35
F-SES-2066-T	720	19.25	63.69	0.5	26.4	0.35

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-0624-F	90	5.38	21.69	0.5	1.44	0.03
F-SES-0630-F	110	5.38	27.69	0.5	1.8	0.04
F-SES-0636-F	130	5.38	33.69	0.5	2.16	0.05
F-SES-0637-F	137	5.38	34.69	0.5	2.22	0.05
F-SES-0637D-F	137	5.38	35.19	0.5	2.26	0.05
F-SES-0638-F	137	5.38	35.69	0.5	2.29	0.06
F-SES-0638D-F	137	5.38	36.19	0.5	2.32	0.06
F-SES-0639-F	137	5.38	36.69	0.5	2.34	0.06
F-SES-0640-F	148	5.38	37.69	0.5	2.4	0.06
F-SES-0641-F	148	5.38	38.69	0.5	2.47	0.06
F-SES-0641D-F	148	5.38	39.19	0.5	2.5	0.06
F-SES-0642-F	148	5.38	39.69	0.5	2.52	0.06
F-SES-0643-F	159	5.38	40.69	0.5	2.58	0.06
F-SES-0644-F	159	5.38	41.69	0.5	2.64	0.06
F-SES-0644D-F	159	5.38	42.19	0.5	2.67	0.07
F-SES-0645-F	159	5.38	42.69	0.5	2.7	0.07
F-SES-0646-F	166	5.38	43.69	0.5	2.76	0.07
F-SES-0648-F	166	5.38	45.69	0.5	2.88	0.07
F-SES-0650-F	178	5.38	47.69	0.5	3	0.07
F-SES-0651-F	178	5.38	48.69	0.5	3.06	0.08
F-SES-0652-F	186	5.38	49.69	0.5	3.12	0.08
F-SES-0653-F	186	5.38	50.69	0.5	3.18	0.08
F-SES-0654-F	186	5.38	51.69	0.5	3.24	0.08
F-SES-0656-F	199	5.38	53.69	0.5	3.36	0.08
F-SES-0657-F	199	5.38	54.69	0.5	3.42	0.09
F-SES-0658-F	209	5.38	55.69	0.5	3.48	0.09
F-SES-0659-F	209	5.38	56.69	0.5	3.54	0.09
F-SES-0660-F	209	5.38	57.69	0.5	3.6	0.09
F-SES-0662-F	217	5.38	59.69	0.5	3.72	0.09
F-SES-0663-F	217	5.38	60.69	0.5	3.78	0.09
F-SES-0664-F	226	5.38	61.69	0.5	3.84	0.1
F-SES-0665-F	226	5.38	62.69	0.5	3.9	0.1
F-SES-0666-F	226	5.38	63.69	0.5	3.96	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1224-F	134	11.38	21.69	0.5	2.88	0.07
F-SES-1230-F	165	11.38	27.69	0.5	3.6	0.09
F-SES-1236-F	198	11.38	33.69	0.5	4.32	0.11
F-SES-1237-F	211	11.38	34.69	0.5	4.45	0.11
F-SES-1237D-F	211	11.38	35.19	0.5	4.51	0.12
F-SES-1238-F	211	11.38	35.69	0.5	4.58	0.12
F-SES-1238D-F	211	11.38	36.19	0.5	4.64	0.12
F-SES-1239-F	211	11.38	36.69	0.5	4.68	0.12
F-SES-1240-F	226	11.38	37.69	0.5	4.81	0.12
F-SES-1241-F	226	11.38	38.69	0.5	4.94	0.13
F-SES-1241D-F	226	11.38	39.19	0.5	5	0.13
F-SES-1242-F	226	11.38	39.69	0.5	5.04	0.13
F-SES-1243-F	242	11.38	40.69	0.5	5.16	0.13
F-SES-1244-F	242	11.38	41.69	0.5	5.28	0.14
F-SES-1244D-F	242	11.38	42.19	0.5	5.34	0.14
F-SES-1245-F	242	11.38	42.69	0.5	5.4	0.14
F-SES-1246-F	255	11.38	43.69	0.5	5.52	0.14
F-SES-1248-F	255	11.38	45.69	0.5	5.76	0.15
F-SES-1250-F	272	11.38	47.69	0.5	6	0.16
F-SES-1251-F	272	11.38	48.69	0.5	6.12	0.16
F-SES-1252-F	287	11.38	49.69	0.5	6.24	0.16
F-SES-1253-F	287	11.38	50.69	0.5	6.36	0.17
F-SES-1254-F	287	11.38	51.69	0.5	6.48	0.17
F-SES-1256-F	303	11.38	53.69	0.5	6.72	0.18
F-SES-1257-F	303	11.38	54.69	0.5	6.84	0.18
F-SES-1258-F	316	11.38	55.69	0.5	6.96	0.18
F-SES-1259-F	316	11.38	56.69	0.5	7.08	0.19
F-SES-1260-F	316	11.38	57.69	0.5	7.2	0.19
F-SES-1262-F	332	11.38	59.69	0.5	7.44	0.2
F-SES-1263-F	332	11.38	60.69	0.5	7.56	0.2
F-SES-1264-F	348	11.38	61.69	0.5	7.68	0.2
F-SES-1265-F	348	11.38	62.69	0.5	7.8	0.21
F-SES-1266-F	348	11.38	63.69	0.5	7.92	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-1424-F	149	13.25	21.69	0.5	3.36	0.08
F-SES-1430-F	183	13.25	27.69	0.5	4.2	0.11
F-SES-1434-F	217	13.25	31.69	0.5	5.04	0.12
F-SES-1434D-F	217	13.25	32.19	0.5	5.04	0.12
F-SES-1435-F	217	13.25	32.69	0.5	5.04	0.13
F-SES-1435D-F	217	13.25	33.19	0.5	5.04	0.13
F-SES-1436-F	217	13.25	33.69	0.5	5.04	0.13
F-SES-1437-F	230	13.25	34.69	0.5	5.18	0.13
F-SES-1437D-F	230	13.25	35.19	0.5	5.25	0.13
F-SES-1438-F	230	13.25	35.69	0.5	5.32	0.14
F-SES-1438D-F	230	13.25	36.19	0.5	5.39	0.14
F-SES-1439-F	230	13.25	36.69	0.5	5.46	0.14
F-SES-1440-F	252	13.25	37.69	0.5	5.6	0.14
F-SES-1441-F	252	13.25	38.69	0.5	5.74	0.15
F-SES-1441D-F	252	13.25	39.19	0.5	5.81	0.15
F-SES-1442-F	252	13.25	39.69	0.5	5.88	0.15
F-SES-1443-F	270	13.25	40.69	0.5	6.02	0.16
F-SES-1444-F	270	13.25	41.69	0.5	6.16	0.16
F-SES-1444D-F	270	13.25	42.19	0.5	6.23	0.16
F-SES-1445-F	270	13.25	42.69	0.5	6.3	0.16
F-SES-1446-F	283	13.25	43.69	0.5	6.44	0.17
F-SES-1448-F	283	13.25	45.69	0.5	6.72	0.18
F-SES-1450-F	300	13.25	47.69	0.5	7	0.18
F-SES-1451-F	300	13.25	48.69	0.5	7.14	0.19
F-SES-1452-F	317	13.25	49.69	0.5	7.28	0.19
F-SES-1453-F	317	13.25	50.69	0.5	7.42	0.19
F-SES-1454-F	317	13.25	51.69	0.5	7.56	0.2
F-SES-1456-F	333	13.25	53.69	0.5	7.84	0.21
F-SES-1457-F	333	13.25	54.69	0.5	7.98	0.21
F-SES-1458-F	351	13.25	55.69	0.5	8.12	0.21
F-SES-1459-F	351	13.25	56.69	0.5	8.26	0.22
F-SES-1460-F	351	13.25	57.69	0.5	8.4	0.22
F-SES-1462-F	369	13.25	59.69	0.5	8.68	0.23
F-SES-1463-F	369	13.25	60.69	0.5	8.82	0.23
F-SES-1464-F	386	13.25	61.69	0.5	8.96	0.24
F-SES-1465-F	386	13.25	62.69	0.5	9.1	0.24
F-SES-1466-F	386	13.25	63.69	0.5	9.24	0.24

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-2024-F	198	19.25	21.69	0.5	4.8	0.12
F-SES-2030-F	241	19.25	27.69	0.5	6	0.15
F-SES-2034-F	283	19.25	31.69	0.5	7.2	0.18
F-SES-2034D-F	283	19.25	32.19	0.5	7.2	0.18
F-SES-2035-F	283	19.25	32.69	0.5	7.2	0.18
F-SES-2035D-F	283	19.25	33.19	0.5	7.2	0.18
F-SES-2036-F	283	19.25	33.69	0.5	7.2	0.19
F-SES-2037-F	307	19.25	34.69	0.5	7.4	0.19
F-SES-2037D-F	307	19.25	35.19	0.5	7.5	0.2
F-SES-2038-F	307	19.25	35.69	0.5	7.6	0.2
F-SES-2038D-F	307	19.25	36.19	0.5	7.7	0.2
F-SES-2039-F	307	19.25	36.69	0.5	7.8	0.2
F-SES-2040-F	330	19.25	37.69	0.5	8	0.21
F-SES-2041-F	330	19.25	38.69	0.5	8.2	0.22
F-SES-2041D-F	330	19.25	39.19	0.5	8.3	0.22
F-SES-2042-F	330	19.25	39.69	0.5	8.4	0.22
F-SES-2043-F	351	19.25	40.69	0.5	8.6	0.23
F-SES-2044-F	351	19.25	41.69	0.5	8.8	0.23
F-SES-2044D-F	351	19.25	42.19	0.5	8.9	0.23
F-SES-2045-F	351	19.25	42.69	0.5	9	0.24
F-SES-2046-F	375	19.25	43.69	0.5	9.2	0.24
F-SES-2048-F	375	19.25	45.69	0.5	9.6	0.25
F-SES-2050-F	392	19.25	47.69	0.5	10	0.27
F-SES-2051-F	392	19.25	48.69	0.5	10.2	0.27
F-SES-2052-F	418	19.25	49.69	0.5	10.4	0.28
F-SES-2053-F	418	19.25	50.69	0.5	10.6	0.28
F-SES-2054-F	418	19.25	51.69	0.5	10.8	0.29
F-SES-2056-F	440	19.25	53.69	0.5	11.2	0.3
F-SES-2057-F	440	19.25	54.69	0.5	11.4	0.3
F-SES-2058-F	463	19.25	55.69	0.5	11.6	0.31
F-SES-2059-F	463	19.25	56.69	0.5	11.8	0.32
F-SES-2060-F	463	19.25	57.69	0.5	12	0.32
F-SES-2062-F	482	19.25	59.69	0.5	12.4	0.33
F-SES-2063-F	482	19.25	60.69	0.5	12.6	0.34
F-SES-2064-F	504	19.25	61.69	0.5	12.8	0.34
F-SES-2065-F	504	19.25	62.69	0.5	13	0.35
F-SES-2066-F	504	19.25	63.69	0.5	13.2	0.35



What’s Included:

Privacy screen (1), Horizontal rails (2), vertical retainers (2).

How to Specify:

Available in various heights and widths to provide specific workstation requirements

Privacy screens can be specified in sold laminate, whiteboard, fabric/tackboard, and frost acrylic.

Notes:

Privacy screen posts are 2-inches by 2-inches wide and are sold seperately.

Options:

Height	6", 12", 14", 20"			
Width	24", 30", 36", 42", 44", 45", 46", 48", 50", 51", 52", 53", 54", 56", 57", 58", 59", 60", 62", 63", 64", 65", 66", 68", 69", 70", 71", 72"			
Screen material	S solid	W whiteboard	T fabric/tackboard	F frost

How to Order and Read your Code:

F	SSS	12	60	F
product line	item	height	width	acrylic

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-0624-S	50	5.38	22.97	0.5	2.88	0.04
F-SSS-0630-S	57	5.38	28.97	0.5	3.6	0.05
F-SSS-0636-S	66	5.38	34.97	0.5	4.32	0.05
F-SSS-0637-S	71	5.38	35.97	0.5	4.44	0.06
F-SSS-0637D-S	71	5.38	36.47	0.5	4.5	0.06
F-SSS-0638-S	71	5.38	36.97	0.5	4.56	0.06
F-SSS-0638D-S	71	5.38	37.47	0.5	4.62	0.06
F-SSS-0639-S	71	5.38	37.97	0.5	4.68	0.06
F-SSS-0640-S	75	5.38	38.97	0.5	4.8	0.06
F-SSS-0641-S	75	5.38	39.97	0.5	4.92	0.06
F-SSS-0641D-S	75	5.38	40.47	0.5	4.98	0.06
F-SSS-0642-S	75	5.38	40.97	0.5	5.04	0.06
F-SSS-0643-S	80	5.38	41.97	0.5	5.16	0.07
F-SSS-0644-S	80	5.38	42.97	0.5	5.28	0.07
F-SSS-0644D-S	80	5.38	43.47	0.5	5.34	0.07
F-SSS-0645-S	80	5.38	43.97	0.5	5.4	0.07
F-SSS-0648-S	86	5.38	46.97	0.5	5.76	0.07
F-SSS-0654-S	93	5.38	52.97	0.5	6.48	0.08
F-SSS-0660-S	105	5.38	58.97	0.5	7.2	0.09
F-SSS-0666-S	114	5.38	64.97	0.5	7.92	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1224-S	62	11.38	22.97	0.5	5.76	0.08
F-SSS-1230-S	74	11.38	28.97	0.5	7.2	0.1
F-SSS-1236-S	88	11.38	34.97	0.5	8.64	0.12
F-SSS-1237-S	93	11.38	35.97	0.5	8.88	0.12
F-SSS-1237D-S	93	11.38	36.47	0.5	9	0.12
F-SSS-1238-S	93	11.38	36.97	0.5	9.12	0.12
F-SSS-1238D-S	93	11.38	37.47	0.5	9.24	0.12
F-SSS-1239-S	93	11.38	37.97	0.5	9.36	0.12
F-SSS-1240-S	98	11.38	38.97	0.5	9.6	0.13
F-SSS-1241-S	98	11.38	39.97	0.5	9.84	0.13
F-SSS-1241D-S	98	11.38	40.47	0.5	9.96	0.13
F-SSS-1242-S	98	11.38	40.97	0.5	10.08	0.13
F-SSS-1243-S	106	11.38	41.97	0.5	10.32	0.14
F-SSS-1244-S	106	11.38	42.97	0.5	10.56	0.14
F-SSS-1244D-S	106	11.38	43.47	0.5	10.68	0.14
F-SSS-1245-S	106	11.38	43.97	0.5	10.8	0.14
F-SSS-1248-S	114	11.38	46.97	0.5	11.52	0.15
F-SSS-1254-S	125	11.38	52.97	0.5	12.96	0.17
F-SSS-1260-S	135	11.38	58.97	0.5	14.4	0.19
F-SSS-1266-S	148	11.38	64.97	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1424-S	66	13.25	22.97	0.5	6.72	0.09
F-SSS-1430-S	80	13.25	28.97	0.5	8.4	0.11
F-SSS-1434-S	93	13.25	32.97	0.5	10.08	0.13
F-SSS-1434D-S	93	13.25	33.47	0.5	10.08	0.13
F-SSS-1435-S	93	13.25	33.97	0.5	10.08	0.13
F-SSS-1435D-S	93	13.25	34.47	0.5	10.08	0.13
F-SSS-1436-S	93	13.25	34.97	0.5	10.08	0.13
F-SSS-1437-S	98	13.25	35.97	0.5	10.36	0.14
F-SSS-1437D-S	98	13.25	36.47	0.5	10.5	0.14
F-SSS-1438-S	98	13.25	36.97	0.5	10.64	0.14
F-SSS-1438D-S	98	13.25	37.47	0.5	10.78	0.14
F-SSS-1439-S	98	13.25	37.97	0.5	10.92	0.15
F-SSS-1440-S	107	13.25	38.97	0.5	11.2	0.15
F-SSS-1441-S	107	13.25	39.97	0.5	11.48	0.15
F-SSS-1441D-S	107	13.25	40.47	0.5	11.62	0.16
F-SSS-1442-S	107	13.25	40.97	0.5	11.76	0.16
F-SSS-1443-S	116	13.25	41.97	0.5	12.04	0.16
F-SSS-1444-S	116	13.25	42.97	0.5	12.32	0.16
F-SSS-1444D-S	116	13.25	43.47	0.5	12.46	0.17
F-SSS-1445-S	116	13.25	43.97	0.5	12.6	0.17
F-SSS-1448-S	121	13.25	46.97	0.5	13.44	0.18
F-SSS-1454-S	133	13.25	52.97	0.5	15.12	0.2
F-SSS-1460-S	147	13.25	58.97	0.5	16.8	0.23
F-SSS-1466-S	161	13.25	64.97	0.5	18.48	0.25

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-2024-S	84	19.25	22.97	0.5	9.6	0.13
F-SSS-2030-S	95	19.25	28.97	0.5	12	0.16
F-SSS-2034-S	116	19.25	32.97	0.5	14.4	0.18
F-SSS-2034D-S	116	19.25	33.47	0.5	14.4	0.19
F-SSS-2035-S	116	19.25	33.97	0.5	14.4	0.19
F-SSS-2035D-S	116	19.25	34.47	0.5	14.4	0.19
F-SSS-2036-S	116	19.25	34.97	0.5	14.4	0.19
F-SSS-2037-S	122	19.25	35.97	0.5	14.8	0.2
F-SSS-2037D-S	122	19.25	36.47	0.5	15	0.2
F-SSS-2038-S	122	19.25	36.97	0.5	15.2	0.21
F-SSS-2038D-S	122	19.25	37.47	0.5	15.4	0.21
F-SSS-2039-S	122	19.25	37.97	0.5	15.6	0.21
F-SSS-2040-S	132	19.25	38.97	0.5	16	0.22
F-SSS-2041-S	132	19.25	39.97	0.5	16.4	0.22
F-SSS-2041D-S	132	19.25	40.47	0.5	16.6	0.23
F-SSS-2042-S	132	19.25	40.97	0.5	16.8	0.23
F-SSS-2043-S	137	19.25	41.97	0.5	17.2	0.23
F-SSS-2044-S	137	19.25	42.97	0.5	17.6	0.24
F-SSS-2044D-S	137	19.25	43.47	0.5	17.8	0.24
F-SSS-2045-S	137	19.25	43.97	0.5	18	0.24
F-SSS-2048-S	147	19.25	46.97	0.5	19.2	0.26
F-SSS-2054-S	163	19.25	52.97	0.5	21.6	0.3
F-SSS-2060-S	182	19.25	58.97	0.5	24	0.33
F-SSS-2066-S	199	19.25	64.97	0.5	26.4	0.36

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1224-W	137	11.38	22.97	0.5	6.4	0.08
F-SSS-1230-W	166	11.38	28.97	0.5	8	0.1
F-SSS-1236-W	199	11.38	34.97	0.5	9.6	0.12
F-SSS-1237-W	209	11.38	35.97	0.5	9.87	0.12
F-SSS-1237D-W	209	11.38	36.47	0.5	10	0.12
F-SSS-1238-W	209	11.38	36.97	0.5	10.14	0.12
F-SSS-1238D-W	209	11.38	37.47	0.5	10.27	0.12
F-SSS-1239-W	209	11.38	37.97	0.5	10.4	0.12
F-SSS-1240-W	227	11.38	38.97	0.5	10.67	0.13
F-SSS-1241-W	227	11.38	39.97	0.5	10.94	0.13
F-SSS-1241D-W	227	11.38	40.47	0.5	11.07	0.13
F-SSS-1242-W	227	11.38	40.97	0.5	11.2	0.13
F-SSS-1243-W	242	11.38	41.97	0.5	11.47	0.14
F-SSS-1244-W	242	11.38	42.97	0.5	11.73	0.14
F-SSS-1244D-W	242	11.38	43.47	0.5	11.87	0.14
F-SSS-1245-W	242	11.38	43.97	0.5	12	0.14
F-SSS-1248-W	258	11.38	46.97	0.5	12.8	0.15
F-SSS-1254-W	284	11.38	52.97	0.5	14.4	0.17
F-SSS-1260-W	319	11.38	58.97	0.5	16	0.19
F-SSS-1266-W	349	11.38	64.97	0.5	17.6	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1424-W	148	13.25	22.97	0.5	7.47	0.09
F-SSS-1430-W	185	13.25	28.97	0.5	9.33	0.11
F-SSS-1434-W	218	13.25	32.97	0.5	11.2	0.13
F-SSS-1434D-W	218	13.25	33.47	0.5	11.2	0.13
F-SSS-1435-W	218	13.25	33.97	0.5	11.2	0.13
F-SSS-1435D-W	218	13.25	34.47	0.5	11.2	0.13
F-SSS-1436-W	218	13.25	34.97	0.5	11.2	0.13
F-SSS-1437-W	235	13.25	35.97	0.5	11.51	0.14
F-SSS-1437D-W	235	13.25	36.47	0.5	11.67	0.14
F-SSS-1438-W	235	13.25	36.97	0.5	11.82	0.14
F-SSS-1438D-W	235	13.25	37.47	0.5	11.98	0.14
F-SSS-1439-W	235	13.25	37.97	0.5	12.13	0.15
F-SSS-1440-W	254	13.25	38.97	0.5	12.45	0.15
F-SSS-1441-W	254	13.25	39.97	0.5	12.76	0.15
F-SSS-1441D-W	254	13.25	40.47	0.5	12.91	0.16
F-SSS-1442-W	254	13.25	40.97	0.5	13.07	0.16
F-SSS-1443-W	272	13.25	41.97	0.5	13.38	0.16
F-SSS-1444-W	272	13.25	42.97	0.5	13.69	0.16
F-SSS-1444D-W	272	13.25	43.47	0.5	13.85	0.17
F-SSS-1445-W	272	13.25	43.97	0.5	14	0.17
F-SSS-1448-W	284	13.25	46.97	0.5	14.93	0.18
F-SSS-1454-W	320	13.25	52.97	0.5	16.8	0.2
F-SSS-1460-W	356	13.25	58.97	0.5	18.67	0.23
F-SSS-1466-W	390	13.25	64.97	0.5	20.53	0.25

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-2024-W	200	19.25	22.97	0.5	10.67	0.13
F-SSS-2030-W	246	19.25	28.97	0.5	13.33	0.16
F-SSS-2034-W	289	19.25	32.97	0.5	16	0.18
F-SSS-2034D-W	291	19.25	33.47	0.5	16	0.19
F-SSS-2035-W	289	19.25	33.97	0.5	16	0.19
F-SSS-2035D-W	289	19.25	34.47	0.5	16	0.19
F-SSS-2036-W	289	19.25	34.97	0.5	16	0.19
F-SSS-2037-W	314	19.25	35.97	0.5	16.45	0.2
F-SSS-2037D-W	314	19.25	36.47	0.5	16.67	0.2
F-SSS-2038-W	314	19.25	36.97	0.5	16.89	0.21
F-SSS-2038D-W	314	19.25	37.47	0.5	17.11	0.21
F-SSS-2039-W	314	19.25	37.97	0.5	17.33	0.21
F-SSS-2040-W	339	19.25	38.97	0.5	17.78	0.22
F-SSS-2041-W	339	19.25	39.97	0.5	18.22	0.22
F-SSS-2041D-W	339	19.25	40.47	0.5	18.45	0.23
F-SSS-2042-W	339	19.25	40.97	0.5	18.67	0.23
F-SSS-2043-W	362	19.25	41.97	0.5	19.11	0.23
F-SSS-2044-W	362	19.25	42.97	0.5	19.56	0.24
F-SSS-2044D-W	362	19.25	43.47	0.5	19.78	0.24
F-SSS-2045-W	362	19.25	43.97	0.5	20	0.24
F-SSS-2048-W	385	19.25	46.97	0.5	21.33	0.26
F-SSS-2054-W	428	19.25	52.97	0.5	24	0.3
F-SSS-2060-W	477	19.25	58.97	0.5	26.67	0.33
F-SSS-2066-W	524	19.25	64.97	0.5	29.33	0.36

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-0624-T	132	5.38	22.97	0.5	2.88	0.04
F-SSS-0630-T	160	5.38	28.97	0.5	3.6	0.05
F-SSS-0636-T	186	5.38	34.97	0.5	4.32	0.05
F-SSS-0637-T	202	5.38	35.97	0.5	4.44	0.06
F-SSS-0637D-T	202	5.38	36.47	0.5	4.5	0.06
F-SSS-0638-T	202	5.38	36.97	0.5	4.56	0.06
F-SSS-0638D-T	202	5.38	37.47	0.5	4.62	0.06
F-SSS-0639-T	202	5.38	37.97	0.5	4.68	0.06
F-SSS-0640-T	216	5.38	38.97	0.5	4.8	0.06
F-SSS-0641-T	216	5.38	39.97	0.5	4.92	0.06
F-SSS-0641D-T	216	5.38	40.47	0.5	4.98	0.06
F-SSS-0642-T	216	5.38	40.97	0.5	5.04	0.06
F-SSS-0643-T	227	5.38	41.97	0.5	5.16	0.07
F-SSS-0644-T	227	5.38	42.97	0.5	5.28	0.07
F-SSS-0644D-T	227	5.38	43.47	0.5	5.34	0.07
F-SSS-0645-T	227	5.38	43.97	0.5	5.4	0.07
F-SSS-0648-T	242	5.38	46.97	0.5	5.76	0.07
F-SSS-0654-T	271	5.38	52.97	0.5	6.48	0.08
F-SSS-0660-T	297	5.38	58.97	0.5	7.2	0.09
F-SSS-0666-T	325	5.38	64.97	0.5	7.92	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1224-T	199	11.38	22.97	0.5	5.76	0.08
F-SSS-1230-T	241	11.38	28.97	0.5	7.2	0.1
F-SSS-1236-T	283	11.38	34.97	0.5	8.64	0.12
F-SSS-1237-T	306	11.38	35.97	0.5	8.88	0.12
F-SSS-1237D-T	306	11.38	36.47	0.5	9	0.12
F-SSS-1238-T	306	11.38	36.97	0.5	9.12	0.12
F-SSS-1238D-T	306	11.38	37.47	0.5	9.24	0.12
F-SSS-1239-T	306	11.38	37.97	0.5	9.36	0.12
F-SSS-1240-T	325	11.38	38.97	0.5	9.6	0.13
F-SSS-1241-T	325	11.38	39.97	0.5	9.84	0.13
F-SSS-1241D-T	325	11.38	40.47	0.5	9.96	0.13
F-SSS-1242-T	325	11.38	40.97	0.5	10.08	0.13
F-SSS-1243-T	348	11.38	41.97	0.5	10.32	0.14
F-SSS-1244-T	348	11.38	42.97	0.5	10.56	0.14
F-SSS-1244D-T	348	11.38	43.47	0.5	10.68	0.14
F-SSS-1245-T	348	11.38	43.97	0.5	10.8	0.14
F-SSS-1248-T	369	11.38	46.97	0.5	11.52	0.15
F-SSS-1254-T	407	11.38	52.97	0.5	12.96	0.17
F-SSS-1260-T	450	11.38	58.97	0.5	14.4	0.19
F-SSS-1266-T	496	11.38	64.97	0.5	15.84	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1424-T	218	13.25	22.97	0.5	6.72	0.09
F-SSS-1430-T	269	13.25	28.97	0.5	8.4	0.11
F-SSS-1434-T	312	13.25	32.97	0.5	10.08	0.13
F-SSS-1434D-T	312	13.25	33.47	0.5	10.08	0.13
F-SSS-1435-T	312	13.25	33.97	0.5	10.08	0.13
F-SSS-1435D-T	312	13.25	34.47	0.5	10.08	0.13
F-SSS-1436-T	312	13.25	34.97	0.5	10.08	0.13
F-SSS-1437-T	338	13.25	35.97	0.5	10.36	0.14
F-SSS-1437D-T	338	13.25	36.47	0.5	10.5	0.14
F-SSS-1438-T	338	13.25	36.97	0.5	10.64	0.14
F-SSS-1438D-T	338	13.25	37.47	0.5	10.78	0.14
F-SSS-1439-T	338	13.25	37.97	0.5	10.92	0.15
F-SSS-1440-T	361	13.25	38.97	0.5	11.2	0.15
F-SSS-1441-T	361	13.25	39.97	0.5	11.48	0.15
F-SSS-1441D-T	361	13.25	40.47	0.5	11.62	0.16
F-SSS-1442-T	361	13.25	40.97	0.5	11.76	0.16
F-SSS-1443-T	385	13.25	41.97	0.5	12.04	0.16
F-SSS-1444-T	385	13.25	42.97	0.5	12.32	0.16
F-SSS-1444D-T	385	13.25	43.47	0.5	12.46	0.17
F-SSS-1445-T	385	13.25	43.97	0.5	12.6	0.17
F-SSS-1448-T	405	13.25	46.97	0.5	13.44	0.18
F-SSS-1454-T	455	13.25	52.97	0.5	15.12	0.2
F-SSS-1460-T	501	13.25	58.97	0.5	16.8	0.23
F-SSS-1466-T	549	13.25	64.97	0.5	18.48	0.25

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-2024-T	284	19.25	22.97	0.5	9.6	0.13
F-SSS-2030-T	348	19.25	28.97	0.5	12	0.16
F-SSS-2034-T	407	19.25	32.97	0.5	14.4	0.18
F-SSS-2034D-T	411	19.25	33.47	0.5	14.4	0.19
F-SSS-2035-T	407	19.25	33.97	0.5	14.4	0.19
F-SSS-2035D-T	407	19.25	34.47	0.5	14.4	0.19
F-SSS-2036-T	407	19.25	34.97	0.5	14.4	0.19
F-SSS-2037-T	441	19.25	35.97	0.5	14.8	0.2
F-SSS-2037D-T	441	19.25	36.47	0.5	15	0.2
F-SSS-2038-T	441	19.25	36.97	0.5	15.2	0.21
F-SSS-2038D-T	441	19.25	37.47	0.5	15.4	0.21
F-SSS-2039-T	441	19.25	37.97	0.5	15.6	0.21
F-SSS-2040-T	472	19.25	38.97	0.5	16	0.22
F-SSS-2041-T	472	19.25	39.97	0.5	16.4	0.22
F-SSS-2041D-T	472	19.25	40.47	0.5	16.6	0.23
F-SSS-2042-T	472	19.25	40.97	0.5	16.8	0.23
F-SSS-2043-T	501	19.25	41.97	0.5	17.2	0.23
F-SSS-2044-T	501	19.25	42.97	0.5	17.6	0.24
F-SSS-2044D-T	501	19.25	43.47	0.5	17.8	0.24
F-SSS-2045-T	501	19.25	43.97	0.5	18	0.24
F-SSS-2048-T	533	19.25	46.97	0.5	19.2	0.26
F-SSS-2054-T	594	19.25	52.97	0.5	21.6	0.3
F-SSS-2060-T	657	19.25	58.97	0.5	24	0.33
F-SSS-2066-T	720	19.25	64.97	0.5	26.4	0.36

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-0624-F	90	5.38	22.97	0.5	1.44	0.04
F-SSS-0630-F	110	5.38	28.97	0.5	1.8	0.05
F-SSS-0636-F	130	5.38	34.97	0.5	2.16	0.05
F-SSS-0637-F	137	5.38	35.97	0.5	2.22	0.06
F-SSS-0637D-F	137	5.38	36.47	0.5	2.25	0.06
F-SSS-0638-F	137	5.38	36.97	0.5	2.28	0.06
F-SSS-0638D-F	137	5.38	37.47	0.5	2.31	0.06
F-SSS-0639-F	137	5.38	37.97	0.5	2.34	0.06
F-SSS-0640-F	148	5.38	38.97	0.5	2.4	0.06
F-SSS-0641-F	148	5.38	39.97	0.5	2.46	0.06
F-SSS-0641D-F	148	5.38	40.47	0.5	2.49	0.06
F-SSS-0642-F	148	5.38	40.97	0.5	2.52	0.06
F-SSS-0643-F	159	5.38	41.97	0.5	2.58	0.07
F-SSS-0644-F	159	5.38	42.97	0.5	2.64	0.07
F-SSS-0644D-F	159	5.38	43.47	0.5	2.67	0.07
F-SSS-0645-F	159	5.38	43.97	0.5	2.7	0.07
F-SSS-0648-F	166	5.38	46.97	0.5	2.88	0.07
F-SSS-0654-F	186	5.38	52.97	0.5	3.24	0.08
F-SSS-0660-F	209	5.38	58.97	0.5	3.6	0.09
F-SSS-0666-F	226	5.38	64.97	0.5	3.96	0.1

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1224-F	134	11.38	22.97	0.5	2.88	0.08
F-SSS-1230-F	165	11.38	28.97	0.5	3.6	0.1
F-SSS-1236-F	198	11.38	34.97	0.5	4.32	0.12
F-SSS-1237-F	211	11.38	35.97	0.5	4.44	0.12
F-SSS-1237D-F	211	11.38	36.47	0.5	4.5	0.12
F-SSS-1238-F	211	11.38	36.97	0.5	4.56	0.12
F-SSS-1238D-F	211	11.38	37.47	0.5	4.62	0.12
F-SSS-1239-F	211	11.38	37.97	0.5	4.68	0.12
F-SSS-1240-F	226	11.38	38.97	0.5	4.8	0.13
F-SSS-1241-F	226	11.38	39.97	0.5	4.92	0.13
F-SSS-1241D-F	226	11.38	40.47	0.5	4.98	0.13
F-SSS-1242-F	226	11.38	40.97	0.5	5.04	0.13
F-SSS-1243-F	242	11.38	41.97	0.5	5.16	0.14
F-SSS-1244-F	242	11.38	42.97	0.5	5.28	0.14
F-SSS-1244D-F	242	11.38	43.47	0.5	5.34	0.14
F-SSS-1245-F	242	11.38	43.97	0.5	5.4	0.14
F-SSS-1248-F	255	11.38	46.97	0.5	5.76	0.15
F-SSS-1254-F	287	11.38	52.97	0.5	6.48	0.17
F-SSS-1260-F	316	11.38	58.97	0.5	7.2	0.19
F-SSS-1266-F	348	11.38	64.97	0.5	7.92	0.21

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-1424-F	149	13.25	22.97	0.5	3.36	0.09
F-SSS-1430-F	183	13.25	28.97	0.5	4.2	0.11
F-SSS-1434-F	217	13.25	32.97	0.5	5.04	0.13
F-SSS-1434D-F	217	13.25	33.47	0.5	5.04	0.13
F-SSS-1435-F	217	13.25	33.97	0.5	5.04	0.13
F-SSS-1435D-F	217	13.25	34.47	0.5	5.04	0.13
F-SSS-1436-F	217	13.25	34.97	0.5	5.04	0.13
F-SSS-1437-F	230	13.25	35.97	0.5	5.18	0.14
F-SSS-1437D-F	230	13.25	36.47	0.5	5.25	0.14
F-SSS-1438-F	230	13.25	36.97	0.5	5.32	0.14
F-SSS-1438D-F	230	13.25	37.47	0.5	5.39	0.14
F-SSS-1439-F	230	13.25	37.97	0.5	5.46	0.15
F-SSS-1440-F	252	13.25	38.97	0.5	5.6	0.15
F-SSS-1441-F	252	13.25	39.97	0.5	5.74	0.15
F-SSS-1441D-F	252	13.25	40.47	0.5	5.81	0.16
F-SSS-1442-F	252	13.25	40.97	0.5	5.88	0.16
F-SSS-1443-F	270	13.25	41.97	0.5	6.02	0.16
F-SSS-1444-F	270	13.25	42.97	0.5	6.16	0.16
F-SSS-1444D-F	270	13.25	43.47	0.5	6.23	0.17
F-SSS-1445-F	270	13.25	43.97	0.5	6.3	0.17
F-SSS-1448-F	283	13.25	46.97	0.5	6.72	0.18
F-SSS-1454-F	317	13.25	52.97	0.5	7.56	0.2
F-SSS-1460-F	351	13.25	58.97	0.5	8.4	0.23
F-SSS-1466-F	386	13.25	64.97	0.5	9.24	0.25

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-2024-F	198	19.25	22.97	0.5	4.8	0.13
F-SSS-2030-F	241	19.25	28.97	0.5	6	0.16
F-SSS-2034-F	283	19.25	32.97	0.5	7.2	0.18
F-SSS-2034D-F	284	19.25	33.47	0.5	7.2	0.19
F-SSS-2035-F	283	19.25	33.97	0.5	7.2	0.19
F-SSS-2035D-F	283	19.25	34.47	0.5	7.2	0.19
F-SSS-2036-F	283	19.25	34.97	0.5	7.2	0.19
F-SSS-2037-F	307	19.25	35.97	0.5	7.4	0.2
F-SSS-2037D-F	307	19.25	36.47	0.5	7.5	0.2
F-SSS-2038-F	307	19.25	36.97	0.5	7.6	0.21
F-SSS-2038D-F	307	19.25	37.47	0.5	7.7	0.21
F-SSS-2039-F	307	19.25	37.97	0.5	7.8	0.21
F-SSS-2040-F	330	19.25	38.97	0.5	8	0.22
F-SSS-2041-F	330	19.25	39.97	0.5	8.2	0.22
F-SSS-2041D-F	330	19.25	40.47	0.5	8.3	0.23
F-SSS-2042-F	330	19.25	40.97	0.5	8.4	0.23
F-SSS-2043-F	351	19.25	41.97	0.5	8.6	0.23
F-SSS-2044-F	351	19.25	42.97	0.5	8.8	0.24
F-SSS-2044D-F	351	19.25	43.47	0.5	8.9	0.24
F-SSS-2045-F	351	19.25	43.97	0.5	9	0.24
F-SSS-2048-F	375	19.25	46.97	0.5	9.6	0.26
F-SSS-2054-F	418	19.25	52.97	0.5	10.8	0.3
F-SSS-2060-F	463	19.25	58.97	0.5	12	0.33
F-SSS-2066-F	504	19.25	64.97	0.5	13.2	0.36




Scene Pricebook
December 2025

**Screen
Components**

screen components

<u>accessories rail - end to end</u>	<u>218</u>
<u>accessories rail - end to share</u>	<u>220</u>
<u>accessories rail - share to share</u>	<u>221</u>
<u>post</u>	<u>222</u>



What's Included:

Accessory rail (1).

How to Specify:

Accessory rail is 8” in height.

Refer to metal paint card for metal paint colors.

Options:

Width24”, 30”, 36”, 37”, 38”, 39”, 40”, 41”, 42”, 43”, 44”, 45”, 46”, 48”, 50”, 51”, 52”, 53”, 54”,56”, 57”, 58”, 59”, 60”, 63”, 64”, 65”, 66”, 68”, 69”, 70”, 71”, 72”

Accessories rail colorRefer to metal paint card for metal paint colors.


How to Order and Read your Code:

FSEE0857product lineitemheightwidth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SEE-0824	125	7.85	20.44	0.5	3.84	0.05
F-SEE-0830	139	7.85	26.44	0.5	4.8	0.06
F-SEE-0836	159	7.85	32.44	0.5	5.76	0.07
F-SEE-0842	181	7.85	38.44	0.5	6.72	0.09
F-SEE-0844	193	7.85	40.44	0.5	7.04	0.09
F-SEE-0845	193	7.85	41.44	0.5	7.2	0.09
F-SEE-0846	202	7.85	42.44	0.5	7.36	0.1
F-SEE-0848	202	7.85	44.44	0.5	7.68	0.1
F-SEE-0850	213	7.85	46.44	0.5	8	0.11
F-SEE-0851	213	7.85	47.44	0.5	8.16	0.11
F-SEE-0852	220	7.85	48.44	0.5	8.32	0.11
F-SEE-0853	220	7.85	49.44	0.5	8.48	0.11
F-SEE-0854	220	7.85	50.44	0.5	8.64	0.11
F-SEE-0856	233	7.85	52.44	0.5	8.96	0.12
F-SEE-0857	233	7.85	53.44	0.5	9.12	0.12
F-SEE-0858	244	7.85	54.44	0.5	9.28	0.12
F-SEE-0859	244	7.85	55.44	0.5	9.44	0.13
F-SEE-0860	244	7.85	56.44	0.5	9.6	0.13
F-SEE-0862	257	7.85	58.44	0.5	9.92	0.13
F-SEE-0863	257	7.85	59.44	0.5	10.08	0.14
F-SEE-0864	265	7.85	60.44	0.5	10.24	0.14
F-SEE-0865	265	7.85	61.44	0.5	10.4	0.14
F-SEE-0866	265	7.85	62.44	0.5	10.56	0.14
F-SEE-0868	278	7.85	64.44	0.5	10.88	0.15
F-SEE-0869	278	7.85	65.44	0.5	11.04	0.15
F-SEE-0870	286	7.85	66.44	0.5	11.2	0.15
F-SEE-0871	286	7.85	67.44	0.5	11.36	0.15
F-SEE-0872	286	7.85	68.44	0.5	11.52	0.16

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SES-0824	120	7.85	21.69	0.5	3.84	0.05
F-SES-0830	139	7.85	27.69	0.5	4.8	0.06
F-SES-0836	159	7.85	33.69	0.5	5.76	0.08
F-SES-0837	170	7.85	34.69	0.5	5.92	0.08
F-SES-0837D	170	7.85	35.19	0.5	6	0.08
F-SES-0838	170	7.85	35.69	0.5	6.08	0.08
F-SES-0838D	170	7.85	36.19	0.5	6.16	0.08
F-SES-0839	170	7.85	36.69	0.5	6.24	0.08
F-SES-0840	181	7.85	37.69	0.5	6.4	0.09
F-SES-0841	181	7.85	38.69	0.5	6.56	0.09
F-SES-0841D	181	7.85	39.19	0.5	6.64	0.09
F-SES-0842	181	7.85	39.69	0.5	6.72	0.09
F-SES-0843	193	7.85	40.69	0.5	6.88	0.09
F-SES-0844	193	7.85	41.69	0.5	7.04	0.09
F-SES-0844D	193	7.85	42.19	0.5	7.12	0.1
F-SES-0845	193	7.85	42.69	0.5	7.2	0.1
F-SES-0846	202	7.85	43.69	0.5	7.36	0.1
F-SES-0848	202	7.85	45.69	0.5	7.68	0.1
F-SES-0850	213	7.85	47.69	0.5	8	0.11
F-SES-0851	213	7.85	48.69	0.5	8.16	0.11
F-SES-0852	220	7.85	49.69	0.5	8.32	0.11
F-SES-0853	220	7.85	50.69	0.5	8.48	0.12
F-SES-0854	220	7.85	51.69	0.5	8.64	0.12
F-SES-0856	233	7.85	53.69	0.5	8.96	0.12
F-SES-0857	233	7.85	54.69	0.5	9.12	0.12
F-SES-0858	244	7.85	55.69	0.5	9.28	0.13
F-SES-0859	244	7.85	56.69	0.5	9.44	0.13
F-SES-0860	244	7.85	57.69	0.5	9.6	0.13
F-SES-0862	257	7.85	59.69	0.5	9.92	0.14
F-SES-0863	257	7.85	60.69	0.5	10.08	0.14
F-SES-0864	265	7.85	61.69	0.5	10.24	0.14
F-SES-0865	265	7.85	62.69	0.5	10.4	0.14
F-SES-0866	265	7.85	63.69	0.5	10.56	0.14
F-SES-0868	278	7.85	65.69	0.5	10.88	0.15
F-SES-0869	278	7.85	66.69	0.5	11.04	0.15
F-SES-0870	286	7.85	67.69	0.5	11.2	0.15
F-SES-0871	286	7.85	68.69	0.5	11.36	0.16
F-SES-0872	286	7.85	69.69	0.5	11.52	0.16

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SSS-0824	120	7.85	22.97	0.5	3.84	0.05
F-SSS-0830	139	7.85	28.97	0.5	4.8	0.07
F-SSS-0836	159	7.85	34.97	0.5	5.76	0.08
F-SSS-0837	170	7.85	35.97	0.5	5.92	0.08
F-SSS-0837D	170	7.85	36.47	0.5	6	0.08
F-SSS-0838	170	7.85	36.97	0.5	6.08	0.08
F-SSS-0838D	170	7.85	37.47	0.5	6.16	0.09
F-SSS-0839	170	7.85	37.97	0.5	6.24	0.09
F-SSS-0840	181	7.85	38.97	0.5	6.4	0.09
F-SSS-0841	181	7.85	39.97	0.5	6.56	0.09
F-SSS-0841D	181	7.85	40.47	0.5	6.64	0.09
F-SSS-0842	181	7.85	40.97	0.5	6.72	0.09
F-SSS-0843	193	7.85	41.97	0.5	6.88	0.1
F-SSS-0844	193	7.85	42.97	0.5	7.04	0.1
F-SSS-0844D	193	7.85	43.47	0.5	7.12	0.1
F-SSS-0845	193	7.85	43.97	0.5	7.2	0.1
F-SSS-0848	202	7.85	46.97	0.5	7.68	0.11
F-SSS-0854	220	7.85	52.97	0.5	8.64	0.12
F-SSS-0860	244	7.85	58.97	0.5	9.6	0.13
F-SSS-0866	265	7.85	64.97	0.5	10.56	0.15
F-SSS-0872	286	7.85	70.97	0.5	11.52	0.16



What’s Included:

Screen post (1), a top cap (1) and three channel inserts (3).

How to Specify:

Available in 14” & 20” heights.

Screen post is finished in silver, white or black powder coat.

Options:

Width	14”, 20”		
Post color	P112 silver	P121 white	P114 black

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
F-PS-14	76	13.5	1.54	1.54	1	0.02
F-PS-20	86	19.5	1.54	1.54	1.85	0.03




Scene Pricebook
December 2025

Supports

support

<u>spacer</u>	226
<u>end gable</u>	228
<u>flag storage gable</u>	229
<u>center gable</u>	230
<u>single support leg</u>	231
<u>low credenza support</u>	232
<u>mending plate</u>	233



What’s Included:

Spacer (1).

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Notes:

- Spacer is 1-inch thick.
- All spacers have 2mm vinyl edge trim.
- Low pressure laminate is available on the top surface of a spacer


Options:

Width	12”, 18”, 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”
Depth	18”

How to Order and Read your Code:

F	SS	60
product line	item	width

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-SS-1218	61	1	12	18	4.32	0.13
F-SS-1818	84	1	18	18	6.48	0.19
F-SS-2418	105	1	24	18	8.64	0.25
F-SS-3018	125	1	30	18	10.8	0.31
F-SS-3618	147	1	36	18	12.96	0.38
F-SS-4218	168	1	42	18	15.12	0.44
F-SS-4818	189	1	48	18	17.28	0.5
F-SS-5418	214	1	54	18	19.44	0.56
F-SS-6018	230	1	60	18	21.6	0.63
F-SS-6618	255	1	66	18	23.76	0.69
F-SS-7218	277	1	72	18	25.92	0.75
F-SS-7818	299	1	78	18	28.08	0.81
F-SS-8418	320	1	84	18	30.24	0.88
F-SS-9018	343	1	90	18	32.4	0.94
F-SS-9618	365	1	96	18	34.56	1



What’s Included:

End gable (1) and two levelers (2).

How to Specify:

Specify the width of the end gable to be the same as the depth of the worksurface being supported.

Refer to metal paint card for metal paint colors..

Options:

Width	24", 30", 36", 42", 48", 60"
Gable color	Refer to metal paint card for metal paint colors.


Notes:

Used at the end of a worksurface run for support.

Two levelers with a leveling range of 2.5-inches are included.

Supports a worksurface at a height of 28".

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HOEG-2824	331	27.28	23.43	1.53	13.44	0.57
F-HOEG-2830	363	27.28	29.53	1.53	16.8	0.71
F-HOEG-2836	392	27.28	35.43	1.53	20.16	0.86
F-HOEG-2842	433	27.28	41.54	1.53	23.52	1
F-HOEG-2848	471	27.28	47.64	1.53	26.88	1.15
F-HOEG-2860	523	27.28	59.45	1.53	33.6	1.44



What’s Included:

End gable (1) and two levelers (2).

How to Specify:

Refer to metal paint card for metal paint colors.

Notes:

Used at the end of a flag storage for support of the flag storage cabinet.


Two levelers with a leveling range of 2.5-inches are included.

Supports a flag storage at a height of 29".

Options:

Leg Color	Refer to metal paint card for metal paint colors.
-----------	---

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HFSS-2914	284	28.27	13.58	1.53	7.84	0.34



What’s Included:

Center gable (1) and two levelers (2).

How to Specify:

Specify the width of the center gable to be the same as the depth of the worksurface being supported.

Refer to metal paint card for metal paint colors..

Notes:

Used as a shared support for worksurfaces in the middle of a worksurface run.

Two levelers with a leveling range of 2.5-inches are included.


Supports a worksurface at a height of 28”.

Options:

Width12”, 24”, 30”, 36”, 48”, 60”

Leg ColorRefer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HOCG-2812	245	27.28	11.61	1.53	20.6	0.28
F-HOCG-2824	271	27.28	23.42	1.53	33.6	0.57
F-HOCG-2830	289	27.28	29.53	1.53	40.32	0.72
F-HOCG-2836	361	27.28	35.43	1.53	46.6	0.86
F-HOCG-2848	467	27.28	47.44	1.53	55	1



What’s Included:

Single support leg (1), a leveler (1) and fastners.

How to Specify:

Refer to metal paint card for metal paint colors.

Notes:

Used to support one end of a worksurfaces where the other end is supported by a high credenza or end gable.


One levelers with a leveling range of 2.5-inches are included.

Supports a worksurface at a height of 28”

Options:

Leg ColorRefer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HSSP-28	297	27.9	10	12	6	1.94



What’s Included:

Low credenza support (1), and fasteners (4).

How to Specify:

Refer to metal paint card for metal paint colors.

Notes:


Mounted directly to the underside of the worksurface.

Supports a worksurface at a height of 28”.

Options:

Leg Color Refer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HCFM	189	6.38	7	4	6	0.1



What’s Included:

Mending plate (1)

How to Specify:

Mending plate is finished in silver powder coat.

Notes:

Mounted directly to the underside of two worksurface.

Options:

Leg Color **P112** silver

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-PWW	45	5.5	3	0.13	1	0.01




Scene Pricebook
December 2025

**Reinforcement
Bars**

reinforcement bar

end to end	236
end to share	238
share to share	240
end to no connector	242
share to no connector	244
no connector	246
short beam	247



What’s Included:

Reinforcement bar (1), two end brackets (2) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors.

Notes:

Mounted directly to an end gable.


Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”
Color	Refer to metal paint card for metal paint colors.

How to Order and Read your Code:

F	HRB-EE	72
product line	item	width

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-EE-36	210	2.44	33.79	1.57	7.2	0.06
F-HRB-EE-42	222	2.44	39.79	1.57	8.4	0.07
F-HRB-EE-48	230	2.44	45.79	1.57	9.6	0.08
F-HRB-EE-54	245	2.44	51.79	1.57	10.8	0.09
F-HRB-EE-60	255	2.44	57.79	1.57	12	0.11
F-HRB-EE-66	270	2.44	63.79	1.57	13.2	0.12
F-HRB-EE-72	279	2.44	69.79	1.57	14.4	0.13
F-HRB-EE-78	293	2.44	75.79	1.57	15.6	0.14
F-HRB-EE-84	306	2.44	81.79	1.57	16.8	0.15
F-HRB-EE-90	316	2.44	87.79	1.57	18	0.16
F-HRB-EE-96	330	2.44	93.79	1.57	19.2	0.17



What’s Included:

Reinforcement bar (1), one end bracket (1), one share bracket (1) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors.


Notes:

Mounted directly to an end gable and a center gable.

Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”
Color	Refer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-ES-36	214	2.44	35.35	1.57	7.2	0.06
F-HRB-ES-42	224	2.44	41.35	1.57	8.4	0.08
F-HRB-ES-48	232	2.44	47.35	1.57	9.6	0.09
F-HRB-ES-54	248	2.44	53.35	1.57	10.8	0.1
F-HRB-ES-60	257	2.44	59.35	1.57	12	0.11
F-HRB-ES-66	272	2.44	65.35	1.57	13.2	0.12
F-HRB-ES-72	283	2.44	71.35	1.57	14.4	0.13
F-HRB-ES-78	295	2.44	77.35	1.57	15.6	0.14
F-HRB-ES-84	308	2.44	83.35	1.57	16.8	0.15
F-HRB-ES-90	319	2.44	89.35	1.57	18	0.16
F-HRB-ES-96	331	2.44	95.35	1.57	19.2	0.17



What’s Included:

Reinforcement bar (1), two share brackets (2) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors.


Notes:

Mounted directly to two center gables.

Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Color	Refer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-SS-36	217	2.44	36.91	1.57	7.2	0.07
F-HRB-SS-42	226	2.44	42.91	1.57	8.4	0.08
F-HRB-SS-48	240	2.44	48.91	1.57	9.6	0.09
F-HRB-SS-54	252	2.44	54.91	1.57	10.8	0.1
F-HRB-SS-60	263	2.44	60.91	1.57	12	0.11
F-HRB-SS-66	276	2.44	66.91	1.57	13.2	0.12
F-HRB-SS-72	287	2.44	72.91	1.57	14.4	0.13
F-HRB-SS-78	299	2.44	78.91	1.57	15.6	0.14
F-HRB-SS-84	311	2.44	84.91	1.57	16.8	0.15
F-HRB-SS-90	320	2.44	90.91	1.57	18	0.17
F-HRB-SS-96	333	2.44	96.91	1.57	19.2	0.18



What’s Included:

Reinforcement bar (1), one end bracket (1), one end cap (1) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors.


Options:

Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Color	Refer to metal paint card for metal paint colors.

Notes:

Mounted directly to an end gable.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-EN-24	112	2.44	24	1.57	4.8	0.05
F-HRB-EN-30	122	2.44	30	1.57	6	0.06
F-HRB-EN-36	134	2.44	36	1.57	7.2	0.07
F-HRB-EN-42	147	2.44	42	1.57	8.4	0.08
F-HRB-EN-48	159	2.44	48	1.57	9.6	0.09
F-HRB-EN-54	168	2.44	54	1.57	10.8	0.1
F-HRB-EN-60	182	2.44	60	1.57	12	0.11
F-HRB-EN-66	195	2.44	66	1.57	13.2	0.12
F-HRB-EN-72	206	2.44	72	1.57	14.4	0.13
F-HRB-EN-78	218	2.44	78	1.57	15.6	0.14
F-HRB-EN-84	228	2.44	84	1.57	16.8	0.15
F-HRB-EN-90	242	2.44	90	1.57	18	0.17
F-HRB-EN-96	253	2.44	96	1.57	19.2	0.18



What’s Included:

Reinforcement bar (1), one share bracket (1), one end cap (1) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors..


Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Color	Refer to metal paint card for metal paint colors.

Notes:

Mounted directly to a center gable.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-SN-36	134	2.44	36.91	1.57	7.2	0.07
F-HRB-SN-42	147	2.44	42.91	1.57	8.4	0.08
F-HRB-SN-48	159	2.44	48.91	1.57	9.6	0.09
F-HRB-SN-54	168	2.44	54.91	1.57	10.8	0.1
F-HRB-SN-60	182	2.44	60.91	1.57	12	0.11
F-HRB-SN-66	195	2.44	66.91	1.57	13.2	0.12
F-HRB-SN-72	206	2.44	72.91	1.57	14.4	0.13
F-HRB-SN-78	218	2.44	78.91	1.57	15.6	0.14
F-HRB-SN-84	228	2.44	84.91	1.57	16.8	0.15
F-HRB-SN-90	242	2.44	90.91	1.57	18	0.17
F-HRB-SN-96	253	2.44	96.91	1.57	19.2	0.18



What’s Included:

Reinforcement bar (1), two end caps (2) and fasteners (2).

How to Specify:

Length of the reinforcement bar is referred to as the width to correspond to the worksurface.

Specify the width of the reinforcement bar to be the same as the width of worksurface being supported.

Refer to metal paint card for metal paint colors..


Notes:

Mounted directly to a worksurface.

Options:

Width	48”, 54”, 60”, 66”, 72”
Color	Refer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-NN-48	95	2.44	48	1.57	9.6	0.09
F-HRB-NN-54	110	2.44	54	1.57	10.8	0.1
F-HRB-NN-60	121	2.44	60	1.57	12	0.11
F-HRB-NN-66	133	2.44	66	1.57	13.2	0.12
F-HRB-NN-72	145	2.44	72	1.57	14.4	0.13



What’s Included:

Short reinforcement bar (1), one end bracket (1), one end cap (1) and fasteners (2).

How to Specify:

Refer to metal paint card for metal paint colors.

Notes:

Mounted directly to a flag storage gable.

Options:

Color	Refer to metal paint card for metal paint colors.
-------	---


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-HRB-SB	112	1.5	7.51	1.5	1.81	0.01



Scene Pricebook
December 2025
Electrics

wire management trough

wire management trough	250
trough mounted power box	252
trough mounted data box	253
electrical splitter harness	254
electrical starter harness	255
connector harness (female to female)	256
connector harness (female to female) continued	258
connector harness (female to male)	259
power pole	260
power pole bracket	261
under worksurface mounted wire manager	262
task light	263
pop-up grommet	264



What’s Included:

Wire management trough (1), and fasteners (2).

How to Specify:

Length of the wire management trough is referred to as the width to correspond to the worksurface.

Specify the width of the wire management trough to the same or less than the width of the worksurface.

Available in the same nominal widths as the worksurface, but is actually shorter to accommodate worksurface supports.

Notes:

Wire management trough is 4.375-inches high and 5.375-inches deep.

Trough mounted power and/or communication box can be mounted to the wire management trough when power and/or communication access is required below the worksurface.

Facilitates lay-in cable management below the worksurface.


Options:

Width	36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Leg color	Refer to metal paint card for metal paint colors.

How to Order and Read your Code:

F	EWHT	36
product line	item	width

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-EWHT-36	129	4.41	28	5.38	3.6	0.38
F-EWHT-42	143	4.41	34	5.38	4.2	0.46
F-EWHT-48	159	4.41	40	5.38	4.8	0.54
F-EWHT-54	172	4.41	46	5.38	5.4	0.63
F-EWHT-60	187	4.41	52	5.38	6	0.71
F-EWHT-66	205	4.41	58	5.38	6.6	0.79
F-EWHT-72	219	4.41	64	5.38	7.2	0.87
F-EWHT-78	232	4.41	70	5.38	7.8	0.95
F-EWHT-84	252	4.41	76	5.38	8.4	1.03
F-EWHT-90	269	4.41	82	5.38	9	1.12
F-EWHT-96	282	4.41	88	5.38	9.6	1.2



What’s Included:

Trough mounted power box (1), and removable fasteners (2).


How to Specify:

Specify electrical harnesses separately.
Available in grey plastic only.

Options:

output national code

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-EM84-T	214	2.88	8.38	1.25	0.6	0.02



What’s Included:

Trough mounted data box (1), and removable fasteners (2).

How to Specify:

Specify communication cables separately.
Refer to metal paint card for metal paint colors.
Interface with communication receptacles is grey only.

Notes:


Mounted to the worksurface wire management trough when communication access is required below the worksurface.

Equipped with one RJ11 outlet, one RJ45 outlet, and a spare opening.

Options:

Output 11/45 **K3** 11/11/45 **K6** 11/45/45
Data box color Refer to metal paint card for metal paint colors.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-EC-T	216	2.88	3.75	1.5	0.6	0.02
F-EC-T-K3	306	2.88	3.75	1.5	0.6	0.02
F-EC-T-K6	240	2.88	3.75	1.5	0.6	0.02



What’s Included:

Electrical splitter harness (1).

How to Specify:


Refer to local codes for limits or restrictions on harness length.

Notes:

A qualified electrician must perform the connection to the building power supply.

Equipped with one male end that fits into the female end of a power box while the other end has two female ends..

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
F-EX84-12	135	12	0.9	0.5



What’s Included:

Electrical starter harness (1).

How to Specify:


Refer to local codes for limits or restrictions on harness length.

Notes:

A qualified electrician must perform the connection to the building power supply.

Equipped with one male end that fits into the female end of a power box while the other end is meant to be hard wired to a building’s power supply.

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
F-ES84-072	355	72	2.48	2.96
F-ES84-168	605	168	5.12	4.59



What’s Included:

Connector harness (1).

How to Specify:

Refer to local codes for limits or restrictions on harness length.

Options:


Width 22", 25", 28", 31", 34", 37", 40", 43", 46", 49", 52", 55", 58", 61", 64", 67", 70", 73", 76", 79", 82", 85", 88", 91", 94", 97", 100", 103", 106", 109", 112", 115", 118", 121", 124", 127", 130", 133", 136", 139", 142", 145", 148", 151", 154", 157", 160", 163", 166", 169", 172", 175", 178", 181"

Notes:

A qualified electrician must perform the connection to the building power supply.
Equipped with two female ends.

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
F-EH-22	206	22	0.7	0
F-EH-25	214	25	0.8	0
F-EH-28	219	28	0.9	0
F-EH-31	226	31	1	0
F-EH-34	230	34	1.1	0
F-EH-37	243	37	1.2	0
F-EH-40	251	40	1.3	0
F-EH-43	256	43	1.4	0
F-EH-46	269	46	1.5	0
F-EH-49	273	49	1.6	0
F-EH-52	282	52	1.7	0
F-EH-55	287	55	1.8	0
F-EH-58	295	58	1.9	0
F-EH-61	306	61	2	0
F-EH-64	311	64	2.1	0
F-EH-67	316	67	2.2	0
F-EH-70	330	70	2.3	0
F-EH-73	333	73	2.4	0
F-EH-76	339	76	2.5	0
F-EH-79	351	79	2.6	0
F-EH-82	355	82	2.7	0
F-EH-85	364	85	2.8	0
F-EH-88	376	88	2.9	0
F-EH-91	382	91	3	0
F-EH-94	388	94	3.1	0
F-EH-97	398	97	3.2	0
F-EH-100	403	100	3.3	0

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
F-EH-103	413	103	3.4	0
F-EH-106	421	106	3.5	0
F-EH-109	427	109	3.5	0
F-EH-112	437	112	3.7	0
F-EH-115	442	115	3.8	0
F-EH-118	447	118	3.9	0
F-EH-121	458	121	4	0
F-EH-124	467	124	4.1	0
F-EH-127	473	127	4.2	0
F-EH-130	478	130	4.3	0
F-EH-133	487	133	4.4	0
F-EH-136	496	136	4.5	0
F-EH-139	503	139	4.6	0
F-EH-142	510	142	4.7	0
F-EH-145	671	145	4.8	0
F-EH-148	681	148	4.9	0
F-EH-151	689	151	5	0
F-EH-154	694	154	5.1	0
F-EH-157	698	157	5.2	0
F-EH-160	712	160	5.3	0
F-EH-163	720	163	5.4	0
F-EH-166	723	166	5.5	0
F-EH-169	727	169	5.6	0
F-EH-172	740	172	5.7	0
F-EH-175	746	175	5.8	0
F-EH-178	751	178	5.9	0
F-EH-181	760	181	6	0



What's Included:

Connector harness (1).

How to Specify:

Refer to local codes for limits or restrictions on harness length.

Options:

Width44", 122"

Notes:

A qualified electrician must perform the connection to the building power supply.

Equipped with one male end and one female end.

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
F-E8FM-044	287	44	1.5	1.45
F-E8FM-122	478	122	2.5	2.15



What’s Included:

Power pole back and cover (1), ceiling grommet - two halves (1), removable fasteners (9), and screw caps (2).

The ceiling feed cable management column must attach to a partition.

Back and cover finished in silver, black or white powder coat.

Ceiling grommet finished in white powder coat only.

How to Specify:

Notes:

The power pole is 1.875-inches wide and 3.75-inches deep.

Power and communication cables are laid into separate channels of the power pole back.


Spans from the ceiling to the floor allowing power and communication cables access from the ceiling into the wire trough on a partition.

Can be stacked to span heights greater than 120-inches with stacking brackets included, however a second power pole must be specified.

Options:

Width	96”, 108”, 120”		
Leg color	P112 silver	P121 white	P114 black

Code	Price	H (in.)	Weight (lb)	Volume (ft³)
F-ECCC-96	376	96	1.54	0.39
F-ECCC-108	414	108	1.73	0.44
F-ECCC-120	455	120	1.92	0.49



What’s Included:

Power pole bracket (2) and fasteners (8).


How to Specify:

Power pole bracket is finished in silver, black or white powder coat.

Notes:

The power pole bracket connects a worksurface to a power pole.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-ECBK	143	5	5.62	3.5	1	0.06



What’s Included:

Under worksurface mounted wire manager (1).

How to Specify:

Specify the size needed.

Available in black only.


Notes:

Under worksurface wire manager attaches to the under side of the worksurface.

Options:

Size	12”W	24”W	36”W
------	------	------	------

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
V-EWHB-12	8	1.5	12	1.5	0.2	0.02
V-EWHB-24	17	1.5	24	1.5	0.4	0.04
V-EWHB-36	26	1.5	36	1.5	0.6	0.06



What’s Included:

Task Light (1) and installation hardware.

How to Specify:

This product is available only in silver.

Notes:

The task light can be mounted beneath an overhead cabinet or shelf to provide focused lighting within the workstation.


The task light cord is 9-feet long from the end of the task light.

Task lights come with built-in occupancy sensor with 30 minute delay

Options:

Width	24”, 36”, 48”
-------	---------------

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
V-ELU-24	316	1.1	24	3.5	9.5	0.16
V-ELU-36	355	1.1	36	3.5	13.5	0.27
V-ELU-48	446	1.1	48	3.5	17.9	0.38



What’s Included:

in-surface pop-up grommet with 1 power and dual USB.

How to Specify:

Available in silver, black, and white.

Notes:

120” cord length

Code	Price	W (in.)	D 1 (in.)	Color
8530-0168	650	5	3.75	silver
8530-0169	650	5	3.75	black
8530-0178	135	5	3.75	white






Scene Pricebook
December 2025
Accessories

accessories

<u>trough mounted modesty</u>	<u>268</u>
<u>surface mounted metal screen</u>	<u>270</u>
<u>accessory screen</u>	<u>271</u>
<u>storage cube</u>	<u>272</u>
<u>paper sorter</u>	<u>273</u>
<u>paper tray</u>	<u>274</u>
<u>pen holder</u>	<u>275</u>
<u>monitor arm</u>	<u>276</u>
<u>keyboard tray</u>	<u>277</u>
<u>pencil tray</u>	<u>278</u>
<u>credenza seat cushion</u>	<u>279</u>



What’s Included:

Trough mounted modesty (1), two square mounting clamp caps and removable fasteners (2-4).

How to Specify:

Specify the width of the screen to the same or less than the width of the worksurface being used for support.

Specify the width of the screen to the 18-inches or less than the width of the worksurface being used for support if a credenza is specified to support one end of the worksurface.

Available in the same nominal widths as the worksurface, but is actually shorter to accommodate worksurface supports.

Constructed of acrylic and available in frosted finish.

Notes:

Trough mounted modesty is 1/8-inch thick.

Positioned on the bottom of a worksurface with the vertical face approximately 10-inches from the vistor edge of the worksurface.

Mounting clamps with clamping screw are fastened to the mounting clamp retaining plates that are fitted into the hole sets located in two/three locations on the screen.

A top mounting flange fits into the inward facing top channel of the perpendicular reinforcement beam closest to the visitor edge of the worksurface if specified.

Options:


Width28”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”

AcrylicF frost

How to Order and Read your Code:

FATMM1628
product lineitemheightwidth

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
frosted						
F-ATMM-1636-F	284	16	28	5.38	6	1.88
F-ATMM-1642-F	326	16	34	5.38	7.2	2.29
F-ATMM-1648-F	370	16	40	5.38	8.4	2.69
F-ATMM-1654-F	413	16	46	5.38	9.6	3.09
F-ATMM-1660-F	450	16	52	5.38	10.8	3.5
F-ATMM-1666-F	496	16	58	5.38	12	3.9
F-ATMM-1672-F	565	16	64	5.38	13.2	4.3
F-ATMM-1678-F	607	16	70	5.38	14.4	4.71
F-ATMM-1684-F	650	16	76	5.38	15.6	5.11
F-ATMM-1690-F	694	16	82	5.38	16.8	5.52
F-ATMM-1696-F	735	16	88	5.38	18	5.92



What’s Included:

Surface mounted metal screen (1) and removable fasteners (12).

How to Specify:

Available in the same nominal widths as the worksurface, but is actually shorter to accommodate worksurface supports.

Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card - accent finish.


Notes:

The surface mounted metal screen is placed between two worksurfaces. It can be used on a single surface as well.

Options:

Width	36", 42", 48", 54", 60", 66", 72"		
Color	P121 white P202 vineyard	P200 sunrise P203 sky	P201 tropic P204 meadow

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-ASMS-1336	398	13	36	6	5	2.13
F-ASMS-1342	464	13	42	6	5.5	2.48
F-ASMS-1348	524	13	48	6	6	2.83
F-ASMS-1354	564	13	54	6	6.5	3.19
F-ASMS-1360	653	13	60	6	7	3.54
F-ASMS-1366	777	13	66	6	7.5	3.9
F-ASMS-1372	818	13	72	6	8	4.25



What’s Included:

Accessory screen (1).

How to Specify:

Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card - accent finish.


Notes:

The accessory screen is a freestanding privacy screen.


Options:

Color	P121 white P202 vineyard	P200 sunrise P203 sky	P201 tropic P204 meadow
-------	---	--	--

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-ASCN-1320	386	13	20	6	10	1.18



storage cube (shelf)



storage cube (sorter)

What’s Included:

- Shelf: Storage cube (1) and two shelf inserts (2).
- Sorter: Storage cube (1) and an insert (1).

Notes:

Storage cube can hold multiple folders and papers.

How to Specify:


Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card.

Storage cube outer shell and insert are available in a variety of color combinations.

Color combination Options:

Insert Color	OUTER SHELL COLOR							
	P121 white	P112 silver	P114 black	P200 sunrise	P201 tropic	P202 vineyard	P203 sky	P204 meadow
P121 white	✓	✓	✓	✓	✓	✓	✓	✓
P112 silver	✓	✓	✓	✓	✓	✓	✓	✓
P114 black	✓	✓	✓	✓	✓	✓	✓	✓
P200 sunrise	✓	✓	✓	✓				
P201 tropic	✓	✓	✓		✓			
P202 vineyard	✓	✓	✓			✓		
P203 sky	✓	✓	✓				✓	
P204 meadow	✓	✓	✓					✓

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
storage cube (shelf)						
V-ACSF	396	12	12	12	8	1
storage cube (sorter)						
V-ACSR	320	12	12	12	8	1



What’s Included:

- Paper sorter base (1) and three paper sorter panels (3).

Notes:

Paper sorter can hold multiple folders at an optimal angle


How to Specify:

Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card - accent finish.

Options:

Color	P121 white P202 vineyard	P200 sunrise P203 sky	P201 tropic P204 meadow
-------	-----------------------------	--------------------------	----------------------------

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-AAS	189	2.5	11	10	4	3



What’s Included:

Paper tray (1).

How to Specify:

Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card - accent finish.


Notes:

Paper tray is available in letter and legal paper sizes.

Options:

Paper size	9 letter	13 legal	
Color	P121 white P202 vineyard	P200 sunrise P203 sky	P201 tropic P204 meadow

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
letter						
F-AAP-9	94	3.2	12	9	2	0.12
legal						
F-AAP-13	107	3.2	15	9	3	0.16



What’s Included:

Pen holder (1).

How to Specify:

Available in a variety of powder coat finish colors. Refer to the samples presented on Tayco metal finish card - accent finish.


Notes:

Pen holder is 4” wide by 2” deep.


Options:

Color	P121 white P202 vineyard	P200 sunrise P203 sky	P201 tropic P204 meadow
-------	-----------------------------	--------------------------	----------------------------


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
F-AAH	86	4	4	2	1	0.02




Single Monitor Arm - clamp mount



Single Monitor Arm - grommet mount



Double Monitor Arm - clamp mount



Double Monitor Arm - grommet mount

What's Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- Specify type

Notes:

Available in silver only

Single Monitor Arm

- Screen Size - 17"-36"
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees


Dual Monitor Arm

- Screen Size - 17"-32"
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees

Dimensions:

Vesa: 75x75 and 100x100

Code	Price
Monitor Arm - Single Mount	
V-AFMA-01	391
Monitor Arm - Double Mount	
V-AFMA-02	652



Articulating Keyboard Tray

What's Included:

Keyboard Tray, installation hardware.


How to Specify:

The articulating keyboards are available only in black.

Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments

Code	Price	H	W	D	Volume (ft³)	Weight (lb)
Articulating Keyboard Tray						
V-KASX-2510	421	0	25	10	0	15



What’s Included:

Pencil Drawer (1) installation hardware and mounting slides.


How to Specify:

This product is available only in black.

Notes:

Pencil drawers provide compartmentalized pencil and stationary storage below the worksurface.

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
V-ADPP	92	21	16	1.8	0.62



What’s Included:

Credenza seat cushion (1).

How to Specify:

Specify the width of the seat cushion to be the same as the width of the credenza used for support if a full seat cushion to cover the entire top of a credenza is required

Specify the width of the seat cushion to be 18-inches if an off-modular smaller seat cushion is required to accommodate power access, top mounted storage, and worksurfaces supports.

Refer to the swatches presented on Tayco Seating fabric cards.

Notes:

Mounting brackets on the bottom of the seat fit into the channel rail on the top of credenza allowing the seat cushion to slide from side-to-side along the width of the credenza.

Options:

Width18, 24, 30, 36, 42, 48, 54, 60, 66, 72

Code	Price	W (in.)
F-ACSC-18	276	18
F-ACSC-24	321	24
F-ACSC-30	366	30
F-ACSC-36	407	36
F-ACSC-42	460	42
F-ACSC-48	503	48
F-ACSC-54	552	54
F-ACSC-60	594	60
F-ACSC-66	646	66
F-ACSC-72	689	72