



# Switch USA Pricebook December 2025

Contents


|                                           |       |
|-------------------------------------------|-------|
| Statement of Line                         | vi    |
| Space Division                            | vi    |
| Workspace & Supports                      | viii  |
| Connections & Trims                       | x     |
| Storage                                   | xi    |
| Electrics                                 | xii   |
| Accessories                               | xii   |
| Segment Types                             | xiii  |
| Caution                                   | xiv   |
| Application Guidelines                    | xv    |
| Types of Surfaces                         | xv    |
| Gallery Panel Planning                    | xvi   |
| Connection Types - Panel Doors            | xvii  |
| Connection Types - Sliding Doors          | xviii |
| Connection Types - Fillers                | xix   |
| Wire Play Planning                        | xxi   |
| Panels                                    | 3     |
| Standard Panel - Monolithic               | 4     |
| Non Powered Capable                       | 4     |
| Powered Capable                           | 8     |
| Standard - Glazed                         | 12    |
| Non Powered                               | 12    |
| Powered                                   | 28    |
| Elevated - Monolithic                     | 44    |
| Elevated - Glazed                         | 48    |
| Gallery - Woodgrain                       | 64    |
| Horizontal Grain                          | 64    |
| Vertical Grain                            | 76    |
| Gallery - Solid                           | 88    |
| Frameless Blade                           | 100   |
| Standard & Elevated Panel Mounted Glass   | 100   |
| Standard & Elevated Panel Mounted Acrylic | 102   |
| Gallery Panel Mounted Glass               | 104   |
| Gallery Panel Mounted Acrylic             | 106   |

|                                   |     |
|-----------------------------------|-----|
| Panel Mounted Add Ons             | 108 |
| Whiteboard                        | 108 |
| Tackboard                         | 109 |
| Doors                             | 110 |
| Hinged                            | 110 |
| Sliding                           | 112 |
| Connections & Trims               | 117 |
| 2-Way Connection                  | 118 |
| 3-Way T Connection                | 119 |
| 4-Way X Connection                | 120 |
| Top Cap                           | 121 |
| Full Height End Trim              | 122 |
| Partial Height End Trim           | 123 |
| Full Height T Filler              | 124 |
| Partial Height T Filler           | 125 |
| 90 Degree Filler-Full Height      | 126 |
| 90 Degree Filler- Partial Height  | 127 |
| Straight Filler                   | 128 |
| Gallery Panel Filler              | 129 |
| Adjustable Connections and Trims  | 130 |
| Workspace                         | 133 |
| Straight w grommet                | 134 |
| Straight Workspace w/o Grommet    | 136 |
| Straight Workspace w/ Wire Play   | 140 |
| 5-sided w Grommet                 | 144 |
| Straight Workspace with Wire Play | 146 |
| Unitized w/ Grommet               | 148 |
| Unitized w/ Wire Play             | 150 |
| Transaction Top                   | 152 |

|                                     |     |
|-------------------------------------|-----|
| Supports                            | 155 |
| Ladder Gable                        | 156 |
| Standard Panel                      | 156 |
| Gallery Panel                       | 158 |
| Freestanding Panel                  | 160 |
| Laminate Gable                      | 161 |
| Standard Panel                      | 161 |
| Gallery Panel                       | 162 |
| Freestanding                        | 163 |
| Wrap Gable                          | 164 |
| Standard Panel                      | 164 |
| Gallery Panel                       | 165 |
| Tech Drop                           | 166 |
| Cantilever                          | 167 |
| Standard Panel                      | 167 |
| Gallery Panel                       | 168 |
| Standard Panel Mount Corner Bracket | 170 |
| Flush Plates                        | 171 |
| Storage Support Bracket             | 172 |
| Fixed Credenza Support Bracket      | 173 |
| 90 Degree Storage Bracket           | 174 |
| Horizontal Surface Support          | 175 |
| Electrics                           | 177 |
| Power Module                        | 178 |
| Power & Data                        | 179 |
| Connector Harness                   | 180 |
| Male to Female Extension Harness    | 182 |
| New York Junction Box               | 183 |
| Chicago Electrical Box              | 184 |
| Wire Manager                        | 185 |
| Communication Kit                   | 186 |
| Conversion Kit                      | 187 |

|                                   |     |
|-----------------------------------|-----|
| Storage                           | 189 |
| Pedestals                         | 190 |
| Underdesk Pedestal                | 190 |
| Mobile                            | 191 |
| Upholstered Seat Pad              | 192 |
| Lateral File                      | 193 |
| Underdesk                         | 193 |
| Freestanding                      | 194 |
| Credenza                          | 195 |
| Open Lateral                      | 195 |
| Storage Tower                     | 196 |
| Wardrobe Tower                    | 197 |
| Combo Tower                       | 198 |
| w/ Front Access                   | 198 |
| w/ Side Access                    | 200 |
| Panel Mounted Overheads - Cabinet | 202 |
| Flipper                           | 202 |
| Hinged Door                       | 203 |
| Shared                            | 204 |
| Cubby                             | 206 |
| Metal Shelf                       | 207 |
| Accessories                       | 209 |
| Cable manager                     | 210 |
| Desktop Power Module              | 211 |
| Tasklight                         | 212 |
| Monitor Arm                       | 213 |
| Keyboard Tray                     | 214 |
| Work Organizers                   | 215 |
| Accessory Rail                    | 216 |
| Pencil Tray                       | 217 |

Space Division



L-PPFO  
Standard Fabric Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 72"  
\*66"H available up to 60"W  
\*82"H available up to 48"W




L-PPLO  
Standard Laminate Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 48"  
\*82"H available up to 36"W



L-PPFCA/LPPFCG  
L-PPFFA/L-PPFFG  
Standard Segmented Fabric Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 60"  
\*82"H available up to 48"W



L-PPLCA/LPPLCG  
L-PPLFA/L-PPLFG  
Standard Segmented Laminate Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 60"  
\*82"H available up to 36"W



L-PYSE-S1/ L-PYSM-S1  
Solid Single Gallery Panel  
H: 34", 42", 50"  
W: 26" - 74"




L-PYGE-S1/L-PYSM-S1  
Woodgrain Single Gallery Panel  
H: 34", 42", 50"  
W: 26" - 56"



L-PD00  
Hinge Door  
H: 82"  
W: 36", 42"




L-PDS  
Sliding Door  
H: 66"  
W: 30", 36", 42"



L-PEFO  
Elevated Fabric Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 72"  
\*66"H available up to 60"W  
\*82"H available up to 48"W




L-PELO  
Elevated Laminate Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 48"  
\*82"H available up to 36"W



L-PEFCA/LPEFCG  
L-PEFFA/L-PEFFG  
Elevated Glazed Fabric Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 60"  
\*82"H available up to 48"W




L-PELCA/LPELCG  
L-PELFA/L-PELFG  
Elevated Glazed Laminate Panel  
H: 34", 42", 50", 66", 82"  
W: 24" - 60"  
\*82"H available up to 36"W




L-PYSE-D1/D2/ L-PYSM-D1/D2  
Solid Double Gallery Panel  
H: 34", 42", 50"  
W: 42" - 146"



L-PYGE-01/02/ L-PYGM-D1/D2  
Woodgrain Double Gallery Panel  
H: 34", 42", 50"  
W: 42" - 110"



L-VG-P/ L-VA-P  
Frameless Glass Standard Panel Mount  
H: 8", 16", 20"  
W: 24" - 72"




L-VG-Y/ L-VA-Y  
Frameless Glass Gallery Panel Mount  
H: 8", 16"  
W: 24" - 60"




Worksurface & Supports




L-HCB  
Corner Bracket  
H: 3"  
W: 4"




L-PWW  
Mending Plate  
D: 4"  
W: 6"



L-HSSE-Y  
Return Support Gallery  
Panel Mount with Power  
H: 3"  
W: 24", 30"



L-HSSE-P  
Return Support Standard  
Mount with Power  
H: 3"  
W: 24", 30"



L-HCFM  
Credenza Support  
H: 6"  
W: 4"



L-CCAB  
Cantilever  
H: 8"  
D: 16", 22"



L-HSSB  
Storage Support Bracket  
H: 3"  
D: 1"



L-WTT  
Transaction Top  
D: 15"  
W: 24" - 60"



L-WS00  
Straight Worksurface  
W: 24" - 96"  
D: 20", 24", 30"




L-WS00  
Straight Worksurface with  
Cropped Depth  
W: 23" - 96"  
D: 19" - 30"



L-WS0G  
Straight Worksurface with  
Grommets  
W: 24" - 96"  
D: 20", 24", 30"




L-W5C0  
5 Corner Curved Worksurface  
with Grommet  
A: 36" - 48"  
B: 36" - 48"  
C: 24" - 30"  
D: 24" - 30"



5 Corner Curved Worksurface  
with Double Hand Cropped  
Depth  
A: 35" - 47"  
B: 35" - 47"  
C: 23" - 39"  
D: 23" - 29"



5 Corner Curved Worksurface  
with Left Hand Cropped  
Depth  
A: 36" - 48"  
B: 35" - 47"  
C: 23" - 39"  
D: 24" - 30"




5 Corner Curved Worksurface  
with Right Hand Cropped  
Depth  
A: 35" - 47"  
B: 36" - 48"  
C: 24" - 30"  
D: 23" - 29"



5 Corner Straight Worksurface  
with Grommet  
A: 36" - 48"  
B: 36" - 48"  
C: 24" - 30"  
D: 24" - 30"



5 Corner Straight Worksurface  
with Double Hand Cropped  
Depth  
A: 35" - 47"  
B: 35" - 47"  
C: 23" - 39"  
D: 23" - 29"



5 Corner Straight Worksurface  
with Left Hand Cropped  
Depth  
A: 36" - 48"  
B: 35" - 47"  
C: 23" - 39"  
D: 24" - 30"



5 Corner Straight Worksurface  
with Right Hand Cropped  
Depth  
A: 35" - 47"  
B: 36" - 48"  
C: 24" - 30"  
D: 23" - 29"




L-WUCG  
Unitized Curved Worksurface  
with Grommets  
A: 35"  
B: 54" - 96"  
C: 24"  
D: 24"  
RH Shown



L-WUC0  
Unitized Curved Worksurface  
with Side A Cropped Depth  
A: 35"  
B: 54" - 96"  
C: 24"  
D: 23"  
RH Shown



Unitized Curved Worksurface  
with Side B Cropped Depth  
A: 36"  
B: 53" - 95"  
C: 23"  
D: 24"  
RH Shown



Unitized Curved Work-  
surface with Side A & B  
Cropped Depth  
A: 35"  
B: 53" - 95"  
C: 23"  
D: 23"  
RH Shown



L-HOEG/ L-HOMG  
Ladder Leg  
H: 25", 28"  
D: 20", 24", 30"




L-HCEG  
Laminate Gable Leg  
H: 25", 28"  
D: 20", 24", 30"



L-HWEG  
Wrap Gable  
H: 25", 28"  
D: 20", 24", 30"




L-HPGP/ L-HPSP  
Pedestal to Panel  
Bracket  
H: 28"  
W: 1", 7"



L-S00M  
Steel Shelf  
H: 6"  
W: 30" - 60"  
D: 12"




L-SCS  
Cubby  
H: 8"  
W: 24" - 48"  
D: 11"




L-STOT/ L-STTO  
Shared Overhead with Tack-  
board  
H: 16"  
W: 36" - 72"  
D: 15"



L-STMO/ L-STOM  
Shared Overhead  
H: 16"  
W: 36" - 72"  
D: 15"



L-SPLO/ L-SPOL  
Split Overhead Cabinet  
H: 16"  
W: 36" - 60"  
D: 12"



L-SPFL/ L-SPFM  
Flipper Cabinet  
H: 16"  
W: 30" - 60"  
D: 14"



L-FL2F  
2D Freestanding Lateral  
H: 29"  
W: 30", 36"  
D: 24"



L-FL3F  
3D Freestanding  
Lateral  
H: 42"  
W: 30", 36"  
D: 24"



L-FL4F  
4D Freestanding  
Lateral  
H: 54"  
W: 30", 36"  
D: 24"

Connections & Trims




L-HETF  
Standard End Trim  
H: 34", 42", 50", 66", 82"  
W: 2"




L-HETF-CH  
End Trim with Coat Hook  
H: 34", 42", 50", 66"  
W: 2"




L-HETP  
End Trim (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"




L-HFTR  
T Filler (Full)  
H: 34", 42", 50", 66", 82"  
W: 2"




L-HFTP  
T Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



L-HFNR  
90 Degree Filler (Full)  
H: 34", 42", 50", 66", 82"  
W: 2"



L-HFNP  
90 Degree Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



L-HFSP  
Strait Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



L-HW2/ L-HW4/ L-HW6  
Wall Connector  
H: 34", 42", 50", 66", 82"  
W: 2", 4", 6"



L-HYP  
Gallery Panel Filler  
H: 8", 16", 24", 32", 40", 48"  
W: 1"




L-HC2W-90-A  
90 Degree A Panel Connector




L-HC2W-90-B  
90 Degree B Panel Connector




L-HC2W-180-A  
180 Degree A Panel Connector




L-HC2W-180-B  
180 Degree B Panel Connector




L-HC3W-A  
3 Way A Panel Connector




L-HC3W-B  
3 Way B Panel Connector



L-HC3W-C  
3 Way C Panel Connector




L-HC3W-D  
3 Way D Panel Connector



L-HC4W-A  
4 Way A Panel Connector




L-HC4W-B  
4 Way B Panel Connector



L-HC4W-C  
4 Way C Panel Connector



L-HC4W-D  
4 Way D Panel Connector



L-HUFC-02  
Top Cap  
H: 2"  
W: 2"

Storage



L-CRCL  
Credenza  
H: 20"  
W: 48" - 72"  
D: 18"



L-FL2U  
2D Underdesk Lateral  
H: 28"  
W: 30", 36"  
D: 23", 29"



L-FPBU  
BBF Underdesk Pedestal  
H: 28"  
W: 16"  
D: 23", 29"



L-FPFU  
FF Underdesk Pedestal  
H: 28"  
W: 16"  
D: 23", 29"



L-FPLO  
BF Mobile Pedestal  
H: 21"  
W: 16"  
D: 18"



L-FPLS  
BF Mobile Pedestal with cushion  
H: 22"  
W: 16"  
D: 18"



L-CWTB  
Combination Storage Tower  
H: 42", 50"  
W: 24"  
D: 24", 30"



L-CWTF  
Combination Storage Tower  
H: 42", 50"  
W: 24"  
D: 24", 30"




L-FTSS  
Standard Storage Tower  
H: 42", 50"  
W: 18"  
D: 24", 30"



L-FTCS  
Wardrobe Tower  
H: 42", 50"  
W: 18"  
D: 24", 30"



Electrics



V-EMW-2  
Desk Mounted Power Bar  
L: 6"



V-EWHB  
Horizontal Cable Manager  
H: 1.5"  
W: 12" - 72"




L-ES84  
Starter  
L: 72", 168"




L-EH84  
Connector Harness  
L: 22"-181"



L-E8FM  
M/F Connector  
L: 44", 122"



L-ECK1  
Data/Com



L-EM84  
Power Module




L-EP-P/ L-EP-Y  
Power Pole  
H: 96", 120", 144"  
W: 2"


Accessories



L-AR  
Accessory Rail  
H: 3"  
W: 24" - 60"




L-APP  
Paper Tray  
L: 11"  
W: 9" - 13"




L-AAS  
3 Division Paper Sorter  
H: 11"  
W: 10"  
D: 10"




L-AAPO  
Pen Holder  
H: 4"  
W: 4"  
D: 2"



L-ATPO  
Tackboard  
H: 7", 15"  
W: 24" - 60"



L-AWPO  
Whiteboard  
H: 15"  
W: 24" - 60"




L-PAD  
Upholstered Pad  
L: 18"  
W: 24" - 72"



V-AFMA-02  
Dual Monitor Arm



V-AFMA-01  
Monitor Arm



V-KASX  
Keyboard Tray

Segment Types

Standard Panel

OEE  
8+




OES  
8+16



OSS  
16+16



OTS  
24+16



OTT  
24+24



ESS  
8+16+16




SSS  
16+16+16



Elevated Panel

OEE  
8+8



OES  
8+16




OSS  
16+16



OTS  
24+16



OTT  
24+24



ESS  
8+16+16



SSS  
16+16+16



Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard



Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Application Guidelines

Types of Surfaces



no grommet




with grommet




wireplay





Gallery Panel Planning




Connection Types - Panel Doors



Connection Types - Sliding Doors




Connection Types - Fillers




4-Way Connection


Type A Connection





Type B Connection




Type C Connection




Type D Connection




PARTIAL T-FILLER



PARTIAL 90°-FILLER




PARTIAL STRAIGHT FILLER




Wire Play Planning


1" wire play along spine




1" wire play along spine




1" wire play along all surfaces




1" wire play along all surfaces




1" wire play along return




1" wire play along spine



1" wire play along spine and worksurface



1" wire play along spine and worksurface






# Switch USA Pricebook

## December 2025

# Panels

| Panels                      |    |                                  |
|-----------------------------|----|----------------------------------|
| Standard Panel - Monolithic | 4  | Gallery - Woodgrain64            |
| Non Powered Capable         | 4  | Horizontal Grain64               |
| Fabric                      | 4  | Single Span Middle64             |
| Laminate                    | 6  | Double Span Middle66             |
| Powered Capable             | 8  | Single Span End /No Cutout68     |
| Fabric                      | 8  | Single Span End/w Cutout70       |
| Laminate                    | 10 | Double Span End /No Cutout72     |
| Standard - Glazed           | 12 | Double Span End/w Cutout74       |
| Non Powered                 | 12 | Vertical Grain76                 |
| Fabric/Clear Acrylic        | 12 | Single Span Middle76             |
| Fabric/Frosted Acrylic      | 14 | Double Span Middle78             |
| Fabric/Clear Glass          | 16 | Single Span End /No Cutout80     |
| Fabric/Frosted Glass        | 18 | Single Span End /w Cutout82      |
| Laminate/Clear Acrylic      | 20 | Double Span End/No Cutout84      |
| Laminate/Frosted Acrylic    | 22 | Double Span End /w Cutout86      |
| Laminate/Clear Glass        | 24 | Gallery - Solid88                |
| Laminate/Frosted Glass      | 26 | Single Span Middle88             |
| Powered                     | 28 | Double Span Middle90             |
| Fabric/Clear Acrylic        | 28 | Single Span End /No Cutout92     |
| Fabric/Frosted Acrylic      | 30 | Single Span End /w Cutout94      |
| Fabric/Clear Glass          | 32 | Double Span End/No Cutout96      |
| Fabric/Frosted Glass        | 34 | Double Span End /w Cutout98      |
| Laminate/Clear Acrylic      | 36 | Frameless Blade100               |
| Laminate/Frosted Acrylic    | 38 | Standard & Elevated              |
| Laminate/Clear Glass        | 40 | Panel Mounted Glass100           |
| Laminate/Frosted Glass      | 42 | Standard & Elevated              |
| Elevated - Monolithic       | 44 | Panel Mounted Acrylic102         |
| Fabric                      | 44 | Gallery Panel Mounted Glass104   |
| Laminate                    | 46 | Gallery Panel Mounted Acrylic106 |
| Elevated - Glazed           | 48 | Panel Mounted Add Ons108         |
| Fabric/Clear Acrylic        | 48 | Whiteboard108                    |
| Fabric/Frosted Acrylic      | 50 | Tackboard109                     |
| Fabric/Clear Glass          | 52 | Doors110                         |
| Fabric/Frosted Glass        | 54 | Hinged110                        |
| Laminate/Clear Acrylic      | 56 | Sliding112                       |
| Laminate/Frosted Acrylic    | 58 | Clear Acrylic113                 |
| Laminate/Clear Glass        | 60 | Frosted Acrylic114               |
| Laminate/Frosted Glass      | 62 | Fluted Acrylic115                |





Standard Monolithic  
Non-Powered Fabric Panel

What’s Included:

One (1) 2” thick fabric panel with  
1” incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections  
Choose White, Black, Silver, Charcoal for Panel  
Frame colour

Notes:

Non-power capable panel.  
Can be used in run with power-capable  
panels and allows wires to pass through.  
Panels are non tackable. For tackable  
option see Panel Add-On section.  
Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel


Options:

|                          |                                             |
|--------------------------|---------------------------------------------|
| Height*:                 | 34”, 42”, 50”, 66”, 82”                     |
| Width:                   | 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72” |
| Fabric                   |                                             |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal              |

\*34” high - 50” high available up to 72” wide, 66” high available up to 60” wide, 82” high available up to 48” wide

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPF0-3424-N | 419   | 34 | 24 | 2 | 16.32        | 0.94         |
| L-PPF0-3430-N | 452   | 34 | 30 | 2 | 20.4         | 1.18         |
| L-PPF0-3436-N | 486   | 34 | 36 | 2 | 24.48        | 1.42         |
| L-PPF0-3442-N | 519   | 34 | 42 | 2 | 28.56        | 1.65         |
| L-PPF0-3448-N | 551   | 34 | 48 | 2 | 32.64        | 1.89         |
| L-PPF0-3454-N | 584   | 34 | 54 | 2 | 36.72        | 2.13         |
| L-PPF0-3460-N | 617   | 34 | 60 | 2 | 40.8         | 2.36         |
| L-PPF0-3466-N | 889   | 34 | 66 | 2 |              |              |
| L-PPF0-3472-N | 920   | 34 | 72 | 2 |              |              |

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPF0-4224-N | 419   | 42 | 24 | 2 | 20.16        | 1.17         |
| L-PPF0-4230-N | 452   | 42 | 30 | 2 | 25.2         | 1.46         |
| L-PPF0-4236-N | 486   | 42 | 36 | 2 | 30.24        | 1.75         |
| L-PPF0-4242-N | 519   | 42 | 42 | 2 | 35.28        | 2.04         |
| L-PPF0-4248-N | 551   | 42 | 48 | 2 | 40.32        | 2.33         |
| L-PPF0-4254-N | 584   | 42 | 54 | 2 | 45.36        | 2.63         |
| L-PPF0-4260-N | 617   | 42 | 60 | 2 | 50.4         | 2.92         |
| L-PPF0-4266-N | 889   | 42 | 66 | 2 |              |              |
| L-PPF0-4272-N | 920   | 42 | 72 | 2 |              |              |
| L-PPF0-5024-N | 452   | 50 | 24 | 2 | 24           | 1.39         |
| L-PPF0-5030-N | 502   | 50 | 30 | 2 | 30           | 1.74         |
| L-PPF0-5036-N | 551   | 50 | 36 | 2 | 36           | 2.08         |
| L-PPF0-5042-N | 601   | 50 | 42 | 2 | 42           | 2.43         |
| L-PPF0-5048-N | 651   | 50 | 48 | 2 | 48           | 2.78         |
| L-PPF0-5054-N | 701   | 50 | 54 | 2 | 54           | 3.13         |
| L-PPF0-5060-N | 747   | 50 | 60 | 2 | 60           | 3.47         |
| L-PPF0-5066-N | 994   | 50 | 66 | 2 |              |              |
| L-PPF0-5072-N | 1039  | 50 | 72 | 2 |              |              |
| L-PPF0-6624-N | 519   | 66 | 24 | 2 | 31.68        | 1.83         |
| L-PPF0-6630-N | 577   | 66 | 30 | 2 | 39.6         | 2.29         |
| L-PPF0-6636-N | 627   | 66 | 36 | 2 | 47.52        | 2.75         |
| L-PPF0-6642-N | 676   | 66 | 42 | 2 | 55.44        | 3.21         |
| L-PPF0-6648-N | 725   | 66 | 48 | 2 | 63.36        | 3.67         |
| L-PPF0-6654-N | 791   | 66 | 54 | 2 | 71.28        | 4.13         |
| L-PPF0-6660-N | 856   | 66 | 60 | 2 | 79.2         | 4.58         |
| L-PPF0-8224-N | 983   | 82 | 24 | 2 |              |              |
| L-PPF0-8230-N | 1054  | 82 | 30 | 2 |              |              |
| L-PPF0-8236-N | 1277  | 82 | 36 | 2 |              |              |
| L-PPF0-8242-N | 1344  | 82 | 42 | 2 |              |              |
| L-PPF0-8248-N | 1413  | 82 | 48 | 2 |              |              |



Standard Monolithic  
Non-Powered Laminate  
Panel

What’s Included:

One (1) 2” thick laminate panel with  
1” incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate  
selections Choose White, Black, Silver, Charcoal  
for Panel Frame colour

Notes:


Non-power capable panel.  
  
Can be used in run with power-capable  
panels and allows wires to pass through.  
  
Panels are non tackable. For tackable  
option see Panel Add-On section.

Options:

|                                                         |                         |
|---------------------------------------------------------|-------------------------|
| Height*:                                                | 34”, 42”, 50”, 66”, 82” |
| Width:                                                  | 24”, 30”, 36”, 42”, 48  |
| Fabric                                                  |                         |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                         |

\*82” high available up to 36” wide

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPL0-3424-N | 530   | 34 | 24 | 2 | 16.32        | 0.94         |
| L-PPL0-3430-N | 578   | 34 | 30 | 2 | 20.4         | 1.18         |
| L-PPL0-3436-N | 659   | 34 | 36 | 2 | 24.48        | 1.42         |
| L-PPL0-3442-N | 709   | 34 | 42 | 2 | 28.56        | 1.65         |
| L-PPL0-3448-N | 777   | 34 | 48 | 2 | 32.64        | 1.89         |
| L-PPL0-4224-N | 578   | 42 | 24 | 2 | 20.16        | 1.17         |
| L-PPL0-4230-N | 629   | 42 | 30 | 2 | 25.2         | 1.46         |
| L-PPL0-4236-N | 709   | 42 | 36 | 2 | 30.24        | 1.75         |
| L-PPL0-4242-N | 759   | 42 | 42 | 2 | 35.28        | 2.04         |
| L-PPL0-4248-N | 825   | 42 | 48 | 2 | 40.32        | 2.33         |
| L-PPL0-5024-N | 629   | 50 | 24 | 2 | 24           | 1.39         |
| L-PPL0-5030-N | 678   | 50 | 30 | 2 | 30           | 1.74         |
| L-PPL0-5036-N | 777   | 50 | 36 | 2 | 36           | 2.08         |
| L-PPL0-5042-N | 825   | 50 | 42 | 2 | 42           | 2.43         |
| L-PPL0-5048-N | 892   | 50 | 48 | 2 | 48           | 2.78         |
| L-PPL0-6624-N | 777   | 66 | 24 | 2 | 31.68        | 1.83         |
| L-PPL0-6630-N | 825   | 66 | 30 | 2 | 39.6         | 2.29         |
| L-PPL0-6636-N | 974   | 66 | 36 | 2 | 47.52        | 2.75         |
| L-PPL0-6642-N | 1025  | 66 | 42 | 2 | 55.44        | 3.21         |
| L-PPL0-6648-N | 1089  | 66 | 48 | 2 | 63.36        | 3.67         |
| L-PPL0-8224-N | 1052  | 82 | 24 | 2 |              |              |
| L-PPL0-8230-N | 1068  | 82 | 30 | 2 |              |              |
| L-PPL0-8236-N | 1396  | 82 | 36 | 2 |              |              |



Standard Monolithic  
Powered Fabric Panel

What's Included:

One (1) 2" thick fabric panel with 1" incremented  
slotted channels, Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel  
Frame colour

Notes:

Power capable panel with bracket for  
power module.

Power module must be specified  
seperately.

Panels are non tackable. For tackable  
option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

Options:

Height\*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"


Fabric

Metal Powder Coat Paint: White, Black, Silver, Charcoal

\*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPF0-3424-E | 468   | 34 | 24 | 2 | 16.32        | 0.94         |
| L-PPF0-3430-E | 502   | 34 | 30 | 2 | 20.4         | 1.18         |
| L-PPF0-3436-E | 534   | 34 | 36 | 2 | 24.48        | 1.42         |
| L-PPF0-3442-E | 570   | 34 | 42 | 2 | 28.56        | 1.65         |
| L-PPF0-3448-E | 601   | 34 | 48 | 2 | 32.64        | 1.89         |
| L-PPF0-3454-E | 635   | 34 | 54 | 2 | 36.72        | 2.13         |
| L-PPF0-3460-E | 665   | 34 | 60 | 2 | 40.8         | 2.36         |
| L-PPF0-3466-E | 933   | 34 | 66 | 2 |              |              |
| L-PPF0-3472-E | 961   | 34 | 72 | 2 |              |              |

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPF0-4224-E | 468   | 42 | 24 | 2 | 20.16        | 1.17         |
| L-PPF0-4230-E | 502   | 42 | 30 | 2 | 25.2         | 1.46         |
| L-PPF0-4236-E | 534   | 42 | 36 | 2 | 30.24        | 1.75         |
| L-PPF0-4242-E | 570   | 42 | 42 | 2 | 35.28        | 2.04         |
| L-PPF0-4248-E | 601   | 42 | 48 | 2 | 40.32        | 2.33         |
| L-PPF0-4254-E | 635   | 42 | 54 | 2 | 45.36        | 2.63         |
| L-PPF0-4260-E | 665   | 42 | 60 | 2 | 50.4         | 2.92         |
| L-PPF0-4266-E | 933   | 42 | 66 | 2 |              |              |
| L-PPF0-4272-E | 961   | 42 | 72 | 2 |              |              |
| L-PPF0-5024-E | 502   | 50 | 24 | 2 | 24           | 1.39         |
| L-PPF0-5030-E | 551   | 50 | 30 | 2 | 30           | 1.74         |
| L-PPF0-5036-E | 601   | 50 | 36 | 2 | 36           | 2.08         |
| L-PPF0-5042-E | 651   | 50 | 42 | 2 | 42           | 2.43         |
| L-PPF0-5048-E | 701   | 50 | 48 | 2 | 48           | 2.78         |
| L-PPF0-5054-E | 747   | 50 | 54 | 2 | 54           | 3.13         |
| L-PPF0-5060-E | 796   | 50 | 60 | 2 | 60           | 3.47         |
| L-PPF0-5066-E | 1038  | 50 | 66 | 2 |              |              |
| L-PPF0-5072-E | 1081  | 50 | 72 | 2 |              |              |
| L-PPF0-6624-E | 570   | 66 | 24 | 2 | 31.68        | 1.83         |
| L-PPF0-6630-E | 627   | 66 | 30 | 2 | 39.6         | 2.29         |
| L-PPF0-6636-E | 676   | 66 | 36 | 2 | 47.52        | 2.75         |
| L-PPF0-6642-E | 725   | 66 | 42 | 2 | 55.44        | 3.21         |
| L-PPF0-6648-E | 776   | 66 | 48 | 2 | 63.36        | 3.67         |
| L-PPF0-6654-E | 840   | 66 | 54 | 2 | 71.28        | 4.13         |
| L-PPF0-6660-E | 903   | 66 | 60 | 2 | 79.2         | 4.58         |
| L-PPF0-8224-E | 1027  | 82 | 24 | 2 |              |              |
| L-PPF0-8230-E | 1098  | 82 | 30 | 2 |              |              |
| L-PPF0-8236-E | 1319  | 82 | 36 | 2 |              |              |
| L-PPF0-8242-E | 1388  | 82 | 42 | 2 |              |              |
| L-PPF0-8248-E | 1457  | 82 | 48 | 2 |              |              |



Standard Monolithic  
Powered Laminate  
Panel

What’s Included:

One (1) 2” thick flaminite panel with  
1” incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
  
Choose White, Black, Silver, Charcoal for Panel  
Frame colour

Notes:


Power capable panel with bracket for  
power module.  
  
Power module must be specified  
seperately.  
  
Panels are non tackable. For tackable  
option see Panel Add-On section.

Options:

|                          |                                |
|--------------------------|--------------------------------|
| Height*:                 | 34”, 42”, 50”, 66”, 82”        |
| Width:                   | 24”, 30”, 36”, 42”, 48”,       |
| Laminate                 |                                |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal |

\*82”H available up to 36”W

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-PPL0-3424-E | 577   | 34 | 24 | 2 | 16.32        | 0.94         |
| L-PPL0-3430-E | 627   | 34 | 30 | 2 | 20.4         | 1.18         |
| L-PPL0-3436-E | 707   | 34 | 36 | 2 | 24.48        | 1.42         |
| L-PPL0-3442-E | 757   | 34 | 42 | 2 | 28.56        | 1.65         |
| L-PPL0-3448-E | 823   | 34 | 48 | 2 | 32.64        | 1.89         |
| L-PPL0-4224-E | 627   | 42 | 24 | 2 | 20.16        | 1.17         |
| L-PPL0-4230-E | 676   | 42 | 30 | 2 | 25.2         | 1.46         |
| L-PPL0-4236-E | 757   | 42 | 36 | 2 | 30.24        | 1.75         |
| L-PPL0-4242-E | 808   | 42 | 42 | 2 | 35.28        | 2.04         |
| L-PPL0-4248-E | 873   | 42 | 48 | 2 | 40.32        | 2.33         |
| L-PPL0-5024-E | 676   | 50 | 24 | 2 | 24           | 1.39         |
| L-PPL0-5030-E | 725   | 50 | 30 | 2 | 30           | 1.74         |
| L-PPL0-5036-E | 823   | 50 | 36 | 2 | 36           | 2.08         |
| L-PPL0-5042-E | 873   | 50 | 42 | 2 | 42           | 2.43         |
| L-PPL0-5048-E | 939   | 50 | 48 | 2 | 48           | 2.78         |
| L-PPL0-6624-E | 823   | 66 | 24 | 2 | 31.68        | 1.83         |
| L-PPL0-6630-E | 873   | 66 | 30 | 2 | 39.6         | 2.29         |
| L-PPL0-6636-E | 1023  | 66 | 36 | 2 | 47.52        | 2.75         |
| L-PPL0-6642-E | 1072  | 66 | 42 | 2 | 55.44        | 3.21         |
| L-PPL0-6648-E | 1137  | 66 | 48 | 2 | 63.36        | 3.67         |
| L-PPL0-8224-E | 1067  | 82 | 24 | 2 |              |              |
| L-PPL0-8230-E | 1081  | 82 | 30 | 2 |              |              |
| L-PPL0-8236-E | 1440  | 82 | 36 | 2 |              |              |



How to order and read your code

|              |          |          |                           |                        |                       |                      |          |           |           |          |                                                                                    |          |                            |          |          |
|--------------|----------|----------|---------------------------|------------------------|-----------------------|----------------------|----------|-----------|-----------|----------|------------------------------------------------------------------------------------|----------|----------------------------|----------|----------|
| <b>L</b>     | <b>-</b> | <b>P</b> | <b>P</b>                  | <b>F</b>               | <b>C</b>              | <b>A</b>             | <b>-</b> | <b>42</b> | <b>24</b> | <b>-</b> | <b>0</b>                                                                           | <b>0</b> | <b>E</b>                   | <b>-</b> | <b>N</b> |
| product line |          | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height   | width     |           |          | O = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |          | N=Non powered<br>E=Powered |          |          |

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:

Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel


Options:

|                          |                                             |
|--------------------------|---------------------------------------------|
| Height*:                 | 34", 42", 50", 66", 82"                     |
| Width:                   | 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Fabric                   |                                             |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal              |

\*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top            |       |    |    |   |
| L-PPFCA-4224-00E-N                             | 815   | 42 | 24 | 2 |
| L-PPFCA-4230-00E-N                             | 899   | 42 | 30 | 2 |
| L-PPFCA-4236-00E-N                             | 983   | 42 | 36 | 2 |
| L-PPFCA-4242-00E-N                             | 1067  | 42 | 42 | 2 |
| L-PPFCA-4248-00E-N                             | 1153  | 42 | 48 | 2 |
| L-PPFCA-4254-00E-N                             | 1234  | 42 | 54 | 2 |
| L-PPFCA-4260-00E-N                             | 1318  | 42 | 60 | 2 |
| L-PPFCA-5024-00E-N                             | 815   | 50 | 24 | 2 |
| L-PPFCA-5030-00E-N                             | 899   | 50 | 30 | 2 |
| L-PPFCA-5036-00E-N                             | 983   | 50 | 36 | 2 |
| L-PPFCA-5042-00E-N                             | 1067  | 50 | 42 | 2 |
| L-PPFCA-5048-00E-N                             | 1153  | 50 | 48 | 2 |
| L-PPFCA-5054-00E-N                             | 1234  | 50 | 54 | 2 |
| L-PPFCA-5060-00E-N                             | 1318  | 50 | 60 | 2 |
| One 16" clear acrylic segment on top           |       |    |    |   |
| L-PPFCA-5024-00S-N                             | 815   | 50 | 24 | 2 |
| L-PPFCA-5030-00S-N                             | 899   | 50 | 30 | 2 |
| L-PPFCA-5036-00S-N                             | 983   | 50 | 36 | 2 |
| L-PPFCA-5042-00S-N                             | 1067  | 50 | 42 | 2 |
| L-PPFCA-5048-00S-N                             | 1153  | 50 | 48 | 2 |
| L-PPFCA-5054-00S-N                             | 1234  | 50 | 54 | 2 |
| L-PPFCA-5060-00S-N                             | 1318  | 50 | 60 | 2 |
| L-PPFCA-6624-00S-N                             | 948   | 66 | 24 | 2 |
| L-PPFCA-6630-00S-N                             | 1054  | 66 | 30 | 2 |
| L-PPFCA-6636-00S-N                             | 1159  | 66 | 36 | 2 |
| L-PPFCA-6642-00S-N                             | 1264  | 66 | 42 | 2 |
| L-PPFCA-6648-00S-N                             | 1371  | 66 | 48 | 2 |
| L-PPFCA-6654-00S-N                             | 1476  | 66 | 54 | 2 |
| L-PPFCA-6660-00S-N                             | 1581  | 66 | 60 | 2 |
| L-PPFCA-8224-00S-N                             | 1540  | 82 | 24 | 2 |
| L-PPFCA-8230-00S-N                             | 1787  | 82 | 30 | 2 |
| L-PPFCA-8236-00S-N                             | 1879  | 82 | 36 | 2 |
| L-PPFCA-8242-00S-N                             | 1926  | 82 | 42 | 2 |
| L-PPFCA-8248-00S-N                             | 2013  | 82 | 48 | 2 |
| One 24" clear acrylic segment on top           |       |    |    |   |
| L-PPFCA-6624-00T-N                             | 948   | 66 | 24 | 2 |
| L-PPFCA-6630-00T-N                             | 1054  | 66 | 30 | 2 |
| L-PPFCA-6636-00T-N                             | 1159  | 66 | 36 | 2 |
| L-PPFCA-6642-00T-N                             | 1264  | 66 | 42 | 2 |
| L-PPFCA-6648-00T-N                             | 1371  | 66 | 48 | 2 |
| L-PPFCA-6654-00T-N                             | 1476  | 66 | 54 | 2 |
| L-PPFCA-6660-00T-N                             | 1581  | 66 | 60 | 2 |
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PPFCA-6624-0EE-N                             | 1523  | 66 | 24 | 2 |
| L-PPFCA-6630-0EE-N                             | 1723  | 66 | 30 | 2 |
| L-PPFCA-6636-0EE-N                             | 1796  | 66 | 36 | 2 |
| L-PPFCA-6642-0EE-N                             | 1857  | 66 | 42 | 2 |
| L-PPFCA-6648-0EE-N                             | 1934  | 66 | 48 | 2 |
| L-PPFCA-6654-0EE-N                             | 2059  | 66 | 54 | 2 |
| L-PPFCA-6660-0EE-N                             | 2115  | 66 | 60 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PPFCA-6624-0ES-N                             | 1486  | 66 | 24 | 2 |
| L-PPFCA-6630-0ES-N                             | 1680  | 66 | 30 | 2 |
| L-PPFCA-6636-0ES-N                             | 1766  | 66 | 36 | 2 |
| L-PPFCA-6642-0ES-N                             | 1852  | 66 | 42 | 2 |
| L-PPFCA-6648-0ES-N                             | 1941  | 66 | 48 | 2 |
| L-PPFCA-6654-0ES-N                             | 2035  | 66 | 54 | 2 |
| L-PPFCA-6660-0ES-N                             | 2080  | 66 | 60 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PPFCA-8224-0SS-N                             | 1583  | 82 | 24 | 2 |
| L-PPFCA-8230-0SS-N                             | 1839  | 82 | 30 | 2 |
| L-PPFCA-8236-0SS-N                             | 1972  | 82 | 36 | 2 |
| L-PPFCA-8242-0SS-N                             | 2031  | 82 | 42 | 2 |
| L-PPFCA-8248-0SS-N                             | 2112  | 82 | 48 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PPFCA-8224-0TS-N                             | 1574  | 82 | 24 | 2 |
| L-PPFCA-8230-0TS-N                             | 1808  | 82 | 30 | 2 |
| L-PPFCA-8236-0TS-N                             | 1879  | 82 | 36 | 2 |
| L-PPFCA-8242-0TS-N                             | 1937  | 82 | 42 | 2 |
| L-PPFCA-8248-0TS-N                             | 2134  | 82 | 48 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PPFCA-8224-0TT-N                             | 1571  | 82 | 24 | 2 |
| L-PPFCA-8230-0TT-N                             | 1780  | 82 | 30 | 2 |
| L-PPFCA-8236-0TT-N                             | 1875  | 82 | 36 | 2 |
| L-PPFCA-8242-0TT-N                             | 1997  | 82 | 42 | 2 |
| L-PPFCA-8248-0TT-N                             | 2079  | 82 | 48 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PPFCA-8224-ESS-N                             | 1641  | 82 | 24 | 2 |
| L-PPFCA-8230-ESS-N                             | 1945  | 82 | 30 | 2 |
| L-PPFCA-8236-ESS-N                             | 2031  | 82 | 36 | 2 |
| L-PPFCA-8242-ESS-N                             | 2034  | 82 | 42 | 2 |
| L-PPFCA-8248-ESS-N                             | 2228  | 82 | 48 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PPFCA-8224-SSS-N                             | 1667  | 82 | 24 | 2 |
| L-PPFCA-8230-SSS-N                             | 1886  | 82 | 30 | 2 |
| L-PPFCA-8236-SSS-N                             | 2061  | 82 | 36 | 2 |
| L-PPFCA-8242-SSS-N                             | 2130  | 82 | 42 | 2 |
| L-PPFCA-8248-SSS-N                             | 2223  | 82 | 48 | 2 |





How to order and read your code

| L - P        |          | P                         | F                      | F                     | A - 42               | 24 -   | 0 0 E - | N                                                                                  |                            |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|---------|------------------------------------------------------------------------------------|----------------------------|
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width   | O = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment | N=Non powered<br>E=Powered |

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour


Notes:

Power capable panel with bracket for power module.  
Power module must be specified seperately.  
Panels are non tackable. For tackable option see Panel Add-On section.  
Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

Options:

|                                                                                                                     |                                             |
|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Height*:                                                                                                            | 34", 42", 50", 66", 82"                     |
| Width:                                                                                                              | 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Fabric                                                                                                              |                                             |
| Metal Powder Coat Paint:                                                                                            | White, Black, Silver, Charcoal              |
| *34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide |                                             |

| Code                                             | Price | H  | W  | D |
|--------------------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top            |       |    |    |   |
| L-PPFFA-4224-00E-N                               | 922   | 42 | 24 | 2 |
| L-PPFFA-4230-00E-N                               | 1005  | 42 | 30 | 2 |
| L-PPFFA-4236-00E-N                               | 1090  | 42 | 36 | 2 |
| L-PPFFA-4242-00E-N                               | 1174  | 42 | 42 | 2 |
| L-PPFFA-4248-00E-N                               | 1259  | 42 | 48 | 2 |
| L-PPFFA-4254-00E-N                               | 1341  | 42 | 54 | 2 |
| L-PPFFA-4260-00E-N                               | 1424  | 42 | 60 | 2 |
| L-PPFFA-5024-00E-N                               | 922   | 50 | 24 | 2 |
| L-PPFFA-5030-00E-N                               | 1005  | 50 | 30 | 2 |
| L-PPFFA-5036-00E-N                               | 1090  | 50 | 36 | 2 |
| L-PPFFA-5042-00E-N                               | 1174  | 50 | 42 | 2 |
| L-PPFFA-5048-00E-N                               | 1259  | 50 | 48 | 2 |
| L-PPFFA-5054-00E-N                               | 1341  | 50 | 54 | 2 |
| L-PPFFA-5060-00E-N                               | 1424  | 50 | 60 | 2 |
| One 16" frosted acrylic segment on top           |       |    |    |   |
| L-PPFFA-5024-00S-N                               | 922   | 50 | 24 | 2 |
| L-PPFFA-5030-00S-N                               | 1005  | 50 | 30 | 2 |
| L-PPFFA-5036-00S-N                               | 1090  | 50 | 36 | 2 |
| L-PPFFA-5042-00S-N                               | 1174  | 50 | 42 | 2 |
| L-PPFFA-5048-00S-N                               | 1259  | 50 | 48 | 2 |
| L-PPFFA-5054-00S-N                               | 1341  | 50 | 54 | 2 |
| L-PPFFA-5060-00S-N                               | 1424  | 50 | 60 | 2 |
| L-PPFFA-6624-00S-N                               | 1054  | 50 | 24 | 2 |
| L-PPFFA-6630-00S-N                               | 1161  | 50 | 30 | 2 |
| L-PPFFA-6636-00S-N                               | 1265  | 50 | 36 | 2 |
| L-PPFFA-6642-00S-N                               | 1371  | 50 | 42 | 2 |
| L-PPFFA-6648-00S-N                               | 1479  | 50 | 48 | 2 |
| L-PPFFA-6654-00S-N                               | 1583  | 50 | 54 | 2 |
| L-PPFFA-6660-00S-N                               | 1689  | 50 | 60 | 2 |
| L-PPFFA-8224-00S-N                               | 1577  | 82 | 24 | 2 |
| L-PPFFA-8230-00S-N                               | 1835  | 82 | 30 | 2 |
| L-PPFFA-8236-00S-N                               | 1942  | 82 | 36 | 2 |
| L-PPFFA-8242-00S-N                               | 1997  | 82 | 42 | 2 |
| L-PPFFA-8248-00S-N                               | 2084  | 82 | 48 | 2 |
| One 24" frosted acrylic segment on top           |       |    |    |   |
| L-PPFFA-6624-00T-N                               | 1054  | 66 | 24 | 2 |
| L-PPFFA-6630-00T-N                               | 1161  | 66 | 30 | 2 |
| L-PPFFA-6636-00T-N                               | 1265  | 66 | 36 | 2 |
| L-PPFFA-6642-00T-N                               | 1356  | 66 | 42 | 2 |
| L-PPFFA-6648-00T-N                               | 1463  | 66 | 48 | 2 |
| L-PPFFA-6654-00T-N                               | 1583  | 66 | 54 | 2 |
| L-PPFFA-6660-00T-N                               | 1689  | 66 | 60 | 2 |
| Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PPFFA-6624-0EE-N                               | 1585  | 66 | 24 | 2 |
| L-PPFFA-6630-0EE-N                               | 1809  | 66 | 30 | 2 |
| L-PPFFA-6636-0EE-N                               | 1908  | 66 | 36 | 2 |
| L-PPFFA-6642-0EE-N                               | 1967  | 66 | 42 | 2 |
| L-PPFFA-6648-0EE-N                               | 2062  | 66 | 48 | 2 |
| L-PPFFA-6654-0EE-N                               | 2150  | 66 | 54 | 2 |
| L-PPFFA-6660-0EE-N                               | 2203  | 66 | 60 | 2 |
| One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PPFFA-6624-0ES-N                               | 1539  | 66 | 24 | 2 |
| L-PPFFA-6630-0ES-N                               | 1754  | 66 | 30 | 2 |
| L-PPFFA-6636-0ES-N                               | 1854  | 66 | 36 | 2 |
| L-PPFFA-6642-0ES-N                               | 1961  | 66 | 42 | 2 |
| L-PPFFA-6648-0ES-N                               | 2048  | 66 | 48 | 2 |
| L-PPFFA-6654-0ES-N                               | 2153  | 66 | 54 | 2 |
| L-PPFFA-6660-0ES-N                               | 2219  | 66 | 60 | 2 |
| Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PPFFA-8224-0SS-N                               | 1482  | 82 | 24 | 2 |
| L-PPFFA-8230-0SS-N                               | 1696  | 82 | 30 | 2 |
| L-PPFFA-8236-0SS-N                               | 1779  | 82 | 36 | 2 |
| L-PPFFA-8242-0SS-N                               | 1844  | 82 | 42 | 2 |
| L-PPFFA-8248-0SS-N                               | 1913  | 82 | 48 | 2 |
| One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PPFFA-8224-0TS-N                               | 1682  | 82 | 24 | 2 |
| L-PPFFA-8230-0TS-N                               | 1951  | 82 | 30 | 2 |
| L-PPFFA-8236-0TS-N                               | 2022  | 82 | 36 | 2 |
| L-PPFFA-8242-0TS-N                               | 2118  | 82 | 42 | 2 |
| L-PPFFA-8248-0TS-N                               | 2348  | 82 | 48 | 2 |
| Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PPFFA-8224-0TT-N                               | 1678  | 82 | 24 | 2 |
| L-PPFFA-8230-0TT-N                               | 1926  | 82 | 30 | 2 |
| L-PPFFA-8236-0TT-N                               | 2048  | 82 | 36 | 2 |
| L-PPFFA-8242-0TT-N                               | 2213  | 82 | 42 | 2 |
| L-PPFFA-8248-0TT-N                               | 2294  | 82 | 48 | 2 |
| One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| L-PPFFA-8224-ESS-N                               | 1748  | 82 | 24 | 2 |
| L-PPFFA-8230-ESS-N                               | 2091  | 82 | 30 | 2 |
| L-PPFFA-8236-ESS-N                               | 2175  | 82 | 36 | 2 |
| L-PPFFA-8242-ESS-N                               | 2245  | 82 | 42 | 2 |
| L-PPFFA-8248-ESS-N                               | 2369  | 82 | 48 | 2 |
| Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PPFFA-8224-SSS-N                               | 1774  | 82 | 24 | 2 |
| L-PPFFA-8230-SSS-N                               | 2031  | 82 | 30 | 2 |
| L-PPFFA-8236-SSS-N                               | 2277  | 82 | 36 | 2 |
| L-PPFFA-8242-SSS-N                               | 2345  | 82 | 42 | 2 |
| L-PPFFA-8248-SSS-N                               | 2437  | 82 | 48 | 2 |



How to order and read your code

|              |   |          |  |                           |  |                        |  |                      |  |                             |   |       |  |                                                                                    |   |                            |  |   |   |   |
|--------------|---|----------|--|---------------------------|--|------------------------|--|----------------------|--|-----------------------------|---|-------|--|------------------------------------------------------------------------------------|---|----------------------------|--|---|---|---|
| L            | - | P        |  | P                         |  | F                      |  | C                    |  | G                           | - | 42    |  | 24                                                                                 | - | 00                         |  | E | - | N |
| product line |   | standard |  | P= glazed<br>E = Elevated |  | F=Fabric<br>L=Laminate |  | C=Clear<br>F=Frosted |  | A=Acrylic height<br>G=Glass |   | width |  | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   | N=Non powered<br>E=Powered |  |   |   |   |

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:

Power capable panel with bracket for power module.

Power module must be specified seperately.


Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

Options:

|                                                                                                                     |                                             |
|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Height*:                                                                                                            | 34", 42", 50", 66", 82"                     |
| Width:                                                                                                              | 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Fabric                                                                                                              |                                             |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal                                                             |                                             |
| *34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide |                                             |

| Code                                         | Price | H  | W  | D |
|----------------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top            |       |    |    |   |
| L-PPFCG-4224-00E-N                           | 958   | 42 | 24 | 2 |
| L-PPFCG-4230-00E-N                           | 1042  | 42 | 30 | 2 |
| L-PPFCG-4236-00E-N                           | 1128  | 42 | 36 | 2 |
| L-PPFCG-4242-00E-N                           | 1210  | 42 | 42 | 2 |
| L-PPFCG-4248-00E-N                           | 1293  | 42 | 48 | 2 |
| L-PPFCG-4254-00E-N                           | 1377  | 42 | 54 | 2 |
| L-PPFCG-4260-00E-N                           | 1460  | 42 | 60 | 2 |
| L-PPFCG-5024-00E-N                           | 958   | 50 | 24 | 2 |
| L-PPFCG-5030-00E-N                           | 1042  | 50 | 30 | 2 |
| L-PPFCG-5036-00E-N                           | 1128  | 50 | 36 | 2 |
| L-PPFCG-5042-00E-N                           | 1210  | 50 | 42 | 2 |
| L-PPFCG-5048-00E-N                           | 1293  | 50 | 48 | 2 |
| L-PPFCG-5054-00E-N                           | 1377  | 50 | 54 | 2 |
| L-PPFCG-5060-00E-N                           | 1460  | 50 | 60 | 2 |
| One 16" clear glass segment on top           |       |    |    |   |
| L-PPFCG-5024-00S-N                           | 958   | 50 | 24 | 2 |
| L-PPFCG-5030-00S-N                           | 1042  | 50 | 30 | 2 |
| L-PPFCG-5036-00S-N                           | 1128  | 50 | 36 | 2 |
| L-PPFCG-5042-00S-N                           | 1210  | 50 | 42 | 2 |
| L-PPFCG-5048-00S-N                           | 1293  | 50 | 48 | 2 |
| L-PPFCG-5054-00S-N                           | 1377  | 50 | 54 | 2 |
| L-PPFCG-5060-00S-N                           | 1460  | 50 | 60 | 2 |
| L-PPFCG-6624-00S-N                           | 1101  | 66 | 24 | 2 |
| L-PPFCG-6630-00S-N                           | 1208  | 66 | 30 | 2 |
| L-PPFCG-6636-00S-N                           | 1314  | 66 | 36 | 2 |
| L-PPFCG-6642-00S-N                           | 1421  | 66 | 42 | 2 |
| L-PPFCG-6648-00S-N                           | 1527  | 66 | 48 | 2 |
| L-PPFCG-6654-00S-N                           | 1633  | 66 | 54 | 2 |
| L-PPFCG-6660-00S-N                           | 1737  | 66 | 60 | 2 |
| L-PPFCG-8224-00S-N                           | 1500  | 82 | 24 | 2 |
| L-PPFCG-8230-00S-N                           | 1771  | 82 | 30 | 2 |
| L-PPFCG-8236-00S-N                           | 1885  | 82 | 36 | 2 |
| L-PPFCG-8242-00S-N                           | 1948  | 82 | 42 | 2 |
| L-PPFCG-8248-00S-N                           | 2058  | 82 | 48 | 2 |
| One 24" clear glass segment on top           |       |    |    |   |
| L-PPFCG-6624-00T-N                           | 1101  | 66 | 24 | 2 |
| L-PPFCG-6630-00T-N                           | 1208  | 66 | 30 | 2 |
| L-PPFCG-6636-00T-N                           | 1314  | 66 | 36 | 2 |
| L-PPFCG-6642-00T-N                           | 1421  | 66 | 42 | 2 |
| L-PPFCG-6648-00T-N                           | 1527  | 66 | 48 | 2 |
| L-PPFCG-6654-00T-N                           | 1633  | 66 | 54 | 2 |
| L-PPFCG-6660-00T-N                           | 1737  | 66 | 60 | 2 |
| Two 8" clear glass segments on top           |       |    |    |   |
| L-PPFCG-6624-0EE-N                           | 1620  | 66 | 24 | 2 |
| L-PPFCG-6630-0EE-N                           | 1859  | 66 | 30 | 2 |
| L-PPFCG-6636-0EE-N                           | 1958  | 66 | 36 | 2 |
| L-PPFCG-6642-0EE-N                           | 2029  | 66 | 42 | 2 |
| L-PPFCG-6648-0EE-N                           | 2126  | 66 | 48 | 2 |
| L-PPFCG-6654-0EE-N                           | 2250  | 66 | 54 | 2 |
| L-PPFCG-6660-0EE-N                           | 2316  | 66 | 60 | 2 |
| One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PPFCG-6624-0ES-N                           | 1579  | 66 | 24 | 2 |
| L-PPFCG-6630-0ES-N                           | 1789  | 66 | 30 | 2 |
| L-PPFCG-6636-0ES-N                           | 1890  | 66 | 36 | 2 |
| L-PPFCG-6642-0ES-N                           | 1983  | 66 | 42 | 2 |
| L-PPFCG-6648-0ES-N                           | 2103  | 66 | 48 | 2 |
| L-PPFCG-6654-0ES-N                           | 2235  | 66 | 54 | 2 |
| L-PPFCG-6660-0ES-N                           | 2308  | 66 | 60 | 2 |
| Two 16" clear glass segments on top          |       |    |    |   |
| L-PPFCG-8224-0SS-N                           | 1678  | 82 | 24 | 2 |
| L-PPFCG-8230-0SS-N                           | 1930  | 82 | 30 | 2 |
| L-PPFCG-8236-0SS-N                           | 2061  | 82 | 36 | 2 |
| L-PPFCG-8242-0SS-N                           | 2165  | 82 | 42 | 2 |
| L-PPFCG-8248-0SS-N                           | 2294  | 82 | 48 | 2 |
| One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PPFCG-8224-0TS-N                           | 1666  | 82 | 24 | 2 |
| L-PPFCG-8230-0TS-N                           | 1901  | 82 | 30 | 2 |
| L-PPFCG-8236-0TS-N                           | 2026  | 82 | 36 | 2 |
| L-PPFCG-8242-0TS-N                           | 2143  | 82 | 42 | 2 |
| L-PPFCG-8248-0TS-N                           | 2288  | 82 | 48 | 2 |
| Two 24" clear glass segments on top          |       |    |    |   |
| L-PPFCG-8224-0TT-N                           | 1696  | 82 | 24 | 2 |
| L-PPFCG-8230-0TT-N                           | 1923  | 82 | 30 | 2 |
| L-PPFCG-8236-0TT-N                           | 2040  | 82 | 36 | 2 |
| L-PPFCG-8242-0TT-N                           | 2161  | 82 | 42 | 2 |
| L-PPFCG-8248-0TT-N                           | 2303  | 82 | 48 | 2 |
| One 8" & Two 16" clear glass segments on top |       |    |    |   |
| L-PPFCG-8224-ESS-N                           | 1821  | 82 | 24 | 2 |
| L-PPFCG-8230-ESS-N                           | 2120  | 82 | 30 | 2 |
| L-PPFCG-8236-ESS-N                           | 2257  | 82 | 36 | 2 |
| L-PPFCG-8242-ESS-N                           | 2280  | 82 | 42 | 2 |
| L-PPFCG-8248-ESS-N                           | 2460  | 82 | 48 | 2 |
| Three 16" clear glass segments on top        |       |    |    |   |
| L-PPFCG-8224-SSS-N                           | 1860  | 82 | 24 | 2 |
| L-PPFCG-8230-SSS-N                           | 2080  | 82 | 30 | 2 |
| L-PPFCG-8236-SSS-N                           | 2223  | 82 | 36 | 2 |
| L-PPFCG-8242-SSS-N                           | 2358  | 82 | 42 | 2 |
| L-PPFCG-8248-SSS-N                           | 2517  | 82 | 48 | 2 |



How to order and read your code

| L - P        |          | P                         | F                      | F                     | G - 42               | 24 - 00 | E - N |                                                                                    |                            |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|---------|-------|------------------------------------------------------------------------------------|----------------------------|
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height  | width | O = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment | N=Non powered<br>E=Powered |

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:


Refer to panel fabric cards for fabric selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                                                                                                                     |                                             |
|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Height*:                                                                                                            | 34", 42", 50", 66", 82"                     |
| Width:                                                                                                              | 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Fabric                                                                                                              |                                             |
| Metal Powder Coat Paint:                                                                                            | White, Black, Silver, Charcoal              |
| *34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide |                                             |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| One 8" frosted glass segment on top            |       |    |    |   |
| L-PPFFG-4224-00E-N                             | 1050  | 42 | 24 | 2 |
| L-PPFFG-4230-00E-N                             | 1146  | 42 | 30 | 2 |
| L-PPFFG-4236-00E-N                             | 1233  | 42 | 36 | 2 |
| L-PPFFG-4242-00E-N                             | 1317  | 42 | 42 | 2 |
| L-PPFFG-4248-00E-N                             | 1400  | 42 | 48 | 2 |
| L-PPFFG-4254-00E-N                             | 1484  | 42 | 54 | 2 |
| L-PPFFG-4260-00E-N                             | 1566  | 42 | 60 | 2 |
| L-PPFFG-5024-00E-N                             | 1065  | 50 | 24 | 2 |
| L-PPFFG-5030-00E-N                             | 1146  | 50 | 30 | 2 |
| L-PPFFG-5036-00E-N                             | 1233  | 50 | 36 | 2 |
| L-PPFFG-5042-00E-N                             | 1317  | 50 | 42 | 2 |
| L-PPFFG-5048-00E-N                             | 1400  | 50 | 48 | 2 |
| L-PPFFG-5054-00E-N                             | 1484  | 50 | 54 | 2 |
| L-PPFFG-5060-00E-N                             | 1566  | 50 | 60 | 2 |
| One 16" frosted glass segment on top           |       |    |    |   |
| L-PPFFG-5024-00S-N                             | 1065  | 50 | 24 | 2 |
| L-PPFFG-5030-00S-N                             | 1146  | 50 | 30 | 2 |
| L-PPFFG-5036-00S-N                             | 1233  | 50 | 36 | 2 |
| L-PPFFG-5042-00S-N                             | 1317  | 50 | 42 | 2 |
| L-PPFFG-5048-00S-N                             | 1400  | 50 | 48 | 2 |
| L-PPFFG-5054-00S-N                             | 1484  | 50 | 54 | 2 |
| L-PPFFG-5060-00S-N                             | 1566  | 50 | 60 | 2 |
| L-PPFFG-6624-00S-N                             | 1208  | 66 | 24 | 2 |
| L-PPFFG-6630-00S-N                             | 1315  | 66 | 30 | 2 |
| L-PPFFG-6636-00S-N                             | 1420  | 66 | 36 | 2 |
| L-PPFFG-6642-00S-N                             | 1528  | 66 | 42 | 2 |
| L-PPFFG-6648-00S-N                             | 1633  | 66 | 48 | 2 |
| L-PPFFG-6654-00S-N                             | 1739  | 66 | 54 | 2 |
| L-PPFFG-6660-00S-N                             | 1844  | 66 | 60 | 2 |
| L-PPFFG-8224-00S-N                             | 1585  | 82 | 24 | 2 |
| L-PPFFG-8230-00S-N                             | 1867  | 82 | 30 | 2 |
| L-PPFFG-8236-00S-N                             | 2003  | 82 | 36 | 2 |
| L-PPFFG-8242-00S-N                             | 2084  | 82 | 42 | 2 |
| L-PPFFG-8248-00S-N                             | 2212  | 82 | 48 | 2 |
| One 24" frosted glass segment on top           |       |    |    |   |
| L-PPFFG-6624-00T-N                             | 1208  | 66 | 24 | 2 |
| L-PPFFG-6630-00T-N                             | 1315  | 66 | 30 | 2 |
| L-PPFFG-6636-00T-N                             | 1420  | 66 | 36 | 2 |
| L-PPFFG-6642-00T-N                             | 1528  | 66 | 42 | 2 |
| L-PPFFG-6648-00T-N                             | 1633  | 66 | 48 | 2 |
| L-PPFFG-6654-00T-N                             | 1739  | 66 | 54 | 2 |
| L-PPFFG-6660-00T-N                             | 1844  | 66 | 60 | 2 |
| Two 8" frosted glass segments on top           |       |    |    |   |
| L-PPFFG-6624-0EE-N                             | 1796  | 66 | 24 | 2 |
| L-PPFFG-6630-0EE-N                             | 2034  | 66 | 30 | 2 |
| L-PPFFG-6636-0EE-N                             | 2133  | 66 | 36 | 2 |
| L-PPFFG-6642-0EE-N                             | 2203  | 66 | 42 | 2 |
| L-PPFFG-6648-0EE-N                             | 2299  | 66 | 48 | 2 |
| L-PPFFG-6654-0EE-N                             | 2424  | 66 | 54 | 2 |
| L-PPFFG-6660-0EE-N                             | 2509  | 66 | 60 | 2 |
| One 8" & One 16" frosted glass segment on top  |       |    |    |   |
| L-PPFFG-6624-0ES-N                             | 1755  | 66 | 24 | 2 |
| L-PPFFG-6630-0ES-N                             | 1972  | 66 | 30 | 2 |
| L-PPFFG-6636-0ES-N                             | 2095  | 66 | 36 | 2 |
| L-PPFFG-6642-0ES-N                             | 2205  | 66 | 42 | 2 |
| L-PPFFG-6648-0ES-N                             | 2345  | 66 | 48 | 2 |
| L-PPFFG-6654-0ES-N                             | 2499  | 66 | 54 | 2 |
| L-PPFFG-6660-0ES-N                             | 2602  | 66 | 60 | 2 |
| Two 16" frosted glass segments on top          |       |    |    |   |
| L-PPFFG-8224-0SS-N                             | 1854  | 82 | 24 | 2 |
| L-PPFFG-8230-0SS-N                             | 2123  | 82 | 30 | 2 |
| L-PPFFG-8236-0SS-N                             | 2295  | 82 | 36 | 2 |
| L-PPFFG-8242-0SS-N                             | 2437  | 82 | 42 | 2 |
| L-PPFFG-8248-0SS-N                             | 2604  | 82 | 48 | 2 |
| One 24" & One 16" frosted glass segment on top |       |    |    |   |
| L-PPFFG-8224-0TS-N                             | 1870  | 82 | 24 | 2 |
| L-PPFFG-8230-0TS-N                             | 2141  | 82 | 30 | 2 |
| L-PPFFG-8236-0TS-N                             | 2318  | 82 | 36 | 2 |
| L-PPFFG-8242-0TS-N                             | 2482  | 82 | 42 | 2 |
| L-PPFFG-8248-0TS-N                             | 2674  | 82 | 48 | 2 |
| Two 24" frosted glass segments on top          |       |    |    |   |
| L-PPFFG-8224-0TT-N                             | 1929  | 82 | 24 | 2 |
| L-PPFFG-8230-0TT-N                             | 2213  | 82 | 30 | 2 |
| L-PPFFG-8236-0TT-N                             | 2389  | 82 | 36 | 2 |
| L-PPFFG-8242-0TT-N                             | 2568  | 82 | 42 | 2 |
| L-PPFFG-8248-0TT-N                             | 2770  | 82 | 48 | 2 |
| One 8" & Two 16" frosted glass segments on top |       |    |    |   |
| L-PPFFG-8224-ESS-N                             | 2084  | 82 | 24 | 2 |
| L-PPFFG-8230-ESS-N                             | 2401  | 82 | 30 | 2 |
| L-PPFFG-8236-ESS-N                             | 2578  | 82 | 36 | 2 |
| L-PPFFG-8242-ESS-N                             | 2640  | 82 | 42 | 2 |
| L-PPFFG-8248-ESS-N                             | 2860  | 82 | 48 | 2 |
| Three 16" frosted glass segments on top        |       |    |    |   |
| L-PPFFG-8224-SSS-N                             | 2121  | 82 | 24 | 2 |
| L-PPFFG-8230-SSS-N                             | 2368  | 82 | 30 | 2 |
| L-PPFFG-8236-SSS-N                             | 2569  | 82 | 36 | 2 |
| L-PPFFG-8242-SSS-N                             | 2765  | 82 | 42 | 2 |
| L-PPFFG-8248-SSS-N                             | 2982  | 82 | 48 | 2 |





How to order and read your code

|              |   |          |  |                           |  |                        |  |                       |  |                             |   |       |  |                                                                                    |   |                            |   |   |   |
|--------------|---|----------|--|---------------------------|--|------------------------|--|-----------------------|--|-----------------------------|---|-------|--|------------------------------------------------------------------------------------|---|----------------------------|---|---|---|
| L            | - | P        |  | P                         |  | L                      |  | C                     |  | A                           | - | 42    |  | 24                                                                                 | - | 00                         | E | - | N |
| product line |   | standard |  | P= glazed<br>E = Elevated |  | F=Fabric<br>L=Laminate |  | C= Clear<br>F=Frosted |  | A=Acrylic height<br>G=Glass |   | width |  | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   | N=Non powered<br>E=Powered |   |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:


Power capable panel with bracket for power module.  
  
Power module must be specified seperately.  
  
Panels are non tackable. For tackable option see Panel Add-On section.

Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |
| *82"H available up to 36"W                              |                          |

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top  |       |    |    |   |
| L-PPLCA-4224-00E-N                   | 1203  | 42 | 24 | 2 |
| L-PPLCA-4230-00E-N                   | 1257  | 42 | 30 | 2 |
| L-PPLCA-4236-00E-N                   | 1315  | 42 | 36 | 2 |
| L-PPLCA-4242-00E-N                   | 1429  | 42 | 42 | 2 |
| L-PPLCA-4248-00E-N                   | 1459  | 42 | 48 | 2 |
| L-PPLCA-5024-00E-N                   | 1098  | 50 | 24 | 2 |
| L-PPLCA-5030-00E-N                   | 1129  | 50 | 30 | 2 |
| L-PPLCA-5036-00E-N                   | 1186  | 50 | 36 | 2 |
| L-PPLCA-5042-00E-N                   | 1347  | 50 | 42 | 2 |
| L-PPLCA-5048-00E-N                   | 1377  | 50 | 48 | 2 |
| One 16" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-5024-00S-N                   | 1114  | 50 | 24 | 2 |
| L-PPLCA-5030-00S-N                   | 1155  | 50 | 30 | 2 |
| L-PPLCA-5036-00S-N                   | 1220  | 50 | 36 | 2 |
| L-PPLCA-5042-00S-N                   | 1364  | 50 | 42 | 2 |
| L-PPLCA-5048-00S-N                   | 1401  | 50 | 48 | 2 |
| L-PPLCA-6624-00S-N                   | 1220  | 66 | 24 | 2 |
| L-PPLCA-6630-00S-N                   | 1257  | 66 | 30 | 2 |
| L-PPLCA-6636-00S-N                   | 1338  | 66 | 36 | 2 |
| L-PPLCA-6642-00S-N                   | 1549  | 66 | 42 | 2 |
| L-PPLCA-6648-00S-N                   | 1589  | 66 | 48 | 2 |
| L-PPLCA-8224-00S-N                   | 1610  | 82 | 24 | 2 |
| L-PPLCA-8230-00S-N                   | 1626  | 82 | 30 | 2 |
| L-PPLCA-8236-00S-N                   | 2169  | 82 | 36 | 2 |
| One 24" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-6624-00T-N                   | 1208  | 66 | 24 | 2 |
| L-PPLCA-6630-00T-N                   | 1255  | 66 | 30 | 2 |
| L-PPLCA-6636-00T-N                   | 1336  | 66 | 36 | 2 |
| L-PPLCA-6642-00T-N                   | 1510  | 66 | 42 | 2 |
| L-PPLCA-6648-00T-N                   | 1559  | 66 | 48 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PPLCA-6624-0EE-N                             | 1404  | 66 | 24 | 2 |
| L-PPLCA-6630-0EE-N                             | 1423  | 66 | 30 | 2 |
| L-PPLCA-6636-0EE-N                             | 1718  | 66 | 36 | 2 |
| L-PPLCA-6642-0EE-N                             | 1756  | 66 | 42 | 2 |
| L-PPLCA-6648-0EE-N                             | 1814  | 66 | 48 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PPLCA-6624-0ES-N                             | 1411  | 66 | 24 | 2 |
| L-PPLCA-6630-0ES-N                             | 1470  | 66 | 30 | 2 |
| L-PPLCA-6636-0ES-N                             | 1789  | 66 | 36 | 2 |
| L-PPLCA-6642-0ES-N                             | 1850  | 66 | 42 | 2 |
| L-PPLCA-6648-0ES-N                             | 1909  | 66 | 48 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PPLCA-8224-0SS-N                             | 1467  | 82 | 24 | 2 |
| L-PPLCA-8230-0SS-N                             | 1540  | 82 | 30 | 2 |
| L-PPLCA-8236-0SS-N                             | 1894  | 82 | 36 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-8224-0TS-N                             | 1501  | 82 | 24 | 2 |
| L-PPLCA-8230-0TS-N                             | 1598  | 82 | 30 | 2 |
| L-PPLCA-8236-0TS-N                             | 1903  | 82 | 36 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PPLCA-8224-0TT-N                             | 1435  | 82 | 24 | 2 |
| L-PPLCA-8230-0TT-N                             | 1518  | 82 | 30 | 2 |
| L-PPLCA-8236-0TT-N                             | 1784  | 82 | 36 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PPLCA-8224-ESS-N                             | 1565  | 82 | 24 | 2 |
| L-PPLCA-8230-ESS-N                             | 1736  | 82 | 30 | 2 |
| L-PPLCA-8236-ESS-N                             | 2052  | 82 | 36 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PPLCA-8224-SSS-N                             | 1534  | 82 | 24 | 2 |
| L-PPLCA-8230-SSS-N                             | 1625  | 82 | 30 | 2 |
| L-PPLCA-8236-SSS-N                             | 1969  | 82 | 36 | 2 |



How to order and read your code

|              |          |                        |                        |                      |                      |        |       |                                                                            |                            |   |   |    |  |    |   |     |   |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|----------------------------------------------------------------------------|----------------------------|---|---|----|--|----|---|-----|---|---|
| L            | -        | P                      |                        | P                    |                      | L      |       | F                                                                          |                            | A | - | 42 |  | 24 | - | 00E | - | N |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment | N=Non powered<br>E=Powered |   |   |    |  |    |   |     |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:


|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |
| *82"H available up to 36"W                              |                          |

Notes:

Power capable panel with bracket for power module.  
  
Power module must be specified seperately.  
  
Panels are non tackable. For tackable option see Panel Add-On section.

| Code                                   | Price | H  | W  | D | Code                                             | Price | H  | W  | D |
|----------------------------------------|-------|----|----|---|--------------------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top  |       |    |    |   | Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PPLFA-4224-00E-N                     | 1167  | 42 | 24 | 2 | L-PPLFA-6624-0EE-N                               | 1469  | 66 | 24 | 2 |
| L-PPLFA-4230-00E-N                     | 1195  | 42 | 30 | 2 | L-PPLFA-6630-0EE-N                               | 1508  | 66 | 30 | 2 |
| L-PPLFA-4236-00E-N                     | 1251  | 42 | 36 | 2 | L-PPLFA-6636-0EE-N                               | 1831  | 66 | 36 | 2 |
| L-PPLFA-4242-00E-N                     | 1390  | 42 | 42 | 2 | L-PPLFA-6642-0EE-N                               | 1865  | 66 | 42 | 2 |
| L-PPLFA-4248-00E-N                     | 1420  | 42 | 48 | 2 | L-PPLFA-6648-0EE-N                               | 1942  | 66 | 48 | 2 |
| L-PPLFA-5024-00E-N                     | 1206  | 50 | 24 | 2 | One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PPLFA-5030-00E-N                     | 1234  | 50 | 30 | 2 | L-PPLFA-6624-0ES-N                               | 1466  | 66 | 24 | 2 |
| L-PPLFA-5036-00E-N                     | 1293  | 50 | 36 | 2 | L-PPLFA-6630-0ES-N                               | 1543  | 66 | 30 | 2 |
| L-PPLFA-5042-00E-N                     | 1454  | 50 | 42 | 2 | L-PPLFA-6636-0ES-N                               | 1875  | 66 | 36 | 2 |
| L-PPLFA-5048-00E-N                     | 1484  | 50 | 48 | 2 | L-PPLFA-6642-0ES-N                               | 1956  | 66 | 42 | 2 |
| One 16" frosted acrylic segment on top |       |    |    |   | L-PPLFA-6648-0ES-N                               | 2017  | 66 | 48 | 2 |
| L-PPLFA-5024-00S-N                     | 1221  | 50 | 24 | 2 | Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PPLFA-5030-00S-N                     | 1261  | 50 | 30 | 2 | L-PPLFA-8224-0SS-N                               | 1365  | 82 | 24 | 2 |
| L-PPLFA-5036-00S-N                     | 1326  | 50 | 36 | 2 | L-PPLFA-8230-0SS-N                               | 1396  | 82 | 30 | 2 |
| L-PPLFA-5042-00S-N                     | 1470  | 50 | 42 | 2 | L-PPLFA-8236-0SS-N                               | 1701  | 82 | 36 | 2 |
| L-PPLFA-5048-00S-N                     | 1508  | 50 | 48 | 2 | One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PPLFA-6624-00S-N                     | 1326  | 66 | 24 | 2 | L-PPLFA-8224-0TS-N                               | 1609  | 82 | 24 | 2 |
| L-PPLFA-6630-00S-N                     | 1364  | 66 | 30 | 2 | L-PPLFA-8230-0TS-N                               | 1742  | 82 | 30 | 2 |
| L-PPLFA-6636-00S-N                     | 1444  | 66 | 36 | 2 | L-PPLFA-8236-0TS-N                               | 2047  | 82 | 36 | 2 |
| L-PPLFA-6642-00S-N                     | 1655  | 66 | 42 | 2 | Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PPLFA-6648-00S-N                     | 1696  | 66 | 48 | 2 | L-PPLFA-8224-0TT-N                               | 1543  | 82 | 24 | 2 |
| L-PPLFA-8224-00S-N                     | 1646  | 82 | 24 | 2 | L-PPLFA-8230-0TT-N                               | 1664  | 82 | 30 | 2 |
| L-PPLFA-8230-00S-N                     | 1677  | 82 | 30 | 2 | L-PPLFA-8236-0TT-N                               | 1956  | 82 | 36 | 2 |
| L-PPLFA-8236-00S-N                     | 2230  | 82 | 36 | 2 | One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| One 24" frosted acrylic segment on top |       |    |    |   | L-PPLFA-8224-ESS-N                               | 1674  | 82 | 24 | 2 |
| L-PPLFA-6624-00T-N                     | 1315  | 66 | 24 | 2 | L-PPLFA-8230-ESS-N                               | 1879  | 82 | 30 | 2 |
| L-PPLFA-6630-00T-N                     | 1363  | 66 | 30 | 2 | L-PPLFA-8236-ESS-N                               | 2197  | 82 | 36 | 2 |
| L-PPLFA-6636-00T-N                     | 1431  | 66 | 36 | 2 | Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PPLFA-6642-00T-N                     | 1617  | 66 | 42 | 2 | L-PPLFA-8224-SSS-N                               | 1642  | 82 | 24 | 2 |
| L-PPLFA-6648-00T-N                     | 1666  | 66 | 48 | 2 | L-PPLFA-8230-SSS-N                               | 1770  | 82 | 30 | 2 |
|                                        |       |    |    |   | L-PPLFA-8236-SSS-N                               | 2186  | 82 | 36 | 2 |





How to order and read your code

|              |          |                        |                        |                      |                      |        |       |                                                                            |                            |   |   |    |  |    |   |    |   |   |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|----------------------------------------------------------------------------|----------------------------|---|---|----|--|----|---|----|---|---|---|
| L            | -        | P                      |                        | P                    |                      | L      |       | C                                                                          |                            | G | - | 42 |  | 24 | - | 00 | E | - | N |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment | N=Non powered<br>E=Powered |   |   |    |  |    |   |    |   |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |
| *82"H available up to 36"W                              |                          |

Notes:

Power capable panel with bracket for power module.  
  
Power module must be specified seperately.  
  
Panels are non tackable. For tackable option see Panel Add-On section.

| Code                               | Price | H  | W  | D | Code                                         | Price | H  | W  | D |
|------------------------------------|-------|----|----|---|----------------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top  |       |    |    |   | Two 8" clear glass segments on top           |       |    |    |   |
| L-PPLCG-4224-00E-N                 | 1305  | 42 | 24 | 2 | L-PPLCG-6624-0EE-N                           | 1506  | 66 | 24 | 2 |
| L-PPLCG-4230-00E-N                 | 1371  | 42 | 30 | 2 | L-PPLCG-6630-0EE-N                           | 1558  | 66 | 30 | 2 |
| L-PPLCG-4236-00E-N                 | 1435  | 42 | 36 | 2 | L-PPLCG-6636-0EE-N                           | 1879  | 66 | 36 | 2 |
| L-PPLCG-4242-00E-N                 | 1508  | 42 | 42 | 2 | L-PPLCG-6642-0EE-N                           | 1929  | 66 | 42 | 2 |
| L-PPLCG-4248-00E-N                 | 1471  | 42 | 48 | 2 | L-PPLCG-6648-0EE-N                           | 2005  | 66 | 48 | 2 |
| L-PPLCG-5024-00E-N                 | 1185  | 50 | 24 | 2 | One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PPLCG-5030-00E-N                 | 1232  | 50 | 30 | 2 | L-PPLCG-6624-0ES-N                           | 1506  | 66 | 24 | 2 |
| L-PPLCG-5036-00E-N                 | 1313  | 50 | 36 | 2 | L-PPLCG-6630-0ES-N                           | 1578  | 66 | 30 | 2 |
| L-PPLCG-5042-00E-N                 | 1484  | 50 | 42 | 2 | L-PPLCG-6636-0ES-N                           | 1915  | 66 | 36 | 2 |
| L-PPLCG-5048-00E-N                 | 1535  | 50 | 48 | 2 | L-PPLCG-6642-0ES-N                           | 1980  | 66 | 42 | 2 |
| One 16" clear glass segment on top |       |    |    |   | L-PPLCG-6648-0ES-N                           | 2072  | 66 | 48 | 2 |
| L-PPLCG-5024-00S-N                 | 1257  | 50 | 24 | 2 | Two 16" clear glass segments on top          |       |    |    |   |
| L-PPLCG-5030-00S-N                 | 1325  | 50 | 30 | 2 | L-PPLCG-8224-0SS-N                           | 1561  | 82 | 24 | 2 |
| L-PPLCG-5036-00S-N                 | 1422  | 50 | 36 | 2 | L-PPLCG-8230-0SS-N                           | 1631  | 82 | 30 | 2 |
| L-PPLCG-5042-00S-N                 | 1594  | 50 | 42 | 2 | L-PPLCG-8236-0SS-N                           | 1983  | 82 | 36 | 2 |
| L-PPLCG-5048-00S-N                 | 1664  | 50 | 48 | 2 | One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PPLCG-6624-00S-N                 | 1360  | 66 | 24 | 2 | L-PPLCG-8224-0TS-N                           | 1593  | 82 | 24 | 2 |
| L-PPLCG-6630-00S-N                 | 1430  | 66 | 30 | 2 | L-PPLCG-8230-0TS-N                           | 1690  | 82 | 30 | 2 |
| L-PPLCG-6636-00S-N                 | 1538  | 66 | 36 | 2 | L-PPLCG-8236-0TS-N                           | 2048  | 82 | 36 | 2 |
| L-PPLCG-6642-00S-N                 | 1777  | 66 | 42 | 2 | Two 24" clear glass segments on top          |       |    |    |   |
| L-PPLCG-6648-00S-N                 | 1847  | 66 | 48 | 2 | L-PPLCG-8224-0TT-N                           | 1561  | 82 | 24 | 2 |
| L-PPLCG-8224-00S-N                 | 1566  | 82 | 24 | 2 | L-PPLCG-8230-0TT-N                           | 1662  | 82 | 30 | 2 |
| L-PPLCG-8230-00S-N                 | 1612  | 82 | 30 | 2 | L-PPLCG-8236-0TT-N                           | 1945  | 82 | 36 | 2 |
| L-PPLCG-8236-00S-N                 | 2176  | 82 | 36 | 2 | One 8" & Two 16" clear glass segments on top |       |    |    |   |
| One 24" clear glass segment on top |       |    |    |   | L-PPLCG-8224-ESS-N                           | 1748  | 82 | 24 | 2 |
| L-PPLCG-6624-00T-N                 | 1403  | 66 | 24 | 2 | L-PPLCG-8230-ESS-N                           | 1909  | 82 | 30 | 2 |
| L-PPLCG-6630-00T-N                 | 1494  | 66 | 30 | 2 | L-PPLCG-8236-ESS-N                           | 2281  | 82 | 36 | 2 |
| L-PPLCG-6636-00T-N                 | 1612  | 66 | 36 | 2 | Three 16" clear glass segments on top        |       |    |    |   |
| L-PPLCG-6642-00T-N                 | 1831  | 66 | 42 | 2 | L-PPLCG-8224-SSS-N                           | 1724  | 82 | 24 | 2 |
| L-PPLCG-6648-00T-N                 | 1925  | 66 | 48 | 2 | L-PPLCG-8230-SSS-N                           | 1818  | 82 | 30 | 2 |
|                                    |       |    |    |   | L-PPLCG-8236-SSS-N                           | 2127  | 82 | 36 | 2 |



How to order and read your code

|              |          |                           |                        |                       |                      |        |       |                                                                                    |                            |   |   |    |  |    |   |    |   |   |   |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|----------------------------|---|---|----|--|----|---|----|---|---|---|
| L            | -        | P                         |                        | P                     |                      | L      |       | F                                                                                  |                            | G | - | 42 |  | 24 | - | 00 | E | - | N |
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment | N=Non powered<br>E=Powered |   |   |    |  |    |   |    |   |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height\*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

\*82"H available up to 36"W

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" frosted glass segment on top  |       |    |    |   |
| L-PPLFG-4224-00E-N                   | 1255  | 42 | 24 | 2 |
| L-PPLFG-4230-00E-N                   | 1299  | 42 | 30 | 2 |
| L-PPLFG-4236-00E-N                   | 1374  | 42 | 36 | 2 |
| L-PPLFG-4242-00E-N                   | 1531  | 42 | 42 | 2 |
| L-PPLFG-4248-00E-N                   | 1578  | 42 | 48 | 2 |
| L-PPLFG-5024-00E-N                   | 1292  | 50 | 24 | 2 |
| L-PPLFG-5030-00E-N                   | 1339  | 50 | 30 | 2 |
| L-PPLFG-5036-00E-N                   | 1419  | 50 | 36 | 2 |
| L-PPLFG-5042-00E-N                   | 1590  | 50 | 42 | 2 |
| L-PPLFG-5048-00E-N                   | 1642  | 50 | 48 | 2 |
| One 16" frosted glass segment on top |       |    |    |   |
| L-PPLFG-5024-00S-N                   | 1364  | 50 | 24 | 2 |
| L-PPLFG-5030-00S-N                   | 1431  | 50 | 30 | 2 |
| L-PPLFG-5036-00S-N                   | 1529  | 50 | 36 | 2 |
| L-PPLFG-5042-00S-N                   | 1701  | 50 | 42 | 2 |
| L-PPLFG-5048-00S-N                   | 1770  | 50 | 48 | 2 |
| L-PPLFG-6624-00S-N                   | 1467  | 66 | 24 | 2 |
| L-PPLFG-6630-00S-N                   | 1536  | 66 | 30 | 2 |
| L-PPLFG-6636-00S-N                   | 1645  | 66 | 36 | 2 |
| L-PPLFG-6642-00S-N                   | 1884  | 66 | 42 | 2 |
| L-PPLFG-6648-00S-N                   | 1953  | 66 | 48 | 2 |
| L-PPLFG-8224-00S-N                   | 1655  | 82 | 24 | 2 |
| L-PPLFG-8230-00S-N                   | 1709  | 82 | 30 | 2 |
| L-PPLFG-8236-00S-N                   | 2292  | 82 | 36 | 2 |
| One 24" frosted glass segment on top |       |    |    |   |
| L-PPLFG-6624-00T-N                   | 1510  | 66 | 24 | 2 |
| L-PPLFG-6630-00T-N                   | 1601  | 66 | 30 | 2 |
| L-PPLFG-6636-00T-N                   | 1719  | 66 | 36 | 2 |
| L-PPLFG-6642-00T-N                   | 1937  | 66 | 42 | 2 |
| L-PPLFG-6648-00T-N                   | 2031  | 66 | 48 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" frosted glass segments on top           |       |    |    |   |
| L-PPLFG-6624-0EE-N                             | 1680  | 66 | 24 | 2 |
| L-PPLFG-6630-0EE-N                             | 1732  | 66 | 30 | 2 |
| L-PPLFG-6636-0EE-N                             | 2052  | 66 | 36 | 2 |
| L-PPLFG-6642-0EE-N                             | 2105  | 66 | 42 | 2 |
| L-PPLFG-6648-0EE-N                             | 2179  | 66 | 48 | 2 |
| One 8" & One 16" frosted glass segment on top  |       |    |    |   |
| L-PPLFG-6624-0ES-N                             | 1680  | 66 | 24 | 2 |
| L-PPLFG-6630-0ES-N                             | 1762  | 66 | 30 | 2 |
| L-PPLFG-6636-0ES-N                             | 2119  | 66 | 36 | 2 |
| L-PPLFG-6642-0ES-N                             | 2203  | 66 | 42 | 2 |
| L-PPLFG-6648-0ES-N                             | 2316  | 66 | 48 | 2 |
| Two 16" frosted glass segments on top          |       |    |    |   |
| L-PPLFG-8224-0SS-N                             | 1736  | 82 | 24 | 2 |
| L-PPLFG-8230-0SS-N                             | 1824  | 82 | 30 | 2 |
| L-PPLFG-8236-0SS-N                             | 2216  | 82 | 36 | 2 |
| One 24" & One 16" frosted glass segment on top |       |    |    |   |
| L-PPLFG-8224-0TS-N                             | 1796  | 82 | 24 | 2 |
| L-PPLFG-8230-0TS-N                             | 1930  | 82 | 30 | 2 |
| L-PPLFG-8236-0TS-N                             | 2341  | 82 | 36 | 2 |
| Two 24" frosted glass segments on top          |       |    |    |   |
| L-PPLFG-8224-0TT-N                             | 1795  | 82 | 24 | 2 |
| L-PPLFG-8230-0TT-N                             | 1952  | 82 | 30 | 2 |
| L-PPLFG-8236-0TT-N                             | 2296  | 82 | 36 | 2 |
| One 8" & Two 16" frosted glass segments on top |       |    |    |   |
| L-PPLFG-8224-ESS-N                             | 2011  | 82 | 24 | 2 |
| L-PPLFG-8230-ESS-N                             | 2190  | 82 | 30 | 2 |
| L-PPLFG-8236-ESS-N                             | 2602  | 82 | 36 | 2 |
| Three 16" frosted glass segments on top        |       |    |    |   |
| L-PPLFG-8224-SSS-N                             | 1987  | 82 | 24 | 2 |
| L-PPLFG-8230-SSS-N                             | 2108  | 82 | 30 | 2 |
| L-PPLFG-8236-SSS-N                             | 2476  | 82 | 36 | 2 |



How to order and read your code

|              |          |   |                        |   |                        |   |                      |   |                             |   |   |    |  |                                                                            |   |    |   |                            |   |
|--------------|----------|---|------------------------|---|------------------------|---|----------------------|---|-----------------------------|---|---|----|--|----------------------------------------------------------------------------|---|----|---|----------------------------|---|
| L            | -        | P |                        | P |                        | F |                      | C |                             | A | - | 42 |  | 24                                                                         | - | 00 | E | -                          | E |
| product line | standard |   | P=glazed<br>E=Elevated |   | F=Fabric<br>L=Laminate |   | C=Clear<br>F=Frosted |   | A=Acrylic height<br>G=Glass |   |   |    |  | 0=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment |   |    |   | N=Non powered<br>E=Powered |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height\*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

\*82"H available up to 36"W

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.


Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top  |       |    |    |   |
| L-PPFCA-4224-00E-E                   | 864   | 42 | 24 | 2 |
| L-PPFCA-4230-00E-E                   | 948   | 42 | 30 | 2 |
| L-PPFCA-4236-00E-E                   | 1031  | 42 | 36 | 2 |
| L-PPFCA-4242-00E-E                   | 1115  | 42 | 42 | 2 |
| L-PPFCA-4248-00E-E                   | 1199  | 42 | 48 | 2 |
| L-PPFCA-4254-00E-E                   | 1286  | 42 | 54 | 2 |
| L-PPFCA-4260-00E-E                   | 1369  | 42 | 60 | 2 |
| L-PPFCA-5024-00E-E                   | 864   | 50 | 24 | 2 |
| L-PPFCA-5030-00E-E                   | 948   | 50 | 30 | 2 |
| L-PPFCA-5036-00E-E                   | 1031  | 50 | 36 | 2 |
| L-PPFCA-5042-00E-E                   | 1115  | 50 | 42 | 2 |
| L-PPFCA-5048-00E-E                   | 1199  | 50 | 48 | 2 |
| L-PPFCA-5054-00E-E                   | 1286  | 50 | 54 | 2 |
| L-PPFCA-5060-00E-E                   | 1369  | 50 | 60 | 2 |
| One 16" clear acrylic segment on top |       |    |    |   |
| L-PPFCA-5024-00S-E                   | 864   | 50 | 24 | 2 |
| L-PPFCA-5030-00S-E                   | 948   | 50 | 30 | 2 |
| L-PPFCA-5036-00S-E                   | 1031  | 50 | 36 | 2 |
| L-PPFCA-5042-00S-E                   | 1115  | 50 | 42 | 2 |
| L-PPFCA-5048-00S-E                   | 1199  | 50 | 48 | 2 |
| L-PPFCA-5054-00S-E                   | 1286  | 50 | 54 | 2 |
| L-PPFCA-5060-00S-E                   | 1369  | 50 | 60 | 2 |
| L-PPFCA-6624-00S-E                   | 999   | 66 | 24 | 2 |
| L-PPFCA-6630-00S-E                   | 1104  | 66 | 30 | 2 |
| L-PPFCA-6636-00S-E                   | 1209  | 66 | 36 | 2 |
| L-PPFCA-6642-00S-E                   | 1315  | 66 | 42 | 2 |
| L-PPFCA-6648-00S-E                   | 1421  | 66 | 48 | 2 |
| L-PPFCA-6654-00S-E                   | 1527  | 66 | 54 | 2 |
| L-PPFCA-6660-00S-E                   | 1633  | 66 | 60 | 2 |
| L-PPFCA-8224-00S-E                   | 1554  | 82 | 24 | 2 |
| L-PPFCA-8230-00S-E                   | 1801  | 82 | 30 | 2 |
| L-PPFCA-8236-00S-E                   | 1894  | 82 | 36 | 2 |
| L-PPFCA-8242-00S-E                   | 1940  | 82 | 42 | 2 |
| L-PPFCA-8248-00S-E                   | 2026  | 82 | 48 | 2 |
| One 24" clear acrylic segment on top |       |    |    |   |
| L-PPFCA-6624-00T-E                   | 999   | 66 | 24 | 2 |
| L-PPFCA-6630-00T-E                   | 1104  | 66 | 30 | 2 |
| L-PPFCA-6636-00T-E                   | 1209  | 66 | 36 | 2 |
| L-PPFCA-6642-00T-E                   | 1315  | 66 | 42 | 2 |
| L-PPFCA-6648-00T-E                   | 1421  | 66 | 48 | 2 |
| L-PPFCA-6654-00T-E                   | 1527  | 66 | 54 | 2 |
| L-PPFCA-6660-00T-E                   | 1633  | 66 | 60 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PPFCA-6624-0EE-E                             | 1536  | 66 | 24 | 2 |
| L-PPFCA-6630-0EE-E                             | 1737  | 66 | 30 | 2 |
| L-PPFCA-6636-0EE-E                             | 1810  | 66 | 36 | 2 |
| L-PPFCA-6642-0EE-E                             | 1870  | 66 | 42 | 2 |
| L-PPFCA-6648-0EE-E                             | 1950  | 66 | 48 | 2 |
| L-PPFCA-6654-0EE-E                             | 2073  | 66 | 54 | 2 |
| L-PPFCA-6660-0EE-E                             | 2128  | 66 | 60 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PPFCA-6624-0ES-E                             | 1501  | 66 | 24 | 2 |
| L-PPFCA-6630-0ES-E                             | 1694  | 66 | 30 | 2 |
| L-PPFCA-6636-0ES-E                             | 1780  | 66 | 36 | 2 |
| L-PPFCA-6642-0ES-E                             | 1865  | 66 | 42 | 2 |
| L-PPFCA-6648-0ES-E                             | 1954  | 66 | 48 | 2 |
| L-PPFCA-6654-0ES-E                             | 2048  | 66 | 54 | 2 |
| L-PPFCA-6660-0ES-E                             | 2093  | 66 | 60 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PPFCA-8224-0SS-E                             | 1598  | 82 | 24 | 2 |
| L-PPFCA-8230-0SS-E                             | 1857  | 82 | 30 | 2 |
| L-PPFCA-8236-0SS-E                             | 1987  | 82 | 36 | 2 |
| L-PPFCA-8242-0SS-E                             | 2044  | 82 | 42 | 2 |
| L-PPFCA-8248-0SS-E                             | 2126  | 82 | 48 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PPFCA-8224-0TS-E                             | 1588  | 82 | 24 | 2 |
| L-PPFCA-8230-0TS-E                             | 1821  | 82 | 30 | 2 |
| L-PPFCA-8236-0TS-E                             | 1894  | 82 | 36 | 2 |
| L-PPFCA-8242-0TS-E                             | 1951  | 82 | 42 | 2 |
| L-PPFCA-8248-0TS-E                             | 2147  | 82 | 48 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PPFCA-8224-0TT-E                             | 1584  | 82 | 24 | 2 |
| L-PPFCA-8230-0TT-E                             | 1795  | 82 | 30 | 2 |
| L-PPFCA-8236-0TT-E                             | 1889  | 82 | 36 | 2 |
| L-PPFCA-8242-0TT-E                             | 2013  | 82 | 42 | 2 |
| L-PPFCA-8248-0TT-E                             | 2092  | 82 | 48 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PPFCA-8224-ESS-E                             | 1654  | 82 | 24 | 2 |
| L-PPFCA-8230-ESS-E                             | 1963  | 82 | 30 | 2 |
| L-PPFCA-8236-ESS-E                             | 2044  | 82 | 36 | 2 |
| L-PPFCA-8242-ESS-E                             | 2047  | 82 | 42 | 2 |
| L-PPFCA-8248-ESS-E                             | 2242  | 82 | 48 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PPFCA-8224-SSS-E                             | 1682  | 82 | 24 | 2 |
| L-PPFCA-8230-SSS-E                             | 1902  | 82 | 30 | 2 |
| L-PPFCA-8236-SSS-E                             | 2075  | 82 | 36 | 2 |
| L-PPFCA-8242-SSS-E                             | 2144  | 82 | 42 | 2 |
| L-PPFCA-8248-SSS-E                             | 2235  | 82 | 48 | 2 |





How to order and read your code

|              |   |          |  |                        |  |                        |  |                      |  |                             |   |       |  |                                                                            |   |                            |   |   |   |
|--------------|---|----------|--|------------------------|--|------------------------|--|----------------------|--|-----------------------------|---|-------|--|----------------------------------------------------------------------------|---|----------------------------|---|---|---|
| L            | - | P        |  | P                      |  | F                      |  | F                    |  | A                           | - | 42    |  | 24                                                                         | - | 00                         | E | - | E |
| product line |   | standard |  | P=glazed<br>E=Elevated |  | F=Fabric<br>L=Laminate |  | C=Clear<br>F=Frosted |  | A=Acrylic height<br>G=Glass |   | width |  | 0=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment |   | N=Non powered<br>E=Powered |   |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:


Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                            |                                |
|----------------------------|--------------------------------|
| Height*:                   | 34", 42", 50", 66", 82"        |
| Width:                     | 24", 30", 36", 42", 48",       |
| Laminate                   |                                |
| Metal Powder Coat Paint:   | White, Black, Silver, Charcoal |
| *82"H available up to 36"W |                                |

| Code                                             | Price | H  | W  | D |
|--------------------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top            |       |    |    |   |
| L-PPFFA-4224-00E-E                               | 971   | 42 | 24 | 2 |
| L-PPFFA-4230-00E-E                               | 1054  | 42 | 30 | 2 |
| L-PPFFA-4236-00E-E                               | 1138  | 42 | 36 | 2 |
| L-PPFFA-4242-00E-E                               | 1222  | 42 | 42 | 2 |
| L-PPFFA-4248-00E-E                               | 1305  | 42 | 48 | 2 |
| L-PPFFA-4254-00E-E                               | 1393  | 42 | 54 | 2 |
| L-PPFFA-4260-00E-E                               | 1474  | 42 | 60 | 2 |
| L-PPFFA-5024-00E-E                               | 971   | 50 | 24 | 2 |
| L-PPFFA-5030-00E-E                               | 1054  | 50 | 30 | 2 |
| L-PPFFA-5036-00E-E                               | 1138  | 50 | 36 | 2 |
| L-PPFFA-5042-00E-E                               | 1222  | 50 | 42 | 2 |
| L-PPFFA-5048-00E-E                               | 1305  | 50 | 48 | 2 |
| L-PPFFA-5054-00E-E                               | 1393  | 50 | 54 | 2 |
| L-PPFFA-5060-00E-E                               | 1474  | 50 | 60 | 2 |
| One 16" frosted acrylic segment on top           |       |    |    |   |
| L-PPFFA-5024-00S-E                               | 971   | 50 | 24 | 2 |
| L-PPFFA-5030-00S-E                               | 1054  | 50 | 30 | 2 |
| L-PPFFA-5036-00S-E                               | 1138  | 50 | 36 | 2 |
| L-PPFFA-5042-00S-E                               | 1222  | 50 | 42 | 2 |
| L-PPFFA-5048-00S-E                               | 1305  | 50 | 48 | 2 |
| L-PPFFA-5054-00S-E                               | 1393  | 50 | 54 | 2 |
| L-PPFFA-5060-00S-E                               | 1474  | 50 | 60 | 2 |
| L-PPFFA-6624-00S-E                               | 1106  | 50 | 24 | 2 |
| L-PPFFA-6630-00S-E                               | 1210  | 50 | 30 | 2 |
| L-PPFFA-6636-00S-E                               | 1316  | 50 | 36 | 2 |
| L-PPFFA-6642-00S-E                               | 1421  | 50 | 42 | 2 |
| L-PPFFA-6648-00S-E                               | 1528  | 50 | 48 | 2 |
| L-PPFFA-6654-00S-E                               | 1633  | 50 | 54 | 2 |
| L-PPFFA-6660-00S-E                               | 1739  | 50 | 60 | 2 |
| L-PPFFA-8224-00S-E                               | 1590  | 82 | 24 | 2 |
| L-PPFFA-8230-00S-E                               | 1851  | 82 | 30 | 2 |
| L-PPFFA-8236-00S-E                               | 1956  | 82 | 36 | 2 |
| L-PPFFA-8242-00S-E                               | 2013  | 82 | 42 | 2 |
| L-PPFFA-8248-00S-E                               | 2097  | 82 | 48 | 2 |
| One 24" frosted acrylic segment on top           |       |    |    |   |
| L-PPFFA-6624-00T-E                               | 1106  | 66 | 24 | 2 |
| L-PPFFA-6630-00T-E                               | 1210  | 66 | 30 | 2 |
| L-PPFFA-6636-00T-E                               | 1316  | 66 | 36 | 2 |
| L-PPFFA-6642-00T-E                               | 1371  | 66 | 42 | 2 |
| L-PPFFA-6648-00T-E                               | 1479  | 66 | 48 | 2 |
| L-PPFFA-6654-00T-E                               | 1633  | 66 | 54 | 2 |
| L-PPFFA-6660-00T-E                               | 1739  | 66 | 60 | 2 |
| Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PPFFA-6624-0EE-E                               | 1600  | 66 | 24 | 2 |
| L-PPFFA-6630-0EE-E                               | 1822  | 66 | 30 | 2 |
| L-PPFFA-6636-0EE-E                               | 1923  | 66 | 36 | 2 |
| L-PPFFA-6642-0EE-E                               | 1980  | 66 | 42 | 2 |
| L-PPFFA-6648-0EE-E                               | 2079  | 66 | 48 | 2 |
| L-PPFFA-6654-0EE-E                               | 2164  | 66 | 54 | 2 |
| L-PPFFA-6660-0EE-E                               | 2217  | 66 | 60 | 2 |
| One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PPFFA-6624-0ES-E                               | 1553  | 66 | 24 | 2 |
| L-PPFFA-6630-0ES-E                               | 1767  | 66 | 30 | 2 |
| L-PPFFA-6636-0ES-E                               | 1866  | 66 | 36 | 2 |
| L-PPFFA-6642-0ES-E                               | 1974  | 66 | 42 | 2 |
| L-PPFFA-6648-0ES-E                               | 2062  | 66 | 48 | 2 |
| L-PPFFA-6654-0ES-E                               | 2168  | 66 | 54 | 2 |
| L-PPFFA-6660-0ES-E                               | 2234  | 66 | 60 | 2 |
| Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PPFFA-8224-0SS-E                               | 1495  | 82 | 24 | 2 |
| L-PPFFA-8230-0SS-E                               | 1710  | 82 | 30 | 2 |
| L-PPFFA-8236-0SS-E                               | 1794  | 82 | 36 | 2 |
| L-PPFFA-8242-0SS-E                               | 1859  | 82 | 42 | 2 |
| L-PPFFA-8248-0SS-E                               | 1928  | 82 | 48 | 2 |
| One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PPFFA-8224-0TS-E                               | 1696  | 82 | 24 | 2 |
| L-PPFFA-8230-0TS-E                               | 1966  | 82 | 30 | 2 |
| L-PPFFA-8236-0TS-E                               | 2037  | 82 | 36 | 2 |
| L-PPFFA-8242-0TS-E                               | 2131  | 82 | 42 | 2 |
| L-PPFFA-8248-0TS-E                               | 2365  | 82 | 48 | 2 |
| Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PPFFA-8224-0TT-E                               | 1692  | 82 | 24 | 2 |
| L-PPFFA-8230-0TT-E                               | 1940  | 82 | 30 | 2 |
| L-PPFFA-8236-0TT-E                               | 2062  | 82 | 36 | 2 |
| L-PPFFA-8242-0TT-E                               | 2228  | 82 | 42 | 2 |
| L-PPFFA-8248-0TT-E                               | 2306  | 82 | 48 | 2 |
| One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| L-PPFFA-8224-ESS-E                               | 1762  | 82 | 24 | 2 |
| L-PPFFA-8230-ESS-E                               | 2105  | 82 | 30 | 2 |
| L-PPFFA-8236-ESS-E                               | 2188  | 82 | 36 | 2 |
| L-PPFFA-8242-ESS-E                               | 2257  | 82 | 42 | 2 |
| L-PPFFA-8248-ESS-E                               | 2384  | 82 | 48 | 2 |
| Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PPFFA-8224-SSS-E                               | 1791  | 82 | 24 | 2 |
| L-PPFFA-8230-SSS-E                               | 2044  | 82 | 30 | 2 |
| L-PPFFA-8236-SSS-E                               | 2293  | 82 | 36 | 2 |
| L-PPFFA-8242-SSS-E                               | 2360  | 82 | 42 | 2 |
| L-PPFFA-8248-SSS-E                               | 2451  | 82 | 48 | 2 |





How to order and read your code

|              |   |          |  |                           |  |                        |  |                       |  |                      |   |        |  |       |   |                                                                                    |   |                            |   |   |
|--------------|---|----------|--|---------------------------|--|------------------------|--|-----------------------|--|----------------------|---|--------|--|-------|---|------------------------------------------------------------------------------------|---|----------------------------|---|---|
| L            | - | P        |  | P                         |  | F                      |  | C                     |  | G                    | - | 42     |  | 24    | - | 0                                                                                  | 0 | E                          | - | E |
| product line |   | standard |  | P= glazed<br>E = Elevated |  | F=Fabric<br>L=Laminate |  | C= Clear<br>F=Frosted |  | A=Acrylic<br>G=Glass |   | height |  | width |   | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   | N=Non powered<br>E=Powered |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:


Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |
| *82"H available up to 36"W                              |                          |

| Code                               | Price | H  | W  | D |
|------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top  |       |    |    |   |
| L-PPFCG-4224-00E-E                 | 1005  | 42 | 24 | 2 |
| L-PPFCG-4230-00E-E                 | 1089  | 42 | 30 | 2 |
| L-PPFCG-4236-00E-E                 | 1174  | 42 | 36 | 2 |
| L-PPFCG-4242-00E-E                 | 1257  | 42 | 42 | 2 |
| L-PPFCG-4248-00E-E                 | 1341  | 42 | 48 | 2 |
| L-PPFCG-4254-00E-E                 | 1427  | 42 | 54 | 2 |
| L-PPFCG-4260-00E-E                 | 1508  | 42 | 60 | 2 |
| L-PPFCG-5024-00E-E                 | 1005  | 50 | 24 | 2 |
| L-PPFCG-5030-00E-E                 | 1089  | 50 | 30 | 2 |
| L-PPFCG-5036-00E-E                 | 1174  | 50 | 36 | 2 |
| L-PPFCG-5042-00E-E                 | 1257  | 50 | 42 | 2 |
| L-PPFCG-5048-00E-E                 | 1341  | 50 | 48 | 2 |
| L-PPFCG-5054-00E-E                 | 1427  | 50 | 54 | 2 |
| L-PPFCG-5060-00E-E                 | 1508  | 50 | 60 | 2 |
| One 16" clear glass segment on top |       |    |    |   |
| L-PPFCG-5024-00S-E                 | 1005  | 50 | 24 | 2 |
| L-PPFCG-5030-00S-E                 | 1089  | 50 | 30 | 2 |
| L-PPFCG-5036-00S-E                 | 1174  | 50 | 36 | 2 |
| L-PPFCG-5042-00S-E                 | 1257  | 50 | 42 | 2 |
| L-PPFCG-5048-00S-E                 | 1341  | 50 | 48 | 2 |
| L-PPFCG-5054-00S-E                 | 1427  | 50 | 54 | 2 |
| L-PPFCG-5060-00S-E                 | 1508  | 50 | 60 | 2 |
| L-PPFCG-6624-00S-E                 | 1150  | 66 | 24 | 2 |
| L-PPFCG-6630-00S-E                 | 1253  | 66 | 30 | 2 |
| L-PPFCG-6636-00S-E                 | 1360  | 66 | 36 | 2 |
| L-PPFCG-6642-00S-E                 | 1466  | 66 | 42 | 2 |
| L-PPFCG-6648-00S-E                 | 1574  | 66 | 48 | 2 |
| L-PPFCG-6654-00S-E                 | 1679  | 66 | 54 | 2 |
| L-PPFCG-6660-00S-E                 | 1786  | 66 | 60 | 2 |
| L-PPFCG-8224-00S-E                 | 1512  | 82 | 24 | 2 |
| L-PPFCG-8230-00S-E                 | 1786  | 82 | 30 | 2 |
| L-PPFCG-8236-00S-E                 | 1901  | 82 | 36 | 2 |
| L-PPFCG-8242-00S-E                 | 1964  | 82 | 42 | 2 |
| L-PPFCG-8248-00S-E                 | 2072  | 82 | 48 | 2 |
| One 24" clear glass segment on top |       |    |    |   |
| L-PPFCG-6624-00T-E                 | 1150  | 66 | 24 | 2 |
| L-PPFCG-6630-00T-E                 | 1253  | 66 | 30 | 2 |
| L-PPFCG-6636-00T-E                 | 1360  | 66 | 36 | 2 |
| L-PPFCG-6642-00T-E                 | 1466  | 66 | 42 | 2 |
| L-PPFCG-6648-00T-E                 | 1574  | 66 | 48 | 2 |
| L-PPFCG-6654-00T-E                 | 1679  | 66 | 54 | 2 |
| L-PPFCG-6660-00T-E                 | 1786  | 66 | 60 | 2 |

| Code                                         | Price | H  | W  | D |
|----------------------------------------------|-------|----|----|---|
| Two 8" clear glass segments on top           |       |    |    |   |
| L-PPFCG-6624-0EE-E                           | 1636  | 66 | 24 | 2 |
| L-PPFCG-6630-0EE-E                           | 1873  | 66 | 30 | 2 |
| L-PPFCG-6636-0EE-E                           | 1972  | 66 | 36 | 2 |
| L-PPFCG-6642-0EE-E                           | 2043  | 66 | 42 | 2 |
| L-PPFCG-6648-0EE-E                           | 2140  | 66 | 48 | 2 |
| L-PPFCG-6654-0EE-E                           | 2262  | 66 | 54 | 2 |
| L-PPFCG-6660-0EE-E                           | 2329  | 66 | 60 | 2 |
| One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PPFCG-6624-0ES-E                           | 1594  | 66 | 24 | 2 |
| L-PPFCG-6630-0ES-E                           | 1802  | 66 | 30 | 2 |
| L-PPFCG-6636-0ES-E                           | 1905  | 66 | 36 | 2 |
| L-PPFCG-6642-0ES-E                           | 1997  | 66 | 42 | 2 |
| L-PPFCG-6648-0ES-E                           | 2118  | 66 | 48 | 2 |
| L-PPFCG-6654-0ES-E                           | 2250  | 66 | 54 | 2 |
| L-PPFCG-6660-0ES-E                           | 2323  | 66 | 60 | 2 |
| Two 16" clear glass segments on top          |       |    |    |   |
| L-PPFCG-8224-0SS-E                           | 1692  | 82 | 24 | 2 |
| L-PPFCG-8230-0SS-E                           | 1944  | 82 | 30 | 2 |
| L-PPFCG-8236-0SS-E                           | 2075  | 82 | 36 | 2 |
| L-PPFCG-8242-0SS-E                           | 2180  | 82 | 42 | 2 |
| L-PPFCG-8248-0SS-E                           | 2306  | 82 | 48 | 2 |
| One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PPFCG-8224-0TS-E                           | 1680  | 82 | 24 | 2 |
| L-PPFCG-8230-0TS-E                           | 1913  | 82 | 30 | 2 |
| L-PPFCG-8236-0TS-E                           | 2040  | 82 | 36 | 2 |
| L-PPFCG-8242-0TS-E                           | 2157  | 82 | 42 | 2 |
| L-PPFCG-8248-0TS-E                           | 2300  | 82 | 48 | 2 |
| Two 24" clear glass segments on top          |       |    |    |   |
| L-PPFCG-8224-0TT-E                           | 1710  | 82 | 24 | 2 |
| L-PPFCG-8230-0TT-E                           | 1937  | 82 | 30 | 2 |
| L-PPFCG-8236-0TT-E                           | 2054  | 82 | 36 | 2 |
| L-PPFCG-8242-0TT-E                           | 2176  | 82 | 42 | 2 |
| L-PPFCG-8248-0TT-E                           | 2318  | 82 | 48 | 2 |
| One 8" & Two 16" clear glass segments on top |       |    |    |   |
| L-PPFCG-8224-ESS-E                           | 1835  | 82 | 24 | 2 |
| L-PPFCG-8230-ESS-E                           | 2134  | 82 | 30 | 2 |
| L-PPFCG-8236-ESS-E                           | 2273  | 82 | 36 | 2 |
| L-PPFCG-8242-ESS-E                           | 2294  | 82 | 42 | 2 |
| L-PPFCG-8248-ESS-E                           | 2474  | 82 | 48 | 2 |
| Three 16" clear glass segments on top        |       |    |    |   |
| L-PPFCG-8224-SSS-E                           | 1874  | 82 | 24 | 2 |
| L-PPFCG-8230-SSS-E                           | 2093  | 82 | 30 | 2 |
| L-PPFCG-8236-SSS-E                           | 2235  | 82 | 36 | 2 |
| L-PPFCG-8242-SSS-E                           | 2370  | 82 | 42 | 2 |
| L-PPFCG-8248-SSS-E                           | 2532  | 82 | 48 | 2 |



How to order and read your code

|              |   |          |  |                           |  |                        |  |                       |  |                      |   |        |  |       |   |                                                                                    |   |                            |   |   |
|--------------|---|----------|--|---------------------------|--|------------------------|--|-----------------------|--|----------------------|---|--------|--|-------|---|------------------------------------------------------------------------------------|---|----------------------------|---|---|
| L            | - | P        |  | P                         |  | F                      |  | F                     |  | G                    | - | 42     |  | 24    | - | 0                                                                                  | 0 | E                          | - | E |
| product line |   | standard |  | P= glazed<br>E = Elevated |  | F=Fabric<br>L=Laminate |  | C= Clear<br>F=Frosted |  | A=Acrylic<br>G=Glass |   | height |  | width |   | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   | N=Non powered<br>E=Powered |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height\*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

\*82"H available up to 36"W

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| One 8" frosted glass segment on top            |       |    |    |   |
| L-PPFFG-4224-00E-E                             | 1112  | 42 | 24 | 2 |
| L-PPFFG-4230-00E-E                             | 1195  | 42 | 30 | 2 |
| L-PPFFG-4236-00E-E                             | 1280  | 42 | 36 | 2 |
| L-PPFFG-4242-00E-E                             | 1364  | 42 | 42 | 2 |
| L-PPFFG-4248-00E-E                             | 1447  | 42 | 48 | 2 |
| L-PPFFG-4254-00E-E                             | 1534  | 42 | 54 | 2 |
| L-PPFFG-4260-00E-E                             | 1615  | 42 | 60 | 2 |
| L-PPFFG-5024-00E-E                             | 1112  | 50 | 24 | 2 |
| L-PPFFG-5030-00E-E                             | 1195  | 50 | 30 | 2 |
| L-PPFFG-5036-00E-E                             | 1280  | 50 | 36 | 2 |
| L-PPFFG-5042-00E-E                             | 1364  | 50 | 42 | 2 |
| L-PPFFG-5048-00E-E                             | 1447  | 50 | 48 | 2 |
| L-PPFFG-5054-00E-E                             | 1534  | 50 | 54 | 2 |
| L-PPFFG-5060-00E-E                             | 1615  | 50 | 60 | 2 |
| One 16" frosted glass segment on top           |       |    |    |   |
| L-PPFFG-5024-00S-E                             | 1112  | 50 | 24 | 2 |
| L-PPFFG-5030-00S-E                             | 1195  | 50 | 30 | 2 |
| L-PPFFG-5036-00S-E                             | 1280  | 50 | 36 | 2 |
| L-PPFFG-5042-00S-E                             | 1364  | 50 | 42 | 2 |
| L-PPFFG-5048-00S-E                             | 1447  | 50 | 48 | 2 |
| L-PPFFG-5054-00S-E                             | 1534  | 50 | 54 | 2 |
| L-PPFFG-5060-00S-E                             | 1615  | 50 | 60 | 2 |
| L-PPFFG-6624-00S-E                             | 1255  | 66 | 24 | 2 |
| L-PPFFG-6630-00S-E                             | 1360  | 66 | 30 | 2 |
| L-PPFFG-6636-00S-E                             | 1467  | 66 | 36 | 2 |
| L-PPFFG-6642-00S-E                             | 1573  | 66 | 42 | 2 |
| L-PPFFG-6648-00S-E                             | 1680  | 66 | 48 | 2 |
| L-PPFFG-6654-00S-E                             | 1786  | 66 | 54 | 2 |
| L-PPFFG-6660-00S-E                             | 1892  | 66 | 60 | 2 |
| L-PPFFG-8224-00S-E                             | 1600  | 82 | 24 | 2 |
| L-PPFFG-8230-00S-E                             | 1882  | 82 | 30 | 2 |
| L-PPFFG-8236-00S-E                             | 2016  | 82 | 36 | 2 |
| L-PPFFG-8242-00S-E                             | 2097  | 82 | 42 | 2 |
| L-PPFFG-8248-00S-E                             | 2227  | 82 | 48 | 2 |
| One 24" frosted glass segment on top           |       |    |    |   |
| L-PPFFG-6624-00T-E                             | 1255  | 66 | 24 | 2 |
| L-PPFFG-6630-00T-E                             | 1360  | 66 | 30 | 2 |
| L-PPFFG-6636-00T-E                             | 1467  | 66 | 36 | 2 |
| L-PPFFG-6642-00T-E                             | 1573  | 66 | 42 | 2 |
| L-PPFFG-6648-00T-E                             | 1680  | 66 | 48 | 2 |
| L-PPFFG-6654-00T-E                             | 1786  | 66 | 54 | 2 |
| L-PPFFG-6660-00T-E                             | 1892  | 66 | 60 | 2 |
| Two 8" frosted glass segments on top           |       |    |    |   |
| L-PPFFG-6624-0EE-E                             | 1810  | 66 | 24 | 2 |
| L-PPFFG-6630-0EE-E                             | 2047  | 66 | 30 | 2 |
| L-PPFFG-6636-0EE-E                             | 2146  | 66 | 36 | 2 |
| L-PPFFG-6642-0EE-E                             | 2217  | 66 | 42 | 2 |
| L-PPFFG-6648-0EE-E                             | 2313  | 66 | 48 | 2 |
| L-PPFFG-6654-0EE-E                             | 2438  | 66 | 54 | 2 |
| L-PPFFG-6660-0EE-E                             | 2522  | 66 | 60 | 2 |
| One 8" & One 16" frosted glass segment on top  |       |    |    |   |
| L-PPFFG-6624-0ES-E                             | 1768  | 66 | 24 | 2 |
| L-PPFFG-6630-0ES-E                             | 1987  | 66 | 30 | 2 |
| L-PPFFG-6636-0ES-E                             | 2110  | 66 | 36 | 2 |
| L-PPFFG-6642-0ES-E                             | 2223  | 66 | 42 | 2 |
| L-PPFFG-6648-0ES-E                             | 2360  | 66 | 48 | 2 |
| L-PPFFG-6654-0ES-E                             | 2512  | 66 | 54 | 2 |
| L-PPFFG-6660-0ES-E                             | 2616  | 66 | 60 | 2 |
| Two 16" frosted glass segments on top          |       |    |    |   |
| L-PPFFG-8224-0SS-E                             | 1866  | 82 | 24 | 2 |
| L-PPFFG-8230-0SS-E                             | 2139  | 82 | 30 | 2 |
| L-PPFFG-8236-0SS-E                             | 2308  | 82 | 36 | 2 |
| L-PPFFG-8242-0SS-E                             | 2451  | 82 | 42 | 2 |
| L-PPFFG-8248-0SS-E                             | 2618  | 82 | 48 | 2 |
| One 24" & One 16" frosted glass segment on top |       |    |    |   |
| L-PPFFG-8224-0TS-E                             | 1884  | 82 | 24 | 2 |
| L-PPFFG-8230-0TS-E                             | 2156  | 82 | 30 | 2 |
| L-PPFFG-8236-0TS-E                             | 2332  | 82 | 36 | 2 |
| L-PPFFG-8242-0TS-E                             | 2498  | 82 | 42 | 2 |
| L-PPFFG-8248-0TS-E                             | 2688  | 82 | 48 | 2 |
| Two 24" frosted glass segments on top          |       |    |    |   |
| L-PPFFG-8224-0TT-E                             | 1943  | 82 | 24 | 2 |
| L-PPFFG-8230-0TT-E                             | 2228  | 82 | 30 | 2 |
| L-PPFFG-8236-0TT-E                             | 2404  | 82 | 36 | 2 |
| L-PPFFG-8242-0TT-E                             | 2581  | 82 | 42 | 2 |
| L-PPFFG-8248-0TT-E                             | 2784  | 82 | 48 | 2 |
| One 8" & Two 16" frosted glass segments on top |       |    |    |   |
| L-PPFFG-8224-ESS-E                             | 2097  | 82 | 24 | 2 |
| L-PPFFG-8230-ESS-E                             | 2414  | 82 | 30 | 2 |
| L-PPFFG-8236-ESS-E                             | 2592  | 82 | 36 | 2 |
| L-PPFFG-8242-ESS-E                             | 2653  | 82 | 42 | 2 |
| L-PPFFG-8248-ESS-E                             | 2873  | 82 | 48 | 2 |
| Three 16" frosted glass segments on top        |       |    |    |   |
| L-PPFFG-8224-SSS-E                             | 2136  | 82 | 24 | 2 |
| L-PPFFG-8230-SSS-E                             | 2383  | 82 | 30 | 2 |
| L-PPFFG-8236-SSS-E                             | 2582  | 82 | 36 | 2 |
| L-PPFFG-8242-SSS-E                             | 2779  | 82 | 42 | 2 |
| L-PPFFG-8248-SSS-E                             | 2997  | 82 | 48 | 2 |



How to order and read your code

|              |          |                        |                        |                      |                      |        |       |                                                                            |                            |   |   |    |  |    |   |     |   |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|----------------------------------------------------------------------------|----------------------------|---|---|----|--|----|---|-----|---|---|
| L            | -        | P                      |                        | P                    |                      | L      |       | C                                                                          |                            | A | - | 42 |  | 24 | - | 00E | - | E |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment | N=Non powered<br>E=Powered |   |   |    |  |    |   |     |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:


|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |

\*82"H available up to 36"W

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top  |       |    |    |   |
| L-PPLCA-4224-00E-E                   | 1226  | 42 | 24 | 2 |
| L-PPLCA-4230-00E-E                   | 1283  | 42 | 30 | 2 |
| L-PPLCA-4236-00E-E                   | 1338  | 42 | 36 | 2 |
| L-PPLCA-4242-00E-E                   | 1454  | 42 | 42 | 2 |
| L-PPLCA-4248-00E-E                   | 1467  | 42 | 48 | 2 |
| L-PPLCA-5024-00E-E                   | 1264  | 50 | 24 | 2 |
| L-PPLCA-5030-00E-E                   | 1176  | 50 | 30 | 2 |
| L-PPLCA-5036-00E-E                   | 1234  | 50 | 36 | 2 |
| L-PPLCA-5042-00E-E                   | 1394  | 50 | 42 | 2 |
| L-PPLCA-5048-00E-E                   | 1427  | 50 | 48 | 2 |
| One 16" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-5024-00S-E                   | 1161  | 50 | 24 | 2 |
| L-PPLCA-5030-00S-E                   | 1199  | 50 | 30 | 2 |
| L-PPLCA-5036-00S-E                   | 1265  | 50 | 36 | 2 |
| L-PPLCA-5042-00S-E                   | 1408  | 50 | 42 | 2 |
| L-PPLCA-5048-00S-E                   | 1448  | 50 | 48 | 2 |
| L-PPLCA-6624-00S-E                   | 1265  | 66 | 24 | 2 |
| L-PPLCA-6630-00S-E                   | 1303  | 66 | 30 | 2 |
| L-PPLCA-6636-00S-E                   | 1386  | 66 | 36 | 2 |
| L-PPLCA-6642-00S-E                   | 1596  | 66 | 42 | 2 |
| L-PPLCA-6648-00S-E                   | 1639  | 66 | 48 | 2 |
| L-PPLCA-8224-00S-E                   | 1623  | 82 | 24 | 2 |
| L-PPLCA-8230-00S-E                   | 1643  | 82 | 30 | 2 |
| L-PPLCA-8236-00S-E                   | 2185  | 82 | 36 | 2 |
| One 24" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-6624-00T-E                   | 1253  | 66 | 24 | 2 |
| L-PPLCA-6630-00T-E                   | 1302  | 66 | 30 | 2 |
| L-PPLCA-6636-00T-E                   | 1383  | 66 | 36 | 2 |
| L-PPLCA-6642-00T-E                   | 1557  | 66 | 42 | 2 |
| L-PPLCA-6648-00T-E                   | 1606  | 66 | 48 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PPLCA-6624-0EE-E                             | 1420  | 66 | 24 | 2 |
| L-PPLCA-6630-0EE-E                             | 1437  | 66 | 30 | 2 |
| L-PPLCA-6636-0EE-E                             | 1731  | 66 | 36 | 2 |
| L-PPLCA-6642-0EE-E                             | 1770  | 66 | 42 | 2 |
| L-PPLCA-6648-0EE-E                             | 1828  | 66 | 48 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PPLCA-6624-0ES-E                             | 1427  | 66 | 24 | 2 |
| L-PPLCA-6630-0ES-E                             | 1484  | 66 | 30 | 2 |
| L-PPLCA-6636-0ES-E                             | 1802  | 66 | 36 | 2 |
| L-PPLCA-6642-0ES-E                             | 1862  | 66 | 42 | 2 |
| L-PPLCA-6648-0ES-E                             | 1925  | 66 | 48 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PPLCA-8224-0SS-E                             | 1482  | 82 | 24 | 2 |
| L-PPLCA-8230-0SS-E                             | 1554  | 82 | 30 | 2 |
| L-PPLCA-8236-0SS-E                             | 1908  | 82 | 36 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PPLCA-8224-0TS-E                             | 1513  | 82 | 24 | 2 |
| L-PPLCA-8230-0TS-E                             | 1611  | 82 | 30 | 2 |
| L-PPLCA-8236-0TS-E                             | 1917  | 82 | 36 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PPLCA-8224-0TT-E                             | 1447  | 82 | 24 | 2 |
| L-PPLCA-8230-0TT-E                             | 1535  | 82 | 30 | 2 |
| L-PPLCA-8236-0TT-E                             | 1797  | 82 | 36 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PPLCA-8224-ESS-E                             | 1579  | 82 | 24 | 2 |
| L-PPLCA-8230-ESS-E                             | 1750  | 82 | 30 | 2 |
| L-PPLCA-8236-ESS-E                             | 2069  | 82 | 36 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PPLCA-8224-SSS-E                             | 1548  | 82 | 24 | 2 |
| L-PPLCA-8230-SSS-E                             | 1642  | 82 | 30 | 2 |
| L-PPLCA-8236-SSS-E                             | 1983  | 82 | 36 | 2 |





How to order and read your code

|              |          |                        |                        |                      |                      |        |       |                                                                                    |    |   |                            |   |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|----|---|----------------------------|---|---|
| L            | -        | P                      | P                      | L                    | F                    | A      | -     | 42                                                                                 | 24 | - | 00E                        | - | E |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |    |   | N=Non powered<br>E=Powered |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height\*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

\*82"H available up to 36"W

Notes:

Power capable panel with bracket for power module.


Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

| Code                                   | Price | H  | W  | D |
|----------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top  |       |    |    |   |
| L-PPLFA-4224-00E-E                     | 1212  | 42 | 24 | 2 |
| L-PPLFA-4230-00E-E                     | 1245  | 42 | 30 | 2 |
| L-PPLFA-4236-00E-E                     | 1298  | 42 | 36 | 2 |
| L-PPLFA-4242-00E-E                     | 1435  | 42 | 42 | 2 |
| L-PPLFA-4248-00E-E                     | 1467  | 42 | 48 | 2 |
| L-PPLFA-5024-00E-E                     | 1251  | 50 | 24 | 2 |
| L-PPLFA-5030-00E-E                     | 1283  | 50 | 30 | 2 |
| L-PPLFA-5036-00E-E                     | 1341  | 50 | 36 | 2 |
| L-PPLFA-5042-00E-E                     | 1501  | 50 | 42 | 2 |
| L-PPLFA-5048-00E-E                     | 1534  | 50 | 48 | 2 |
| One 16" frosted acrylic segment on top |       |    |    |   |
| L-PPLFA-5024-00S-E                     | 1268  | 50 | 24 | 2 |
| L-PPLFA-5030-00S-E                     | 1305  | 50 | 30 | 2 |
| L-PPLFA-5036-00S-E                     | 1372  | 50 | 36 | 2 |
| L-PPLFA-5042-00S-E                     | 1514  | 50 | 42 | 2 |
| L-PPLFA-5048-00S-E                     | 1557  | 50 | 48 | 2 |
| L-PPLFA-6624-00S-E                     | 1372  | 66 | 24 | 2 |
| L-PPLFA-6630-00S-E                     | 1409  | 66 | 30 | 2 |
| L-PPLFA-6636-00S-E                     | 1493  | 66 | 36 | 2 |
| L-PPLFA-6642-00S-E                     | 1702  | 66 | 42 | 2 |
| L-PPLFA-6648-00S-E                     | 1745  | 66 | 48 | 2 |
| L-PPLFA-8224-00S-E                     | 1661  | 82 | 24 | 2 |
| L-PPLFA-8230-00S-E                     | 1691  | 82 | 30 | 2 |
| L-PPLFA-8236-00S-E                     | 2246  | 82 | 36 | 2 |
| One 24" frosted acrylic segment on top |       |    |    |   |
| L-PPLFA-6624-00T-E                     | 1360  | 66 | 24 | 2 |
| L-PPLFA-6630-00T-E                     | 1408  | 66 | 30 | 2 |
| L-PPLFA-6636-00T-E                     | 1444  | 66 | 36 | 2 |
| L-PPLFA-6642-00T-E                     | 1664  | 66 | 42 | 2 |
| L-PPLFA-6648-00T-E                     | 1714  | 66 | 48 | 2 |

| Code                                             | Price | H  | W  | D |
|--------------------------------------------------|-------|----|----|---|
| Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PPLFA-6624-0EE-E                               | 1483  | 66 | 24 | 2 |
| L-PPLFA-6630-0EE-E                               | 1524  | 66 | 30 | 2 |
| L-PPLFA-6636-0EE-E                               | 1844  | 66 | 36 | 2 |
| L-PPLFA-6642-0EE-E                               | 1879  | 66 | 42 | 2 |
| L-PPLFA-6648-0EE-E                               | 1956  | 66 | 48 | 2 |
| One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PPLFA-6624-0ES-E                               | 1481  | 66 | 24 | 2 |
| L-PPLFA-6630-0ES-E                               | 1557  | 66 | 30 | 2 |
| L-PPLFA-6636-0ES-E                               | 1889  | 66 | 36 | 2 |
| L-PPLFA-6642-0ES-E                               | 1970  | 66 | 42 | 2 |
| L-PPLFA-6648-0ES-E                               | 2033  | 66 | 48 | 2 |
| Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PPLFA-8224-0SS-E                               | 1379  | 82 | 24 | 2 |
| L-PPLFA-8230-0SS-E                               | 1409  | 82 | 30 | 2 |
| L-PPLFA-8236-0SS-E                               | 1715  | 82 | 36 | 2 |
| One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PPLFA-8224-0TS-E                               | 1622  | 82 | 24 | 2 |
| L-PPLFA-8230-0TS-E                               | 1755  | 82 | 30 | 2 |
| L-PPLFA-8236-0TS-E                               | 2061  | 82 | 36 | 2 |
| Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PPLFA-8224-0TT-E                               | 1557  | 82 | 24 | 2 |
| L-PPLFA-8230-0TT-E                               | 1678  | 82 | 30 | 2 |
| L-PPLFA-8236-0TT-E                               | 1970  | 82 | 36 | 2 |
| One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| L-PPLFA-8224-ESS-E                               | 1689  | 82 | 24 | 2 |
| L-PPLFA-8230-ESS-E                               | 1894  | 82 | 30 | 2 |
| L-PPLFA-8236-ESS-E                               | 2211  | 82 | 36 | 2 |
| Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PPLFA-8224-SSS-E                               | 1655  | 82 | 24 | 2 |
| L-PPLFA-8230-SSS-E                               | 1785  | 82 | 30 | 2 |
| L-PPLFA-8236-SSS-E                               | 2200  | 82 | 36 | 2 |





How to order and read your code

|              |   |          |  |                           |  |                        |  |                       |  |                      |   |        |  |       |   |                                                                                    |   |                            |   |
|--------------|---|----------|--|---------------------------|--|------------------------|--|-----------------------|--|----------------------|---|--------|--|-------|---|------------------------------------------------------------------------------------|---|----------------------------|---|
| L            | - | P        |  | P                         |  | L                      |  | C                     |  | G                    | - | 42     |  | 24    | - | 00                                                                                 | E | -                          | E |
| product line |   | standard |  | P= glazed<br>E = Elevated |  | F=Fabric<br>L=Laminate |  | C= Clear<br>F=Frosted |  | A=Acrylic<br>G=Glass |   | height |  | width |   | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   | N=Non powered<br>E=Powered |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |

\*82"H available up to 36"W

| Code                               | Price | H  | W  | D |
|------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top  |       |    |    |   |
| L-PPLCG-4224-00E-E                 | 1777  | 42 | 24 | 2 |
| L-PPLCG-4230-00E-E                 | 1395  | 42 | 30 | 2 |
| L-PPLCG-4236-00E-E                 | 1459  | 42 | 36 | 2 |
| L-PPLCG-4242-00E-E                 | 1532  | 42 | 42 | 2 |
| L-PPLCG-4248-00E-E                 | 1605  | 42 | 48 | 2 |
| L-PPLCG-5024-00E-E                 | 1233  | 50 | 24 | 2 |
| L-PPLCG-5030-00E-E                 | 1280  | 50 | 30 | 2 |
| L-PPLCG-5036-00E-E                 | 1357  | 50 | 36 | 2 |
| L-PPLCG-5042-00E-E                 | 1534  | 50 | 42 | 2 |
| L-PPLCG-5048-00E-E                 | 1583  | 50 | 48 | 2 |
| One 16" clear glass segment on top |       |    |    |   |
| L-PPLCG-5024-00S-E                 | 1303  | 50 | 24 | 2 |
| L-PPLCG-5030-00S-E                 | 1372  | 50 | 30 | 2 |
| L-PPLCG-5036-00S-E                 | 1467  | 50 | 36 | 2 |
| L-PPLCG-5042-00S-E                 | 1643  | 50 | 42 | 2 |
| L-PPLCG-5048-00S-E                 | 1712  | 50 | 48 | 2 |
| L-PPLCG-6624-00S-E                 | 1406  | 66 | 24 | 2 |
| L-PPLCG-6630-00S-E                 | 1476  | 66 | 30 | 2 |
| L-PPLCG-6636-00S-E                 | 1587  | 66 | 36 | 2 |
| L-PPLCG-6642-00S-E                 | 1824  | 66 | 42 | 2 |
| L-PPLCG-6648-00S-E                 | 1897  | 66 | 48 | 2 |
| L-PPLCG-8224-00S-E                 | 1581  | 82 | 24 | 2 |
| L-PPLCG-8230-00S-E                 | 1625  | 82 | 30 | 2 |
| L-PPLCG-8236-00S-E                 | 2189  | 82 | 36 | 2 |
| One 24" clear glass segment on top |       |    |    |   |
| L-PPLCG-6624-00T-E                 | 1450  | 66 | 24 | 2 |
| L-PPLCG-6630-00T-E                 | 1539  | 66 | 30 | 2 |
| L-PPLCG-6636-00T-E                 | 1661  | 66 | 36 | 2 |
| L-PPLCG-6642-00T-E                 | 1878  | 66 | 42 | 2 |
| L-PPLCG-6648-00T-E                 | 1970  | 66 | 48 | 2 |

| Code                                         | Price | H  | W  | D |
|----------------------------------------------|-------|----|----|---|
| Two 8" clear glass segments on top           |       |    |    |   |
| L-PPLCG-6624-0EE-E                           | 1518  | 66 | 24 | 2 |
| L-PPLCG-6630-0EE-E                           | 1573  | 66 | 30 | 2 |
| L-PPLCG-6636-0EE-E                           | 1894  | 66 | 36 | 2 |
| L-PPLCG-6642-0EE-E                           | 1943  | 66 | 42 | 2 |
| L-PPLCG-6648-0EE-E                           | 2019  | 66 | 48 | 2 |
| One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PPLCG-6624-0ES-E                           | 1518  | 66 | 24 | 2 |
| L-PPLCG-6630-0ES-E                           | 1593  | 66 | 30 | 2 |
| L-PPLCG-6636-0ES-E                           | 1929  | 66 | 36 | 2 |
| L-PPLCG-6642-0ES-E                           | 1994  | 66 | 42 | 2 |
| L-PPLCG-6648-0ES-E                           | 2085  | 66 | 48 | 2 |
| Two 16" clear glass segments on top          |       |    |    |   |
| L-PPLCG-8224-0SS-E                           | 1576  | 82 | 24 | 2 |
| L-PPLCG-8230-0SS-E                           | 1645  | 82 | 30 | 2 |
| L-PPLCG-8236-0SS-E                           | 1997  | 82 | 36 | 2 |
| One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PPLCG-8224-0TS-E                           | 1606  | 82 | 24 | 2 |
| L-PPLCG-8230-0TS-E                           | 1703  | 82 | 30 | 2 |
| L-PPLCG-8236-0TS-E                           | 2062  | 82 | 36 | 2 |
| Two 24" clear glass segments on top          |       |    |    |   |
| L-PPLCG-8224-0TT-E                           | 1576  | 82 | 24 | 2 |
| L-PPLCG-8230-0TT-E                           | 1677  | 82 | 30 | 2 |
| L-PPLCG-8236-0TT-E                           | 1963  | 82 | 36 | 2 |
| One 8" & Two 16" clear glass segments on top |       |    |    |   |
| L-PPLCG-8224-ESS-E                           | 1762  | 82 | 24 | 2 |
| L-PPLCG-8230-ESS-E                           | 1925  | 82 | 30 | 2 |
| L-PPLCG-8236-ESS-E                           | 2295  | 82 | 36 | 2 |
| Three 16" clear glass segments on top        |       |    |    |   |
| L-PPLCG-8224-SSS-E                           | 1739  | 82 | 24 | 2 |
| L-PPLCG-8230-SSS-E                           | 1832  | 82 | 30 | 2 |
| L-PPLCG-8236-SSS-E                           | 2141  | 82 | 36 | 2 |



How to order and read your code

|              |          |                           |                        |                       |                      |        |       |                                                                                    |    |   |                            |   |   |   |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|----|---|----------------------------|---|---|---|
| L            | -        | P                         | P                      | L                     | F                    | G      | -     | 42                                                                                 | 24 | - | 00                         | E | - | E |
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |    |   | N=Non powered<br>E=Powered |   |   |   |

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,  
Two (2) raceway covers,  
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |
| *82"H available up to 36"W                              |                          |

Notes:

Power capable panel with bracket for power module.  
  
Power module must be specified seperately.  
  
Panels are non tackable. For tackable option see Panel Add-On section.

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" frosted glass segment on top  |       |    |    |   |
| L-PPLFG-4224-00E-E                   | 1666  | 42 | 24 | 2 |
| L-PPLFG-4230-00E-E                   | 1349  | 42 | 30 | 2 |
| L-PPLFG-4236-00E-E                   | 1422  | 42 | 36 | 2 |
| L-PPLFG-4242-00E-E                   | 1577  | 42 | 42 | 2 |
| L-PPLFG-4248-00E-E                   | 1625  | 42 | 48 | 2 |
| L-PPLFG-5024-00E-E                   | 1340  | 50 | 24 | 2 |
| L-PPLFG-5030-00E-E                   | 1386  | 50 | 30 | 2 |
| L-PPLFG-5036-00E-E                   | 1464  | 50 | 36 | 2 |
| L-PPLFG-5042-00E-E                   | 1641  | 50 | 42 | 2 |
| L-PPLFG-5048-00E-E                   | 1690  | 50 | 48 | 2 |
| One 16" frosted glass segment on top |       |    |    |   |
| L-PPLFG-5024-00S-E                   | 1409  | 50 | 24 | 2 |
| L-PPLFG-5030-00S-E                   | 1480  | 50 | 30 | 2 |
| L-PPLFG-5036-00S-E                   | 1574  | 50 | 36 | 2 |
| L-PPLFG-5042-00S-E                   | 1749  | 50 | 42 | 2 |
| L-PPLFG-5048-00S-E                   | 1819  | 50 | 48 | 2 |
| L-PPLFG-6624-00S-E                   | 1512  | 66 | 24 | 2 |
| L-PPLFG-6630-00S-E                   | 1583  | 66 | 30 | 2 |
| L-PPLFG-6636-00S-E                   | 1693  | 66 | 36 | 2 |
| L-PPLFG-6642-00S-E                   | 1930  | 66 | 42 | 2 |
| L-PPLFG-6648-00S-E                   | 2003  | 66 | 48 | 2 |
| L-PPLFG-8224-00S-E                   | 1669  | 82 | 24 | 2 |
| L-PPLFG-8230-00S-E                   | 1723  | 82 | 30 | 2 |
| L-PPLFG-8236-00S-E                   | 2304  | 82 | 36 | 2 |
| One 24" frosted glass segment on top |       |    |    |   |
| L-PPLFG-6624-00T-E                   | 1558  | 66 | 24 | 2 |
| L-PPLFG-6630-00T-E                   | 1646  | 66 | 30 | 2 |
| L-PPLFG-6636-00T-E                   | 1767  | 66 | 36 | 2 |
| L-PPLFG-6642-00T-E                   | 1984  | 66 | 42 | 2 |
| L-PPLFG-6648-00T-E                   | 2079  | 66 | 48 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" frosted glass segments on top           |       |    |    |   |
| L-PPLFG-6624-0EE-E                             | 1694  | 66 | 24 | 2 |
| L-PPLFG-6630-0EE-E                             | 1748  | 66 | 30 | 2 |
| L-PPLFG-6636-0EE-E                             | 2069  | 66 | 36 | 2 |
| L-PPLFG-6642-0EE-E                             | 2119  | 66 | 42 | 2 |
| L-PPLFG-6648-0EE-E                             | 2191  | 66 | 48 | 2 |
| One 8" & One 16" frosted glass segment on top  |       |    |    |   |
| L-PPLFG-6624-0ES-E                             | 1694  | 66 | 24 | 2 |
| L-PPLFG-6630-0ES-E                             | 1774  | 66 | 30 | 2 |
| L-PPLFG-6636-0ES-E                             | 2133  | 66 | 36 | 2 |
| L-PPLFG-6642-0ES-E                             | 2217  | 66 | 42 | 2 |
| L-PPLFG-6648-0ES-E                             | 2329  | 66 | 48 | 2 |
| Two 16" frosted glass segments on top          |       |    |    |   |
| L-PPLFG-8224-0SS-E                             | 1750  | 82 | 24 | 2 |
| L-PPLFG-8230-0SS-E                             | 1837  | 82 | 30 | 2 |
| L-PPLFG-8236-0SS-E                             | 2230  | 82 | 36 | 2 |
| One 24" & One 16" frosted glass segment on top |       |    |    |   |
| L-PPLFG-8224-0TS-E                             | 1810  | 82 | 24 | 2 |
| L-PPLFG-8230-0TS-E                             | 1944  | 82 | 30 | 2 |
| L-PPLFG-8236-0TS-E                             | 2355  | 82 | 36 | 2 |
| Two 24" frosted glass segments on top          |       |    |    |   |
| L-PPLFG-8224-0TT-E                             | 1809  | 82 | 24 | 2 |
| L-PPLFG-8230-0TT-E                             | 1967  | 82 | 30 | 2 |
| L-PPLFG-8236-0TT-E                             | 2309  | 82 | 36 | 2 |
| One 8" & Two 16" frosted glass segments on top |       |    |    |   |
| L-PPLFG-8224-ESS-E                             | 2025  | 82 | 24 | 2 |
| L-PPLFG-8230-ESS-E                             | 2204  | 82 | 30 | 2 |
| L-PPLFG-8236-ESS-E                             | 2616  | 82 | 36 | 2 |
| Three 16" frosted glass segments on top        |       |    |    |   |
| L-PPLFG-8224-SSS-E                             | 2000  | 82 | 24 | 2 |
| L-PPLFG-8230-SSS-E                             | 2122  | 82 | 30 | 2 |
| L-PPLFG-8236-SSS-E                             | 2490  | 82 | 36 | 2 |



Elevated Non-Powered  
Fabric Panel

What’s Included:

One (1) 2” thick fabric panel with  
1” incremented slotted channels,  
One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel  
Frame colour

Notes:


Non-power capable panel.  
  
Can be used in run with power-capable  
panels and allows wires to pass through.  
  
Panels are non tackable. For tackable  
option see Panel Add-On section.  
  
Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

Options:

|                                                         |                                             |
|---------------------------------------------------------|---------------------------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"                     |
| Width:                                                  | 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Fabric                                                  |                                             |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                                             |

\*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

| Code        | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|---|--------------|--------------|
| L-PEF0-3424 | 419   | 34 | 24 | 2 | 14.836364    | 0.94         |
| L-PEF0-3430 | 452   | 34 | 30 | 2 | 18.545455    | 1.18         |
| L-PEF0-3436 | 486   | 34 | 36 | 2 | 22.26        | 1.42         |
| L-PEF0-3442 | 519   | 34 | 42 | 2 | 25.963636    | 1.65         |
| L-PEF0-3448 | 551   | 34 | 48 | 2 | 29.672727    | 1.89         |
| L-PEF0-3454 | 584   | 34 | 54 | 2 | 33.381818    | 2.13         |
| L-PEF0-3460 | 617   | 34 | 60 | 2 | 37.090909    | 2.36         |
| L-PEF0-4224 | 419   | 42 | 24 | 2 | 18.327273    | 1.17         |
| L-PEF0-4230 | 452   | 42 | 30 | 2 | 22.909091    | 1.46         |
| L-PEF0-4236 | 486   | 42 | 36 | 2 | 27.490909    | 1.75         |
| L-PEF0-4242 | 519   | 42 | 42 | 2 | 32.072727    | 2.04         |
| L-PEF0-4248 | 551   | 42 | 48 | 2 | 36.66        | 2.33         |
| L-PEF0-4254 | 584   | 42 | 54 | 2 | 41.236364    | 2.63         |
| L-PEF0-4260 | 617   | 42 | 60 | 2 | 45.818182    | 2.92         |
| L-PEF0-5024 | 452   | 50 | 24 | 2 | 21.818182    | 1.39         |
| L-PEF0-5030 | 502   | 50 | 30 | 2 | 27.272727    | 1.74         |
| L-PEF0-5036 | 551   | 50 | 36 | 2 | 32.727273    | 2.08         |
| L-PEF0-5042 | 601   | 50 | 42 | 2 | 38.181818    | 2.43         |
| L-PEF0-5048 | 651   | 50 | 48 | 2 | 43.636364    | 2.78         |
| L-PEF0-5054 | 701   | 50 | 54 | 2 | 49.090909    | 3.13         |
| L-PEF0-5060 | 747   | 50 | 60 | 2 | 54.545455    | 3.47         |
| L-PEF0-6624 | 519   | 66 | 24 | 2 | 28.8         | 1.83         |
| L-PEF0-6630 | 577   | 66 | 30 | 2 | 36           | 2.29         |
| L-PEF0-6636 | 627   | 66 | 36 | 2 | 43.2         | 2.75         |
| L-PEF0-6642 | 676   | 66 | 42 | 2 | 50.4         | 3.21         |
| L-PEF0-6648 | 725   | 66 | 48 | 2 | 57.6         | 3.67         |
| L-PEF0-6654 | 791   | 66 | 54 | 2 | 64.8         | 4.13         |
| L-PEF0-6660 | 856   | 66 | 60 | 2 | 72           | 4.58         |
| L-PEF0-8224 | 983   | 82 | 24 | 2 |              |              |
| L-PEF0-8230 | 1054  | 82 | 30 | 2 |              |              |
| L-PEF0-8236 | 1277  | 82 | 36 | 2 |              |              |
| L-PEF0-8242 | 1344  | 82 | 42 | 2 |              |              |
| L-PEF0-8248 | 1413  | 82 | 48 | 2 |              |              |



What’s Included:

- One (1) 2” thick laminate panel with 1” incremented slotted channels,
- One (1) top trim

How to Specify:

- Refer to laminate cards for laminate selections
- Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:

- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable. For tackable option see Panel Add-On section.


Options:

|                          |                                |
|--------------------------|--------------------------------|
| Height*:                 | 34", 42", 50", 66", 82"        |
| Width:                   | 24", 30", 36", 42", 48",       |
| Laminate                 |                                |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal |

\*82"H available up to 36"W

| Code        | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|---|--------------|--------------|
| L-PEL0-3424 | 530   | 34 | 24 | 2 | 14.836364    | 0.94         |
| L-PEL0-3430 | 578   | 34 | 30 | 2 | 18.545455    | 1.18         |
| L-PEL0-3436 | 659   | 34 | 36 | 2 | 22.26        | 1.42         |
| L-PEL0-3442 | 709   | 34 | 42 | 2 | 25.963636    | 1.65         |
| L-PEL0-3448 | 777   | 34 | 48 | 2 | 29.672727    | 1.89         |
| L-PEL0-4224 | 578   | 42 | 24 | 2 | 18.327273    | 1.17         |
| L-PEL0-4230 | 629   | 42 | 30 | 2 | 22.909091    | 1.46         |
| L-PEL0-4236 | 709   | 42 | 36 | 2 | 27.490909    | 1.75         |
| L-PEL0-4242 | 759   | 42 | 42 | 2 | 32.072727    | 2.04         |
| L-PEL0-4248 | 825   | 42 | 48 | 2 | 36.66        | 2.33         |
| L-PEL0-5024 | 629   | 50 | 24 | 2 | 21.818182    | 1.39         |
| L-PEL0-5030 | 678   | 50 | 30 | 2 | 27.272727    | 1.74         |
| L-PEL0-5036 | 777   | 50 | 36 | 2 | 32.727273    | 2.08         |
| L-PEL0-5042 | 825   | 50 | 42 | 2 | 38.181818    | 2.43         |
| L-PEL0-5048 | 892   | 50 | 48 | 2 | 43.636364    | 2.78         |
| L-PEL0-6624 | 777   | 66 | 24 | 2 | 28.8         | 1.83         |
| L-PEL0-6630 | 825   | 66 | 30 | 2 | 36           | 2.29         |
| L-PEL0-6636 | 974   | 66 | 36 | 2 | 43.2         | 2.75         |
| L-PEL0-6642 | 1025  | 66 | 42 | 2 | 50.4         | 3.21         |
| L-PEL0-6648 | 1089  | 66 | 48 | 2 | 57.6         | 3.67         |
| L-PEL0-8224 | 1045  | 82 | 24 | 2 |              |              |
| L-PEL0-8230 | 1051  | 82 | 30 | 2 |              |              |
| L-PEL0-8236 | 1396  | 82 | 36 | 2 |              |              |





How to order and read your code

|              |          |                           |                        |                       |                      |        |       |    |    |   |                                                                                    |   |   |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|----|----|---|------------------------------------------------------------------------------------|---|---|
| L            | -        | P                         | E                      | F                     | C                    | A      | -     | 42 | 24 | - | 0                                                                                  | 0 | E |
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width |    |    |   | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   |   |

**What's Included:**

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

**How to Specify:**

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame colour

**Notes:**

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.


Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge  
Grade 2 - \$226 per panel,  
Grade 3- \$278 per panel

|                                                                                                                     |                                             |
|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Options:                                                                                                            |                                             |
| Height*:                                                                                                            | 34", 42", 50", 66", 82"                     |
| Width:                                                                                                              | 24", 30", 36", 42", 48", 54", 60". 66"" 72" |
| Fabric                                                                                                              |                                             |
| Glass/Acrylic                                                                                                       |                                             |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal                                                             |                                             |
| *34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide |                                             |

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top  |       |    |    |   |
| L-PEFCA-4224-00E                     | 815   | 42 | 24 | 2 |
| L-PEFCA-4230-00E                     | 899   | 42 | 30 | 2 |
| L-PEFCA-4236-00E                     | 983   | 42 | 36 | 2 |
| L-PEFCA-4242-00E                     | 1067  | 42 | 42 | 2 |
| L-PEFCA-4248-00E                     | 1153  | 42 | 48 | 2 |
| L-PEFCA-4254-00E                     | 1234  | 42 | 54 | 2 |
| L-PEFCA-4260-00E                     | 1318  | 42 | 60 | 2 |
| L-PEFCA-5024-00E                     | 815   | 50 | 24 | 2 |
| L-PEFCA-5030-00E                     | 899   | 50 | 30 | 2 |
| L-PEFCA-5036-00E                     | 983   | 50 | 36 | 2 |
| L-PEFCA-5042-00E                     | 1067  | 50 | 42 | 2 |
| L-PEFCA-5048-00E                     | 1153  | 50 | 48 | 2 |
| L-PEFCA-5054-00E                     | 1234  | 50 | 54 | 2 |
| L-PEFCA-5060-00E                     | 1318  | 50 | 60 | 2 |
| One 16" clear acrylic segment on top |       |    |    |   |
| L-PEFCA-5024-00S                     | 815   | 50 | 24 | 2 |
| L-PEFCA-5030-00S                     | 899   | 50 | 30 | 2 |
| L-PEFCA-5036-00S                     | 983   | 50 | 36 | 2 |
| L-PEFCA-5042-00S                     | 1067  | 50 | 42 | 2 |
| L-PEFCA-5048-00S                     | 1153  | 50 | 48 | 2 |
| L-PEFCA-5054-00S                     | 1234  | 50 | 54 | 2 |
| L-PEFCA-5060-00S                     | 1318  | 50 | 60 | 2 |
| L-PEFCA-6624-00S                     | 948   | 66 | 24 | 2 |
| L-PEFCA-6630-00S                     | 1054  | 66 | 30 | 2 |
| L-PEFCA-6636-00S                     | 1159  | 66 | 36 | 2 |
| L-PEFCA-6642-00S                     | 1264  | 66 | 42 | 2 |
| L-PEFCA-6648-00S                     | 1371  | 66 | 48 | 2 |
| L-PEFCA-6654-00S                     | 1476  | 66 | 54 | 2 |
| L-PEFCA-6660-00S                     | 1581  | 66 | 60 | 2 |
| L-PEFCA-8224-00S                     | 1535  | 82 | 24 | 2 |
| L-PEFCA-8230-00S                     | 1770  | 82 | 30 | 2 |
| L-PEFCA-8236-00S                     | 1854  | 82 | 36 | 2 |
| L-PEFCA-8242-00S                     | 1887  | 82 | 42 | 2 |
| L-PEFCA-8248-00S                     | 1965  | 82 | 48 | 2 |
| One 24" clear acrylic segment on top |       |    |    |   |
| L-PEFCA-6624-00T                     | 948   | 66 | 24 | 2 |
| L-PEFCA-6630-00T                     | 1054  | 66 | 30 | 2 |
| L-PEFCA-6636-00T                     | 1159  | 66 | 36 | 2 |
| L-PEFCA-6642-00T                     | 1264  | 66 | 42 | 2 |
| L-PEFCA-6648-00T                     | 1371  | 66 | 48 | 2 |
| L-PEFCA-6654-00T                     | 1476  | 66 | 54 | 2 |
| L-PEFCA-6660-00T                     | 1581  | 66 | 60 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PEFCA-6624-0EE                               | 1513  | 66 | 24 | 2 |
| L-PEFCA-6630-0EE                               | 1706  | 66 | 30 | 2 |
| L-PEFCA-6636-0EE                               | 1768  | 66 | 36 | 2 |
| L-PEFCA-6642-0EE                               | 1819  | 66 | 42 | 2 |
| L-PEFCA-6648-0EE                               | 1887  | 66 | 48 | 2 |
| L-PEFCA-6654-0EE                               | 2000  | 66 | 54 | 2 |
| L-PEFCA-6660-0EE                               | 2046  | 66 | 60 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PEFCA-6624-0ES                               | 1480  | 66 | 24 | 2 |
| L-PEFCA-6630-0ES                               | 1664  | 66 | 30 | 2 |
| L-PEFCA-6636-0ES                               | 1739  | 66 | 36 | 2 |
| L-PEFCA-6642-0ES                               | 1814  | 66 | 42 | 2 |
| L-PEFCA-6648-0ES                               | 1894  | 66 | 48 | 2 |
| L-PEFCA-6654-0ES                               | 1976  | 66 | 54 | 2 |
| L-PEFCA-6660-0ES                               | 2011  | 66 | 60 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PEFCA-8224-0SS                               | 1576  | 82 | 24 | 2 |
| L-PEFCA-8230-0SS                               | 1824  | 82 | 30 | 2 |
| L-PEFCA-8236-0SS                               | 1944  | 82 | 36 | 2 |
| L-PEFCA-8242-0SS                               | 1993  | 82 | 42 | 2 |
| L-PEFCA-8248-0SS                               | 2062  | 82 | 48 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PEFCA-8224-0TS                               | 1566  | 82 | 24 | 2 |
| L-PEFCA-8230-0TS                               | 1791  | 82 | 30 | 2 |
| L-PEFCA-8236-0TS                               | 1854  | 82 | 36 | 2 |
| L-PEFCA-8242-0TS                               | 1901  | 82 | 42 | 2 |
| L-PEFCA-8248-0TS                               | 2085  | 82 | 48 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PEFCA-8224-0TT                               | 1564  | 82 | 24 | 2 |
| L-PEFCA-8230-0TT                               | 1763  | 82 | 30 | 2 |
| L-PEFCA-8236-0TT                               | 1850  | 82 | 36 | 2 |
| L-PEFCA-8242-0TT                               | 1961  | 82 | 42 | 2 |
| L-PEFCA-8248-0TT                               | 2029  | 82 | 48 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PEFCA-8224-ESS                               | 1633  | 82 | 24 | 2 |
| L-PEFCA-8230-ESS                               | 1929  | 82 | 30 | 2 |
| L-PEFCA-8236-ESS                               | 2003  | 82 | 36 | 2 |
| L-PEFCA-8242-ESS                               | 1996  | 82 | 42 | 2 |
| L-PEFCA-8248-ESS                               | 2180  | 82 | 48 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PEFCA-8224-SSS                               | 1661  | 82 | 24 | 2 |
| L-PEFCA-8230-SSS                               | 1870  | 82 | 30 | 2 |
| L-PEFCA-8236-SSS                               | 2035  | 82 | 36 | 2 |
| L-PEFCA-8242-SSS                               | 2092  | 82 | 42 | 2 |
| L-PEFCA-8248-SSS                               | 2174  | 82 | 48 | 2 |



How to order and read your code

| L - P        |          | E                        | F                      | F                     | A - 42               | 24 -   | 00E   |                                                                                    |
|--------------|----------|--------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|
| product line | standard | P= glazed<br>E= Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:


Refer to panel fabric cards for fabric selections  
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                          |                                             |
|--------------------------|---------------------------------------------|
| Height*:                 | 34", 42", 50", 66", 82"                     |
| Width:                   | 24", 30", 36", 42", 48", 54", 60". 66"" 72" |
| Fabric                   |                                             |
| Glass/Acrylic            |                                             |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal              |

\*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

| Code                                             | Price | H  | W  | D |
|--------------------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top            |       |    |    |   |
| L-PEFFA-4224-00E                                 | 922   | 42 | 24 | 2 |
| L-PEFFA-4230-00E                                 | 1005  | 42 | 30 | 2 |
| L-PEFFA-4236-00E                                 | 1090  | 42 | 36 | 2 |
| L-PEFFA-4242-00E                                 | 1174  | 42 | 42 | 2 |
| L-PEFFA-4248-00E                                 | 1259  | 42 | 48 | 2 |
| L-PEFFA-4254-00E                                 | 1341  | 42 | 54 | 2 |
| L-PEFFA-4260-00E                                 | 1424  | 42 | 60 | 2 |
| L-PEFFA-5024-00E                                 | 922   | 50 | 24 | 2 |
| L-PEFFA-5030-00E                                 | 1005  | 50 | 30 | 2 |
| L-PEFFA-5036-00E                                 | 1090  | 50 | 36 | 2 |
| L-PEFFA-5042-00E                                 | 1174  | 50 | 42 | 2 |
| L-PEFFA-5048-00E                                 | 1259  | 50 | 48 | 2 |
| L-PEFFA-5054-00E                                 | 1341  | 50 | 54 | 2 |
| L-PEFFA-5060-00E                                 | 1424  | 50 | 60 | 2 |
| One 16" frosted acrylic segment on top           |       |    |    |   |
| L-PEFFA-5024-00S                                 | 922   | 50 | 24 | 2 |
| L-PEFFA-5030-00S                                 | 1005  | 50 | 30 | 2 |
| L-PEFFA-5036-00S                                 | 1090  | 50 | 36 | 2 |
| L-PEFFA-5042-00S                                 | 1174  | 50 | 42 | 2 |
| L-PEFFA-5048-00S                                 | 1259  | 50 | 48 | 2 |
| L-PEFFA-5054-00S                                 | 1341  | 50 | 54 | 2 |
| L-PEFFA-5060-00S                                 | 1424  | 50 | 60 | 2 |
| L-PEFFA-6624-00S                                 | 1054  | 66 | 24 | 2 |
| L-PEFFA-6630-00S                                 | 1161  | 66 | 30 | 2 |
| L-PEFFA-6636-00S                                 | 1265  | 66 | 36 | 2 |
| L-PEFFA-6642-00S                                 | 1371  | 66 | 42 | 2 |
| L-PEFFA-6648-00S                                 | 1479  | 66 | 48 | 2 |
| L-PEFFA-6654-00S                                 | 1583  | 66 | 54 | 2 |
| L-PEFFA-6660-00S                                 | 1689  | 66 | 60 | 2 |
| L-PEFFA-8224-00S                                 | 1572  | 82 | 24 | 2 |
| L-PEFFA-8230-00S                                 | 1819  | 82 | 30 | 2 |
| L-PEFFA-8236-00S                                 | 1913  | 82 | 36 | 2 |
| L-PEFFA-8242-00S                                 | 1961  | 82 | 42 | 2 |
| L-PEFFA-8248-00S                                 | 2036  | 82 | 48 | 2 |
| One 24" frosted acrylic segment on top           |       |    |    |   |
| L-PEFFA-6624-00T                                 | 1054  | 66 | 24 | 2 |
| L-PEFFA-6630-00T                                 | 1161  | 66 | 30 | 2 |
| L-PEFFA-6636-00T                                 | 1265  | 66 | 36 | 2 |
| L-PEFFA-6642-00T                                 | 1371  | 66 | 42 | 2 |
| L-PEFFA-6648-00T                                 | 1479  | 66 | 48 | 2 |
| L-PEFFA-6654-00T                                 | 1583  | 66 | 54 | 2 |
| L-PEFFA-6660-00T                                 | 1689  | 66 | 60 | 2 |
| Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PEFFA-6624-00E                                 | 1578  | 66 | 24 | 2 |
| L-PEFFA-6630-00E                                 | 1792  | 66 | 30 | 2 |
| L-PEFFA-6636-00E                                 | 1880  | 66 | 36 | 2 |
| L-PEFFA-6642-00E                                 | 1928  | 66 | 42 | 2 |
| L-PEFFA-6648-00E                                 | 2016  | 66 | 48 | 2 |
| L-PEFFA-6654-00E                                 | 2092  | 66 | 54 | 2 |
| L-PEFFA-6660-00E                                 | 2136  | 66 | 60 | 2 |
| One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PEFFA-6624-00ES                                | 1534  | 66 | 24 | 2 |
| L-PEFFA-6630-00ES                                | 1736  | 66 | 30 | 2 |
| L-PEFFA-6636-00ES                                | 1825  | 66 | 36 | 2 |
| L-PEFFA-6642-00ES                                | 1923  | 66 | 42 | 2 |
| L-PEFFA-6648-00ES                                | 2003  | 66 | 48 | 2 |
| L-PEFFA-6654-00ES                                | 2095  | 66 | 54 | 2 |
| L-PEFFA-6660-00ES                                | 2151  | 66 | 60 | 2 |
| Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PEFFA-8224-00SS                                | 1474  | 82 | 24 | 2 |
| L-PEFFA-8230-00SS                                | 1679  | 82 | 30 | 2 |
| L-PEFFA-8236-00SS                                | 1752  | 82 | 36 | 2 |
| L-PEFFA-8242-00SS                                | 1807  | 82 | 48 | 2 |
| L-PEFFA-8248-00SS                                | 1866  | 82 | 48 | 2 |
| One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PEFFA-8224-00TS                                | 1676  | 82 | 24 | 2 |
| L-PEFFA-8230-00TS                                | 1932  | 82 | 30 | 2 |
| L-PEFFA-8236-00TS                                | 1996  | 82 | 36 | 2 |
| L-PEFFA-8242-00TS                                | 2081  | 82 | 42 | 2 |
| L-PEFFA-8248-00TS                                | 2301  | 82 | 48 | 2 |
| Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PEFFA-8224-00TT                                | 1671  | 82 | 24 | 2 |
| L-PEFFA-8230-00TT                                | 1908  | 82 | 30 | 2 |
| L-PEFFA-8236-00TT                                | 2021  | 82 | 36 | 2 |
| L-PEFFA-8242-00TT                                | 2176  | 82 | 42 | 2 |
| L-PEFFA-8248-00TT                                | 2246  | 82 | 48 | 2 |
| One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| L-PEFFA-8224-00ESS                               | 1742  | 82 | 24 | 2 |
| L-PEFFA-8230-00ESS                               | 2073  | 82 | 30 | 2 |
| L-PEFFA-8236-00ESS                               | 2146  | 82 | 36 | 2 |
| L-PEFFA-8242-00ESS                               | 2204  | 82 | 42 | 2 |
| L-PEFFA-8248-00ESS                               | 2321  | 82 | 48 | 2 |
| Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PEFFA-8224-00SSS                               | 1768  | 82 | 24 | 2 |
| L-PEFFA-8230-00SSS                               | 2014  | 82 | 30 | 2 |
| L-PEFFA-8236-00SSS                               | 2251  | 82 | 36 | 2 |
| L-PEFFA-8242-00SSS                               | 2306  | 82 | 36 | 2 |
| L-PEFFA-8248-00SSS                               | 2389  | 82 | 48 | 2 |



How to order and read your code

| L            | -        | P                         | E                      | F                     | C                    | G      | -     | 42                                                                                 | 24 | - | 0 | 0 | E |
|--------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|----|---|---|---|---|
| product line | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |    |   |   |   |   |

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

|                                                         |                                             |
|---------------------------------------------------------|---------------------------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"                     |
| Width:                                                  | 24", 30", 36", 42", 48", 54", 60". 66"" 72" |
| Fabric                                                  |                                             |
| Glass/Acrylic                                           |                                             |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                                             |

\*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide


| Code                               | Price | H  | W  | D |
|------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top  |       |    |    |   |
| L-PEFCG-4224-00E                   | 958   | 42 | 24 | 2 |
| L-PEFCG-4230-00E                   | 1042  | 42 | 30 | 2 |
| L-PEFCG-4236-00E                   | 1128  | 42 | 36 | 2 |
| L-PEFCG-4242-00E                   | 1210  | 42 | 42 | 2 |
| L-PEFCG-4248-00E                   | 1293  | 42 | 48 | 2 |
| L-PEFCG-4254-00E                   | 1377  | 42 | 54 | 2 |
| L-PEFCG-4260-00E                   | 1460  | 42 | 60 | 2 |
| L-PEFCG-5024-00E                   | 958   | 50 | 24 | 2 |
| L-PEFCG-5030-00E                   | 1042  | 50 | 30 | 2 |
| L-PEFCG-5036-00E                   | 1128  | 50 | 36 | 2 |
| L-PEFCG-5042-00E                   | 1210  | 50 | 42 | 2 |
| L-PEFCG-5048-00E                   | 1293  | 50 | 48 | 2 |
| L-PEFCG-5054-00E                   | 1377  | 50 | 54 | 2 |
| L-PEFCG-5060-00E                   | 1460  | 50 | 60 | 2 |
| One 16" clear glass segment on top |       |    |    |   |
| L-PEFCG-5024-00S                   | 958   | 50 | 24 | 2 |
| L-PEFCG-5030-00S                   | 1042  | 50 | 30 | 2 |
| L-PEFCG-5036-00S                   | 1128  | 50 | 36 | 2 |
| L-PEFCG-5042-00S                   | 1210  | 50 | 42 | 2 |
| L-PEFCG-5048-00S                   | 1293  | 50 | 48 | 2 |
| L-PEFCG-5054-00S                   | 1377  | 50 | 54 | 2 |
| L-PEFCG-5060-00S                   | 1460  | 50 | 60 | 2 |
| L-PEFCG-6624-00S                   | 1101  | 66 | 24 | 2 |
| L-PEFCG-6630-00S                   | 1208  | 66 | 30 | 2 |
| L-PEFCG-6636-00S                   | 1314  | 66 | 36 | 2 |
| L-PEFCG-6642-00S                   | 1421  | 66 | 42 | 2 |
| L-PEFCG-6648-00S                   | 1527  | 66 | 48 | 2 |
| L-PEFCG-6654-00S                   | 1633  | 66 | 54 | 2 |
| L-PEFCG-6660-00S                   | 1737  | 66 | 60 | 2 |
| L-PEFCG-8224-00S                   | 1492  | 82 | 24 | 2 |
| L-PEFCG-8230-00S                   | 1755  | 82 | 30 | 2 |
| L-PEFCG-8236-00S                   | 1859  | 82 | 36 | 2 |
| L-PEFCG-8242-00S                   | 1910  | 82 | 42 | 2 |
| L-PEFCG-8248-00S                   | 2010  | 82 | 48 | 2 |
| One 24" clear glass segment on top |       |    |    |   |
| L-PEFCG-6624-00T                   | 1101  | 66 | 24 | 2 |
| L-PEFCG-6630-00T                   | 1208  | 66 | 30 | 2 |
| L-PEFCG-6636-00T                   | 1314  | 66 | 36 | 2 |
| L-PEFCG-6642-00T                   | 1421  | 66 | 42 | 2 |
| L-PEFCG-6648-00T                   | 1527  | 66 | 48 | 2 |
| L-PEFCG-6654-00T                   | 1633  | 66 | 54 | 2 |
| L-PEFCG-6660-00T                   | 1737  | 66 | 60 | 2 |

| Code                                         | Price | H  | W  | D |
|----------------------------------------------|-------|----|----|---|
| Two 8" clear glass segments on top           |       |    |    |   |
| L-PEFCG-6624-0EE                             | 1613  | 66 | 24 | 2 |
| L-PEFCG-6630-0EE                             | 1839  | 66 | 30 | 2 |
| L-PEFCG-6636-0EE                             | 1930  | 66 | 36 | 2 |
| L-PEFCG-6642-0EE                             | 1992  | 66 | 42 | 2 |
| L-PEFCG-6648-0EE                             | 2079  | 66 | 48 | 2 |
| L-PEFCG-6654-0EE                             | 2190  | 66 | 54 | 2 |
| L-PEFCG-6660-0EE                             | 2248  | 66 | 60 | 2 |
| One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PEFCG-6624-0ES                             | 1573  | 66 | 24 | 2 |
| L-PEFCG-6630-0ES                             | 1771  | 66 | 30 | 2 |
| L-PEFCG-6636-0ES                             | 1863  | 66 | 36 | 2 |
| L-PEFCG-6642-0ES                             | 1945  | 66 | 42 | 2 |
| L-PEFCG-6648-0ES                             | 2057  | 66 | 48 | 2 |
| L-PEFCG-6654-0ES                             | 2179  | 66 | 54 | 2 |
| L-PEFCG-6660-0ES                             | 2239  | 66 | 60 | 2 |
| Two 16" clear glass segments on top          |       |    |    |   |
| L-PEFCG-8224-0SS                             | 1670  | 82 | 24 | 2 |
| L-PEFCG-8230-0SS                             | 1913  | 82 | 30 | 2 |
| L-PEFCG-8236-0SS                             | 2035  | 82 | 36 | 2 |
| L-PEFCG-8242-0SS                             | 2128  | 82 | 42 | 2 |
| L-PEFCG-8248-0SS                             | 2246  | 82 | 48 | 2 |
| One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PEFCG-8224-0TS                             | 1658  | 82 | 24 | 2 |
| L-PEFCG-8230-0TS                             | 1882  | 82 | 30 | 2 |
| L-PEFCG-8236-0TS                             | 1998  | 82 | 36 | 2 |
| L-PEFCG-8242-0TS                             | 2106  | 82 | 42 | 2 |
| L-PEFCG-8248-0TS                             | 2237  | 82 | 48 | 2 |
| Two 24" clear glass segments on top          |       |    |    |   |
| L-PEFCG-8224-0TT                             | 1690  | 82 | 24 | 2 |
| L-PEFCG-8230-0TT                             | 1905  | 82 | 30 | 2 |
| L-PEFCG-8236-0TT                             | 2013  | 82 | 36 | 2 |
| L-PEFCG-8242-0TT                             | 2122  | 82 | 42 | 2 |
| L-PEFCG-8248-0TT                             | 2254  | 82 | 48 | 2 |
| One 8" & Two 16" clear glass segments on top |       |    |    |   |
| L-PEFCG-8224-ESS                             | 1815  | 82 | 24 | 2 |
| L-PEFCG-8230-ESS                             | 2103  | 82 | 30 | 2 |
| L-PEFCG-8236-ESS                             | 2229  | 82 | 36 | 2 |
| L-PEFCG-8242-ESS                             | 2242  | 82 | 42 | 2 |
| L-PEFCG-8248-ESS                             | 2411  | 82 | 48 | 2 |
| Three 16" clear glass segments on top        |       |    |    |   |
| L-PEFCG-8224-SSS                             | 1854  | 82 | 24 | 2 |
| L-PEFCG-8230-SSS                             | 2061  | 82 | 30 | 2 |
| L-PEFCG-8236-SSS                             | 2192  | 82 | 36 | 2 |
| L-PEFCG-8242-SSS                             | 2320  | 82 | 42 | 2 |
| L-PEFCG-8248-SSS                             | 2470  | 82 | 48 | 2 |



55





How to order and read your code

|              |          |                        |                        |                      |                      |        |       |    |    |   |                                                                                    |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|----|----|---|------------------------------------------------------------------------------------|---|
| L            | -        | P                      | E                      | L                    | C                    | A      | -     | 42 | 24 | - | 00                                                                                 | E |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width |    |    |   | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |   |

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections

Choose glass or acrylic

Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

|                          |                                |
|--------------------------|--------------------------------|
| Height*:                 | 34", 42", 50", 66", 82"        |
| Width:                   | 24", 30", 36", 42", 48",       |
| Laminate                 |                                |
| Glass/Acrylic            |                                |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal |

\*82"H available up to 36"W

| Code                                 | Price | H  | W  | D |
|--------------------------------------|-------|----|----|---|
| One 8" clear acrylic segment on top  |       |    |    |   |
| L-PELCA-4224-00E                     | 1058  | 42 | 24 | 2 |
| L-PELCA-4230-00E                     | 1089  | 42 | 30 | 2 |
| L-PELCA-4236-00E                     | 1144  | 42 | 36 | 2 |
| L-PELCA-4242-00E                     | 1283  | 42 | 42 | 2 |
| L-PELCA-4248-00E                     | 1314  | 42 | 48 | 2 |
| L-PELCA-5024-00E                     | 1098  | 50 | 24 | 2 |
| L-PELCA-5030-00E                     | 1129  | 50 | 30 | 2 |
| L-PELCA-5036-00E                     | 1186  | 50 | 36 | 2 |
| L-PELCA-5042-00E                     | 1347  | 50 | 42 | 2 |
| L-PELCA-5048-00E                     | 1377  | 50 | 48 | 2 |
| One 16" clear acrylic segment on top |       |    |    |   |
| L-PELCA-5024-00S                     | 1114  | 50 | 24 | 2 |
| L-PELCA-5030-00S                     | 1155  | 50 | 30 | 2 |
| L-PELCA-5036-00S                     | 1220  | 50 | 36 | 2 |
| L-PELCA-5042-00S                     | 1364  | 50 | 42 | 2 |
| L-PELCA-5048-00S                     | 1401  | 50 | 48 | 2 |
| L-PELCA-6624-00S                     | 1220  | 66 | 24 | 2 |
| L-PELCA-6630-00S                     | 1257  | 66 | 30 | 2 |
| L-PELCA-6636-00S                     | 1338  | 66 | 36 | 2 |
| L-PELCA-6642-00S                     | 1549  | 66 | 42 | 2 |
| L-PELCA-6648-00S                     | 1589  | 66 | 48 | 2 |
| L-PELCA-8224-00S                     | 1603  | 82 | 24 | 2 |
| L-PELCA-8230-00S                     | 1611  | 82 | 30 | 2 |
| L-PELCA-8236-00S                     | 2141  | 82 | 36 | 2 |
| One 24" clear acrylic segment on top |       |    |    |   |
| L-PELCA-6624-00T                     | 1208  | 66 | 24 | 2 |
| L-PELCA-6630-00T                     | 1255  | 66 | 30 | 2 |
| L-PELCA-6636-00T                     | 1336  | 66 | 36 | 2 |
| L-PELCA-6642-00T                     | 1510  | 66 | 42 | 2 |
| L-PELCA-6648-00T                     | 1559  | 66 | 48 | 2 |

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| Two 8" clear acrylic segments on top           |       |    |    |   |
| L-PELCA-6624-0EE                               | 1397  | 66 | 24 | 2 |
| L-PELCA-6630-0EE                               | 1406  | 66 | 30 | 2 |
| L-PELCA-6636-0EE                               | 1690  | 66 | 36 | 2 |
| L-PELCA-6642-0EE                               | 1719  | 66 | 42 | 2 |
| L-PELCA-6648-0EE                               | 1767  | 66 | 48 | 2 |
| One 8" & One 16" clear acrylic segment on top  |       |    |    |   |
| L-PELCA-6624-0ES                               | 1404  | 66 | 24 | 2 |
| L-PELCA-6630-0ES                               | 1454  | 66 | 30 | 2 |
| L-PELCA-6636-0ES                               | 1762  | 66 | 36 | 2 |
| L-PELCA-6642-0ES                               | 1811  | 66 | 42 | 2 |
| L-PELCA-6648-0ES                               | 1861  | 66 | 48 | 2 |
| Two 16" clear acrylic segments on top          |       |    |    |   |
| L-PELCA-8224-0SS                               | 1460  | 82 | 24 | 2 |
| L-PELCA-8230-0SS                               | 1526  | 82 | 30 | 2 |
| L-PELCA-8236-0SS                               | 1866  | 82 | 36 | 2 |
| One 24" & One 16" clear acrylic segment on top |       |    |    |   |
| L-PELCA-8224-0TS                               | 1493  | 82 | 24 | 2 |
| L-PELCA-8230-0TS                               | 1579  | 82 | 30 | 2 |
| L-PELCA-8236-0TS                               | 1875  | 82 | 36 | 2 |
| Two 24" clear acrylic segments on top          |       |    |    |   |
| L-PELCA-8224-0TT                               | 1430  | 82 | 24 | 2 |
| L-PELCA-8230-0TT                               | 1503  | 82 | 30 | 2 |
| L-PELCA-8236-0TT                               | 1756  | 82 | 36 | 2 |
| One 8" & Two 16" clear acrylic segments on top |       |    |    |   |
| L-PELCA-8224-ESS                               | 1558  | 82 | 24 | 2 |
| L-PELCA-8230-ESS                               | 1719  | 82 | 30 | 2 |
| L-PELCA-8236-ESS                               | 2026  | 82 | 36 | 2 |
| Three 16" clear acrylic segments on top        |       |    |    |   |
| L-PELCA-8224-SSS                               | 1527  | 82 | 24 | 2 |
| L-PELCA-8230-SSS                               | 1610  | 82 | 30 | 2 |
| L-PELCA-8236-SSS                               | 1942  | 82 | 36 | 2 |



How to order and read your code

|                               |          |                           |                        |                       |                      |        |       |                                                                                    |  |
|-------------------------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|--|
| L - P E L F A - 42 24 - 0 0 E |          |                           |                        |                       |                      |        |       |                                                                                    |  |
| product line                  | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |  |

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

How to Specify:

- Refer to laminate cards for laminate selections
- Choose glass or acrylic
- Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:


|                          |                                |
|--------------------------|--------------------------------|
| Height*:                 | 34", 42", 50", 66", 82"        |
| Width:                   | 24", 30", 36", 42", 48",       |
| Laminate                 |                                |
| Glass/Acrylic            |                                |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal |

\*82"H available up to 36"W

Notes:

- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable. For tackable option see Panel Add-On section.

| Code                                             | Price | H  | W  | D |
|--------------------------------------------------|-------|----|----|---|
| One 8" frosted acrylic segment on top            |       |    |    |   |
| L-PELFA-4224-00E                                 | 1167  | 24 | 42 | 2 |
| L-PELFA-4230-00E                                 | 1195  | 30 | 42 | 2 |
| L-PELFA-4236-00E                                 | 1251  | 36 | 42 | 2 |
| L-PELFA-4242-00E                                 | 1390  | 42 | 42 | 2 |
| L-PELFA-4248-00E                                 | 1420  | 48 | 42 | 2 |
| L-PELFA-5024-00E                                 | 1206  | 24 | 50 | 2 |
| L-PELFA-5030-00E                                 | 1234  | 30 | 50 | 2 |
| L-PELFA-5036-00E                                 | 1293  | 36 | 50 | 2 |
| L-PELFA-5042-00E                                 | 1454  | 42 | 50 | 2 |
| L-PELFA-5048-00E                                 | 1484  | 48 | 50 | 2 |
| One 16" frosted acrylic segment on top           |       |    |    |   |
| L-PELFA-5024-00S                                 | 1221  | 24 | 50 | 2 |
| L-PELFA-5030-00S                                 | 1261  | 30 | 50 | 2 |
| L-PELFA-5036-00S                                 | 1326  | 36 | 50 | 2 |
| L-PELFA-5042-00S                                 | 1470  | 42 | 50 | 2 |
| L-PELFA-5048-00S                                 | 1508  | 48 | 50 | 2 |
| L-PELFA-6624-00S                                 | 1326  | 24 | 66 | 2 |
| L-PELFA-6630-00S                                 | 1364  | 30 | 66 | 2 |
| L-PELFA-6636-00S                                 | 1444  | 36 | 66 | 2 |
| L-PELFA-6642-00S                                 | 1655  | 42 | 66 | 2 |
| L-PELFA-6648-00S                                 | 1696  | 48 | 66 | 2 |
| L-PELFA-8224-00S                                 | 1641  | 24 | 82 | 2 |
| L-PELFA-8230-00S                                 | 1658  | 30 | 82 | 2 |
| L-PELFA-8236-00S                                 | 2203  | 36 | 82 | 2 |
| One 24" frosted acrylic segment on top           |       |    |    |   |
| L-PELFA-6624-00T                                 | 1315  | 24 | 66 | 2 |
| L-PELFA-6630-00T                                 | 1363  | 30 | 66 | 2 |
| L-PELFA-6636-00T                                 | 1442  | 36 | 66 | 2 |
| L-PELFA-6642-00T                                 | 1617  | 42 | 66 | 2 |
| L-PELFA-6648-00T                                 | 1666  | 48 | 66 | 2 |
| Two 8" frosted acrylic segments on top           |       |    |    |   |
| L-PELFA-6624-0EE                                 | 1463  | 24 | 66 | 2 |
| L-PELFA-6630-0EE                                 | 1492  | 30 | 66 | 2 |
| L-PELFA-6636-0EE                                 | 1802  | 36 | 66 | 2 |
| L-PELFA-6642-0EE                                 | 1828  | 42 | 66 | 2 |
| L-PELFA-6648-0EE                                 | 1897  | 48 | 66 | 2 |
| One 8" & One 16" frosted acrylic segment on top  |       |    |    |   |
| L-PELFA-6624-0ES                                 | 1459  | 24 | 66 | 2 |
| L-PELFA-6630-0ES                                 | 1527  | 30 | 66 | 2 |
| L-PELFA-6636-0ES                                 | 1850  | 36 | 66 | 2 |
| L-PELFA-6642-0ES                                 | 1919  | 42 | 66 | 2 |
| L-PELFA-6648-0ES                                 | 1969  | 48 | 66 | 2 |
| Two 16" frosted acrylic segments on top          |       |    |    |   |
| L-PELFA-8224-0SS                                 | 1359  | 24 | 82 | 2 |
| L-PELFA-8230-0SS                                 | 1379  | 30 | 82 | 2 |
| L-PELFA-8236-0SS                                 | 1674  | 36 | 82 | 2 |
| One 24" & One 16" frosted acrylic segment on top |       |    |    |   |
| L-PELFA-8224-0TS                                 | 1601  | 24 | 82 | 2 |
| L-PELFA-8230-0TS                                 | 1723  | 30 | 82 | 2 |
| L-PELFA-8236-0TS                                 | 2020  | 36 | 82 | 2 |
| Two 24" frosted acrylic segments on top          |       |    |    |   |
| L-PELFA-8224-0TT                                 | 1537  | 24 | 82 | 2 |
| L-PELFA-8230-0TT                                 | 1646  | 30 | 82 | 2 |
| L-PELFA-8236-0TT                                 | 1928  | 36 | 82 | 2 |
| One 8" & Two 16" frosted acrylic segments on top |       |    |    |   |
| L-PELFA-8224-ESS                                 | 1666  | 24 | 82 | 2 |
| L-PELFA-8230-ESS                                 | 1862  | 30 | 82 | 2 |
| L-PELFA-8236-ESS                                 | 2169  | 36 | 82 | 2 |
| Three 16" frosted acrylic segments on top        |       |    |    |   |
| L-PELFA-8224-SSS                                 | 1635  | 24 | 82 | 2 |
| L-PELFA-8230-SSS                                 | 1754  | 30 | 82 | 2 |
| L-PELFA-8236-SSS                                 | 2158  | 36 | 82 | 2 |



How to order and read your code

|              |          |                        |                        |                      |                      |        |       |    |    |   |                                                                            |   |   |
|--------------|----------|------------------------|------------------------|----------------------|----------------------|--------|-------|----|----|---|----------------------------------------------------------------------------|---|---|
| L            | -        | P                      | E                      | L                    | C                    | G      | -     | 42 | 24 | - | 0                                                                          | 0 | E |
| product line | standard | P=glazed<br>E=Elevated | F=Fabric<br>L=Laminate | C=Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width |    |    |   | O=No segment<br>E=8 inch segment<br>S=16 inch segment<br>T=24 inch segment |   |   |

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections  
Choose glass or acrylic  
Choose White, Black, Silver, Charcoal for Panel Frame color

Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Glass/Acrylic                                           |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |

\*82"H available up to 36"W


Notes:

Non-power capable panel.  
Can be used in run with power-capable panels and allows wires to pass through.  
Panels are non tackable. For tackable option see Panel Add-On section.

| Code                               | Price | H  | W  | D |
|------------------------------------|-------|----|----|---|
| One 8" clear glass segment on top  |       |    |    |   |
| L-PELCG-4224-00E                   | 1145  | 42 | 24 | 2 |
| L-PELCG-4230-00E                   | 1190  | 42 | 30 | 2 |
| L-PELCG-4236-00E                   | 1265  | 42 | 36 | 2 |
| L-PELCG-4242-00E                   | 1421  | 42 | 42 | 2 |
| L-PELCG-4248-00E                   | 1470  | 42 | 48 | 2 |
| L-PELCG-5024-00E                   | 1184  | 50 | 24 | 2 |
| L-PELCG-5030-00E                   | 1231  | 50 | 30 | 2 |
| L-PELCG-5036-00E                   | 1311  | 50 | 36 | 2 |
| L-PELCG-5042-00E                   | 1483  | 50 | 42 | 2 |
| L-PELCG-5048-00E                   | 1534  | 50 | 48 | 2 |
| One 16" clear glass segment on top |       |    |    |   |
| L-PELCG-5024-00S                   | 1253  | 50 | 24 | 2 |
| L-PELCG-5030-00S                   | 1323  | 50 | 30 | 2 |
| L-PELCG-5036-00S                   | 1419  | 50 | 36 | 2 |
| L-PELCG-5042-00S                   | 1593  | 50 | 42 | 2 |
| L-PELCG-5048-00S                   | 1661  | 50 | 48 | 2 |
| L-PELCG-6624-00S                   | 1357  | 66 | 24 | 2 |
| L-PELCG-6630-00S                   | 1429  | 66 | 30 | 2 |
| L-PELCG-6636-00S                   | 1536  | 66 | 36 | 2 |
| L-PELCG-6642-00S                   | 1773  | 66 | 42 | 2 |
| L-PELCG-6648-00S                   | 1845  | 66 | 48 | 2 |
| L-PELCG-8224-00S                   | 1561  | 82 | 24 | 2 |
| L-PELCG-8230-00S                   | 1596  | 82 | 30 | 2 |
| L-PELCG-8236-00S                   | 2146  | 82 | 36 | 2 |
| One 24" clear glass segment on top |       |    |    |   |
| L-PELCG-6624-00T                   | 1401  | 66 | 24 | 2 |
| L-PELCG-6630-00T                   | 1493  | 66 | 30 | 2 |
| L-PELCG-6636-00T                   | 1611  | 66 | 36 | 2 |
| L-PELCG-6642-00T                   | 1827  | 66 | 42 | 2 |
| L-PELCG-6648-00T                   | 1923  | 66 | 48 | 2 |

| Code                                         | Price | H  | W  | D |
|----------------------------------------------|-------|----|----|---|
| Two 8" clear glass segments on top           |       |    |    |   |
| L-PELCG-6624-0EE                             | 1500  | 66 | 24 | 2 |
| L-PELCG-6630-0EE                             | 1540  | 66 | 30 | 2 |
| L-PELCG-6636-0EE                             | 1852  | 66 | 36 | 2 |
| L-PELCG-6642-0EE                             | 1892  | 66 | 42 | 2 |
| L-PELCG-6648-0EE                             | 1956  | 66 | 48 | 2 |
| One 8" & One 16" clear glass segment on top  |       |    |    |   |
| L-PELCG-6624-0ES                             | 1500  | 66 | 24 | 2 |
| L-PELCG-6630-0ES                             | 1561  | 66 | 30 | 2 |
| L-PELCG-6636-0ES                             | 1887  | 66 | 36 | 2 |
| L-PELCG-6642-0ES                             | 1943  | 66 | 42 | 2 |
| L-PELCG-6648-0ES                             | 2022  | 66 | 48 | 2 |
| Two 16" clear glass segments on top          |       |    |    |   |
| L-PELCG-8224-0SS                             | 1554  | 82 | 24 | 2 |
| L-PELCG-8230-0SS                             | 1613  | 82 | 30 | 2 |
| L-PELCG-8236-0SS                             | 1956  | 82 | 36 | 2 |
| One 24" & One 16" clear glass segment on top |       |    |    |   |
| L-PELCG-8224-0TS                             | 1585  | 82 | 24 | 2 |
| L-PELCG-8230-0TS                             | 1671  | 82 | 30 | 2 |
| L-PELCG-8236-0TS                             | 2021  | 82 | 36 | 2 |
| Two 24" clear glass segments on top          |       |    |    |   |
| L-PELCG-8224-0TT                             | 1553  | 82 | 24 | 2 |
| L-PELCG-8230-0TT                             | 1645  | 82 | 30 | 2 |
| L-PELCG-8236-0TT                             | 1919  | 82 | 36 | 2 |
| One 8" & Two 16" clear glass segments on top |       |    |    |   |
| L-PELCG-8224-ESS                             | 1743  | 82 | 24 | 2 |
| L-PELCG-8230-ESS                             | 1892  | 82 | 30 | 2 |
| L-PELCG-8236-ESS                             | 2253  | 82 | 36 | 2 |
| Three 16" clear glass segments on top        |       |    |    |   |
| L-PELCG-8224-SSS                             | 1718  | 82 | 24 | 2 |
| L-PELCG-8230-SSS                             | 1801  | 82 | 30 | 2 |
| L-PELCG-8236-SSS                             | 2099  | 82 | 36 | 2 |





How to order and read your code

|                               |          |                           |                        |                       |                      |        |       |                                                                                    |  |
|-------------------------------|----------|---------------------------|------------------------|-----------------------|----------------------|--------|-------|------------------------------------------------------------------------------------|--|
| L - P E L F G - 42 24 - 0 0 E |          |                           |                        |                       |                      |        |       |                                                                                    |  |
| product line                  | standard | P= glazed<br>E = Elevated | F=Fabric<br>L=Laminate | C= Clear<br>F=Frosted | A=Acrylic<br>G=Glass | height | width | 0 = No segment<br>E = 8 inch segment<br>S = 16 inch segment<br>T = 24 inch segment |  |

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

Notes:

Non-power capable panel.  
Can be used in run with power-capable panels and allows wires to pass through.  
Panels are non tackable. For tackable option see Panel Add-On section.

How to Specify:

Refer to laminate cards for laminate selections  
Choose glass or acrylic  
Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Height*:                                                | 34", 42", 50", 66", 82"  |
| Width:                                                  | 24", 30", 36", 42", 48", |
| Laminate                                                |                          |
| Glass/Acrylic                                           |                          |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                          |

\*82"H available up to 36"W

| Code                                           | Price | H  | W  | D |
|------------------------------------------------|-------|----|----|---|
| One 8" frosted glass segment on top            |       |    |    |   |
| L-PELFG-4224-00E                               | 1252  | 24 | 42 | 2 |
| L-PELFG-4230-00E                               | 1298  | 30 | 42 | 2 |
| L-PELFG-4236-00E                               | 1372  | 36 | 42 | 2 |
| L-PELFG-4242-00E                               | 1528  | 42 | 42 | 2 |
| L-PELFG-4248-00E                               | 1577  | 48 | 42 | 2 |
| L-PELFG-5024-00E                               | 1291  | 24 | 50 | 2 |
| L-PELFG-5030-00E                               | 1338  | 30 | 50 | 2 |
| L-PELFG-5036-00E                               | 1418  | 36 | 50 | 2 |
| L-PELFG-5042-00E                               | 1589  | 42 | 50 | 2 |
| L-PELFG-5048-00E                               | 1641  | 48 | 50 | 2 |
| One 16" frosted glass segment on top           |       |    |    |   |
| L-PELFG-5024-00S                               | 1360  | 24 | 50 | 2 |
| L-PELFG-5030-00S                               | 1430  | 30 | 50 | 2 |
| L-PELFG-5036-00S                               | 1526  | 36 | 50 | 2 |
| L-PELFG-5042-00S                               | 1700  | 42 | 50 | 2 |
| L-PELFG-5048-00S                               | 1767  | 48 | 50 | 2 |
| L-PELFG-6624-00S                               | 1464  | 24 | 66 | 2 |
| L-PELFG-6630-00S                               | 1535  | 30 | 66 | 2 |
| L-PELFG-6636-00S                               | 1643  | 36 | 66 | 2 |
| L-PELFG-6642-00S                               | 1880  | 42 | 66 | 2 |
| L-PELFG-6648-00S                               | 1952  | 48 | 66 | 2 |
| L-PELFG-8224-00S                               | 1755  | 24 | 82 | 2 |
| L-PELFG-8230-00S                               | 1798  | 30 | 82 | 2 |
| L-PELFG-8236-00S                               | 2369  | 36 | 82 | 2 |
| One 24" frosted glass segment on top           |       |    |    |   |
| L-PELFG-6624-00T                               | 1508  | 24 | 66 | 2 |
| L-PELFG-6630-00T                               | 1600  | 30 | 66 | 2 |
| L-PELFG-6636-00T                               | 1718  | 36 | 66 | 2 |
| L-PELFG-6642-00T                               | 1932  | 42 | 66 | 2 |
| L-PELFG-6648-00T                               | 2029  | 48 | 66 | 2 |
| Two 8" frosted glass segments on top           |       |    |    |   |
| L-PELFG-6624-0EE                               | 1674  | 24 | 66 | 2 |
| L-PELFG-6630-0EE                               | 1716  | 30 | 66 | 2 |
| L-PELFG-6636-0EE                               | 2026  | 36 | 66 | 2 |
| L-PELFG-6642-0EE                               | 2067  | 42 | 66 | 2 |
| L-PELFG-6648-0EE                               | 2131  | 48 | 66 | 2 |
| One 8" & One 16" frosted glass segment on top  |       |    |    |   |
| L-PELFG-6624-0ES                               | 1674  | 24 | 66 | 2 |
| L-PELFG-6630-0ES                               | 1745  | 30 | 66 | 2 |
| L-PELFG-6636-0ES                               | 2092  | 36 | 66 | 2 |
| L-PELFG-6642-0ES                               | 2166  | 42 | 66 | 2 |
| L-PELFG-6648-0ES                               | 2266  | 48 | 66 | 2 |
| Two 16" frosted glass segments on top          |       |    |    |   |
| L-PELFG-8224-0SS                               | 1728  | 24 | 82 | 2 |
| L-PELFG-8230-0SS                               | 1808  | 30 | 82 | 2 |
| L-PELFG-8236-0SS                               | 2189  | 36 | 82 | 2 |
| One 24" & One 16" frosted glass segment on top |       |    |    |   |
| L-PELFG-8224-0TS                               | 1789  | 24 | 82 | 2 |
| L-PELFG-8230-0TS                               | 1913  | 30 | 82 | 2 |
| L-PELFG-8236-0TS                               | 2313  | 36 | 82 | 2 |
| Two 24" frosted glass segments on top          |       |    |    |   |
| L-PELFG-8224-0TT                               | 1787  | 24 | 82 | 2 |
| L-PELFG-8230-0TT                               | 1934  | 30 | 82 | 2 |
| L-PELFG-8236-0TT                               | 2270  | 36 | 82 | 2 |
| One 8" & Two 16" frosted glass segments on top |       |    |    |   |
| L-PELFG-8224-ESS                               | 2004  | 24 | 82 | 2 |
| L-PELFG-8230-ESS                               | 2175  | 30 | 82 | 2 |
| L-PELFG-8236-ESS                               | 2574  | 36 | 82 | 2 |
| Three 16" frosted glass segments on top        |       |    |    |   |
| L-PELFG-8224-SSS                               | 1980  | 24 | 82 | 2 |
| L-PELFG-8230-SSS                               | 2092  | 30 | 82 | 2 |
| L-PELFG-8236-SSS                               | 2449  | 36 | 82 | 2 |





Single Span Middle  
Horizontal Woodgrain  
Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel


Options:

Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|---|--------------|--------------|
| L-PYHM-3426-S1 | 297   | 34 | 26 | 2 |              |              |
| L-PYHM-3432-S1 | 328   | 34 | 32 | 2 |              |              |
| L-PYHM-3438-S1 | 358   | 34 | 38 | 2 |              |              |
| L-PYHM-3444-S1 | 388   | 34 | 44 | 2 |              |              |
| L-PYHM-3450-S1 | 418   | 34 | 50 | 2 |              |              |
| L-PYHM-3456-S1 | 446   | 34 | 50 | 2 |              |              |
| L-PYHM-3462-S1 | 480   | 34 | 62 | 2 |              |              |
| L-PYHM-3468-S1 | 508   | 34 | 68 | 2 |              |              |
| L-PYHM-3474-S1 | 537   | 34 | 74 | 2 |              |              |
| L-PYHM-4226-S1 | 328   | 42 | 26 | 2 |              |              |
| L-PYHM-4232-S1 | 366   | 42 | 32 | 2 |              |              |
| L-PYHM-4238-S1 | 402   | 42 | 38 | 2 |              |              |
| L-PYHM-4244-S1 | 440   | 42 | 44 | 2 |              |              |
| L-PYHM-4250-S1 | 478   | 42 | 50 | 2 |              |              |
| L-PYHM-4256-S1 | 510   | 42 | 50 | 2 |              |              |
| L-PYHM-4262-S1 | 549   | 42 | 62 | 2 |              |              |
| L-PYHM-4268-S1 | 586   | 42 | 68 | 2 |              |              |
| L-PYHM-4274-S1 | 626   | 42 | 74 | 2 |              |              |
| L-PYHM-5026-S1 | 363   | 50 | 26 | 2 |              |              |
| L-PYHM-5032-S1 | 403   | 50 | 32 | 2 |              |              |
| L-PYHM-5038-S1 | 445   | 50 | 38 | 2 |              |              |
| L-PYHM-5044-S1 | 492   | 50 | 44 | 2 |              |              |
| L-PYHM-5050-S1 | 533   | 50 | 50 | 2 |              |              |
| L-PYHM-5056-S1 | 578   | 50 | 50 | 2 |              |              |
| L-PYHM-5062-S1 | 622   | 50 | 62 | 2 |              |              |
| L-PYHM-5068-S1 | 661   | 50 | 68 | 2 |              |              |
| L-PYHM-5074-S1 | 707   | 50 | 74 | 2 |              |              |



Double Span Middle  
Horizontal Woodgrain  
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 34”, 42”, 50”                               |
| Width:         | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color |                                             |

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| 1 Piece         |       |    |     |   |              |              |
| L-PYHM-3442-D1  | 377   | 34 | 42  | 2 |              |              |
| L-PYHM-3450-D1  | 418   | 34 | 50  | 2 |              |              |
| L-PYHM-3462-D1  | 480   | 34 | 62  | 2 |              |              |
| L-PYHM-3474-D1  | 537   | 34 | 74  | 2 |              |              |
| L-PYHM-3486-D1  | 600   | 34 | 86  | 2 |              |              |
| L-PYHM-4242-D1  | 427   | 42 | 42  | 2 |              |              |
| L-PYHM-4250-D1  | 478   | 42 | 50  | 2 |              |              |
| L-PYHM-4262-D1  | 549   | 42 | 62  | 2 |              |              |
| L-PYHM-4274-D1  | 626   | 42 | 74  | 2 |              |              |
| L-PYHM-4286-D1  | 698   | 42 | 86  | 2 |              |              |
| L-PYHM-5042-D1  | 478   | 50 | 42  | 2 |              |              |
| L-PYHM-5050-D1  | 533   | 50 | 50  | 2 |              |              |
| L-PYHM-5062-D1  | 622   | 50 | 62  | 2 |              |              |
| L-PYHM-5074-D1  | 707   | 50 | 74  | 2 |              |              |
| L-PYHM-5086-D1  | 794   | 50 | 86  | 2 |              |              |
| 2 Pieces        |       |    |     |   |              |              |
| L-PYHM-3498-D2  | 769   | 34 | 98  | 2 |              |              |
| L-PYHM-4298-D2  | 884   | 42 | 98  | 2 |              |              |
| L-PYHM-5098-D2  | 999   | 50 | 98  | 2 |              |              |
| L-PYHM-34110-D2 | 832   | 34 | 110 | 2 |              |              |
| L-PYHM-34122-D2 | 892   | 34 | 122 | 2 |              |              |
| L-PYHM-34134-D2 | 950   | 34 | 134 | 2 |              |              |
| L-PYHM-34146-D2 | 1013  | 34 | 146 | 2 |              |              |
| L-PYHM-42110-D2 | 958   | 42 | 110 | 2 |              |              |
| L-PYHM-42122-D2 | 1030  | 42 | 122 | 2 |              |              |
| L-PYHM-42134-D2 | 1106  | 42 | 134 | 2 |              |              |
| L-PYHM-42146-D2 | 1181  | 42 | 146 | 2 |              |              |
| L-PYHM-50110-D2 | 1085  | 50 | 110 | 2 |              |              |
| L-PYHM-50122-D2 | 1172  | 50 | 122 | 2 |              |              |
| L-PYHM-50134-D2 | 1261  | 50 | 134 | 2 |              |              |
| L-PYHM-50146-D2 | 1347  | 50 | 146 | 2 |              |              |



Single Span End Horizontal  
Woodgrain Gallery Panel  
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PYHE-3426-S1L | 256   | 34 | 26 | 2 |              |              |
| L-PYHE-3432-S1L | 285   | 34 | 32 | 2 |              |              |
| L-PYHE-3438-S1L | 315   | 34 | 38 | 2 |              |              |
| L-PYHE-3444-S1L | 344   | 34 | 44 | 2 |              |              |
| L-PYHE-3450-S1L | 375   | 34 | 50 | 2 |              |              |
| L-PYHE-3456-S1L | 405   | 34 | 56 | 2 |              |              |
| L-PYHE-3462-S1L | 437   | 34 | 62 | 2 |              |              |
| L-PYHE-3468-S1L | 465   | 34 | 68 | 2 |              |              |
| L-PYHE-3474-S1L | 496   | 34 | 74 | 2 |              |              |
| L-PYHE-4226-S1L | 285   | 42 | 26 | 2 |              |              |
| L-PYHE-4232-S1L | 322   | 42 | 32 | 2 |              |              |
| L-PYHE-4238-S1L | 359   | 42 | 38 | 2 |              |              |
| L-PYHE-4244-S1L | 395   | 42 | 44 | 2 |              |              |
| L-PYHE-4250-S1L | 434   | 42 | 50 | 2 |              |              |
| L-PYHE-4256-S1L | 468   | 42 | 56 | 2 |              |              |

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| L-PYHE-4262-S1L | 506   | 42 | 62 | 2 |              |              |
| L-PYHE-4268-S1L | 544   | 42 | 68 | 2 |              |              |
| L-PYHE-4274-S1L | 582   | 42 | 74 | 2 |              |              |
| L-PYHE-5026-S1L | 317   | 50 | 26 | 2 |              |              |
| L-PYHE-5032-S1L | 363   | 50 | 32 | 2 |              |              |
| L-PYHE-5038-S1L | 403   | 50 | 38 | 2 |              |              |
| L-PYHE-5044-S1L | 446   | 50 | 44 | 2 |              |              |
| L-PYHE-5050-S1L | 492   | 50 | 50 | 2 |              |              |
| L-PYHE-5056-S1L | 534   | 50 | 56 | 2 |              |              |
| L-PYHE-5062-S1L | 578   | 50 | 62 | 2 |              |              |
| L-PYHE-5068-S1L | 622   | 50 | 68 | 2 |              |              |
| L-PYHE-5074-S1L | 663   | 50 | 74 | 2 |              |              |
| right hand      |       |    |    |   |              |              |
| L-PYHE-3426-S1R | 256   | 34 | 26 | 2 |              |              |
| L-PYHE-3432-S1R | 285   | 34 | 32 | 2 |              |              |
| L-PYHE-3438-S1R | 315   | 34 | 38 | 2 |              |              |
| L-PYHE-3444-S1R | 344   | 34 | 44 | 2 |              |              |
| L-PYHE-3450-S1R | 375   | 34 | 50 | 2 |              |              |
| L-PYHE-3456-S1R | 405   | 34 | 56 | 2 |              |              |
| L-PYHE-3462-S1R | 437   | 34 | 62 | 2 |              |              |
| L-PYHE-3468-S1R | 465   | 34 | 68 | 2 |              |              |
| L-PYHE-3474-S1R | 496   | 34 | 74 | 2 |              |              |
| L-PYHE-4226-S1R | 285   | 42 | 26 | 2 |              |              |
| L-PYHE-4232-S1R | 322   | 42 | 32 | 2 |              |              |
| L-PYHE-4238-S1R | 359   | 42 | 38 | 2 |              |              |
| L-PYHE-4244-S1R | 395   | 42 | 44 | 2 |              |              |
| L-PYHE-4250-S1R | 434   | 42 | 50 | 2 |              |              |
| L-PYHE-4256-S1R | 468   | 42 | 56 | 2 |              |              |
| L-PYHE-4262-S1R | 506   | 42 | 62 | 2 |              |              |
| L-PYHE-4268-S1R | 544   | 42 | 68 | 2 |              |              |
| L-PYHE-4274-S1R | 582   | 42 | 74 | 2 |              |              |
| L-PYHE-5026-S1R | 317   | 50 | 26 | 2 |              |              |
| L-PYHE-5032-S1R | 363   | 50 | 32 | 2 |              |              |
| L-PYHE-5038-S1R | 403   | 50 | 38 | 2 |              |              |
| L-PYHE-5044-S1R | 446   | 50 | 44 | 2 |              |              |
| L-PYHE-5050-S1R | 492   | 50 | 50 | 2 |              |              |
| L-PYHE-5056-S1R | 534   | 50 | 56 | 2 |              |              |
| L-PYHE-5062-S1R | 578   | 50 | 62 | 2 |              |              |
| L-PYHE-5068-S1R | 622   | 50 | 68 | 2 |              |              |
| L-PYHE-5074-S1R | 663   | 50 | 74 | 2 |              |              |



Single Span End Horizontal Woodgrain Gallery Panel with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:34”, 42”, 50”

Width:26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

No power cut out

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PCHE-3426-S1L | 256   | 34 | 26 | 1 |              |              |
| L-PCHE-3432-S1L | 285   | 34 | 32 | 1 |              |              |
| L-PCHE-3438-S1L | 315   | 34 | 38 | 1 |              |              |
| L-PCHE-3444-S1L | 344   | 34 | 44 | 1 |              |              |
| L-PCHE-3450-S1L | 375   | 34 | 50 | 1 |              |              |
| L-PCHE-3456-S1L | 405   | 34 | 56 | 1 |              |              |
| L-PCHE-3462-S1L | 437   | 34 | 62 | 1 |              |              |
| L-PCHE-3468-S1L | 465   | 34 | 68 | 1 |              |              |
| L-PCHE-3474-S1L | 496   | 34 | 74 | 1 |              |              |
| L-PCHE-4226-S1L | 285   | 42 | 26 | 1 |              |              |
| L-PCHE-4232-S1L | 322   | 42 | 32 | 1 |              |              |
| L-PCHE-4238-S1L | 359   | 42 | 38 | 1 |              |              |
| L-PCHE-4244-S1L | 395   | 42 | 44 | 1 |              |              |
| L-PCHE-4250-S1L | 434   | 42 | 50 | 1 |              |              |
| L-PCHE-4256-S1L | 468   | 42 | 56 | 1 |              |              |

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| L-PCHE-4262-S1L | 506   | 42 | 62 | 1 |              |              |
| L-PCHE-4268-S1L | 544   | 42 | 68 | 1 |              |              |
| L-PCHE-4274-S1L | 582   | 42 | 74 | 1 |              |              |
| L-PCHE-5026-S1L | 317   | 50 | 26 | 1 |              |              |
| L-PCHE-5032-S1L | 363   | 50 | 32 | 1 |              |              |
| L-PCHE-5038-S1L | 403   | 50 | 38 | 1 |              |              |
| L-PCHE-5044-S1L | 446   | 50 | 44 | 1 |              |              |
| L-PCHE-5050-S1L | 492   | 50 | 50 | 1 |              |              |
| L-PCHE-5056-S1L | 534   | 50 | 56 | 1 |              |              |
| L-PCHE-5062-S1L | 578   | 50 | 62 | 1 |              |              |
| L-PCHE-5068-S1L | 622   | 50 | 68 | 1 |              |              |
| L-PCHE-5074-S1L | 663   | 50 | 74 | 1 |              |              |
| right hand      |       |    |    |   |              |              |
| L-PCHE-3426-S1R | 256   | 34 | 26 | 1 |              |              |
| L-PCHE-3432-S1R | 285   | 34 | 32 | 1 |              |              |
| L-PCHE-3438-S1R | 315   | 34 | 38 | 1 |              |              |
| L-PCHE-3444-S1R | 344   | 34 | 44 | 1 |              |              |
| L-PCHE-3450-S1R | 375   | 34 | 50 | 1 |              |              |
| L-PCHE-3456-S1R | 405   | 34 | 56 | 1 |              |              |
| L-PCHE-3462-S1R | 437   | 34 | 62 | 1 |              |              |
| L-PCHE-3468-S1R | 465   | 34 | 68 | 1 |              |              |
| L-PCHE-3474-S1R | 496   | 34 | 74 | 1 |              |              |
| L-PCHE-4226-S1R | 285   | 42 | 26 | 1 |              |              |
| L-PCHE-4232-S1R | 322   | 42 | 32 | 1 |              |              |
| L-PCHE-4238-S1R | 359   | 42 | 38 | 1 |              |              |
| L-PCHE-4244-S1R | 395   | 42 | 44 | 1 |              |              |
| L-PCHE-4250-S1R | 434   | 42 | 50 | 1 |              |              |
| L-PCHE-4256-S1R | 468   | 42 | 56 | 1 |              |              |
| L-PCHE-4262-S1R | 506   | 42 | 62 | 1 |              |              |
| L-PCHE-4268-S1R | 544   | 42 | 68 | 1 |              |              |
| L-PCHE-4274-S1R | 582   | 42 | 74 | 1 |              |              |
| L-PCHE-5026-S1R | 317   | 50 | 26 | 1 |              |              |
| L-PCHE-5032-S1R | 363   | 50 | 32 | 1 |              |              |
| L-PCHE-5038-S1R | 403   | 50 | 38 | 1 |              |              |
| L-PCHE-5044-S1R | 446   | 50 | 44 | 1 |              |              |
| L-PCHE-5050-S1R | 492   | 50 | 50 | 1 |              |              |
| L-PCHE-5056-S1R | 534   | 50 | 56 | 1 |              |              |
| L-PCHE-5062-S1R | 578   | 50 | 62 | 1 |              |              |
| L-PCHE-5068-S1R | 622   | 50 | 68 | 1 |              |              |
| L-PCHE-5074-S1R | 663   | 50 | 74 | 1 |              |              |





Single piece  
Double Span End  
Horizontal Woodgrain  
Gallery Panel  
No Power Cutout



Two pieces  
Double Span End  
Horizontal Woodgrain  
Gallery Panel  
No Power Cutout

What’s Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 34", 42", 50"                               |
| Width:         | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color |                                             |
| Power cut out  |                                             |

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PYHE-3442-D1  | 334   | 34 | 42  | 2 |              |              |
| L-PYHE-3450-D1  | 375   | 34 | 50  | 2 |              |              |
| L-PYHE-3462-D1  | 437   | 34 | 62  | 2 |              |              |
| L-PYHE-3474-D1  | 496   | 34 | 74  | 2 |              |              |
| L-PYHE-3486-D1  | 557   | 34 | 86  | 2 |              |              |
| L-PYHE-4242-D1  | 386   | 42 | 42  | 2 |              |              |
| L-PYHE-4250-D1  | 434   | 42 | 50  | 2 |              |              |
| L-PYHE-4262-D1  | 506   | 42 | 62  | 2 |              |              |
| L-PYHE-4274-D1  | 582   | 42 | 74  | 2 |              |              |
| L-PYHE-4286-D1  | 654   | 42 | 86  | 2 |              |              |
| L-PYHE-5042-D1  | 434   | 50 | 42  | 2 |              |              |
| L-PYHE-5050-D1  | 492   | 50 | 50  | 2 |              |              |
| L-PYHE-5062-D1  | 578   | 50 | 62  | 2 |              |              |
| L-PYHE-5074-D1  | 663   | 50 | 74  | 2 |              |              |
| L-PYHE-5086-D1  | 752   | 50 | 86  | 2 |              |              |
| 2 pieces        |       |    |     |   |              |              |
| L-PYHE-3498-D2  | 769   | 34 | 98  | 2 |              |              |
| L-PYHE-4298-D2  | 884   | 42 | 98  | 2 |              |              |
| L-PYHE-5098-D2  | 999   | 50 | 98  | 2 |              |              |
| L-PYHE-34110-D2 | 832   | 34 | 110 | 2 |              |              |
| L-PYHE-34122-D2 | 892   | 34 | 122 | 2 |              |              |
| L-PYHE-34134-D2 | 950   | 34 | 134 | 2 |              |              |
| L-PYHE-34146-D2 | 1013  | 34 | 146 | 2 |              |              |
| L-PYHE-42110-D2 | 958   | 42 | 110 | 2 |              |              |
| L-PYHE-42122-D2 | 1030  | 42 | 122 | 2 |              |              |
| L-PYHE-42134-D2 | 1106  | 42 | 134 | 2 |              |              |
| L-PYHE-42146-D2 | 1181  | 42 | 146 | 2 |              |              |
| L-PYHE-50110-D2 | 1085  | 50 | 110 | 2 |              |              |
| L-PYHE-50122-D2 | 1172  | 50 | 122 | 2 |              |              |
| L-PYHE-50134-D2 | 1261  | 50 | 134 | 2 |              |              |
| L-PYHE-50146-D2 | 1347  | 50 | 146 | 2 |              |              |



What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:

34", 42", 50"


Width:

26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

No power cut out

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PCHE-3442-D1  | 334   | 34 | 42  | 1 |              |              |
| L-PCHE-3450-D1  | 375   | 34 | 50  | 1 |              |              |
| L-PCHE-3462-D1  | 437   | 34 | 62  | 1 |              |              |
| L-PCHE-3474-D1  | 496   | 34 | 74  | 1 |              |              |
| L-PCHE-3486-D1  | 557   | 34 | 86  | 1 |              |              |
| L-PCHE-4242-D1  | 386   | 42 | 42  | 1 |              |              |
| L-PCHE-4250-D1  | 434   | 42 | 50  | 1 |              |              |
| L-PCHE-4262-D1  | 506   | 42 | 62  | 1 |              |              |
| L-PCHE-4274-D1  | 582   | 42 | 74  | 1 |              |              |
| L-PCHE-4286-D1  | 654   | 42 | 86  | 1 |              |              |
| L-PCHE-5042-D1  | 434   | 50 | 42  | 1 |              |              |
| L-PCHE-5050-D1  | 492   | 50 | 50  | 1 |              |              |
| L-PCHE-5062-D1  | 578   | 50 | 62  | 1 |              |              |
| L-PCHE-5074-D1  | 663   | 50 | 74  | 1 |              |              |
| L-PCHE-5086-D1  | 752   | 50 | 86  | 1 |              |              |
| 2 pieces        |       |    |     |   |              |              |
| L-PCHE-3498-D2  | 769   | 34 | 98  | 1 |              |              |
| L-PCHE-34110-D2 | 832   | 34 | 110 | 1 |              |              |
| L-PCHE-34122-D2 | 892   | 34 | 122 | 1 |              |              |
| L-PCHE-34134-D2 | 950   | 34 | 134 | 1 |              |              |
| L-PCHE-34146-D2 | 1013  | 34 | 146 | 1 |              |              |
| L-PCHE-4298-D2  | 884   | 42 | 98  | 1 |              |              |
| L-PCHE-42110-D2 | 958   | 42 | 110 | 1 |              |              |
| L-PCHE-42122-D2 | 1030  | 42 | 122 | 1 |              |              |
| L-PCHE-42134-D2 | 1106  | 42 | 134 | 1 |              |              |
| L-PCHE-42146-D2 | 1181  | 42 | 146 | 1 |              |              |
| L-PCHE-5098-D2  | 999   | 50 | 98  | 1 |              |              |
| L-PCHE-50110-D2 | 1085  | 50 | 110 | 1 |              |              |
| L-PCHE-50122-D2 | 1172  | 50 | 122 | 1 |              |              |
| L-PCHE-50134-D2 | 1261  | 50 | 134 | 1 |              |              |
| L-PCHE-50146-D2 | 1347  | 50 | 146 | 1 |              |              |



Single Span Middle  
Vertical Woodgrain  
Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing


Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 34”, 42”, 50”                               |
| Width:         | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color |                                             |

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|---|--------------|--------------|
| L-PYGM-3426-S1 | 297   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYGM-3432-S1 | 328   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYGM-3438-S1 | 358   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYGM-3444-S1 | 388   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYGM-3450-S1 | 418   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYGM-3456-S1 | 446   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYGM-4226-S1 | 328   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYGM-4232-S1 | 366   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYGM-4238-S1 | 402   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYGM-4244-S1 | 440   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYGM-4250-S1 | 478   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYGM-4256-S1 | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PYGM-5026-S1 | 363   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYGM-5032-S1 | 403   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYGM-5038-S1 | 445   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYGM-5044-S1 | 492   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYGM-5050-S1 | 533   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYGM-5056-S1 | 578   | 50 | 56 | 1 | 56           | 1.62         |



Double Span Middle  
Vertical Woodgrain  
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:


- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 34”, 42”, 50”                               |
| Width:         | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color |                                             |

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PYGM-3442-D1  | 377   | 34 | 42  | 1 | 28.56        | 0.83         |
| L-PYGM-3450-D1  | 418   | 34 | 50  | 1 | 34           | 0.98         |
| L-PYGM-4242-D1  | 427   | 42 | 42  | 1 | 28.56        | 1.02         |
| L-PYGM-4250-D1  | 478   | 42 | 50  | 1 | 42           | 1.22         |
| L-PYGM-5042-D1  | 478   | 50 | 42  | 1 | 28.56        | 1.22         |
| L-PYGM-5050-D1  | 533   | 50 | 50  | 1 | 50           | 1.45         |
| 2 pieces        |       |    |     |   |              |              |
| L-PYGM-3462-D2  | 588   | 34 | 62  | 1 | 42.16        | 1.22         |
| L-PYGM-3474-D2  | 650   | 34 | 74  | 1 | 50.32        | 1.46         |
| L-PYGM-3486-D2  | 709   | 34 | 86  | 1 | 58.48        | 1.69         |
| L-PYGM-3498-D2  | 769   | 34 | 98  | 1 | 66.64        | 1.93         |
| L-PYGM-4262-D2  | 661   | 42 | 62  | 1 | 52.08        | 1.51         |
| L-PYGM-4274-D2  | 738   | 42 | 74  | 1 | 62.16        | 1.80         |
| L-PYGM-4286-D2  | 810   | 42 | 86  | 1 | 72.24        | 2.09         |
| L-PYGM-4298-D2  | 884   | 42 | 98  | 1 | 82.32        | 2.38         |
| L-PYGM-5062-D2  | 739   | 50 | 62  | 1 | 62           | 1.79         |
| L-PYGM-5074-D2  | 823   | 50 | 74  | 1 | 74           | 2.14         |
| L-PYGM-5086-D2  | 911   | 50 | 86  | 1 | 86           | 2.49         |
| L-PYGM-5098-D2  | 999   | 50 | 98  | 1 | 98           | 2.84         |
| L-PYGM-34110-D2 | 832   | 34 | 110 | 1 | 74.8         | 2.16         |
| L-PYGM-42110-D2 | 958   | 42 | 110 | 1 | 92.4         | 2.67         |
| L-PYGM-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.18         |





Single Span End  
Vertical Woodgrain  
Gallery Panel  
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut  
out

Notes:

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing

Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

Options:


Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out, No power cut out

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PYGE-3426-S1L | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYGE-3432-S1L | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYGE-3438-S1L | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYGE-3444-S1L | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYGE-3450-S1L | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYGE-3456-S1L | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYGE-4226-S1L | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYGE-4232-S1L | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYGE-4238-S1L | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYGE-4244-S1L | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYGE-4250-S1L | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYGE-4256-S1L | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PYGE-5026-S1L | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYGE-5032-S1L | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYGE-5038-S1L | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYGE-5044-S1L | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYGE-5050-S1L | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYGE-5056-S1L | 534   | 50 | 56 | 1 | 56           | 1.62         |
| right hand      |       |    |    |   |              |              |
| L-PYGE-3426-S1R | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYGE-3432-S1R | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYGE-3438-S1R | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYGE-3444-S1R | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYGE-3450-S1R | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYGE-3456-S1R | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYGE-4226-S1R | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYGE-4232-S1R | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYGE-4238-S1R | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYGE-4244-S1R | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYGE-4250-S1R | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYGE-4256-S1R | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PYGE-5026-S1R | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYGE-5032-S1R | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYGE-5038-S1R | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYGE-5044-S1R | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYGE-5050-S1R | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYGE-5056-S1R | 534   | 50 | 56 | 1 | 56           | 1.62         |



Single Span End  
Vertical Woodgrain  
Gallery Panel  
with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing


Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Height:                         | 34”, 42”, 50”                               |
| Width:                          | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color                  |                                             |
| Power cut out, No power cut out |                                             |

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PCGE-3426-S1L | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PCGE-3432-S1L | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PCGE-3438-S1L | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PCGE-3444-S1L | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PCGE-3450-S1L | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PCGE-3456-S1L | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PCGE-4226-S1L | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PCGE-4232-S1L | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PCGE-4238-S1L | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PCGE-4244-S1L | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PCGE-4250-S1L | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PCGE-4256-S1L | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PCGE-5026-S1L | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PCGE-5032-S1L | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PCGE-5038-S1L | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PCGE-5044-S1L | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PCGE-5050-S1L | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PCGE-5056-S1L | 534   | 50 | 56 | 1 | 56           | 1.62         |
| right hand      |       |    |    |   |              |              |
| L-PCGE-3426-S1R | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PCGE-3432-S1R | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PCGE-3438-S1R | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PCGE-3444-S1R | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PCGE-3450-S1R | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PCGE-3456-S1R | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PCGE-4226-S1R | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PCGE-4232-S1R | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PCGE-4238-S1R | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PCGE-4244-S1R | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PCGE-4250-S1R | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PCGE-4256-S1R | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PCGE-5026-S1R | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PCGE-5032-S1R | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PCGE-5038-S1R | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PCGE-5044-S1R | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PCGE-5050-S1R | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PCGE-5056-S1R | 534   | 50 | 56 | 1 | 56           | 1.62         |



Double Span End  
Vertical Woodgrain  
Gallery Panel  
No Power Cutout

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Height:                         | 34”, 42”, 50”                               |
| Width:                          | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color                  |                                             |
| Power cut out, no power cut out |                                             |

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PYGE-3442-D1  | 334   | 34 | 42  | 1 | 28.56        | 0.83         |
| L-PYGE-3450-D1  | 375   | 34 | 50  | 1 | 34           | 0.98         |
| L-PYGE-4242-D1  | 386   | 42 | 42  | 1 | 28.56        | 1.02         |
| L-PYGE-4250-D1  | 434   | 42 | 50  | 1 | 42           | 1.22         |
| L-PYGE-5042-D1  | 434   | 50 | 42  | 1 | 28.56        | 1.22         |
| L-PYGE-5050-D1  | 492   | 50 | 50  | 1 | 50           | 1.45         |
| 2 pieces        |       |    |     |   |              |              |
| L-PYGE-3462-D2  | 588   | 34 | 62  | 1 | 42.16        | 1.22         |
| L-PYGE-3474-D2  | 650   | 34 | 74  | 1 | 50.32        | 1.46         |
| L-PYGE-3486-D2  | 709   | 34 | 86  | 1 | 58.48        | 1.69         |
| L-PYGE-3498-D2  | 769   | 34 | 98  | 1 | 66.64        | 1.93         |
| L-PYGE-4262-D2  | 661   | 42 | 62  | 1 | 52.08        | 1.51         |
| L-PYGE-4274-D2  | 738   | 42 | 74  | 1 | 62.16        | 1.80         |
| L-PYGE-4286-D2  | 810   | 42 | 86  | 1 | 72.24        | 2.09         |
| L-PYGE-4298-D2  | 884   | 42 | 98  | 1 | 82.32        | 2.38         |
| L-PYGE-5062-D2  | 739   | 50 | 62  | 1 | 62           | 1.79         |
| L-PYGE-5074-D2  | 823   | 50 | 74  | 1 | 74           | 2.14         |
| L-PYGE-5086-D2  | 911   | 50 | 86  | 1 | 86           | 2.49         |
| L-PYGE-5098-D2  | 999   | 50 | 98  | 1 | 98           | 2.84         |
| L-PYGE-34110-D2 | 832   | 34 | 110 | 1 | 74.8         | 2.16         |
| L-PYGE-42110-D2 | 958   | 42 | 110 | 1 | 92.4         | 2.67         |
| L-PYGE-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.18         |



What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:34", 42", 50"


Width:26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

Power cut out, no power cut out

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PCGE-3442-D1  | 334   | 34 | 42  | 1 | 28.56        | 0.83         |
| L-PCGE-3450-D1  | 375   | 34 | 50  | 1 | 34           | 0.98         |
| L-PCGE-4242-D1  | 386   | 42 | 42  | 1 | 28.56        | 1.02         |
| L-PCGE-4250-D1  | 434   | 42 | 50  | 1 | 42           | 1.22         |
| L-PCGE-5042-D1  | 434   | 50 | 42  | 1 | 28.56        | 1.22         |
| L-PCGE-5050-D1  | 492   | 50 | 50  | 1 | 50           | 1.45         |
| 2 pieces        |       |    |     |   |              |              |
| L-PCGE-3462-D2  | 588   | 34 | 62  | 1 | 42.16        | 1.22         |
| L-PCGE-3474-D2  | 650   | 34 | 74  | 1 | 50.32        | 1.46         |
| L-PCGE-3486-D2  | 709   | 34 | 86  | 1 | 58.48        | 1.69         |
| L-PCGE-3498-D2  | 769   | 34 | 98  | 1 | 66.64        | 1.93         |
| L-PCGE-34110-D2 | 832   | 34 | 110 | 1 | 52.08        | 1.51         |
| L-PCGE-4262-D2  | 661   | 42 | 62  | 1 | 62.16        | 1.80         |
| L-PCGE-4274-D2  | 738   | 42 | 74  | 1 | 72.24        | 2.09         |
| L-PCGE-4286-D2  | 810   | 42 | 86  | 1 | 82.32        | 2.38         |
| L-PCGE-4298-D2  | 884   | 42 | 98  | 1 | 62           | 1.79         |
| L-PCGE-42110-D2 | 958   | 42 | 110 | 1 | 74           | 2.14         |
| L-PCGE-5062-D2  | 739   | 50 | 62  | 1 | 86           | 2.49         |
| L-PCGE-5074-D2  | 823   | 50 | 74  | 1 | 98           | 2.84         |
| L-PCGE-5086-D2  | 911   | 50 | 86  | 1 | 74.8         | 2.16         |
| L-PCGE-5098-D2  | 999   | 50 | 98  | 1 | 92.4         | 2.67         |
| L-PCGE-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.18         |





Single Span Middle  
Solid Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing


Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 34”, 42”, 50”                               |
| Width:         | 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74” |
| Laminate color |                                             |

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|---|--------------|--------------|
| L-PYSM-3426-S1 | 297   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYSM-3432-S1 | 328   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYSM-3438-S1 | 358   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYSM-3444-S1 | 388   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYSM-3450-S1 | 418   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYSM-3456-S1 | 446   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYSM-3462-S1 | 480   | 34 | 62 | 1 | 42.16        | 1.22         |
| L-PYSM-3468-S1 | 508   | 34 | 68 | 1 | 46.24        | 1.34         |
| L-PYSM-3474-S1 | 537   | 34 | 74 | 1 | 50.32        | 1.46         |
| L-PYSM-4226-S1 | 328   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYSM-4232-S1 | 366   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYSM-4238-S1 | 402   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYSM-4244-S1 | 440   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYSM-4250-S1 | 478   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYSM-4256-S1 | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PYSM-4262-S1 | 549   | 42 | 62 | 1 | 52.08        | 1.51         |
| L-PYSM-4268-S1 | 586   | 42 | 68 | 1 | 57.12        | 1.65         |
| L-PYSM-4274-S1 | 626   | 42 | 74 | 1 | 62.16        | 1.80         |
| L-PYSM-5026-S1 | 363   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYSM-5032-S1 | 403   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYSM-5038-S1 | 445   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYSM-5044-S1 | 492   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYSM-5050-S1 | 533   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYSM-5056-S1 | 578   | 50 | 56 | 1 | 56           | 1.62         |
| L-PYSM-5062-S1 | 622   | 50 | 62 | 1 | 62           | 1.79         |
| L-PYSM-5068-S1 | 661   | 50 | 68 | 1 | 68           | 1.97         |
| L-PYSM-5074-S1 | 707   | 50 | 74 | 1 | 74           | 2.14         |



Single piece

Double Span Middle  
Solid Gallery Panel

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Height:                         | 34", 42", 50"                               |
| Width:                          | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color                  |                                             |
| Power cut out, no power cut out |                                             |

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PYSM-3442-D1  | 377   | 34 | 42  | 1 | 28.56        | 0.83         |
| L-PYSM-3450-D1  | 418   | 34 | 50  | 1 | 34           | 0.98         |
| L-PYSM-3462-D1  | 480   | 34 | 62  | 1 | 42.16        | 1.22         |
| L-PYSM-3474-D1  | 537   | 34 | 74  | 1 | 50.32        | 1.46         |
| L-PYSM-3486-D1  | 600   | 34 | 86  | 1 | 58.48        | 1.69         |
| L-PYSM-4242-D1  | 427   | 42 | 42  | 1 | 35.28        | 1.02         |
| L-PYSM-4250-D1  | 478   | 42 | 50  | 1 | 42           | 1.22         |
| L-PYSM-4262-D1  | 549   | 42 | 62  | 1 | 52.08        | 1.51         |
| L-PYSM-4274-D1  | 626   | 42 | 74  | 1 | 62.16        | 1.80         |
| L-PYSM-4286-D1  | 698   | 42 | 86  | 1 | 72.24        | 2.09         |
| L-PYSM-5042-D1  | 478   | 50 | 42  | 1 | 42           | 1.22         |
| L-PYSM-5050-D1  | 533   | 50 | 50  | 1 | 50           | 1.45         |
| L-PYSM-5062-D1  | 622   | 50 | 62  | 1 | 62           | 1.79         |
| L-PYSM-5074-D1  | 707   | 50 | 74  | 1 | 74           | 2.14         |
| L-PYSM-5086-D1  | 794   | 50 | 86  | 1 | 86           | 2.49         |
| 2 pieces        |       |    |     |   |              |              |
| L-PYSM-3498-D2  | 769   | 34 | 98  | 1 | 66.64        | 1.93         |
| L-PYSM-4298-D2  | 884   | 42 | 98  | 1 | 82.32        | 2.38         |
| L-PYSM-5098-D2  | 999   | 50 | 98  | 1 | 98           | 2.84         |
| L-PYSM-34110-D2 | 832   | 34 | 110 | 1 | 74.8         | 2.16         |
| L-PYSM-34122-D2 | 892   | 34 | 122 | 1 | 82.96        | 2.40         |
| L-PYSM-34134-D2 | 950   | 34 | 134 | 1 | 91.12        | 2.64         |
| L-PYSM-34146-D2 | 1013  | 34 | 146 | 1 | 99.28        | 2.87         |
| L-PYSM-42110-D2 | 958   | 42 | 110 | 1 | 92.4         | 2.67         |
| L-PYSM-42122-D2 | 1030  | 42 | 122 | 1 | 102.48       | 2.97         |
| L-PYSM-42134-D2 | 1106  | 42 | 134 | 1 | 112.56       | 3.26         |
| L-PYSM-42146-D2 | 1181  | 42 | 146 | 1 | 122.64       | 3.55         |
| L-PYSM-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.18         |
| L-PYSM-50122-D2 | 1172  | 50 | 122 | 1 | 122          | 3.53         |
| L-PYSM-50134-D2 | 1261  | 50 | 134 | 1 | 134          | 3.88         |
| L-PYSM-50146-D2 | 1347  | 50 | 146 | 1 | 146          | 4.22         |



Single Span End  
Solid Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut  
out

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

Power cut out, No power cut out

Notes:


Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing

Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PYSE-3426-S1L | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYSE-3432-S1L | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYSE-3438-S1L | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYSE-3444-S1L | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYSE-3450-S1L | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYSE-3456-S1L | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYSE-3462-S1L | 437   | 34 | 62 | 1 | 42.16        | 1.22         |
| L-PYSE-3468-S1L | 465   | 34 | 68 | 1 | 46.24        | 1.34         |
| L-PYSE-3474-S1L | 496   | 34 | 74 | 1 | 50.32        | 1.46         |
| L-PYSE-4226-S1L | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYSE-4232-S1L | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYSE-4238-S1L | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYSE-4244-S1L | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYSE-4250-S1L | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYSE-4256-S1L | 468   | 42 | 56 | 1 | 47.04        | 1.36         |

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| L-PYSE-4262-S1L | 506   | 42 | 62 | 1 | 52.08        | 1.51         |
| L-PYSE-4268-S1L | 544   | 42 | 68 | 1 | 57.12        | 1.65         |
| L-PYSE-4274-S1L | 582   | 42 | 74 | 1 | 62.16        | 1.80         |
| L-PYSE-5026-S1L | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYSE-5032-S1L | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYSE-5038-S1L | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYSE-5044-S1L | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYSE-5050-S1L | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYSE-5056-S1L | 534   | 50 | 56 | 1 | 56           | 1.62         |
| L-PYSE-5062-S1L | 578   | 50 | 62 | 1 | 62           | 1.79         |
| L-PYSE-5068-S1L | 622   | 50 | 68 | 1 | 68           | 1.97         |
| L-PYSE-5074-S1L | 663   | 50 | 74 | 1 | 74           | 2.14         |
| right hand      |       |    |    |   |              |              |
| L-PYSE-3426-S1R | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PYSE-3432-S1R | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PYSE-3438-S1R | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PYSE-3444-S1R | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PYSE-3450-S1R | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PYSE-3456-S1R | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PYSE-3462-S1R | 437   | 34 | 62 | 1 | 42.16        | 1.22         |
| L-PYSE-3468-S1R | 465   | 34 | 68 | 1 | 46.24        | 1.34         |
| L-PYSE-3474-S1R | 496   | 34 | 74 | 1 | 50.32        | 1.46         |
| L-PYSE-4226-S1R | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PYSE-4232-S1R | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PYSE-4238-S1R | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PYSE-4244-S1R | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PYSE-4250-S1R | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PYSE-4256-S1R | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PYSE-4262-S1R | 506   | 42 | 62 | 1 | 52.08        | 1.51         |
| L-PYSE-4268-S1R | 544   | 42 | 68 | 1 | 57.12        | 1.65         |
| L-PYSE-4274-S1R | 582   | 42 | 74 | 1 | 62.16        | 1.80         |
| L-PYSE-5026-S1R | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PYSE-5032-S1R | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PYSE-5038-S1R | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PYSE-5044-S1R | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PYSE-5050-S1R | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PYSE-5056-S1R | 534   | 50 | 56 | 1 | 56           | 1.62         |
| L-PYSE-5062-S1R | 578   | 50 | 62 | 1 | 62           | 1.79         |
| L-PYSE-5068-S1R | 622   | 50 | 68 | 1 | 68           | 1.97         |
| L-PYSE-5074-S1R | 663   | 50 | 74 | 1 | 74           | 2.14         |



Single Span End  
Solid Gallery Panel  
with Power Cutout

What's Included:

One (1) 1"thick laminate gallery panel,  
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut  
out

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

Power cut out, No power cut out

Notes:

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing


Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| left hand       |       |    |    |   |              |              |
| L-PCSE-3426-S1L | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PCSE-3432-S1L | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PCSE-3438-S1L | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PCSE-3444-S1L | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PCSE-3450-S1L | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PCSE-3456-S1L | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PCSE-3462-S1L | 437   | 34 | 62 | 1 | 42.16        | 1.22         |
| L-PCSE-3468-S1L | 465   | 34 | 68 | 1 | 46.24        | 1.34         |
| L-PCSE-3474-S1L | 496   | 34 | 74 | 1 | 50.32        | 1.46         |
| L-PCSE-4226-S1L | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PCSE-4232-S1L | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PCSE-4238-S1L | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PCSE-4244-S1L | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PCSE-4250-S1L | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PCSE-4256-S1L | 468   | 42 | 56 | 1 | 47.04        | 1.36         |

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| L-PCSE-4262-S1L | 506   | 42 | 62 | 1 | 52.08        | 1.51         |
| L-PCSE-4268-S1L | 544   | 42 | 68 | 1 | 57.12        | 1.65         |
| L-PCSE-4274-S1L | 582   | 42 | 74 | 1 | 62.16        | 1.80         |
| L-PCSE-5026-S1L | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PCSE-5032-S1L | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PCSE-5038-S1L | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PCSE-5044-S1L | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PCSE-5050-S1L | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PCSE-5056-S1L | 534   | 50 | 56 | 1 | 56           | 1.62         |
| L-PCSE-5062-S1L | 578   | 50 | 62 | 1 | 62           | 1.79         |
| L-PCSE-5068-S1L | 622   | 50 | 68 | 1 | 68           | 1.97         |
| L-PCSE-5074-S1L | 663   | 50 | 74 | 1 | 74           | 2.14         |
| right hand      |       |    |    |   |              |              |
| L-PCSE-3426-S1R | 256   | 34 | 26 | 1 | 17.68        | 0.51         |
| L-PCSE-3432-S1R | 285   | 34 | 32 | 1 | 21.76        | 0.63         |
| L-PCSE-3438-S1R | 315   | 34 | 38 | 1 | 25.84        | 0.75         |
| L-PCSE-3444-S1R | 344   | 34 | 44 | 1 | 29.92        | 0.87         |
| L-PCSE-3450-S1R | 375   | 34 | 50 | 1 | 34           | 0.98         |
| L-PCSE-3456-S1R | 405   | 34 | 56 | 1 | 38.08        | 1.10         |
| L-PCSE-3462-S1R | 437   | 34 | 62 | 1 | 42.16        | 1.22         |
| L-PCSE-3468-S1R | 465   | 34 | 68 | 1 | 46.24        | 1.34         |
| L-PCSE-3474-S1R | 496   | 34 | 74 | 1 | 50.32        | 1.46         |
| L-PCSE-4226-S1R | 285   | 42 | 26 | 1 | 21.84        | 0.63         |
| L-PCSE-4232-S1R | 322   | 42 | 32 | 1 | 26.88        | 0.78         |
| L-PCSE-4238-S1R | 359   | 42 | 38 | 1 | 31.92        | 0.92         |
| L-PCSE-4244-S1R | 395   | 42 | 44 | 1 | 36.96        | 1.07         |
| L-PCSE-4250-S1R | 434   | 42 | 50 | 1 | 42           | 1.22         |
| L-PCSE-4256-S1R | 468   | 42 | 56 | 1 | 47.04        | 1.36         |
| L-PCSE-4262-S1R | 506   | 42 | 62 | 1 | 52.08        | 1.51         |
| L-PCSE-4268-S1R | 544   | 42 | 68 | 1 | 57.12        | 1.65         |
| L-PCSE-4274-S1R | 582   | 42 | 74 | 1 | 62.16        | 1.80         |
| L-PCSE-5026-S1R | 317   | 50 | 26 | 1 | 26           | 0.75         |
| L-PCSE-5032-S1R | 363   | 50 | 32 | 1 | 32           | 0.93         |
| L-PCSE-5038-S1R | 403   | 50 | 38 | 1 | 38           | 1.10         |
| L-PCSE-5044-S1R | 446   | 50 | 44 | 1 | 44           | 1.27         |
| L-PCSE-5050-S1R | 492   | 50 | 50 | 1 | 50           | 1.45         |
| L-PCSE-5056-S1R | 534   | 50 | 56 | 1 | 56           | 1.62         |
| L-PCSE-5062-S1R | 578   | 50 | 62 | 1 | 62           | 1.79         |
| L-PCSE-5068-S1R | 622   | 50 | 68 | 1 | 68           | 1.97         |
| L-PCSE-5074-S1R | 663   | 50 | 74 | 1 | 74           | 2.14         |





Single piece

Double Span End  
Solid Gallery Panel  
No Power Cutout

What’s Included:

X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”


Laminate color

Power cut out, no power cut out

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PYSE-3442-D1  | 334   | 34 | 42  | 1 | 28.56        | 0.83         |
| L-PYSE-3450-D1  | 375   | 34 | 50  | 1 | 34           | 0.98         |
| L-PYSE-3462-D1  | 437   | 34 | 62  | 1 | 42.16        | 1.22         |
| L-PYSE-3474-D1  | 496   | 34 | 74  | 1 | 50.32        | 1.46         |
| L-PYSE-3486-D1  | 557   | 34 | 86  | 1 | 58.48        | 1.69         |
| L-PYSE-4242-D1  | 386   | 42 | 42  | 1 | 35.28        | 1.02         |
| L-PYSE-4250-D1  | 434   | 42 | 50  | 1 | 42           | 1.22         |
| L-PYSE-4262-D1  | 506   | 42 | 62  | 1 | 52.08        | 1.51         |
| L-PYSE-4274-D1  | 582   | 42 | 74  | 1 | 62.16        | 1.80         |
| L-PYSE-4286-D1  | 654   | 42 | 86  | 1 | 72.24        | 2.09         |
| L-PYSE-5042-D1  | 434   | 50 | 42  | 1 | 42           | 1.22         |
| L-PYSE-5050-D1  | 492   | 50 | 50  | 1 | 50           | 1.45         |
| L-PYSE-5062-D1  | 578   | 50 | 62  | 1 | 62           | 1.79         |
| L-PYSE-5074-D1  | 663   | 50 | 74  | 1 | 74           | 2.14         |
| L-PYSE-5086-D1  | 752   | 50 | 86  | 1 | 86           | 2.49         |
| 2 pieces        |       |    |     |   |              |              |
| L-PYSE-3498-D2  | 769   | 34 | 98  | 1 | 66.64        | 1.93         |
| L-PYSE-4298-D2  | 884   | 42 | 98  | 1 | 82.32        | 2.38         |
| L-PYSE-5098-D2  | 999   | 50 | 98  | 1 | 98           | 2.84         |
| L-PYSE-34110-D2 | 832   | 34 | 110 | 1 | 74.8         | 2.16         |
| L-PYSE-34122-D2 | 892   | 34 | 122 | 1 | 82.96        | 2.40         |
| L-PYSE-34134-D2 | 950   | 34 | 134 | 1 | 91.12        | 2.64         |
| L-PYSE-34146-D2 | 1013  | 34 | 146 | 1 | 99.28        | 2.87         |
| L-PYSE-42110-D2 | 958   | 42 | 110 | 1 | 92.4         | 2.67         |
| L-PYSE-42122-D2 | 1030  | 42 | 122 | 1 | 102.48       | 2.97         |
| L-PYSE-42134-D2 | 1106  | 42 | 134 | 1 | 112.56       | 3.26         |
| L-PYSE-42146-D2 | 1181  | 42 | 146 | 1 | 122.64       | 3.55         |
| L-PYSE-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.18         |
| L-PYSE-50122-D2 | 1172  | 50 | 122 | 1 | 122          | 3.53         |
| L-PYSE-50134-D2 | 1261  | 50 | 134 | 1 | 134          | 3.88         |
| L-PYSE-50146-D2 | 1347  | 50 | 146 | 1 | 146          | 4.22         |



Single piece



2 pieces

What’s Included:

X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out, no power cut out

| Code            | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|-----|---|--------------|--------------|
| single piece    |       |    |     |   |              |              |
| L-PCSE-3442-D1  | 334   | 34 | 42  | 1 | 28.6         | 0.80         |
| L-PCSE-3450-D1  | 375   | 34 | 50  | 1 | 34           | 1.00         |
| L-PCSE-3462-D1  | 437   | 34 | 62  | 1 | 42.2         | 1.20         |
| L-PCSE-3474-D1  | 496   | 34 | 74  | 1 | 50.3         | 1.50         |
| L-PCSE-3486-D1  | 557   | 34 | 86  | 1 | 58.5         | 1.70         |
| L-PCSE-4242-D1  | 386   | 42 | 42  | 1 | 35.3         | 1.00         |
| L-PCSE-4250-D1  | 434   | 42 | 50  | 1 | 42           | 1.20         |
| L-PCSE-4262-D1  | 506   | 42 | 62  | 1 | 52.1         | 1.50         |
| L-PCSE-4274-D1  | 582   | 42 | 74  | 1 | 62.2         | 1.80         |
| L-PCSE-4286-D1  | 654   | 42 | 86  | 1 | 72.2         | 2.10         |
| L-PCSE-5042-D1  | 434   | 50 | 42  | 1 | 42           | 1.20         |
| L-PCSE-5050-D1  | 492   | 50 | 50  | 1 | 50           | 1.40         |
| L-PCSE-5062-D1  | 578   | 50 | 62  | 1 | 62           | 1.80         |
| L-PCSE-5074-D1  | 663   | 50 | 74  | 1 | 74           | 2.10         |
| L-PCSE-5086-D1  | 752   | 50 | 86  | 1 | 86           | 2.50         |
| 2 pieces        |       |    |     |   |              |              |
| L-PCSE-3498-D2  | 769   | 34 | 98  | 1 | 66.6         | 1.90         |
| L-PCSE-34110-D2 | 832   | 34 | 110 | 1 | 82.3         | 2.40         |
| L-PCSE-34122-D2 | 892   | 34 | 122 | 1 | 98           | 2.80         |
| L-PCSE-34134-D2 | 950   | 34 | 134 | 1 | 74.8         | 2.20         |
| L-PCSE-34146-D2 | 1013  | 34 | 146 | 1 | 83           | 2.40         |
| L-PCSE-4298-D2  | 884   | 42 | 98  | 1 | 91.1         | 2.60         |
| L-PCSE-42110-D2 | 958   | 42 | 110 | 1 | 99.3         | 2.90         |
| L-PCSE-42122-D2 | 1030  | 42 | 122 | 1 | 92.4         | 2.70         |
| L-PCSE-42134-D2 | 1106  | 42 | 134 | 1 | 102.5        | 3.00         |
| L-PCSE-42146-D2 | 1181  | 42 | 146 | 1 | 112.6        | 3.30         |
| L-PCSE-5098-D2  | 999   | 50 | 98  | 1 | 122.6        | 3.50         |
| L-PCSE-50110-D2 | 1085  | 50 | 110 | 1 | 110          | 3.20         |
| L-PCSE-50122-D2 | 1172  | 50 | 122 | 1 | 122          | 3.50         |
| L-PCSE-50134-D2 | 1261  | 50 | 134 | 1 | 134          | 3.90         |
| L-PCSE-50146-D2 | 1347  | 50 | 146 | 1 | 146          | 4.20         |



Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

**What's Included:**

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

**How to Specify:**

Refer to metal finish card for metal finish options

**Notes:**

One (1) glass piece can span the width of one or two panels up to 72”W

Glass is tempered

Height: 8”, 16”, 20”


Width: 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”

Clear, Frosted

| Code                 | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|----------------------|-------|----|----|------|--------------|--------------|
| Glass screen - Clear |       |    |    |      |              |              |
| L-VG-P-0824-C        | 494   | 8  | 24 | 0.75 |              |              |
| L-VG-P-0830-C        | 523   | 8  | 30 | 0.75 |              |              |
| L-VG-P-0836-C        | 572   | 8  | 36 | 0.75 |              |              |
| L-VG-P-0842-C        | 611   | 8  | 42 | 0.75 |              |              |
| L-VG-P-0848-C        | 617   | 8  | 48 | 0.75 |              |              |
| L-VG-P-0854-C        | 666   | 8  | 54 | 0.75 |              |              |
| L-VG-P-0860-C        | 676   | 8  | 60 | 0.75 |              |              |
| L-VG-P-0866-C        | 725   | 8  | 66 | 0.75 |              |              |
| L-VG-P-0872-C        | 732   | 8  | 72 | 0.75 |              |              |
| L-VG-P-1624-C        | 536   | 16 | 24 | 0.75 |              |              |
| L-VG-P-1630-C        | 570   | 16 | 30 | 0.75 |              |              |
| L-VG-P-1636-C        | 622   | 16 | 36 | 0.75 |              |              |
| L-VG-P-1642-C        | 665   | 16 | 42 | 0.75 |              |              |
| L-VG-P-1648-C        | 673   | 16 | 48 | 0.75 |              |              |
| L-VG-P-1654-C        | 725   | 16 | 54 | 0.75 |              |              |
| L-VG-P-1660-C        | 729   | 16 | 60 | 0.75 |              |              |

| Code          | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|------|--------------|--------------|
| L-VG-P-1666-C | 765   | 16 | 66 | 0.75 |              |              |
| L-VG-P-1672-C | 795   | 16 | 72 | 0.75 |              |              |
| L-VG-P-2024-C | 573   | 20 | 24 | 0.75 |              |              |
| L-VG-P-2030-C | 614   | 20 | 30 | 0.75 |              |              |
| L-VG-P-2036-C | 693   | 20 | 36 | 0.75 |              |              |
| L-VG-P-2042-C | 738   | 20 | 42 | 0.75 |              |              |
| L-VG-P-2048-C | 742   | 20 | 48 | 0.75 |              |              |
| L-VG-P-2054-C | 795   | 20 | 54 | 0.75 |              |              |
| L-VG-P-2060-C | 805   | 20 | 60 | 0.75 |              |              |
| L-VG-P-2066-C | 847   | 20 | 66 | 0.75 |              |              |
| L-VG-P-2072-C | 862   | 20 | 72 | 0.75 |              |              |

| Code                   | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|------------------------|-------|----|----|------|--------------|--------------|
| Glass screen - Frosted |       |    |    |      |              |              |
| L-VG-P-0824-F          | 641   | 8  | 24 | 0.75 |              |              |
| L-VG-P-0830-F          | 678   | 8  | 30 | 0.75 |              |              |
| L-VG-P-0836-F          | 742   | 8  | 36 | 0.75 |              |              |
| L-VG-P-0842-F          | 795   | 8  | 42 | 0.75 |              |              |
| L-VG-P-0848-F          | 803   | 8  | 48 | 0.75 |              |              |
| L-VG-P-0854-F          | 866   | 8  | 54 | 0.75 |              |              |
| L-VG-P-0860-F          | 873   | 8  | 60 | 0.75 |              |              |
| L-VG-P-0866-F          | 933   | 8  | 66 | 0.75 |              |              |
| L-VG-P-0872-F          | 950   | 8  | 72 | 0.75 |              |              |
| L-VG-P-1624-F          | 698   | 16 | 24 | 0.75 |              |              |
| L-VG-P-1630-F          | 739   | 16 | 30 | 0.75 |              |              |
| L-VG-P-1636-F          | 808   | 16 | 36 | 0.75 |              |              |
| L-VG-P-1642-F          | 864   | 16 | 42 | 0.75 |              |              |
| L-VG-P-1648-F          | 873   | 16 | 48 | 0.75 |              |              |
| L-VG-P-1654-F          | 943   | 16 | 54 | 0.75 |              |              |
| L-VG-P-1660-F          | 948   | 16 | 60 | 0.75 |              |              |
| L-VG-P-1666-F          | 1014  | 16 | 66 | 0.75 |              |              |
| L-VG-P-1672-F          | 1034  | 16 | 72 | 0.75 |              |              |
| L-VG-P-2024-F          | 743   | 20 | 24 | 0.75 |              |              |
| L-VG-P-2030-F          | 799   | 20 | 30 | 0.75 |              |              |
| L-VG-P-2036-F          | 900   | 20 | 36 | 0.75 |              |              |
| L-VG-P-2042-F          | 958   | 20 | 42 | 0.75 |              |              |
| L-VG-P-2048-F          | 963   | 20 | 48 | 0.75 |              |              |
| L-VG-P-2054-F          | 1034  | 20 | 54 | 0.75 |              |              |
| L-VG-P-2060-F          | 1046  | 20 | 60 | 0.75 |              |              |
| L-VG-P-2066-F          | 1102  | 20 | 66 | 0.75 |              |              |
| L-VG-P-2072-F          | 1121  | 20 | 72 | 0.75 |              |              |



Acrylic Frameless Blade for  
Standard and Elevated Panels

What’s Included:

One (1) acrylic piece, One (1) channel extrusion,  
Two (2) end caps, One (1) top trim

Notes:

One (1) acrylic piece can span the width  
of one or two panels up to 72”W

How to Specify:

Refer to metal finish card for metal finish  
options


Options:

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 8”, 16”                                     |
| Width:         | 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72” |
| Clear, Frosted |                                             |

| Code                     | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|--------------------------|-------|----|----|------|--------------|--------------|
| Acrylic screen - Frosted |       |    |    |      |              |              |
| L-VA-P-0824-F            | 641   | 8  | 24 | 0.75 |              |              |
| L-VA-P-0830-F            | 678   | 8  | 30 | 0.75 |              |              |
| L-VA-P-0836-F            | 742   | 8  | 36 | 0.75 |              |              |
| L-VA-P-0842-F            | 795   | 8  | 42 | 0.75 |              |              |
| L-VA-P-0848-F            | 803   | 8  | 48 | 0.75 |              |              |
| L-VA-P-0854-F            | 866   | 8  | 54 | 0.75 |              |              |
| L-VA-P-0860-F            | 873   | 8  | 60 | 0.75 |              |              |
| L-VA-P-0866-F            | 933   | 8  | 66 | 0.75 |              |              |
| L-VA-P-0872-F            | 950   | 8  | 72 | 0.75 |              |              |
| L-VA-P-1624-F            | 698   | 16 | 24 | 0.75 |              |              |
| L-VA-P-1630-F            | 739   | 16 | 30 | 0.75 |              |              |
| L-VA-P-1636-F            | 808   | 16 | 36 | 0.75 |              |              |
| L-VA-P-1642-F            | 864   | 16 | 42 | 0.75 |              |              |
| L-VA-P-1648-F            | 873   | 16 | 48 | 0.75 |              |              |
| L-VA-P-1654-F            | 943   | 16 | 54 | 0.75 |              |              |
| L-VA-P-1660-F            | 948   | 16 | 60 | 0.75 |              |              |
| L-VA-P-1666-F            | 1014  | 16 | 66 | 0.75 |              |              |
| L-VA-P-1672-F            | 1034  | 16 | 72 | 0.75 |              |              |

| Code                   | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|------------------------|-------|----|----|------|--------------|--------------|
| Acrylic screen - Clear |       |    |    |      |              |              |
| L-VA-P-0824-C          | 494   | 8  | 24 | 0.75 |              |              |
| L-VA-P-0830-C          | 523   | 8  | 30 | 0.75 |              |              |
| L-VA-P-0836-C          | 572   | 8  | 36 | 0.75 |              |              |
| L-VA-P-0842-C          | 611   | 8  | 42 | 0.75 |              |              |
| L-VA-P-0848-C          | 617   | 8  | 48 | 0.75 |              |              |
| L-VA-P-0854-C          | 666   | 8  | 54 | 0.75 |              |              |
| L-VA-P-0860-C          | 673   | 8  | 60 | 0.75 |              |              |
| L-VA-P-0866-C          | 725   | 16 | 66 | 0.75 |              |              |
| L-VA-P-0872-C          | 732   | 16 | 72 | 0.75 |              |              |
| L-VA-P-1624-C          | 536   | 16 | 24 | 0.75 |              |              |
| L-VA-P-1630-C          | 570   | 16 | 30 | 0.75 |              |              |
| L-VA-P-1636-C          | 622   | 16 | 36 | 0.75 |              |              |
| L-VA-P-1642-C          | 665   | 16 | 42 | 0.75 |              |              |
| L-VA-P-1648-C          | 673   | 16 | 48 | 0.75 |              |              |
| L-VA-P-1654-C          | 725   | 16 | 54 | 0.75 |              |              |
| L-VA-P-1660-C          | 729   | 16 | 60 | 0.75 |              |              |
| L-VA-P-1666-C          | 765   | 16 | 66 | 0.75 |              |              |
| L-VA-P-1672-C          | 795   | 16 | 72 | 0.75 |              |              |





Glass Frameless Blade for Gallery Panels

What’s Included:

One (1) tempered glass piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

One (1) glass piece can span the width of one or two panels up to 72”W

Glass is tempered

Accessory rail channel extrusion can accommodate all Tayco accessories except for the paper sorter

Options:


Height: 8”, 16”

Width: 24”, 30”, 36”, 42”, 48”, 54”, 60”

Clear, Frosted

| Code                   | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|------------------------|-------|----|----|------|--------------|--------------|
| Glass screen - Frosted |       |    |    |      |              |              |
| L-VG-Y-0824-F          | 728   | 8  | 24 | 0.75 | 5            | 0.08         |
| L-VG-Y-0830-F          | 762   | 8  | 30 | 0.75 | 6            | 0.10         |
| L-VG-Y-0836-F          | 826   | 8  | 36 | 0.75 | 7            | 0.13         |
| L-VG-Y-0842-F          | 881   | 8  | 42 | 0.75 | 8            | 0.15         |
| L-VG-Y-0848-F          | 886   | 8  | 48 | 0.75 | 10           | 0.17         |
| L-VG-Y-0854-F          | 948   | 8  | 54 | 0.75 | 11           | 0.19         |
| L-VG-Y-0860-F          | 954   | 8  | 60 | 0.75 | 12           | 0.21         |
| L-VG-Y-1624-F          | 782   | 16 | 24 | 0.75 | 10           | 0.17         |
| L-VG-Y-1630-F          | 823   | 16 | 30 | 0.75 | 12           | 0.21         |
| L-VG-Y-1636-F          | 889   | 16 | 36 | 0.75 | 14           | 0.25         |
| L-VG-Y-1642-F          | 947   | 16 | 42 | 0.75 | 17           | 0.29         |
| L-VG-Y-1648-F          | 954   | 16 | 48 | 0.75 | 19           | 0.33         |
| L-VG-Y-1654-F          | 1023  | 16 | 54 | 0.75 | 22           | 0.38         |
| L-VG-Y-1660-F          | 1029  | 16 | 60 | 0.75 | 24           | 0.42         |

| Code                 | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|----------------------|-------|----|----|------|--------------|--------------|
| Glass screen - Clear |       |    |    |      |              |              |
| L-VG-Y-0824-C        | 630   | 8  | 30 | 0.75 | 6            | 0.10         |
| L-VG-Y-0830-C        | 665   | 8  | 36 | 0.75 | 7            | 0.13         |
| L-VG-Y-0836-C        | 728   | 8  | 42 | 0.75 | 8            | 0.15         |
| L-VG-Y-0842-C        | 783   | 8  | 48 | 0.75 | 10           | 0.17         |
| L-VG-Y-0848-C        | 789   | 8  | 54 | 0.75 | 11           | 0.19         |
| L-VG-Y-0854-C        | 851   | 8  | 60 | 0.75 | 12           | 0.21         |
| L-VG-Y-0860-C        | 856   | 16 | 24 | 0.75 | 10           | 0.17         |
| L-VG-Y-1624-C        | 684   | 16 | 30 | 0.75 | 12           | 0.21         |
| L-VG-Y-1630-C        | 725   | 16 | 36 | 0.75 | 14           | 0.25         |
| L-VG-Y-1636-C        | 792   | 16 | 42 | 0.75 | 17           | 0.29         |
| L-VG-Y-1642-C        | 850   | 16 | 48 | 0.75 | 19           | 0.33         |
| L-VG-Y-1648-C        | 856   | 16 | 54 | 0.75 | 22           | 0.38         |
| L-VG-Y-1654-C        | 925   | 16 | 60 | 0.75 | 24           | 0.42         |
| L-VG-Y-1660-C        | 932   | 16 | 60 | 0.75 | 24           | 0.42         |



Acrylic Frameless Blade for Gallery Panels

What’s Included:

One (1) acrylic piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

One (1) acrylic piece can span the width of one or two panels up to 72”W


Accessory rail channel extrusion can accommodate all Tayco accessories except for the paper sorter

Options:

|                |                                   |
|----------------|-----------------------------------|
| Height:        | 8”, 16”                           |
| Width:         | 24”, 30”, 36”, 42”, 48”, 54”, 60” |
| Clear, Frosted |                                   |

| Code                     | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|--------------------------|-------|----|----|------|--------------|--------------|
| Acrylic screen - Frosted |       |    |    |      |              |              |
| L-VA-Y-0824-F            | 728   | 8  | 24 | 0.75 | 4            | 0.08         |
| L-VA-Y-0830-F            | 762   | 8  | 30 | 0.75 | 5            | 0.10         |
| L-VA-Y-0836-F            | 826   | 8  | 36 | 0.75 | 5            | 0.13         |
| L-VA-Y-0842-F            | 881   | 8  | 42 | 0.75 | 6            | 0.15         |
| L-VA-Y-0848-F            | 886   | 8  | 48 | 0.75 | 7            | 0.17         |
| L-VA-Y-0854-F            | 948   | 8  | 54 | 0.75 | 8            | 0.19         |
| L-VA-Y-0860-F            | 954   | 8  | 60 | 0.75 | 9            | 0.21         |
| L-VA-Y-1624-F            | 782   | 16 | 24 | 0.75 | 7            | 0.17         |
| L-VA-Y-1630-F            | 823   | 16 | 30 | 0.75 | 9            | 0.21         |
| L-VA-Y-1636-F            | 889   | 16 | 36 | 0.75 | 11           | 0.25         |
| L-VA-Y-1642-F            | 947   | 16 | 42 | 0.75 | 13           | 0.29         |
| L-VA-Y-1648-F            | 954   | 16 | 48 | 0.75 | 14           | 0.33         |
| L-VA-Y-1654-F            | 1023  | 16 | 54 | 0.75 | 16           | 0.38         |
| L-VA-Y-1660-F            | 1029  | 16 | 60 | 0.75 | 18           | 0.42         |

| Code                   | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|------------------------|-------|----|----|------|--------------|--------------|
| Acrylic screen - Clear |       |    |    |      |              |              |
| L-VA-Y-0824-C          | 630   | 8  | 24 | 0.75 | 4            | 0.08         |
| L-VA-Y-0830-C          | 665   | 8  | 30 | 0.75 | 5            | 0.10         |
| L-VA-Y-0836-C          | 728   | 8  | 36 | 0.75 | 5            | 0.13         |
| L-VA-Y-0842-C          | 783   | 8  | 42 | 0.75 | 6            | 0.15         |
| L-VA-Y-0848-C          | 789   | 8  | 48 | 0.75 | 7            | 0.17         |
| L-VA-Y-0854-C          | 851   | 8  | 54 | 0.75 | 8            | 0.19         |
| L-VA-Y-0860-C          | 856   | 8  | 60 | 0.75 | 9            | 0.21         |
| L-VA-Y-1624-C          | 684   | 16 | 24 | 0.75 | 7            | 0.17         |
| L-VA-Y-1630-C          | 725   | 16 | 30 | 0.75 | 9            | 0.21         |
| L-VA-Y-1636-C          | 792   | 16 | 36 | 0.75 | 11           | 0.25         |
| L-VA-Y-1642-C          | 850   | 16 | 42 | 0.75 | 13           | 0.29         |
| L-VA-Y-1648-C          | 856   | 16 | 48 | 0.75 | 14           | 0.33         |
| L-VA-Y-1654-C          | 925   | 16 | 54 | 0.75 | 16           | 0.38         |
| L-VA-Y-1660-C          | 932   | 16 | 60 | 0.75 | 18           | 0.42         |



What’s Included:

One (1) whiteboard, Two (2) slotted channel brackets


How to Specify:

- Specify width of whiteboard to match the width of the panel
- Choose White, Black, Silver, Charcoal for bracket color

Options:

|         |                                   |
|---------|-----------------------------------|
| Height: | 15"                               |
| Width:  | 24", 30", 36", 42", 48", 54", 60" |

| Code        | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|------|--------------|--------------|
| L-AWP0-1524 | 272   | 15 | 24 | 0.75 | 3.74         |              |
| L-AWP0-1530 | 304   | 15 | 30 | 0.75 | 4.86         |              |
| L-AWP0-1536 | 338   | 15 | 36 | 0.75 | 6.22         |              |
| L-AWP0-1542 | 369   | 15 | 42 | 0.75 | 7.48         |              |
| L-AWP0-1548 | 403   | 15 | 48 | 0.75 | 8.72         |              |
| L-AWP0-1554 | 438   | 15 | 54 | 0.75 | 9.96         |              |
| L-AWP0-1560 | 468   | 15 | 60 | 0.75 | 11.22        |              |



What’s Included:

One (1) tackboard, Two (2) slotted channel brackets


How to Specify:

- Specify width of tackboard to match the width of the panel
- Refer to panel fabric cards for fabric selections
- Choose White, Black, Silver, Charcoal for bracket color

Options:

|         |                                  |
|---------|----------------------------------|
| Height: | 7", 15"                          |
| Width:  | 24", 30", 36", 42", 48", 54", 60 |

| Code        | Price | H  | W  | D    | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|------|--------------|--------------|
| L-ATP0-0724 | 172   | 7  | 24 | 0.75 | 1.87         |              |
| L-ATP0-0730 | 181   | 7  | 30 | 0.75 | 2.43         |              |
| L-ATP0-0736 | 191   | 7  | 36 | 0.75 | 3.11         |              |
| L-ATP0-0742 | 200   | 7  | 42 | 0.75 | 3.74         |              |
| L-ATP0-0748 | 206   | 7  | 48 | 0.75 | 4.36         |              |
| L-ATP0-0754 | 213   | 7  | 54 | 0.75 | 4.98         |              |
| L-ATP0-0760 | 220   | 7  | 60 | 0.75 | 5.61         |              |
| L-ATP0-1524 | 213   | 15 | 24 | 0.75 | 4            |              |
| L-ATP0-1530 | 232   | 15 | 30 | 0.75 | 4.86         |              |
| L-ATP0-1536 | 247   | 15 | 36 | 0.75 | 6.22         |              |
| L-ATP0-1542 | 262   | 15 | 42 | 0.75 | 7.48         |              |
| L-ATP0-1548 | 282   | 15 | 48 | 0.75 | 8.72         |              |
| L-ATP0-1554 | 297   | 15 | 54 | 0.75 | 9.96         |              |
| L-ATP0-1560 | 312   | 15 | 60 | 0.75 | 11.22        |              |



Hinged Door

What's Included:

Hinged Door laminate available in white and black

How to Specify:

Notes:

Options:

|                                                                                  |           |
|----------------------------------------------------------------------------------|-----------|
| Height:                                                                          | 82"       |
| Width:                                                                           | 36", 42", |
| Left handed, Right handed                                                        |           |
| Straight connection, 90 degree connection, 3-way connection and 4-way connection |           |

| Code                 | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------------|-------|----|----|---|--------------|--------------|
| Straight connection  |       |    |    |   |              |              |
| L-PD00-8236-L        | 3367  | 82 | 36 |   |              |              |
| L-PD00-8236-R        | 3367  | 82 | 36 |   |              |              |
| L-PD00-8242-L        | 3431  | 82 | 42 |   |              |              |
| L-PD00-8242-R        | 3431  | 82 | 42 |   |              |              |
| 3-way connection     |       |    |    |   |              |              |
| L-PD00-8236-L-3W     | 4020  | 82 | 36 |   |              |              |
| L-PD00-8236-R-3W     | 4020  | 82 | 36 |   |              |              |
| L-PD00-8242-L-3W     | 4084  | 82 | 42 |   |              |              |
| L-PD00-8242-R-3W     | 4084  | 82 | 42 |   |              |              |
| 4-way connection     |       |    |    |   |              |              |
| L-PD00-8236-L-4W     | 3754  | 82 | 36 |   |              |              |
| L-PD00-8236-R-4W     | 3754  | 82 | 36 |   |              |              |
| L-PD00-8242-L-4W     | 3818  | 82 | 42 |   |              |              |
| L-PD00-8242-R-4W     | 3818  | 82 | 42 |   |              |              |
| 90 degree connection |       |    |    |   |              |              |
| L-PD00-8236-L-90     | 3827  | 82 | 36 |   |              |              |
| L-PD00-8236-R-90     | 3827  | 82 | 36 |   |              |              |
| L-PD00-8242-L-90     | 3891  | 82 | 42 |   |              |              |
| L-PD00-8242-R-90     | 3891  | 82 | 42 |   |              |              |





Sliding Door - Acrylic

What’s Included:

Sliding door acrylic available in white and black

How to Specify:

Notes:

Options:

|                           |                              |
|---------------------------|------------------------------|
| Height:                   | 66"                          |
| Bracket Width:            | 30", 36", 42",               |
| Door Width:               | 30", 36", 42", 48", 54", 60" |
| Left handed, Right handed |                              |
| Clear, Frosted, Fluted    |                              |

| Code                       | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------------------|-------|----|----|---|--------------|--------------|
| Clear Acrylic - left hand  |       |    |    |   |              |              |
| L-PDSC-663030-L            | 2260  | 66 | 30 |   |              |              |
| L-PDSC-663036-L            | 2274  | 66 | 36 |   |              |              |
| L-PDSC-663042-L            | 2281  | 66 | 42 |   |              |              |
| L-PDSC-663048-L            | 2288  | 66 | 48 |   |              |              |
| L-PDSC-663054-L            | 2294  | 66 | 54 |   |              |              |
| L-PDSC-663060-L            | 2299  | 66 | 60 |   |              |              |
| L-PDSC-663636-L            | 2270  | 66 | 36 |   |              |              |
| L-PDSC-663642-L            | 2282  | 66 | 42 |   |              |              |
| L-PDSC-663648-L            | 2289  | 66 | 48 |   |              |              |
| L-PDSC-663654-L            | 2295  | 66 | 54 |   |              |              |
| L-PDSC-663660-L            | 2300  | 66 | 60 |   |              |              |
| L-PDSC-664242-L            | 2276  | 66 | 42 |   |              |              |
| L-PDSC-664248-L            | 2290  | 66 | 48 |   |              |              |
| L-PDSC-664254-L            | 2295  | 66 | 54 |   |              |              |
| L-PDSC-664260-L            | 2301  | 66 | 60 |   |              |              |
| Clear Acrylic - right hand |       |    |    |   |              |              |
| L-PDSC-663030-R            | 2260  | 66 | 30 |   |              |              |
| L-PDSC-663036-R            | 2274  | 66 | 36 |   |              |              |
| L-PDSC-663042-R            | 2281  | 66 | 42 |   |              |              |
| L-PDSC-663048-R            | 2288  | 66 | 48 |   |              |              |
| L-PDSC-663054-R            | 2294  | 66 | 54 |   |              |              |
| L-PDSC-663060-R            | #N/A  | 66 | 60 |   |              |              |
| L-PDSC-663636-R            | 2270  | 66 | 36 |   |              |              |
| L-PDSC-663642-R            | 2282  | 66 | 42 |   |              |              |
| L-PDSC-663648-R            | 2289  | 66 | 48 |   |              |              |
| L-PDSC-663654-R            | 2295  | 66 | 54 |   |              |              |
| L-PDSC-663660-R            | 2300  | 66 | 60 |   |              |              |
| L-PDSC-664242-R            | 2276  | 66 | 42 |   |              |              |
| L-PDSC-664248-R            | 2290  | 66 | 48 |   |              |              |
| L-PDSC-664254-R            | 2295  | 66 | 54 |   |              |              |
| L-PDSC-664260-R            | 2301  | 66 | 60 |   |              |              |

| Code                         | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------------------|-------|----|----|---|--------------|--------------|
| Frosted Acrylic - left hand  |       |    |    |   |              |              |
| L-PDSF-663030-L              | 2489  | 66 | 30 |   |              |              |
| L-PDSF-663036-L              | 2502  | 66 | 36 |   |              |              |
| L-PDSF-663042-L              | 2509  | 66 | 42 |   |              |              |
| L-PDSF-663048-L              | 2514  | 66 | 48 |   |              |              |
| L-PDSF-663054-L              | 2521  | 66 | 54 |   |              |              |
| L-PDSF-663060-L              | 2528  | 66 | 60 |   |              |              |
| L-PDSF-663636-L              | 2498  | 66 | 36 |   |              |              |
| L-PDSF-663642-L              | 2510  | 66 | 42 |   |              |              |
| L-PDSF-663648-L              | 2516  | 66 | 48 |   |              |              |
| L-PDSF-663654-L              | 2522  | 66 | 54 |   |              |              |
| L-PDSF-663660-L              | 2530  | 66 | 60 |   |              |              |
| L-PDSF-664242-L              | 2506  | 66 | 42 |   |              |              |
| L-PDSF-664248-L              | 2517  | 66 | 48 |   |              |              |
| L-PDSF-664254-L              | 2523  | 66 | 54 |   |              |              |
| L-PDSF-664260-L              | 2531  | 66 | 60 |   |              |              |
| Frosted Acrylic - right hand |       |    |    |   |              |              |
| L-PDSF-663030-R              | 2489  | 66 | 30 |   |              |              |
| L-PDSF-663036-R              | 2502  | 66 | 36 |   |              |              |
| L-PDSF-663042-R              | 2509  | 66 | 42 |   |              |              |
| L-PDSF-663048-R              | 2514  | 66 | 48 |   |              |              |
| L-PDSF-663054-R              | 2521  | 66 | 54 |   |              |              |
| L-PDSF-663060-R              | 2528  | 66 | 60 |   |              |              |
| L-PDSF-663636-R              | 2498  | 66 | 36 |   |              |              |
| L-PDSF-663642-R              | 2510  | 66 | 42 |   |              |              |
| L-PDSF-663648-R              | 2516  | 66 | 48 |   |              |              |
| L-PDSF-663654-R              | 2522  | 66 | 54 |   |              |              |
| L-PDSF-663660-R              | 2530  | 66 | 60 |   |              |              |
| L-PDSF-664242-R              | 2506  | 66 | 42 |   |              |              |
| L-PDSF-664248-R              | 2517  | 66 | 48 |   |              |              |
| L-PDSF-664254-R              | 2523  | 66 | 54 |   |              |              |
| L-PDSF-664260-R              | 2531  | 66 | 60 |   |              |              |

| Code                        | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------------------|-------|----|----|---|--------------|--------------|
| Fluted acrylic - left hand  |       |    |    |   |              |              |
| L-PDSL-663030-L             | 2260  | 66 | 30 |   |              |              |
| L-PDSL-663036-L             | 2274  | 66 | 36 |   |              |              |
| L-PDSL-663042-L             | 2281  | 66 | 42 |   |              |              |
| L-PDSL-663048-L             | 2288  | 66 | 48 |   |              |              |
| L-PDSL-663054-L             | 2294  | 66 | 54 |   |              |              |
| L-PDSL-663060-L             | 2299  | 66 | 60 |   |              |              |
| L-PDSL-663636-L             | 2270  | 66 | 36 |   |              |              |
| L-PDSL-663642-L             | 2282  | 66 | 42 |   |              |              |
| L-PDSL-663648-L             | 2289  | 66 | 48 |   |              |              |
| L-PDSL-663654-L             | 2295  | 66 | 54 |   |              |              |
| L-PDSL-663660-L             | 2300  | 66 | 60 |   |              |              |
| L-PDSL-664242-L             | 2276  | 66 | 42 |   |              |              |
| L-PDSL-664248-L             | 2290  | 66 | 48 |   |              |              |
| L-PDSL-664254-L             | 2295  | 66 | 54 |   |              |              |
| L-PDSL-664260-L             | 2301  | 66 | 60 |   |              |              |
| Fluted acrylic - right hand |       |    |    |   |              |              |
| L-PDSL-663030-R             | 2260  | 66 | 30 |   |              |              |
| L-PDSL-663036-R             | 2274  | 66 | 36 |   |              |              |
| L-PDSL-663042-R             | 2281  | 66 | 42 |   |              |              |
| L-PDSL-663048-R             | 2288  | 66 | 48 |   |              |              |
| L-PDSL-663054-R             | 2294  | 66 | 54 |   |              |              |
| L-PDSL-663060-R             | 2299  | 66 | 60 |   |              |              |
| L-PDSL-663636-R             | 2270  | 66 | 36 |   |              |              |
| L-PDSL-663642-R             | 2282  | 66 | 42 |   |              |              |
| L-PDSL-663648-R             | 2289  | 66 | 48 |   |              |              |
| L-PDSL-663654-R             | 2295  | 66 | 54 |   |              |              |
| L-PDSL-663660-R             | 2300  | 66 | 60 |   |              |              |
| L-PDSL-664242-R             | 2276  | 66 | 42 |   |              |              |
| L-PDSL-664248-R             | 2290  | 66 | 48 |   |              |              |
| L-PDSL-664254-R             | 2295  | 66 | 54 |   |              |              |
| L-PDSL-664260-R             | 2301  | 66 | 60 |   |              |              |




Switch USA Pricebook  
December 2025

**Connections  
& Trims**

Connections & Trims

|                                  |     |
|----------------------------------|-----|
| 2-Way Connection                 | 118 |
| 3-Way T Connection               | 119 |
| 4-Way X Connection               | 120 |
| Top Cap                          | 121 |
| Full Height End Trim             | 122 |
| Partial Height End Trim          | 123 |
| Full Height T Filler             | 124 |
| Partial Height T Filler          | 125 |
| 90 Degree Filler-Full Height     | 126 |
| 90 Degree Filler- Partial Height | 127 |
| Straight Filler                  | 128 |
| Gallery Panel Filler             | 129 |
| Adjustable Wall Connector        | 130 |



2-Way 90 degree Connection




What’s Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws


How to Specify:

Refer to page X for connection type application guide


| Code                       | Price | H | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------------------|-------|---|---|---|--------------|---------------------------|
| 2-Way Straight Connection  |       |   |   |   |              |                           |
| L-HC2W-180-A               | 22    | 1 | 2 | 3 | 0.02         | 0.00                      |
| L-HC2W-180-B               | 19    | 1 | 2 | 3 | 0.02         | 0.00                      |
| 2-Way 90 degree Connection |       |   |   |   |              |                           |
| L-HC2W-90-A                | 51    | 1 | 2 | 3 | 0.02         | 0.00                      |
| L-HC2W-90-B                | 51    | 1 | 2 | 3 | 0.02         | 0.00                      |




L-HC3W-A



L-HC3W-B



L-HC3W-C



L-HC3W-D

What’s Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws


How to Specify:

Refer to page X for connection type application guide


Notes:

| Code               | Price | H | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|--------------------|-------|---|---|---|--------------|---------------------------|
| 3 Way T Connectors |       |   |   |   |              |                           |
| L-HC3W-A           | 89    | 1 | 2 | 3 | 0.02         | 0.00                      |
| L-HC3W-B           | 116   | 1 | 2 | 3 | 0.02         | 0.00                      |
| L-HC3W-C           | 85    | 1 | 2 | 3 | 0.02         | 0.00                      |
| L-HC3W-D           | 109   | 1 | 2 | 3 | 0.02         | 0.00                      |







L-HC4W-A



L-HC4W-B



L-HC4W-C



L-HC4W-D

What’s Included:


One (1) type A, B, C or D 4-Way X connection bracket, accompanying screws

How to Specify:

Refer to page X for connection type application guide

Notes:

| Code             | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|---|---|---|--------------|--------------|
| 4 way connectors |       |   |   |   |              |              |
| L-HC4W-A         | 143   | 1 | 2 | 3 | 0.02         | 0.00         |
| L-HC4W-B         | 181   | 1 | 2 | 3 | 0.02         | 0.00         |
| L-HC4W-C         | 162   | 1 | 2 | 3 | 0.02         | 0.00         |
| L-HC4W-D         | 168   | 1 | 2 | 3 | 0.02         | 0.00         |



What’s Included:

One (1) Top Cap

How to Specify:

Choose White, Black, Silver, Charcoal for Top Cap

Notes:

Options:

Width: 2"

Depth: 2"

| Code      | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|---|---|---|--------------|--------------|
| L-HUFC-02 | 9     | 1 | 2 | 2 | 0.02         | 0.00         |



What’s Included:

One (1) Full Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height End Trim Colour

Notes:

Options:

|                     |                         |
|---------------------|-------------------------|
| Height:             | 34", 42", 50", 66", 82" |
| Width:              | 2"                      |
| Standard, Coat Hook |                         |

| Code           | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|---|---|--------------|--------------|
| standard       |       |    |   |   |              |              |
| L-HETF-34      | 57    | 34 | 2 | 1 | 0.68         | 0.04         |
| L-HETF-42      | 67    | 42 | 2 | 1 | 0.84         | 0.05         |
| L-HETF-50      | 78    | 50 | 2 | 1 | 1            | 0.06         |
| L-HETF-66      | 94    | 66 | 2 | 1 | 1.32         | 0.08         |
| L-HETF-82      | 187   | 82 | 2 | 2 | 1.32         | 0.19         |
| with coat hook |       |    |   |   |              |              |
| L-HETF-34-CH   | 74    | 34 | 2 | 1 | 0.68         | 0.04         |
| L-HETF-42-CH   | 86    | 42 | 2 | 1 | 0.84         | 0.05         |
| L-HETF-50-CH   | 102   | 50 | 2 | 1 | 1            | 0.06         |
| L-HETF-66-CH   | 124   | 66 | 2 | 1 | 1.32         | 0.08         |



What’s Included:

One (1) Partial Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height End Trim Colour

Notes:

Options:

|         |                             |
|---------|-----------------------------|
| Height: | 8", 16", 24", 32", 40", 48" |
| Width:  | 2"                          |

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HETP-08 | 46    | 8  | 2 | 1 | 0.16         | 0.01         |
| L-HETP-16 | 51    | 16 | 2 | 1 | 0.32         | 0.02         |
| L-HETP-24 | 67    | 24 | 2 | 1 | 0.48         | 0.03         |
| L-HETP-32 | 80    | 32 | 2 | 1 | 0.64         | 0.04         |
| L-HETP-40 | 141   | 40 | 2 | 1 | 0.72         | 0.05         |
| L-HETP-48 | 154   | 48 | 2 | 1 | 0.84         | 0.06         |



Full Height T Filler

What’s Included:

One (1) Full Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height T Filler

Notes:

Options:

Height: 34”, 42”, 50”, 66”, 82”

Width: 2”

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HFTR-34 | 205   | 34 | 2 | 1 | 0.68         | 0.04         |
| L-HFTR-42 | 205   | 42 | 2 | 1 | 0.84         | 0.05         |
| L-HFTR-50 | 212   | 50 | 2 | 1 | 1            | 0.06         |
| L-HFTR-66 | 212   | 66 | 2 | 1 | 1.32         | 0.08         |
| L-HFTR-82 | 353   | 82 | 2 | 1 | 1.64         | 0.09         |



Partial Height T Filler

What’s Included:

One (1) Partial Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height T Filler

Notes:

Options:

Height: 8”, 16”, 24”, 32”, 40”, 48”

Width: 2”

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HFTP-08 | 156   | 8  | 2 | 1 | 0.16         | 0.01         |
| L-HFTP-16 | 156   | 16 | 2 | 1 | 0.32         | 0.02         |
| L-HFTP-24 | 164   | 24 | 2 | 1 | 0.48         | 0.03         |
| L-HFTP-32 | 164   | 32 | 2 | 1 | 0.64         | 0.04         |
| L-HFTP-40 | 226   | 40 | 2 | 1 | 0.72         | 0.05         |



Full Height 90 Degree Filler

What’s Included:

One (1) Full Height 90 Degree Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height 90 Degree Filler

Options:

Height: 34”, 42”, 50”, 66”, 82”

Width: 2”

Notes:

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HFNR-34 | 167   | 34 | 2 | 1 | 0.68         | 0.04         |
| L-HFNR-42 | 178   | 42 | 2 | 1 | 0.72         | 0.05         |
| L-HFNR-50 | 189   | 50 | 2 | 1 | 1            | 0.06         |
| L-HFNR-66 | 203   | 66 | 2 | 1 | 1.32         | 0.08         |
| L-HFNR-82 | 353   | 82 | 2 | 1 | 1.64         | 0.09         |



Partial Height 90 Degree Filler

What’s Included:

One (1)Partial Height 90 Degree Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height 90 Degree Fillerr


Options:

Height: 8”, 16”, 24”, 32”, 40”, 48”

Width: 2”

Notes:

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HFNP-08 | 69    | 8  | 2 | 1 | 0.16         | 0.01         |
| L-HFNP-16 | 120   | 16 | 2 | 1 | 0.32         | 0.02         |
| L-HFNP-24 | 131   | 24 | 2 | 1 | 0.48         | 0.03         |
| L-HFNP-32 | 179   | 32 | 2 | 1 | 0.64         | 0.04         |
| L-HFNP-40 | 226   | 40 | 2 | 1 | 0.72         | 0.05         |
| L-HFNP-48 | 245   | 48 | 2 | 1 | 0.84         | 0.05         |



What’s Included:

Partial Height Straight Filler

How to Specify:


Choose White, Black, Silver, Charcoal for Partial Height Straight Filler

Notes:

Options:

|         |                             |
|---------|-----------------------------|
| Height: | 8", 16", 24", 32", 40", 48" |
| Width:  | 2"                          |

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| L-HFSP-08 | 51    | 8  | 2 | 1 | 0.16         | 0.01         |
| L-HFSP-16 | 87    | 16 | 2 | 1 | 0.32         | 0.02         |
| L-HFSP-24 | 95    | 24 | 2 | 1 | 0.48         | 0.03         |
| L-HFSP-32 | 98    | 32 | 2 | 1 | 0.64         | 0.04         |
| L-HFSP-40 | 226   | 40 | 2 | 1 | 0.8          | 0.05         |
| L-HFSP-48 | 245   | 48 | 2 | 1 | 0.96         | 0.06         |



Partial Height Gallery Panel Filler

What’s Included:

One (1)Partial Height Gallery Panel Filler

How to Specify:

Gallery Panel Filler matches laminate finish chosen on Gallery Panel

Notes:

Options:

|            |                             |
|------------|-----------------------------|
| Height:    | 8", 16", 24", 32", 40", 48" |
| Width:     | 2"                          |
| Thickness: | 1"                          |

| Code     | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|----------|-------|----|---|---|--------------|--------------|
| L-HYP-08 | 80    | 8  | 1 | 1 | 0.08         | 0.00         |
| L-HYP-16 | 85    | 16 | 1 | 1 | 0.16         | 0.01         |
| L-HYP-24 | 107   | 24 | 1 | 1 | 0.24         | 0.01         |
| L-HYP-32 | 131   | 32 | 1 | 1 | 0.32         | 0.02         |
| L-HYP-40 | 226   | 40 | 1 | 1 | 0.44         | 0.03         |
| L-HYP-48 | 245   | 48 | 1 | 1 | 0.56         | 0.04         |





138




mount 4



mount 6

| Code     | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|----------|-------|----|---|---|--------------|--------------|
| mount 2  |       |    |   |   |              |              |
| L-HW2-34 | 148   | 34 | 2 | 2 | 1.36         | 0.08         |
| L-HW2-42 | 172   | 42 | 2 | 2 | 1.68         | 0.10         |
| L-HW2-50 | 201   | 50 | 2 | 2 | 2            | 0.12         |
| L-HW2-66 | 248   | 66 | 2 | 2 | 2.64         | 0.15         |
| L-HW2-82 | 302   | 82 | 2 | 2 | 3.2          | 0.18         |
| mount 4  |       |    |   |   |              |              |
| L-HW4-34 | 166   | 34 | 2 | 4 | 2.72         | 0.16         |
| L-HW4-42 | 193   | 42 | 2 | 4 | 3.36         | 0.19         |
| L-HW4-50 | 217   | 50 | 2 | 4 | 4            | 0.23         |
| L-HW4-66 | 270   | 66 | 2 | 4 | 5.28         | 0.31         |
| L-HW4-82 | 329   | 82 | 2 | 4 | 6.56         | 0.40         |
| mount 6  |       |    |   |   |              |              |
| L-HW6-34 | 189   | 34 | 2 | 6 | 4.08         | 0.24         |
| L-HW6-42 | 212   | 42 | 2 | 6 | 5.04         | 0.29         |
| L-HW6-50 | 238   | 50 | 2 | 6 | 6            | 0.35         |
| L-HW6-66 | 287   | 66 | 2 | 6 | 7.92         | 0.46         |
| L-HW6-82 | 353   | 82 | 2 | 6 | 9.84         | 0.57         |



What's Included:

Spline for Switch panels

How to Specify:

Specify black, white, silver or charcoal

Notes:

Splines are sold in pairs and will come in 82"H lengths that can be cut to size on-site.

All 2-way 90 degree, 3-way T, and 4-way X connections will still come automatically with the splines.

| Code        | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|---|---|--------------|--------------|
| L-XSPL-S-82 | 215   | 82 |   |   |              |              |




Switch USA Pricebook  
December 2025

# Worksurfaces

Worksurface

|                                                     |     |
|-----------------------------------------------------|-----|
| <a href="#">Straight /w grommet</a>                 | 134 |
| <a href="#">Straight Worksurface w/o Grommet</a>    | 136 |
| <a href="#">Straight Worksurface w/ Wire Play</a>   | 140 |
| <a href="#">5-Sided w Grommet</a>                   | 144 |
| <a href="#">Straight Worksurface with Wire Play</a> | 146 |
| <a href="#">Unitized w/ Grommet</a>                 | 148 |
| <a href="#">Unitized w/ Wire Play</a>               | 150 |
| <a href="#">Transaction Top</a>                     | 152 |



Straight Workspace with Grommet5-Sided Corner

What’s Included:

- One (1) workspace
- 24”-48” - One (1) grommet cover for centre grommet
- 54”-96” - Two (2) grommet covers for grommet on each end

Notes:

- 24”-48” - One (1) grommet hole in the centre of the workspace
- 54”-96” - Two (2) grommet holes on each end of the workspace

How to Specify:


Refer to laminate card for laminate options

Options:

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| Width:     | 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96” |
| Depth:     | 20”, 24”, 30”                                                   |
| Thickness: | 1”                                                              |

| Code        | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|---|--------------|--------------|
| L-WS0G-2420 | 272   | 24 | 20 | 1 | 9.6          | 0.28         |
| L-WS0G-3020 | 312   | 30 | 20 | 1 | 12           | 0.35         |
| L-WS0G-3620 | 322   | 36 | 20 | 1 | 14.4         | 0.42         |
| L-WS0G-4220 | 364   | 42 | 20 | 1 | 16.8         | 0.49         |
| L-WS0G-4820 | 388   | 48 | 20 | 1 | 19.2         | 0.56         |
| L-WS0G-5420 | 492   | 54 | 20 | 1 | 21.6         | 0.62         |
| L-WS0G-6020 | 511   | 60 | 20 | 1 | 24           | 0.69         |
| L-WS0G-6620 | 572   | 66 | 20 | 1 | 26.4         | 0.76         |
| L-WS0G-7220 | 599   | 72 | 20 | 1 | 28.8         | 0.83         |
| L-WS0G-7820 | 650   | 78 | 20 | 1 | 31.2         | 0.90         |
| L-WS0G-8420 | 693   | 84 | 20 | 1 | 33.6         | 0.97         |
| L-WS0G-9020 | 796   | 90 | 20 | 1 | 36           | 1.04         |
| L-WS0G-9620 | 832   | 96 | 20 | 1 | 38.4         | 1.11         |
| L-WS0G-2424 | 272   | 24 | 24 | 1 | 11.52        | 0.33         |

| Code        | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|---|--------------|--------------|
| L-WS0G-3024 | 312   | 30 | 24 | 1 | 14.4         | 0.42         |
| L-WS0G-3624 | 322   | 36 | 24 | 1 | 17.28        | 0.50         |
| L-WS0G-4224 | 364   | 42 | 24 | 1 | 20.16        | 0.58         |
| L-WS0G-4824 | 388   | 48 | 24 | 1 | 23.04        | 0.67         |
| L-WS0G-5424 | 492   | 54 | 24 | 1 | 25.92        | 0.75         |
| L-WS0G-6024 | 511   | 60 | 24 | 1 | 28.8         | 0.83         |
| L-WS0G-6624 | 572   | 66 | 24 | 1 | 31.68        | 0.92         |
| L-WS0G-7224 | 599   | 72 | 24 | 1 | 34.56        | 1.00         |
| L-WS0G-7824 | 650   | 78 | 24 | 1 | 37.44        | 1.08         |
| L-WS0G-8424 | 693   | 84 | 24 | 1 | 40.32        | 1.17         |
| L-WS0G-9024 | 796   | 90 | 24 | 1 | 43.2         | 1.25         |
| L-WS0G-9624 | 832   | 96 | 24 | 1 | 46.08        | 1.33         |
| L-WS0G-2430 | 312   | 24 | 30 | 1 | 14.4         | 0.42         |
| L-WS0G-3030 | 364   | 30 | 30 | 1 | 18           | 0.52         |
| L-WS0G-3630 | 390   | 36 | 30 | 1 | 21.6         | 0.62         |
| L-WS0G-4230 | 425   | 42 | 30 | 1 | 25.2         | 0.73         |
| L-WS0G-4830 | 459   | 48 | 30 | 1 | 28.8         | 0.83         |
| L-WS0G-5430 | 511   | 54 | 30 | 1 | 32.4         | 0.94         |
| L-WS0G-6030 | 542   | 60 | 30 | 1 | 36           | 1.04         |
| L-WS0G-6630 | 617   | 66 | 30 | 1 | 39.6         | 1.15         |
| L-WS0G-7230 | 635   | 72 | 30 | 1 | 43.2         | 1.25         |
| L-WS0G-7830 | 691   | 78 | 30 | 1 | 46.8         | 1.35         |
| L-WS0G-8430 | 744   | 84 | 30 | 1 | 50.4         | 1.46         |
| L-WS0G-9030 | 883   | 90 | 30 | 1 | 54           | 1.56         |
| L-WS0G-9630 | 915   | 96 | 30 | 1 | 57.6         | 1.67         |



Straight Workspace without Full Depth without Grommet

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace is full depth to sit flush against panel with no grommet

Options:

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| Width:     | 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" |
| Depth:     | 20", 24", 30"                                                   |
| Thickness: | 1"                                                              |

| Code                                                  | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------------------------------------------------|-------|--------|-------|-----------|--------------|--------------|
| Straight Workspace without Full Depth without Grommet |       |        |       |           |              |              |
| L-WS00-2320                                           | 232   | 23     | 20    | 1         | 9.2          | 0.27         |
| L-WS00-2420                                           | 232   | 24     | 20    | 1         | 9.6          | 0.28         |
| L-WS00-2920                                           | 282   | 29     | 20    | 1         | 11.6         | 0.34         |
| L-WS00-3020                                           | 282   | 30     | 20    | 1         | 12           | 0.35         |
| L-WS00-3520                                           | 298   | 35     | 20    | 1         | 14           | 0.41         |
| L-WS00-3620                                           | 298   | 36     | 20    | 1         | 14.4         | 0.42         |
| L-WS00-4120                                           | 329   | 41     | 20    | 1         | 16.4         | 0.47         |
| L-WS00-4220                                           | 329   | 42     | 20    | 1         | 16.8         | 0.49         |
| L-WS00-4720                                           | 364   | 47     | 20    | 1         | 18.8         | 0.54         |
| L-WS00-4820                                           | 364   | 48     | 20    | 1         | 19.2         | 0.56         |
| L-WS00-5320                                           | 444   | 53     | 20    | 1         | 21.2         | 0.61         |

| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-5420 | 444   | 54     | 20    | 1         | 21.6         | 0.62         |
| L-WS00-5920 | 444   | 59     | 20    | 1         | 23.6         | 0.68         |
| L-WS00-6020 | 444   | 60     | 20    | 1         | 24           | 0.69         |
| L-WS00-6520 | 502   | 65     | 20    | 1         | 26           | 0.75         |
| L-WS00-6620 | 502   | 66     | 20    | 1         | 26.4         | 0.76         |
| L-WS00-7120 | 544   | 71     | 20    | 1         | 28.4         | 0.82         |
| L-WS00-7220 | 544   | 72     | 20    | 1         | 28.8         | 0.83         |
| L-WS00-7620 | 577   | 76     | 20    | 1         | 30.4         | 0.88         |
| L-WS00-7720 | 577   | 77     | 20    | 1         | 30.8         | 0.89         |
| L-WS00-7820 | 577   | 78     | 20    | 1         | 31.2         | 0.90         |
| L-WS00-8220 | 627   | 82     | 20    | 1         | 32.8         | 0.95         |
| L-WS00-8320 | 627   | 83     | 20    | 1         | 33.2         | 0.96         |
| L-WS00-8420 | 627   | 84     | 20    | 1         | 33.6         | 0.97         |
| L-WS00-8820 | 658   | 88     | 20    | 1         | 35.2         | 1.02         |
| L-WS00-8920 | 658   | 89     | 20    | 1         | 35.6         | 1.03         |
| L-WS00-9020 | 658   | 90     | 20    | 1         | 36           | 1.04         |
| L-WS00-9420 | 725   | 94     | 20    | 1         | 37.6         | 1.09         |
| L-WS00-9520 | 725   | 95     | 20    | 1         | 38           | 1.10         |
| L-WS00-9620 | 725   | 96     | 20    | 1         | 38.4         | 1.11         |
| L-WS00-2324 | 232   | 23     | 24    | 1         | 11.04        | 0.32         |
| L-WS00-2424 | 232   | 24     | 24    | 1         | 11.52        | 0.33         |
| L-WS00-2924 | 282   | 29     | 24    | 1         | 13.92        | 0.40         |
| L-WS00-3024 | 282   | 30     | 24    | 1         | 14.4         | 0.42         |
| L-WS00-3524 | 298   | 35     | 24    | 1         | 16.8         | 0.49         |
| L-WS00-3624 | 298   | 36     | 24    | 1         | 17.28        | 0.50         |
| L-WS00-4124 | 329   | 41     | 24    | 1         | 19.68        | 0.57         |

[2 of 4] continued on next page


Worksurface continued [3 of 4]

| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-4224 | 329   | 42     | 24    | 1         | 20.16        | 0.58         |
| L-WS00-4724 | 364   | 47     | 24    | 1         | 22.56        | 0.65         |
| L-WS00-4824 | 364   | 48     | 24    | 1         | 23.04        | 0.67         |
| L-WS00-5324 | 444   | 53     | 24    | 1         | 25.44        | 0.74         |
| L-WS00-5424 | 444   | 54     | 24    | 1         | 25.92        | 0.75         |
| L-WS00-5924 | 444   | 59     | 24    | 1         | 28.32        | 0.82         |
| L-WS00-6024 | 444   | 60     | 24    | 1         | 28.8         | 0.83         |
| L-WS00-6524 | 502   | 65     | 24    | 1         | 31.2         | 0.90         |
| L-WS00-6624 | 502   | 66     | 24    | 1         | 31.68        | 0.92         |
| L-WS00-7124 | 544   | 71     | 24    | 1         | 34.08        | 0.99         |
| L-WS00-7224 | 544   | 72     | 24    | 1         | 34.56        | 1.00         |
| L-WS00-7624 | 577   | 76     | 24    | 1         | 36.48        | 1.06         |
| L-WS00-7724 | 577   | 77     | 24    | 1         | 36.96        | 1.07         |
| L-WS00-7824 | 577   | 78     | 24    | 1         | 37.44        | 1.08         |
| L-WS00-8224 | 627   | 82     | 24    | 1         | 39.36        | 1.14         |
| L-WS00-8324 | 627   | 83     | 24    | 1         | 39.84        | 1.15         |
| L-WS00-8424 | 627   | 84     | 24    | 1         | 40.32        | 1.17         |
| L-WS00-8824 | 658   | 88     | 24    | 1         | 42.24        | 1.22         |
| L-WS00-8924 | 658   | 89     | 24    | 1         | 42.72        | 1.24         |
| L-WS00-9024 | 658   | 90     | 24    | 1         | 43.2         | 1.25         |
| L-WS00-9424 | 725   | 94     | 24    | 1         | 45.12        | 1.31         |
| L-WS00-9524 | 725   | 95     | 24    | 1         | 45.6         | 1.32         |
| L-WS00-9624 | 725   | 96     | 24    | 1         | 46.08        | 1.33         |
| L-WS00-2330 | 282   | 23     | 30    | 1         | 13.8         | 0.40         |
| L-WS00-2430 | 282   | 24     | 30    | 1         | 14.4         | 0.42         |
| L-WS00-2930 | 329   | 29     | 30    | 1         | 17.4         | 0.50         |

Worksurface continued [4 of 4]

| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-3030 | 329   | 30     | 30    | 1         | 18           | 0.52         |
| L-WS00-3530 | 368   | 35     | 30    | 1         | 21           | 0.61         |
| L-WS00-3630 | 368   | 36     | 30    | 1         | 21.6         | 0.62         |
| L-WS00-4130 | 401   | 41     | 30    | 1         | 24.6         | 0.71         |
| L-WS00-4230 | 401   | 42     | 30    | 1         | 25.2         | 0.73         |
| L-WS00-4730 | 434   | 47     | 30    | 1         | 28.2         | 0.82         |
| L-WS00-4830 | 434   | 48     | 30    | 1         | 28.8         | 0.83         |
| L-WS00-5330 | 492   | 53     | 30    | 1         | 31.8         | 0.92         |
| L-WS00-5430 | 492   | 54     | 30    | 1         | 32.4         | 0.94         |
| L-WS00-5930 | 518   | 59     | 30    | 1         | 35.4         | 1.02         |
| L-WS00-6030 | 518   | 60     | 30    | 1         | 36           | 1.04         |
| L-WS00-6530 | 596   | 65     | 30    | 1         | 39           | 1.13         |
| L-WS00-6630 | 596   | 66     | 30    | 1         | 39.6         | 1.15         |
| L-WS00-7130 | 610   | 71     | 30    | 1         | 42.6         | 1.23         |
| L-WS00-7230 | 610   | 72     | 30    | 1         | 43.2         | 1.25         |
| L-WS00-7630 | 666   | 76     | 30    | 1         | 45.6         | 1.32         |
| L-WS00-7730 | 666   | 77     | 30    | 1         | 46.2         | 1.34         |
| L-WS00-7830 | 666   | 78     | 30    | 1         | 46.8         | 1.35         |
| L-WS00-8230 | 724   | 82     | 30    | 1         | 49.2         | 1.42         |
| L-WS00-8330 | 724   | 83     | 30    | 1         | 49.8         | 1.44         |
| L-WS00-8430 | 724   | 84     | 30    | 1         | 50.4         | 1.46         |
| L-WS00-8830 | 826   | 88     | 30    | 1         | 52.8         | 1.53         |
| L-WS00-8930 | 826   | 89     | 30    | 1         | 53.4         | 1.55         |
| L-WS00-9030 | 826   | 90     | 30    | 1         | 54           | 1.56         |
| L-WS00-9430 | 896   | 94     | 30    | 1         | 56.4         | 1.63         |
| L-WS00-9530 | 896   | 95     | 30    | 1         | 57           | 1.65         |
| L-WS00-9630 | 896   | 96     | 30    | 1         | 57.6         | 1.67         |





Straight Workspace with 1" Wire Play

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1" from the panel to allow for wire routing. No grommet is included with this workspace

Options:

Width: 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 77", 78", 83", 84", 89," 90", 95", 96"

Depth: 19", 20" 23", 24", 29", 30"

Thickness: 1"

| Code                                 | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|--------------------------------------|-------|--------|-------|-----------|--------------|--------------|
| Straight Workspace with 1" Wire Play |       |        |       |           |              |              |
| L-WS00-2319                          | 232   | 23     | 19    | 1         | 8.74         | 0.25         |
| L-WS00-2419                          | 232   | 24     | 19    | 1         | 9.12         | 0.26         |
| L-WS00-2919                          | 282   | 29     | 19    | 1         | 11.02        | 0.32         |
| L-WS00-3019                          | 282   | 30     | 19    | 1         | 11.4         | 0.33         |
| L-WS00-3519                          | 298   | 35     | 19    | 1         | 13.3         | 0.38         |
| L-WS00-3619                          | 298   | 36     | 19    | 1         | 13.68        | 0.40         |
| L-WS00-4119                          | 329   | 41     | 19    | 1         | 15.58        | 0.45         |
| L-WS00-4219                          | 329   | 42     | 19    | 1         | 15.96        | 0.46         |
| L-WS00-4719                          | 364   | 47     | 19    | 1         | 17.86        | 0.52         |
| L-WS00-4819                          | 364   | 48     | 19    | 1         | 18.24        | 0.53         |
| L-WS00-5319                          | 444   | 53     | 19    | 1         | 20.14        | 0.58         |
| L-WS00-5419                          | 444   | 54     | 19    | 1         | 20.52        | 0.59         |

| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-5919 | 444   | 59     | 19    | 1         | 22.42        | 0.65         |
| L-WS00-6019 | 444   | 60     | 19    | 1         | 22.8         | 0.66         |
| L-WS00-6519 | 502   | 65     | 19    | 1         | 24.7         | 0.71         |
| L-WS00-6619 | 502   | 66     | 19    | 1         | 25.08        | 0.73         |
| L-WS00-7119 | 544   | 71     | 19    | 1         | 26.98        | 0.78         |
| L-WS00-7219 | 544   | 72     | 19    | 1         | 27.36        | 0.79         |
| L-WS00-7619 | 577   | 76     | 19    | 1         | 28.88        | 0.84         |
| L-WS00-7719 | 577   | 77     | 19    | 1         | 29.26        | 0.85         |
| L-WS00-7819 | 577   | 78     | 19    | 1         | 29.64        | 0.86         |
| L-WS00-8219 | 627   | 82     | 19    | 1         | 31.16        | 0.90         |
| L-WS00-8319 | 627   | 83     | 19    | 1         | 31.54        | 0.91         |
| L-WS00-8419 | 627   | 84     | 19    | 1         | 31.92        | 0.92         |
| L-WS00-8819 | 658   | 88     | 19    | 1         | 33.44        | 0.97         |
| L-WS00-8919 | 658   | 89     | 19    | 1         | 33.82        | 0.98         |
| L-WS00-9019 | 658   | 90     | 19    | 1         | 34.2         | 0.99         |
| L-WS00-9419 | 725   | 94     | 19    | 1         | 35.72        | 1.03         |
| L-WS00-9519 | 725   | 95     | 19    | 1         | 36.1         | 1.04         |
| L-WS00-9619 | 725   | 96     | 19    | 1         | 36.48        | 1.06         |
| L-WS00-2323 | 232   | 23     | 23    | 1         | 10.58        | 0.31         |
| L-WS00-2423 | 232   | 24     | 23    | 1         | 11.04        | 0.32         |
| L-WS00-2923 | 282   | 29     | 23    | 1         | 13.34        | 0.39         |
| L-WS00-3023 | 282   | 30     | 23    | 1         | 13.8         | 0.40         |
| L-WS00-3523 | 298   | 35     | 23    | 1         | 16.1         | 0.47         |
| L-WS00-3623 | 298   | 36     | 23    | 1         | 16.56        | 0.48         |
| L-WS00-4123 | 329   | 41     | 23    | 1         | 18.86        | 0.55         |
| L-WS00-4223 | 329   | 42     | 23    | 1         | 19.32        | 0.56         |
| L-WS00-4723 | 364   | 47     | 23    | 1         | 21.62        | 0.63         |


[2 of 4] continued on next page

Worksurface continued [3 of 4]


| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-4823 | 364   | 48     | 23    | 1         | 22.08        | 0.64         |
| L-WS00-5323 | 444   | 53     | 23    | 1         | 24.38        | 0.71         |
| L-WS00-5423 | 444   | 54     | 23    | 1         | 24.84        | 0.72         |
| L-WS00-5923 | 444   | 59     | 23    | 1         | 27.14        | 0.79         |
| L-WS00-6023 | 444   | 60     | 23    | 1         | 27.6         | 0.80         |
| L-WS00-6523 | 502   | 65     | 23    | 1         | 29.9         | 0.87         |
| L-WS00-6623 | 502   | 66     | 23    | 1         | 30.36        | 0.88         |
| L-WS00-7123 | 544   | 71     | 23    | 1         | 32.66        | 0.95         |
| L-WS00-7223 | 544   | 72     | 23    | 1         | 33.12        | 0.96         |
| L-WS00-7623 | 577   | 76     | 23    | 1         | 34.96        | 1.01         |
| L-WS00-7723 | 577   | 77     | 23    | 1         | 35.42        | 1.02         |
| L-WS00-7823 | 577   | 78     | 23    | 1         | 35.88        | 1.04         |
| L-WS00-8223 | 627   | 82     | 23    | 1         | 37.72        | 1.09         |
| L-WS00-8323 | 627   | 83     | 23    | 1         | 38.18        | 1.10         |
| L-WS00-8423 | 627   | 84     | 23    | 1         | 38.64        | 1.12         |
| L-WS00-8823 | 658   | 88     | 23    | 1         | 40.48        | 1.17         |
| L-WS00-8923 | 658   | 89     | 23    | 1         | 40.94        | 1.18         |
| L-WS00-9023 | 658   | 90     | 23    | 1         | 41.4         | 1.20         |
| L-WS00-9423 | 725   | 94     | 23    | 1         | 43.24        | 1.25         |
| L-WS00-9523 | 725   | 95     | 23    | 1         | 43.7         | 1.26         |
| L-WS00-9623 | 725   | 96     | 23    | 1         | 44.16        | 1.28         |
| L-WS00-2329 | 282   | 23     | 29    | 1         | 13.34        | 0.39         |
| L-WS00-2429 | 282   | 24     | 29    | 1         | 13.92        | 0.40         |
| L-WS00-2929 | 329   | 29     | 29    | 1         | 16.82        | 0.49         |
| L-WS00-3029 | 329   | 30     | 29    | 1         | 17.4         | 0.50         |
| L-WS00-3529 | 368   | 35     | 29    | 1         | 20.3         | 0.59         |
| L-WS00-3629 | 368   | 36     | 29    | 1         | 20.88        | 0.60         |
| L-WS00-4129 | 401   | 41     | 29    | 1         | 23.78        | 0.69         |

Worksurface continued [4 of 4]

| Code        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------|-------|--------|-------|-----------|--------------|--------------|
| L-WS00-4229 | 401   | 42     | 29    | 1         | 24.36        | 0.70         |
| L-WS00-4729 | 434   | 47     | 29    | 1         | 27.26        | 0.79         |
| L-WS00-4829 | 434   | 48     | 29    | 1         | 27.84        | 0.81         |
| L-WS00-5329 | 492   | 53     | 29    | 1         | 30.74        | 0.89         |
| L-WS00-5429 | 492   | 54     | 29    | 1         | 31.32        | 0.91         |
| L-WS00-5929 | 518   | 59     | 29    | 1         | 34.22        | 0.99         |
| L-WS00-6029 | 518   | 60     | 29    | 1         | 34.8         | 1.01         |
| L-WS00-6529 | 596   | 65     | 29    | 1         | 37.7         | 1.09         |
| L-WS00-6629 | 596   | 66     | 29    | 1         | 38.28        | 1.11         |
| L-WS00-7129 | 610   | 71     | 29    | 1         | 41.18        | 1.19         |
| L-WS00-7229 | 610   | 72     | 29    | 1         | 41.76        | 1.21         |
| L-WS00-7629 | 666   | 76     | 29    | 1         | 44.08        | 1.28         |
| L-WS00-7729 | 666   | 77     | 29    | 1         | 44.66        | 1.29         |
| L-WS00-7829 | 666   | 78     | 29    | 1         | 45.24        | 1.31         |
| L-WS00-8229 | 724   | 82     | 29    | 1         | 47.56        | 1.38         |
| L-WS00-8329 | 724   | 83     | 29    | 1         | 48.14        | 1.39         |
| L-WS00-8429 | 724   | 84     | 29    | 1         | 48.72        | 1.41         |
| L-WS00-8829 | 826   | 88     | 29    | 1         | 51.04        | 1.48         |
| L-WS00-8929 | 826   | 89     | 29    | 1         | 51.62        | 1.49         |
| L-WS00-9029 | 826   | 90     | 29    | 1         | 52.2         | 1.51         |
| L-WS00-9429 | 896   | 94     | 29    | 1         | 54.52        | 1.58         |
| L-WS00-9529 | 896   | 95     | 29    | 1         | 55.1         | 1.59         |
| L-WS00-9629 | 896   | 96     | 29    | 1         | 55.68        | 1.61         |



Curved 5-Sided Workspace with Grommet



Straight 5-Sided Workspace with Grommet

What's Included:

One (1) workspace, One (1) grommet

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1” from the panel to allow for wire routing. No grommet is included with this workspace


Surface has a curved front

Options:


|                                                                            |               |
|----------------------------------------------------------------------------|---------------|
| Side A*:                                                                   | 36", 42", 48" |
| Side B:                                                                    | 24", 30"      |
| Thickness:                                                                 | 1"            |
| Straight, Curved Front                                                     |               |
| Grommet Type & Colour: Square (Silver, Black, White), Oval (Silver, Black) |               |

\*36" on side A only available in 24" on side B

| Code                        | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-----------------------------|-------|--------|-------|-----------|--------------|--------------|
| curved front with grommet   |       |        |       |           |              |              |
| L-W5CG-3624                 | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5CG-4224                 | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5CG-4824                 | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5CG-4230                 | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5CG-4830                 | 691   | 48     | 30    | 1         | 38           | 0.83         |
| straight front with grommet |       |        |       |           |              |              |
| L-W5SG-3624                 | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5SG-4224                 | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5SG-4824                 | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5SG-4230                 | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5SG-4830                 | 691   | 48     | 30    | 1         | 38           | 0.83         |



Curved 5-Sided Workspace with 1" Wire Play



Straight 5-Sided Workspace with 1" Wire Play

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1" from the panel to allow for wire routing. No grommet is included with this workspace

Options:

Side A & C\*: 35", 36", 41", 42", 47", 48"

Side B & D: 23", 24", 29", 30"


Thickness: 1"

Straight, Curved Front

\*35" & 36" on side A & C only available in 23" & 24" on side B & D

| Code                    | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------------------|-------|--------|-------|-----------|--------------|--------------|
| Left hand curved front  |       |        |       |           |              |              |
| L-W5C0-3624-L           | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5C0-4224-L           | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5C0-4824-L           | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5C0-4230-L           | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5C0-4830-L           | 691   | 48     | 30    | 1         | 38           | 0.83         |
| Right hand curved front |       |        |       |           |              |              |
| L-W5C0-3624-R           | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5C0-4224-R           | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5C0-4824-R           | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5C0-4230-R           | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5C0-4830-R           | 691   | 48     | 30    | 1         | 38           | 0.83         |
| Double curved front     |       |        |       |           |              |              |
| L-W5C0-3523-D           | 477   | 35     | 23    | 1         | 30           | 0.47         |
| L-W5C0-4123-D           | 576   | 41     | 23    | 1         | 33           | 0.55         |
| L-W5C0-4723-D           | 691   | 47     | 23    | 1         | 36           | 0.63         |
| L-W5C0-4129-D           | 576   | 41     | 29    | 1         | 35           | 0.69         |
| L-W5C0-4729-D           | 691   | 47     | 29    | 1         | 38           | 0.79         |

| Code                      | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|---------------------------|-------|--------|-------|-----------|--------------|--------------|
| Left hand straight front  |       |        |       |           |              |              |
| L-W5S0-3624-L             | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5S0-4224-L             | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5S0-4824-L             | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5S0-4230-L             | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5S0-4830-L             | 691   | 48     | 30    | 1         | 38           | 0.83         |
| Right hand straight front |       |        |       |           |              |              |
| L-W5S0-3624-R             | 477   | 36     | 24    | 1         | 30           | 0.50         |
| L-W5S0-4224-R             | 576   | 42     | 24    | 1         | 33           | 0.58         |
| L-W5S0-4824-R             | 691   | 48     | 24    | 1         | 36           | 0.67         |
| L-W5S0-4230-R             | 576   | 42     | 30    | 1         | 35           | 0.73         |
| L-W5S0-4830-R             | 691   | 48     | 30    | 1         | 38           | 0.83         |
| Double straight front     |       |        |       |           |              |              |
| L-W5S0-3523-D             | 477   | 35     | 23    | 1         | 30           | 0.47         |
| L-W5S0-4123-D             | 576   | 41     | 23    | 1         | 33           | 0.55         |
| L-W5S0-4723-D             | 691   | 47     | 23    | 1         | 36           | 0.63         |
| L-W5S0-4129-D             | 576   | 41     | 29    | 1         | 35           | 0.69         |
| L-W5S0-4729-D             | 691   | 47     | 29    | 1         | 38           | 0.79         |



left hand shown with grommet

What’s Included:

One (1) worksurface, Two(2) grommets

How to Specify:

Refer to laminate card for laminate options

Notes:


Surface has a curved front

Options:

|                                                                           |                                        |
|---------------------------------------------------------------------------|----------------------------------------|
| Side A:                                                                   | 36”                                    |
| Side B:                                                                   | 24”                                    |
| Side C:                                                                   | 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96” |
| Thickness:                                                                | 1”                                     |
| Left Hand, Right Hand                                                     |                                        |
| Grommet Type & Color: Square (Silver, Black, White), Oval (Silver, Black) |                                        |

| Code                    | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|-------------------------|-------|--------|-------|-----------|--------------|--------------|
| Left hand with grommet  |       |        |       |           |              |              |
| L-WUCG-543624-L         | 687   | 54     | 36    | 1         | 24.88        | 1.12         |
| L-WUCG-603624-L         | 725   | 60     | 36    | 1         | 26.88        | 1.25         |
| L-WUCG-663624-L         | 804   | 66     | 36    | 1         | 28.88        | 1.38         |
| L-WUCG-723624-L         | 854   | 72     | 36    | 1         | 30.88        | 1.50         |
| L-WUCG-783624-L         | 923   | 78     | 36    | 1         | 32.88        | 1.62         |
| L-WUCG-843624-L         | 985   | 84     | 36    | 1         | 34.88        | 1.75         |
| L-WUCG-903624-L         | 1135  | 90     | 36    | 1         | 36.88        | 1.88         |
| L-WUCG-963624-L         | 1188  | 96     | 36    | 1         | 38.88        | 2.00         |
| Right hand with grommet |       |        |       |           |              |              |
| L-WUCG-543624-R         | 687   | 54     | 36    | 1         | 24.88        | 1.12         |
| L-WUCG-603624-R         | 725   | 60     | 36    | 1         | 26.88        | 1.25         |
| L-WUCG-663624-R         | 804   | 66     | 36    | 1         | 28.88        | 1.38         |
| L-WUCG-723624-R         | 854   | 72     | 36    | 1         | 30.88        | 1.50         |
| L-WUCG-783624-R         | 923   | 78     | 36    | 1         | 32.88        | 1.62         |
| L-WUCG-843624-R         | 985   | 84     | 36    | 1         | 34.88        | 1.75         |
| L-WUCG-903624-R         | 1135  | 90     | 36    | 1         | 36.88        | 1.88         |
| L-WUCG-963624-R         | 1188  | 96     | 36    | 1         | 38.88        | 2.00         |





Unitized Worksurface with 1" Wire Play

What's Included:

One (1) worksurface

How to Specify:

Refer to laminate card for laminate options

Notes:

Worksurface sits 1" from the panel to allow for wire routing. No grommet is included with this worksurface


Surface has a curved front

Options:

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| Side A: | 53", 54", 59", 60", 65", 66", 71", 72", 77", 78", 83", 84", 89", 90", 95", 96" |
| Side B: | 23", 24"                                                                       |
| Side C: | 35", 36"                                                                       |
| Side D: | 23", 24"                                                                       |

| Code            | Price | Height | Depht | Thickness | Weight (lb) | Volume (ft³) |
|-----------------|-------|--------|-------|-----------|-------------|--------------|
| Left hand       |       |        |       |           |             |              |
| L-WUC0-543524-L | 687   | 54     | 35    | 1         | 24.88       | 1.09         |
| L-WUC0-603524-L | 725   | 60     | 35    | 1         | 26.88       | 1.22         |
| L-WUC0-663524-L | 804   | 66     | 35    | 1         | 28.88       | 1.34         |
| L-WUC0-723524-L | 854   | 72     | 35    | 1         | 30.88       | 1.46         |
| L-WUC0-783524-L | 923   | 78     | 35    | 1         | 32.88       | 1.58         |
| L-WUC0-843524-L | 985   | 84     | 35    | 1         | 34.88       | 1.70         |
| L-WUC0-903524-L | 1135  | 90     | 35    | 1         | 36.88       | 1.82         |
| L-WUC0-963524-L | 1188  | 96     | 35    | 1         | 38.88       | 1.94         |
| L-WUC0-533624-L | 687   | 53     | 36    | 1         | 24.88       | 1.10         |
| L-WUC0-593624-L | 725   | 59     | 36    | 1         | 26.88       | 1.23         |
| L-WUC0-653624-L | 804   | 65     | 36    | 1         | 28.88       | 1.35         |
| L-WUC0-713624-L | 854   | 71     | 36    | 1         | 30.88       | 1.48         |
| L-WUC0-773624-L | 923   | 77     | 36    | 1         | 32.88       | 1.60         |
| L-WUC0-833624-L | 985   | 83     | 36    | 1         | 34.88       | 1.73         |
| L-WUC0-893624-L | 1135  | 89     | 36    | 1         | 36.88       | 1.85         |

| Code            | Price | Height | Depht | Thickness | Weight (lb) | Volume (ft³) |
|-----------------|-------|--------|-------|-----------|-------------|--------------|
| L-WUC0-953624-L | 1188  | 95     | 36    | 1         | 38.88       | 1.98         |
| L-WUC0-533523-L | 687   | 53     | 35    | 1         | 24.88       | 1.07         |
| L-WUC0-593523-L | 725   | 59     | 35    | 1         | 26.88       | 1.20         |
| L-WUC0-653523-L | 804   | 65     | 35    | 1         | 28.88       | 1.32         |
| L-WUC0-713523-L | 854   | 71     | 35    | 1         | 30.88       | 1.44         |
| L-WUC0-773523-L | 923   | 77     | 35    | 1         | 32.88       | 1.56         |
| L-WUC0-833523-L | 985   | 83     | 35    | 1         | 34.88       | 1.68         |
| L-WUC0-893523-L | 1135  | 89     | 35    | 1         | 36.88       | 1.80         |
| L-WUC0-953523-L | 1188  | 95     | 35    | 1         | 38.88       | 1.92         |
| Right hand      |       |        |       |           |             |              |
| L-WUC0-543524-R | 687   | 54     | 35    | 1         | 24.88       | 1.09         |
| L-WUC0-603524-R | 725   | 60     | 35    | 1         | 26.88       | 1.22         |
| L-WUC0-663524-R | 804   | 66     | 35    | 1         | 28.88       | 1.34         |
| L-WUC0-723524-R | 854   | 72     | 35    | 1         | 30.88       | 1.46         |
| L-WUC0-783524-R | 923   | 78     | 35    | 1         | 32.88       | 1.58         |
| L-WUC0-843524-R | 985   | 84     | 35    | 1         | 34.88       | 1.70         |
| L-WUC0-903524-R | 1135  | 90     | 35    | 1         | 36.88       | 1.82         |
| L-WUC0-963524-R | 1188  | 96     | 35    | 1         | 38.88       | 1.94         |
| L-WUC0-533624-R | 687   | 53     | 36    | 1         | 24.88       | 1.10         |
| L-WUC0-593624-R | 725   | 59     | 36    | 1         | 26.88       | 1.23         |
| L-WUC0-653624-R | 804   | 65     | 36    | 1         | 28.88       | 1.35         |
| L-WUC0-713624-R | 854   | 71     | 36    | 1         | 30.88       | 1.48         |
| L-WUC0-773624-R | 923   | 77     | 36    | 1         | 32.88       | 1.60         |
| L-WUC0-833624-R | 985   | 83     | 36    | 1         | 34.88       | 1.73         |
| L-WUC0-893624-R | 1135  | 89     | 36    | 1         | 36.88       | 1.85         |
| L-WUC0-953624-R | 1188  | 95     | 36    | 1         | 38.88       | 1.98         |
| L-WUC0-533523-R | 687   | 53     | 35    | 1         | 24.88       | 1.07         |
| L-WUC0-593523-R | 725   | 59     | 35    | 1         | 26.88       | 1.20         |
| L-WUC0-653523-R | 804   | 65     | 35    | 1         | 28.88       | 1.32         |
| L-WUC0-713523-R | 854   | 71     | 35    | 1         | 30.88       | 1.44         |
| L-WUC0-773523-R | 923   | 77     | 35    | 1         | 32.88       | 1.56         |
| L-WUC0-833523-R | 985   | 83     | 35    | 1         | 34.88       | 1.68         |
| L-WUC0-893523-R | 1135  | 89     | 35    | 1         | 36.88       | 1.80         |
| L-WUC0-953523-R | 1188  | 95     | 35    | 1         | 38.88       | 1.92         |



What's Included:

One (1) transaction top, Four (4) cantilever brackets

How to Specify:

Match the transaction top to the corresponding panel width

Refer to laminate card for laminate options

Choose White, Black, Silver, Charcoal for cantilever color

Notes:

Options:

|                          |                                   |
|--------------------------|-----------------------------------|
| Width:                   | 24", 30", 36", 42", 48", 54", 60" |
| Depth:                   | 15"                               |
| Thickness:               | 1"                                |
| Cantilever Paint Colour: | Silver, White, Black, Charcoal    |

| Code       | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|----|---|--------------|--------------|
| L-WTT-2415 | 283   | 24 | 15 | 1 | 5.76         | 0.21         |
| L-WTT-3015 | 302   | 30 | 15 | 1 | 7.2          | 0.26         |
| L-WTT-3615 | 315   | 36 | 15 | 1 | 8.64         | 0.31         |
| L-WTT-4215 | 332   | 42 | 15 | 1 | 10.08        | 0.36         |
| L-WTT-4815 | 344   | 48 | 15 | 1 | 11.52        | 0.42         |
| L-WTT-5415 | 366   | 54 | 15 | 1 | 12.96        | 0.47         |
| L-WTT-6015 | 377   | 60 | 15 | 1 | 14.4         | 0.52         |




Switch USA Pricebook  
December 2025

# Supports

Supports

|                                     |     |
|-------------------------------------|-----|
| Ladder Gable                        | 156 |
| Standard Panel                      | 156 |
| Gallery Panel                       | 158 |
| Freestanding Panel                  | 160 |
| Laminate Gable                      | 161 |
| Standard Panel                      | 161 |
| Gallery Panel                       | 162 |
| Freestanding                        | 163 |
| Wrap Gable                          | 164 |
| Standard Panel                      | 164 |
| Gallery Panel                       | 165 |
| Tech Drop                           | 166 |
| Cantilever                          | 167 |
| Standard Panel                      | 167 |
| Gallery Panel                       | 168 |
| Standard Panel Mount Corner Bracket | 170 |
| Flush Plates                        | 171 |
| Storage Support Bracket             | 172 |
| Fixed Credenza Support Bracket      | 173 |
| 90 Degree Storage Bracket           | 174 |
| Horizontal Surface Support          | 175 |



Standard Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable colour

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play


Mid gable is used at the surface joint

Options:

|                             |                                      |
|-----------------------------|--------------------------------------|
| Heights*:                   | 25”, 28”                             |
| Depth:                      | 20”, 24”, 30”                        |
| Ladder Gable Paint Colour:: | Silver, White, Black, Charcoal       |
| End gable:                  | (Left hand, right hand) or mid gable |

\*25” high to be used to Tech Drop surface

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HOEG-P-2520-L | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOEG-P-2524-L | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOEG-P-2530-L | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOEG-P-2820-L | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOEG-P-2824-L | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOEG-P-2830-L | 392   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HOEG-P-2520-R | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOEG-P-2524-R | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOEG-P-2530-R | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOEG-P-2820-R | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOEG-P-2824-R | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| Mid             |       |    |    |   |              |              |
| L-HOMG-P-2520   | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOMG-P-2524   | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOMG-P-2530   | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOMG-P-2820   | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOMG-P-2824   | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOMG-P-2830   | 392   | 28 | 30 | 2 | 16.8         | 0.97         |



Gallery Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable colour

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Mid gable is used at the surface joint


Options:

|                             |                                      |
|-----------------------------|--------------------------------------|
| Heights*:                   | 25”, 28”                             |
| Depth:                      | 20”, 24”, 30”                        |
| Ladder Gable Paint Colour:: | Silver, White, Black, Charcoal       |
| End gable:                  | (Left hand, right hand) or mid gable |

\*25” high to be used to Tech Drop surface

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HOEG-Y-2520-L | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOEG-Y-2524-L | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOEG-Y-2530-L | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOEG-Y-2820-L | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOEG-Y-2824-L | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOEG-Y-2830-L | 392   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HOEG-Y-2520-R | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOEG-Y-2524-R | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOEG-Y-2530-R | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOEG-Y-2820-R | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOEG-Y-2824-R | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOEG-Y-2830-R | 392   | 28 | 30 | 2 | 16.8         | 0.97         |
| Mid             |       |    |    |   |              |              |
| L-HOMG-Y-2520   | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOMG-Y-2524   | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOMG-Y-2530   | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOMG-Y-2820   | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOMG-Y-2824   | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOMG-Y-2830   | 392   | 28 | 30 | 2 | 16.8         | 0.97         |





Freestanding

What’s Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:

90 degree bracket is used to connect a worksurface to a gallery panel

Options:

Heights\*: 25”, 28”


Depth: 20”, 24”, 30”

Ladder Gable Paint Colour:: Silver, White, Black, Charcoal

End gable: (Left hand, right hand)

\*25” high to be used to Tech Drop surface

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| Freestanding  |       |    |    |   |              |              |
| L-HOEG-S-2520 | 365   | 25 | 20 | 2 | 10           | 0.58         |
| L-HOEG-S-2524 | 368   | 25 | 24 | 2 | 12           | 0.69         |
| L-HOEG-S-2530 | 405   | 25 | 30 | 2 | 15           | 0.87         |
| L-HOEG-S-2820 | 369   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HOEG-S-2824 | 377   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HOEG-S-2830 | 392   | 28 | 30 | 2 | 16.8         | 0.97         |



Standard Panel  
Laminate Gable

What’s Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black, Charcoal

Laminate Gable Laminate Colour: Refer to laminate card for laminate options

End gable (Left hand, right hand)

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play


Options:

Heights\*: 25”, 28”

Depth: 20”, 24”, 30”

\*25” high to be used to Tech Drop surface

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HCEG-P-2520-L | 238   | 25 | 20 | 2 | 10           | 0.58         |
| L-HCEG-P-2524-L | 258   | 25 | 24 | 2 | 12           | 0.69         |
| L-HCEG-P-2530-L | 282   | 25 | 30 | 2 | 15           | 0.87         |
| L-HCEG-P-2812-L | 220   | 28 | 12 | 2 | 10           | 0.39         |
| L-HCEG-P-2820-L | 249   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HCEG-P-2824-L | 270   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HCEG-P-2830-L | 295   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HCEG-P-2520-R | 238   | 25 | 20 | 2 | 10           | 0.58         |
| L-HCEG-P-2524-R | 258   | 25 | 24 | 2 | 12           | 0.69         |
| L-HCEG-P-2530-R | 282   | 25 | 30 | 2 | 15           | 0.87         |
| L-HCEG-P-2812-R | 220   | 28 | 12 | 2 | 10           | 0.39         |
| L-HCEG-P-2820-R | 249   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HCEG-P-2824-R | 270   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HCEG-P-2830-R | 295   | 28 | 30 | 2 | 16.8         | 0.97         |



Gallery Panel  
Laminate Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket,  
(1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black, Charcoal

Laminate Gable Laminate Colour: Refer to laminate card  
for laminate options

End gable (Left hand, right hand)

Options:

Heights\*: 25”, 28”


Depth: 20”, 24”, 30”

\*25” high to be used to Tech Drop surface

Notes:

Ladder Gable can be used with  
worksurface with grommet,  
worksurface without grommet,  
worksurface for 1” wire play

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HCEG-Y-2520-L | 234   | 25 | 20 | 2 | 10           | 0.58         |
| L-HCEG-Y-2524-L | 248   | 25 | 24 | 2 | 12           | 0.69         |
| L-HCEG-Y-2530-L | 273   | 25 | 30 | 2 | 15           | 0.87         |
| L-HCEG-Y-2812-L | 212   | 28 | 12 | 2 | 11.2         | 0.39         |
| L-HCEG-Y-2820-L | 243   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HCEG-Y-2824-L | 260   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HCEG-Y-2830-L | 286   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HCEG-Y-2520-R | 234   | 25 | 20 | 2 | 10           | 0.58         |
| L-HCEG-Y-2524-R | 248   | 25 | 24 | 2 | 12           | 0.69         |
| L-HCEG-Y-2530-R | 273   | 25 | 30 | 2 | 15           | 0.87         |
| L-HCEG-Y-2812-R | 212   | 28 | 12 | 2 | 11.2         | 0.39         |
| L-HCEG-Y-2820-R | 243   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HCEG-Y-2824-R | 260   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HCEG-Y-2830-R | 286   | 28 | 30 | 2 | 16.8         | 0.97         |



Freestanding Laminate Gable

What’s Included:

One (1) ladder gable, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black,  
Charcoal

Laminate Gable Laminate Colour: Refer to laminate  
card for laminate options

Notes:

Laminate Gable can be used with  
worksurface with grommet, worksurface  
without grommet, worksurface for 1” wire  
play

Freestanding gable is used when one side  
of the surface is connected to a panel and  
the other is open


Options:

Heights\*: 25”,28”

Depth: 20”, 24”, 30”

\*25” is used with the 20” deep surface

| Code          | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|---|--------------|--------------|
| L-HCEG-S-2520 | 249   | 25 | 20 | 2 | 10           | 0.58         |
| L-HCEG-S-2524 | 264   | 25 | 24 | 2 | 12           | 0.69         |
| L-HCEG-S-2530 | 291   | 25 | 30 | 2 | 15           | 0.87         |
| L-HCEG-S-2820 | 260   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HCEG-S-2824 | 282   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HCEG-S-2830 | 307   | 28 | 30 | 2 | 16.8         | 0.97         |



Standard Panel  
Wrap Lamine Gable

What’s Included:

One (1) wrap gable, one (1) standard panel mount bracket,  
(1) surface to gable connector

How to Specify:

Lamine Gable Paint Colour: Silver, White, Black, Charcoal

Lamine Gable Lamine Colour: Refer to lamine card for  
lamine options

End gable (Left hand, right hand)

Options:

Heights\*: 25”, 28”

Depth: 20”, 24”, 30”


\*25” high to be used to Tech Drop surface

Notes:

Lamine Gable can be used  
with worksurface with grommet,  
worksurface without grommet,  
worksurface for 1” wire play

Freestanding gable is used  
when one side of the surface is  
connected to a panel and the  
other is open

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HWEG-P-2520-L | 409   | 25 | 20 | 2 | 10           | 0.58         |
| L-HWEG-P-2524-L | 421   | 25 | 24 | 2 | 12           | 0.69         |
| L-HWEG-P-2530-L | 465   | 25 | 30 | 2 | 15           | 0.87         |
| L-HWEG-P-2820-L | 419   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HWEG-P-2824-L | 434   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HWEG-P-2830-L | 481   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HWEG-P-2520-R | 409   | 25 | 20 | 2 | 10           | 0.58         |
| L-HWEG-P-2524-R | 421   | 25 | 24 | 2 | 12           | 0.69         |
| L-HWEG-P-2530-R | 465   | 25 | 30 | 2 | 15           | 0.87         |
| L-HWEG-P-2820-R | 419   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HWEG-P-2824-R | 434   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HWEG-P-2830-R | 481   | 28 | 30 | 2 | 16.8         | 0.97         |



Gallery Panel  
Wrap Lamine Gable

What’s Included:

One (1) wrap gable, one (1) gallery panel mount bracket,  
(1) surface to gable connector

How to Specify:

Lamine Gable Paint Colour: Silver, White, Black, Charcoal

Lamine Gable Lamine Colour: Refer to lamine card for  
lamine options

End gable (Left hand, right hand)

Options:

Heights\*: 25”, 28”

Depth: 20”, 24”, 30”


\*25” high to be used to Tech Drop surface

Notes:


Lamine Gable can be used  
with worksurface with grommet,  
worksurface without grommet,  
worksurface for 1” wire play

Freestanding gable is used  
when one side of the surface is  
connected to a panel and the  
other is open

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| Left hand       |       |    |    |   |              |              |
| L-HWEG-Y-2520-L | 412   | 25 | 20 | 2 | 10           | 0.58         |
| L-HWEG-Y-2524-L | 421   | 25 | 24 | 2 | 12           | 0.69         |
| L-HWEG-Y-2530-L | 465   | 25 | 30 | 2 | 15           | 0.87         |
| L-HWEG-Y-2820-L | 419   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HWEG-Y-2824-L | 434   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HWEG-Y-2830-L | 482   | 28 | 30 | 2 | 16.8         | 0.97         |
| Right hand      |       |    |    |   |              |              |
| L-HWEG-Y-2520-R | 412   | 25 | 20 | 2 | 10           | 0.58         |
| L-HWEG-Y-2524-R | 421   | 25 | 24 | 2 | 12           | 0.69         |
| L-HWEG-Y-2530-R | 465   | 25 | 30 | 2 | 15           | 0.87         |
| L-HWEG-Y-2820-R | 419   | 28 | 20 | 2 | 11.2         | 0.65         |
| L-HWEG-Y-2824-R | 434   | 28 | 24 | 2 | 13.44        | 0.78         |
| L-HWEG-Y-2830-R | 482   | 28 | 30 | 2 | 16.8         | 0.97         |



Standard Panel  
Tech Drop



Gallery Panel  
Tech Drop

What’s Included:

One (1) tech drop, one (1) power module with two (2) AC outlets and two (2) USB-A outlets, one (1) panel connector hardware

How to Specify:

Choose White, Black, Silver, Charcoal for Tech Drop

Left, right

Notes:

Tech drop offers a 3” drop between main surface and return surface

Tech drop must be mounted to the panel


Options:

Heights: 3”

Depth\*: 19”, 23”

\*19” is used with the 20” deep surface

| Code                                  | Price | H | W      | D | Weight (lb.) | Volume (ft³) |
|---------------------------------------|-------|---|--------|---|--------------|--------------|
| Standard Panel Tech Drop - left hand  |       |   |        |   |              |              |
| L-HSSE-P-19-L                         | 346   | 3 | 19.875 | 4 | 6.33         | 0.14         |
| L-HSSE-P-23-L                         | 354   | 3 | 23.875 | 4 | 7.67         | 0.17         |
| Standard Panel Tech Drop - right hand |       |   |        |   |              |              |
| L-HSSE-P-19-R                         | 346   | 3 | 19.875 | 4 | 6.33         | 0.14         |
| L-HSSE-P-23-R                         | 354   | 3 | 23.875 | 4 | 7.67         | 0.17         |
| Gallery Panel Tech Drop - left hand   |       |   |        |   |              |              |
| L-HSSE-Y-19-L                         | 350   | 3 | 19.875 | 4 | 6.33         | 0.14         |
| L-HSSE-Y-23-L                         | 358   | 3 | 23.875 | 4 | 7.67         | 0.17         |
| Gallery Panel Tech Drop - right hand  |       |   |        |   |              |              |
| L-HSSE-Y-19-R                         | 350   | 3 | 19.875 | 4 | 6.33         | 0.14         |
| L-HSSE-Y-23-R                         | 358   | 3 | 23.875 | 4 | 7.67         | 0.17         |



Standard Panel Mounted  
Cantilever Arm

What’s Included:

One (1) standard panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only

Options:

Depth: 16”, 22”

| Code          | Price | H | W  | D   | Weight (lb.) | Volume (ft³) |
|---------------|-------|---|----|-----|--------------|--------------|
| intermediate  |       |   |    |     |              |              |
| L-CCAB-P-16   | 63    | 8 | 16 | 2   | 2.56         | 0.15         |
| L-CCAB-P-22   | 70    | 8 | 22 | 2   | 3.52         | 0.21         |
| left hand     |       |   |    |     |              |              |
| L-CCAB-P-16-L | 63    | 8 | 16 | 1.5 | 1.92         | 0.11         |
| L-CCAB-P-22-L | 70    | 8 | 22 | 1.5 | 2.64         | 0.15         |
| right hand    |       |   |    |     |              |              |
| L-CCAB-P-16-R | 63    | 8 | 16 | 1.5 | 1.92         | 0.11         |
| L-CCAB-P-22-R | 70    | 8 | 22 | 1.5 | 2.64         | 0.15         |



Gallery Panel Mounted  
Cantilever Arm

What’s Included:

One (1) gallery panel mounted cantilever arm

How to Specify:

Left, right, mid

Notes:


Cantilever available in black only

Options:


Depth: 16", 22"

| Code          | Price | H | W  | D   | Weight (lb.) | Volume (ft³) |
|---------------|-------|---|----|-----|--------------|--------------|
| intermediate  |       |   |    |     |              |              |
| L-CCAB-Y-16   | 63    | 8 | 16 | 2   | 2.56         | 0.15         |
| L-CCAB-Y-22   | 70    | 8 | 22 | 2   | 3.52         | 0.21         |
| left hand     |       |   |    |     |              |              |
| L-CCAB-Y-16-L | 63    | 8 | 16 | 1.5 | 1.92         | 0.11         |
| L-CCAB-Y-22-L | 70    | 8 | 22 | 1.5 | 2.64         | 0.15         |
| right hand    |       |   |    |     |              |              |
| L-CCAB-Y-16-R | 63    | 8 | 16 | 1.5 | 1.92         | 0.11         |
| L-CCAB-Y-22-R | 70    | 8 | 22 | 1.5 | 2.64         | 0.15         |





L-HCB  
left hand shown



L-HCB1  
left hand shown

What’s Included:

One (1) standard panel mounted corner bracket

How to Specify:


- Left, right
- Full depth surface, surface with 1” wire play

Notes:

- Worksurface with 1” wire play requires 1” offset bracket
- Corner bracket available in black only

Options:

| Code       | Price | H | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------|-------|---|---|---|--------------|---------------------------|
| L-HCB-P-L  | 8     | 3 | 4 | 2 | 0.05         | 0.01                      |
| L-HCB1-P-L | 16    | 3 | 4 | 2 | 0.05         | 0.01                      |
| L-HCB-P-R  | 8     | 3 | 4 | 2 | 0.05         | 0.01                      |
| L-HCB1-P-R | 16    | 3 | 4 | 2 | 0.05         | 0.01                      |



What’s Included:

One (1) flush plate

How to Specify:

Flush Plate Paint Colour: Silver only


Notes:

Flush plate is used at surface joint to connect two surfaces together


Options:

|        |      |
|--------|------|
| Width: | 5.5” |
| Depth: | 3”   |

| Code  | Price | H | W   | D     | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|-------|-------|---|-----|-------|--------------|---------------------------|
| L-PWW | 44    | 3 | 5.5 | 0.125 | 1            | 0.00                      |



for standard panel



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface


24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Width: 1”, 7”

| Code                           | Price | H  | W | Weight (lb.) | Volume (ft³) |
|--------------------------------|-------|----|---|--------------|--------------|
| for standard panel - left hand |       |    |   |              |              |
| L-HPSP-24-L                    | 50    | 28 | 1 | 8.57         | 0.39         |
| L-HPSP-30-L                    | 93    | 28 | 1 | 10.71        | 0.49         |
| for standard panel -right hand |       |    |   |              |              |
| L-HPSP-24-R                    | 50    | 28 | 1 | 8.57         | 0.39         |
| L-HPSP-30-R                    | 93    | 28 | 1 | 10.71        | 0.49         |
| for gallery panel              |       |    |   |              |              |
| L-HPGP-24                      | 63    | 28 | 1 | 8.57         | 0.39         |
| L-HPGP-30                      | 131   | 28 | 1 | 10.72        | 0.49         |



What’s Included:

One (1) 90 degree bracket

How to Specify:

Flush Plate Paint Colour: Silver, White, Black, Charcoal

Notes:


Options:

Height: 6”

Width: 4”

Depth: 4”

| Code    | Price | H     | W | D | Weight (lb.) | Volume (ft³) |
|---------|-------|-------|---|---|--------------|--------------|
| L-HCFM6 | 173   | 6.375 | 7 | 4 | 6            | 0.14         |



What’s Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:


90 degree bracket is used to connect a worksurface to a gallery panel

24” deep surface: two (2) brackets  
30” deep surface: three (3) brackets

Options:

Depth: 3”

| Code      | Price | Specifications | Weight (lb.) | Volume (ft³) |
|-----------|-------|----------------|--------------|--------------|
| L-HSSB    | 3     | 3”, 6 Holes    | 0.5          | 0.09         |
| L-HSSB-24 | 8     | For 24”Deep    | 2.19         | 0.09         |
| L-HSSB-30 | 14    | For 30”Deep    | 3            | 0.09         |



What’s Included:

Horizontal Surface Support, installation hardware.

How to Specify:

The horizontal surface support is available only in silver.

Notes:

The horizontal surface support is used to support worksurfaces 54-inches and longer.

This item is mounted to the underside of a worksurface.

Options:

width51, 57, 63, 69, 75

| Code      | Price | W (in) | Weight (lb) | Volume (ft³) |
|-----------|-------|--------|-------------|--------------|
| L-CH00-54 | 71    | 51     | 4           | 0.05         |
| L-CH00-60 | 77    | 57     | 4.5         | 0.05         |
| L-CH00-66 | 82    | 63     | 5           | 0.06         |
| L-CH00-72 | 86    | 69     | 5.5         | 0.06         |
| L-CH00-78 | 91    | 75     | 6           | 0.07         |




Switch USA Pricebook  
December 2025

**Electrics**

Electrics

|                                  |     |
|----------------------------------|-----|
| Power Module                     | 178 |
| Power & Data                     | 179 |
| Connector Harness                | 180 |
| Male to Female Extension Harness | 182 |
| New York Junction Box            | 183 |
| Chicago Electrical Box           | 184 |
| Wire Manager                     | 185 |
| Communication Kit                | 186 |
| Conversion Kit                   | 187 |



What’s Included:

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

How to Specify:

Available in grey only  
Single sided, double sided


Notes:

Power modules are installed in the center cut out power capable panels only  
  
Double sided power module has four (4) ac outlets on each side  
  
Refer to Switch electrical specification guide for more information

Options:

Width: 8”

| Code         | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|--------------|-------|---|---|---|--------------|--------------|
| single sided |       |   |   |   |              |              |
| L-EM84-S     | 222   | 3 | 6 | 3 | 1.7          | 0.03         |
| double sided |       |   |   |   |              |              |
| L-EM84-D     | 354   | 3 | 6 | 3 | 2            | 0.03         |



What’s Included:

One (1) open wire starter harness

How to Specify:

Available in grey only  
Single sided, double sided

Notes:


Switch electrical system is rated for 20 amps  
  
Tayco recommends up to 8 workstations hardwired to one power source

Options:

Length: 72”, 168”

| Code         | Price | L   | D    | Weight (lb.) | Volume (ft³) |
|--------------|-------|-----|------|--------------|--------------|
| L-ES84-072-0 | 329   | 72  | 0.75 | 2.61         | 0.40         |
| L-ES84-168-0 | 414   | 168 | 0.75 | 5.12         | 0.50         |





What’s Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided


Options:

Length: 22”-181” in 3” increments

| Code      | Price | Length | D    | Weight (lb.) | Volume (ft³) |
|-----------|-------|--------|------|--------------|--------------|
| L-EH84-22 | 167   | 22     | 0.75 | 0.6          | 0.20         |
| L-EH84-25 | 172   | 25     | 0.75 | 0.7          | 0.20         |
| L-EH84-28 | 178   | 28     | 0.75 | 0.8          | 0.20         |
| L-EH84-31 | 184   | 31     | 0.75 | 0.8          | 0.20         |
| L-EH84-34 | 191   | 34     | 0.75 | 0.9          | 0.20         |
| L-EH84-37 | 196   | 37     | 0.75 | 1            | 0.20         |
| L-EH84-40 | 205   | 40     | 0.75 | 1.1          | 0.20         |
| L-EH84-43 | 210   | 43     | 0.75 | 1.2          | 0.20         |
| L-EH84-46 | 213   | 46     | 0.75 | 1.3          | 0.20         |
| L-EH84-49 | 219   | 49     | 0.75 | 1.5          | 0.20         |
| L-EH84-52 | 225   | 52     | 0.75 | 1.5          | 0.20         |
| L-EH84-55 | 235   | 55     | 0.75 | 1.6          | 0.20         |
| L-EH84-58 | 238   | 58     | 0.75 | 1.7          | 0.20         |
| L-EH84-61 | 245   | 61     | 0.75 | 1.8          | 0.20         |
| L-EH84-64 | 249   | 64     | 0.75 | 1.9          | 0.20         |
| L-EH84-67 | 258   | 67     | 0.75 | 1.9          | 0.20         |
| L-EH84-70 | 261   | 70     | 0.75 | 2            | 0.20         |
| L-EH84-73 | 271   | 73     | 0.75 | 1.95         | 0.20         |
| L-EH84-76 | 276   | 76     | 0.75 | 2.04         | 0.20         |
| L-EH84-79 | 282   | 79     | 0.75 | 2.12         | 0.20         |
| L-EH84-82 | 286   | 82     | 0.75 | 2.12         | 0.20         |
| L-EH84-85 | 291   | 85     | 0.75 | 2.37         | 0.20         |
| L-EH84-88 | 298   | 88     | 0.75 | 2.37         | 0.20         |
| L-EH84-91 | 304   | 91     | 0.75 | 2.37         | 0.20         |

Power & Data continued

| Code       | Price | Length | D    | Weight (lb.) | Volume (ft³) |
|------------|-------|--------|------|--------------|--------------|
| L-EH84-94  | 310   | 94     | 0.75 | 2.53         | 0.20         |
| L-EH84-97  | 317   | 97     | 0.75 | 2.53         | 0.20         |
| L-EH84-100 | 322   | 100    | 0.75 | 2.7          | 0.20         |
| L-EH84-103 | 328   | 103    | 0.75 | 2.7          | 0.20         |
| L-EH84-106 | 334   | 106    | 0.75 | 2.86         | 0.20         |
| L-EH84-109 | 342   | 109    | 0.75 | 2.86         | 0.20         |
| L-EH84-112 | 346   | 112    | 0.75 | 3.03         | 0.20         |
| L-EH84-115 | 353   | 115    | 0.75 | 3.03         | 0.20         |
| L-EH84-118 | 359   | 118    | 0.75 | 3.19         | 0.20         |
| L-EH84-121 | 365   | 121    | 0.75 | 3.36         | 0.20         |
| L-EH84-124 | 369   | 124    | 0.75 | 3.36         | 0.20         |
| L-EH84-127 | 378   | 127    | 0.75 | 3.52         | 0.20         |
| L-EH84-130 | 386   | 130    | 0.75 | 3.52         | 0.20         |
| L-EH84-133 | 389   | 133    | 0.75 | 3.39         | 0.20         |
| L-EH84-136 | 394   | 136    | 0.75 | 3.69         | 0.20         |
| L-EH84-139 | 401   | 139    | 0.75 | 3.85         | 0.20         |
| L-EH84-142 | 405   | 142    | 0.75 | 3.85         | 0.20         |
| L-EH84-145 | 415   | 145    | 0.75 | 3.85         | 0.20         |
| L-EH84-148 | 552   | 148    | 0.75 | 3.85         | 0.20         |
| L-EH84-151 | 559   | 151    | 0.75 | 4.18         | 0.20         |
| L-EH84-154 | 565   | 154    | 0.75 | 4.26         | 0.20         |
| L-EH84-157 | 572   | 157    | 0.75 | 4.35         | 0.20         |
| L-EH84-160 | 577   | 160    | 0.75 | 4.43         | 0.20         |
| L-EH84-163 | 582   | 163    | 0.75 | 4.51         | 0.20         |
| L-EH84-166 | 588   | 166    | 0.75 | 4.59         | 0.20         |
| L-EH84-169 | 596   | 169    | 0.75 | 4.68         | 0.20         |
| L-EH84-172 | 601   | 172    | 0.75 | 4.76         | 0.20         |
| L-EH84-175 | 607   | 175    | 0.75 | 4.84         | 0.20         |
| L-EH84-178 | 611   | 178    | 0.75 | 4.92         | 0.20         |
| L-EH84-181 | 619   | 181    | 0.75 | 5.01         | 0.20         |



What’s Included:

One (1) male to female extension harness

How to Specify:

Available in grey only

Single sided, double sided


Options:

Length: 44”,122”

Notes:

Male to female extension harness is used to extend length of the starter harness

| Code       | Price | Length | D    | Weight (lb.) |
|------------|-------|--------|------|--------------|
| L-E8FM-044 | 213   | 44     | 0.75 | 0.3          |
| L-E8FM-122 | 369   | 122    | 0.75 | 0.6          |



What’s Included:

Panels 24”, 30”, 36” wide: One (1) New York junction box

Panels 42” or wider: One (1) New York junction box with single or double power module

How to Specify:

Panels 24”, 30”, 36” wide: Specify junction box without power module. Power module and starter harness must be specified speratley

Panels 42” or wider: Specify single or double power module with junction box

Options:


Junction Box width: 9”

Junction Box with power module width: 18”


Notes:

Male to female extension harness is used to extend length of the starter harness

| Code         | Price | Length | D | Weight (lb.) |
|--------------|-------|--------|---|--------------|
| L-NY84-004-D | 744   |        |   |              |
| L-NY84-004-S | 607   |        |   |              |
| L-NYEJ-84    | 211   |        |   |              |



Single sided



Double sided

What’s Included:

Single Sided: One (1) electrical box with two (2) ac outlets and one (1) panel raceway

Double Sided: Two (2) single sided electrical boxes each with two (2) ac outlets and two (2) panel raceways

How to Specify:

Select corresponding size to match the panel width


Options:

Width: 30”, 36”, 42”, 48”, 54”, 60”, 72”

Notes:

Junction box is located on the left hand side of the panel

| Code         | Price | Length | D | Weight (lb.) |
|--------------|-------|--------|---|--------------|
| Single Sided |       |        |   |              |
| L-JB0X-30-S  | 350   |        |   |              |
| L-JB0X-36-S  | 350   |        |   |              |
| L-JB0X-42-S  | 350   |        |   |              |
| L-JB0X-48-S  | 350   |        |   |              |
| L-JB0X-54-S  | 350   |        |   |              |
| L-JB0X-60-S  | 350   |        |   |              |
| Double Sided |       |        |   |              |
| L-JB0X-30-D  | 697   |        |   |              |
| L-JB0X-36-D  | 697   |        |   |              |
| L-JB0X-42-D  | 697   |        |   |              |
| L-JB0X-48-D  | 697   |        |   |              |
| L-JB0X-54-D  | 697   |        |   |              |
| L-JB0X-60-D  | 697   |        |   |              |



for 3 way connection(3W)



for 4 way connection(4W)



For 90 Degree Connection (N)

What’s Included:

One (1) power pole, chosen mounting hardware

How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

90 degree, 3-way T and 4-way X must be used with same height conneting panels

Use gallery panel mount type at the end of a run


Notes:

Options:


Connector type height: 96”, 120”

Gallery panel height: 144”

| Code           | Price | H   | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------|-------|-----|---|---|--------------|---------------------------|
| standard panel |       |     |   |   |              |                           |
| L-EP-P-120-3W  | 492   | 120 | 2 | 2 | 2            | 0.28                      |
| L-EP-P-120-4W  | 492   | 120 | 2 | 2 | 2            | 0.28                      |
| L-EP-P-120-N   | 492   | 120 | 2 | 2 | 2            | 0.28                      |
| L-EP-P-96-3W   | 442   | 96  | 2 | 2 | 1.5          | 0.22                      |
| L-EP-P-96-4W   | 442   | 96  | 2 | 2 | 1.5          | 0.22                      |
| L-EP-P-96-N    | 442   | 96  | 2 | 2 | 2            | 0.22                      |
| gallery panel  |       |     |   |   |              |                           |
| L-EP-Y-144     | 608   | 144 | 2 | 2 | 2            | 0.33                      |



type 1  
RJ11/45



type 6  
RJ45/45

What’s Included:

One (1) data plate with three (3) openings and chosen combination of RJ11/RJ45

How to Specify:

Specify RJ11 for phone connection

Specify RJ45 for data connection

Notes:


Data is placed on the right hand side of the cutout in the panel raceway

Options:

Panel cutout width: 2 3/4”

Panel cutout height: 1 3/8”

| Code   | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|--------|-------|---|---|---|--------------|--------------|
| type 1 |       |   |   |   |              |              |
| L-ECK1 | 160   | 2 | 4 | 1 | 0.24         | 0.00         |
| type 6 |       |   |   |   |              |              |
| L-ECK6 | 160   | 2 | 4 | 1 | 0.24         | 0.00         |



Non-Power Capable to Power Capable Panel  
Conversion Kit

What’s Included:

One (1) power module mounting bracket

How to Specify:

Specify RJ11 for phone connection

Specify RJ45 for data connection

Notes:

Used to convert a non-power capable panel to a power capable panel

To be placed in the of the non-power capable panel raceway to convert to a power capable

Power module to be specified seperately

Options:

| Code    | Price | Weight (lb.) | Volume (ft³) |
|---------|-------|--------------|--------------|
| RI-0300 | 25    |              |              |




Switch USA Pricebook  
December 2025

# Storage


## Storage

|                                   |     |
|-----------------------------------|-----|
| Pedestals                         | 190 |
| Underdesk Pedestal                | 190 |
| Mobile                            | 191 |
| Upholstered Seat Pad              | 192 |
| Lateral File                      | 193 |
| Underdesk                         | 193 |
| Freestanding                      | 194 |
| Credenza                          | 195 |
| Open Lateral                      | 195 |
| Storage Tower                     | 196 |
| Wardrobe Tower                    | 197 |
| Combo Tower                       | 198 |
| w/ Front Access                   | 198 |
| w/ Side Access                    | 200 |
| Panel Mounted Overheads - Cabinet | 202 |
| Flipper                           | 202 |
| Hinged Door                       | 203 |
| Shared                            | 204 |
| Cubby                             | 206 |
| Metal Shelf                       | 207 |





box/box/file



file/file

What’s Included:

One (1) box/box/file or  
one (1) file/file underdesk pedestal

How to Specify:

Pedestal type: box/box/file, file/file

Notes:

Pedestal brackets must be  
ordered seperately  
  
Locks can be keyed alike or  
random


Options:

Height: 28”


Width: 16”

Depth: 23”, 29”

| Code          | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|----|--------------|--------------|
| box/box/file  |       |    |    |    |              |              |
| L-FPBU-281623 | 930   | 28 | 16 | 23 | 64.4         | 5.96         |
| L-FPBU-281629 | 961   | 28 | 16 | 29 | 81.2         | 7.52         |
| file/file     |       |    |    |    |              |              |
| L-FPFU-281623 | 861   | 28 | 16 | 23 | 64.4         | 5.96         |
| L-FPFU-281629 | 897   | 28 | 16 | 29 | 81.2         | 7.52         |



box/ file/no cushion



box/file w/ cushion

What’s Included:

One (1) box/file mobile pedestal or one (1) box/file mobile  
pedestal with cushion, five (5) lockable casters

How to Specify:

With or without cushion  
  
Refer to seating fabric card for cushion fabric selection  
  
Choose handle type and finish  
  
Choose depth  
  
Choose silver or white for caster finish

Notes:

Locks can be keyed alike or  
random


Options:

Height: 21” without cushion, 22” with cushion

Width: 16”

Depth: 18”

| Code                | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|---------------------|-------|----|----|----|--------------|--------------|
| box/file/no cushion |       |    |    |    |              |              |
| L-FPL0-211618       | 948   | 21 | 16 | 18 | 43.2         | 3.50         |
| box/file w/ cushion |       |    |    |    |              |              |
| L-FPLS-221618       | 1091  | 22 | 16 | 18 | 45.26        | 3.67         |



What’s Included:

One (1) upholstered seat pad

How to Specify:


Refer to seating fabric card for fabric selection

Notes:

Options:

|         |                              |
|---------|------------------------------|
| Height: | 1”                           |
| Width:  | 24”, 30”, 36”, 48”, 60”, 72” |
| Depth:  | 18”                          |

| Code       | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|----|---|--------------|--------------|
| L-PAD-1824 | 317   | 24 | 24 | 2 | 2.4          | 0.67         |
| L-PAD-1830 | 359   | 24 | 30 | 2 | 3            | 0.83         |
| L-PAD-1836 | 402   | 24 | 36 | 2 | 3.6          | 1.00         |
| L-PAD-1848 | 495   | 24 | 48 | 2 | 4.8          | 1.33         |
| L-PAD-1860 | 583   | 24 | 60 | 2 | 6            | 1.67         |
| L-PAD-1872 | 676   | 24 | 72 | 2 | 7.2          | 2.00         |



What’s Included:

One (1) two drawer underdesk lateral filing cabinet, each drawer is equipped with (2) bars for front to back filing

How to Specify:

Refer to laminate card for laminate selection  
Choose handle type and finish  
Choose depth


Notes:

Lateral brackets must be ordered seperately  
Locks can be keyed alike or random


Options:

|                 |
|-----------------|
| Height: 28”     |
| Width: 30”, 36” |
| Depth: 23”, 29” |


| Code               | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|--------------------|-------|----|----|----|--------------|--------------|
| underdesk 2 Drawer |       |    |    |    |              |              |
| L-FL2U-283023      | 1183  | 28 | 30 | 23 | 107.33       | 11.18        |
| L-FL2U-283029      | 1218  | 28 | 30 | 29 | 135.33       | 14.10        |
| L-FL2U-283623      | 1277  | 28 | 36 | 23 | 128.8        | 13.42        |
| L-FL2U-283629      | 1313  | 28 | 36 | 29 | 162.4        | 16.92        |



2 Drawer



3 drawer



4 drawer

What’s Included:

One (1) two drawer, three drawer or four drawer freestanding lateral filing cabinet with finished top, each drawer is equipped with (2) bars for front to back filing

How to Specify:

- Refer to laminate card for laminate selection
- Choose two drawer, three drawer or four drawers
- Choose handle type and finish
- Choose silver or white for caster finish

Notes:

Locks can be keyed alike or random


Options:

Height: 29” for 2 drawer, 42” for 3 drawer, 54” for 4 drawer

Width: 30”, 36”

Depth: 24”

| Code          | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|---------------|-------|----|----|----|--------------|--------------|
| 2 Drawer      |       |    |    |    |              |              |
| L-FL2F-293024 | 1459  | 29 | 30 | 24 | 116          | 12.08        |
| L-FL2F-293624 | 1584  | 29 | 36 | 24 | 139.2        | 14.50        |
| 3 drawer      |       |    |    |    |              |              |
| L-FL3F-423024 | 1879  | 42 | 30 | 24 | 168          | 17.50        |
| L-FL3F-423624 | 2029  | 42 | 36 | 24 | 201.6        | 21.00        |
| 4 drawer      |       |    |    |    |              |              |
| L-FL4F-543024 | 2277  | 54 | 30 | 24 | 216          | 22.50        |
| L-FL4F-543624 | 2459  | 54 | 36 | 24 | 259.2        | 27.00        |



(left hand shown)

What’s Included:

One (1) open lateral credenza, one (1) adjustable shelf for open cabinet

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish


Notes:

- Locks can be keyed alike or random
- Right handed has lateral on right side
- Left handed has lateral on left side
- Can be used as a surface support credenza, with credenza fixed support specified seperately

Options:

|         |               |
|---------|---------------|
| Height: | 22”           |
| Width:  | 48”, 60”, 72” |
| Depth:  | 18”           |

| Code            | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|----|--------------|--------------|
| Left hand       |       |    |    |    |              |              |
| L-CRCL-224818-L | 1167  | 22 | 48 | 18 | 115.2        | 11.00        |
| L-CRCL-226018-L | 1288  | 22 | 60 | 18 | 144          | 13.75        |
| L-CRCL-227218-L | 1408  | 22 | 72 | 18 | 172.8        | 16.50        |
| Right hand      |       |    |    |    |              |              |
| L-CRCL-224818-R | 1167  | 22 | 48 | 18 | 115.2        | 11.00        |
| L-CRCL-226018-R | 1288  | 22 | 60 | 18 | 144          | 13.75        |
| L-CRCL-227218-R | 1408  | 22 | 72 | 18 | 172.8        | 16.50        |



left hand shown

What’s Included:

One (1) storage tower with one (1) adjustable shelf and (1) fixed shelf for 42” high or two (2) adjustable shelves and (1) fixed shelf for 50” high

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish


Notes:

- Locks can be keyed alike or random
- Right handed has hinge on right side
- Left handed has hinge on left side

Options:

|         |          |
|---------|----------|
| Height: | 42”, 50” |
| Width:  | 18”      |
| Depth:  | 24”, 30” |

| Code            | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|----|--------------|--------------|
| Left hand       |       |    |    |    |              |              |
| L-FTSS-421824-L | 1461  | 42 | 18 | 24 | 86.4         | 10.50        |
| L-FTSS-421830-L | 1488  | 42 | 18 | 30 | 108          | 13.13        |
| L-FTSS-501824-L | 1488  | 50 | 18 | 24 | 102.86       | 12.50        |
| L-FTSS-501830-L | 1506  | 50 | 18 | 30 | 128.57       | 15.63        |
| Right hand      |       |    |    |    |              |              |
| L-FTSS-421824-R | 1461  | 42 | 18 | 24 | 86.4         | 10.50        |
| L-FTSS-421830-R | 1488  | 42 | 18 | 30 | 108          | 13.13        |
| L-FTSS-501824-R | 1488  | 50 | 18 | 24 | 102.86       | 12.50        |
| L-FTSS-501830-R | 1506  | 50 | 18 | 30 | 128.57       | 15.63        |



left hand shown

What’s Included:

One (1) wardrobe tower, one (1) coat bar

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish


Notes:

- Locks can be keyed alike or random
- Right handed has hinge on right side
- Left handed has hinge on left side


Options:

|         |          |
|---------|----------|
| Height: | 42”, 50” |
| Width:  | 18”      |
| Depth:  | 24”, 30” |

| Code            | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|----|--------------|--------------|
| Left hand       |       |    |    |    |              |              |
| L-FTCS-421824-L | 1153  | 42 | 18 | 24 | 86.4         | 10.50        |
| L-FTCS-421830-L | 1228  | 42 | 18 | 30 | 108          | 13.13        |
| L-FTCS-501824-L | 1273  | 50 | 18 | 24 | 102.86       | 12.50        |
| L-FTCS-501830-L | 1356  | 50 | 18 | 30 | 128.57       | 15.63        |
| Right hand      |       |    |    |    |              |              |
| L-FTCS-421824-R | 1153  | 42 | 18 | 24 | 86.4         | 10.50        |
| L-FTCS-421830-R | 1228  | 42 | 18 | 30 | 108          | 13.13        |
| L-FTCS-501824-R | 1273  | 50 | 18 | 24 | 102.86       | 12.50        |
| L-FTCS-501830-R | 1356  | 50 | 18 | 30 | 128.57       | 15.63        |



(left hand shown)



(left hand shown)

What’s Included:

- ❑ One (1) combo tower with front access,
- ❑ one (1) coat bar,
- ❑ one (1) box/box/file or one(1) file/file drawers,
- ❑ one(1) cubby for 42” high or two (2) cubbies for 50” high

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish
- Choose box/box/file, file/file drawers


Notes:

- Locks can be keyed alike or random
- Right handed has door on right side
- Left handed has door on left side

Options:

|         |          |
|---------|----------|
| Height: | 42”, 50” |
| Width:  | 24”      |
| Depth:  | 24”, 30” |

| Code                               | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|------------------------------------|-------|----|----|----|--------------|--------------|
| box/box/file pedestal -left hand   |       |    |    |    |              |              |
| L-CWTB-422424-L                    | 2448  | 42 | 24 | 24 | 127          | 14.00        |
| L-CWTB-422430-L                    | 2482  | 42 | 24 | 30 | 159          | 18.00        |
| L-CWTB-502424-L                    | 2482  | 50 | 24 | 24 | 152          | 17.00        |
| L-CWTB-502430-L                    | 2512  | 50 | 24 | 30 | 189          | 21.00        |
| box/box/file pedestal - right hand |       |    |    |    |              |              |
| L-CWTB-422424-R                    | 2448  | 42 | 24 | 24 | 127          | 14.00        |
| L-CWTB-422430-R                    | 2482  | 42 | 24 | 30 | 159          | 18.00        |
| L-CWTB-502424-R                    | 2482  | 50 | 24 | 24 | 152          | 17.00        |
| L-CWTB-502430-R                    | 2512  | 50 | 24 | 30 | 189          | 21.00        |
| file/file pedestal - left hand     |       |    |    |    |              |              |
| L-CWTF-422424-L                    | 2426  | 42 | 24 | 24 | 127          | 14.00        |
| L-CWTF-422430-L                    | 2426  | 42 | 24 | 30 | 159          | 18.00        |
| L-CWTF-502424-L                    | 2426  | 50 | 24 | 24 | 152          | 17.00        |
| L-CWTF-422430-L                    | 2426  | 42 | 24 | 30 | 159          | 18.00        |
| file/file pedestal - right hand    |       |    |    |    |              |              |
| L-CWTF-422424-R                    | 2426  | 42 | 24 | 24 | 127          | 14.00        |
| L-CWTF-422430-R                    | 2426  | 42 | 24 | 30 | 159          | 18.00        |
| L-CWTF-502424-R                    | 2426  | 50 | 24 | 24 | 152          | 17.00        |
| L-CWTF-502430-R                    | 2426  | 50 | 24 | 30 | 189          | 21.00        |



left hand shown

What’s Included:

- ❑ One (1) combo tower with side access,
- ❑ one (1) coat bar,
- ❑ one (1) adjustable shelf and
- ❑ one (1) fixed shelf for 42" high or two (2) adjustable shelves and (1) fixed shelf for 50" high

How to Specify:

Choose right hand or left hand

Refer to laminate card for laminate selection

Choose handle type and finish

Choose box/box/file, file/file drawers

Notes:

Locks can be keyed alike or random

Right handed has door on right side


Left handed has door on left side

Options:

|         |                  |
|---------|------------------|
| Height: | 42", 50"         |
| Width:  | 24"              |
| Depth:  | 18.75", 24", 30" |

| Code            | Price | H  | W  | D     | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|-------|--------------|--------------|
| Left Hand       |       |    |    |       |              |              |
| L-FTCO-422418-L | 1190  | 41 | 24 | 18.75 | 85           | 11.00        |
| L-FTCO-422424-L | 1323  | 41 | 24 | 24    | 101          | 14.00        |
| L-FTCO-422430-L | 1484  | 41 | 24 | 30    | 121          | 17.00        |
| L-FTCO-502418-L | 1372  | 49 | 24 | 18.75 | 97           | 13.00        |
| L-FTCO-502424-L | 1524  | 49 | 24 | 24    | 115          | 16.00        |
| L-FTCO-502430-L | 1710  | 49 | 24 | 30    | 138          | 21.00        |
| Right hand      |       |    |    |       |              |              |
| L-FTCO-422418-R | 1190  | 41 | 24 | 18.75 | 85           | 11.00        |
| L-FTCO-422424-R | 1323  | 41 | 24 | 24    | 101          | 14.00        |
| L-FTCO-422430-R | 1484  | 41 | 24 | 30    | 121          | 17.00        |
| L-FTCO-502418-R | 1372  | 49 | 24 | 18.75 | 97           | 13.00        |
| L-FTCO-502424-R | 1524  | 49 | 24 | 24    | 115          | 16.00        |





What’s Included:

One (1) flipper cabinet

How to Specify:

- Choose metal or laminate face
- Choose white, black, silver, charcoal for metal face and body
- Refer to laminate card for laminate face options

Notes:



- Locks can be keyed alike or random
- Flipper cabinet slides are easy-down pneumatic

Options:

|          |                              |
|----------|------------------------------|
| Height*: | 16"                          |
| Width:   | 30", 36", 42", 48", 54", 60" |
| Depth**: | 15"                          |

\* Internal cabinet height is 13"  
\*\* Internal cabinet depth is 13"

| Code                             | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|----------------------------------|-------|----|----|----|--------------|--------------|
| laminate face w/pneumatic slides |       |    |    |    |              |              |
| L-SPFL-1530-P                    | 626   | 16 | 30 | 15 | 32.727273    | 4.17         |
| L-SPFL-1536-P                    | 630   | 16 | 36 | 15 | 39.272727    | 5.00         |
| L-SPFL-1542-P                    | 653   | 16 | 42 | 15 | 45.818182    | 5.83         |
| L-SPFL-1548-P                    | 659   | 16 | 48 | 15 | 52.363636    | 6.67         |
| L-SPFL-1554-P                    | 684   | 16 | 54 | 15 | 58.909091    | 7.50         |
| L-SPFL-1560-P                    | 691   | 16 | 60 | 15 | 65.46        | 8.33         |
| metal face w/pneumatic slides    |       |    |    |    |              |              |
| L-SPFM-1530-P                    | 637   | 16 | 30 | 15 | 32.727273    | 4.17         |
| L-SPFM-1536-P                    | 655   | 16 | 36 | 15 | 39.272727    | 5.00         |
| L-SPFM-1542-P                    | 676   | 16 | 42 | 15 | 45.818182    | 5.83         |
| L-SPFM-1548-P                    | 698   | 16 | 48 | 15 | 52.363636    | 6.67         |
| L-SPFM-1554-P                    | 714   | 16 | 54 | 15 | 58.909091    | 7.50         |
| L-SPFM-1560-P                    | 737   | 16 | 60 | 15 | 65.46        | 8.33         |



What’s Included:

One (1) hinged cabinet, one (1) 12" wide hinged door

How to Specify:

- Choose white, black, silver, charcoal for metal body
- Refer to laminate card for laminate face options
- Door on right or left side

Notes:


- Locks can be keyed alike or random
- OL refers to open on left side
- LO refers to open on right side

Options:

|          |                         |
|----------|-------------------------|
| Height*: | 16"                     |
| Width:   | 36", 42", 48", 54", 60" |
| Depth**: | 12"                     |

\* Internal cabinet height is 13"  
\*\* Internal cabinet depth is 12"

| Code        | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|-------------|-------|----|----|----|--------------|--------------|
| closed/open |       |    |    |    |              |              |
| L-SPLO-1536 | 900   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-SPLO-1542 | 961   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-SPLO-1548 | 983   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-SPLO-1554 | 1053  | 16 | 54 | 15 | 64.8         | 7.50         |
| L-SPLO-1560 | 1069  | 16 | 60 | 15 | 72           | 8.33         |
| open/closed |       |    |    |    |              |              |
| L-SPOL-1536 | 900   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-SPOL-1542 | 961   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-SPOL-1548 | 983   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-SPOL-1554 | 1053  | 16 | 54 | 15 | 64.8         | 7.50         |
| L-SPOL-1560 | 1069  | 16 | 60 | 15 | 72           | 8.33         |



What’s Included:

One (1) shared cabinet, (1) tackboard if tackboard option is selected, four (4) panel mount cantilevers for up to 60”W or six (6) panel mount cantilevers for 66”, 72”W

How to Specify:

- Choose white, black, silver, charcoal for cantilever
- Refer to laminate card for laminate face options
- Refer to panel fabric card for tackboard fabric options

Notes:

- OM refers to open on left side
- MO refers to open on right side
- OT refers to open on left side with tackboard on right side
- TO refers to open on right side with tackboard on left side


Options:

|          |                                  |
|----------|----------------------------------|
| Height*: | 16"                              |
| Width:   | 36", 42", 48", 54", 60", 66", 72 |
| Depth**: | 15"                              |

\* Internal cabinet height is 13"      \*\* Internal cabinet depth is 13.5"

| Code                       | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|----------------------------|-------|----|----|----|--------------|--------------|
| left open/right tackboard  |       |    |    |    |              |              |
| L-STOT-161536              | 772   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-STOT-161542              | 821   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-STOT-161548              | 868   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-STOT-161554              | 916   | 16 | 54 | 15 | 64.8         | 7.50         |
| L-STOT-161560              | 963   | 16 | 60 | 15 | 72           | 8.33         |
| L-STOT-161566              | 1014  | 16 | 66 | 15 | 79.2         | 9.17         |
| L-STOT-161572              | 1064  | 16 | 72 | 15 | 86.4         | 10.00        |
| right open/ left tackboard |       |    |    |    |              |              |
| L-STTO-161536              | 772   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-STTO-161542              | 821   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-STTO-161548              | 868   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-STTO-161554              | 916   | 16 | 54 | 15 | 64.8         | 7.50         |
| L-STTO-161560              | 963   | 16 | 60 | 15 | 72           | 8.33         |
| L-STTO-161566              | 1014  | 16 | 66 | 15 | 79.2         | 9.17         |
| L-STTO-161572              | 1064  | 16 | 72 | 15 | 86.4         | 10.00        |

| Code                     | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|--------------------------|-------|----|----|----|--------------|--------------|
| right open/left melamine |       |    |    |    |              |              |
| L-STMO-161536            | 581   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-STMO-161542            | 626   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-STMO-161548            | 666   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-STMO-161554            | 713   | 16 | 54 | 15 | 64.8         | 7.50         |
| L-STMO-161560            | 757   | 16 | 60 | 15 | 72           | 8.33         |
| L-STMO-161566            | 802   | 16 | 66 | 15 | 79.2         | 9.17         |
| L-STMO-161572            | 849   | 16 | 72 | 15 | 86.4         | 10.00        |
| left open/right melamine |       |    |    |    |              |              |
| L-STOM-161536            | 581   | 16 | 36 | 15 | 43.2         | 5.00         |
| L-STOM-161542            | 626   | 16 | 42 | 15 | 50.4         | 5.83         |
| L-STOM-161548            | 666   | 16 | 48 | 15 | 57.6         | 6.67         |
| L-STOM-161554            | 713   | 16 | 54 | 15 | 64.8         | 7.50         |
| L-STOM-161560            | 757   | 16 | 60 | 15 | 72           | 8.33         |
| L-STOM-161566            | 802   | 16 | 66 | 15 | 79.2         | 9.17         |
| L-STOM-161572            | 849   | 16 | 72 | 15 | 86.4         | 10.00        |



What’s Included:

One (1) open cubby, two (2) mounting brackets

How to Specify:

Refer to laminate card for laminate face options


Notes:

Options:

|          |                         |
|----------|-------------------------|
| Height*: | 8”                      |
| Width:   | 24”, 30”, 36”, 42”, 48” |
| Depth**: | 11”                     |

\* Internal cabinet height is 6.5”  
\*\* Internal cabinet depth is 11”

| Code         | Price | H | W  | D  | Weight (lb.) | Volume (ft³) |
|--------------|-------|---|----|----|--------------|--------------|
| L-SCS-081124 | 343   | 8 | 24 | 15 | 24           | 1.67         |
| L-SCS-081130 | 358   | 8 | 30 | 15 | 27           | 2.08         |
| L-SCS-081136 | 374   | 8 | 36 | 15 | 30           | 2.50         |
| L-SCS-081142 | 390   | 8 | 42 | 15 | 33           | 2.92         |
| L-SCS-081148 | 407   | 8 | 48 | 15 | 36           | 3.33         |



What’s Included:

One (1) metal shelf

How to Specify:

Choose white, black, silver, charcoal for metal shelf

Notes:

Options:

|         |                              |
|---------|------------------------------|
| Height: | 6”                           |
| Width:  | 30”, 36”, 42”, 48”, 54”, 60” |
| Depth:  | 12”                          |

| Code        | Price | H | W  | D  | Weight (lb.) | Volume (ft³) |
|-------------|-------|---|----|----|--------------|--------------|
| L-SOOM-1230 | 335   | 2 | 30 | 12 | 14.4         | 0.42         |
| L-SOOM-1236 | 353   | 2 | 36 | 12 | 17.28        | 0.50         |
| L-SOOM-1242 | 367   | 2 | 42 | 12 | 20.16        | 0.58         |
| L-SOOM-1248 | 379   | 2 | 48 | 12 | 23.04        | 0.67         |
| L-SOOM-1254 | 394   | 2 | 54 | 12 | 25.92        | 0.75         |
| L-SOOM-1260 | 409   | 2 | 60 | 12 | 28.8         | 0.83         |




Switch USA Pricebook  
December 2025

**Accessories**

Accessories

|                      |     |
|----------------------|-----|
| Cable manager        | 210 |
| Desktop Power Module | 211 |
| Tasklight            | 212 |
| Monitor Arm          | 213 |
| Keyboard Tray        | 214 |
| Work Organizers      | 215 |
| Accessory Rail       | 216 |
| Pencil Tray          | 217 |



What’s Included:

One (1) cable manager

How to Specify:


Available in black only

Notes:

Dimensions:

|        |                                                       |
|--------|-------------------------------------------------------|
| length | 12", 18", 24", 30", 36", 42", 48", 54", 60", 66", 72" |
|--------|-------------------------------------------------------|

| Code      | Price | H   | W  | D   | Weight (lb.) | Volume (ft³) |
|-----------|-------|-----|----|-----|--------------|--------------|
| L-EWHB-12 | 8     | 1.5 | 12 | 1.5 | 0.15         | 0.02         |
| L-EWHB-18 | 11    | 1.5 | 18 | 1.5 | 0.25         | 0.02         |
| L-EWHB-24 | 15    | 1.5 | 24 | 1.5 | 0.35         | 0.03         |
| L-EWHB-30 | 19    | 1.5 | 30 | 1.5 | 0.45         | 0.04         |
| L-EWHB-36 | 23    | 1.5 | 36 | 1.5 | 0.55         | 0.05         |
| L-EWHB-42 | 27    | 1.5 | 42 | 1.5 | 0.65         | 0.05         |
| L-EWHB-48 | 30    | 1.5 | 48 | 1.5 | 0.75         | 0.06         |
| L-EWHB-54 | 33    | 1.5 | 54 | 1.5 | 0.85         | 0.07         |
| L-EWHB-60 | 38    | 1.5 | 60 | 1.5 | 0.95         | 0.08         |
| L-EWHB-66 | 42    | 1.5 | 66 | 1.5 | 1.05         | 0.09         |
| L-EWHB-72 | 44    | 1.5 | 72 | 1.5 | 1.15         | 0.09         |



What’s Included:

Clamp mount desktop power module equipped with two ac outlets, one USB A and one USB C charging ports, and one (1) three prong cord

How to Specify:

Can be used on freestanding surface or surface with 1" wireplay if connected to a panel

Available in black only

Dimensions:


|              |      |
|--------------|------|
| Cord length: | 120" |
|--------------|------|

|                     |    |
|---------------------|----|
| Power Module Width: | 8" |
|---------------------|----|

Notes:

Clamp requires 1 3/4" x 8 1/8" undersurface clearance

| Code      | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|---|---|---|--------------|--------------|
| V-EMW-2AC | 191   | 6 | 4 | 3 | 1.0          | 0.04         |



What’s Included:

One (1)LED task light

How to Specify:

One size smaller than the width of the overhead

Available in silver only

Notes:

Task light can be mounted to metal or laminate overheads


Task light mounts to metal overheads using supplied magnets

Task lights come with built-in occupancy sensor with 30 minute delay


Dimensions:

Length: 24”, 36”, 48”


| Code     | Price | H | W  | D | Weight (lb.) | Volume (ft³) |
|----------|-------|---|----|---|--------------|--------------|
| V-ELU-24 | 316   | 3 | 24 | 1 | 9.5          | 0.04         |
| V-ELU-36 | 355   | 3 | 36 | 1 | 13.7         | 0.06         |
| V-ELU-48 | 446   | 3 | 48 | 1 | 17.9         | 0.08         |




Single Monitor Arm - clamp mount



Single Monitor Arm - grommet mount



Double Monitor Arm - clamp mount



Double Monitor Arm - grommet mount

What’s Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- Specify type

Notes:

Available in silver only

Single Monitor Arm

- Screen Size - 17”-36”
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees

Dual Monitor Arm


- Screen Size - 17”-32”
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees

Dimensions:

Vesa: 75x75 and 100x100

| Code                       | Price |
|----------------------------|-------|
| Monitor Arm - Single Mount |       |
| V-AFMA-01                  | 391   |
| Monitor Arm - Double Mount |       |
| V-AFMA-02                  | 652   |





Articulating Keyboard  
Tray

What’s Included:

Keyboard Tray, installation hardware.


How to Specify:

The articulating keyboards are available only in black.


Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments


| Code                       | Price | H | W  | D  | Volume (ft³) | Weight (lb) |
|----------------------------|-------|---|----|----|--------------|-------------|
| Articulating Keyboard Tray |       |   |    |    |              |             |
| V-KASX-2510                | 421   | 0 | 25 | 10 | 0            | 15          |




pencil holder



paper tray - legal



paper tray - letter



document sorter

What’s Included:

One (1) paper tray or one (1) paper holder or one (1) paper sorter


How to Specify:

Refer to metal paint card for metal paint colors

Notes:

Dimensions:

| Code                | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|---------------------|-------|----|----|----|--------------|--------------|
| pen holder          |       |    |    |    |              |              |
| L-AAP0              | 120   | 6  | 4  | 2  | 0.32         |              |
| paper tray - legal  |       |    |    |    |              |              |
| L-AAP-13            | 148   | 11 | 13 | 1  | 3.2          |              |
| paper tray - letter |       |    |    |    |              |              |
| L-AAP-9             | 129   | 11 | 9  | 1  | 2.1          |              |
| paper sorter        |       |    |    |    |              |              |
| L-AAS               | 228   | 10 | 10 | 10 | 3.2          |              |



What’s Included:

One (1) panel mount or wall mount accessory rail

How to Specify:


Panel mount, wall mount  
Refer to metal paint card for metal paint colors

Notes:

Dimensions:

Width: 24”, 30”, 36”, 42”, 48”, 54”, 60”

| Code          | Price | H | W  | D    | Weight (lb.) | Volume (ft³) |
|---------------|-------|---|----|------|--------------|--------------|
| Panel Mounted |       |   |    |      |              |              |
| L-AR-24       | 204   | 3 | 24 | 0.75 | 0.77         |              |
| L-AR-30       | 211   | 3 | 30 | 0.75 | 0.86         |              |
| L-AR-36       | 217   | 3 | 36 | 0.75 | 0.95         |              |
| L-AR-42       | 228   | 3 | 42 | 0.75 | 1.04         |              |
| L-AR-48       | 237   | 3 | 48 | 0.75 | 1.13         |              |
| L-AR-54       | 246   | 3 | 54 | 0.75 | 1.22         |              |
| L-AR-60       | 256   | 3 | 60 | 0.75 | 1.31         |              |
| Wall Mounted  |       |   |    |      |              |              |
| L-AR-24-W     | 204   | 3 | 24 | 0.75 | 0.77         |              |
| L-AR-30-W     | 211   | 3 | 30 | 0.75 | 0.86         |              |
| L-AR-36-W     | 217   | 3 | 36 | 0.75 | 0.95         |              |
| L-AR-42-W     | 228   | 3 | 42 | 0.75 | 1.04         |              |
| L-AR-48-W     | 237   | 3 | 48 | 0.75 | 1.13         |              |
| L-AR-54-W     | 246   | 3 | 54 | 0.75 | 1.22         |              |
| L-AR-60-W     | 256   | 3 | 60 | 0.75 | 1.31         |              |



What’s Included:

One (1) pencil tray

How to Specify:

Available in black only

Notes:

Available in black only

Dimensions:

Width: 24”

Depth: 16”

| Code   | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|--------|-------|----|----|---|--------------|--------------|
| V-ADPP | 92    | 14 | 21 | 2 | 1.8          | 0.34         |