



Canada Shield Pricebook

Supply Arrangement
(RFSA)E60PQ-140003/D
March 2024

Contents

| | |
|----------------------------------|----|
| Caution | 4 |
| Scene Shield | 6 |
| U-Shape Shield w/ Clamp | 8 |
| U-Shape Raised Shield w/ Clamp | 10 |
| U-Shape Shield w/ Bracket | 12 |
| Scene Post | 17 |
| U-Shape Raised Shield w/ Bracket | 18 |
| Single Shield w/ Clamp | 20 |
| Single Raised Shield w/ Clamp | 22 |
| Single Shield w/ Bracket | 24 |
| Single Raised Shield w/ Bracket | 26 |
| Shield - End-to-End | 28 |
| Raised Shield - End-to-End | 30 |
| Shield - End-to-Shared | 32 |
| Raised Shield - End-to-Shared | 34 |
| Shield - Shared-to-Shared | 36 |
| Raised Shield - Shared-to-Shared | 38 |
| Post Extended Shield | 40 |
| Extended Shield | 42 |
| Splits Shield | 44 |
| Freestanding Splits Shield | 46 |
| Visitor Shield | 48 |
| Clear Acrylic Shield | 49 |
| Transaction Shield | 50 |

| | |
|-----------------------------------|-----|
| Clear Acrylic Shield | 52 |
| Transaction Counter | 54 |
| Frameless Blade | 56 |
| Panel Mounted Shield | 58 |
| Freestanding Shield | 60 |
| w/ Stationary Wing Base | 62 |
| Panel Shield | 64 |
| Cosmo | |
| Straight | 66 |
| Straight Extended | 68 |
| Inside U-Shape | 70 |
| Inside Corner | 72 |
| Switch | |
| Straight | 80 |
| Straight Extended | 82 |
| Inside U-Shape | 84 |
| Inside Corner | 86 |
| End Cap (Cosmo & Switch) | 93 |
| Gallery Shield | 94 |
| Freestanding w/ Stationary D-Feet | 96 |
| Stationary Skate Feet | 98 |
| Mobile Roller Skate Feet | 100 |
| Indent w/Stationary Skate Feet | 102 |
| Indent w/Mobile Roller Skate Feet | 104 |
| Caddy Shield | 106 |
| Sanitization Cabinet | 108 |

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Canada
Shield Pricebook
January 2024
Scene Shield

Scene Shield

| | |
|---|----|
| <u>U-Shape Shield w/ Clamp</u> | 8 |
| <u>U-Shape Raised Shield w/ Clamp</u> | 10 |
| <u>U-Shape Shield w/ Bracket</u> | 12 |
| <u>Scene Post</u> | 17 |
| <u>U-Shape Raised Shield w/ Bracket</u> | 18 |
| <u>Single Shield w/ Clamp</u> | 20 |
| <u>Single Raised Shield w/ Clamp</u> | 22 |
| <u>Single Shield w/ Bracket</u> | 24 |
| <u>Single Raised Shield w/ Bracket</u> | 26 |
| <u>Shield - End-to-End</u> | 28 |
| <u>Raised Shield - End-to-End</u> | 30 |
| <u>Shield - End-to-Shared</u> | 32 |
| <u>Raised Shield - End-to-Shared</u> | 34 |
| <u>Shield - Shared-to-Shared</u> | 36 |
| <u>Raised Shield - Shared-to-Shared</u> | 38 |
| <u>Post Extended Shield</u> | 40 |
| <u>Extended Shield</u> | 42 |



What's Included:

36"W-60"W:

- 4 Scene posts with 4 clamps
- 1 front shield and 2 side shields to create a u-shape
- 3 sets of horizontal retainers

66"W-72":

- 5 Scene posts with 5 clamps
- 2 front shield and 2 side shields to create a u-shape
- 4 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Notes:

Attached to surface with a clamp and does not require drilling into the surface

Clamp mount is clamped onto the worksurface and requires 1.5" of clearance

Acrylic is 3/16" thick

Options:

Depth: 30" _____

Widths: 48", 54", 60", 66", 72" _____

Heights: 24" _____

Shield finish _____

Metal post & retainer paint finish _____

Clear Acrylic

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SC-U-243048-C | \$1312 | 24 | 30 | 48 |
| W-SC-U-243054-C | \$1336 | 24 | 30 | 54 |
| W-SC-U-243060-C | \$1359 | 24 | 30 | 60 |
| W-SC-U-243066-C | \$1573 | 24 | 30 | 66 |
| W-SC-U-243072-C | \$1595 | 24 | 30 | 72 |

Frosted Acrylic


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SC-U-243048-F | \$1681 | 24 | 30 | 48 |
| W-SC-U-243054-F | \$1726 | 24 | 30 | 54 |
| W-SC-U-243060-F | \$1769 | 24 | 30 | 60 |
| W-SC-U-243066-F | \$1998 | 24 | 30 | 66 |
| W-SC-U-243072-F | \$2041 | 24 | 30 | 72 |

Laminate


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SC-U-243048-L | \$1460 | 24 | 30 | 48 |
| W-SC-U-243054-L | \$1477 | 24 | 30 | 54 |
| W-SC-U-243066-L | \$1759 | 24 | 30 | 66 |
| W-SC-U-243072-L | \$1774 | 24 | 30 | 72 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SC-U-243048-P | \$2133 | 24 | 30 | 48 |
| W-SC-U-243054-P | \$2134 | 24 | 30 | 54 |
| W-SC-U-243060-P | \$2137 | 24 | 30 | 60 |
| W-SC-U-243066-P | \$2519 | 24 | 30 | 66 |
| W-SC-U-243072-P | \$2526 | 24 | 30 | 72 |



1 front shield



2 front shields

What's Included:

36"W-60"W:

- 4 Scene posts with 4 clamps
- 1 front shield and 2 side shields to create a u-shape
- 3 sets of horizontal retainers

66"W-72":

- 5 Scene posts with 5 clamps
- 2 front shield and 2 side shields to create a u-shape
- 4 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Notes:

Attached to surface with a clamp and does not require drilling into the surface

Clamp mount is clamped onto the worksurface and requires 1.5" of clearance

Front of shield is raised 4" off the worksurface

Shield finish available in clear acrylic only


Acrylic is 3/16" thick

Clear Acrylic


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SC-R-243048-C | \$1312 | 24 | 30 | 48 |
| W-SC-R-243054-C | \$1336 | 24 | 30 | 54 |
| W-SC-R-243060-C | \$1359 | 24 | 30 | 60 |
| W-SC-R-243066-C | \$1573 | 24 | 30 | 66 |
| W-SC-R-243072-C | \$1595 | 24 | 30 | 72 |

Standard Options:

- Depth: 30"
- Widths: 48", 54", 60, 66, 72
- Heights: 24"
- Metal post & retainer paint finish



1 front shield



2 front shields

What's Included:

34"W-60"W:

- 4 Scene posts with 4 flat brackets
- 1 front shield and 2 side shields to create a u-shape
- 3 sets of horizontal retainers

64"W-72":

- 5 Scene posts with 5 flat brackets
- 2 front shield and 2 side shields to create a u-shape
- 4 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Integrated Options:

Depth: 23", 29"

Widths: 34", 40", 46", 52", 58", 64", 70"

Heights: 24"

Shield finish

Metal post & retainer paint finish

Notes:

Attached to surface with a bracket and requires drilling into the surface

23"D and 29" D are for integrated Height Adjustable Tables. A 1" pinch point on two sides and the front have been taken into account.

Acrylic is 3/16" thick

Standard Options:

Depth: 24", 30"

Widths at 24"D: 36", 42", 48", 54", 60", 66", 72"

Widths at 30"D: 48", 54", 60"

Heights: 24"

Shield finish

Metal post & retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SB-U-242334-C | \$1204 | 24 | 23 | 34 |
| W-SB-U-242340-C | \$1227 | 24 | 23 | 40 |
| W-SB-U-242346-C | \$1252 | 24 | 23 | 46 |
| W-SB-U-242352-C | \$1272 | 24 | 23 | 52 |
| W-SB-U-242358-C | \$1296 | 24 | 23 | 58 |
| W-SB-U-242364-C | \$1482 | 24 | 23 | 64 |
| W-SB-U-242370-C | \$1496 | 24 | 23 | 70 |
| W-SB-U-242436-C | \$1220 | 24 | 24 | 36 |
| W-SB-U-242442-C | \$1243 | 24 | 24 | 42 |
| W-SB-U-242448-C | \$1267 | 24 | 24 | 48 |
| W-SB-U-242454-C | \$1291 | 24 | 24 | 54 |
| W-SB-U-242460-C | \$1312 | 24 | 24 | 60 |
| W-SB-U-242466-C | \$1520 | 24 | 24 | 66 |
| W-SB-U-242472-C | \$1542 | 24 | 24 | 72 |
| W-SB-U-242934-C | \$1252 | 24 | 29 | 34 |
| W-SB-U-242940-C | \$1272 | 24 | 29 | 40 |
| W-SB-U-242946-C | \$1296 | 24 | 29 | 46 |
| W-SB-U-242952-C | \$1319 | 24 | 29 | 52 |
| W-SB-U-242958-C | \$1343 | 24 | 29 | 58 |
| W-SB-U-242964-C | \$1555 | 24 | 29 | 64 |
| W-SB-U-242970-C | \$1578 | 24 | 29 | 70 |
| W-SB-U-243036-C | \$1267 | 24 | 30 | 36 |
| W-SB-U-243042-C | \$1291 | 24 | 30 | 42 |
| W-SB-U-243048-C | \$1312 | 24 | 30 | 48 |
| W-SB-U-243054-C | \$1336 | 24 | 30 | 54 |
| W-SB-U-243060-C | \$1359 | 24 | 30 | 60 |
| W-SB-U-243066-C | \$1573 | 24 | 30 | 66 |
| W-SB-U-243072-C | \$1595 | 24 | 30 | 72 |

Frosted Acrylic


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SB-U-242340-F | \$1523 | 24 | 23 | 40 |
| W-SB-U-242346-F | \$1566 | 24 | 23 | 46 |
| W-SB-U-242352-F | \$1611 | 24 | 23 | 52 |
| W-SB-U-242358-F | \$1653 | 24 | 23 | 58 |
| W-SB-U-242364-F | \$1889 | 24 | 23 | 64 |
| W-SB-U-242370-F | \$1932 | 24 | 23 | 70 |
| W-SB-U-242436-F | \$1507 | 24 | 24 | 36 |
| W-SB-U-242442-F | \$1552 | 24 | 24 | 42 |
| W-SB-U-242448-F | \$1593 | 24 | 24 | 48 |
| W-SB-U-242454-F | \$1639 | 24 | 24 | 54 |
| W-SB-U-242460-F | \$1681 | 24 | 24 | 60 |
| W-SB-U-242466-F | \$1901 | 24 | 24 | 66 |
| W-SB-U-242472-F | \$1948 | 24 | 24 | 72 |
| W-SB-U-242934-F | \$1566 | 24 | 29 | 34 |
| W-SB-U-242940-F | \$1611 | 24 | 29 | 40 |
| W-SB-U-242946-F | \$1653 | 24 | 29 | 46 |
| W-SB-U-242952-F | \$1697 | 24 | 29 | 52 |
| W-SB-U-242958-F | \$1739 | 24 | 29 | 58 |
| W-SB-U-242964-F | \$1980 | 24 | 29 | 64 |
| W-SB-U-242970-F | \$2031 | 24 | 29 | 70 |
| W-SB-U-243036-F | \$1593 | 24 | 30 | 36 |
| W-SB-U-243042-F | \$1639 | 24 | 30 | 42 |
| W-SB-U-243048-F | \$1681 | 24 | 30 | 48 |
| W-SB-U-243054-F | \$1726 | 24 | 30 | 54 |
| W-SB-U-243060-F | \$1769 | 24 | 30 | 60 |
| W-SB-U-243066-F | \$1998 | 24 | 30 | 66 |
| W-SB-U-243072-F | \$2041 | 24 | 30 | 72 |

Laminate

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SB-U-242334-L | \$1379 | 24 | 23 | 34 |
| W-SB-U-242340-L | \$1398 | 24 | 23 | 40 |
| W-SB-U-242346-L | \$1414 | 24 | 23 | 46 |
| W-SB-U-242352-L | \$1431 | 24 | 23 | 52 |
| W-SB-U-242358-L | \$1447 | 24 | 23 | 58 |
| W-SB-U-242364-L | \$1716 | 24 | 23 | 64 |
| W-SB-U-242370-L | \$1728 | 24 | 23 | 70 |
| W-SB-U-242436-L | \$1388 | 24 | 24 | 36 |
| W-SB-U-242442-L | \$1409 | 24 | 24 | 42 |
| W-SB-U-242448-L | \$1425 | 24 | 24 | 48 |
| W-SB-U-242454-L | \$1441 | 24 | 24 | 54 |
| W-SB-U-242460-L | \$1460 | 24 | 24 | 60 |
| W-SB-U-242466-L | \$1721 | 24 | 24 | 66 |
| W-SB-U-242472-L | \$1733 | 24 | 24 | 72 |
| W-SB-U-242934-L | \$1414 | 24 | 29 | 34 |
| W-SB-U-242940-L | \$1431 | 24 | 29 | 40 |
| W-SB-U-242946-L | \$1447 | 24 | 29 | 46 |
| W-SB-U-242952-L | \$1466 | 24 | 29 | 52 |
| W-SB-U-242958-L | \$1482 | 24 | 29 | 58 |
| W-SB-U-242964-L | \$1751 | 24 | 29 | 64 |
| W-SB-U-242970-L | \$1774 | 24 | 29 | 70 |
| W-SB-U-243036-L | \$1425 | 24 | 30 | 36 |
| W-SB-U-243042-L | \$1441 | 24 | 30 | 42 |
| W-SB-U-243048-L | \$1460 | 24 | 30 | 48 |
| W-SB-U-243054-L | \$1477 | 24 | 30 | 54 |
| W-SB-U-243060-L | \$1492 | 24 | 30 | 60 |
| W-SB-U-243066-L | \$1759 | 24 | 30 | 66 |
| W-SB-U-243072-L | \$1774 | 24 | 30 | 72 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SB-U-242334-P | \$1931 | 24 | 23 | 34 |
| W-SB-U-242340-P | \$1932 | 24 | 23 | 40 |
| W-SB-U-242346-P | \$1936 | 24 | 23 | 46 |
| W-SB-U-242352-P | \$2128 | 24 | 23 | 52 |
| W-SB-U-242358-P | \$2132 | 24 | 23 | 58 |
| W-SB-U-242364-P | \$2502 | 24 | 23 | 64 |
| W-SB-U-242370-P | \$2519 | 24 | 23 | 70 |
| W-SB-U-243054-C | \$1336 | 24 | 30 | 54 |
| W-SB-U-243060-C | \$1359 | 24 | 30 | 60 |
| W-SB-U-243066-C | \$1573 | 24 | 30 | 66 |
| W-SB-U-243072-C | \$1595 | 24 | 30 | 72 |



What's Included:

- 1 Scene post
- Mounting hardware

How to Specify:

Specify by mounting type


Notes:

- Direct mount is fastened through the underside of the worksurface
- Flat bracket mount is fastened through the top of the worksurface
- Clamp mount is clamped onto the worksurface and requires 1.5" of clearance
- W-PS-24-C clamp mount accommodates 1" - 1 1/4" thick surface
- W-PS-24-CT clamp mount accommodates 1 1/4" - 1 5/8" thick surface

Options:

- Height: 24"
- Mounting hardware
- Metal post paint finish

| Code | Price | Height (in) |
|-------------|-------|-------------|
| W-PS-24 | \$90 | 24 |
| W-PS-24-B | \$127 | 24 |
| W-PS-24-C | \$127 | 24 |
| W-PS-24-B-4 | \$143 | 24 |
| W-PS-24-CT | \$137 | 24 |



What's Included:

34"W-60"W:

- 4 Scene posts with 4 flat brackets
- 1 front shield and 2 side shields to create a u-shape
- 3 sets of horizontal retainers

64"W-72":

- 5 Scene posts with 5 flat brackets
- 2 front shield and 2 side shields to create a u-shape
- 4 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Specify regular or cropped width

Integrated Options

Depth: 24", 30"

Width: 34", 40", 52", 58", 64", 70"

Heights: 24"

Metal post & retainer paint finish

Notes:

Attached to surface with a clamp and does not require drilling into the surface

Shield can be placed along the width or the depth of the worksurface

Cropped width is 2" shorter

Clamp mount is clamped onto the worksurface and requires 1.5" of clearance

Front shield is raised 4" off the worksurface

Available in clear acrylic only

Acrylic is 3/16" thick

Standard Width Options:

Depth: 24", 30"


Widths: 36", 42", 48", 54", 60", 66", 72"

Heights: 24"


Metal post & retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|--------|-------------|------------|------------|
| W-SB-R-242334-C | \$1204 | 24 | 23 | 34 |
| W-SB-R-242340-C | \$1227 | 24 | 23 | 40 |
| W-SB-R-242346-C | \$1252 | 24 | 23 | 46 |
| W-SB-R-242352-C | \$1272 | 24 | 23 | 52 |
| W-SB-R-242358-C | \$1296 | 24 | 23 | 58 |
| W-SB-R-242364-C | \$1482 | 24 | 23 | 64 |
| W-SB-R-242370-C | \$1496 | 24 | 23 | 70 |
| W-SB-R-242934-C | \$1252 | 24 | 29 | 34 |
| W-SB-R-242940-C | \$1272 | 24 | 29 | 40 |
| W-SB-R-242946-C | \$1296 | 24 | 29 | 46 |
| W-SB-R-242952-C | \$1319 | 24 | 29 | 52 |
| W-SB-R-242958-C | \$1343 | 24 | 29 | 58 |
| W-SB-R-242964-C | \$1555 | 24 | 29 | 64 |
| W-SB-R-242970-C | \$1578 | 24 | 29 | 70 |
| W-SB-R-242436-C | \$1220 | 24 | 24 | 36 |
| W-SB-R-242442-C | \$1243 | 24 | 24 | 42 |
| W-SB-R-242448-C | \$1267 | 24 | 24 | 48 |
| W-SB-R-242454-C | \$1291 | 24 | 24 | 54 |
| W-SB-R-242460-C | \$1312 | 24 | 24 | 60 |
| W-SB-R-242466-C | \$1520 | 24 | 24 | 66 |
| W-SB-R-242472-C | \$1542 | 24 | 24 | 72 |
| W-SB-R-243036-C | \$1267 | 24 | 30 | 36 |
| W-SB-R-243042-C | \$1291 | 24 | 30 | 42 |
| W-SB-R-243048-C | \$1312 | 24 | 30 | 48 |
| W-SB-R-243054-C | \$1336 | 24 | 30 | 54 |
| W-SB-R-243060-C | \$1359 | 24 | 30 | 60 |
| W-SB-R-243066-C | \$1573 | 24 | 30 | 66 |
| W-SB-R-243072-C | \$1595 | 24 | 30 | 72 |



1 front shield



2 front shields

What's Included:

24"W-60"W:

- 2 Scene posts with 2 clamps
- 1 front shield
- 1 set of horizontal retainers

66"W-72":

- 3 Scene posts with 3 clamps
- 2 front shields
- 2 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Notes:

Attached to surface with a clamp and does not require drilling into the surface

Shield can be placed along the width or the depth of the worksurface

Clamp mount is clamped onto the worksurface and requires 1.5" of clearance

Acrylic is 3/16" thick

Standard Width Options:

Widths: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Heights: 24"

Shield finish

Metal post & retainer paint finish

Clear Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SC-S-2424-C | \$557 | 24 | 24 |
| W-SC-S-2430-C | \$563 | 24 | 30 |
| W-SC-S-2436-C | \$586 | 24 | 36 |
| W-SC-S-2442-C | \$611 | 24 | 42 |
| W-SC-S-2448-C | \$632 | 24 | 48 |
| W-SC-S-2454-C | \$654 | 24 | 54 |
| W-SC-S-2460-C | \$681 | 24 | 60 |
| W-SC-S-2466-C | \$702 | 24 | 66 |
| W-SC-S-2472-C | \$738 | 24 | 72 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SC-S-2424-F | \$675 | 24 | 24 |
| W-SC-S-2430-F | \$690 | 24 | 30 |
| W-SC-S-2436-F | \$712 | 24 | 36 |
| W-SC-S-2442-F | \$755 | 24 | 42 |
| W-SC-S-2448-F | \$797 | 24 | 48 |
| W-SC-S-2454-F | \$842 | 24 | 54 |
| W-SC-S-2460-F | \$885 | 24 | 60 |
| W-SC-S-2466-F | \$924 | 24 | 66 |
| W-SC-S-2472-F | \$986 | 24 | 72 |

Laminate

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SC-S-2424-L | \$661 | 24 | 24 |
| W-SC-S-2430-L | \$667 | 24 | 30 |
| W-SC-S-2436-L | \$685 | 24 | 36 |
| W-SC-S-2442-L | \$701 | 24 | 42 |
| W-SC-S-2448-L | \$718 | 24 | 48 |
| W-SC-S-2454-L | \$735 | 24 | 54 |
| W-SC-S-2460-L | \$753 | 24 | 60 |
| W-SC-S-2466-L | \$781 | 24 | 66 |
| W-SC-S-2472-L | \$811 | 24 | 72 |



What's Included:

- 24"W-60"W:
- 2 Scene posts with 2 clamps
 - 1 front shield
 - 1 set of horizontal retainers
- 66"W-72":
- 3 Scene posts with 3 clamps
 - 2 front shields
 - 2 sets of horizontal retainers

Notes:

Attached to surface with a clamp and does not require drilling into the surface

Shield can be placed along the width or the depth of the worksurface

Clamp mount is clamped onto the worksurface and requires 1.5" of clearance

Shield is raised 4" above the worksurface

Available in clear acrylic only

Acrylic is 3/16" thick

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Standard Width Options:


Widths: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Heights: 24"


Metal post & retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) | Weight |
|---------------|-------|-------------|------------|--------|
| W-SC-R-2424-C | 557 | 24 | 24 | 9.51 |
| W-SC-R-2430-C | 563 | 24 | 30 | 9.97 |
| W-SC-R-2436-C | 586 | 24 | 36 | 10.7 |
| W-SC-R-2442-C | 611 | 24 | 42 | 11.88 |
| W-SC-R-2448-C | 632 | 24 | 48 | 12.94 |
| W-SC-R-2454-C | 654 | 24 | 54 | 13.97 |
| W-SC-R-2460-C | 681 | 24 | 60 | 14.97 |
| W-SC-R-2466-C | 702 | 24 | 66 | 15.9 |
| W-SC-R-2472-C | 738 | 24 | 72 | 16.5 |



1 front shield



2 front shields

What's Included:

24"W-60"W:

- 2 Scene posts with 2 flat brackets
- 1 front shield
- 1 set of horizontal retainers

64"W-72":

- 3 Scene posts with 3 flat brackets
- 2 front shields
- 2 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to

Specify regular or cropped width

Notes:

Attached to surface with a bracket and requires drilling into the surface

Shield can be placed along the width or the depth of the worksurface

Acrylic is 3/16" thick

Integrated Width Options:

Width: 34", 40", 52", 58", 64", 70"

Heights: 24"

Shield finish

Metal post & retainer paint finish

Standard Width Options:

Widths: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Heights: 24"

Shield finish

Metal post & retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-S-2424-C | \$557 | 24 | 24 |
| W-SB-S-2430-C | \$563 | 24 | 30 |
| W-SB-S-2434-C | \$579 | 24 | 34 |
| W-SB-S-2436-C | \$586 | 24 | 36 |
| W-SB-S-2440-C | \$602 | 24 | 40 |
| W-SB-S-2442-C | \$611 | 24 | 42 |
| W-SB-S-2446-C | \$626 | 24 | 46 |
| W-SB-S-2448-C | \$632 | 24 | 48 |
| W-SB-S-2452-C | \$649 | 24 | 52 |
| W-SB-S-2454-C | \$654 | 24 | 54 |
| W-SB-S-2458-C | \$671 | 24 | 58 |
| W-SB-S-2460-C | \$681 | 24 | 60 |
| W-SB-S-2464-C | \$690 | 24 | 64 |
| W-SB-S-2466-C | \$702 | 24 | 66 |
| W-SB-S-2470-C | \$726 | 24 | 70 |
| W-SB-S-2472-C | \$738 | 24 | 72 |

Laminate



| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-S-2424-L | \$661 | 24 | 24 |
| W-SB-S-2430-L | \$667 | 24 | 30 |
| W-SB-S-2434-L | \$679 | 24 | 34 |
| W-SB-S-2436-L | \$685 | 24 | 36 |
| W-SB-S-2440-L | \$694 | 24 | 40 |
| W-SB-S-2442-L | \$701 | 24 | 42 |
| W-SB-S-2446-L | \$713 | 24 | 46 |
| W-SB-S-2448-L | \$718 | 24 | 48 |
| W-SB-S-2452-L | \$729 | 24 | 52 |
| W-SB-S-2454-L | \$735 | 24 | 54 |
| W-SB-S-2458-L | \$745 | 24 | 58 |
| W-SB-S-2460-L | \$753 | 24 | 60 |
| W-SB-S-2464-L | \$757 | 24 | 64 |
| W-SB-S-2466-L | \$781 | 24 | 66 |
| W-SB-S-2470-L | \$793 | 24 | 70 |
| W-SB-S-2472-L | \$811 | 24 | 72 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-S-2424-F | \$675 | 24 | 24 |
| W-SB-S-2430-F | \$690 | 24 | 30 |
| W-SB-S-2434-F | \$695 | 24 | 34 |
| W-SB-S-2436-F | \$712 | 24 | 36 |
| W-SB-S-2440-F | \$739 | 24 | 40 |
| W-SB-S-2442-F | \$755 | 24 | 42 |
| W-SB-S-2446-F | \$782 | 24 | 46 |
| W-SB-S-2448-F | \$797 | 24 | 48 |
| W-SB-S-2452-F | \$828 | 24 | 52 |
| W-SB-S-2454-F | \$842 | 24 | 54 |
| W-SB-S-2458-F | \$870 | 24 | 58 |
| W-SB-S-2460-F | \$885 | 24 | 60 |
| W-SB-S-2464-F | \$911 | 24 | 64 |
| W-SB-S-2466-F | \$924 | 24 | 66 |
| W-SB-S-2470-F | \$953 | 24 | 70 |
| W-SB-S-2472-F | \$986 | 24 | 72 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-SB-S-2424-P | \$1064 | 24 | 24 |
| W-SB-S-2430-P | \$1111 | 24 | 30 |
| W-SB-S-2434-P | \$1200 | 24 | 34 |
| W-SB-S-2436-P | \$1201 | 24 | 36 |
| W-SB-S-2440-P | \$1202 | 24 | 40 |
| W-SB-S-2442-P | \$1203 | 24 | 42 |
| W-SB-S-2446-P | \$1204 | 24 | 46 |
| W-SB-S-2448-P | \$1204 | 24 | 48 |
| W-SB-S-2452-P | \$1421 | 24 | 52 |
| W-SB-S-2454-P | \$1421 | 24 | 54 |
| W-SB-S-2458-P | \$1423 | 24 | 58 |
| W-SB-S-2460-P | \$1425 | 24 | 60 |
| W-SB-S-2464-P | \$1549 | 24 | 64 |
| W-SB-S-2466-P | \$1553 | 24 | 66 |
| W-SB-S-2470-P | \$1560 | 24 | 70 |
| W-SB-S-2472-P | \$1567 | 24 | 72 |



1 front shield

2 front shields

What's Included:

- 24"W-60"W:
- 2 Scene posts with 2 flat brackets
 - 1 front shield
 - 1 set of horizontal retainers
- 64"W-72":
- 3 Scene posts with 3 flat brackets
 - 2 front shields
 - 2 sets of horizontal retainers

How to Specify:

Specify based on width and depth of the worksurface the shield will be fastened to
Specify regular or cropped width

Notes:

Attached to surface with a clamp and does not require drilling into the surface
Shield can be placed along the width or the depth of the worksurface
Raised shield sits 4" above worksurface
Cropped width is 2" shorter
Clamp mount is clamped onto the worksurface and requires 1.5" of clearance
Available in clear acrylic only
Acrylic is 3/16" thick

Integrated Width Options:

Width: 34", 40", 52", 58", 64", 70"

Heights: 24"

Metal post & retainer paint finish

Standard Width Options:



Widths: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Heights: 24"

Metal post & retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-R-2424-C | \$557 | 24 | 24 |
| W-SB-R-2430-C | \$563 | 24 | 30 |
| W-SB-R-2434-C | \$579 | 24 | 34 |
| W-SB-R-2436-C | \$586 | 24 | 36 |
| W-SB-R-2440-C | \$602 | 24 | 40 |
| W-SB-R-2442-C | \$611 | 24 | 42 |
| W-SB-R-2446-C | \$626 | 24 | 46 |
| W-SB-R-2448-C | \$632 | 24 | 48 |
| W-SB-R-2452-C | \$649 | 24 | 52 |
| W-SB-R-2454-C | \$654 | 24 | 54 |
| W-SB-R-2458-C | \$671 | 24 | 58 |
| W-SB-R-2460-C | \$681 | 24 | 60 |
| W-SB-R-2464-C | \$690 | 24 | 64 |
| W-SB-R-2466-C | \$702 | 24 | 66 |
| W-SB-R-2470-C | \$726 | 24 | 70 |
| W-SB-R-2472-C | \$738 | 24 | 72 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

Specify by width of the worksurface
 End-to-End runs from one edge of the surface to the other

Notes:

Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 23", 24", 29", 30", 34", 36", 40", 42", 46", 52", 54", 58", 60"
- Shield finish
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SEE-2423-C | \$214 | 24 | 23 |
| W-SEE-2424-C | \$218 | 24 | 24 |
| W-SEE-2429-C | \$265 | 24 | 29 |
| W-SEE-2430-C | \$270 | 24 | 30 |
| W-SEE-2434-C | \$311 | 24 | 34 |
| W-SEE-2436-C | \$319 | 24 | 36 |
| W-SEE-2440-C | \$361 | 24 | 40 |
| W-SEE-2442-C | \$383 | 24 | 42 |
| W-SEE-2446-C | \$444 | 24 | 46 |
| W-SEE-2448-C | \$466 | 24 | 48 |
| W-SEE-2452-C | \$475 | 24 | 52 |
| W-SEE-2454-C | \$482 | 24 | 54 |
| W-SEE-2458-C | \$509 | 24 | 58 |
| W-SEE-2460-C | \$554 | 24 | 60 |

Laminate


| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SEE-2423-L | \$196 | 24 | 23 |
| W-SEE-2424-L | \$202 | 24 | 24 |
| W-SEE-2429-L | \$240 | 24 | 29 |
| W-SEE-2430-L | \$243 | 24 | 30 |
| W-SEE-2434-L | \$282 | 24 | 34 |
| W-SEE-2436-L | \$312 | 24 | 36 |
| W-SEE-2440-L | \$329 | 24 | 40 |
| W-SEE-2442-L | \$353 | 24 | 42 |
| W-SEE-2446-L | \$364 | 24 | 46 |
| W-SEE-2448-L | \$371 | 24 | 48 |
| W-SEE-2452-L | \$385 | 24 | 52 |
| W-SEE-2454-L | \$419 | 24 | 54 |
| W-SEE-2458-L | \$426 | 24 | 58 |
| W-SEE-2460-L | \$462 | 24 | 60 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SEE-2423-F | \$240 | 24 | 23 |
| W-SEE-2424-F | \$243 | 24 | 24 |
| W-SEE-2429-F | \$295 | 24 | 29 |
| W-SEE-2430-F | \$300 | 24 | 30 |
| W-SEE-2434-F | \$348 | 24 | 34 |
| W-SEE-2436-F | \$354 | 24 | 36 |
| W-SEE-2440-F | \$401 | 24 | 40 |
| W-SEE-2442-F | \$426 | 24 | 42 |
| W-SEE-2446-F | \$492 | 24 | 46 |
| W-SEE-2448-F | \$515 | 24 | 48 |
| W-SEE-2452-F | \$526 | 24 | 52 |
| W-SEE-2454-F | \$537 | 24 | 54 |
| W-SEE-2458-F | \$563 | 24 | 58 |
| W-SEE-2460-F | \$617 | 24 | 60 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|--------------|--------|-------------|------------|
| W-SEE-2423-P | \$803 | 24 | 23 |
| W-SEE-2424-P | \$803 | 24 | 24 |
| W-SEE-2429-P | \$849 | 24 | 29 |
| W-SEE-2430-P | \$849 | 24 | 30 |
| W-SEE-2434-P | \$939 | 24 | 34 |
| W-SEE-2436-P | \$940 | 24 | 36 |
| W-SEE-2440-P | \$941 | 24 | 40 |
| W-SEE-2442-P | \$943 | 24 | 42 |
| W-SEE-2446-P | \$946 | 24 | 46 |
| W-SEE-2448-P | \$947 | 24 | 48 |
| W-SEE-2452-P | \$1209 | 24 | 52 |
| W-SEE-2454-P | \$1211 | 24 | 54 |
| W-SEE-2458-P | \$1213 | 24 | 58 |
| W-SEE-2460-P | \$1213 | 24 | 60 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

- Specify by width of the worksurface
- End-to-End runs from one edge of the surface to the other

Notes:


- Shield sits 4" above the worksurface
- Available in clear acrylic only
- Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 23", 24", 29", 30", 34", 36", 40", 42", 46", 52", 54", 58", 60"
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-SEE-2423-C-R | \$214 | 24 | 23 |
| W-SEE-2424-C-R | \$218 | 24 | 24 |
| W-SEE-2429-C-R | \$265 | 24 | 29 |
| W-SEE-2430-C-R | \$270 | 24 | 30 |
| W-SEE-2434-C-R | \$311 | 24 | 34 |
| W-SEE-2436-C-R | \$319 | 24 | 36 |
| W-SEE-2440-C-R | \$361 | 24 | 40 |
| W-SEE-2442-C-R | \$383 | 24 | 42 |
| W-SEE-2446-C-R | \$444 | 24 | 46 |
| W-SEE-2448-C-R | \$466 | 24 | 48 |
| W-SEE-2452-C-R | \$475 | 24 | 52 |
| W-SEE-2454-C-R | \$482 | 24 | 54 |
| W-SEE-2458-C-R | \$509 | 24 | 58 |
| W-SEE-2460-C-R | \$554 | 24 | 60 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

Specify by width of the worksurface
 End-to-Shared runs from one edge of the worksurface to a shared worksurface post

Notes:

Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 24", 30", 32", 33", 35", 36", 42", 48", 54", 60"
- Shield finish
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SES-2424-C | | 24 | 24 |
| W-SES-2430-C | | 24 | 30 |
| W-SES-2432-C | | 24 | 32 |
| W-SES-2433-C | | 24 | 33 |
| W-SES-2435-C | | 24 | 35 |
| W-SES-2436-C | | 24 | 36 |
| W-SES-2442-C | | 24 | 42 |
| W-SES-2448-C | | 24 | 48 |
| W-SES-2454-C | | 24 | 54 |
| W-SES-2460-C | | 24 | 60 |

Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SES-2424-F | | 24 | 24 |
| W-SES-2430-F | | 24 | 30 |
| W-SES-2432-F | | 24 | 32 |
| W-SES-2433-F | | 24 | 33 |
| W-SES-2435-F | | 24 | 35 |
| W-SES-2436-F | | 24 | 36 |
| W-SES-2442-F | | 24 | 42 |
| W-SES-2448-F | | 24 | 48 |
| W-SES-2454-F | | 24 | 54 |
| W-SES-2460-F | | 24 | 60 |

Laminate

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SES-2424-L | | 24 | 24 |
| W-SES-2430-L | | 24 | 30 |
| W-SES-2432-L | | 24 | 32 |
| W-SES-2433-L | | 24 | 33 |
| W-SES-2435-L | | 24 | 35 |
| W-SES-2436-L | | 24 | 36 |
| W-SES-2442-L | | 24 | 42 |
| W-SES-2448-L | | 24 | 48 |
| W-SES-2454-L | | 24 | 54 |
| W-SES-2460-L | | 24 | 60 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SES-2424-P | | 24 | 24 |
| W-SES-2430-P | | 24 | 30 |
| W-SES-2432-P | | 24 | 32 |
| W-SES-2433-P | | 24 | 33 |
| W-SES-2435-P | | 24 | 35 |
| W-SES-2436-P | | 24 | 36 |
| W-SES-2442-P | | 24 | 42 |
| W-SES-2448-P | | 24 | 48 |
| W-SES-2454-P | | 24 | 54 |
| W-SES-2460-P | | 24 | 60 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

- Specify by width of the worksurface
- End-to-Shared runs from one edge of the worksurface to a shared worksurface post

Notes:



- Shield sits 4" above worksurface
- Available in clear acrylic only
- Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 24", 30", 32", 33", 35", 36", 42", 48", 54", 60"
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-SES-2424-C-R | \$218 | 24 | 24 |
| W-SES-2430-C-R | \$270 | 24 | 30 |
| W-SES-2432-C-R | \$300 | 24 | 32 |
| W-SES-2433-C-R | \$306 | 24 | 33 |
| W-SES-2435-C-R | \$316 | 24 | 35 |
| W-SES-2436-C-R | \$319 | 24 | 36 |
| W-SES-2442-C-R | \$383 | 24 | 42 |
| W-SES-2448-C-R | \$466 | 24 | 48 |
| W-SES-2454-C-R | \$482 | 24 | 54 |
| W-SES-2460-C-R | \$554 | 24 | 60 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

- Specify by width of the worksurface
- Shared-to-Shared runs from one shared post to the other

Notes:

Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 24", 30", 36", 42", 48", 54", 60"
- Shield finish
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SSS-2424-C | \$218 | 24 | 24 |
| W-SSS-2430-C | \$270 | 24 | 30 |
| W-SSS-2436-C | \$319 | 24 | 36 |
| W-SSS-2442-C | \$383 | 24 | 42 |
| W-SSS-2448-C | \$466 | 24 | 48 |
| W-SSS-2454-C | \$482 | 24 | 54 |
| W-SSS-2460-C | \$554 | 24 | 60 |

Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SSS-2424-F | \$243 | 24 | 24 |
| W-SSS-2430-F | \$300 | 24 | 30 |
| W-SSS-2436-F | \$354 | 24 | 36 |
| W-SSS-2442-F | \$426 | 24 | 42 |
| W-SSS-2448-F | \$515 | 24 | 48 |
| W-SSS-2454-F | \$537 | 24 | 54 |
| W-SSS-2460-F | \$617 | 24 | 60 |

Laminate

| Code | Price | Height (in) | Width (in) |
|--------------|-------|-------------|------------|
| W-SSS-2424-L | \$202 | 24 | 24 |
| W-SSS-2430-L | \$243 | 24 | 30 |
| W-SSS-2436-L | \$312 | 24 | 36 |
| W-SSS-2442-L | \$353 | 24 | 42 |
| W-SSS-2448-L | \$371 | 24 | 48 |
| W-SSS-2454-L | \$419 | 24 | 54 |
| W-SSS-2460-L | \$462 | 24 | 60 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|--------------|--------|-------------|------------|
| W-SSS-2424-P | \$846 | 24 | 24 |
| W-SSS-2430-P | \$849 | 24 | 30 |
| W-SSS-2436-P | \$940 | 24 | 36 |
| W-SSS-2442-P | \$943 | 24 | 42 |
| W-SSS-2448-P | \$947 | 24 | 48 |
| W-SSS-2454-P | \$1211 | 24 | 54 |
| W-SSS-2460-P | \$1213 | 24 | 60 |



What's Included:

- 1 shield
- 1 set of horizontal retainers

How to Specify:

- Specify by width of the worksurface
- Shared-to-Shared runs from one shared post to the other

Notes:


- Shield sits 4" above worksurface
- Available in clear acrylic only
- Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 24", 30", 36", 42", 48", 54", 60"
- Horizontal retainer paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-SSS-2424-C-R | \$218 | 24 | 24 |
| W-SSS-2430-C-R | \$270 | 24 | 30 |
| W-SSS-2436-C-R | \$319 | 24 | 36 |
| W-SSS-2442-C-R | \$383 | 24 | 42 |
| W-SSS-2448-C-R | \$466 | 24 | 48 |
| W-SSS-2454-C-R | \$482 | 24 | 54 |
| W-SSS-2460-C-R | \$554 | 24 | 60 |



What's Included:

- 1 post with mounting hardware
- 1 shield
- 1 desk top acrylic clamp

How to Specify:

Specify by post mounting type

Notes:

- 24"W and 30"W sits flush with the worksurface depth of the same size
- 36"W is used for 24"D surface with 12" overhang
- 42"W is used for 30"D surface with 12" overhang
- Maximum overhang 12" from the worksurface
- Clamp mount post needs 1.5" clearance
- Desk top acrylic clamps are offered in brushed chrome only
- Acrylic is 3/16" thick

Options:

- Height: 24"
- Width: 24", 30", 36", 42"
- Post mounting type: clamp post or flush mount bracket post
- Shield finish
- Metal post paint finish

Clamp Post - Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SC-E-2424-C | \$614 | 24 | 24 |
| W-SC-E-2430-C | \$767 | 24 | 30 |
| W-SC-E-2436-C | \$773 | 24 | 36 |
| W-SC-E-2442-C | \$779 | 24 | 42 |

Clamp Post - Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SC-E-2424-F | \$726 | 24 | 24 |
| W-SC-E-2430-F | \$862 | 24 | 30 |
| W-SC-E-2436-F | \$870 | 24 | 36 |
| W-SC-E-2442-F | \$882 | 24 | 42 |

Flush Mount Bracket Post - Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-E-2424-C | \$601 | 24 | 24 |
| W-SB-E-2430-C | \$750 | 24 | 30 |
| W-SB-E-2436-C | \$757 | 24 | 36 |
| W-SB-E-2442-C | \$769 | 24 | 42 |

Flush Mount Bracket Post - Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SB-E-2424-F | \$714 | 24 | 24 |
| W-SB-E-2430-F | \$862 | 24 | 30 |
| W-SB-E-2436-F | \$866 | 24 | 36 |
| W-SB-E-2442-F | \$870 | 24 | 42 |



What's Included:

- 1 shield
- 1 desk top acrylic clamp

How to Specify:

Specify by size of the worksurface the shield will be clamped to

Notes:

- Fits with existing 24"H Scene post (not included)
- 24"W and 30"W sits flush with the worksurface depth of the same size
- 36"W is used for 24"D surface with 12" overhang
- 42"W is used for 30"D surface with 12" overhang
- Maximum overhang is 12" from the worksurface
- Clamp mount post needs 1.5" clearance
- Desk top acrylic clamps are offered in brushed chrome only
- Acrylic is 3/16" thick

Options:

Height: 24"

Width: 24", 30", 36", 42"

Shield finish

Clear Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SN-E-2424-C | \$459 | 24 | 24 |
| W-SN-E-2430-C | \$557 | 24 | 30 |
| W-SN-E-2436-C | \$563 | 24 | 36 |
| W-SN-E-2442-C | \$566 | 24 | 42 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SN-E-2424-F | \$513 | 24 | 24 |
| W-SN-E-2430-F | \$652 | 24 | 30 |
| W-SN-E-2436-F | \$661 | 24 | 36 |
| W-SN-E-2442-F | \$664 | 24 | 42 |



Canada
Shield Pricebook
January 2024
Splits Shield



What's Included:

- 18"W-48"W:
1 shield with 4 freestanding split feet
- 54"W-60"W:
1 shield with 6 freestanding split feet

Notes:

- Split feet require a 9" clearance
- Shield is raised by 3/4"
- Available in clear or frosted acrylic or P.E.T. Acoustic Board only
- Acrylic is 1/4" thick

How to Specify:

Specify required size based on size of the worksurface shield will sit on

Options:

- Widths: 18", 24", 30", 36", 42", 48", 54", 60"
- Heights: 24"
- Shield finish
- Metal split feet paint finish

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-SF-P-2418-C | \$624 | 24 | 18 |
| W-SF-P-2424-C | \$624 | 24 | 24 |
| W-SF-P-2430-C | \$718 | 24 | 30 |
| W-SF-P-2436-C | \$720 | 24 | 36 |
| W-SF-P-2442-C | \$725 | 24 | 42 |
| W-SF-P-2448-C | \$729 | 24 | 48 |
| W-SF-P-2454-C | \$900 | 24 | 54 |
| W-SF-P-2460-C | \$911 | 24 | 60 |

Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-SF-P-2418-F | \$675 | 24 | 18 |
| W-SF-P-2424-F | \$675 | 24 | 24 |
| W-SF-P-2430-F | \$809 | 24 | 30 |
| W-SF-P-2436-F | \$818 | 24 | 36 |
| W-SF-P-2442-F | \$826 | 24 | 42 |
| W-SF-P-2448-F | \$834 | 24 | 48 |
| W-SF-P-2454-F | \$1050 | 24 | 54 |
| W-SF-P-2460-F | \$1072 | 24 | 60 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-SF-P-2418-P | \$809 | 24 | 18 |
| W-SF-P-2424-P | \$809 | 24 | 24 |
| W-SF-P-2430-P | \$923 | 24 | 30 |
| W-SF-P-2436-P | \$931 | 24 | 36 |
| W-SF-P-2442-P | \$939 | 24 | 42 |
| W-SF-P-2448-P | \$946 | 24 | 48 |
| W-SF-P-2454-P | \$1319 | 24 | 54 |
| W-SF-P-2460-P | \$1326 | 24 | 60 |



Canada
Shield Pricebook
January 2024
Visitor Shield



What's Included:

1 clear acrylic visitor shield

How to Specify:

Specify required size by choosing the size of shield based on the size of the area you want to cover

Notes:

- Freestanding
- Shield is raised by 3/4"
- Available with a pass through option
- Opening 12"Wx4"H on the widest part
- Acrylic is 3/8" thick
- Available in clear acrylic only

Options:

Widths: 30", 36", 42", 48"

Depths: 8"

Heights: 24"

With or without pass through

No Pass Through

| Code | Price | Height (in) | Depth (in) | Width (in) |
|---------------|-------|-------------|------------|------------|
| W-SV-N-2430-C | \$540 | 24 | 8 | 30 |
| W-SV-N-2436-C | \$639 | 24 | 8 | 36 |
| W-SV-N-2442-C | \$773 | 24 | 8 | 42 |
| W-SV-N-2448-C | \$790 | 24 | 8 | 48 |

Pass Through


| Code | Price | Height (in) | Depth (in) | Width (in) |
|---------------|-------|-------------|------------|------------|
| W-SV-H-2430-C | \$569 | 24 | 8 | 30 |
| W-SV-H-2436-C | \$668 | 24 | 8 | 36 |
| W-SV-H-2442-C | \$802 | 24 | 8 | 42 |
| W-SV-H-2448-C | \$818 | 24 | 8 | 48 |



Canada
Shield Pricebook
January 2024
Transaction Shield

Transaction Shield

| | |
|-----------------------------|-----------|
| <u>Clear Acrylic Shield</u> | <u>52</u> |
| <u>Transaction Counter</u> | <u>54</u> |



What's Included:

- 1 clear acrylic transaction shield
- Mounting hardware

How to Specify:

Specify required size by measuring the width of the undersurface clearance

- 40" – 48" work surface
- 46" – 54" work surface
- 52" – 60" work surface
- 58" – 66" work surface
- 64" – 72" work surface

Options:

Widths: 40", 46", 52", 58", 64"

Heights: 24"

With or without pass through

Metal paint finish

Notes:


- Requires 3" clearance for hardware
- Transaction top sold separately
- Opening 16"Wx4"H on the widest part
- Acrylic is 1/4" thick
- Available in clear acrylic only

Pass Through

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-ST-H-2440-C | 847 | 24 | 40 |
| W-ST-H-2446-C | 887 | 24 | 46 |
| W-ST-H-2452-C | 1007 | 24 | 52 |
| W-ST-H-2458-C | 1026 | 24 | 58 |
| W-ST-H-2464-C | 1042 | 24 | 64 |

No Pass Through

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-ST-N-2440-C | 841 | 24 | 40 |
| W-ST-N-2446-C | 885 | 24 | 46 |
| W-ST-N-2452-C | 1000 | 24 | 52 |
| W-ST-N-2458-C | 1015 | 24 | 58 |
| W-ST-N-2464-C | 1028 | 24 | 64 |



What's Included:

- 1 laminate transaction counter
- Mounting hardware

How to Specify:

Specify required size by measuring the width of the undersurface clearance

Notes:

- Requires 4" clearance for hardware
- Clear acrylic transaction shield sold separately
- Available in laminate only

Options:

Widths: 40", 46", 52", 58", 64"

Depths: 10"

Metal paint finish

Laminate paint finish

| Code | Price | Height (in) | Width (in) |
|---------|-------|-------------|------------|
| W-TT-40 | \$440 | 10 | 40 |
| W-TT-46 | \$454 | 10 | 46 |
| W-TT-52 | \$473 | 10 | 52 |
| W-TT-58 | \$484 | 10 | 58 |
| W-TT-64 | \$496 | 10 | 64 |




Canada
Shield Pricebook
January 2024
Frameless Blade

Frameless Blade

Panel Mounted Shield

58



What's Included:

- 1 shield
- 1 extrusion
- 2 end caps

How to Specify:

Notes:

Options:

Widths: 18", 24", 36", 42", 48", 54", 60", 72"

Heights: 16", 20"

Shield finish

Metal paint finish

Clear Glass

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-VG-P-1618-C | \$504 | 16 | 18 |
| W-VG-P-1624-C | \$528 | 16 | 24 |
| W-VG-P-1630-C | \$561 | 16 | 30 |
| W-VG-P-1636-C | \$614 | 16 | 36 |
| W-VG-P-1642-C | \$654 | 16 | 42 |
| W-VG-P-1648-C | \$664 | 16 | 48 |
| W-VG-P-1654-C | \$714 | 16 | 54 |
| W-VG-P-1660-C | \$719 | 16 | 60 |
| W-VG-P-1672-C | \$784 | 16 | 72 |
| W-VG-P-2018-C | \$533 | 20 | 18 |
| W-VG-P-2024-C | \$564 | 20 | 24 |
| W-VG-P-2030-C | \$607 | 20 | 30 |
| W-VG-P-2036-C | \$683 | 20 | 36 |
| W-VG-P-2042-C | \$727 | 20 | 42 |
| W-VG-P-2048-C | \$731 | 20 | 48 |
| W-VG-P-2054-C | \$784 | 20 | 54 |
| W-VG-P-2060-C | \$794 | 20 | 60 |
| W-VG-P-2072-C | \$851 | 20 | 72 |

P.E.T. Acoustic Board

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-V0-P-1618-P | \$459 | 16 | 18 |
| W-V0-P-1624-P | \$488 | 16 | 24 |
| W-V0-P-1630-P | \$524 | 16 | 30 |
| W-V0-P-1636-P | \$587 | 16 | 36 |
| W-V0-P-1642-P | \$750 | 16 | 42 |
| W-V0-P-1648-P | \$757 | 16 | 48 |
| W-V0-P-1654-P | \$828 | 16 | 54 |
| W-V0-P-1660-P | \$866 | 16 | 60 |
| W-V0-P-1672-P | \$916 | 16 | 72 |
| W-V0-P-2018-P | \$477 | 20 | 18 |
| W-V0-P-2024-P | \$531 | 20 | 24 |
| W-V0-P-2030-P | \$582 | 20 | 30 |
| W-V0-P-2036-P | \$794 | 20 | 36 |
| W-V0-P-2042-P | \$838 | 20 | 42 |
| W-V0-P-2048-P | \$844 | 20 | 48 |
| W-V0-P-2054-P | \$906 | 20 | 54 |
| W-V0-P-2060-P | \$936 | 20 | 60 |
| W-V0-P-2072-P | \$984 | 20 | 72 |

Frosted Glass

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-VG-P-1618-F | \$654 | 16 | 18 |
| W-VG-P-1624-F | \$688 | 16 | 24 |
| W-VG-P-1630-F | \$729 | 16 | 30 |
| W-VG-P-1636-F | \$795 | 16 | 36 |
| W-VG-P-1642-F | \$853 | 16 | 42 |
| W-VG-P-1648-F | \$860 | 16 | 48 |
| W-VG-P-1654-F | \$929 | 16 | 54 |
| W-VG-P-1660-F | \$935 | 16 | 60 |
| W-VG-P-1672-F | \$1018 | 16 | 72 |
| W-VG-P-2018-F | \$694 | 20 | 18 |
| W-VG-P-2024-F | \$732 | 20 | 24 |
| W-VG-P-2030-F | \$790 | 20 | 30 |
| W-VG-P-2036-F | \$886 | 20 | 36 |
| W-VG-P-2042-F | \$944 | 20 | 42 |
| W-VG-P-2048-F | \$949 | 20 | 48 |
| W-VG-P-2054-F | \$1018 | 20 | 54 |
| W-VG-P-2060-F | \$1034 | 20 | 60 |
| W-VG-P-2072-F | \$1105 | 20 | 72 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-VA-P-1618-F | \$654 | 16 | 18 |
| W-VA-P-1624-F | \$688 | 16 | 24 |
| W-VA-P-1630-F | \$729 | 16 | 30 |
| W-VA-P-1636-F | \$795 | 16 | 36 |
| W-VA-P-1642-F | \$853 | 16 | 42 |
| W-VA-P-1648-F | \$860 | 16 | 48 |
| W-VA-P-1654-F | \$929 | 16 | 54 |
| W-VA-P-1660-F | \$935 | 16 | 60 |
| W-VA-P-1672-F | \$1018 | 16 | 72 |

Clear Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-VA-P-1618-C | \$504 | 16 | 18 |
| W-VA-P-1624-C | \$528 | 16 | 24 |
| W-VA-P-1630-C | \$561 | 16 | 30 |
| W-VA-P-1636-C | \$614 | 16 | 36 |
| W-VA-P-1642-C | \$654 | 16 | 42 |
| W-VA-P-1648-C | \$664 | 16 | 48 |
| W-VA-P-1654-C | \$714 | 16 | 54 |
| W-VA-P-1660-C | \$719 | 16 | 60 |
| W-VA-P-1672-C | \$784 | 16 | 72 |




Canada
Shield Pricebook
January 2024

Freestanding Shield

Freestanding Shield

w/ Stationary Wing Base

62



What's Included:

- 1 gallery shield
- 1 base

How to Specify:

Notes:

Requires 21" clearance for base

Options:

Widths: 36", 42", 48"

Heights: 61", 66", 69", 72", 78"

Shield finish

Metal paint finish

Laminate

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-GM-F-6136-L | \$1267 | 61 | 36 |
| W-GM-F-6142-L | \$1271 | 61 | 42 |
| W-GM-F-6148-L | \$1277 | 61 | 48 |
| W-GM-F-6636-L | \$1277 | 66 | 36 |
| W-GM-F-6642-L | \$1283 | 66 | 42 |
| W-GM-F-6648-L | \$1290 | 66 | 48 |
| W-GM-F-6936-L | \$1307 | 69 | 36 |
| W-GM-F-6942-L | \$1312 | 69 | 42 |
| W-GM-F-6948-L | \$1318 | 69 | 48 |
| W-GM-F-7236-L | \$1307 | 72 | 36 |
| W-GM-F-7242-L | \$1312 | 72 | 42 |
| W-GM-F-7248-L | \$1318 | 72 | 48 |
| W-GM-F-7836-L | \$1307 | 78 | 36 |
| W-GM-F-7842-L | \$1312 | 78 | 42 |
| W-GM-F-7848-L | \$1318 | 78 | 48 |

Whiteboard

| Code | Price | Height (in) | Width (in) |
|---------------|--------|-------------|------------|
| W-GM-F-7236-W | \$2381 | 72 | 36 |
| W-GM-F-7242-W | \$2386 | 72 | 42 |
| W-GM-F-7248-W | \$2393 | 72 | 48 |



Canada
Shield Pricebook
January 2024
Panel Shield

Panel Shield


Cosmo

| | |
|-------------------|----|
| Straight | 66 |
| Straight Extended | 68 |
| Inside U-Shape | 70 |
| Inside Corner | 72 |


Switch

| | |
|-------------------|----|
| Straight | 80 |
| Straight Extended | 82 |
| Inside U-Shape | 84 |
| Inside Corner | 86 |

| | |
|--------------------------|----|
| End Cap (Cosmo & Switch) | 93 |
|--------------------------|----|



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 1 shield
- 1 left handed bracket
- 1 right handed bracket
- 1 fascia for the tempered glass option if chosen

Notes:

Requires 8" clearance from the top of the panel
 Available in Tempered Glass
 Clear Glass Bare Panel Shield does not come with magnetic fascia

How to Specify:

Match the width of the shield to the panel it is going to be mounted on

Options:


- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Clear Glass Bare Panel


| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-CP-S-2418-CG | 896 | 24 | 18 |
| W-CP-S-2424-CG | 935 | 24 | 24 |
| W-CP-S-2430-CG | 977 | 24 | 30 |
| W-CP-S-2436-CG | 1015 | 24 | 36 |
| W-CP-S-2442-CG | 1059 | 24 | 42 |
| W-CP-S-2448-CG | 1099 | 24 | 48 |
| W-CP-S-2454-CG | 1141 | 24 | 54 |
| W-CP-S-2460-CG | 1181 | 24 | 60 |
| W-CP-S-2466-CG | 1221 | 24 | 66 |
| W-CP-S-2472-CG | 1264 | 24 | 72 |

Clear Glass w/ Magnetic Fascia

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-CY-S-2418-CG | 966 | 24 | 18 |
| W-CY-S-2424-CG | 1013 | 24 | 24 |
| W-CY-S-2430-CG | 1064 | 24 | 30 |
| W-CY-S-2436-CG | 1116 | 24 | 36 |
| W-CY-S-2442-CG | 1164 | 24 | 42 |
| W-CY-S-2448-CG | 1207 | 24 | 48 |
| W-CY-S-2454-CG | 1256 | 24 | 54 |
| W-CY-S-2460-CG | 1296 | 24 | 60 |
| W-CY-S-2466-CG | 1342 | 24 | 66 |
| W-CY-S-2472-CG | 1385 | 24 | 72 |



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 1 shield
- 1 left hand bracket
- 1 right hand bracket
- 1 fascia for tempered glass option if chosen

How to Specify:

- Match the width of the shield to the panel it is going to be mounted on
- Determine extension by panel filler to the right or panel filler to the left

Options:

- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Notes:

- Requires 8" clearance from the top of the panel
- Can be used on 90, 120, 135 degree and T connection
- Fascia is the size of the panel shield it is mounted on
- Shield is extended by 2.75"
- Available in Tempered Glass
- 60" wide laminate is available in solid laminate colours only
- Clear Glass Bare Panel Shield does not come with magnetic fascia

Clear Glass Bare Panel - Left

| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-CP-EL-2418-CG | 924 | 24 | 18 |
| W-CP-EL-2424-CG | 966 | 24 | 24 |
| W-CP-EL-2430-CG | 1005 | 24 | 30 |
| W-CP-EL-2436-CG | 1047 | 24 | 36 |
| W-CP-EL-2442-CG | 1089 | 24 | 42 |
| W-CP-EL-2448-CG | 1128 | 24 | 48 |
| W-CP-EL-2454-CG | 1167 | 24 | 54 |
| W-CP-EL-2460-CG | 1211 | 24 | 60 |
| W-CP-EL-2466-CG | 1251 | 24 | 66 |
| W-CP-EL-2472-CG | 1291 | 24 | 72 |

Clear Glass Bare Panel - Right


| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-CP-ER-2418-CG | 924 | 24 | 18 |
| W-CP-ER-2424-CG | 966 | 24 | 24 |
| W-CP-ER-2430-CG | 1005 | 24 | 30 |
| W-CP-ER-2436-CG | 1047 | 24 | 36 |
| W-CP-ER-2442-CG | 1089 | 24 | 42 |
| W-CP-ER-2448-CG | 1128 | 24 | 48 |
| W-CP-ER-2454-CG | 1167 | 24 | 54 |
| W-CP-ER-2460-CG | 1211 | 24 | 60 |
| W-CP-ER-2466-CG | 1251 | 24 | 66 |
| W-CP-ER-2472-CG | 1291 | 24 | 72 |

Clear Glass w/Magnetic Fascia -Left


| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-CY-EL-2418-CG | 995 | 24 | 18 |
| W-CY-EL-2424-CG | 1044 | 24 | 24 |
| W-CY-EL-2430-CG | 1094 | 24 | 30 |
| W-CY-EL-2436-CG | 1144 | 24 | 36 |
| W-CY-EL-2442-CG | 1194 | 24 | 42 |
| W-CY-EL-2448-CG | 1234 | 24 | 48 |
| W-CY-EL-2454-CG | 1284 | 24 | 54 |
| W-CY-EL-2460-CG | 1326 | 24 | 60 |
| W-CY-EL-2466-CG | 1371 | 24 | 66 |
| W-CY-EL-2472-CG | 1415 | 24 | 72 |

Clear Glass w/Magnetic Fascia - Right

| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-CY-ER-2418-CG | 995 | 24 | 18 |
| W-CY-ER-2424-CG | 1044 | 24 | 24 |
| W-CY-ER-2430-CG | 1094 | 24 | 30 |
| W-CY-ER-2436-CG | 1144 | 24 | 36 |
| W-CY-ER-2442-CG | 1194 | 24 | 42 |
| W-CY-ER-2448-CG | 1234 | 24 | 48 |
| W-CY-ER-2454-CG | 1284 | 24 | 54 |
| W-CY-ER-2460-CG | 1326 | 24 | 60 |
| W-CY-ER-2466-CG | 1371 | 24 | 66 |
| W-CY-ER-2472-CG | 1415 | 24 | 72 |



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 3 shields
- 2 left hand brackets
- 2 right hand brackets
- 2 corner link bracket
- 3 fascias for tempered glass option

How to Specify:

Match the height, depth and width of the shield to the panel it is going to be mounted on

Notes:

- Requires 8" clearance from the top of the panel
- Available in Tempered Glass
- Clear Glass Bare Panel Shield does not come with magnetic fascia

Options:


- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Clear Glass Bare Panel


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CP-U-242442CG | 2928 | 24 | 42 | 42 |
| W-CP-U-242448CG | 2968 | 24 | 48 | 48 |
| W-CP-U-242454CG | 3009 | 24 | 54 | 54 |
| W-CP-U-242460CG | 3051 | 24 | 60 | 60 |
| W-CP-U-242466CG | 3089 | 24 | 66 | 66 |
| W-CP-U-242472CG | 3131 | 24 | 72 | 72 |
| W-CP-U-243042CG | 3009 | 24 | 42 | 42 |
| W-CP-U-243048CG | 3052 | 24 | 48 | 48 |
| W-CP-U-243054CG | 3092 | 24 | 54 | 54 |
| W-CP-U-243060CG | 3132 | 24 | 60 | 60 |
| W-CP-U-243066CG | 3172 | 24 | 66 | 66 |
| W-CP-U-243072CG | 3215 | 24 | 72 | 72 |
| W-CP-U-243642CG | 3092 | 24 | 42 | 42 |
| W-CP-U-243648CG | 3132 | 24 | 48 | 48 |
| W-CP-U-243654CG | 3172 | 24 | 54 | 54 |
| W-CP-U-243660CG | 3215 | 24 | 60 | 60 |
| W-CP-U-243666CG | 3255 | 24 | 66 | 66 |
| W-CP-U-243672CG | 3296 | 24 | 72 | 72 |

Clear Glass w/ Magnetic Fascia

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CY-U-242442CG | 3194 | 24 | 24 | 42 |
| W-CY-U-242448CG | 3232 | 24 | 24 | 48 |
| W-CY-U-242454CG | 3284 | 24 | 24 | 54 |
| W-CY-U-242460CG | 3324 | 24 | 24 | 60 |
| W-CY-U-242466CG | 3369 | 24 | 24 | 66 |
| W-CY-U-242472CG | 3413 | 24 | 24 | 72 |
| W-CY-U-243042CG | 3294 | 24 | 30 | 42 |
| W-CY-U-243048CG | 3335 | 24 | 30 | 48 |
| W-CY-U-243054CG | 3382 | 24 | 30 | 54 |
| W-CY-U-243060CG | 3426 | 24 | 30 | 60 |
| W-CY-U-243066CG | 3472 | 24 | 30 | 66 |
| W-CY-U-243072CG | 3516 | 24 | 30 | 72 |
| W-CY-U-243642CG | 3395 | 24 | 36 | 42 |
| W-CY-U-243648CG | 3432 | 24 | 36 | 48 |
| W-CY-U-243654CG | 3485 | 24 | 36 | 54 |
| W-CY-U-243660CG | 3525 | 24 | 36 | 60 |
| W-CY-U-243666CG | 3569 | 24 | 36 | 66 |
| W-CY-U-243672CG | 3616 | 24 | 36 | 72 |



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 2 shields
- 1 left hand brackets
- 2 right hand brackets
- 1 corner link bracket
- 2 fascia for tempered glass option

Notes:

- Requires 8" clearance from the top of the panel
- 90 degree application only
- Available in Tempered Glass
- Clear Glass Bare Panel Shields does not come with magnetic fascia

How to Specify:

- Match the width of the shield to the panel it is going to be mounted on
- Depth is the left hand shield
- Width is the right hand shield

Options:

| | |
|--------------------|--|
| Widths: | 18", 24", 30", 36", 42", 48", 54", 60", 66", 72" |
| Heights: | 24" above the panel trim |
| Shield finish | |
| Metal paint finish | |
| Screen Finish: | Clear Tempered Glass |

Clear Glass - Bare Panel (1 of 3)

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CP-C-241818CG | 1787 | 24 | 18 | 18 |
| W-CP-C-241824CG | 1830 | 24 | 24 | 24 |
| W-CP-C-241830CG | 1872 | 24 | 30 | 30 |
| W-CP-C-241836CG | 1911 | 24 | 36 | 36 |
| W-CP-C-241842CG | 1951 | 24 | 42 | 42 |
| W-CP-C-241848CG | 1995 | 24 | 48 | 48 |
| W-CP-C-241854CG | 2033 | 24 | 54 | 54 |
| W-CP-C-241860CG | 2074 | 24 | 60 | 60 |
| W-CP-C-241866CG | 2115 | 24 | 66 | 66 |
| W-CP-C-241872CG | 2155 | 24 | 72 | 72 |
| W-CP-C-242418CG | 1830 | 24 | 18 | 18 |
| W-CP-C-242424CG | 1870 | 24 | 24 | 24 |
| W-CP-C-242430CG | 1911 | 24 | 30 | 30 |
| W-CP-C-242436CG | 1951 | 24 | 36 | 36 |
| W-CP-C-242442CG | 1992 | 24 | 42 | 42 |
| W-CP-C-242448CG | 2033 | 24 | 48 | 48 |
| W-CP-C-242454CG | 2074 | 24 | 54 | 54 |
| W-CP-C-242460CG | 2115 | 24 | 60 | 60 |
| W-CP-C-242466CG | 2155 | 24 | 66 | 66 |
| W-CP-C-242472CG | 2196 | 24 | 72 | 72 |
| W-CP-C-243018CG | 1872 | 24 | 18 | 18 |
| W-CP-C-243024CG | 1911 | 24 | 24 | 24 |
| W-CP-C-243030CG | 1951 | 24 | 30 | 30 |
| W-CP-C-243036CG | 1995 | 24 | 36 | 36 |
| W-CP-C-243042CG | 2033 | 24 | 42 | 42 |
| W-CP-C-243048CG | 2074 | 24 | 48 | 48 |
| W-CP-C-243054CG | 2115 | 24 | 54 | 54 |
| W-CP-C-243060CG | 2156 | 24 | 60 | 60 |
| W-CP-C-243066CG | 2198 | 24 | 66 | 66 |
| W-CP-C-243072CG | 2239 | 24 | 72 | 72 |
| W-CP-C-243618CG | 1911 | 24 | 18 | 18 |
| W-CP-C-243624CG | 1951 | 24 | 24 | 24 |
| W-CP-C-243630CG | 1995 | 24 | 30 | 30 |
| W-CP-C-243636CG | 2033 | 24 | 36 | 36 |

Clear Glass - Bare Panel - continued 2 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CP-C-243642CG | 2074 | 24 | 42 | 42 |
| W-CP-C-243648CG | 2115 | 24 | 48 | 48 |
| W-CP-C-243654CG | 2156 | 24 | 54 | 54 |
| W-CP-C-243660CG | 2198 | 24 | 60 | 60 |
| W-CP-C-243666CG | 2239 | 24 | 66 | 66 |
| W-CP-C-243672CG | 2278 | 24 | 72 | 72 |
| W-CP-C-244218CG | 1951 | 24 | 18 | 18 |
| W-CP-C-244224CG | 1992 | 24 | 24 | 24 |
| W-CP-C-244230CG | 2033 | 24 | 30 | 30 |
| W-CP-C-244236CG | 2074 | 24 | 36 | 36 |
| W-CP-C-244242CG | 2115 | 24 | 42 | 42 |
| W-CP-C-244248CG | 2156 | 24 | 48 | 48 |
| W-CP-C-244254CG | 2198 | 24 | 54 | 54 |
| W-CP-C-244260CG | 2239 | 24 | 60 | 60 |
| W-CP-C-244266CG | 2278 | 24 | 66 | 66 |
| W-CP-C-244272CG | 2319 | 24 | 72 | 72 |
| W-CP-C-244818CG | 1995 | 24 | 18 | 18 |
| W-CP-C-244824CG | 2033 | 24 | 24 | 24 |
| W-CP-C-244830CG | 2074 | 24 | 30 | 30 |
| W-CP-C-244836CG | 2115 | 24 | 36 | 36 |
| W-CP-C-244842CG | 2156 | 24 | 42 | 42 |
| W-CP-C-244848CG | 2198 | 24 | 48 | 48 |
| W-CP-C-244854CG | 2239 | 24 | 54 | 54 |
| W-CP-C-244860CG | 2280 | 24 | 60 | 60 |
| W-CP-C-244866CG | 2321 | 24 | 66 | 66 |
| W-CP-C-244872CG | 2362 | 24 | 72 | 72 |
| W-CP-C-245418CG | 2033 | 24 | 18 | 18 |
| W-CP-C-245424CG | 2074 | 24 | 24 | 24 |
| W-CP-C-245430CG | 2115 | 24 | 30 | 30 |
| W-CP-C-245436CG | 2156 | 24 | 36 | 36 |
| W-CP-C-245442CG | 2198 | 24 | 42 | 42 |
| W-CP-C-245448CG | 2239 | 24 | 48 | 48 |
| W-CP-C-245454CG | 2280 | 24 | 54 | 54 |

Clear Glass - Bare Panel - continued 3 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CP-C-245460CG | 2321 | 24 | 60 | 60 |
| W-CP-C-245466CG | 2362 | 24 | 66 | 66 |
| W-CP-C-245472CG | 2403 | 24 | 72 | 72 |
| W-CP-C-246018CG | 2074 | 24 | 18 | 18 |
| W-CP-C-246024CG | 2115 | 24 | 24 | 24 |
| W-CP-C-246030CG | 2156 | 24 | 30 | 30 |
| W-CP-C-246036CG | 2198 | 24 | 36 | 36 |
| W-CP-C-246042CG | 2239 | 24 | 42 | 42 |
| W-CP-C-246048CG | 2280 | 24 | 48 | 48 |
| W-CP-C-246054CG | 2321 | 24 | 54 | 54 |
| W-CP-C-246060CG | 2362 | 24 | 60 | 60 |
| W-CP-C-246066CG | 2403 | 24 | 66 | 66 |
| W-CP-C-246072CG | 2440 | 24 | 72 | 72 |
| W-CP-C-246618CG | 2115 | 24 | 18 | 18 |
| W-CP-C-246624CG | 2155 | 24 | 24 | 24 |
| W-CP-C-246630CG | 2198 | 24 | 30 | 30 |
| W-CP-C-246636CG | 2239 | 24 | 36 | 36 |
| W-CP-C-246642CG | 2278 | 24 | 42 | 42 |
| W-CP-C-246648CG | 2321 | 24 | 48 | 48 |
| W-CP-C-246654CG | 2362 | 24 | 54 | 54 |
| W-CP-C-246660CG | 2403 | 24 | 60 | 60 |
| W-CP-C-246666CG | 2440 | 24 | 66 | 66 |
| W-CP-C-246672CG | 2483 | 24 | 72 | 72 |
| W-CP-C-247218CG | 2155 | 24 | 18 | 18 |
| W-CP-C-247224CG | 2196 | 24 | 24 | 24 |
| W-CP-C-247230CG | 2239 | 24 | 30 | 30 |
| W-CP-C-247236CG | 2278 | 24 | 36 | 36 |
| W-CP-C-247242CG | 2319 | 24 | 42 | 42 |
| W-CP-C-247248CG | 2362 | 24 | 48 | 48 |
| W-CP-C-247254CG | 2403 | 24 | 54 | 54 |
| W-CP-C-247260CG | 2440 | 24 | 60 | 60 |
| W-CP-C-247266CG | 2483 | 24 | 66 | 66 |
| W-CP-C-247272CG | 2523 | 24 | 72 | 72 |

Clear Glass w/ Magnetic Fascia (1 of 4)

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CY-C-241830CG | 2029 | 24 | 30 | 30 |
| W-CY-C-241836CG | 2080 | 24 | 36 | 36 |
| W-CY-C-241842CG | 2128 | 24 | 42 | 42 |
| W-CY-C-241848CG | 2170 | 24 | 48 | 48 |
| W-CY-C-241854CG | 2219 | 24 | 54 | 54 |
| W-CY-C-241860CG | 2261 | 24 | 60 | 60 |
| W-CY-C-241866CG | 2306 | 24 | 66 | 66 |
| W-CY-C-241872CG | 2351 | 24 | 72 | 72 |
| W-CY-C-242418CG | 1980 | 24 | 18 | 18 |
| W-CY-C-242424CG | 2029 | 24 | 24 | 24 |
| W-CY-C-242430CG | 2080 | 24 | 30 | 30 |
| W-CY-C-242436CG | 2128 | 24 | 36 | 36 |
| W-CY-C-242442CG | 2179 | 24 | 42 | 42 |
| W-CY-C-242448CG | 2219 | 24 | 48 | 48 |
| W-CY-C-242454CG | 2269 | 24 | 54 | 54 |
| W-CY-C-242460CG | 2309 | 24 | 60 | 60 |
| W-CY-C-242466CG | 2355 | 24 | 66 | 66 |
| W-CY-C-242472CG | 2400 | 24 | 72 | 72 |
| W-CY-C-243018CG | 2029 | 24 | 18 | 18 |
| W-CY-C-243024CG | 2080 | 24 | 24 | 24 |
| W-CY-C-243030CG | 2131 | 24 | 30 | 30 |
| W-CY-C-243036CG | 2179 | 24 | 36 | 36 |
| W-CY-C-243042CG | 2228 | 24 | 42 | 42 |
| W-CY-C-243048CG | 2269 | 24 | 48 | 48 |
| W-CY-C-243054CG | 2319 | 24 | 54 | 54 |
| W-CY-C-243060CG | 2362 | 24 | 60 | 60 |

Clear Glass w/ Magnetic Fascia - continued 2 of 4


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CY-C-243066CG | 2408 | 24 | 66 | 66 |
| W-CY-C-243072CG | 2451 | 24 | 72 | 72 |
| W-CY-C-243618CG | 2080 | 24 | 18 | 18 |
| W-CY-C-243624CG | 2128 | 24 | 24 | 24 |
| W-CY-C-243630CG | 2179 | 24 | 30 | 30 |
| W-CY-C-243636CG | 2228 | 24 | 36 | 36 |
| W-CY-C-243642CG | 2278 | 24 | 42 | 42 |
| W-CY-C-243648CG | 2319 | 24 | 48 | 48 |
| W-CY-C-243654CG | 2369 | 24 | 54 | 54 |
| W-CY-C-243660CG | 2412 | 24 | 60 | 60 |
| W-CY-C-243666CG | 2455 | 24 | 66 | 66 |
| W-CY-C-243672CG | 2502 | 24 | 72 | 72 |
| W-CY-C-244218CG | 2128 | 24 | 18 | 18 |
| W-CY-C-244224CG | 2179 | 24 | 24 | 24 |
| W-CY-C-244230CG | 2228 | 24 | 30 | 30 |
| W-CY-C-244236CG | 2278 | 24 | 36 | 36 |
| W-CY-C-244242CG | 2329 | 24 | 42 | 42 |
| W-CY-C-244248CG | 2369 | 24 | 48 | 48 |
| W-CY-C-244254CG | 2420 | 24 | 54 | 54 |
| W-CY-C-244260CG | 2459 | 24 | 60 | 60 |

Clear Glass w/ Magnetic Fascia - continued 3 of 4


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CY-C-244266CG | 2505 | 24 | 66 | 66 |
| W-CY-C-244272CG | 2549 | 24 | 72 | 72 |
| W-CY-C-244818CG | 2170 | 24 | 18 | 18 |
| W-CY-C-244824CG | 2219 | 24 | 24 | 24 |
| W-CY-C-244830CG | 2269 | 24 | 30 | 30 |
| W-CY-C-244836CG | 2319 | 24 | 36 | 36 |
| W-CY-C-244842CG | 2369 | 24 | 42 | 42 |
| W-CY-C-244848CG | 2412 | 24 | 48 | 48 |
| W-CY-C-244854CG | 2459 | 24 | 54 | 54 |
| W-CY-C-244860CG | 2502 | 24 | 60 | 60 |
| W-CY-C-244866CG | 2546 | 24 | 66 | 66 |
| W-CY-C-244872CG | 2591 | 24 | 72 | 72 |
| W-CY-C-245418CG | 2219 | 24 | 18 | 18 |
| W-CY-C-245424CG | 2269 | 24 | 24 | 24 |
| W-CY-C-245430CG | 2319 | 24 | 30 | 30 |
| W-CY-C-245436CG | 2369 | 24 | 36 | 36 |
| W-CY-C-245442CG | 2420 | 24 | 42 | 42 |
| W-CY-C-245448CG | 2459 | 24 | 48 | 48 |
| W-CY-C-245454CG | 2509 | 24 | 54 | 54 |
| W-CY-C-245460CG | 2552 | 24 | 60 | 60 |
| W-CY-C-245466CG | 2596 | 24 | 66 | 66 |
| W-CY-C-245472CG | 2643 | 24 | 72 | 72 |
| W-CY-C-246018CG | 2261 | 24 | 18 | 18 |
| W-CY-C-246024CG | 2309 | 24 | 24 | 24 |
| W-CY-C-246030CG | 2362 | 24 | 30 | 30 |
| W-CY-C-246036CG | 2412 | 24 | 36 | 36 |

Clear Glass w/ Magnetic Fascia - continued 4 of 4

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-CY-C-246042CG | 2459 | 24 | 42 | 42 |
| W-CY-C-246048CG | 2502 | 24 | 48 | 48 |
| W-CY-C-246054CG | 2552 | 24 | 54 | 54 |
| W-CY-C-246060CG | 2591 | 24 | 60 | 60 |
| W-CY-C-246066CG | 2636 | 24 | 66 | 66 |
| W-CY-C-246072CG | 2683 | 24 | 72 | 72 |
| W-CY-C-246618CG | 2306 | 24 | 18 | 18 |
| W-CY-C-246624CG | 2355 | 24 | 24 | 24 |
| W-CY-C-246630CG | 2408 | 24 | 30 | 30 |
| W-CY-C-246636CG | 2455 | 24 | 36 | 36 |
| W-CY-C-246642CG | 2505 | 24 | 42 | 42 |
| W-CY-C-246648CG | 2544 | 24 | 48 | 48 |
| W-CY-C-246654CG | 2596 | 24 | 54 | 54 |
| W-CY-C-246660CG | 2636 | 24 | 60 | 60 |
| W-CY-C-246666CG | 2683 | 24 | 66 | 66 |
| W-CY-C-246672CG | 2727 | 24 | 72 | 72 |
| W-CY-C-247218CG | 2351 | 24 | 18 | 18 |
| W-CY-C-247224CG | 2400 | 24 | 24 | 24 |
| W-CY-C-247230CG | 2451 | 24 | 30 | 30 |
| W-CY-C-247236CG | 2502 | 24 | 36 | 36 |
| W-CY-C-247242CG | 2549 | 24 | 42 | 42 |
| W-CY-C-247248CG | 2591 | 24 | 48 | 48 |
| W-CY-C-247254CG | 2643 | 24 | 54 | 54 |
| W-CY-C-247260CG | 2683 | 24 | 60 | 60 |
| W-CY-C-247266CG | 2727 | 24 | 66 | 66 |
| W-CY-C-247272CG | 2773 | 24 | 72 | 72 |



lamine



Clear Glass w/ Magnetic Fascia

What's Included:

- 1 shield
- 1 left handed bracket
- 1 right handed bracket
- 1 fascia for tempered glass option only

Notes:

Requires 8" clearance from the top of the panel
 Available in Tempered Glass and Laminate
 Laminate and Clear Glass Bare Panel Shield do not come with magnetic fascia

How to Specify:

Match the width of the shield to the panel it is going to be mounted on

Options:


- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" +/- above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass, Laminate

Clear Glass Bare Panel

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-LP-S-2418-CG | 896 | 24 | 18 |
| W-LP-S-2424-CG | 935 | 24 | 24 |
| W-LP-S-2430-CG | 977 | 24 | 30 |
| W-LP-S-2436-CG | 1015 | 24 | 36 |
| W-LP-S-2442-CG | 1059 | 24 | 42 |
| W-LP-S-2448-CG | 1099 | 24 | 48 |
| W-LP-S-2454-CG | 1141 | 24 | 54 |
| W-LP-S-2460-CG | 1181 | 24 | 60 |
| W-LP-S-2466-CG | 1221 | 24 | 66 |
| W-LP-S-2472-CG | 1264 | 24 | 72 |

Clear Glass w/ Magnetic Fascia

| Code | Price | Height (in) | Width (in) |
|----------------|-------|-------------|------------|
| W-LY-S-2418-CG | 966 | 24 | 18 |
| W-LY-S-2424-CG | 1013 | 24 | 24 |
| W-LY-S-2430-CG | 1064 | 24 | 30 |
| W-LY-S-2436-CG | 1116 | 24 | 36 |
| W-LY-S-2442-CG | 1164 | 24 | 42 |
| W-LY-S-2448-CG | 1207 | 24 | 48 |
| W-LY-S-2454-CG | 1256 | 24 | 54 |
| W-LY-S-2460-CG | 1296 | 24 | 60 |
| W-LY-S-2466-CG | 1342 | 24 | 66 |
| W-LY-S-2472-CG | 1385 | 24 | 72 |



Clear Glass Bare Panel

Clear Glass w/ Magnetic Fascia

What's Included:

- 1 shield
- 1 left hand bracket
- 1 right hand bracket
- 1 fascia for tempered glass option

How to Specify:

Match the width of the shield to the panel it is going to be mounted on
 Determine extension by panel filler to the right or panel filler to the left

Options:

- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" +/- above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Clear Glass Bare Panel - Left

| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-LP-EL-2418-CG | 924 | 24 | 18 |
| W-LP-EL-2424-CG | 966 | 24 | 24 |
| W-LP-EL-2430-CG | 1005 | 24 | 30 |
| W-LP-EL-2436-CG | 1047 | 24 | 36 |
| W-LP-EL-2442-CG | 1089 | 24 | 42 |
| W-LP-EL-2448-CG | 1128 | 24 | 48 |
| W-LP-EL-2454-CG | 1167 | 24 | 54 |
| W-LP-EL-2460-CG | 1211 | 24 | 60 |
| W-LP-EL-2466-CG | 1251 | 24 | 66 |
| W-LP-EL-2472-CG | 1291 | 24 | 72 |

Clear Glass Bare Panel - Right

| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-LP-ER-2418-CG | 924 | 24 | 18 |
| W-LP-ER-2424-CG | 966 | 24 | 24 |
| W-LP-ER-2430-CG | 1005 | 24 | 30 |
| W-LP-ER-2436-CG | 1047 | 24 | 36 |
| W-LP-ER-2442-CG | 1089 | 24 | 42 |
| W-LP-ER-2448-CG | 1128 | 24 | 48 |
| W-LP-ER-2454-CG | 1167 | 24 | 54 |
| W-LP-ER-2460-CG | 1211 | 24 | 60 |
| W-LP-ER-2466-CG | 1251 | 24 | 66 |
| W-LP-ER-2472-CG | 1291 | 24 | 72 |

Clear Glass w/Magnetic Fascia -Left


| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-LY-EL-2418-CG | 995 | 24 | 18 |
| W-LY-EL-2424-CG | 1044 | 24 | 24 |
| W-LY-EL-2430-CG | 1094 | 24 | 30 |
| W-LY-EL-2436-CG | 1144 | 24 | 36 |
| W-LY-EL-2442-CG | 1194 | 24 | 42 |
| W-LY-EL-2448-CG | 1234 | 24 | 48 |
| W-LY-EL-2454-CG | 1284 | 24 | 54 |
| W-LY-EL-2460-CG | 1326 | 24 | 60 |
| W-LY-EL-2466-CG | 1371 | 24 | 66 |
| W-LY-EL-2472-CG | 1415 | 24 | 72 |

Clear Glass w/Magnetic Fascia - Right


| Code | Price | Height (in) | Width (in) |
|-----------------|-------|-------------|------------|
| W-LY-ER-2418-CG | 995 | 24 | 18 |
| W-LY-ER-2424-CG | 1044 | 24 | 24 |
| W-LY-ER-2430-CG | 1094 | 24 | 30 |
| W-LY-ER-2436-CG | 1144 | 24 | 36 |
| W-LY-ER-2442-CG | 1194 | 24 | 42 |
| W-LY-ER-2448-CG | 1234 | 24 | 48 |
| W-LY-ER-2454-CG | 1284 | 24 | 54 |
| W-LY-ER-2460-CG | 1326 | 24 | 60 |
| W-LY-ER-2466-CG | 1371 | 24 | 66 |
| W-LY-ER-2472-CG | 1415 | 24 | 72 |

Notes:

- Requires 8" clearance from the top of the panel
- Can be used on 90, 120, 135 degree and T connection
- Fascia is the size of the panel shield it is mounted on
- Shield is extended by 2.75"
- Available in Tempered Glass
- Clear Glass Bare Panel Shields do not come with magnetic fascia



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 3 shields
- 2 left hand brackets
- 2 right hand brackets
- 2 corner link bracket
- 3 fascias for tempered glass option

Notes:

- Requires 8" clearance from the top of the panel
- Available in Tempered Glass
- Clear Glass Bare Panel Shields do not come with magnetic fascia

How to Specify:

Match the height, depth and width of the shield to the panel it is going to be mounted on

Options:


- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 24" +/- above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Clear Glass Bare Panel


| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LP-U-242442CG | 2928 | 24 | 24 | 42 |
| W-LP-U-242448CG | 2968 | 24 | 24 | 48 |
| W-LP-U-242454CG | 3009 | 24 | 24 | 54 |
| W-LP-U-242460CG | 3051 | 24 | 24 | 60 |
| W-LP-U-242466CG | 3089 | 24 | 24 | 66 |
| W-LP-U-242472CG | 3131 | 24 | 24 | 72 |
| W-LP-U-243042CG | 3009 | 24 | 30 | 42 |
| W-LP-U-243048CG | 3052 | 24 | 30 | 48 |
| W-LP-U-243054CG | 3092 | 24 | 30 | 54 |
| W-LP-U-243060CG | 3132 | 24 | 30 | 60 |
| W-LP-U-243066CG | 3172 | 24 | 30 | 66 |
| W-LP-U-243072CG | 3215 | 24 | 30 | 72 |
| W-LP-U-243642CG | 3092 | 24 | 36 | 42 |
| W-LP-U-243648CG | 3132 | 24 | 36 | 48 |
| W-LP-U-243654CG | 3172 | 24 | 36 | 54 |
| W-LP-U-243660CG | 3215 | 24 | 36 | 60 |
| W-LP-U-243666CG | 3255 | 24 | 36 | 66 |
| W-LP-U-243672CG | 3296 | 24 | 36 | 72 |

Clear Glass w/ Magnetic Fascia

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LY-U-242442CG | 3194 | 24 | 24 | 42 |
| W-LY-U-242448CG | 3232 | 24 | 24 | 48 |
| W-LY-U-242454CG | 3284 | 24 | 24 | 54 |
| W-LY-U-242460CG | 3324 | 24 | 24 | 60 |
| W-LY-U-242466CG | 3369 | 24 | 24 | 66 |
| W-LY-U-242472CG | 3413 | 24 | 24 | 72 |
| W-LY-U-243042CG | 3294 | 24 | 30 | 42 |
| W-LY-U-243048CG | 3335 | 24 | 30 | 48 |
| W-LY-U-243054CG | 3382 | 24 | 30 | 54 |
| W-LY-U-243060CG | 3426 | 24 | 30 | 60 |
| W-LY-U-243066CG | 3472 | 24 | 30 | 66 |
| W-LY-U-243072CG | 3516 | 24 | 30 | 72 |
| W-LY-U-243642CG | 3395 | 24 | 36 | 42 |
| W-LY-U-243648CG | 3432 | 24 | 36 | 48 |
| W-LY-U-243654CG | 3485 | 24 | 36 | 54 |
| W-LY-U-243660CG | 3525 | 24 | 36 | 60 |
| W-LY-U-243666CG | 3569 | 24 | 36 | 66 |
| W-LY-U-243672CG | 3616 | 24 | 36 | 72 |



Clear Glass Bare Panel



Clear Glass w/ Magnetic Fascia

What's Included:

- 2 shields
- 1 left hand brackets
- 2 right hand brackets
- 1 corner link bracket
- 2 fascia for tempered glass option

How to Specify:

- Match the width of the shield to the panel it is going to be mounted on
- Depth is the left hand shield
- Width is the right hand shield

Options:

- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Heights: 18" or 24" +/- above the panel trim
- Shield finish
- Metal paint finish
- Screen Finish: Clear Tempered Glass

Clear Glass - Bare Panel (1 of 3)

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LP-C-241818CG | 1787 | 18 | 18 | 18 |
| W-LP-C-241824CG | 1830 | 24 | 24 | 24 |
| W-LP-C-241830CG | 1872 | 24 | 30 | 30 |
| W-LP-C-241836CG | 1911 | 24 | 36 | 36 |
| W-LP-C-241842CG | 1951 | 24 | 42 | 42 |
| W-LP-C-241848CG | 1995 | 24 | 48 | 48 |
| W-LP-C-241854CG | 2033 | 24 | 54 | 54 |
| W-LP-C-241860CG | 2074 | 24 | 60 | 60 |
| W-LP-C-241866CG | 2115 | 24 | 66 | 66 |
| W-LP-C-241872CG | 2155 | 24 | 72 | 72 |
| W-LP-C-242418CG | 1830 | 18 | 18 | 18 |
| W-LP-C-242424CG | 1870 | 24 | 24 | 24 |
| W-LP-C-242430CG | 1911 | 24 | 30 | 30 |
| W-LP-C-242436CG | 1951 | 24 | 36 | 36 |
| W-LP-C-242442CG | 1992 | 24 | 42 | 42 |
| W-LP-C-242448CG | 2033 | 24 | 48 | 48 |
| W-LP-C-242454CG | 2074 | 24 | 54 | 54 |
| W-LP-C-242460CG | 2115 | 24 | 60 | 60 |
| W-LP-C-242466CG | 2155 | 24 | 66 | 66 |
| W-LP-C-242472CG | 2196 | 24 | 72 | 72 |
| W-LP-C-243018CG | 1872 | 18 | 18 | 18 |
| W-LP-C-243024CG | 1911 | 24 | 24 | 24 |
| W-LP-C-243030CG | 1951 | 24 | 30 | 30 |
| W-LP-C-243036CG | 1995 | 24 | 36 | 36 |
| W-LP-C-243042CG | 2033 | 24 | 42 | 42 |
| W-LP-C-243048CG | 2074 | 24 | 48 | 48 |
| W-LP-C-243054CG | 2115 | 24 | 54 | 54 |
| W-LP-C-243060CG | 2156 | 24 | 60 | 60 |
| W-LP-C-243066CG | 2198 | 24 | 66 | 66 |
| W-LP-C-243072CG | 2239 | 24 | 72 | 72 |
| W-LP-C-243618CG | 1911 | 18 | 18 | 18 |
| W-LP-C-243624CG | 1951 | 24 | 24 | 24 |
| W-LP-C-243630CG | 1995 | 24 | 30 | 30 |
| W-LP-C-243636CG | 2033 | 24 | 36 | 36 |

Clear Glass - Bare Panel - continued 2 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LP-C-243642CG | 2074 | 24 | 42 | 42 |
| W-LP-C-243648CG | 2115 | 24 | 48 | 48 |
| W-LP-C-243654CG | 2156 | 24 | 54 | 54 |
| W-LP-C-243660CG | 2198 | 24 | 60 | 60 |
| W-LP-C-243666CG | 2239 | 24 | 66 | 66 |
| W-LP-C-243672CG | 2278 | 24 | 72 | 72 |
| W-LP-C-244218CG | 1951 | 18 | 18 | 18 |
| W-LP-C-244224CG | 1992 | 24 | 24 | 24 |
| W-LP-C-244230CG | 2033 | 24 | 30 | 30 |
| W-LP-C-244236CG | 2074 | 24 | 36 | 36 |
| W-LP-C-244242CG | 2115 | 24 | 42 | 42 |
| W-LP-C-244248CG | 2156 | 24 | 48 | 48 |
| W-LP-C-244254CG | 2198 | 24 | 54 | 54 |
| W-LP-C-244260CG | 2239 | 24 | 60 | 60 |
| W-LP-C-244266CG | 2278 | 24 | 66 | 66 |
| W-LP-C-244272CG | 2319 | 24 | 72 | 72 |
| W-LP-C-244818CG | 1995 | 18 | 18 | 18 |
| W-LP-C-244824CG | 2033 | 24 | 24 | 24 |
| W-LP-C-244830CG | 2074 | 24 | 30 | 30 |
| W-LP-C-244836CG | 2115 | 24 | 36 | 36 |
| W-LP-C-244842CG | 2156 | 24 | 42 | 42 |
| W-LP-C-244848CG | 2198 | 24 | 48 | 48 |
| W-LP-C-244854CG | 2239 | 24 | 54 | 54 |
| W-LP-C-244860CG | 2280 | 24 | 60 | 60 |
| W-LP-C-244866CG | 2321 | 24 | 66 | 66 |
| W-LP-C-244872CG | 2362 | 24 | 72 | 72 |
| W-LP-C-245418CG | 2033 | 18 | 18 | 18 |
| W-LP-C-245424CG | 2074 | 24 | 24 | 24 |
| W-LP-C-245430CG | 2115 | 24 | 30 | 30 |
| W-LP-C-245436CG | 2156 | 24 | 36 | 36 |
| W-LP-C-245442CG | 2198 | 24 | 42 | 42 |
| W-LP-C-245448CG | 2239 | 24 | 48 | 48 |
| W-LP-C-245454CG | 2280 | 24 | 54 | 54 |

Clear Glass - Bare Panel - continued 3 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LP-C-245460CG | 2321 | 24 | 60 | 60 |
| W-LP-C-245466CG | 2362 | 24 | 66 | 66 |
| W-LP-C-245472CG | 2403 | 24 | 72 | 72 |
| W-LP-C-246018CG | 2074 | 18 | 18 | 18 |
| W-LP-C-246024CG | 2115 | 24 | 24 | 24 |
| W-LP-C-246030CG | 2156 | 24 | 30 | 30 |
| W-LP-C-246036CG | 2198 | 24 | 36 | 36 |
| W-LP-C-246042CG | 2239 | 24 | 42 | 42 |
| W-LP-C-246048CG | 2280 | 24 | 48 | 48 |
| W-LP-C-246054CG | 2321 | 24 | 54 | 54 |
| W-LP-C-246060CG | 2362 | 24 | 60 | 60 |
| W-LP-C-246066CG | 2403 | 24 | 66 | 66 |
| W-LP-C-246072CG | 2440 | 24 | 72 | 72 |
| W-LP-C-246618CG | 2115 | 24 | 18 | 18 |
| W-LP-C-246624CG | 2155 | 24 | 24 | 24 |
| W-LP-C-246630CG | 2198 | 24 | 30 | 30 |
| W-LP-C-246636CG | 2239 | 24 | 36 | 36 |
| W-LP-C-246642CG | 2278 | 24 | 42 | 42 |
| W-LP-C-246648CG | 2321 | 24 | 48 | 48 |
| W-LP-C-246654CG | 2362 | 24 | 54 | 54 |
| W-LP-C-246660CG | 2403 | 24 | 60 | 60 |
| W-LP-C-246666CG | 2440 | 24 | 66 | 66 |
| W-LP-C-246672CG | 2483 | 24 | 72 | 72 |
| W-LP-C-247218CG | 2155 | 24 | 18 | 18 |
| W-LP-C-247224CG | 2196 | 24 | 24 | 24 |
| W-LP-C-247230CG | 2239 | 24 | 30 | 30 |
| W-LP-C-247236CG | 2278 | 24 | 36 | 36 |
| W-LP-C-247242CG | 2319 | 24 | 42 | 42 |
| W-LP-C-247248CG | 2362 | 24 | 48 | 48 |
| W-LP-C-247254CG | 2403 | 24 | 54 | 54 |
| W-LP-C-247260CG | 2440 | 24 | 60 | 60 |
| W-LP-C-247266CG | 2483 | 24 | 66 | 66 |
| W-LP-C-247272CG | 2523 | 24 | 72 | 72 |

Clear Glass w/ Magnetic Fascia (1 of 3)

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LY-C-241818CG | 1932 | 18 | 18 | 18 |
| W-LY-C-241824CG | 1980 | 24 | 24 | 24 |
| W-LY-C-241830CG | 2029 | 24 | 30 | 30 |
| W-LY-C-241836CG | 2080 | 24 | 36 | 36 |
| W-LY-C-241842CG | 2128 | 24 | 42 | 42 |
| W-LY-C-241848CG | 2170 | 24 | 48 | 48 |
| W-LY-C-241854CG | 2219 | 24 | 54 | 54 |
| W-LY-C-241860CG | 2261 | 24 | 60 | 60 |
| W-LY-C-241866CG | 2306 | 24 | 66 | 66 |
| W-LY-C-241872CG | 2351 | 24 | 72 | 72 |
| W-LY-C-242418CG | 1980 | 18 | 18 | 18 |
| W-LY-C-242424CG | 2029 | 24 | 24 | 24 |
| W-LY-C-242430CG | 2080 | 24 | 30 | 30 |
| W-LY-C-242436CG | 2128 | 24 | 36 | 36 |
| W-LY-C-242442CG | 2179 | 24 | 42 | 42 |
| W-LY-C-242448CG | 2219 | 24 | 48 | 48 |
| W-LY-C-242454CG | 2269 | 24 | 54 | 54 |
| W-LY-C-242460CG | 2309 | 24 | 60 | 60 |
| W-LY-C-242466CG | 2355 | 24 | 66 | 66 |
| W-LY-C-242472CG | 2400 | 24 | 72 | 72 |
| W-LY-C-243018CG | 2029 | 18 | 18 | 18 |
| W-LY-C-243024CG | 2080 | 24 | 24 | 24 |
| W-LY-C-243030CG | 2131 | 24 | 30 | 30 |
| W-LY-C-243036CG | 2179 | 24 | 36 | 36 |
| W-LY-C-243042CG | 2228 | 24 | 42 | 42 |
| W-LY-C-243048CG | 2269 | 24 | 48 | 48 |
| W-LY-C-243054CG | 2319 | 24 | 54 | 54 |
| W-LY-C-243060CG | 2362 | 24 | 60 | 60 |
| W-LY-C-243066CG | 2408 | 24 | 66 | 66 |
| W-LY-C-243072CG | 2451 | 24 | 72 | 72 |
| W-LY-C-243618CG | 2080 | 18 | 18 | 18 |
| W-LY-C-243624CG | 2128 | 24 | 24 | 24 |
| W-LY-C-243630CG | 2179 | 24 | 30 | 30 |
| W-LY-C-243636CG | 2228 | 24 | 36 | 36 |

Clear Glass w/ Magnetic Fascia - continued 2 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LY-C-243642CG | 2278 | 24 | 42 | 42 |
| W-LY-C-243648CG | 2319 | 24 | 48 | 48 |
| W-LY-C-243654CG | 2369 | 24 | 54 | 54 |
| W-LY-C-243660CG | 2412 | 24 | 60 | 60 |
| W-LY-C-243666CG | 2455 | 24 | 66 | 66 |
| W-LY-C-243672CG | 2502 | 24 | 72 | 72 |
| W-LY-C-244218CG | 2128 | 18 | 18 | 18 |
| W-LY-C-244224CG | 2179 | 24 | 24 | 24 |
| W-LY-C-244230CG | 2228 | 24 | 30 | 30 |
| W-LY-C-244236CG | 2278 | 24 | 36 | 36 |
| W-LY-C-244242CG | 2329 | 24 | 42 | 42 |
| W-LY-C-244248CG | 2369 | 24 | 48 | 48 |
| W-LY-C-244254CG | 2420 | 24 | 54 | 54 |
| W-LY-C-244260CG | 2459 | 24 | 60 | 60 |
| W-LY-C-244266CG | 2505 | 24 | 66 | 66 |
| W-LY-C-244272CG | 2549 | 24 | 72 | 72 |
| W-LY-C-244818CG | 2170 | 18 | 18 | 18 |
| W-LY-C-244824CG | 2219 | 24 | 24 | 24 |
| W-LY-C-244830CG | 2269 | 24 | 30 | 30 |
| W-LY-C-244836CG | 2319 | 24 | 36 | 36 |
| W-LY-C-244842CG | 2369 | 24 | 42 | 42 |
| W-LY-C-244848CG | 2412 | 24 | 48 | 48 |
| W-LY-C-244854CG | 2459 | 24 | 54 | 54 |
| W-LY-C-244860CG | 2502 | 24 | 60 | 60 |
| W-LY-C-244866CG | 2546 | 24 | 66 | 66 |
| W-LY-C-244872CG | 2591 | 24 | 72 | 72 |
| W-LY-C-245418CG | 2219 | 18 | 18 | 18 |
| W-LY-C-245424CG | 2269 | 24 | 24 | 24 |
| W-LY-C-245430CG | 2319 | 24 | 30 | 30 |
| W-LY-C-245436CG | 2369 | 24 | 36 | 36 |
| W-LY-C-245442CG | 2420 | 24 | 42 | 42 |
| W-LY-C-245448CG | 2459 | 24 | 48 | 48 |
| W-LY-C-245454CG | 2509 | 24 | 54 | 54 |

Clear Glass w/ Magnetic Fascia - continued 3 of 3

| Code | Price | Height (in) | Depth (in) | Width (in) |
|-----------------|-------|-------------|------------|------------|
| W-LY-C-245460CG | 2552 | 24 | 60 | 60 |
| W-LY-C-245466CG | 2596 | 24 | 66 | 66 |
| W-LY-C-245472CG | 2643 | 24 | 72 | 72 |
| W-LY-C-246018CG | 2261 | 18 | 18 | 18 |
| W-LY-C-246024CG | 2309 | 24 | 24 | 24 |
| W-LY-C-246030CG | 2362 | 24 | 30 | 30 |
| W-LY-C-246036CG | 2412 | 24 | 36 | 36 |
| W-LY-C-246042CG | 2459 | 24 | 42 | 42 |
| W-LY-C-246048CG | 2502 | 24 | 48 | 48 |
| W-LY-C-246054CG | 2552 | 24 | 54 | 54 |
| W-LY-C-246060CG | 2591 | 24 | 60 | 60 |
| W-LY-C-246066CG | 2636 | 24 | 66 | 66 |
| W-LY-C-246072CG | 2683 | 24 | 72 | 72 |
| W-LY-C-246618CG | 2306 | 24 | 18 | 18 |
| W-LY-C-246624CG | 2355 | 24 | 24 | 24 |
| W-LY-C-246630CG | 2408 | 24 | 30 | 30 |
| W-LY-C-246636CG | 2455 | 24 | 36 | 36 |
| W-LY-C-246642CG | 2505 | 24 | 42 | 42 |
| W-LY-C-246648CG | 2544 | 24 | 48 | 48 |
| W-LY-C-246654CG | 2596 | 24 | 54 | 54 |
| W-LY-C-246660CG | 2636 | 24 | 60 | 60 |
| W-LY-C-246666CG | 2683 | 24 | 66 | 66 |
| W-LY-C-246672CG | 2727 | 24 | 72 | 72 |
| W-LY-C-247218CG | 2351 | 24 | 18 | 18 |
| W-LY-C-247224CG | 2400 | 24 | 24 | 24 |
| W-LY-C-247230CG | 2451 | 24 | 30 | 30 |
| W-LY-C-247236CG | 2502 | 24 | 36 | 36 |
| W-LY-C-247242CG | 2549 | 24 | 42 | 42 |
| W-LY-C-247248CG | 2591 | 24 | 48 | 48 |
| W-LY-C-247254CG | 2643 | 24 | 54 | 54 |
| W-LY-C-247260CG | 2683 | 24 | 60 | 60 |
| W-LY-C-247266CG | 2727 | 24 | 66 | 66 |
| W-LY-C-247272CG | 2773 | 24 | 72 | 72 |



What's Included:

1 end cap

How to Specify:

At the end of run for clear tempered glass shield with fascia

Options:

Metal paint finish

Notes:

Requires 8" clearance from the top of the panel

Clear Glass


| Code | Price | Height (in) | Width (in) |
|---------|-------|-------------|------------|
| W-CP-EC | 127 | 86 | 18 |



Canada
Shield Pricebook
January 2024
Gallery Shield

Gallery Shield

| | |
|--|-----|
| <u>Freestanding w/ Stationary D-Feet</u> | 96 |
| <u>Stationary Skate Feet</u> | 98 |
| <u>Mobile Roller Skate Feet</u> | 100 |
| <u>Indent w/Stationary Skate Feet</u> | 102 |
| <u>Indent w/Mobile Roller Skate Feet</u> | 104 |



D-foot

Acrylic

Laminate

What's Included:

- 1" thick laminate Gallery Shield
- 16" acrylic blade
- 2 stationary D-feet
- 2 u-channels
- 1 bottom brace
- 1 acrylic blade channel
- 2 blade end caps

Notes:

Acrylic portion is always 16" high
15-1/8" clearance for feet

Height: 61", 66", 69", 72"

Width: 36", 42", 48"

Metal paint finish

Laminate finish

Acrylic finish

Whiteboard finish

Whiteboard

| Code | Price | Height (in) | Width (in) | Depth (in) | Weight (lb) | Volume (ft ³) |
|---------------|-------|-------------|------------|------------|-------------|---------------------------|
| W-GD-F-6136-W | 2272 | 61 | 36 | 1 | 29.28 | 1.17 |
| W-GD-F-6142-W | 2626 | 61 | 42 | 1 | 34.16 | 1.37 |
| W-GD-F-6148-W | 2627 | 61 | 48 | 1 | 39.04 | 1.56 |
| W-GD-F-6636-W | 2293 | 66 | 36 | 1 | 31.68 | 1.27 |
| W-GD-F-6642-W | 2627 | 66 | 42 | 1 | 36.96 | 1.48 |
| W-GD-F-6648-W | 2628 | 66 | 48 | 1 | 42.24 | 1.69 |
| W-GD-F-6936-W | 2304 | 69 | 36 | 1 | 33.12 | 1.32 |
| W-GD-F-6942-W | 2628 | 69 | 42 | 1 | 38.64 | 1.55 |
| W-GD-F-6948-W | 2630 | 69 | 48 | 1 | 44.16 | 1.77 |
| W-GD-F-7236-W | 2316 | 72 | 36 | 1 | 34.56 | 1.38 |
| W-GD-F-7242-W | 2628 | 72 | 42 | 1 | 40.32 | 1.61 |
| W-GD-F-7248-W | 2631 | 72 | 48 | 1 | 46.08 | 1.84 |

Clear Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GD-F-6136-C | 1955 | 61 | 36 |
| W-GD-F-6142-C | 2329 | 61 | 42 |
| W-GD-F-6148-C | 2335 | 61 | 48 |
| W-GD-F-6636-C | 1975 | 66 | 36 |
| W-GD-F-6642-C | 2330 | 66 | 42 |
| W-GD-F-6648-C | 2338 | 66 | 48 |
| W-GD-F-6936-C | 1986 | 69 | 36 |
| W-GD-F-6942-C | 2331 | 69 | 42 |
| W-GD-F-6948-C | 2342 | 69 | 48 |
| W-GD-F-7236-C | 1998 | 72 | 36 |
| W-GD-F-7242-C | 2331 | 72 | 42 |
| W-GD-F-7248-C | 2342 | 72 | 48 |

Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GD-F-6136-F | 2048 | 61 | 36 |
| W-GD-F-6142-F | 2420 | 61 | 42 |
| W-GD-F-6148-F | 2426 | 61 | 48 |
| W-GD-F-6636-F | 2065 | 66 | 36 |
| W-GD-F-6642-F | 2421 | 66 | 42 |
| W-GD-F-6648-F | 2427 | 66 | 48 |
| W-GD-F-6936-F | 2075 | 69 | 36 |
| W-GD-F-6942-F | 2421 | 69 | 42 |
| W-GD-F-6948-F | 2428 | 69 | 48 |
| W-GD-F-7236-F | 2088 | 72 | 36 |
| W-GD-F-7242-F | 2422 | 72 | 42 |
| W-GD-F-7248-F | 2433 | 72 | 48 |

Laminate


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GD-F-6136-L | 1309 | 61 | 36 |
| W-GD-F-6142-L | 1664 | 61 | 42 |
| W-GD-F-6148-L | 1665 | 61 | 48 |
| W-GD-F-6636-L | 1330 | 66 | 36 |
| W-GD-F-6642-L | 1665 | 66 | 42 |
| W-GD-F-6648-L | 1666 | 66 | 48 |
| W-GD-F-6936-L | 1342 | 69 | 36 |
| W-GD-F-6942-L | 1666 | 69 | 42 |
| W-GD-F-6948-L | 1667 | 69 | 48 |
| W-GD-F-7236-L | 1354 | 72 | 36 |
| W-GD-F-7242-L | 1666 | 72 | 42 |
| W-GD-F-7248-L | 1668 | 72 | 48 |



Skate foot



Acrylic



Laminate

What's Included:

- 1" thick laminate Gallery Shield
- 16" acrylic blade
- 4 stationary SKATE feet
- 1 acrylic blade channel
- 2 blade end caps

Notes:

Acrylic portion is always 16" High
18-1/4" clearance for feet

Options:

Height: 61", 66", 69", 72"

Width: 36", 42", 48"

Metal paint finish

Laminate finish

Acrylic finish

Whiteboard finish

Whiteboard

| Code | Price | Height (in) | Width (in) | Depth (in) | Weight (lb) | Volume (ft ³) |
|---------------|-------|-------------|------------|------------|-------------|---------------------------|
| W-GH-F-6136-W | 2155 | 61 | 36 | 1 | 29.28 | 1.17 |
| W-GH-F-6142-W | 2505 | 61 | 42 | 1 | 34.16 | 1.37 |
| W-GH-F-6148-W | 2508 | 61 | 48 | 1 | 39.04 | 1.56 |
| W-GH-F-6636-W | 1945 | 66 | 36 | 1 | 31.68 | 1.27 |
| W-GH-F-6642-W | 2506 | 66 | 42 | 1 | 36.96 | 1.48 |
| W-GH-F-6648-W | 2509 | 66 | 48 | 1 | 42.24 | 1.69 |
| W-GH-F-6936-W | 1946 | 69 | 36 | 1 | 33.12 | 1.32 |
| W-GH-F-6942-W | 2508 | 69 | 42 | 1 | 38.64 | 1.55 |
| W-GH-F-6948-W | 2509 | 69 | 48 | 1 | 44.16 | 1.77 |
| W-GH-F-7236-W | 1946 | 72 | 36 | 1 | 34.56 | 1.38 |
| W-GH-F-7242-W | 2509 | 72 | 42 | 1 | 40.32 | 1.61 |
| W-GH-F-7248-W | 2510 | 72 | 48 | 1 | 46.08 | 1.84 |

Clear Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-F-6136-C | 1781 | 61 | 36 |
| W-GH-F-6142-C | 2147 | 61 | 42 |
| W-GH-F-6148-C | 2155 | 61 | 48 |
| W-GH-F-6636-C | 1796 | 66 | 36 |
| W-GH-F-6642-C | 2149 | 66 | 42 |
| W-GH-F-6648-C | 2156 | 66 | 48 |
| W-GH-F-6936-C | 1808 | 69 | 36 |
| W-GH-F-6942-C | 2150 | 69 | 42 |
| W-GH-F-6948-C | 2157 | 69 | 48 |
| W-GH-F-7236-C | 1822 | 72 | 36 |
| W-GH-F-7242-C | 2152 | 72 | 42 |
| W-GH-F-7248-C | 2157 | 72 | 48 |

Frosted Acrylic

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-F-6136-F | 1870 | 61 | 36 |
| W-GH-F-6142-F | 2239 | 61 | 42 |
| W-GH-F-6148-F | 2245 | 61 | 48 |
| W-GH-F-6636-F | 1888 | 66 | 36 |
| W-GH-F-6642-F | 2240 | 66 | 42 |
| W-GH-F-6648-F | 2246 | 66 | 48 |
| W-GH-F-6936-F | 1901 | 69 | 36 |
| W-GH-F-6942-F | 2240 | 69 | 42 |
| W-GH-F-6948-F | 2247 | 69 | 48 |
| W-GH-F-7236-F | 1911 | 72 | 36 |
| W-GH-F-7242-F | 2241 | 72 | 42 |
| W-GH-F-7248-F | 2249 | 72 | 48 |

Laminate

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-F-6136-L | 1193 | 61 | 36 |
| W-GH-F-6142-L | 1542 | 61 | 42 |
| W-GH-F-6148-L | 1547 | 61 | 48 |
| W-GH-F-6636-L | 983 | 66 | 36 |
| W-GH-F-6642-L | 1543 | 66 | 42 |
| W-GH-F-6648-L | 1548 | 66 | 48 |
| W-GH-F-6936-L | 984 | 69 | 36 |
| W-GH-F-6942-L | 1547 | 69 | 42 |
| W-GH-F-6948-L | 1548 | 69 | 48 |
| W-GH-F-7236-L | 984 | 72 | 36 |
| W-GH-F-7242-L | 1548 | 72 | 42 |
| W-GH-F-7248-L | 1549 | 72 | 48 |



Roller Skate foot

Acrylic

Laminate

What's Included:

- Acrylic
 - 1" thick laminate Gallery Shield
 - 16" acrylic blade
 - 4 mobile Roller Skate feet
 - 1 acrylic blade channel
 - 2 blade end caps
- Laminate
 - 1" thick laminate Gallery Shield
 - 4 mobile Roller Skate feet

Notes:

Acrylic portion is 16" High
 18-1/4" clearance for feet
 75mm lockable casters

Options:

Height: 61", 66", 69", 72"

Width: 36", 42", 48"

Metal paint finish

Laminate finish

Acrylic finish

Whiteboard finish

Whiteboard

| Code | Price | Height (in) | Width (in) | Depth (in) | Weight (lb) | Volume (ft³) |
|---------------|-------|-------------|------------|------------|-------------|--------------|
| W-GH-M-6136-W | 2381 | 61 | 36 | 1 | 29.28 | 1.17 |
| W-GH-M-6142-W | 2730 | 61 | 42 | 1 | 34.16 | 1.37 |
| W-GH-M-6148-W | 2731 | 61 | 48 | 1 | 39.04 | 1.56 |
| W-GH-M-6636-W | 2399 | 66 | 36 | 1 | 31.68 | 1.27 |
| W-GH-M-6642-W | 2731 | 66 | 42 | 1 | 36.96 | 1.48 |
| W-GH-M-6648-W | 2732 | 66 | 48 | 1 | 42.24 | 1.69 |
| W-GH-M-6936-W | 2412 | 69 | 36 | 1 | 33.12 | 1.32 |
| W-GH-M-6942-W | 2732 | 69 | 42 | 1 | 38.64 | 1.55 |
| W-GH-M-6948-W | 2735 | 69 | 48 | 1 | 44.16 | 1.77 |
| W-GH-M-7236-W | 2422 | 72 | 36 | 1 | 34.56 | 1.38 |
| W-GH-M-7242-W | 2732 | 72 | 42 | 1 | 40.32 | 1.61 |
| W-GH-M-7248-W | 2736 | 72 | 48 | 1 | 46.08 | 1.84 |

Clear Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-M-6136-C | 2000 | 61 | 36 |
| W-GH-M-6142-C | 2371 | 61 | 42 |
| W-GH-M-6148-C | 2378 | 61 | 48 |
| W-GH-M-6636-C | 2021 | 66 | 36 |
| W-GH-M-6642-C | 2373 | 66 | 42 |
| W-GH-M-6648-C | 2382 | 66 | 48 |
| W-GH-M-6936-C | 2033 | 69 | 36 |
| W-GH-M-6942-C | 2374 | 69 | 42 |
| W-GH-M-6948-C | 2382 | 69 | 48 |
| W-GH-M-7236-C | 2048 | 72 | 36 |
| W-GH-M-7242-C | 2374 | 72 | 42 |
| W-GH-M-7248-C | 2383 | 72 | 48 |

Frosted Acrylic


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-M-6136-F | 2094 | 61 | 36 |
| W-GH-M-6142-F | 2461 | 61 | 42 |
| W-GH-M-6148-F | 2472 | 61 | 48 |
| W-GH-M-6636-F | 2114 | 66 | 36 |
| W-GH-M-6642-F | 2463 | 66 | 42 |
| W-GH-M-6648-F | 2473 | 66 | 48 |
| W-GH-M-6936-F | 2124 | 69 | 36 |
| W-GH-M-6942-F | 2465 | 69 | 42 |
| W-GH-M-6948-F | 2474 | 69 | 48 |
| W-GH-M-7236-F | 2137 | 72 | 36 |
| W-GH-M-7242-F | 2468 | 72 | 42 |
| W-GH-M-7248-F | 2475 | 72 | 48 |

Laminate

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GH-M-6136-L | 1419 | 61 | 36 |
| W-GH-M-6142-L | 1768 | 61 | 42 |
| W-GH-M-6148-L | 1769 | 61 | 48 |
| W-GH-M-6636-L | 1436 | 66 | 36 |
| W-GH-M-6642-L | 1769 | 66 | 42 |
| W-GH-M-6648-L | 1770 | 66 | 48 |
| W-GH-M-6936-L | 1449 | 69 | 36 |
| W-GH-M-6942-L | 1770 | 69 | 42 |
| W-GH-M-6948-L | 1772 | 69 | 48 |
| W-GH-M-7236-L | 1460 | 72 | 36 |
| W-GH-M-7242-L | 1770 | 72 | 42 |
| W-GH-M-7248-L | 1773 | 72 | 48 |



Skate foot



Laminate/Whiteboard

What's Included:

- 1" thick Indent Gallery Shield
- 4 stationary SKATE feet

Notes:

18-1/4" Clearance for feet
 Indent 25"Depth x 19" High, starts 16" off the floor

Options:

Height: 61", 66", 69", 72"

Width: 42", 48"

Metal paint finish

Laminate finish


Whiteboard finish

Laminate


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GI-F-6142-L | 1645 | 61 | 42 |
| W-GI-F-6148-L | 1650 | 61 | 48 |
| W-GI-F-6642-L | 1650 | 66 | 42 |
| W-GI-F-6648-L | 1653 | 66 | 48 |
| W-GI-F-6942-L | 1650 | 69 | 42 |
| W-GI-F-6948-L | 1654 | 69 | 48 |
| W-GI-F-7242-L | 1653 | 72 | 42 |
| W-GI-F-7248-L | 1654 | 72 | 48 |

Whiteboard

| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GI-F-6136-W | 2312 | 61 | 36 |
| W-GI-F-6142-W | 2681 | 61 | 42 |
| W-GI-F-6148-W | 2682 | 61 | 48 |
| W-GI-F-6636-W | 2360 | 66 | 36 |
| W-GI-F-6642-W | 2682 | 66 | 42 |
| W-GI-F-6648-W | 2684 | 66 | 48 |
| W-GI-F-6936-W | 2385 | 69 | 36 |
| W-GI-F-6942-W | 2683 | 69 | 42 |
| W-GI-F-6948-W | 2684 | 69 | 48 |
| W-GI-F-7236-W | 2412 | 72 | 36 |
| W-GI-F-7242-W | 2684 | 72 | 42 |
| W-GI-F-7248-W | 2685 | 72 | 48 |



Roller Skate foot



Laminate/Whiteboard

What's Included:

- 1" thick Indent Shield
- 4 mobile Roller Skate feet

Notes:

18-1/4" Clearance for feet
 Indent 25"Dx19"H, starts 16" off the floor
 75mm lockable casters

Options:

Height: 61", 66", 69", 72"

Width: 42", 48"

Metal paint finish

Laminate finish

Whiteboard finish

Laminate


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GI-M-6142-L | 1873 | 61 | 42 |
| W-GI-M-6148-L | 1875 | 61 | 48 |
| W-GI-M-6642-L | 1874 | 66 | 42 |
| W-GI-M-6648-L | 1876 | 66 | 48 |
| W-GI-M-6942-L | 1875 | 69 | 42 |
| W-GI-M-6948-L | 1876 | 69 | 48 |
| W-GI-M-7242-L | 1876 | 72 | 42 |
| W-GI-M-7248-L | 1877 | 72 | 48 |

Whiteboard


| Code | Price | Height (in) | Width (in) |
|---------------|-------|-------------|------------|
| W-GI-M-6136-W | 2543 | 61 | 36 |
| W-GI-M-6142-W | 2905 | 61 | 42 |
| W-GI-M-6148-W | 2907 | 61 | 48 |
| W-GI-M-6636-W | 2586 | 66 | 36 |
| W-GI-M-6642-W | 2907 | 66 | 42 |
| W-GI-M-6648-W | 2910 | 66 | 48 |
| W-GI-M-6936-W | 2612 | 69 | 36 |
| W-GI-M-6942-W | 2910 | 69 | 42 |
| W-GI-M-6948-W | 2911 | 69 | 48 |
| W-GI-M-7236-W | 2633 | 72 | 36 |
| W-GI-M-7242-W | 2910 | 72 | 42 |
| W-GI-M-7248-W | 2912 | 72 | 48 |




Canada
Shield Pricebook
January 2024
Caddy Shield




Clear acrylic



Frosted acrylic



Laminate



Pet Felt

What's Included:

Acrylic, Laminate or PET Caddy Base

How to Specify:

24" for 24" surface

30" for 30" surface

36" for 24" surface with 12" extension

42" for 30" surface with 12" overhang

Options:

Height: 24"

Depth: 24", 30", 36", 42" with 24" base

Notes:

For 1" thick worksurface

Maximum 12" extension

Caddy base is 24"D on all sizes

Shield is non-handed


Front is secured with a clamp, back with two-way tape

| Code | Price | Height (in) | Depth (in) |
|----------------------|---------|-------------|------------|
| CLEAR ACRYLIC | | | |
| W-SJ-D-2424-C | \$ 885 | 24 | 24 |
| W-SJ-D-2430-C | \$ 1047 | 24 | 30 |
| W-SJ-D-2436-C | \$ 1098 | 24 | 36 |
| W-SJ-D-2442-C | \$ 1151 | 24 | 42 |
| LAMINATE | | | |
| W-SJ-D-2424-L | \$ 935 | 24 | 24 |
| W-SJ-D-2430-L | \$ 1103 | 24 | 30 |
| W-SJ-D-2436-L | \$ 1159 | 24 | 36 |
| W-SJ-D-2442-L | \$ 1215 | 24 | 42 |

| Code | Price | Height (in) | Depth (in) |
|------------------------|---------|-------------|------------|
| FROSTED ACRYLIC | | | |
| W-SJ-D-2424-F | \$ 994 | 24 | 24 |
| W-SJ-D-2430-F | \$ 1256 | 24 | 30 |
| W-SJ-D-2436-F | \$ 1343 | 24 | 36 |
| W-SJ-D-2442-F | \$ 1429 | 24 | 42 |
| PET FELT | | | |
| W-SJ-D-2424-P | \$ 1049 | 24 | 24 |
| W-SJ-D-2430-P | \$ 1158 | 24 | 30 |
| W-SJ-D-2436-P | \$ 1385 | 24 | 36 |
| W-SJ-D-2442-P | \$ 1385 | 24 | 42 |



Canada
Shield Pricebook
January 2024
Sanitization Cabinet



What's Included:

Sanitization Station with Bottom Adjustable Shelf Mask/Glove Dispenser

How to Specify:

LH or RH Door

Notes:

Bottom adjustable shelf accommodates shorter bins
Mask/Glove Dispenser Can hold 2

Options:

Height: 72"

Depth: 18"

Width: 24"

Standard handle options except for McKay

| Code | Price | Height (in) | Depth (in) | Width (in) |
|----------------------|---------|-------------|------------|------------|
| Sanitization Station | | | | |
| W-11-Z-721824-L | \$ 1924 | 72 | 18 | 24 |
| W-11-Z-721824-R | \$ 1924 | 72 | 18 | 24 |