

Tables Pricebook

Supply Arrangement (RFSA)
E60PQ-140003/D

February 2024

Caution	iii
Volley tables	5
120 base & surface	6
straight	8
5 sided	12
unitized	14
upgrades	24
HPL upcharge for worksurfaces	26
straight worksurface	28
5-sided worksurface	34
unitized worksurface	35
120 degree worksurface	41

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Tables Pricebook
February 2024
Volley

Volley tables

120 base & surface	6
straight	8
with enclosures, no modesty	10
with enclosures, trough & modesty	11
5 sided	12
unitized	14
upgrades	24



height adjustable surface

height adjustable base

What's Included:

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.


Freestanding Options:

Width	42", 48", 54"		
Depth	42", 48", 54"		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:

Width	40", 46", 52"		
Depth	40", 46", 52"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	Height (in)	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
120 Base						
R-HA3B2-S-G3	3187		40"-48"	24	4.22	120
R-HA3B2-L-G3	3217		52"-60"	24	4.27	128
BIFMA Base						
R-HA3B2-S-G3-B	3187		40"-48"	24	4.22	120
R-HA3B2-L-G3-B	3217		52"-60"	24	4.27	128
120 Surface - Freestanding						
R-S2CG-4224	943	1	42	42	1.8	32
R-S2CG-4230	1142	1	42	42	2.125	35
R-S2CG-4824	1001	1	48	48	1.9	35
R-S2CG-4830	1200	1	48	48	2.25	38
R-S2CG-5424	1013	1	54	54	2.1	38
R-S2CG-5430	1213	1	54	54	2.45	41
120 Surface - Integrated						
R-S2CG-4023	911	1	40	40	1.71	30
R-S2CG-4029	1091	1	40	40	2.03	33
R-S2CG-4623	969	1	46	46	1.8	33
R-S2CG-4629	1149	1	46	46	2.15	36
R-S2CG-5223	982	1	52	52	2	36
R-S2CG-5229	1162	1	52	52	2.35	39



What’s Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.

Load capacity of 275lb with worksurface.

Freestanding Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”		
Depth	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black


Integrated Options:

Width	34”, 40”, 46”, 52”, 58”, 64”, 70”		
Depth	23”, 29”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

straight - base

Code	Price	W Range (in)	D(in)	Weight (lb)	Volume (ft³)
R-HATB-S-G3	1467	40”-72”	24	88	2.8
R-HATB-L-G3	1501	76”-90”	24	90	2.86
BIFMA base					
R-HATB-S-G3-B	1467	40”-72”	24	88	2.8
R-HATB-L-G3-B	1501	76”-90”	24	90	2.86

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
surface - freestanding					
R-WS0G-3624	316	36	24	0	16
R-WS0G-3630	322	36	30	0	20
R-WS0G-4224	337	42	24	0	18.66
R-WS0G-4230	345	42	30	0	23.33
R-WS0G-4824	385	48	24	0	21.33
R-WS0G-4830	405	48	30	0	26.67
R-WS0G-5424	465	54	24	0	24
R-WS0G-5430	497	54	30	0	30
R-WS0G-6024	488	60	24	0	26.67
R-WS0G-6030	520	60	30	0	33.31
R-WS0G-6624	540	66	24	0	29.33
R-WS0G-6630	554	66	30	0	36.65
R-WS0G-7224	566	72	24	0	32
R-WS0G-7230	568	72	30	0	40
R-WS0G-7824	701	78	24	1.3	34
R-WS0G-7830	739	78	30	1.625	42
R-WS0G-8424	765	84	24	1.4	36
R-WS0G-8430	803	84	30	1.75	44
surface integrated					
R-WS0G-3423	316	34	23	0	15.98
R-WS0G-3429	322	34	29	0	19.97
R-WS0G-4023	337	40	23	0	18.64
R-WS0G-4029	345	40	29	0	23.3
R-WS0G-4623	385	46	23	0	21.31
R-WS0G-4629	405	46	29	0	26.64
R-WS0G-5223	452	52	23	0	23.98
R-WS0G-5229	465	52	29	0	29.77
R-WS0G-5823	488	58	23	0	26.65
R-WS0G-5829	479	58	29	0	33.28
R-WS0G-6423	540	64	23	0	29.31
R-WS0G-6429	554	64	29	0	36.62
R-WS0G-7023	566	70	23	0	31.98
R-WS0G-7029	568	70	29	0	39.77
R-WS0G-7623	701	76	23	1.21	33.98
R-WS0G-7629	739	76	29	1.53	41.77
R-WS0G-8223	765	82	23	1.3	35.98
R-WS0G-8229	803	82	29	1.65	43.77



Height Adjustable Table, w/Box Enclosure, w/Grommet, No Modesty

What’s Included:

HAT table, box enclosure, grommet

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Options:

Width	60", 66", 72", 78", 84"		
Depth	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-N	3652	25.5 - 51	60	24
R-HABT-6624-N	3654	25.5 - 51	66	24
R-HABT-7224-N	3730	25.5 - 51	72	24
R-HABT-7824-N	3764	25.5 - 51	78	24
R-HABT-8424-N	3766	25.5 - 51	84	24
R-HABT-6030-N	3660	25.5 - 51	60	30
R-HABT-6630-N	3662	25.5 - 51	66	30
R-HABT-7230-N	3737	25.5 - 51	72	30
R-HABT-7830-N	3771	25.5 - 51	78	30
R-HABT-8430-N	3774	25.5 - 51	84	30



Height Adjustable Table, w/Box Enclosure, w/Grommet, w/ Trough & Modesty, 1" Top

What’s Included:

HAT table, box enclosure, grommet, modesty

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Modesty can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.



Load capacity of 350lb with worksurface.

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	60", 66", 72", 78", 84"		
Depth	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-M	4225	25.5 - 51	60	24
R-HABT-6624-M	4239	25.5 - 51	66	24
R-HABT-7224-M	4358	25.5 - 51	72	24
R-HABT-7824-M	4440	25.5 - 51	78	24
R-HABT-8424-M	4453	25.5 - 51	84	24
R-HABT-6030-M	4232	25.5 - 51	60	30
R-HABT-6630-M	4246	25.5 - 51	66	30
R-HABT-7230-M	4365	25.5 - 51	72	30
R-HABT-7830-M	4447	25.5 - 51	78	30
R-HABT-8430-M	4461	25.5 - 51	84	30



What's Included:
Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:
Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

Freestanding Options:

Width/Depth	48", 54", 60",		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:


Width/Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

5 sided base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	2960	46"-72"	24	146	4.22
R-HA3B-L-G3	2992	58"-84"	24	148	4.27
BIFMA base					
R-HA3B-S-G3-B	2960	46"-72"	24	146	4.22
R-HA3B-L-G3-B	2992	58"-84"	24	148	4.27

5 sided surface

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
freestanding curved					
R-W5CG-4824	683	48	24	5.22	47.43
R-W5CG-4830	710	48	30	5.22	50.21
R-W5CG-5424	779	54	24	5.22	49.45
R-W5CG-5430	884	54	30	5.22	51.63
R-W5CG-6024	866	60	24	5.22	54.2
R-W5CG-6030	1011	60	30	5.22	56.32
freestanding 90 degree					
R-W5NG-4824	683	48	24	5.22	47.43
R-W5NG-4830	710	48	30	5.22	50.21
R-W5NG-5424	779	54	24	5.22	49.45
R-W5NG-5430	884	54	30	5.22	51.63
R-W5NG-6024	866	60	24	5.22	54.2
R-W5NG-6030	1011	60	30	5.22	56.32
integrated curved					
R-W5CG-4623	683	46	23	5.22	47.43
R-W5CG-4629	710	46	29	5.22	50.21
R-W5CG-5223	779	52	23	5.22	49.45
R-W5CG-5229	884	52	29	5.22	51.63
R-W5CG-5823	866	58	23	5.22	54.2
R-W5CG-5829	1011	58	29	5.22	56.32
integrated 90 degree					
R-W5NG-4623	683	46	23	5.22	47.43
R-W5NG-4629	710	46	29	5.22	50.12
R-W5NG-5223	779	52	23	5.22	49.43
R-W5NG-5229	884	52	29	5.22	51.6
R-W5NG-5823	866	58	23	5.22	54.01
R-W5NG-5829	1011	58	29	5.22	56.03



What's Included:

Unitized Volley tables (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver orwhite.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Freestanding Options:

Width	60", 66", 72", 78", 84"		
Depth	48", 54", 60"		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integated Options:

Width	58", 64", 70", 76", 82"		
Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

uniitized base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	2960	46"-72"	24	146	4.22
R-HA3B-L-G3	2992	58"-84"	24	148	4.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding curved						
R-WUCG-604824-L	994	60	48	24	5.42	46.03
R-WUCG-604824-R	994	60	48	24	5.42	46.03
R-WUCG-604830-L	1021	60	48	30	5.42	48.13
R-WUCG-604830-R	1021	60	48	30	5.42	48.13
R-WUCG-605424-L	1092	60	54	24	5.42	47.06
R-WUCG-605424-R	1092	60	54	24	5.42	47.06
R-WUCG-605430-L	1119	60	54	30	5.42	49.32
R-WUCG-605430-R	1119	60	54	30	5.42	49.32
R-WUCG-664824-L	1102	66	48	24	5.42	48.13
R-WUCG-664824-R	1102	66	48	24	5.42	48.13
R-WUCG-664830-L	1133	66	48	30	5.42	49.56
R-WUCG-664830-R	1133	66	48	30	5.42	49.56
R-WUCG-665424-L	1208	66	54	24	5.42	49.26
R-WUCG-665424-R	1208	66	54	24	5.42	49.26
R-WUCG-665430-L	1234	66	54	30	5.42	51.96
R-WUCG-665430-R	1234	66	54	30	5.42	51.96

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-666024-L	1312	66	60	24	5.42	52.36
R-WUCG-666024-R	1312	66	60	24	5.42	52.36
R-WUCG-666030-L	1342	66	60	30	5.42	54.65
R-WUCG-666030-R	1342	66	60	30	5.42	54.65
R-WUCG-724824-L	1154	72	48	24	5.42	52.33
R-WUCG-724824-R	1154	72	48	24	5.42	52.33
R-WUCG-724830-L	1181	72	48	30	5.42	53.69
R-WUCG-724830-R	1181	72	48	30	5.42	53.69
R-WUCG-725424-L	1261	72	54	24	5.42	53.65
R-WUCG-725424-R	1261	72	54	24	5.42	53.65
R-WUCG-725430-L	1293	72	54	30	5.42	55.21
R-WUCG-725430-R	1293	72	54	30	5.42	55.21
R-WUCG-726024-L	1373	72	60	24	5.42	55.36
R-WUCG-726024-R	1373	72	60	24	5.42	55.36
R-WUCG-726030-L	1401	72	60	30	5.42	57.31
R-WUCG-726030-R	1401	72	60	30	5.42	57.31
R-WUCG-784824-L	1296	78	48	24	5.42	54.16
R-WUCG-784824-R	1296	78	48	24	5.42	54.16
R-WUCG-784830-L	1328	78	48	30	5.42	56.19
R-WUCG-784830-R	1328	78	48	30	5.42	56.19

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-785424-L	1415	78	54	24	5.42	56.61
R-WUCG-785424-R	1415	78	54	24	5.42	56.61
R-WUCG-785430-L	1448	78	54	30	5.42	58.17
R-WUCG-785430-R	1448	78	54	30	5.42	58.17
R-WUCG-786024-L	1537	78	60	24	5.42	57.96
R-WUCG-786024-R	1537	78	60	24	5.42	57.96
R-WUCG-786030-L	1569	78	60	30	5.42	58.62
R-WUCG-786030-R	1569	78	60	30	5.42	58.62
R-WUCG-844824-L	1421	84	48	24	5.42	56.16
R-WUCG-844824-R	1421	84	48	24	5.42	56.16
R-WUCG-844830-L	1452	84	48	30	5.42	58.32
R-WUCG-844830-R	1452	84	48	30	5.42	58.32
R-WUCG-845424-L	1554	84	54	24	5.42	58.6
R-WUCG-845424-R	1554	84	54	24	5.42	58.6
R-WUCG-845430-L	1585	84	54	30	5.42	59.63
R-WUCG-845430-R	1585	84	54	30	5.42	59.63
R-WUCG-846024-L	1688	84	60	24	5.42	59.99
R-WUCG-846024-R	1688	84	60	24	5.42	59.99
R-WUCG-846030-L	1717	84	60	30	5.42	61.34
R-WUCG-846030-R	1717	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding 90 degree						
R-WUCG-604824-L	994	60	48	24	5.42	46.03
R-WUCG-604824-R	994	60	48	24	5.42	46.03
R-WUCG-604830-L	1021	60	48	30	5.42	48.13
R-WUCG-604830-R	1021	60	48	30	5.42	48.13
R-WUCG-605424-L	1092	60	54	24	5.42	47.06
R-WUCG-605424-R	1092	60	54	24	5.42	47.06
R-WUCG-605430-L	1119	60	54	30	5.42	49.32
R-WUCG-605430-R	1119	60	54	30	5.42	49.32
R-WUCG-664824-L	1102	66	48	24	5.42	48.13
R-WUCG-664824-R	1102	66	48	24	5.42	48.13
R-WUCG-664830-L	1133	66	48	30	5.42	49.56
R-WUCG-664830-R	1133	66	48	30	5.42	49.56
R-WUCG-665424-L	1208	66	54	24	5.42	49.26
R-WUCG-665424-R	1208	66	54	24	5.42	49.26
R-WUCG-665430-L	1234	66	54	30	5.42	51.96
R-WUCG-665430-R	1234	66	54	30	5.42	51.96
R-WUCG-666024-L	1312	66	60	24	5.42	52.36
R-WUCG-666024-R	1312	66	60	24	5.42	52.36
R-WUCG-666030-L	1342	66	60	30	5.42	54.65
R-WUCG-666030-R	1342	66	60	30	5.42	54.65
R-WUCG-724824-L	1154	72	48	24	5.42	52.33
R-WUCG-724824-R	1154	72	48	24	5.42	52.33
R-WUCG-724830-L	1181	72	48	30	5.42	53.69
R-WUCG-724830-R	1181	72	48	30	5.42	53.69
R-WUCG-725424-L	1261	72	54	24	5.42	53.65
R-WUCG-725424-R	1261	72	54	24	5.42	53.65
R-WUCG-725430-L	1293	72	54	30	5.42	55.21
R-WUCG-725430-R	1293	72	54	30	5.42	55.21


Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding 90 degree - continued						
R-WUCG-726024-L	1373	72	60	24	5.42	55.36
R-WUCG-726024-R	1373	72	60	24	5.42	55.36
R-WUCG-726030-L	1401	72	60	30	5.42	57.31
R-WUCG-726030-R	1401	72	60	30	5.42	57.31
R-WUCG-784824-L	1296	78	48	24	5.42	54.16
R-WUCG-784824-R	1296	78	48	24	5.42	54.16
R-WUCG-784830-L	1328	78	48	30	5.42	56.19
R-WUCG-784830-R	1328	78	48	30	5.42	56.19
R-WUCG-785424-L	1415	78	54	24	5.42	56.61
R-WUCG-785424-R	1415	78	54	24	5.42	56.61
R-WUCG-785430-L	1448	78	54	30	5.42	58.17
R-WUCG-785430-R	1448	78	54	30	5.42	58.17
R-WUCG-786024-L	1537	78	60	24	5.42	57.96
R-WUCG-786024-R	1537	78	60	24	5.42	57.96
R-WUCG-786030-L	1569	78	60	30	5.42	58.62
R-WUCG-786030-R	1569	78	60	30	5.42	58.62
R-WUCG-844824-L	1421	84	48	24	5.42	56.16
R-WUCG-844824-R	1421	84	48	24	5.42	56.16
R-WUCG-844830-L	1452	84	48	30	5.42	58.32
R-WUCG-844830-R	1452	84	48	30	5.42	58.32
R-WUCG-845424-L	1554	84	54	24	5.42	58.6
R-WUCG-845424-R	1554	84	54	24	5.42	58.6
R-WUCG-845430-L	1585	84	54	30	5.42	59.63
R-WUCG-845430-R	1585	84	54	30	5.42	59.63
R-WUCG-846024-L	1688	84	60	24	5.42	59.99
R-WUCG-846024-R	1688	84	60	24	5.42	59.99
R-WUCG-846030-L	1717	84	60	30	5.42	61.34
R-WUCG-846030-R	1717	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved						
R-WUCG-584623-L	994	58	46	23	5.42	46
R-WUCG-584623-R	994	58	46	23	5.42	46
R-WUCG-584629-L	1021	58	46	29	5.42	48.1
R-WUCG-584629-R	1021	58	46	29	5.42	48.1
R-WUCG-585223-L	1092	58	52	23	5.42	47.03
R-WUCG-585223-R	1092	58	52	23	5.42	47.03
R-WUCG-585229-L	1119	58	52	29	5.42	49.3
R-WUCG-585229-R	1119	58	52	29	5.42	49.3
R-WUCG-644623-L	1102	64	46	23	5.42	48
R-WUCG-644623-R	1102	64	46	23	5.42	48
R-WUCG-644629-L	1133	64	46	29	5.42	48.92
R-WUCG-644629-R	1133	64	46	29	5.42	48.92
R-WUCG-645223-L	1208	64	52	23	5.42	49.23
R-WUCG-645223-R	1208	64	52	23	5.42	49.23
R-WUCG-645229-L	1234	64	52	29	5.42	51.93
R-WUCG-645229-R	1234	64	52	29	5.42	51.93
R-WUCG-645823-L	1312	64	58	23	5.42	52.33
R-WUCG-645823-R	1312	64	58	23	5.42	52.33
R-WUCG-645829-L	1342	64	58	29	5.42	54.62
R-WUCG-645829-R	1342	64	58	29	5.42	54.62
R-WUCG-704623-L	1154	70	46	23	5.42	52.3
R-WUCG-704623-R	1154	70	46	23	5.42	52.3
R-WUCG-704629-L	1181	70	46	29	5.42	53.66
R-WUCG-704629-R	1181	70	46	29	5.42	53.66
R-WUCG-705223-L	1261	70	52	23	5.42	53.62
R-WUCG-705223-R	1261	70	52	23	5.42	53.62
R-WUCG-705229-L	1293	70	52	29	5.42	55.18
R-WUCG-705229-R	1293	70	52	29	5.42	55.18

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved - continued						
R-WUCG-705823-L	1373	70	58	23	5.42	55.33
R-WUCG-705823-R	1373	70	58	23	5.42	55.33
R-WUCG-705829-L	1401	70	58	29	5.42	57.28
R-WUCG-705829-R	1401	70	58	29	5.42	57.28
R-WUCG-764623-L	1296	76	46	23	5.42	54.13
R-WUCG-764623-R	1296	76	46	23	5.42	54.13
R-WUCG-764629-L	1328	76	46	29	5.42	56.16
R-WUCG-764629-R	1328	76	46	29	5.42	56.16
R-WUCG-765223-L	1415	76	52	23	5.42	56.58
R-WUCG-765223-R	1415	76	52	23	5.42	56.58
R-WUCG-765229-L	1448	76	52	29	5.42	57.14
R-WUCG-765229-R	1448	76	52	29	5.42	57.14
R-WUCG-765823-L	1537	76	58	23	5.42	57.93
R-WUCG-765823-R	1537	76	58	23	5.42	57.93
R-WUCG-765829-L	1569	76	58	29	5.42	58.59
R-WUCG-765829-R	1569	76	58	29	5.42	58.59
R-WUCG-824623-L	1421	82	46	23	5.42	56.13
R-WUCG-824623-R	1421	82	46	23	5.42	56.13
R-WUCG-824629-L	1452	82	46	29	5.42	58.28
R-WUCG-824629-R	1452	82	46	29	5.42	58.28
R-WUCG-825223-L	1554	82	52	23	5.42	58.57
R-WUCG-825223-R	1554	82	52	23	5.42	58.57
R-WUCG-825229-L	1585	82	52	29	5.42	59.6
R-WUCG-825229-R	1585	82	52	29	5.42	59.6
R-WUCG-825823-L	1688	82	58	23	5.42	59.96
R-WUCG-825823-R	1688	82	58	23	5.42	59.96
R-WUCG-825829-L	1717	82	58	29	5.42	61.31
R-WUCG-825829-R	1717	82	58	29	5.42	61.31

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree						
R-WUNG-584623-L	1042	60	48	24	5.42	46.03
R-WUNG-584623-R	1042	60	48	24	5.42	46.03
R-WUNG-585223-L	1144	60	48	30	5.42	48.13
R-WUNG-585223-R	1144	60	48	30	5.42	48.13
R-WUNG-585229-L	1176	60	54	24	5.42	47.06
R-WUNG-585229-R	1176	60	54	24	5.42	47.06
R-WUNG-644623-L	1156	60	54	30	5.42	49.32
R-WUNG-644623-R	1156	60	54	30	5.42	49.32
R-WUNG-645223-L	1268	66	48	24	5.42	48.13
R-WUNG-645223-R	1268	66	48	24	5.42	48.13
R-WUNG-645229-L	1296	66	48	30	5.42	49.56
R-WUNG-645229-R	1296	66	48	30	5.42	49.56
R-WUNG-645823-L	1376	66	54	24	5.42	49.26
R-WUNG-645823-R	1376	66	54	24	5.42	49.26
R-WUNG-645829-L	1408	66	54	30	5.42	51.96
R-WUNG-645829-R	1408	66	54	30	5.42	51.96
R-WUNG-704623-L	1211	66	60	24	5.42	52.36
R-WUNG-704623-R	1211	66	60	24	5.42	52.36
R-WUNG-705223-L	1322	66	60	30	5.42	54.65
R-WUNG-705223-R	1322	66	60	30	5.42	54.65
R-WUNG-705229-L	1356	72	48	24	5.42	52.33
R-WUNG-705229-R	1356	72	48	24	5.42	52.33
R-WUNG-705823-L	1438	72	48	30	5.42	53.69
R-WUNG-705823-R	1438	72	48	30	5.42	53.69
R-WUNG-705829-L	1470	72	54	24	5.42	53.65
R-WUNG-705829-R	1470	72	54	24	5.42	53.65
R-WUNG-764623-L	1361	72	54	30	5.42	55.21
R-WUNG-764623-R	1361	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree - continued						
R-WUNG-765223-L	1484	72	60	24	5.42	55.36
R-WUNG-765223-R	1484	72	60	24	5.42	55.36
R-WUNG-765229-L	1520	72	60	30	5.42	57.31
R-WUNG-765229-R	1520	72	60	30	5.42	57.31
R-WUNG-765823-L	1612	78	48	24	5.42	54.16
R-WUNG-765823-R	1612	78	48	24	5.42	54.16
R-WUNG-765829-L	1644	78	48	30	5.42	56.19
R-WUNG-765829-R	1644	78	48	30	5.42	56.19
R-WUNG-824623-L	1490	78	54	24	5.42	56.61
R-WUNG-824623-R	1490	78	54	24	5.42	56.61
R-WUNG-825223-L	1630	78	54	30	5.42	58.17
R-WUNG-825223-R	1630	78	54	30	5.42	58.17
R-WUNG-825229-L	1663	78	60	24	5.42	57.96
R-WUNG-825229-R	1663	78	60	24	5.42	57.96
R-WUNG-825823-L	1770	78	60	30	5.42	58.62
R-WUNG-825823-R	1770	78	60	30	5.42	58.62
R-WUNG-825829-L	1800	84	48	24	5.42	56.16
R-WUNG-825829-R	1800	84	48	24	5.42	56.16



Height Adjustable Table Enclosure Box

What’s Included:

HAT enclosure box


How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Options:

Depth	25.5", 30"
Enclosure	laminate color

Code	Price	H (in)	W (in)	D (in)
R-HBOX-180725	925	18.25	6.75	25.5
R-HBOX-180730	928	18.25	6.75	30



Trough and trough mounted modesty

What’s Included:

Trough and trough mounted modesty for Volley height adjustable table

How to Specify:

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

Notes:

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	46", 52",58", 64", 70"
Modesty	frosted acrylic or laminate color

Code	Price	H (in)	W (in)
Laminate Modesty			
R-HMOD-6021	571	21	46
R-HMOD-6621	583	21	52
R-HMOD-7221	626	21	58
R-HMOD-7821	674	21	64
R-HMOD-8421	686	21	70
Frosted Acrylic Modesty			
R-HMOD-6021-F	868	21	46
R-HMOD-6621-F	963	21	52
R-HMOD-7221-F	992	21	58
R-HMOD-7821-F	1216	21	64
R-HMOD-8421-F	1220	21	70



February 2024

HPL upcharge for worksurfaces

HPL upcharge for worksurfaces

<u>straight worksurface</u>	<u>28</u>
<u>5-sided worksurface</u>	<u>34</u>
<u>unitized worksurface</u>	<u>35</u>
<u>120 degree worksurface</u>	<u>41</u>

How to Specify:

V1 upcharge =single side HPL, w/ backer

V2 upcharge =double sided HPL

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	18	18	\$ 52.00	\$ 76.00
STRAIGHT	24	18	\$ 79.00	\$ 114.00
STRAIGHT	30	18	\$ 107.00	\$ 152.00
STRAIGHT	36	18	\$ 107.00	\$ 152.00
STRAIGHT	42	18	\$ 159.00	\$ 228.00
STRAIGHT	48	18	\$ 159.00	\$ 228.00
STRAIGHT	54	18	\$ 159.00	\$ 228.00
STRAIGHT	60	18	\$ 317.00	\$ 455.00
STRAIGHT	66	18	\$ 317.00	\$ 455.00
STRAIGHT	72	18	\$ 317.00	\$ 455.00
STRAIGHT	78	18	\$ 317.00	\$ 455.00
STRAIGHT	84	18	\$ 317.00	\$ 455.00
STRAIGHT	90	18	\$ 317.00	\$ 455.00
STRAIGHT	96	18	\$ 317.00	\$ 455.00
STRAIGHT	102	18	\$ 317.00	\$ 455.00
STRAIGHT	108	18	\$ 317.00	\$ 455.00
STRAIGHT	18	20	\$ 52.00	\$ 76.00
STRAIGHT	24	20	\$ 79.00	\$ 114.00
STRAIGHT	30	20	\$ 107.00	\$ 152.00
STRAIGHT	36	20	\$ 107.00	\$ 152.00
STRAIGHT	42	20	\$ 159.00	\$ 228.00
STRAIGHT	48	20	\$ 159.00	\$ 228.00
STRAIGHT	54	20	\$ 159.00	\$ 228.00
STRAIGHT	60	20	\$ 317.00	\$ 455.00

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	66	20	\$ 317.00	\$ 455.00
STRAIGHT	72	20	\$ 317.00	\$ 455.00
STRAIGHT	78	20	\$ 317.00	\$ 455.00
STRAIGHT	84	20	\$ 317.00	\$ 455.00
STRAIGHT	90	20	\$ 317.00	\$ 455.00
STRAIGHT	96	20	\$ 317.00	\$ 455.00
STRAIGHT	102	20	\$ 317.00	\$ 455.00
STRAIGHT	108	20	\$ 317.00	\$ 455.00
STRAIGHT	18	21	\$ 79.00	\$ 114.00
STRAIGHT	24	21	\$ 117.00	\$ 169.00
STRAIGHT	30	21	\$ 159.00	\$ 228.00
STRAIGHT	36	21	\$ 159.00	\$ 228.00
STRAIGHT	42	21	\$ 238.00	\$ 341.00
STRAIGHT	48	21	\$ 238.00	\$ 341.00
STRAIGHT	54	21	\$ 238.00	\$ 341.00
STRAIGHT	60	21	\$ 476.00	\$ 683.00
STRAIGHT	66	21	\$ 476.00	\$ 683.00
STRAIGHT	72	21	\$ 476.00	\$ 683.00
STRAIGHT	78	21	\$ 476.00	\$ 683.00
STRAIGHT	84	21	\$ 476.00	\$ 683.00
STRAIGHT	90	21	\$ 476.00	\$ 683.00
STRAIGHT	96	21	\$ 476.00	\$ 683.00
STRAIGHT	102	21	\$ 476.00	\$ 683.00
STRAIGHT	108	21	\$ 476.00	\$ 683.00
STRAIGHT	18	24	\$ 79.00	\$ 114.00
STRAIGHT	24	24	\$ 117.00	\$ 169.00
STRAIGHT	30	24	\$ 159.00	\$ 228.00

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	36	24	\$ 159.00	\$ 228.00
STRAIGHT	42	24	\$ 238.00	\$ 341.00
STRAIGHT	48	24	\$ 238.00	\$ 341.00
STRAIGHT	54	24	\$ 238.00	\$ 341.00
STRAIGHT	60	24	\$ 476.00	\$ 683.00
STRAIGHT	66	24	\$ 476.00	\$ 683.00
STRAIGHT	72	24	\$ 476.00	\$ 683.00
STRAIGHT	78	24	\$ 476.00	\$ 683.00
STRAIGHT	84	24	\$ 476.00	\$ 683.00
STRAIGHT	90	24	\$ 476.00	\$ 683.00
STRAIGHT	96	24	\$ 476.00	\$ 683.00
STRAIGHT	102	24	\$ 476.00	\$ 683.00
STRAIGHT	108	24	\$ 476.00	\$ 683.00
STRAIGHT	18	30	\$ 79.00	\$ 114.00
STRAIGHT	24	30	\$ 117.00	\$ 169.00
STRAIGHT	30	30	\$ 159.00	\$ 228.00
STRAIGHT	36	30	\$ 159.00	\$ 228.00
STRAIGHT	42	30	\$ 238.00	\$ 341.00
STRAIGHT	48	30	\$ 238.00	\$ 341.00
STRAIGHT	54	30	\$ 238.00	\$ 341.00
STRAIGHT	60	30	\$ 476.00	\$ 683.00
STRAIGHT	66	30	\$ 476.00	\$ 683.00
STRAIGHT	72	30	\$ 476.00	\$ 683.00
STRAIGHT	78	30	\$ 476.00	\$ 683.00
STRAIGHT	84	30	\$ 476.00	\$ 683.00
STRAIGHT	90	30	\$ 476.00	\$ 683.00

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	96	30	\$ 476.00	\$ 683.00
STRAIGHT	102	30	\$ 476.00	\$ 683.00
STRAIGHT	108	30	\$ 476.00	\$ 683.00
STRAIGHT	18	36	\$ 159.00	\$ 228.00
STRAIGHT	24	36	\$ 238.00	\$ 341.00
STRAIGHT	30	36	\$ 317.00	\$ 455.00
STRAIGHT	36	36	\$ 317.00	\$ 455.00
STRAIGHT	42	36	\$ 476.00	\$ 683.00
STRAIGHT	48	36	\$ 476.00	\$ 683.00
STRAIGHT	54	36	\$ 476.00	\$ 683.00
STRAIGHT	60	36	\$ 948.00	\$ 1,362.00
STRAIGHT	66	36	\$ 948.00	\$ 1,362.00
STRAIGHT	72	36	\$ 948.00	\$ 1,362.00
STRAIGHT	78	36	\$ 948.00	\$ 1,362.00
STRAIGHT	84	36	\$ 948.00	\$ 1,362.00
STRAIGHT	90	36	\$ 948.00	\$ 1,362.00
STRAIGHT	96	36	\$ 948.00	\$ 1,362.00
STRAIGHT	102	36	\$ 948.00	\$ 1,362.00
STRAIGHT	108	36	\$ 948.00	\$ 1,362.00
STRAIGHT	18	42	\$ 159.00	\$ 228.00
STRAIGHT	24	42	\$ 238.00	\$ 341.00
STRAIGHT	30	42	\$ 317.00	\$ 455.00
STRAIGHT	36	42	\$ 317.00	\$ 455.00
STRAIGHT	42	42	\$ 476.00	\$ 683.00
STRAIGHT	48	42	\$ 476.00	\$ 683.00
STRAIGHT	54	42	\$ 476.00	\$ 683.00
STRAIGHT	60	42	\$ 948.00	\$ 1,362.00

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	66	42	\$ 948.00	\$ 1,362.00
STRAIGHT	72	42	\$ 948.00	\$ 1,362.00
STRAIGHT	78	42	\$ 948.00	\$ 1,362.00
STRAIGHT	84	42	\$ 948.00	\$ 1,362.00
STRAIGHT	90	42	\$ 948.00	\$ 1,362.00
STRAIGHT	96	42	\$ 948.00	\$ 1,362.00
STRAIGHT	102	42	\$ 948.00	\$ 1,362.00
STRAIGHT	108	42	\$ 948.00	\$ 1,362.00
STRAIGHT	18	48	\$ 159.00	\$ 228.00
STRAIGHT	24	48	\$ 238.00	\$ 341.00
STRAIGHT	30	48	\$ 317.00	\$ 455.00
STRAIGHT	36	48	\$ 317.00	\$ 455.00
STRAIGHT	42	48	\$ 476.00	\$ 683.00
STRAIGHT	48	48	\$ 476.00	\$ 683.00
STRAIGHT	54	48	\$ 476.00	\$ 683.00
STRAIGHT	60	48	\$ 948.00	\$ 1,362.00
STRAIGHT	66	48	\$ 948.00	\$ 1,362.00
STRAIGHT	72	48	\$ 948.00	\$ 1,362.00
STRAIGHT	78	48	\$ 948.00	\$ 1,362.00
STRAIGHT	84	48	\$ 948.00	\$ 1,362.00
STRAIGHT	90	48	\$ 948.00	\$ 1,362.00
STRAIGHT	96	48	\$ 948.00	\$ 1,362.00
STRAIGHT	102	48	\$ 948.00	\$ 1,362.00
STRAIGHT	108	48	\$ 948.00	\$ 1,362.00
STRAIGHT	18	54	\$ 159.00	\$ 228.00
STRAIGHT	24	54	\$ 238.00	\$ 341.00
STRAIGHT	30	54	\$ 317.00	\$ 455.00
STRAIGHT	36	54	\$ 317.00	\$ 455.00

Shape	W	D	V1 Upcharge	V2 Upcharge
STRAIGHT	42	54	\$ 476.00	\$ 683.00
STRAIGHT	48	54	\$ 476.00	\$ 683.00
STRAIGHT	54	54	\$ 476.00	\$ 683.00
STRAIGHT	60	54	\$ 948.00	\$ 1,362.00
STRAIGHT	66	54	\$ 948.00	\$ 1,362.00
STRAIGHT	72	54	\$ 948.00	\$ 1,362.00
STRAIGHT	78	54	\$ 948.00	\$ 1,362.00
STRAIGHT	84	54	\$ 948.00	\$ 1,362.00
STRAIGHT	90	54	\$ 948.00	\$ 1,362.00
STRAIGHT	96	54	\$ 948.00	\$ 1,362.00
STRAIGHT	102	54	\$ 948.00	\$ 1,362.00
STRAIGHT	108	54	\$ 948.00	\$ 1,362.00
STRAIGHT	18	60	\$ 159.00	\$ 228.00
STRAIGHT	24	60	\$ 238.00	\$ 341.00
STRAIGHT	30	60	\$ 317.00	\$ 455.00
STRAIGHT	36	60	\$ 317.00	\$ 455.00
STRAIGHT	42	60	\$ 476.00	\$ 683.00
STRAIGHT	48	60	\$ 476.00	\$ 683.00
STRAIGHT	54	60	\$ 476.00	\$ 683.00
STRAIGHT	60	60	\$ 948.00	\$ 1,362.00
STRAIGHT	66	60	\$ 948.00	\$ 1,362.00
STRAIGHT	72	60	\$ 948.00	\$ 1,362.00
STRAIGHT	78	60	\$ 948.00	\$ 1,362.00
STRAIGHT	84	60	\$ 948.00	\$ 1,362.00
STRAIGHT	90	60	\$ 948.00	\$ 1,362.00
STRAIGHT	96	60	\$ 948.00	\$ 1,362.00
STRAIGHT	102	60	\$ 948.00	\$ 1,362.00
STRAIGHT	108	60	\$ 948.00	\$ 1,362.00

Shape	W1	W2	D	V1 Upcharge	V2 Upcharge
5-SIDED	36	36	24	\$ 317.00	\$455.00
5-SIDED	42	42	24	\$ 476.00	\$683.00
5-SIDED	48	48	24	\$ 476.00	\$683.00
5-SIDED	54	54	24	\$ 476.00	\$683.00
5-SIDED	60	60	24	\$ 476.00	\$683.00
5-SIDED	36	36	30	\$ 476.00	\$683.00
5-SIDED	42	42	30	\$ 476.00	\$683.00
5-SIDED	48	48	30	\$ 476.00	\$683.00
5-SIDED	54	54	30	\$ 948.00	\$1,362.00
5-SIDED	60	60	30	\$ 948.00	\$1,362.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	48	36	24	L	\$ 476.00	\$683.00
UNITIZED	54	36	24	L	\$ 476.00	\$683.00
UNITIZED	60	36	24	L	\$ 476.00	\$683.00
UNITIZED	66	36	24	L	\$ 476.00	\$683.00
UNITIZED	72	36	24	L	\$ 476.00	\$683.00
UNITIZED	78	36	24	L	\$ 476.00	\$683.00
UNITIZED	84	36	24	L	\$ 476.00	\$683.00
UNITIZED	90	36	24	L	\$ 476.00	\$683.00
UNITIZED	96	36	24	L	\$ 476.00	\$683.00
UNITIZED	102	36	24	L	\$ 476.00	\$683.00
UNITIZED	108	36	24	L	\$ 948.00	\$1,362.00
UNITIZED	48	36	24	R	\$ 476.00	\$683.00
UNITIZED	54	36	24	R	\$ 476.00	\$683.00
UNITIZED	60	36	24	R	\$ 476.00	\$683.00
UNITIZED	66	36	24	R	\$ 476.00	\$683.00
UNITIZED	72	36	24	R	\$ 476.00	\$683.00
UNITIZED	78	36	24	R	\$ 476.00	\$683.00
UNITIZED	84	36	24	R	\$ 476.00	\$683.00
UNITIZED	90	36	24	R	\$ 476.00	\$683.00
UNITIZED	96	36	24	R	\$ 476.00	\$683.00
UNITIZED	102	36	24	R	\$ 476.00	\$683.00
UNITIZED	108	36	24	R	\$ 948.00	\$1,362.00
UNITIZED	48	42	24	L	\$ 476.00	\$683.00
UNITIZED	54	42	24	L	\$ 476.00	\$683.00
UNITIZED	60	42	24	L	\$ 476.00	\$683.00
UNITIZED	66	42	24	L	\$ 476.00	\$683.00
UNITIZED	72	42	24	L	\$ 476.00	\$683.00
UNITIZED	78	42	24	L	\$ 476.00	\$683.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	84	42	24	L	\$ 476.00	\$683.00
UNITIZED	90	42	24	L	\$ 476.00	\$683.00
UNITIZED	96	42	24	L	\$ 476.00	\$683.00
UNITIZED	102	42	24	L	\$ 476.00	\$683.00
UNITIZED	108	42	24	L	\$ 948.00	\$1,362.00
UNITIZED	48	42	24	R	\$ 476.00	\$683.00
UNITIZED	54	42	24	R	\$ 476.00	\$683.00
UNITIZED	60	42	24	R	\$ 476.00	\$683.00
UNITIZED	66	42	24	R	\$ 476.00	\$683.00
UNITIZED	72	42	24	R	\$ 476.00	\$683.00
UNITIZED	78	42	24	R	\$ 476.00	\$683.00
UNITIZED	84	42	24	R	\$ 476.00	\$683.00
UNITIZED	90	42	24	R	\$ 476.00	\$683.00
UNITIZED	96	42	24	R	\$ 476.00	\$683.00
UNITIZED	102	42	24	R	\$ 476.00	\$683.00
UNITIZED	108	42	24	R	\$ 948.00	\$1,362.00
UNITIZED	48	42	30	L	\$ 476.00	\$683.00
UNITIZED	54	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	60	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	66	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	72	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	78	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	84	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	90	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	96	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	102	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	108	42	30	L	\$ 948.00	\$1,362.00
UNITIZED	48	42	30	R	\$ 476.00	\$683.00
UNITIZED	54	42	30	R	\$ 948.00	\$1,362.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	60	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	66	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	72	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	78	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	84	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	90	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	96	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	102	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	108	42	30	R	\$ 948.00	\$1,362.00
UNITIZED	54	48	24	L	\$ 476.00	\$683.00
UNITIZED	60	48	24	L	\$ 476.00	\$683.00
UNITIZED	66	48	24	L	\$ 476.00	\$683.00
UNITIZED	72	48	24	L	\$ 476.00	\$683.00
UNITIZED	78	48	24	L	\$ 476.00	\$683.00
UNITIZED	84	48	24	L	\$ 948.00	\$1,362.00
UNITIZED	90	48	24	L	\$ 948.00	\$1,362.00
UNITIZED	96	48	24	L	\$ 948.00	\$1,362.00
UNITIZED	102	48	24	L	\$ 948.00	\$1,362.00
UNITIZED	108	48	24	L	\$ 948.00	\$1,362.00
UNITIZED	54	48	24	R	\$ 476.00	\$683.00
UNITIZED	60	48	24	R	\$ 476.00	\$683.00
UNITIZED	66	48	24	R	\$ 476.00	\$683.00
UNITIZED	72	48	24	R	\$ 476.00	\$683.00
UNITIZED	78	48	24	R	\$ 476.00	\$683.00
UNITIZED	84	48	24	R	\$ 948.00	\$1,362.00
UNITIZED	90	48	24	R	\$ 948.00	\$1,362.00
UNITIZED	96	48	24	R	\$ 948.00	\$1,362.00
UNITIZED	102	48	24	R	\$ 948.00	\$1,362.00
UNITIZED	108	48	24	R	\$ 948.00	\$1,362.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	54	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	60	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	66	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	72	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	78	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	84	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	90	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	96	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	102	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	108	48	30	L	\$ 948.00	\$1,362.00
UNITIZED	54	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	60	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	66	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	72	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	78	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	84	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	90	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	96	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	102	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	108	48	30	R	\$ 948.00	\$1,362.00
UNITIZED	60	54	24	L	\$ 476.00	\$683.00
UNITIZED	66	54	24	L	\$ 476.00	\$683.00
UNITIZED	72	54	24	L	\$ 476.00	\$683.00
UNITIZED	78	54	24	L	\$ 476.00	\$683.00
UNITIZED	84	54	24	L	\$ 948.00	\$1,362.00
UNITIZED	90	54	24	L	\$ 948.00	\$1,362.00
UNITIZED	96	54	24	L	\$ 948.00	\$1,362.00
UNITIZED	102	54	24	L	\$ 948.00	\$1,362.00
UNITIZED	108	54	24	L	\$ 948.00	\$1,362.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	60	54	24	R	\$ 476.00	\$683.00
UNITIZED	66	54	24	R	\$ 476.00	\$683.00
UNITIZED	72	54	24	R	\$ 476.00	\$683.00
UNITIZED	78	54	24	R	\$ 476.00	\$683.00
UNITIZED	84	54	24	R	\$ 948.00	\$1,362.00
UNITIZED	90	54	24	R	\$ 948.00	\$1,362.00
UNITIZED	96	54	24	R	\$ 948.00	\$1,362.00
UNITIZED	102	54	24	R	\$ 948.00	\$1,362.00
UNITIZED	108	54	24	R	\$ 948.00	\$1,362.00
UNITIZED	60	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	66	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	72	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	78	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	84	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	90	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	96	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	102	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	108	54	30	L	\$ 948.00	\$1,362.00
UNITIZED	60	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	66	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	72	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	78	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	84	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	90	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	96	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	102	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	108	54	30	R	\$ 948.00	\$1,362.00
UNITIZED	66	60	24	L	\$ 476.00	\$683.00
UNITIZED	72	60	24	L	\$ 476.00	\$683.00

Shape	W1	W2	D	Handedness	V1 Upcharge	V2 Upcharge
UNITIZED	78	60	24	L	\$ 476.00	\$683.00
UNITIZED	84	60	24	L	\$ 948.00	\$1,362.00
UNITIZED	90	60	24	L	\$ 948.00	\$1,362.00
UNITIZED	96	60	24	L	\$ 948.00	\$1,362.00
UNITIZED	102	60	24	L	\$ 948.00	\$1,362.00
UNITIZED	108	60	24	L	\$ 948.00	\$1,362.00
UNITIZED	66	60	24	R	\$ 476.00	\$683.00
UNITIZED	72	60	24	R	\$ 476.00	\$683.00
UNITIZED	78	60	24	R	\$ 476.00	\$683.00
UNITIZED	84	60	24	R	\$ 948.00	\$1,362.00
UNITIZED	90	60	24	R	\$ 948.00	\$1,362.00
UNITIZED	96	60	24	R	\$ 948.00	\$1,362.00
UNITIZED	102	60	24	R	\$ 948.00	\$1,362.00
UNITIZED	108	60	24	R	\$ 948.00	\$1,362.00
UNITIZED	66	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	72	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	78	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	84	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	90	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	96	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	102	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	108	60	30	L	\$ 948.00	\$1,362.00
UNITIZED	66	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	72	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	78	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	84	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	90	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	96	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	102	60	30	R	\$ 948.00	\$1,362.00
UNITIZED	108	60	30	R	\$ 948.00	\$1,362.00

Shape	W1	W2	D	V1 Upcharge	V2 Upcharge
120 DEGREE	42	42	24	\$ 948.00	\$1,362.00
120 DEGREE	48	48	24	\$ 948.00	\$1,362.00
120 DEGREE	54	54	24	\$ 948.00	\$1,362.00
120 DEGREE	60	60	24	\$ 948.00	\$1,362.00
120 DEGREE	42	42	30	\$ 948.00	\$1,362.00
120 DEGREE	48	48	30	\$ 948.00	\$1,362.00
120 DEGREE	54	54	30	\$ 948.00	\$1,362.00
120 DEGREE	60	60	30	\$ 948.00	\$1,362.00