



Cosmo Pricebook

November 2025

Contents

Overview	v
the line-up	vi
product overview	x
features and benefits	xi
variable height panel combinations	xii
maximum span of panels	xiii
electrical cable length calculation	xiv
storage capacity and handle options	xv
Panel Frames	18
panel frame	20
panel frame for full acrylic panel	22
panel frame with countertop capability	24
panel frame with flip-up capability	26
stack-on panel frame	28
panel door	30
acrylic sliding door	31
lockable acrylic sliding door	32
end trim	33
wall-to-panel connector	34
t-connection filler	36
90-degree filler	37
180-degree connection filler	38
135-degree 2-way connector	39
120-degree 2-way connection filler	40
120-degree 3-way connection filler	42
4-way connection filler	43
floor grippers	44
Tiles	46
acoustic tackable fabric tile	48
monolithic fabric tile	52
acrylic tiles	56
magnetic whiteboard tile	59
lamine tile	60
monolithic laminate tile	62
monolithic laminate tile	64
perforated metal tile	68
pass-through tile	70
fabric flip-up belt-line tile	71
accessory tile	72







Worksurfaces	74
straight worksurface	76
straight worksurface with power grommet	80
wave return with straight end	82
wave return with curved end	86
extended corner with curved front	90
angled worksurface with curved front	92
flexed worksurface with curved front	94
5-sided corner worksurface with straight front	96
5-sided corner worksurface with curved front	98
6-sided corner worksurface	99
panel-mounted d-table	100
panel-mounted p-table	102
panel-mounted j-table	104
panel-mounted y-table	106
c-table extension	108
u-table extension	109
bridge worksurface	110
radiused extended surface	112
tempered glass transaction top	113
lamine countertop	114
Worksurface Supports	118
cantilever arm	120
universal bracket	121
single post	122
horizontal surface support	123
lamine gable	124
intermediate gable	125
open metal gable	126
Mounted Storage	128
panel-mounted flipper cabinet	130
suspended flipper cabinet	132
wall mounted flipper cabinet	134
top mounted shared open shelf	136
cubby storage	138
open metal shelf	139
overhead back bracket	140
double channel wall mount bracket kit	141

Freestanding Storage	142
mobile pedestal	144
mobile pedestal with seat	145
freestanding pedestal	146
freestanding joined pedestal	147
freestanding lateral file	148
freestanding lateral file	149
closed storage tower	150
open storage tower with wardrobe	151
closed storage tower with closet	152
file/file/file storage tower	153
single door storage cabinet	154
double door storage tower	156
combination cabinet	157
Storage	158
end gable pedestal	160
underdesk joined pedestal	161
underworksurface open shelf	162
underdesk lateral file	164
underdesk storage cabinet	165
Accessories	166
work organizers	168
accessory bar	169
pencil tray	170
coat hook	171
keyboard tray	172
monitor arm	173
top trim mounted privacy screen	174
wall mounted tackboard	176
worksurface edge mounted screen	180
panel mounted privacy screen	182
Electrics, Communication, Lighting	188
task light	190
power modules	191
electric starter harness	192
monitor arm	193
communication kit	193
power pole	194
belt-line electrics power module	196
horizontal wire manager	197
connector harness	198
male/female extension harness	200

Overview	
the line-up	vi
product overview	x
features and benefits	xi
variable height panel combinations	xii
maximum span of panels	xiii
electrical cable length calculation	xiv
storage capacity and handle options	xv
Caution	xvi

the line-up






Panel Frames and Connectors






standard panel frame	full acrylic panel frame	countertop capability	regular stack-on frame	door stack-on frame	panel door	acrylic sliding door	lockable acrylic sliding door
							
h=37"-85" w=18"-60"	h=37"-85" w=18"-60"	single panel h=37"-45" w=24"-60"	h=8", 16", 24" w=18"-60"	h=8", 16", 24" w=36"-42"	h=85" w=36", 42"	h=61"-69" w=30"-42"	h=61"-69" w=30"-42"

full end trim	partial end trim	full 90° filler	partial 90° filler	full 180° connection filler	partial 180° connector	full t-connection filler	partial t-connection filler
							
h=37"-109"	h=8"-72"	h=37"-109"	h=8"-72"	h=37"-109"	h=8"-72"	h=37"-109"	h=8"-72"







full 135° 2-way connector	full 120° 2-way connector	partial 120° 2-way connector	full 120° 3-way connector	full 4-way connector	wall to panel connector	floor grippers
						
h=37"-109"	h=37"-109"	h=8"-72"	h=37"-109"	h=37"-109"	h=37"-109" Type 1, 2, 3	floor carpet




Tiles





acoustic tackable fabric tile	monolithic fabric tile	acrylic tile	laminate tile	monolithic laminate tile
				
h=8"-24" w=18"-60"	h=32"-80" w=18"-60"	h=8"-24" w=18"-60"	h=8"-24" w=18"-60"	h=32"-80" w=18"-60"

perforated metal tile	magnetic whiteboard tile	accessory tile	pass-through tile	belt-line access tile
				
h=8"-24" w=18"-60"	h=16"-24" w=18"-60"	h=8" w=18"-60"	h=8", 16", 24" w=18"-60"	h=8" w=18"-60"

Worksurfaces


straight worksurface	straight worksurface	wave return worksurface	extended corner with curved front	135° worksurface with curved front	120° worksurface with curved front
					
w=18"-96" d=18"-36"	w=36"-96" d=24"-30"	w=30"-96" d=24"-36"	w=36"-48" d=18"-30" l=42"-60"	w=24"-36" d=18"-30"	w=24"-36" d=18"-30"

5-sided corner worksurface with curved front	6-sided corner worksurface	panel mounted d-table	j-table	p-table
				
w=36"-48" d=18"-30"	w=24" d=24"-30"	w=60"-84" d=30"-36"	w=60"-78" d=24"-30"	w=60"-84" d=30"-36"

y-table	u-table extension	c-table extension	tempered glass transaction top-straight	laminate countertop
				
w=60"-84" d=24"-30"	w=39"-63" d=18"-28"	w=39"-63" d=16"-26"	w=24"-54" d=12"	w=24"-60" d=15"


Worksurface Supports

cantilever arm




d=16"-22"

laminate gable



d=12"-36"

open metal gable



d=12"-30"

single post



d=54"-78"

horizontal surface support




d=54"-78"

universal bracket t-kit




Storage

panel-mounted flipper cabinet




w=30"-60"
d=14"

suspended flipper cabinet




w=30"-60"
d=14"

wall mounted flipper cabinet



w=30"-60"
d=14"

open metal shelf




w=24"-60"
d=12"

overhead back bracket




w=24"-60"

top mounted shared open shelf



w=30"-87"
d=16"

cubby storage



w=24"-48"
d=11"

Open Storage Tower

box/box/file file/file

box/box/file wardrobe

file/file wardrobe

h=66"
w=18"
d=21"

h=66"
w=24"
d=21"

Closed Storage Tower

file/file left-hand

box/box/file left-hand

file/file wardrobe

box/box/file wardrobe

h=66"
w=24"
d=21"

h=66"
w=24"
d=21"

Storage Tower

file/file/file

h=42"
w=18"
d=21"

Cabinet coat bar

h=66"
w=18"-24"
d=21"

Double cabinet with shelves

h=66"
w=36"
d=21"

Combination cabinet

joined pedestal lateral file left-hand

h=66"
w=36"
d=21"

h=66"
w=30"-36"
d=21"

Freestanding Lateral File Cabinet

h=2, 3, 4 drawer
w=30"-42"
d=21"

Underdesk Lateral File Cabinet

h=2 drawer
w=30"-42"
d=21"

Freestanding Cabinet single door

w=18"-36"

Freestanding Cabinet double door

w=30"-36"

Underdesk Cabinet single door

w=18"-36"

Underdesk Cabinet double door

w=30"-36"

Freestanding Pedestal box/box/file

w=16"
d=21"

Freestanding Pedestal file/file

w=16"
d=21"

Joined pedestal

w=36"
d=21"

Underdesk Open Shelf

w=24"-96"
d=18"

Underdesk pedestal box/box/file

w=16"
d=18"

Underdesk pedestal file/file

w=16"
d=18"

Joined pedestal

w=36"
d=21"

End Gable pedestal box/box/file

w=16"
d=24", 30"

End Gable pedestal file/file

w=16"
d=24", 30"

Mobile pedestal box/file

w=17"
d=23"

Mobile pedestal with seat box/file

w=17"
d=23"

Accessories

Work Organizers


pen holder



paper sorter



paper tray




accessory rail



w = 9", 13"


pencil drawer




w = 18" - 60"

Ergonomic Accessories

adjustable keyboard tray



adjustable keyboard tray with mouse



monitor arm single mount




monitor arm double mount




Enhancements

worksurface edge mounted screen




w = 24" - 90"
h = 22"

top trim mounted privacy screen



w = 18" - 60"
h = 8", 16"

acrylic and glass screen



h = 8" - 16"
w = 18" - 60"

coat hook




hang-on nameplate




Electrics, Communication & Lighting

Power & Data


single-sided power base module




double-sided power base module




4 outlets belt-line module




8 outlets belt-line module




electric starter




connector harness



male/female extension



communications module configuration 1




Wire Management

power poles



h = 72" - 144"


wire manager



w = 12" - 72"

Lighting

storage mounted task light



w = 24" - 48"

product overview



Cosmopolitan is an environment within a workplace. Characterized by a unique upgraded system of segmented and monolithic tiles and streamlined furniture, Cosmopolitan caters to evolving spatial relationships and the modular needs of modern business.

Cosmopolitan's tiles are stackable and are offered in a variety of fabrics and finishes to complement any space.

The hinged access door discreetly conceals electrical wires, opens easily with one hand and stays open while access is required.

Durable laminate worksurfaces in a variety of shapes offer flexibility in space planning and are available in solids, patterns and wood grains with matching vinyl edge trims.

A selection of accessories round out the line, including: whiteboards, pencil drawers, task lighting, paper trays, pencil holders and more.

pedestals

All pedestal drawers are outfitted with full extension slides. Drawers can be easily removed by releasing the small catches on either side of the slide. Pedestals come standard with locks. One lock will lock both file drawers in a file/file pedestal and one box drawer and the file drawer in the box/box/file pedestal. File drawers will accommodate legal or letter sized documents.

freestanding storage and combo cabinets

Various combination filing and storage units provide a place to store personal items and documents to suit any individual's needs.

Cabinets are offered in a variety of solid, pattern and wood grain laminates and are available with or without doors. Cabinets with doors include locks.

default vinyl color selections

Each laminate comes with matching vinyl trim color unless otherwise specified on the purchase order. Refer to the laminate finish card for details.

accessories

Computer accessories include flat screen monitor arms, articulating keyboard trays and CPU holders.

Heavy duty flat screen monitor arms adjust to the user while storing wire within the arm. The monitor arm mounting plate meets VESA standards to accommodate most monitors. Monitor arms can be grommet or clamp mounted to the worksurface. Articulating and retractable keyboard trays and mobile or underdesk mounted CPU holders complete the workstation.

handle details


Six handle options are available in a brushed nickel finish. Melbourne is the standard handle option unless otherwise specified on your purchase order. Handles are five inches in length.

features and benefits

FEATURES	BENEFITS
◊ tackable, load-bearing frames	◊ Flexibility to reconfigure as privacy requirements change, lowering the cost of ownership and reducing inventory levels ◊ Accommodates mounted storage
◊ Tiles are offered in a variety of fabrics and finishes	◊ Complements existing furniture or infrastructure ◊ Finish offering allows for easy customization or personalization of an environment
◊ The belt-line hinged electrical access door easily opens with one hand and stays open while access is required	◊ Discreetly conceals electrical and data cables at the belt-line ◊ Provides comfortable access to power and data for the user
◊ Complemented by a selection of accessories including whiteboards, keyboard drawers, task lighting, paper trays, pencil holders, etc.	◊ Enhances the functionality of a workspace in a multi-task environment ◊ Facilitates paper management in a workstation
◊ Durable laminate worksurfaces in a variety of shapes and colors ◊ 1-inch or 1.5-inch thickness option	◊ Increases space planning possibilities ◊ Adds distinction to private offices
◊ A variety of acrylic options for tiles	◊ Elevates the overall aesthetic of the system ◊ Controls the degree of privacy required in a workspace ◊ Allows access to natural light throughout the office, resulting in greater productivity
◊ Metal trim and top caps	◊ Aesthetically more attractive and environmentally friendly than plastic trim
◊ Tiles are mounted to the frame independently of one another and can be removed without having to remove the tiles above	◊ Ability to create a dynamic, fully functional workspace capable of addressing multiple workplace needs
◊ Electrics are centrally located at the raceway level	◊ Easy to change the functionality of panel frames as the needs of the workspace evolves (i.e. increase or decrease visual and accoustical privacy, add a pass-through, tackable or accessory tiles)
◊ Tiles are quality engineered from a superior gauge of steel	◊ Access to power and data will not be obstructed by items such as storage towers and pedestal
◊ Panels are shipped complete with tiles installed	◊ Provides maximum strength and durability, which increases the life span of the product, and protects the end user's investment ◊ Increases accuracy and reduces time of installation

variable height panel combinations


Cosmopolitan offers the flexibility of 90, 180, 120, and 135 degree connections at varying heights. Illustrated below are a few connection possibilities for Cosmopolitan panel frames.



maximum span of panels

When specifying Cosmopolitan, it is important to be mindful of the width that panels are required to span. The following examples illustrate the maximum width that panels can span before they need to be supported by a return panel or wall.


Maximum Span of Panels




electrical cable length calculation

Use the following diagrams to calculate baseline and belt-line cabling requirements.

electrical cable length calculation on a straight panel connection




electrical cable length calculation on a straight panel connection




storage capacity and handle options

storage capacities



handle options



Caution

Load Bottom Drawer First

- ◊ Operate one drawer at a time
- ◊ Units may tip if loaded incorrectly
- ◊ Units should be attached to a wall or other furniture to reduce tipping hazard
- ◊ Always load the heaviest files in the bottom drawer

Heavy Load

- ◊ Some products must be anchored to wall to ensure stability & safety.
- ◊ It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- ◊ Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- ◊ Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- ◊ Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- ◊ Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- ◊ Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- ◊ Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- ◊ Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- ◊ Failure to follow the guidelines above may result in property damage or personal injury.



Cosmo Pricebook
November 2025
Panel Frames

panel frames and connectors

panel frame	18
panel frame for full acrylic panel	20
panel frame with countertop capability	22
panel frame with flip-up capability	24
stack-on panel frame	26
panel door	28
acrylic sliding door	29
lockable acrylic sliding door	30
end trim	31
wall-to-panel connector	32
t-connection filler	34
90-degree filler	35
180-degree connection filler	36
135-degree 2-way connector	37
120-degree 2-way connection filler	38
120-degree 3-way connection filler	40
4-way connection filler	41
floor grippers	42



What’s Included:

Panel frame, metal base raceway, metal to metal connection hardware

How to Specify:

Specify panel trim finish.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

Any Cosmo stack-on frame of the same width can be stacked on top of this panel frame.

An 8 wire, 4 circuit electrical system is available for the base-line or belt-line. 37-inch panel frames do not accommodate a flip-up belt-line tile. Specify the panel frame with flip-up capability [page 26](#) when this function is required.


Power and communications November be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

The metal frame is only available in black.

Options:

height	37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
panel trim	style
power	8 wire 4 circuit electrical system (to be specified separately)

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PF00-3718	321	37	18	14.6	1.2	C-PF00-6142	511	61	42	27.8	4.7
C-PF00-3724	357	37	24	16.5	1.7	C-PF00-6148	543	61	48	29.8	5.4
C-PF00-3730	388	37	30	18.5	2.1	C-PF00-6154	573	61	54	31.8	6
C-PF00-3736	423	37	36	20.5	2.4	C-PF00-6160	605	61	60	33.7	6.7
C-PF00-3742	455	37	42	22.4	2.9	C-PF00-6918	399	69	18	21.8	2.3
C-PF00-3748	482	37	48	24.4	3.3	C-PF00-6924	433	69	24	23.7	3
C-PF00-3754	518	37	54	26.4	3.7	C-PF00-6930	463	69	30	25.7	3.8
C-PF00-3760	550	37	60	28.3	4.1	C-PF00-6936	495	69	36	27.7	4.5
C-PF00-4518	343	45	18	16.4	1.5	C-PF00-6942	527	69	42	29.6	5.3
C-PF00-4524	376	45	24	18.3	2	C-PF00-6948	558	69	48	31.6	6.1
C-PF00-4530	404	45	30	20.3	2.5	C-PF00-6954	591	69	54	33.6	6.8
C-PF00-4536	440	45	36	22.3	3	C-PF00-6960	624	69	60	35.5	7.6
C-PF00-4542	472	45	42	24.2	3.5	C-PF00-7718	416	77	18	23.6	2.5
C-PF00-4548	501	45	48	26.2	4	C-PF00-7724	447	77	24	25.5	3.4
C-PF00-4554	534	45	54	28.2	4.5	C-PF00-7730	479	77	30	27.5	4.2
C-PF00-4560	565	45	60	30.1	5	C-PF00-7736	513	77	36	29.5	5.1
C-PF00-5318	361	53	18	18.2	1.8	C-PF00-7742	545	77	42	31.4	5.9
C-PF00-5324	392	53	24	20.1	2.3	C-PF00-7748	575	77	48	33.4	6.7
C-PF00-5330	425	53	30	22.1	2.9	C-PF00-7754	606	77	54	35.5	7.6
C-PF00-5336	458	53	36	24.1	3.5	C-PF00-7760	642	77	60	37.3	8.4
C-PF00-5342	490	53	42	26	4.1	C-PF00-8518	433	85	18	25.4	2.8
C-PF00-5348	520	53	48	28	4.7	C-PF00-8524	465	85	24	27.3	3.7
C-PF00-5354	552	53	54	30	5.3	C-PF00-8530	496	85	30	29.3	4.6
C-PF00-5360	587	53	60	31.9	5.19	C-PF00-8536	528	85	36	31.3	5.6
C-PF00-6118	380	61	18	20	2	C-PF00-8542	560	85	42	33.2	6.5
C-PF00-6124	416	61	24	21.9	2.7	C-PF00-8548	593	85	48	35.2	7.4
C-PF00-6130	445	61	30	23.9	3.4	C-PF00-8554	625	85	54	37.2	8.3
C-PF00-6136	478	61	36	25.9	4	C-PF00-8560	658	85	60	39.1	9.3



What’s Included:

Panel frame for acrylic panel, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available at the base-line.


Power and communications November be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

The metal frame is only available in black.

Options:

height	37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
panel trim	style
power	8 wire 4 circuit electrical system (to be specified separately)

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PFG0-3718	319	37	18	14.6	1.2	C-PFG0-6142	500	61	42	27.8	4.7
C-PFG0-3724	351	37	24	16.5	1.7	C-PFG0-6148	528	61	48	29.8	5.4
C-PFG0-3730	380	37	30	18.5	2.1	C-PFG0-6154	560	61	54	31.8	6
C-PFG0-3736	414	37	30	20.5	2.4	C-PFG0-6160	591	61	60	33.7	6.7
C-PFG0-3742	442	37	42	22.4	2.9	C-PFG0-6918	396	69	18	21.8	2.3
C-PFG0-3748	473	37	48	24.4	3.3	C-PFG0-6924	426	69	24	23.7	3
C-PFG0-3754	501	37	54	26.4	3.7	C-PFG0-6930	458	69	30	25.7	3.8
C-PFG0-3760	534	37	60	28.3	4.1	C-PFG0-6936	487	69	36	27.7	4.5
C-PFG0-4518	339	45	18	16.4	1.5	C-PFG0-6942	519	69	42	29.6	5.3
C-PFG0-4524	370	45	24	18.3	2	C-PFG0-6948	547	69	48	31.6	6.1
C-PFG0-4530	400	45	30	20.3	2.5	C-PFG0-6954	577	69	54	33.6	6.8
C-PFG0-4536	431	45	36	22.3	3	C-PFG0-6960	606	69	60	35.5	7.6
C-PFG0-4542	460	45	42	24.2	3.5	C-PFG0-7718	413	77	18	23.6	2.5
C-PFG0-4548	491	45	48	26.2	4	C-PFG0-7724	442	77	24	25.5	3.4
C-PFG0-4554	523	45	54	28.2	4.5	C-PFG0-7730	473	77	30	27.5	4.2
C-PFG0-4560	552	45	60	30.1	5	C-PFG0-7736	506	77	36	29.5	5.1
C-PFG0-5318	355	53	18	18.2	1.8	C-PFG0-7742	534	77	42	31.4	5.9
C-PFG0-5324	387	53	24	20.1	2.3	C-PFG0-7748	564	77	48	33.4	6.7
C-PFG0-5330	418	53	30	22.1	2.9	C-PFG0-7754	594	77	54	35.5	7.6
C-PFG0-5336	447	53	36	24.1	3.5	C-PFG0-7760	628	77	60	37.3	8.4
C-PFG0-5342	478	53	42	26	4.1	C-PFG0-8518	427	85	18	25.4	2.8
C-PFG0-5348	510	53	48	28	4.7	C-PFG0-8524	460	85	24	27.3	3.7
C-PFG0-5354	536	53	54	30	5.3	C-PFG0-8530	491	85	30	29.3	4.6
C-PFG0-5360	571	53	60	31.9	5.9	C-PFG0-8536	523	85	36	31.3	5.6
C-PFG0-6118	377	61	18	20	2	C-PFG0-8542	552	85	42	33.2	6.5
C-PFG0-6124	407	61	24	21.9	2.7	C-PFG0-8548	584	85	48	35.2	7.4
C-PFG0-6130	440	61	30	23.9	3.4	C-PFG0-8554	608	85	54	37.2	8.3
C-PFG0-6136	471	61	36	25.9	4	C-PFG0-8560	645	85	60	39.1	9.3



Capability:
single panel

Capability:1 hole

Capability: 54-inch countertop

What’s Included:

Panel frame with countertop capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this item when a 37-inch high or 45-inch high panel with countertop capabilities is required, but an electrical access door is not needed.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the hole in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has two holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available at the base-line. For belt-line, specify the panel frame with flip-up capabilities [page 26](#).

Power and communications November be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.


1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

The metal frame is only available in black.


Options:

height	37, 45
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors


Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
37-inches High With Countertop Capability					
C-PF00-3724-C	370	37	24	17.6	1.7
C-PF00-3730-C	402	37	30	19.9	2.1
C-PF00-3736-C	437	37	36	22.2	2.5
C-PF00-3742-C	469	37	42	24.4	2.9
C-PF00-3748-C	498	37	48	26.7	3.31
C-PF00-3754-C	532	37	54	29	3.7
C-PF00-3760-C	561	37	60	31.3	4.1
37-inches High With Countertop Capability, Side-By-Side Panels					
C-PF00-3718-1	339	37	18	15.4	1.2
C-PF00-3724-1	370	37	24	17.6	1.7
C-PF00-3730-1	402	37	30	19.9	2.1
37-inches High With 54-inch High Countertop Capability, Side-By-Side Panels					
C-PF00-3730-1-P	402	37	30	19.9	2.1
45-inches High With Countertop Capability					
C-PF00-4524-C	387	45	24	17.6	1.7
C-PF00-4530-C	419	45	30	19.9	2.1
C-PF00-4536-C	450	45	36	22.2	2.5
C-PF00-4542-C	482	45	42	24.4	2.9
C-PF00-4548-C	514	45	48	26.7	3.3
C-PF00-4554-C	547	45	54	29	3.7
C-PF00-4560-C	582	45	60	31.3	4.1
45-inches High With Countertop Capability, Side-By-Side Panels					
C-PF00-4518-1	352	45	18	15.37	1.5
C-PF00-4524-1	387	45	24	17.6	2
C-PF00-4530-1	419	45	30	19.9	2.1
45-inches With 54-inch Countertop Capability, Side-By-Side Panels					
C-PF00-4530-1-P	419	45	30	19.88	2.5




Capability:
without countertop



Capability:
single panel



Capability:
1 hole



Capability:
54-inch countertop

What’s Included:

Panel frame with flip-up capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this product when a 37-inch high panel frame with a flip-up belt line is required.

When a countertop is supported by a single panel (C), the holes will be located six inches away from the end of the panel.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the holes in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has 2 holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available for the base-line or belt-line.

Power and communications November be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section [page 188](#) for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.


1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

The metal frame is only available in black.

Options:

height	37	
width	18, 24, 30, 36, 42, 48, 54, 60	
countertop capability	without countertop	with countertop
top cap finish	metal colors	
raceway finish	metal colors	

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
37-inches High With Flip-Up					
C-PF0F-3718	339	37	18	14.6	1.2
C-PF0F-3724	370	37	24	16.5	1.7
C-PF0F-3730	402	37	30	18.5	2.1
C-PF0F-3736	437	37	36	20.5	2.4
C-PF0F-3742	469	37	42	22.4	2.9
C-PF0F-3748	498	37	48	24.4	3.3
C-PF0F-3754	532	37	54	26.4	3.7
C-PF0F-3760	561	37	60	28.3	4.1
37-inches High With Countertop Capability, Single Panel, Flip-Up					
C-PF0F-3724-C	370	37	24	17.6	1.7
C-PF0F-3730-C	402	37	30	19.9	2.1
C-PF0F-3736-C	437	37	36	22.2	2.5
C-PF0F-3742-C	469	37	42	24.4	2.9
C-PF0F-3748-C	498	37	48	26.7	3.3
C-PF0F-3754-C	532	37	54	29	3.7
C-PF0F-3760-C	561	37	60	31.3	4.1
37-inches High with Countertop Capability, Side-By-Side Panels, Flip-Up					
C-PF0F-3718-1	339	37	18	15.4	1.2
C-PF0F-3724-1	370	37	24	17.6	1.7
C-PF0F-3730-1	402	37	30	19.9	2.1
37-inches High With 54-inch Countertop Capability, Side-By-Side Panels, Flip-Up					
C-PF0F-3730-1-P	402	37	30	19.9	2.1



What's Included:

Stack-on panel frame, metal to metal connection hardware.

Notes:

Metal frame is only available in black.


Top trim is not included. Install the top trim from the panel below.

Regular stack-on panel frame can be installed on any panel frame of the same width. Swing Door stack-on panel frame can be installed on a door of the same width between two other stackable frames or between a stackable panel frame and a panel filler.

Options:

frame type	0 regular frames 1 door frames
height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Regular Frame					
C-PS00-0818	116	8	18	4.4	0.3
C-PS00-0824	121	8	24	5	0.3
C-PS00-0830	130	8	30	5.7	0.4
C-PS00-0836	137	8	36	6.3	0.5
C-PS00-0842	145	8	42	6.9	0.6
C-PS00-0848	158	8	48	7.6	0.7
C-PS00-0854	162	8	54	8.2	0.8
C-PS00-0860	172	8	60	8.9	0.9
C-PS00-1618	132	16	18	6.2	0.5
C-PS00-1624	137	16	24	6.8	0.7
C-PS00-1630	145	16	30	7.5	0.9
C-PS00-1636	158	16	36	8.1	1
C-PS00-1642	162	16	42	8.7	1.2
C-PS00-1648	172	16	48	9.4	1.4
C-PS00-1654	179	16	54	10	1.5
C-PS00-1660	187	16	60	10.7	1.7
C-PS00-2418	144	24	18	8	0.8
C-PS00-2424	155	24	24	8.6	1
C-PS00-2430	160	24	30	9.3	1.3
C-PS00-2436	168	24	36	9.9	1.5
C-PS00-2442	175	24	42	10.5	1.8
C-PS00-2448	183	24	48	11.2	2.1
C-PS00-2454	192	24	54	11.8	2.3
C-PS00-2460	200	24	60	12.5	2.6
Door Frame					
C-PS01-0836	129	8	36	6.3	0.5
C-PS01-0842	134	8	42	6.9	0.6
C-PS01-1636	144	16	36	8.1	1
C-PS01-1642	156	16	42	8.7	1.2
C-PS01-2436	159	24	36	9.9	1.5
C-PS01-2442	163	24	42	10.5	1.8



What’s Included:

Panel door, door frame, lever type handle, connection hardware.

How to Specify:

- Specify panel trim finish.
- The panel trim finish must be specified. The door and door frame are available in all paint colors and will match the color of the top trim.
- Right or left hand must be specified.
- Specify laminate

Notes:

- Door is powder painted MDF.
- The door must be connected to 85-inch high panel frames or panel fillers.


Options:

width	36, 42		
hand	R right	L left	
laminate	L167 black	L121 white	L112 silver
door & door frame finish	metal colors		
top cap finish	metal colors		

How to Order and Read your Code:

C	PD00	85	36	R or L
product line	item	height	width	hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PD00-8536-L	3560	85	36	68	5.6
C-PD00-8542-L	3877	85	42	80	6.5
C-PD00-8536-R	3560	85	36	68	5.6
C-PD00-8542-R	3877	85	42	80	6.5



What’s Included:

Acrylic sliding door, metal to metal connection hardware.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified for the panel trim.
- Right or left hand must be specified.
- The acrylic option must be specified. When frosted or clear acrylic is specified, an upcharge is applicable.

Notes:

- The sliding door height must be connected to a panel of equal height.
- The acrylic sliding door provides visual privacy for individual stations.
- Sliding doors must always be connected to a panel.

Options:


height	61, 69		
width	30, 36, 42		
hand	R right L left		
acrylic option	Fluted	Frosted*	Clear*
frame finish	metal colors		

How to Order and Read your Code:

C	PDSG	61	30	R or L
product line	item	height	width	hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-L	2330	61	30	53	4
C-PDSG-6136-L	2417	61	36	53	4
C-PDSG-6142-L	2508	61	42	53	4.6
C-PDSG-6930-L	2438	69	30	53	4
C-PDSG-6936-L	2530	69	36	53	4.5
C-PDSG-6942-L	2615	69	42	53	5.2
*clear & frosted acrylic upcharge	607				

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-R	2330	61	30	53	4
C-PDSG-6136-R	2417	61	36	53	4
C-PDSG-6142-R	2508	61	42	53	4.6
C-PDSG-6930-R	2438	69	30	53	4
C-PDSG-6936-R	2530	69	36	53	4.5
C-PDSG-6942-R	2615	69	42	53	5.2
*clear & frosted acrylic upcharge	607				



right hand left hand

What’s Included:

Acrylic sliding door, metal to metal connection hardware.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified for the panel trim.
- Right or left hand must be specified.
- The acrylic option must be specified. When frosted or clear acrylic is specified, an upcharge is applicable.

Notes:

- The sliding door height must be connected to a panel of equal height.
- The lockable acrylic sliding door provides visual privacy for individual stations.
- Sliding doors must always be connected to a panel.

Options:


height	61, 69		
width	30, 36, 42		
lock	LK		
hand	R right L left		
acrylic option	Fluted	Frosted*	Clear*
frame finish	metal colors		

How to Order and Read your Code:

C **PDSG** **61** **30** **LK** **R** or **L**
product line item height width lock hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-LK-L	2690	61	30	53	4
C-PDSG-6136-LK-L	2777	61	36	53	4
C-PDSG-6142-LK-L	2862	61	42	53	4.6
C-PDSG-6930-LK-L	2800	69	30	53	4
C-PDSG-6936-LK-L	2885	69	36	53	4.5
C-PDSG-6942-LK-L	2972	69	42	53	5.2
* clear & frosted acrylic upcharge	607				

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-LK-R	2690	61	30	53	4
C-PDSG-6136-LK-R	2777	61	36	53	4
C-PDSG-6142-LK-R	2862	61	42	53	4.6
C-PDSG-6930-LK-R	2800	69	30	53	4
C-PDSG-6936-LK-R	2885	69	36	53	4.5
C-PDSG-6942-LK-R	2972	69	42	53	5.2
**clear & frosted acrylic upcharge	607				



full end trim partial end trim

What’s Included:

- Full End Trim: full end trim, connection hardware.
- Partial End Trim: partial end trim, connection hardware, bottom plastic connector trim.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified.

Notes:


- Use the full end trim to finish a panel at the end of a run.
- Use the partial end trim to finish a panel where a change of height occurs

Options:

height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109		
type	O full end trim	P partial end trim	
end trim finish	metal colors		

Code	Price	H (in.)	W (in.)	Weight (lb.)
Full End Trim				
C-HET0-37	88	37	2.2	0.1
C-HET0-45	98	45	2.4	0.1
C-HET0-53	112	53	2.6	0.1
C-HET0-61	121	61	2.8	0.1
C-HET0-69	133	69	3	0.1
C-HET0-77	144	77	3.2	0.1
C-HET0-85	158	85	3.4	0.1
C-HET0-93	165	93	3.6	0.1
C-HET0-101	178	101	3.8	0.1
C-HET0-109	187	109	4	0.1

Code	Price	H (in.)	W (in.)	Weight (lb.)
Partial End trim				
C-HETP-08	49	8	1.2	0.1
C-HETP-16	59	16	1.6	0.1
C-HETP-24	70	24	2	0.1
C-HETP-32	84	32	2.4	0.1
C-HETP-40	94	40	2.8	0.1
C-HETP-48	106	48	3.2	0.1
C-HETP-56	117	56	3.4	0.1
C-HETP-64	129	64	3.6	0.1



What’s Included:

Wall-to-Panel Connector (Type 1, 2 or 3, as specified), top cap, connection hardware for drywall applications.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

The wall-to-panel connector finish color defaults to match the top cap.

Notes:

Wall-to-panel connectors fill in the gap between the wall and the panel.

Type 1 connectors allow for an adjustment range of 2.25 to 3.25 inches

Type 2 connectors allow for an adjustment range of 3 to 4.25 inches.

Type 3 connectors allow for an adjustment range of 4 to 5.25 inches.

The top cap is 66-inches and must be cut to the proper size on-site.

Options:

type	1 - type 1	2 - type 2	3 - type 3
height	29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109		
top cap finish	metal colors		
panel trim	style		

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft3)	
Type 1 (2.25 to 3.25-inches)						
C-HWA1-29	414	29	3.6	0.2	0.2	
C-HWA1-37	289	37	1.1	0.2	0	
C-HWA1-45	307	45	1.3	0.3	0	
C-HWA1-53	325	53	1.5	0.3	0	
C-HWA1-61	361	61	1.7	0.4	0	
C-HWA1-69	377	69	1.9	0.4	0	
C-HWA1-77	399	77	2.1	0.5	0	
C-HWA1-85	421	85	2.3	0.5	0	
C-HWA1-93	449	93	2.5	0.6	0	
C-HWA1-101	471	101	2.7	0.6	0	
Type 2 (3.00 to 4.25-inches)						
C-HWA2-29	431	29	4.2	0.34	0.34	
C-HWA2-37	294	37	1.1	0.4	0	
C-HWA2-45	312	45	1.3	0.4	0	
C-HWA2-53	336	53	1.5	0.5	0	
C-HWA2-61	369	61	1.7	0.6	0	
C-HWA2-69	388	69	1.9	0.7	0	
C-HWA2-77	413	77	2.1	0.7	0	
C-HWA2-85	437	85	2.3	0.8	0	
C-HWA2-93	465	93	2.5	0.9	0	
C-HWA2-101	487	101	2.7	1	0	
Type 3 (4.00 to 5.25-inches)						
C-HWA3-29	469	37	5.8	0.47	0.47	
C-HWA3-37	299	45	1.1	0.4	0	
C-HWA3-45	319	53	1.3	0.4	0	
C-HWA3-53	343	61	1.5	0.5	0	
C-HWA3-61	377	69	1.7	0.6	0	
C-HWA3-69	400	77	1.9	0.7	0	
C-HWA3-77	423	85	2.1	0.7	0	
C-HWA3-85	447	93	2.3	0.8	0	
C-HWA3-93	478	101	2.5	0.9	0	
C-HWA3-101	500	0.1	2.7	1	0	



full T-connection
filler



partial T-connection
filler

What’s Included:

Full Filler: full t-connection filler, top cap, connection hardware.

Partial Filler: partial t-connection filler, top cap, bottom plastic connector trim, connection hardware

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the full t-connection filler to connect two panel frames that are the same height.

Use the partial t-connection filler to connect two panel frames where a change of height occurs

Options:

type	R full filler P partial filler
height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109
top cap finish	metal colors
panel trim	style

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Full T-connection Filler						Partial T-connection Filler					
C-HFTR-29	112	29	1.8	0.07	0.07	C-HFTP-08	80	8	0.2	0.1	0
C-HFTR-37	149	37	0.5	0.2	0	C-HFTP-16	94	16	0.5	0.1	0
C-HFTR-45	183	45	0.6	0.3	0	C-HFTP-24	129	24	0.6	0.1	0
C-HFTR-53	198	53	0.8	0.3	0	C-HFTP-32	139	32	0.9	0.2	0
C-HFTR-61	210	61	0.9	0.3	0	C-HFTP-40	173	40	1.1	0.2	0
C-HFTR-69	222	69	1	0.4	0	C-HFTP-48	186	48	1.2	0.3	0
C-HFTR-77	230	77	1.1	0.4	0	C-HFTP-56	200	56	1.4	0.3	0
C-HFTR-85	270	85	1.2	0.5	0	C-HFTP-64	216	64	1.6	0.4	0
C-HFTR-93	303	93	1.4	0.5	0						
C-HFTR-101	312	101	1.6	0.6	0						



full 90-degree filler



partial 90-degree filler

What’s Included:

Full 90-degree filler: Full 90-degree filler, top cap, connection hardware.

Partial 90-degree filler: Partial 90-degree filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 90-degree filler to connect two panel frames that are the same height.

Use the partial 90-degree filler to connect two panel frames where a change of height occurs.

Options:

height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109
type	R full filler P partial filler
top cap finish	metal colors
panel trim	style

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Full 90-degree Filler						Partial 90-degree Filler					
C-HFNR-37	156	37	1.1	0.2	0	C-HFNP-08	79	8	0.2	0.1	0
C-HFNR-45	184	45	1.3	0.3	0	C-HFNP-16	95	16	0.5	0.1	0
C-HFNR-53	202	53	1.5	0.3	0	C-HFNP-24	129	24	0.6	0.1	0
C-HFNR-61	219	61	1.7	0.3	0	C-HFNP-32	143	32	0.9	0.2	0
C-HFNR-69	232	69	1.9	0.4	0	C-HFNP-40	175	40	1.1	0.2	0
C-HFNR-77	253	77	2.1	0.4	0	C-HFNP-48	189	48	1.2	0.3	0
C-HFNR-85	284	85	2.3	0.5	0	C-HFNP-56	210	56	1.4	0.3	0
C-HFNR-93	314	93	2.5	0.5	0	C-HFNP-64	224	64	1.6	0.4	0
C-HFNR-101	333	101	2.7	0.6	0						



full 180-degree connection filler



partial 180-degree connection filler

What’s Included:

Two 180-degree connection filler covers (full or partial, as specified), top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 180-degree filler to connect two panels that are the same height.

Use the partial 180-degree filler to connect two panel frames where a change of height occurs

Options:

height8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109

type**R** full filler**P** partial filler

top cap finishmetal colors

panel trimstyle

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Full 180-degree Filler					
C-HFSR-37	183	37	1.1	0.2	0
C-HFSR-45	222	45	1.3	0.3	0
C-HFSR-53	240	53	1.5	0.3	0
C-HFSR-61	257	61	1.7	0.3	0
C-HFSR-69	282	69	1.9	0.4	0
C-HFSR-77	299	77	2.1	0.4	0
C-HFSR-85	338	85	2.3	0.5	0
C-HFSR-93	375	93	2.5	0.5	0
C-HFSR-101	396	101	2.7	0.6	0



What’s Included:

135-degree 2-way connector, top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the 135-degree 2-way connector to connect two panel frames that are the same height.


Options:

height29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finishmetal colors

panel trimstyle

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-HF1R-29	85	29	1.8	0.07	0.07
C-HF1R-37	122	37	1.1	0.2	0
C-HF1R-45	149	45	1.3	0.3	0
C-HF1R-53	160	53	1.5	0.3	0
C-HF1R-61	170	61	1.7	0.3	0
C-HF1R-69	179	69	1.9	0.4	0
C-HF1R-77	187	77	2.1	0.4	0
C-HF1R-85	217	85	2.3	0.5	0
C-HF1R-93	241	93	2.5	0.5	0
C-HF1R-101	252	101	2.7	0.6	0



What’s Included:

Full Filler: full 120-degree 2-way connection filler, top cap, connection hardware.

Partial Filler: partial 120-degree 2-way connection filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color and panel trim style must be specified for the top cap finish.

Options:

height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109	
type	R full filler	P partial filler
top cap finish	metal colors	
panel trim	style	

Notes:

Use the full 120-degree 2-way connection filler to connect two panel frames that are the same height.

Use the partial 120-degree 2-way connection filler to connect two panel frames where a change of height occurs.

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Full 120-degree 2-way Connection Filler					
C-HF2R-29	105	29	1.8	0.07	0.07
C-HF2R-37	130	37	1.1	0.2	0
C-HF2R-45	159	45	1.3	0.3	0
C-HF2R-53	165	53	1.5	0.3	0
C-HF2R-61	178	61	1.7	0.3	0
C-HF2R-69	187	69	1.9	0.4	0
C-HF2R-77	200	77	2.1	0.4	0
C-HF2R-85	226	85	2.3	0.5	0
C-HF2R-93	254	93	2.5	0.5	0
C-HF2R-101	263	101	2.7	0.6	0
Partial 120-degree 2-way Connection Filler					
C-HF2P-80	214	80	1.8	0.07	4.97
C-HF2P-08	72	8	0.2	0.1	0
C-HF2P-16	85	16	0.5	0.1	0
C-HF2P-24	112	24	0.6	0.1	0
C-HF2P-32	121	32	0.9	0.2	0
C-HF2P-40	149	40	1.1	0.2	0
C-HF2P-48	160	48	1.2	0.3	0
C-HF2P-56	170	56	1.4	0.3	0
C-HF2P-64	182	64	1.6	0.4	0



120-degree 3-way connection filler

What’s Included:

120-degree 3-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.
A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use the 120-degree 3-way connection filler to connect three panel frames that are the same height.

Options:

height29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finishmetal colors

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-HF3R-29	90	29	1.8	0.07	0.07
C-HF3R-37	90	37	1.1	0.2	0
C-HF3R-45	112	45	1.3	0.3	0
C-HF3R-53	117	53	1.5	0.3	0
C-HF3R-61	119	61	1.7	0.3	0
C-HF3R-69	122	69	1.9	0.4	0
C-HF3R-77	129	77	2.1	0.4	0
C-HF3R-85	147	85	2.3	0.5	0
C-HF3R-93	168	93	2.5	0.5	0
C-HF3R-101	173	101	2.7	0.6	0



4-way connection filler

What’s Included:

4-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.
A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use 4-way connection filler to connect four panel frames that are the same height.

Options:

height29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finishmetal colors

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-HF4R-29	90	29	1.8	0.07	0.07
C-HF4R-37	118	37	1.1	0.2	0
C-HF4R-45	149	45	1.3	0.3	0
C-HF4R-53	158	53	1.5	0.3	0
C-HF4R-61	161	61	1.7	0.3	0
C-HF4R-69	165	69	1.9	0.4	0
C-HF4R-77	170	77	2.1	0.4	0
C-HF4R-85	203	85	2.3	0.5	0
C-HF4R-93	232	93	2.5	0.5	0
C-HF4R-101	241	101	2.7	0.6	0



What's Included:

Floor Gripper (for carpet floors or non-carpet floors, as specified)

How to Specify:

There are no color options for floor grippers.

Notes:

Floor grippers stabilize panels on either carpet floors or non-carpet floors.

Options:

type **C** carpeted floors **N** non-carpeted floors

Code	Price	Weight (lb.)	Volume (ft³)
carpeted floors			
C-HGC0	3	0	0
non carpeted floors			
C-HGN0	3	0	0




Cosmo Pricebook
November 2025

Tiles

tiles

acoustic tackable fabric tile	46
monolithic fabric tile	50
acrylic tiles	54
magnetic whiteboard tile	57
laminate tile	58
monolithic laminate tile	60
monolithic laminate tile	62
perforated metal tile	66
pass-through tile	68
fabric flip-up belt-line tile	69
accessory tile	70



What's Included:

Acoustic Tackable Fabric Tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Accoustic tackable fabric tiles provide accoustical privacy and a tackable vertical surface.

Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	8, 16, 24		
width	18, 24, 30, 36, 42, 48, 54, 60		
finish	panel fabrics		


How to Order and Read your Code:

C	PTA	1	8	18
product line	item	fabric grade	height	width

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade-1					
C-PTA1-0818	107	8	18	1.9	0.1
C-PTA1-0824	112	8	24	2.4	0.1
C-PTA1-0836	133	8	36	3.7	0.1
C-PTA1-0842	137	8	42	4.2	0.1
C-PTA1-0848	143	8	48	5	0.1
C-PTA1-0860	155	8	60	6.2	0.2
C-PTA1-1624	130	16	24	5	0.1
C-PTA1-1630	134	16	30	6.2	0.2
C-PTA1-1636	160	16	36	7.5	0.2
C-PTA1-1642	165	16	42	8.7	0.2
C-PTA1-1648	172	16	48	10	0.3
C-PTA1-1654	178	16	54	11.2	0.3
C-PTA1-1660	184	16	60	12.5	0.4
C-PTA1-2418	137	24	18	5.6	0.2
C-PTA1-2424	145	24	24	7.3	0.2
C-PTA1-2430	156	24	30	9.3	0.3
C-PTA1-2436	186	24	36	11.2	0.3
C-PTA1-2442	195	24	42	13.1	0.4
C-PTA1-2448	202	24	48	14.9	0.4
C-PTA1-2454	211	24	54	16.8	0.5
C-PTA1-2460	218	24	60	18.7	0.5

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 2					
C-PTA2-0824	116	8	24	2.4	0.1
C-PTA2-0836	139	8	36	3.7	0.1
C-PTA2-0842	145	8	42	4.3	0.1
C-PTA2-0848	149	8	48	5	0.1
C-PTA2-0860	160	8	60	6.2	0.2
C-PTA2-1624	134	16	24	5	0.1
C-PTA2-1630	139	16	30	6.2	0.2
C-PTA2-1636	172	16	36	7.5	0.2
C-PTA2-1642	178	16	42	8.7	0.2
C-PTA2-1648	184	16	48	10	0.3
C-PTA2-1654	189	16	54	11.2	0.3
C-PTA2-1660	198	16	60	12.5	0.4
C-PTA2-2418	145	24	18	5.6	0.2
C-PTA2-2424	156	24	24	7.3	0.2
C-PTA2-2430	161	24	30	9.3	0.3
C-PTA2-2436	203	24	36	11.2	0.3
C-PTA2-2442	214	24	42	13.1	0.4
C-PTA2-2448	219	24	48	14.9	0.4
C-PTA2-2454	226	24	54	16.8	0.5
C-PTA2-2460	230	24	60	18.7	0.5

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 3					
C-PTA3-0824	118	8	24	2.4	0.1
C-PTA3-0836	147	8	36	3.7	0.1
C-PTA3-0842	156	8	42	4.3	0.1
C-PTA3-0848	159	8	48	5	0.1
C-PTA3-0860	165	8	60	6.2	0.2
C-PTA3-1624	139	16	24	5	0.1
C-PTA3-1630	145	16	30	6.2	0.2
C-PTA3-1636	183	16	36	7.5	0.2
C-PTA3-1642	189	16	42	8.7	0.2
C-PTA3-1648	198	16	48	10	0.3
C-PTA3-1654	202	16	54	11.2	0.3
C-PTA3-1660	211	16	60	12.5	0.4
C-PTA3-2418	156	24	18	5.6	0.2
C-PTA3-2424	161	24	24	7.3	0.2
C-PTA3-2430	170	24	30	9.3	0.3
C-PTA3-2436	219	24	36	11.2	0.3
C-PTA3-2442	226	24	42	13.1	0.4
C-PTA3-2448	232	24	48	14.9	0.4
C-PTA3-2454	243	24	54	16.8	0.5
C-PTA3-2460	252	24	60	18.7	0.5



What’s Included:

Monolithic fabric tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of fabric colors.

Notes:

Monolithic fabric tiles are solid-faced, tackable and offer visual and accoustical privacy.

Monolithic tiles are five inches less than the complete height of the panel frame.

Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	32, 40, 48, 56, 64, 72, 80		
width	18, 24, 30, 36, 42, 48		
finish	panel fabrics		


How to Order and Read your Code:

C	PMA	1	32	18
product line	item	fabric grade	height	width

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 1					
C-PMA1-3218	156	32	18	7	0.3
C-PMA1-3224	162	32	24	8	0.4
C-PMA1-3230	172	32	30	9	0.6
C-PMA1-3236	216	32	36	10	0.7
C-PMA1-3242	223	32	42	11	0.8
C-PMA1-3248	229	32	48	12	0.9
C-PMA1-3254	241	32	54	13	1
C-PMA1-3260	252	32	60	14	1.1
C-PMA1-4018	170	40	18	8	0.4
C-PMA1-4024	179	40	24	9	0.6
C-PMA1-4030	189	40	30	10	0.7
C-PMA1-4036	241	40	36	11	0.8
C-PMA1-4042	253	40	42	12	1
C-PMA1-4048	259	40	48	13	1.1
C-PMA1-4054	273	40	54	14	1.2
C-PMA1-4060	284	40	60	15	1.3
C-PMA1-4818	184	48	18	9	0.5
C-PMA1-4824	199	48	24	10	0.7
C-PMA1-4830	211	48	30	11	0.8
C-PMA1-4836	271	48	36	12	1
C-PMA1-4842	282	48	42	13	1.2
C-PMA1-4848	294	48	48	14	1.3
C-PMA1-4854	306	48	54	15	1.4
C-PMA1-4860	314	48	60	16	1.5
C-PMA1-5618	206	56	18	10	0.6
C-PMA1-5624	222	56	24	11	0.8
C-PMA1-5630	232	56	30	12	1
C-PMA1-5636	306	56	36	13	1.2
C-PMA1-5642	319	56	42	14	1.4
C-PMA1-5648	336	56	48	15	1.6
C-PMA1-5654	350	56	54	16	1.8
C-PMA1-5660	365	56	60	17	2
C-PMA1-6418	222	64	18	11	0.7
C-PMA1-6424	238	64	24	12	0.9
C-PMA1-6430	254	64	30	13	1.1
C-PMA1-6436	332	64	36	14	1.3
C-PMA1-6442	348	64	42	15	1.6
C-PMA1-6448	365	64	48	16	1.8
C-PMA1-6454	379	64	54	17	2
C-PMA1-6460	398	64	60	18	2.2
C-PMA1-7218	241	72	18	12	0.8
C-PMA1-7224	257	72	24	13	1
C-PMA1-7230	278	72	30	14	1.3
C-PMA1-7236	366	72	36	15	1.5
C-PMA1-7242	387	72	42	16	1.8
C-PMA1-7248	404	72	48	17	2
C-PMA1-8018	255	80	18	13	0.8
C-PMA1-8024	277	80	24	14	1.1
C-PMA1-8030	297	80	30	15	1.4
C-PMA1-8036	396	80	36	16	1.7
C-PMA1-8042	416	80	42	17	1.9
C-PMA1-8048	437	80	48	18	2.2

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 2					
C-PMA2-3218	163	32	18	7	0.3
C-PMA2-3224	173	32	24	8	0.4
C-PMA2-3230	183	32	30	9	0.6
C-PMA2-3236	232	32	36	10	0.7
C-PMA2-3242	245	32	42	11	0.8
C-PMA2-3248	254	32	48	12	0.9
C-PMA2-3254	263	32	54	13	1
C-PMA2-3260	272	32	60	14	1.1
C-PMA2-4018	183	40	18	8	0.4
C-PMA2-4024	192	40	24	9	0.6
C-PMA2-4030	203	40	30	10	0.7
C-PMA2-4036	270	40	36	11	0.8
C-PMA2-4042	278	40	42	12	1
C-PMA2-4048	289	40	48	13	1.1
C-PMA2-4054	299	40	54	14	1.2
C-PMA2-4060	309	40	60	15	1.3
C-PMA2-4818	200	48	18	9	0.5
C-PMA2-4824	216	48	24	10	0.7
C-PMA2-4830	224	48	30	11	0.8
C-PMA2-4836	299	48	36	12	1
C-PMA2-4842	309	48	42	13	1.2
C-PMA2-4848	321	48	48	14	1.3
C-PMA2-4854	336	48	54	15	1.4
C-PMA2-4860	348	48	60	16	1.5
C-PMA2-5618	223	56	18	10	0.6
C-PMA2-5624	238	56	24	11	0.8
C-PMA2-5630	253	56	30	12	1
C-PMA2-5636	339	56	36	13	1.2
C-PMA2-5642	352	56	42	14	1.4
C-PMA2-5648	369	56	48	15	1.6
C-PMA2-5654	382	56	54	16	1.8
C-PMA2-5660	400	56	60	17	2
C-PMA2-6418	241	64	18	11	0.7
C-PMA2-6424	255	64	24	12	0.9
C-PMA2-6430	273	64	30	13	1.1
C-PMA2-6436	370	64	36	14	1.3
C-PMA2-6442	387	64	42	15	1.6
C-PMA2-6448	403	64	48	16	1.8
C-PMA2-6454	419	64	54	17	2
C-PMA2-6460	437	64	60	18	2.2
C-PMA2-7218	263	72	18	12	0.8
C-PMA2-7224	283	72	24	13	1
C-PMA2-7230	300	72	30	14	1.3
C-PMA2-7236	413	72	36	15	1.5
C-PMA2-7242	431	72	42	16	1.8
C-PMA2-7248	447	72	48	17	2
C-PMA2-8018	282	80	18	13	0.8
C-PMA2-8024	300	80	24	14	1.1
C-PMA2-8030	320	80	30	15	1.4
C-PMA2-8036	441	80	36	16	1.7
C-PMA2-8042	464	80	42	17	1.9
C-PMA2-8048	482	80	48	18	2.2

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Grade 3					
C-PMA3-3218	173	32	18	7	0.3
C-PMA3-3224	183	32	24	8	0.4
C-PMA3-3230	192	32	30	9	0.6
C-PMA3-3236	255	32	36	10	0.7
C-PMA3-3242	263	32	42	11	0.8
C-PMA3-3248	273	32	48	12	0.9
C-PMA3-3254	283	32	54	13	1
C-PMA3-3260	293	32	60	14	1.1
C-PMA3-4018	195	40	18	8	0.4
C-PMA3-4024	206	40	24	9	0.6
C-PMA3-4030	217	40	30	10	0.7
C-PMA3-4036	293	40	36	11	0.8
C-PMA3-4042	300	40	42	12	1
C-PMA3-4048	311	40	48	13	1.1
C-PMA3-4054	321	40	54	14	1.2
C-PMA3-4060	333	40	60	15	1.3
C-PMA3-4818	217	48	18	9	0.5
C-PMA3-4824	226	48	24	10	0.7
C-PMA3-4830	240	48	30	11	0.8
C-PMA3-4836	330	48	36	12	1
C-PMA3-4842	339	48	42	13	1.2
C-PMA3-4848	351	48	48	14	1.3
C-PMA3-4854	364	48	54	15	1.4
C-PMA3-4860	376	48	60	16	1.5
C-PMA3-5618	240	56	18	10	0.6
C-PMA3-5624	254	56	24	11	0.8
C-PMA3-5630	271	56	30	12	1
C-PMA3-5636	373	56	36	13	1.2
C-PMA3-5642	387	56	42	14	1.4
C-PMA3-5648	402	56	48	15	1.6
C-PMA3-5654	418	56	54	16	1.8
C-PMA3-5660	433	56	60	17	2
C-PMA3-6418	256	64	18	11	0.7
C-PMA3-6424	276	64	24	12	0.9
C-PMA3-6430	293	64	30	13	1.1
C-PMA3-6436	405	64	36	14	1.3
C-PMA3-6442	425	64	42	15	1.6
C-PMA3-6448	440	64	48	16	1.8
C-PMA3-6454	458	64	54	17	2
C-PMA3-6460	473	64	60	18	2.2
C-PMA3-7218	284	72	18	12	0.8
C-PMA3-7224	303	72	24	13	1
C-PMA3-7230	320	72	30	14	1.3
C-PMA3-7236	449	72	36	15	1.5
C-PMA3-7242	472	72	42	16	1.8
C-PMA3-7248	491	72	48	17	2
C-PMA3-8018	303	80	18	13	0.8
C-PMA3-8024	321	80	24	14	1.1
C-PMA3-8030	344	80	30	15	1.4
C-PMA3-8036	487	80	36	16	1.7
C-PMA3-8042	510	80	42	17	1.9
C-PMA3-8048	528	80	48	18	2.2



What's Included:

Acrylic tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Acrylic tiles are priced by piece, not by pair.


Options:

acrylic options	C - clear	F - frosted	L - fluted
height	8, 16, 24		
width	18, 24, 30, 36, 42, 48, 54, 60		
tile frame finish	metal colors		

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Clear Acrylic					
C-PTGC-0818	214	8	18	2.1	0.1
C-PTGC-0824	228	8	24	2.6	0.1
C-PTGC-0830	252	8	30	3	0.1
C-PTGC-0836	271	8	36	3.5	0.1
C-PTGC-0842	293	8	42	4	0.1
C-PTGC-0848	314	8	48	4.4	0.1
C-PTGC-0854	336	8	54	4.9	0.2
C-PTGC-0860	352	8	60	5.4	0.2
C-PTGC-1618	255	16	18	3.3	0.1
C-PTGC-1624	284	16	24	4	0.1
C-PTGC-1630	309	16	30	4.7	0.2
C-PTGC-1636	343	16	36	5.5	0.2
C-PTGC-1642	375	16	42	6.2	0.2
C-PTGC-1648	400	16	48	6.9	0.3
C-PTGC-1654	427	16	54	7.6	0.3
C-PTGC-1660	455	16	60	8.3	0.4

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTGC-2418	307	24	18	4.5	0.2
C-PTGC-2424	343	24	24	5.5	0.2
C-PTGC-2430	380	24	30	6.5	0.3
C-PTGC-2436	418	24	36	7.4	0.3
C-PTGC-2442	458	24	42	8.1	0.4
C-PTGC-2448	491	24	48	9.4	0.4
C-PTGC-2454	525	24	54	10.3	0.5
C-PTGC-2460	571	24	60	11.3	0.5
Frosted Acrylic					
C-PTGF-0818	224	8	18	2.1	0.1
C-PTGF-0824	251	8	24	2.6	0.1
C-PTGF-0830	272	8	30	3	0.1
C-PTGF-0836	295	8	36	3.5	0.1
C-PTGF-0842	321	8	42	4	0.1
C-PTGF-0848	351	8	48	4.4	0.1
C-PTGF-0854	376	8	54	4.9	0.2
C-PTGF-0860	399	8	60	5.4	0.2
C-PTGF-1618	284	16	18	3.3	0.1
C-PTGF-1624	320	16	24	4	0.1
C-PTGF-1630	357	16	30	4.7	0.2
C-PTGF-1636	399	16	36	5.5	0.2
C-PTGF-1642	440	16	42	6.2	0.2
C-PTGF-1648	474	16	48	6.9	0.3
C-PTGF-1654	513	16	54	7.6	0.3
C-PTGF-1660	550	16	60	8.3	0.4
C-PTGF-2418	348	24	18	4.5	0.2
C-PTGF-2424	399	24	24	5.5	0.2
C-PTGF-2430	450	24	30	6.5	0.3
C-PTGF-2436	500	24	36	7.4	0.3
C-PTGF-2442	555	24	42	8.5	0.4
C-PTGF-2448	604	24	48	9.4	0.4
C-PTGF-2454	656	24	54	10.3	0.5
C-PTGF-2460	714	24	60	11.3	0.5

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Fluted Acylic					
C-PTGL-0818	200	8	18	1.7	0.1
C-PTGL-0824	218	8	24	2	0.1
C-PTGL-0830	229	8	30	2.3	0.1
C-PTGL-0836	248	8	36	2.6	0.1
C-PTGL-0842	270	8	42	3	0.1
C-PTGL-0848	287	8	48	3.3	0.1
C-PTGL-0854	303	8	54	3.6	0.2
C-PTGL-0860	317	8	60	3.9	0.2
C-PTGL-1618	232	16	18	2.4	0.1
C-PTGL-1624	255	16	24	2.8	0.1
C-PTGL-1630	276	16	30	2.9	0.2
C-PTGL-1636	300	16	36	3.6	0.2
C-PTGL-1642	321	16	42	4	0.2
C-PTGL-1648	344	16	48	4.4	0.3
C-PTGL-1654	365	16	54	4.8	0.3
C-PTGL-1660	382	16	60	5.2	0.4
C-PTGL-2418	276	24	18	3.1	0.2
C-PTGL-2424	299	24	24	3.6	0.2
C-PTGL-2430	331	24	30	4.1	0.3
C-PTGL-2436	352	24	36	4.6	0.3
C-PTGL-2442	380	24	42	5.1	0.4
C-PTGL-2448	404	24	48	5.6	0.4
C-PTGL-2454	431	24	54	6.1	0.5
C-PTGL-2460	464	24	60	6.5	0.5



What's Included:

Magnetic whiteboard tile, installation hardware, eraser support.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Only dry erase markers should be used on magnetic whiteboard tiles.

Options:

height	16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)
C-PTWM-1618	278	16	18	3.2	0.1
C-PTWM-1624	299	16	24	3.1	0.1
C-PTWM-1630	320	16	30	4.5	0.2
C-PTWM-1636	343	16	36	5.2	0.2
C-PTWM-1642	373	16	42	5.9	0.2
C-PTWM-1648	396	16	48	6.5	0.3
C-PTWM-1654	418	16	54	7.2	0.3
C-PTWM-1660	441	16	60	7.9	0.4
C-PTWM-2418	317	24	18	4.4	0.2
C-PTWM-2424	344	24	24	5.3	0.2
C-PTWM-2430	370	24	30	6.2	0.3
C-PTWM-2436	400	24	36	7	0.3
C-PTWM-2442	431	24	42	7.9	0.4
C-PTWM-2448	458	24	48	8.8	0.4
C-PTWM-2454	487	24	54	9.7	0.5
C-PTWM-2460	513	24	60	10.6	0.5



8-inch 16-inch 24-inch

What’s Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates.

Notes:


Laminate tiles provide an easy to clean hard surface.

Grain direction is vertical.

Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTL0-0818	116	8	18	1.8	0.06
C-PTL0-0824	121	8	24	2.4	0.08
C-PTL0-0830	132	8	30	3.1	0.1
C-PTL0-0836	137	8	36	3.7	0.11
C-PTL0-0842	147	8	42	4.4	0.13
C-PTL0-0848	156	8	48	5	0.15
C-PTL0-0854	165	8	54	5.7	0.17
C-PTL0-0860	172	8	60	6.3	0.19
C-PTL0-1618	133	16	18	3.7	0.11
C-PTL0-1624	144	16	24	4.9	0.15
C-PTL0-1630	160	16	30	6.2	0.19
C-PTL0-1636	170	16	36	7.5	0.23
C-PTL0-1642	184	16	42	8.7	0.27
C-PTL0-1648	200	16	48	9.1	0.31
C-PTL0-1654	216	16	54	10.3	0.35
C-PTL0-1660	227	16	60	11.5	0.39
C-PTL0-2418	156	24	18	5.6	0.17
C-PTL0-2424	170	24	24	7.3	0.23
C-PTL0-2430	189	24	30	9.3	0.29
C-PTL0-2436	210	24	36	11.2	0.34
C-PTL0-2442	226	24	42	13.1	0.4
C-PTL0-2448	243	24	48	14.7	0.46
C-PTL0-2454	263	24	54	16.6	0.51
C-PTL0-2460	282	24	60	18.5	0.57



What’s Included:

Monolithic laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminate colors.

Options:

height	32, 40, 48, 56, 64, 72, 80
width	18, 24, 30, 36, 42, 48
finish	laminate colors


Notes:

Monolithic laminate tiles provide an easy to clean hard surface.


Monolithic laminate tiles are five inches less than the complete height of the panel frame.

Grain direction is vertical.

			W (in)		Volume (ft³)				W (in)		Volume (ft³)
C-PTL0-3218	170	32	18	30	0.23	C-PTL0-5618	241	56	18	36	0.4
C-PTL0-3224	189	32	24	31	0.31	C-PTL0-5624	278	56	24	37	0.53
C-PTL0-3230	218	32	30	32	0.38	C-PTL0-5630	312	56	30	39	0.67
C-PTL0-3236	240	32	36	33	0.46	C-PTL0-5636	355	56	36	40	0.8
C-PTL0-3242	263	32	42	34	0.53	C-PTL0-5642	392	56	42	42	0.94
C-PTL0-3248	284	32	48	35	0.61	C-PTL0-5648	427	56	48	44	1.07
C-PTL0-3254	343	32	54	36	0.68	C-PTL0-6418	256	64	18	42	0.46
C-PTL0-3260	404	32	60	37	0.76	C-PTL0-6424	299	64	24	44	0.61
C-PTL0-4018	189	40	18	30	0.29	C-PTL0-6430	340	64	30	46	0.76
C-PTL0-4024	218	40	24	31	0.38	C-PTL0-6436	387	64	36	45	0.92
C-PTL0-4030	243	40	30	32	0.48	C-PTL0-6442	427	64	42	48	1.07
C-PTL0-4036	276	40	36	33	0.57	C-PTL0-6448	471	64	48	50	1.22
C-PTL0-4042	300	40	42	34	0.67	C-PTL0-7218	282	72	18	26	0.52
C-PTL0-4048	331	40	48	35	0.76	C-PTL0-7224	330	72	24	35	0.69
C-PTL0-4054	388	40	54	36	0.85	C-PTL0-7230	375	72	30	43	0.86
C-PTL0-4060	458	40	60	37	0.93	C-PTL0-7236	425	72	36	52	1.03
C-PTL0-4818	211	48	18	32	0.34	C-PTL0-7242	472	72	42	60	1.2
C-PTL0-4824	241	48	24	33	0.46	C-PTL0-7248	518	72	48	69	1.38
C-PTL0-4830	273	48	30	35	0.57	C-PTL0-8018	297	80	18	29	0.57
C-PTL0-4836	308	48	36	36	0.69	C-PTL0-8024	350	80	24	38	0.76
C-PTL0-4842	340	48	42	38	0.8	C-PTL0-8030	400	80	30	48	0.95
C-PTL0-4848	373	48	48	39	0.92	C-PTL0-8036	458	80	36	58	1.15
C-PTL0-4854	438	48	54	40	1.03	C-PTL0-8042	509	80	42	67	1.34
C-PTL0-4860	510	48	60	41	1.15	C-PTL0-8048	557	80	48	77	1.53



Horizontal Wood Grain



Vertical Wood Grain

What’s Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates. Specify “-WG” for horizontal woodgrain.

Options:

height	21, 29, 37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors

Notes:

Laminate tiles provide an easy to clean hard surface.

Grain direction is available in vertical and horizontal.

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Horizontal woodgrain					
C-PTLX-2118-WG	163	21	18	5.91	0.14
C-PTLX-2124-WG	175	21	24	7.88	0.18
C-PTLX-2130-WG	189	21	30	9.84	0.23
C-PTLX-2136-WG	205	21	36	11.81	0.27
C-PTLX-2142-WG	217	21	42	13.78	0.32
C-PTLX-2148-WG	229	21	48	15.75	0.36
C-PTLX-2154-WG	243	21	54	17.72	0.41
C-PTLX-2160-WG	257	21	60	19.69	0.46
C-PTLX-2918-WG	183	29	18	8.16	0.19
C-PTLX-2924-WG	202	29	24	10.88	0.25
C-PTLX-2930-WG	219	29	30	13.59	0.31
C-PTLX-2936-WG	238	29	36	16.31	0.38
C-PTLX-2942-WG	253	29	42	19.03	0.44
C-PTLX-2948-WG	272	29	48	21.75	0.5
C-PTLX-2954-WG	289	29	54	24.47	0.57
C-PTLX-2960-WG	307	29	60	27.19	0.63
C-PTLX-3718-WG	218	37	18	10.41	0.24
C-PTLX-3724-WG	238	37	24	13.88	0.32
C-PTLX-3730-WG	264	37	30	17.34	0.4
C-PTLX-3736-WG	289	37	36	20.81	0.48
C-PTLX-3742-WG	309	37	42	24.28	0.56
C-PTLX-3748-WG	332	37	48	27.75	0.64
C-PTLX-3760-WG	451	37	60	34.69	0.8
C-PTLX-4524-WG	264	45	24	16.88	0.39
C-PTLX-4530-WG	289	45	30	21.09	0.49
C-PTLX-4536-WG	332	45	36	25.31	0.59
C-PTLX-4548-WG	369	45	48	33.75	0.78
C-PTLX-5330-WG	339	53	30	24.84	0.58


Extended laminate tiles continued next page

Extended laminate tiles continued page 2 of 3

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Vertical Woodgrain					
C-PTLX-2118	170	21	18	5.91	0.14
C-PTLX-2124	182	21	24	7.88	0.18
C-PTLX-2130	198	21	30	9.84	0.23
C-PTLX-2136	210	21	36	11.81	0.27
C-PTLX-2142	223	21	42	13.78	0.32
C-PTLX-2148	238	21	48	15.75	0.36
C-PTLX-2154	252	21	54	17.72	0.41
C-PTLX-2160	265	21	60	19.69	0.46
C-PTLX-2918	189	29	18	8.16	0.19
C-PTLX-2924	210	29	24	10.88	0.25
C-PTLX-2930	227	29	30	13.59	0.31
C-PTLX-2936	245	29	36	16.31	0.38
C-PTLX-2942	263	29	42	19.03	0.44
C-PTLX-2948	282	29	48	21.75	0.5
C-PTLX-2954	300	29	54	24.47	0.57
C-PTLX-2960	317	29	60	27.19	0.63
C-PTLX-3718	218	37	18	10.41	0.24
C-PTLX-3724	238	37	24	13.88	0.32
C-PTLX-3730	263	37	30	17.34	0.4
C-PTLX-3736	287	37	36	20.81	0.48
C-PTLX-3742	309	37	42	24.28	0.56
C-PTLX-3748	332	37	48	27.75	0.64
C-PTLX-3754	388	37	54	31.22	0.72
C-PTLX-3760	450	37	60	34.69	0.8
C-PTLX-4518	248	45	18	12.66	0.29
C-PTLX-4524	273	45	24	16.88	0.39
C-PTLX-4530	299	45	30	21.09	0.49
C-PTLX-4536	332	45	36	25.31	0.59
C-PTLX-4542	357	45	42	29.53	0.68
C-PTLX-4548	385	45	48	33.75	0.78
C-PTLX-4554	445	45	54	37.97	0.88
C-PTLX-4560	513	45	60	42.19	0.98

Extended laminate tiles continued page 3 of 3

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTLX-5318	276	53	18	14.91	0.35
C-PTLX-5324	307	53	24	19.88	0.46
C-PTLX-5330	339	53	30	24.84	0.58
C-PTLX-5336	375	53	36	29.81	0.69
C-PTLX-5342	404	53	42	34.78	0.81
C-PTLX-5348	438	53	48	39.75	0.92
C-PTLX-5354	501	53	54	44.72	1.04
C-PTLX-5360	575	53	60	49.69	1.15
C-PTLX-6118	314	61	18	17.16	0.4
C-PTLX-6124	352	61	24	22.88	0.53
C-PTLX-6130	388	61	30	28.59	0.66
C-PTLX-6136	431	61	36	34.31	0.79
C-PTLX-6142	469	61	42	40.03	0.93
C-PTLX-6148	501	61	48	45.75	1.06
C-PTLX-6918	343	69	18	19.41	0.45
C-PTLX-6924	382	69	24	25.88	0.6
C-PTLX-6930	425	69	30	32.34	0.75
C-PTLX-6936	472	69	36	38.81	0.9
C-PTLX-6942	513	69	42	45.28	1.05
C-PTLX-6948	553	69	48	51.75	1.2
C-PTLX-7718	375	77	18	21.66	0.5
C-PTLX-7724	421	77	24	28.88	0.67
C-PTLX-7730	469	77	30	36.09	0.84
C-PTLX-7736	519	77	36	43.31	1
C-PTLX-7742	564	77	42	50.53	1.17
C-PTLX-7748	607	77	48	57.75	1.34
C-PTLX-8518	400	85	18	23.91	0.55
C-PTLX-8524	450	85	24	31.88	0.74
C-PTLX-8530	501	85	30	39.84	0.92
C-PTLX-8536	558	85	36	47.81	1.11
C-PTLX-8542	607	85	42	55.78	1.29
C-PTLX-8548	659	85	48	63.75	1.48



What’s Included:

Perforated metal tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Perforated metal tiles provide a unique architectural element, while allowing for airflow.

Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)
C-PTM0-0818	112	8	18	1.5	0.1
C-PTM0-0824	119	8	24	2	0.1
C-PTM0-0830	129	8	30	2.5	0.1
C-PTM0-0836	134	8	36	3.1	0.1
C-PTM0-0842	144	8	42	3.6	0.1
C-PTM0-0848	156	8	48	4.1	0.1
C-PTM0-0854	163	8	54	4.6	0.2
C-PTM0-0860	172	8	60	5.1	0.2
C-PTM0-1618	139	16	18	3	0.1
C-PTM0-1624	155	16	24	4.1	0.1
C-PTM0-1630	162	16	30	5.1	0.2
C-PTM0-1636	173	16	36	6.1	0.2
C-PTM0-1642	186	16	42	7.1	0.2
C-PTM0-1648	202	16	48	8.1	0.3
C-PTM0-1654	217	16	54	9.1	0.3
C-PTM0-1660	228	16	60	10.2	0.4
C-PTM0-2418	173	24	18	4.6	0.2
C-PTM0-2424	195	24	24	6.1	0.2
C-PTM0-2430	216	24	30	7.6	0.3
C-PTM0-2436	230	24	36	9.2	0.3
C-PTM0-2442	254	24	42	10.7	0.4
C-PTM0-2448	277	24	48	12.2	0.4
C-PTM0-2454	297	24	54	13.7	0.5
C-PTM0-2460	314	24	60	15.2	0.5



What’s Included:

Pass-Through Tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

The pass-through tile allows data and communication cables to be shared between workstations.

Options:

height	8,16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)
C-PTO0-0818	170	8	18	1.5	0.1	C-PTO0-1642	243	16	42	3	0.2
C-PTO0-0824	183	8	24	1.7	0.1	C-PTO0-1648	254	16	48	3.2	0.3
C-PTO0-0830	195	8	30	2	0.1	C-PTO0-1654	270	16	54	3.5	0.3
C-PTO0-0836	206	8	36	2.2	0.1	C-PTO0-1660	278	16	60	3.7	0.4
C-PTO0-0842	222	8	42	2.5	0.1	C-PTO0-2418	222	24	18	2.5	0.2
C-PTO0-0848	229	8	48	2.7	0.1	C-PTO0-2424	229	24	24	2.7	0.2
C-PTO0-0854	245	8	54	3	0.2	C-PTO0-2430	243	24	30	3	0.3
C-PTO0-0860	255	8	60	3.2	0.2	C-PTO0-2436	254	24	36	3.2	0.3
C-PTO0-1618	192	16	18	2	0.1	C-PTO0-2442	271	24	42	3.5	0.4
C-PTO0-1624	206	16	24	2.2	0.1	C-PTO0-2448	283	24	48	3.7	0.4
C-PTO0-1630	218	16	30	2.5	0.2	C-PTO0-2454	294	24	54	4	0.5
C-PTO0-1636	227	16	36	2.7	0.2	C-PTO0-2460	306	24	60	4.3	0.5



8-inch

What’s Included:

Fabric Flip-Up Belt-Line Tile, installation hardware.

How to Specify:

Notes:


The fabric flip-up belt-line tile can be used in place of an 8-inch high tile at desk height when access to power, data and communication is required at the belt-line.

The fabric flip-up belt-line tile is compatible with panel frames that have flip-up capability.

Options:

height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	panel fabrics

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)
C-PTB0-0818	251	8	18	1.9	0.1	C-PTB0-0842	307	8	42	4.4	0.1
C-PTB0-0824	256	8	24	2.9	0.1	C-PTB0-0848	314	8	48	5	0.1
C-PTB0-0830	270	8	30	3.1	0.1	C-PTB0-0854	325	8	54	5.6	0.2
C-PTB0-0836	297	8	36	3.8	0.1	C-PTB0-0860	336	8	60	6.2	0.2



8-inch

What’s Include:

Accessory Tile, installation hardware.

How to Specify:

Refer to the metal/vinyl card for a complete listing of metal colors

Notes:

The accessory tile supports all personal organizers. Please refer to the accessories section [on page 166](#) of this price book for details.

Options:

height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal

Code	Price	H (in.)	W (in)	Weight (lb.)	Volume (ft³)
C-PTA0-0818	156	8	18	3	0.1
C-PTA0-0824	178	8	24	3.8	0.1
C-PTA0-0830	203	8	30	4.7	0.1
C-PTA0-0836	228	8	36	5.6	0.1
C-PTA0-0842	255	8	42	6.4	0.1
C-PTA0-0848	283	8	48	7.3	0.1
C-PTA0-0854	307	8	54	8.2	0.2
C-PTA0-0860	333	8	60	9.1	0.2



Cosmo Pricebook
November 2025
Worksurfaces

worksurfaces

straight worksurface	76
straight worksurface with power grommet	80
wave return with straight end	82
wave return with curved end	86
extended corner with curved front	90
angled worksurface with curved front	92
flexed worksurface with curved front	94
5-sided corner worksurface with straight front	96
5-sided corner worksurface with curved front	98
6-sided corner worksurface	99
panel-mounted d-table	100
panel-mounted p-table	102
panel-mounted j-table	104
panel-mounted y-table	106
c-table extension	108
u-table extension	109
bridge worksurface	110
radiused extended surface	112
tempered glass transaction top	113
laminate countertop	114



What’s Included:

Straight Worksurface, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

Grain direction is indicated in the above illustration.

If you need the laminate wood grain direction to run from front to back please see bridge worksurfaces [on page 110](#).

Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 166](#) for details.

How to Specify:

Specify laminate color.

The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Not all laminate colors are available on 1.5-inch thick worksurfaces, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces.

Options:

thickness	C 1-inch CT 1.5-inch
width	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	18, 24, 30, 36
surface finish	laminate colors
edge profile (1.5-inch only)	straight

How to Order and Read your Code:



C or CT	WSOG	18	18
product line	item	width	depth

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick					
C-WS0G-1818	273	18	18	8.18	0.19
C-WS0G-1824	293	18	24	10.96	0.25
C-WS0G-1830	308	18	30	13.73	0.31
C-WS0G-1836	319	18	36	13.73	0.38
C-WS0G-2418	287	24	18	10.96	0.25
C-WS0G-2424	309	24	24	14.7	0.3
C-WS0G-2430	330	24	30	18.36	0.42
C-WS0G-2436	375	24	36	14.73	0.5
C-WS0G-3018	308	30	18	13.73	0.31
C-WS0G-3024	330	30	24	18.4	0.4
C-WS0G-3030	387	30	30	22.99	0.52
C-WS0G-3036	407	30	36	15.73	0.63
C-WS0G-3618	319	36	18	16.51	0.38
C-WS0G-3624	339	36	24	22.1	0.5
C-WS0G-3630	407	36	30	27.62	0.63
C-WS0G-3636	427	36	36	16.73	0.75
C-WS0G-4218	364	42	18	19.29	0.44
C-WS0G-4224	398	42	24	25.8	0.6
C-WS0G-4230	445	42	30	32.25	0.73
C-WS0G-4236	463	42	36	17.73	0.88
C-WS0G-4818	380	48	18	22.06	0.5
C-WS0G-4824	427	48	24	29.5	0.7
C-WS0G-4830	480	48	30	36.88	0.83
C-WS0G-4836	501	48	36	18.73	1
C-WS0G-5418	455	54	18	24.69	0.56
C-WS0G-5424	514	54	24	33	0.8
C-WS0G-5430	536	54	30	41.35	0.94

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
C-WS0G-5436	560	54	36	19.73	1.13
C-WS0G-6018	494	60	18	27.46	0.63
C-WS0G-6024	537	60	24	36.7	0.8
C-WS0G-6030	568	60	30	45.98	1.04
C-WS0G-6036	594	60	36	20.73	1.25
C-WS0G-6618	561	66	18	30.24	0.69
C-WS0G-6624	601	66	24	40.4	0.9
C-WS0G-6630	648	66	30	50.61	1.15
C-WS0G-6636	675	66	36	21.73	1.38
C-WS0G-7218	598	72	18	33.02	0.75
C-WS0G-7224	628	72	24	44.1	1
C-WS0G-7230	666	72	30	55.24	1.25
C-WS0G-7236	696	72	36	22.73	1.5
C-WS0G-7818	647	78	18	35.8	0.81
C-WS0G-7824	681	78	24	47.8	1.1
C-WS0G-7830	723	78	30	59.86	1.35
C-WS0G-7836	753	78	36	23.73	1.63
C-WS0G-8418	699	84	18	38.57	0.88
C-WS0G-8424	738	84	24	51.5	1.2
C-WS0G-8430	780	84	30	64.49	1.46
C-WS0G-8436	818	84	36	24.73	1.75
C-WS0G-9018	794	90	18	41.2	0.94
C-WS0G-9024	836	90	24	55.1	1.3
C-WS0G-9030	889	90	30	68.97	1.56
C-WS0G-9036	934	90	36	25.73	1.88
C-WS0G-9618	863	96	18	43.97	1
C-WS0G-9624	908	96	24	58.8	1.3
C-WS0G-9630	962	96	30	73.6	1.67
C-WS0G-9636	1000	96	36	26.73	2

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1.5" Thick					
CT-WS0G-1818	366	18	18	8.18	0.19
CT-WS0G-1824	398	18	24	10.96	0.25
CT-WS0G-1830	413	18	30	13.73	0.31
CT-WS0G-1836	433	18	36	13.73	0.38
CT-WS0G-2418	387	24	18	10.96	0.25
CT-WS0G-2424	419	24	24	14.7	0.3
CT-WS0G-2430	445	24	30	18.36	0.42
CT-WS0G-2436	501	24	36	14.73	0.5
CT-WS0G-3018	413	30	18	13.73	0.31
CT-WS0G-3024	445	30	24	18.4	0.4
CT-WS0G-3030	523	30	30	22.99	0.52
CT-WS0G-3036	555	30	36	15.73	0.63
CT-WS0G-3618	433	36	18	16.51	0.38
CT-WS0G-3624	458	36	24	22.1	0.5
CT-WS0G-3630	555	36	30	27.62	0.63
CT-WS0G-3636	575	36	36	16.73	0.75
CT-WS0G-4218	491	42	18	19.29	0.44
CT-WS0G-4224	535	42	24	25.8	0.6
CT-WS0G-4230	599	42	30	32.25	0.73
CT-WS0G-4236	625	42	36	17.73	0.88
CT-WS0G-4818	518	48	18	22.06	0.5
CT-WS0G-4824	575	48	24	29.5	0.7
CT-WS0G-4830	648	48	30	36.88	0.83
CT-WS0G-4836	675	48	36	18.73	1
CT-WS0G-5418	611	54	18	24.69	0.56
CT-WS0G-5424	696	54	24	33	0.8
CT-WS0G-5430	725	54	30	41.35	0.94
CT-WS0G-5436	753	54	36	19.73	1.13

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
CT-WS0G-6018	667	60	18	27.46	0.63
CT-WS0G-6024	728	60	24	36.7	0.8
CT-WS0G-6030	769	60	30	45.98	1.04
CT-WS0G-6036	805	60	36	20.73	1.25
CT-WS0G-6618	763	66	18	30.24	0.69
CT-WS0G-6624	812	66	24	40.4	0.9
CT-WS0G-6630	876	66	30	50.61	1.15
CT-WS0G-6636	915	66	36	21.73	1.38
CT-WS0G-7218	807	72	18	33.02	0.75
CT-WS0G-7224	847	72	24	44.1	1
CT-WS0G-7230	898	72	30	55.24	1.25
CT-WS0G-7236	941	72	36	22.73	1.5
CT-WS0G-7818	875	78	18	35.8	0.81
CT-WS0G-7824	922	78	24	47.8	1.1
CT-WS0G-7830	978	78	30	59.86	1.35
CT-WS0G-7836	1022	78	36	23.73	1.63
CT-WS0G-8418	946	84	18	38.57	0.88
CT-WS0G-8424	995	84	24	51.5	1.2
CT-WS0G-8430	1056	84	30	64.49	1.46
CT-WS0G-8436	1105	84	36	24.73	1.75
CT-WS0G-9018	1081	90	18	41.2	0.94
CT-WS0G-9024	1133	90	24	55.1	1.3
CT-WS0G-9030	1201	90	30	68.97	1.56
CT-WS0G-9036	1256	90	36	25.73	1.88
CT-WS0G-9618	1164	96	18	43.97	1
CT-WS0G-9624	1223	96	24	58.8	1.3
CT-WS0G-9630	1302	96	30	73.6	1.67
CT-WS0G-9636	1352	96	36	26.73	2



What's Included:

Straight worksurface with a cable grommet and a power grommet.

Notes:

Grain direction is indicated in the above illustration.

Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.

How to Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color. Unless otherwise specified, see the laminate finish card for details.

Not all laminate colors are available in 1.5-inch thick worksurfaces, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick worksurfaces

Options:

thickness	C 1-inch CT 1.5-inch
width	36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	24, 30
surface finish	laminate colors
edge profile (1.5-inch only)	straight

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick					
C-WSPG-3624	1158	36	24	17.28	0.5
C-WSPG-3630	1225	36	30	21.6	0.63
C-WSPG-4224	1216	42	24	20.16	0.58
C-WSPG-4230	1263	42	30	25.2	0.73
C-WSPG-4824	1247	48	24	23.04	0.67
C-WSPG-4830	1302	48	30	28.8	0.83
C-WSPG-5424	1334	54	24	25.92	0.75
C-WSPG-5430	1354	54	30	32.4	0.94
C-WSPG-6024	1355	60	24	28.8	0.83
C-WSPG-6030	1388	60	30	36	1.04
C-WSPG-6624	1418	66	24	31.68	0.92
C-WSPG-6630	1469	66	30	39.6	1.15
C-WSPG-7224	1444	72	24	34.56	1
C-WSPG-7230	1484	72	30	43.2	1.25
C-WSPG-7824	1500	78	24	37.44	1.08
C-WSPG-7830	1545	78	30	46.8	1.35
C-WSPG-8424	1555	84	24	40.32	1.17
C-WSPG-8430	1599	84	30	50.4	1.46
C-WSPG-9024	1657	90	24	43.2	1.25
C-WSPG-9030	1711	90	30	54	1.56
C-WSPG-9624	1725	96	24	46.08	1.33
C-WSPG-9630	1779	96	30	57.6	1.67

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1.5" Thick					
CT-WSPG-3624	1276	36	24	17.28	0.5
CT-WSPG-3630	1374	36	30	21.6	0.63
CT-WSPG-4224	1353	42	24	20.16	0.58
CT-WSPG-4230	1417	42	30	25.2	0.73
CT-WSPG-4824	1392	48	24	23.04	0.67
CT-WSPG-4830	1469	48	30	28.8	0.83
CT-WSPG-5424	1514	54	24	25.92	0.75
CT-WSPG-5430	1546	54	30	32.4	0.94
CT-WSPG-6024	1550	60	24	28.8	0.83
CT-WSPG-6030	1588	60	30	36	1.04
CT-WSPG-6624	1630	66	24	31.68	0.92
CT-WSPG-6630	1694	66	30	39.6	1.15
CT-WSPG-7224	1665	72	24	34.56	1
CT-WSPG-7230	1716	72	30	43.2	1.25
CT-WSPG-7824	1741	78	24	37.44	1.08
CT-WSPG-7830	1798	78	30	46.8	1.35
CT-WSPG-8424	1814	84	24	40.32	1.17
CT-WSPG-8430	1876	84	30	50.4	1.46
CT-WSPG-9024	1953	90	24	43.2	1.25
CT-WSPG-9030	2020	90	30	54	1.56
CT-WSPG-9624	2045	96	24	46.08	1.33
CT-WSPG-9630	2120	96	30	57.6	1.67



What’s Included:

Wave Return, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

Grain direction is indicated in the above illustration.

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.

How To Specify:

Specify laminate color.

The wave return worksurface must be specified as left or right.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight end	curved end
hand	R right	L left
width	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	
depth	24, 30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick						C-WW0G-6624-L	632	66	24	40.42	0.92
C-WW0G-3024-L	339	30	24	18.36	0.42	C-WW0G-6624-R	632	66	24	40.42	0.92
C-WW0G-3024-R	339	30	24	18.36	0.42	C-WW0G-6630-L	671	66	30	50.61	1.15
C-WW0G-3030-L	407	30	30	22.99	0.52	C-WW0G-6630-R	671	66	30	50.61	1.15
C-WW0G-3030-R	407	30	30	22.99	0.52	C-WW0G-6636-L	702	66	36	75.91	2.06
C-WW0G-3036-L	440	30	36	34.48	0.94	C-WW0G-6636-R	702	66	36	75.91	2.06
C-WW0G-3036-R	440	30	36	34.48	0.94	C-WW0G-7224-L	650	72	24	44.13	1
C-WW0G-3624-L	351	36	24	22.99	0.5	C-WW0G-7224-R	650	72	24	44.13	1
C-WW0G-3624-R	351	36	24	22.99	0.5	C-WW0G-7230-L	694	72	30	55.24	1.25
C-WW0G-3630-L	438	36	30	27.62	0.63	C-WW0G-7230-R	694	72	30	55.24	1.25
C-WW0G-3630-R	438	36	30	27.62	0.63	C-WW0G-7236-L	719	72	36	82.85	2.25
C-WW0G-3636-L	471	36	36	41.43	1.13	C-WW0G-7236-R	719	72	36	82.85	2.25
C-WW0G-3636-R	471	36	36	41.43	1.13	C-WW0G-7824-L	712	78	24	47.83	1.08
C-WW0G-4224-L	419	42	24	25.77	0.58	C-WW0G-7824-R	712	78	24	47.83	1.08
C-WW0G-4224-R	419	42	24	25.77	0.58	C-WW0G-7830-L	738	78	30	59.86	1.35
C-WW0G-4230-L	465	42	30	32.25	0.73	C-WW0G-7830-R	738	78	30	59.86	1.35
C-WW0G-4230-R	465	42	30	32.25	0.73	C-WW0G-7836-L	768	78	36	89.79	2.44
C-WW0G-4236-L	495	42	36	48.37	1.31	C-WW0G-7836-R	768	78	36	89.79	2.44
C-WW0G-4236-R	495	42	36	48.37	1.31	C-WW0G-8424-L	771	84	24	61.53	1.17
C-WW0G-4824-L	447	48	24	29.47	0.67	C-WW0G-8424-R	771	84	24	61.53	1.17
C-WW0G-4824-R	447	48	24	29.47	0.67	C-WW0G-8430-L	791	84	30	64.49	1.46
C-WW0G-4830-L	506	48	30	36.88	0.83	C-WW0G-8430-R	791	84	30	64.49	1.46
C-WW0G-4830-R	506	48	30	36.88	0.83	C-WW0G-8436-L	831	84	36	96.74	2.63
C-WW0G-4836-L	534	48	36	55.31	1.5	C-WW0G-8436-R	831	84	36	96.74	2.63
C-WW0G-4836-R	534	48	36	55.31	1.5	C-WW0G-9024-L	875	90	24	55.08	1.25
C-WW0G-5424-L	514	54	24	33.02	0.75	C-WW0G-9024-R	875	90	24	55.08	1.25
C-WW0G-5424-R	514	54	24	33.02	0.75	C-WW0G-9030-L	897	90	30	68.97	1.56
C-WW0G-5430-L	558	54	30	41.35	0.94	C-WW0G-9030-R	897	90	30	68.97	1.56
C-WW0G-5430-R	558	54	30	41.35	0.94	C-WW0G-9036-L	941	90	36	103.45	2.81
C-WW0G-5436-L	589	54	36	62.02	1.69	C-WW0G-9036-R	941	90	36	103.45	2.81
C-WW0G-5436-R	589	54	36	62.02	1.69	C-WW0G-9624-L	949	96	24	88.17	2
C-WW0G-6024-L	564	60	24	36.72	0.83	C-WW0G-9624-R	949	96	24	88.17	2
C-WW0G-6024-R	564	60	24	36.72	0.83	C-WW0G-9630-L	976	96	30	103.45	2.5
C-WW0G-6030-L	594	60	30	45.98	1.04	C-WW0G-9630-R	976	96	30	103.45	2.5
C-WW0G-6030-R	594	60	30	45.98	1.04	C-WW0G-9636-L	1013	96	36	110.4	3
C-WW0G-6036-L	624	60	36	68.97	1.88	C-WW0G-9636-R	1013	96	36	110.4	3
C-WW0G-6036-R	624	60	36	68.97	1.88						

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1.5" Thick					
CT-WW0G-3024-L	458	30	24	18.36	0.42
CT-WW0G-3024-R	458	30	24	18.36	0.42
CT-WW0G-3030-L	555	30	30	22.99	0.52
CT-WW0G-3030-R	555	30	30	22.99	0.52
CT-WW0G-3036-L	598	30	36	34.48	0.94
CT-WW0G-3036-R	598	30	36	34.48	0.94
CT-WW0G-3624-L	478	36	24	22.99	0.5
CT-WW0G-3624-R	478	36	24	22.99	0.5
CT-WW0G-3630-L	593	36	30	27.62	0.63
CT-WW0G-3630-R	593	36	30	27.62	0.63
CT-WW0G-3636-L	637	36	36	41.43	1.13
CT-WW0G-3636-R	637	36	36	41.43	1.13
CT-WW0G-4224-L	561	42	24	25.77	0.58
CT-WW0G-4224-R	561	42	24	25.77	0.58
CT-WW0G-4230-L	630	42	30	32.25	0.73
CT-WW0G-4230-R	630	42	30	32.25	0.73
CT-WW0G-4236-L	668	42	36	48.37	1.31
CT-WW0G-4236-R	668	42	36	48.37	1.31
CT-WW0G-4824-L	604	48	24	29.47	0.67
CT-WW0G-4824-R	604	48	24	29.47	0.67
CT-WW0G-4830-L	680	48	30	36.88	0.83
CT-WW0G-4830-R	680	48	30	36.88	0.83
CT-WW0G-4836-L	720	48	36	55.31	1.5
CT-WW0G-4836-R	720	48	36	55.31	1.5
CT-WW0G-5424-L	696	54	24	33.02	0.75
CT-WW0G-5424-R	696	54	24	33.02	0.75
CT-WW0G-5430-L	752	54	30	41.35	0.94
CT-WW0G-5430-R	752	54	30	41.35	0.94
CT-WW0G-5436-L	791	54	36	62.02	1.69
CT-WW0G-5436-R	791	54	36	62.02	1.69
CT-WW0G-6024-L	764	60	24	36.72	0.83
CT-WW0G-6024-R	764	60	24	36.72	0.83
CT-WW0G-6030-L	805	60	30	45.98	1.04
CT-WW0G-6030-R	805	60	30	45.98	1.04
CT-WW0G-6036-L	836	60	36	68.97	1.88
CT-WW0G-6036-R	836	60	36	68.97	1.88

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
CT-WW0G-6624-L	855	66	24	40.42	0.92
CT-WW0G-6624-R	855	66	24	40.42	0.92
CT-WW0G-6630-L	908	66	30	50.61	1.15
CT-WW0G-6630-R	908	66	30	50.61	1.15
CT-WW0G-6636-L	947	66	36	75.91	2.06
CT-WW0G-6636-R	947	66	36	75.91	2.06
CT-WW0G-7224-L	881	72	24	44.13	1
CT-WW0G-7224-R	881	72	24	44.13	1
CT-WW0G-7230-L	936	72	30	55.24	1.25
CT-WW0G-7230-R	936	72	30	55.24	1.25
CT-WW0G-7236-L	974	72	36	82.85	2.25
CT-WW0G-7236-R	974	72	36	82.85	2.25
CT-WW0G-7824-L	960	78	24	47.83	1.08
CT-WW0G-7824-R	960	78	24	47.83	1.08
CT-WW0G-7830-L	995	78	30	59.86	1.35
CT-WW0G-7830-R	995	78	30	59.86	1.35
CT-WW0G-7836-L	1034	78	36	89.79	2.44
CT-WW0G-7836-R	1034	78	36	89.79	2.44
CT-WW0G-8424-L	1036	84	24	61.53	1.17
CT-WW0G-8424-R	1036	84	24	61.53	1.17
CT-WW0G-8430-L	1070	84	30	64.49	1.46
CT-WW0G-8430-R	1070	84	30	64.49	1.46
CT-WW0G-8436-L	1122	84	36	96.74	2.63
CT-WW0G-8436-R	1122	84	36	96.74	2.63
CT-WW0G-9024-L	1179	90	24	55.08	1.25
CT-WW0G-9024-R	1179	90	24	55.08	1.25
CT-WW0G-9030-L	1210	90	30	68.97	1.56
CT-WW0G-9030-R	1210	90	30	68.97	1.56
CT-WW0G-9036-L	1265	90	36	103.45	2.81
CT-WW0G-9036-R	1265	90	36	103.45	2.81
CT-WW0G-9624-L	1282	96	24	88.17	2
CT-WW0G-9624-R	1282	96	24	88.17	2
CT-WW0G-9630-L	1317	96	30	103.45	2.5
CT-WW0G-9630-R	1317	96	30	103.45	2.5
CT-WW0G-9636-L	1368	96	36	110.4	3
CT-WW0G-9636-R	1368	96	36	110.4	3



What’s Included:

Wave Return, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

Grain direction is indicated in the above illustration.

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.

How To Specify:

Specify laminate color.

The wave return worksurface must be specified as left or right.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight end	curved end
hand	R right	L left
width	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	
depth	24, 30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - Right Hand						1" Thick - Left Hand					
C-WWRG-3024-R	352	30	24	18.36	0.42	C-WWLG-3024-L	352	30	24	18.36	0.42
C-WWRG-3030-R	431	30	30	22.99	0.52	C-WWLG-3030-L	431	30	30	22.99	0.52
C-WWRG-3624-R	373	36	24	22.99	0.5	C-WWLG-3624-L	373	36	24	22.99	0.5
C-WWRG-3630-R	460	36	30	27.62	0.63	C-WWLG-3630-L	460	36	30	27.62	0.63
C-WWRG-4224-R	438	42	24	25.77	0.58	C-WWLG-4224-L	438	42	24	25.77	0.58
C-WWRG-4230-R	492	42	30	32.25	0.73	C-WWLG-4230-L	492	42	30	32.25	0.73
C-WWRG-4824-R	471	48	24	29.47	0.67	C-WWLG-4824-L	471	48	24	29.47	0.67
C-WWRG-4830-R	532	48	30	36.88	0.83	C-WWLG-4830-L	532	48	30	36.88	0.83
C-WWRG-5424-R	537	54	24	33.02	0.75	C-WWLG-5424-L	537	54	24	33.02	0.75
C-WWRG-5430-R	589	54	30	41.35	0.94	C-WWLG-5430-L	589	54	30	41.35	0.94
C-WWRG-6024-R	594	60	24	36.72	0.83	C-WWLG-6024-L	594	60	24	36.72	0.83
C-WWRG-6030-R	624	60	30	45.98	1.04	C-WWLG-6030-L	624	60	30	45.98	1.04
C-WWRG-6624-R	661	66	24	40.42	0.92	C-WWLG-6624-L	661	66	24	40.42	0.92
C-WWRG-6630-R	706	66	30	50.61	1.15	C-WWLG-6630-L	706	66	30	50.61	1.15
C-WWRG-7224-R	680	72	24	44.13	1	C-WWLG-7224-L	680	72	24	44.13	1
C-WWRG-7230-R	720	72	30	55.24	1.25	C-WWLG-7230-L	720	72	30	55.24	1.25
C-WWRG-7824-R	740	78	24	47.83	1.08	C-WWLG-7824-L	740	78	24	47.83	1.08
C-WWRG-7830-R	772	78	30	59.86	1.35	C-WWLG-7830-L	772	78	30	59.86	1.35
C-WWRG-8424-R	805	84	24	61.53	1.17	C-WWLG-8424-L	805	84	24	61.53	1.17
C-WWRG-8430-R	827	84	30	64.49	1.46	C-WWLG-8430-L	827	84	30	64.49	1.46
C-WWRG-9024-R	908	90	24	55.08	1.25	C-WWLG-9024-L	908	90	24	55.08	1.25
C-WWRG-9030-R	937	90	30	68.97	1.56	C-WWLG-9030-L	937	90	30	68.97	1.56

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1.5" Thick - Right Hand					
CT-WWRG-3024-R	479	30	24	18.36	0.42
CT-WWRG-3030-R	586	30	30	22.99	0.52
CT-WWRG-3624-R	496	36	24	22.99	0.5
CT-WWRG-3630-R	624	36	30	27.62	0.63
CT-WWRG-4224-R	593	42	24	25.77	0.58
CT-WWRG-4230-R	661	42	30	32.25	0.73
CT-WWRG-4824-R	637	48	24	29.47	0.67
CT-WWRG-4830-R	716	48	30	36.88	0.83
CT-WWRG-5424-R	728	54	24	33.02	0.75
CT-WWRG-5430-R	791	54	30	41.35	0.94
CT-WWRG-6024-R	805	60	24	36.72	0.83
CT-WWRG-6030-R	836	60	30	45.98	1.04
CT-WWRG-6624-R	893	66	24	40.42	0.92
CT-WWRG-6630-R	949	66	30	50.61	1.15
CT-WWRG-7224-R	921	72	24	44.13	1
CT-WWRG-7230-R	975	72	30	55.24	1.25
CT-WWRG-7824-R	999	78	24	47.83	1.08
CT-WWRG-7830-R	1040	78	30	59.86	1.35
CT-WWRG-8424-R	1084	84	24	61.53	1.17
CT-WWRG-8430-R	1116	84	30	64.49	1.46
CT-WWRG-9024-R	1223	90	24	55.08	1.25
CT-WWRG-9030-R	1261	90	30	68.97	1.56

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1.5" Thick - Left Hand					
CT-WWLG-3024-L	479	30	24	18.36	0.42
CT-WWLG-3030-L	586	30	30	22.99	0.52
CT-WWLG-3624-L	496	36	24	22.99	0.5
CT-WWLG-3630-L	624	36	30	27.62	0.63
CT-WWLG-4224-L	593	42	24	25.77	0.58
CT-WWLG-4230-L	661	42	30	32.25	0.73
CT-WWLG-4824-L	637	48	24	29.47	0.67
CT-WWLG-4830-L	716	48	30	36.88	0.83
CT-WWLG-5424-L	728	54	24	33.02	0.75
CT-WWLG-5430-L	791	54	30	41.35	0.94
CT-WWLG-6024-L	805	60	24	36.72	0.83
CT-WWLG-6030-L	836	60	30	45.98	1.04
CT-WWLG-6624-L	893	66	24	40.42	0.92
CT-WWLG-6630-L	949	66	30	50.61	1.15
CT-WWLG-7224-L	921	72	24	44.13	1
CT-WWLG-7230-L	975	72	30	55.24	1.25
CT-WWLG-7824-L	999	78	24	47.83	1.08
CT-WWLG-7830-L	1040	78	30	59.86	1.35
CT-WWLG-8424-L	1084	84	24	61.53	1.17
CT-WWLG-8430-L	1116	84	30	64.49	1.46
CT-WWLG-9024-L	1223	90	24	55.08	1.25
CT-WWLG-9030-L	1261	90	30	68.97	1.56



What's Included:

Extended Corner with curved front, grommets (48-inch worksurfaces include one grommet, 54-inch worksurfaces and above include two grommets).

Notes:

Grain direction is indicated in the above illustration.

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.

How To Specify:

Specify laminate color.

The straight worksurface with curved end must be specified as left or right. When the straight end is specified, the handed end will be longer. When the curved end is specified, the handed end will be longer and curved.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces.

Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
hand	R right	L left
width	36, 42, 48	
depth	18, 24, 30	
length	48, 54, 60, 66, 72	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - Straight End						1.5" Thick - Straight End					
C-W5E0-4218-L	739	42	18	29.09	0.8	CT-W5E0-4218-L	997	42	18	29.09	0.8
C-W5E0-4218-R	739	42	18	29.09	0.8	CT-W5E0-4218-R	997	42	18	29.09	0.8
C-W5E0-4818-L	775	48	18	33.23	0.9	CT-W5E0-4818-L	1048	48	18	33.23	0.9
C-W5E0-4818-R	775	48	18	33.23	0.9	CT-W5E0-4818-R	1048	48	18	33.23	0.9
C-W5E0-4824-L	814	48	24	38.77	1.2	CT-W5E0-4824-L	1096	48	24	38.77	1.2
C-W5E0-4824-R	814	48	24	38.77	1.2	CT-W5E0-4824-R	1096	48	24	38.77	1.2
C-W5E0-5418-L	826	54	18	37.38	1	CT-W5E0-5418-L	1115	54	18	37.38	1
C-W5E0-5418-R	826	54	18	37.38	1	CT-W5E0-5418-R	1115	54	18	37.38	1
C-W5E0-5424-L	856	54	24	43.62	1.3	CT-W5E0-5424-L	1155	54	24	43.62	1.3
C-W5E0-5424-R	856	54	24	43.62	1.3	CT-W5E0-5424-R	1155	54	24	43.62	1.3
C-W5E0-5430-L	934	54	30	49.85	1.5	CT-W5E0-5430-L	1256	54	30	49.85	1.5
C-W5E0-5430-R	934	54	30	49.85	1.5	CT-W5E0-5430-R	1256	54	30	49.85	1.5
C-W5E0-6018-L	860	60	18	41.54	1.1	CT-W5E0-6018-L	1162	60	18	41.54	1.1
C-W5E0-6018-R	860	60	18	41.54	1.1	CT-W5E0-6018-R	1162	60	18	41.54	1.1
C-W5E0-6024-L	903	60	24	48.46	1.5	CT-W5E0-6024-L	1220	60	24	48.46	1.5
C-W5E0-6024-R	903	60	24	48.46	1.5	CT-W5E0-6024-R	1220	60	24	48.46	1.5
C-W5E0-6030-L	1008	60	30	55.38	1.7	CT-W5E0-6030-L	1367	60	30	55.38	1.7
C-W5E0-6030-R	1008	60	30	55.38	1.7	CT-W5E0-6030-R	1367	60	30	55.38	1.7
C-W5E0-6630-L	1087	66	30	60.92	1.9	CT-W5E0-6630-L	1495	66	30	60.92	1.9
C-W5E0-6630-R	1087	66	30	60.92	1.9	CT-W5E0-6630-R	1495	66	30	60.92	1.9
C-W5E0-7230-L	1161	72	30	66.46	2.1	CT-W5E0-7230-L	1600	72	30	66.46	2.1
C-W5E0-7230-R	1161	72	30	66.46	2.1	CT-W5E0-7230-R	1600	72	30	66.46	2.1



straight ends

What's Included:

Angled Worksurface with curved front (135-degree), grommet

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces.
- Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight	
width	24, 30, 36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-WA00-2418	506	24	18	20	0.47
C-WA00-2424	571	24	24	24	0.56
C-WA00-3018	667	30	18	26	0.67
C-WA00-3024	695	30	24	28	0.75
C-WA00-3030	790	30	30	30	0.84
C-WA00-3618	752	36	18	28	0.91
C-WA00-3624	869	36	24	30	1.01
C-WA00-3630	989	36	30	32	1.11
C-WA00-4218	865	42	18	30	1.1
C-WA00-4224	963	42	24	32	1.2
C-WA00-4230	1054	42	30	34	1.4
C-WA00-4818	1046	48	18	32	1.3
C-WA00-4824	1186	48	24	34	1.4
C-WA00-4830	1298	48	30	36	1.6
1.5" Thick					
CT-WA00-2418	680	24	18	20	0.47
CT-WA00-2424	771	24	24	24	0.56
CT-WA00-3018	902	30	18	26	0.67
CT-WA00-3024	937	30	24	28	0.75
CT-WA00-3030	1067	30	30	30	0.84
CT-WA00-3618	1020	36	18	28	0.91
CT-WA00-3624	1169	36	24	30	1.01
CT-WA00-3630	1331	36	30	32	1.11
CT-WA00-4218	1162	42	18	30	1.1
CT-WA00-4224	1307	42	24	32	1.2
CT-WA00-4230	1442	42	30	34	1.4
CT-WA00-4818	1433	48	18	32	1.3
CT-WA00-4824	1630	48	24	34	1.4
CT-WA00-4830	1798	48	30	36	1.6



straight ends



What's Included:

Flexed Worksurface with curved front (120-degree), grommet

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces.
- Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
end shape	O straight	
width	24, 30, 36, 42, 48, 54	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-WF00-2418	495	24	18	5.18	0.25
C-WF00-3018	604	30	18	6.48	0.31
C-WF00-3024	697	30	24	7.78	0.38
C-WF00-3618	764	36	18	28	0.44
C-WF00-3624	856	36	24	10.37	0.5
C-WF00-3630	869	36	30	11.66	0.56
C-WF00-4218	865	42	18	8.64	0.42
C-WF00-4224	946	42	24	10.37	0.5
C-WF00-4230	965	42	30	12.1	0.58
C-WF00-4818	1061	48	18	13.82	0.67
C-WF00-4824	1169	48	24	15.55	0.75
C-WF00-4830	1194	48	30	12.96	0.63
C-WF00-5418	1241	54	18	15.12	0.73
C-WF00-5424	1351	54	24	17.28	0.83
C-WF00-5430	1378	54	30	19.44	0.94
1.5" Thick					
CT-WF00-2418	668	24	18	5.18	0.25
CT-WF00-3018	817	30	18	6.48	0.31
CT-WF00-3024	942	30	24	7.78	0.38
CT-WF00-3618	1032	36	18	28	0.44
CT-WF00-3624	1155	36	24	10.37	0.5
CT-WF00-3630	1169	36	30	11.66	0.56
CT-WF00-4218	1164	42	18	8.64	0.42
CT-WF00-4224	1282	42	24	10.37	0.5
CT-WF00-4230	1317	42	30	12.1	0.58
CT-WF00-4818	1462	48	18	13.82	0.67
CT-WF00-4824	1611	48	24	15.55	0.75
CT-WF00-4830	1657	48	30	12.96	0.63
CT-WF00-5418	1716	54	18	15.12	0.73
CT-WF00-5424	1880	54	24	17.28	0.83
CT-WF00-5430	1932	54	30	19.44	0.94



What's Included:

5-Sided Corner Workspace with straight front, grommet

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick workspaces.
- Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-W5S0-3618	666	36	18	39.94	1.13
C-W5S0-3624	666	36	24	40.5	1.13
C-W5S0-4224	805	42	24	57.99	1.53
C-W5S0-4824	836	48	24	71.18	2
C-W5S0-4830	836	48	30	78.82	2
1.5" Thick					
CT-W5S0-3618	898	36	18	39.94	1.13
CT-W5S0-3624	898	36	24	40.5	1.13
CT-W5S0-4224	1084	42	24	57.99	1.53
CT-W5S0-4824	1133	48	24	71.18	2
CT-W5S0-4830	1133	48	30	78.82	2



What’s Included:

5-Sided Corner Workspace with curved front, grommet


Notes:

Grain direction is indicated in the above illustration.

Options:

thickness	C 1-inch	CT 1.5-inch
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-W5C0-3618	666	36	18	26.63	0.75
C-W5C0-3624	666	36	24	27	0.75
C-W5C0-4224	805	42	24	38.66	1.02
C-W5C0-4824	836	48	24	47.45	1.33
C-W5C0-4830	836	48	30	52.55	1.33
1.5" Thick					
CT-W5C0-3618	898	36	18	26.63	0.75
CT-W5C0-3624	898	36	24	27	0.75
CT-W5C0-4224	1084	42	24	38.66	1.02
CT-W5C0-4824	1133	48	24	47.45	1.33
CT-W5C0-4830	1133	48	30	52.55	1.33



What’s Included:

6-Sided Corner Workspace with grommet.

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick workspaces.
- Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
end shape	O straight	
width	24	
depth	24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-W6SG-2424	814	24	24	27	0.75
C-W6SG-3024	856	30	24	27	0.87
1.5" Thick					
CT-W6CG-2424	1096	24	24	27	0.75
CT-W6CG-3024	1155	30	24	27	0.87



What’s Included:

Panel-Mounted D-Table, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

- Specify laminate color.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces.
- The color of the modesty panel will default to match the worksurface.


Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78, 84	
depth	30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

How to Order and Read your Code:

C or CT	WD00	72	36
product line	item	width	depth

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1” Thick - Without Grommet						1.5” Thick - Without Grommet					
C-WD00-6030	814	60	30	63.27	1.04	CT-WD00-6030	975	60	30	63.27	1.04
C-WD00-6036	891	60	36	78.14	1.25	CT-WD00-6036	1070	60	36	78.14	1.25
C-WD00-6630	960	66	30	69.75	1.15	CT-WD00-6630	1152	66	30	69.75	1.15
C-WD00-6636	1054	66	36	85.54	1.38	CT-WD00-6636	1263	66	36	85.54	1.38
C-WD00-7230	1035	72	30	76.22	1.25	CT-WD00-7230	1243	72	30	76.22	1.25
C-WD00-7236	1136	72	36	92.94	1.5	CT-WD00-7236	1367	72	36	92.94	1.5
C-WD00-7830	1197	78	30	82.7	1.35	CT-WD00-7830	1435	78	30	82.7	1.35
C-WD00-7836	1313	78	36	100.34	1.63	CT-WD00-7836	1579	78	36	100.34	1.63
C-WD00-8430	1258	84	30	89.18	1.46	CT-WD00-8430	1507	84	30	89.18	1.46
C-WD00-8436	1380	84	36	107.74	1.75	CT-WD00-8436	1658	84	36	107.74	1.75
1” Thick - With Grommet						1.5” Thick - Without Grommet					
C-WD0G-6030	835	60	30	63.27	1.04	CT-WD0G-6030	1002	60	30	63.27	1.04
C-WD0G-6036	916	60	36	78.14	1.25	CT-WD0G-6036	1105	60	36	78.14	1.25
C-WD0G-6630	983	66	30	69.75	1.15	CT-WD0G-6630	1179	66	30	69.75	1.15
C-WD0G-6636	1084	66	36	85.54	1.38	CT-WD0G-6636	1294	66	36	85.54	1.38
C-WD0G-7230	1059	72	30	76.22	1.25	CT-WD0G-7230	1271	72	30	76.22	1.25
C-WD0G-7236	1164	72	36	92.94	1.5	CT-WD0G-7236	1391	72	36	92.94	1.5
C-WD0G-7830	1221	78	30	82.7	1.35	CT-WD0G-7830	1469	78	30	82.7	1.35
C-WD0G-7836	1338	78	36	100.34	1.63	CT-WD0G-7836	1605	78	36	100.34	1.63
C-WD0G-8430	1281	84	30	89.18	1.46	CT-WD0G-8430	1539	84	30	89.18	1.46
C-WD0G-8436	1410	84	36	107.74	1.75	CT-WD0G-8436	1690	84	36	107.74	1.75



What’s Included:

Panel-Mounted P-Table, 2 metal support posts, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

The panel-mounted P-table must be specified as left or right. The handed end has a bubble on the outside.


The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. The color of the modesty panel will default to match the worksurface.

Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78, 84	
depth	30, 36	
hand	R right	L left
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - Without Grommet						1.5" Thick - Without Grommet					
C-WP00-6030-L	887	60	30	73.13	1.04	CT-WP00-6030-L	1067	60	30	73.13	1.04
C-WP00-6030-R	887	60	30	73.13	1.04	CT-WP00-6030-R	1067	60	30	73.13	1.04
C-WP00-6036-L	990	60	36	77	1.25	CT-WP00-6036-L	1191	60	36	77	1.25
C-WP00-6036-R	990	60	36	77	1.25	CT-WP00-6036-R	1191	60	36	77	1.25
C-WP00-6630-L	1005	66	30	79.59	1.15	CT-WP00-6630-L	1208	66	30	79.59	1.15
C-WP00-6630-R	1005	66	30	79.59	1.15	CT-WP00-6630-R	1208	66	30	79.59	1.15
C-WP00-6636-L	1109	66	36	83	1.38	CT-WP00-6636-L	1329	66	36	83	1.38
C-WP00-6636-R	1109	66	36	83	1.38	CT-WP00-6636-R	1329	66	36	83	1.38
C-WP00-7230-L	1073	72	30	86.07	1.25	CT-WP00-7230-L	1287	72	30	86.07	1.25
C-WP00-7230-R	1073	72	30	86.07	1.25	CT-WP00-7230-R	1287	72	30	86.07	1.25
C-WP00-7236-L	1170	72	36	90	1.5	CT-WP00-7236-L	1411	72	36	90	1.5
C-WP00-7236-R	1170	72	36	90	1.5	CT-WP00-7236-R	1411	72	36	90	1.5
C-WP00-7830-L	1258	78	30	92.55	1.35	CT-WP00-7830-L	1507	78	30	92.55	1.35
C-WP00-7830-R	1258	78	30	92.55	1.35	CT-WP00-7830-R	1507	78	30	92.55	1.35
C-WP00-7836-L	1355	78	36	96	1.63	CT-WP00-7836-L	1630	78	36	96	1.63
C-WP00-7836-R	1355	78	36	96	1.63	CT-WP00-7836-R	1630	78	36	96	1.63
C-WP00-8430-L	1353	84	30	99.02	1.46	CT-WP00-8430-L	1629	84	30	99.02	1.46
C-WP00-8430-R	1353	84	30	99.02	1.46	CT-WP00-8430-R	1629	84	30	99.02	1.46
C-WP00-8436-L	1483	84	36	103	1.75	CT-WP00-8436-L	1777	84	36	103	1.75
C-WP00-8436-R	1483	84	36	103	1.75	CT-WP00-8436-R	1777	84	36	103	1.75
1" Thick - With Grommet						1.5" Thick - With Grommet					
C-WP0G-6030-L	902	60	30	80	0.8	CT-WP0G-6030-L	1081	60	30	80	0.8
C-WP0G-6030-R	902	60	30	80	0.8	CT-WP0G-6030-R	1081	60	30	80	0.8
C-WP0G-6036-L	1002	60	36	80	1	CT-WP0G-6036-L	1202	60	36	80	1
C-WP0G-6036-R	1002	60	36	80	1	CT-WP0G-6036-R	1202	60	36	80	1
C-WP0G-6630-L	1022	66	30	83	0.9	CT-WP0G-6630-L	1222	66	30	83	0.9
C-WP0G-6630-R	1022	66	30	83	0.9	CT-WP0G-6630-R	1222	66	30	83	0.9
C-WP0G-6636-L	1123	66	36	83	1.2	CT-WP0G-6636-L	1348	66	36	83	1.2
C-WP0G-6636-R	1123	66	36	83	1.2	CT-WP0G-6636-R	1348	66	36	83	1.2
C-WP0G-7230-L	1087	72	30	86	1	CT-WP0G-7230-L	1303	72	30	86	1
C-WP0G-7230-R	1087	72	30	86	1	CT-WP0G-7230-R	1303	72	30	86	1
C-WP0G-7236-L	1191	72	36	86	1.3	CT-WP0G-7236-L	1422	72	36	86	1.3
C-WP0G-7236-R	1191	72	36	86	1.3	CT-WP0G-7236-R	1422	72	36	86	1.3
C-WP0G-7830-L	1274	78	30	89	1.1	CT-WP0G-7830-L	1526	78	30	89	1.1
C-WP0G-7830-R	1274	78	30	89	1.1	CT-WP0G-7830-R	1526	78	30	89	1.1
C-WP0G-7836-L	1374	78	36	89	1.4	CT-WP0G-7836-L	1644	78	36	89	1.4
C-WP0G-7836-R	1374	78	36	89	1.4	CT-WP0G-7836-R	1644	78	36	89	1.4
C-WP0G-8430-L	1371	84	30	99.02	1.46	CT-WP0G-8430-L	1643	84	30	99.02	1.46
C-WP0G-8430-R	1371	84	30	99.02	1.46	CT-WP0G-8430-R	1643	84	30	99.02	1.46
C-WP0G-8436-L	1496	84	36	103	1.75	CT-WP0G-8436-L	1790	84	36	103	1.75
C-WP0G-8436-R	1496	84	36	103	1.75	CT-WP0G-8436-R	1790	84	36	103	1.75



What's Included:

Panel-Mounted J-Table, grommet, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The panel-mounted J-table must be specified as left or right. The handed end is the longer side of the J-tab
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces.
- The color of the modesty will default to match the worksurface.
- Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78	
depth	24, 30	
hand	R right	L left
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-WJ0G-6024-L	1195	60	24	120	1.25
C-WJ0G-6024-R	1195	60	24	120	1.25
C-WJ0G-6030-L	1280	60	30	120	1.56
C-WJ0G-6030-R	1280	60	30	120	1.56
C-WJ0G-6624-L	1271	66	24	124.5	1.38
C-WJ0G-6624-R	1271	66	24	124.5	1.38
C-WJ0G-6630-L	1377	66	30	124.5	1.72
C-WJ0G-6630-R	1377	66	30	124.5	1.72
C-WJ0G-7224-L	1368	72	24	129	1.5
C-WJ0G-7224-R	1368	72	24	129	1.5
C-WJ0G-7230-L	1448	72	30	129	1.88
C-WJ0G-7230-R	1448	72	30	129	1.88
C-WJ0G-7824-L	1444	78	24	133.5	1.63
C-WJ0G-7824-R	1444	78	24	133.5	1.63
C-WJ0G-7830-L	1617	78	30	133.5	2.03
C-WJ0G-7830-R	1617	78	30	133.5	2.03
1.5" Thick					
CT-WJ0G-6024-L	1434	60	24	120	1.25
CT-WJ0G-6024-R	1434	60	24	120	1.25
CT-WJ0G-6030-L	1538	60	30	120	1.56
CT-WJ0G-6030-R	1538	60	30	120	1.56
CT-WJ0G-6624-L	1527	66	24	124.5	1.38
CT-WJ0G-6624-R	1527	66	24	124.5	1.38
CT-WJ0G-6630-L	1653	66	30	124.5	1.72
CT-WJ0G-6630-R	1653	66	30	124.5	1.72
CT-WJ0G-7224-L	1644	72	24	129	1.5
CT-WJ0G-7224-R	1644	72	24	129	1.5
CT-WJ0G-7230-L	1742	72	30	129	1.88
CT-WJ0G-7230-R	1742	72	30	129	1.88
CT-WJ0G-7824-L	1733	78	24	133.5	1.63
CT-WJ0G-7824-R	1733	78	24	133.5	1.63
CT-WJ0G-7830-L	1938	78	30	133.5	2.03
CT-WJ0G-7830-R	1938	78	30	133.5	2.03



What’s Included:

Panel-Mounted Y-Table, metal support posts, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The panel-mounted Y-table must be specified as left or right. The handed end is rounded.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces.
- The color of the modesty will default to match the worksurface.
- Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 166](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78	
depth	24, 30	
hand	R right	L left
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1" Thick					
C-WY0G-6024-L	1569	60	24	120	1.25
C-WY0G-6024-R	1569	60	24	120	1.25
C-WY0G-6624-L	1672	66	24	123	1.38
C-WY0G-6624-R	1672	66	24	123	1.38
C-WY0G-6630-L	1891	66	30	129	1.72
C-WY0G-6630-R	1891	66	30	129	1.72
C-WY0G-7224-L	1795	72	24	126	1.5
C-WY0G-7224-R	1795	72	24	126	1.5
C-WY0G-7230-L	1918	72	30	132	1.88
C-WY0G-7230-R	1918	72	30	132	1.88
C-WY0G-7824-L	1911	78	24	129	1.63
C-WY0G-7824-R	1911	78	24	129	1.63
C-WY0G-7830-L	1969	78	30	135	2.03
C-WY0G-7830-R	1969	78	30	135	2.03
C-WY0G-8430-L	1995	84	30	141	2.19
C-WY0G-8430-R	1995	84	30	141	2.19
1.5" Thick					
CT-WY0G-6024-L	1881	60	24	120	1.25
CT-WY0G-6024-R	1881	60	24	120	1.25
CT-WY0G-6624-L	2011	66	24	123	1.38
CT-WY0G-6624-R	2011	66	24	123	1.38
CT-WY0G-6630-L	2274	66	30	129	1.72
CT-WY0G-6630-R	2274	66	30	129	1.72
CT-WY0G-7224-L	2154	72	24	126	1.5
CT-WY0G-7224-R	2154	72	24	126	1.5
CT-WY0G-7230-L	2307	72	30	132	1.88
CT-WY0G-7230-R	2307	72	30	132	1.88
CT-WY0G-7824-L	2292	78	24	129	1.63
CT-WY0G-7824-R	2292	78	24	129	1.63
CT-WY0G-7830-L	2362	78	30	135	2.03
CT-WY0G-7830-R	2362	78	30	135	2.03
CT-WY0G-8430-L	2390	84	30	141	2.19
CT-WY0G-8430-R	2390	84	30	141	2.19



What’s Included:

C-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge trim style must be specified for 1.5-inch thick worksurfaces.

Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	16, 21, 26	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1” Thick					
C-WC00-5121-S	887	51	21	38.27	3.55
C-WC00-6326-S	953	63	26	54.56	5.41
1.5 ” Thick					
CT-WC00-5121-S	1060	51	21	38.27	3.55
CT-WC00-6326-S	1143	63	26	54.56	5.41



What’s Included:

U-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.


How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge trim style must be specified for 1.5-inch thick worksurfaces.

Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	18,24,28	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	
support finish	metal colors	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
1” Thick					
C-WU00-3918	706	39	18	13.12	0.62
C-WU00-5124-S	937	51	24	17.14	0.81
C-WU00-6328-S	1076	63	28	21.17	1.02
1.5 ” Thick					
CT-WU00-3918	847	39	18	13.12	0.62
CT-WU00-5124-S	1122	51	24	17.14	0.81
CT-WU00-6328-S	1294	63	28	21.17	1.02



What’s Included:

Bridge Surface

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces.

Options:

thickness	C 1-inch	CT 1.5-inch
grommet	O without	G with grommet
width	24, 30, 36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1” Thick - Without Grommet						1.5” Thick - Without Grommet					
C-BS00-2418	272	24	18	5.18	0.25	CT-BS00-2424	403	24	24	6.91	0.33
C-BS00-2424	295	24	24	6.91	0.33	CT-BS00-2430	431	24	30	8.64	0.42
C-BS00-2430	311	24	30	8.64	0.42	CT-BS00-3018	398	30	18	6.48	0.31
C-BS00-3018	294	30	18	6.48	0.31	CT-BS00-3024	431	30	24	8.64	0.42
C-BS00-3024	311	30	24	8.64	0.42	CT-BS00-3030	509	30	30	10.8	0.52
C-BS00-3030	373	30	30	10.8	0.52	CT-BS00-3618	418	36	18	7.78	0.38
C-BS00-3618	306	36	18	7.78	0.38	CT-BS00-3624	441	36	24	10.37	0.5
C-BS00-3624	321	36	24	10.37	0.5	CT-BS00-3630	537	36	30	12.96	0.63
C-BS00-3630	396	36	30	12.96	0.63	CT-BS00-4218	474	42	18	9.07	0.44
C-BS00-4218	348	42	18	9.07	0.44	CT-BS00-4224	523	42	24	12.1	0.58
C-BS00-4224	380	42	24	12.1	0.58	CT-BS00-4230	586	42	30	15.12	0.73
C-BS00-4230	431	42	30	15.12	0.73	CT-BS00-4818	500	48	18	10.37	0.5
C-BS00-4818	366	48	18	10.37	0.5	CT-BS00-4824	560	48	24	13.82	0.67
C-BS00-4824	414	48	24	13.82	0.67	CT-BS00-4830	634	48	30	17.28	0.83
C-BS00-4830	469	48	30	17.28	0.83	1.5” Thick - With Grommet					
1” Thick - With Grommet						CT-BS0G-2418	387	24	18	5.18	0.25
C-BS0G-2418	287	24	18	5.18	0.25	CT-BS0G-2424	419	24	24	6.91	0.33
C-BS0G-2424	309	24	24	6.91	0.33	CT-BS0G-2430	445	24	30	8.64	0.42
C-BS0G-2430	330	24	30	8.64	0.42	CT-BS0G-3018	413	30	18	6.48	0.31
C-BS0G-3018	308	30	18	6.48	0.31	CT-BS0G-3024	445	30	24	8.64	0.42
C-BS0G-3024	330	30	24	8.64	0.42	CT-BS0G-3030	523	30	30	10.8	0.52
C-BS0G-3030	387	30	30	10.8	0.52	CT-BS0G-3618	433	36	18	7.78	0.38
C-BS0G-3618	319	36	18	7.78	0.38	CT-BS0G-3624	458	36	24	10.37	0.5
C-BS0G-3624	339	36	24	10.37	0.5	CT-BS0G-3630	555	36	30	12.96	0.63
C-BS0G-3630	407	36	30	12.96	0.63	CT-BS0G-4218	491	42	18	9.07	0.44
C-BS0G-4218	364	42	18	9.07	0.44	CT-BS0G-4224	535	42	24	12.1	0.58
C-BS0G-4224	398	42	24	12.1	0.58	CT-BS0G-4230	599	42	30	15.12	0.73
C-BS0G-4230	445	42	30	15.12	0.73	CT-BS0G-4818	518	48	18	10.37	0.5
C-BS0G-4818	380	48	18	10.37	0.5	CT-BS0G-4824	575	48	24	13.82	0.67
C-BS0G-4824	427	48	24	13.82	0.67	CT-BS0G-4830	648	48	30	17.28	0.83
C-BS0G-4830	480	48	30	17.28	0.83						



What’s Included:

Radiused Extended Surface

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

Specify metal color for support posts.


The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge trim style must be specified for 1.5-inch thick worksurfaces.

Options:

thickness	C 1-inch	CT 1.5-inch
width	27, 33	
depth	27, 33	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
1" thick					
C-WC01-2727	364	27	27	13.81	0.33
C-WC01-3333	440	33	33	14.3	0.49
1.5 " thick					
CT-WC01-2727	491	27	27	13.81	0.33
CT-WC01-3333	598	33	33	14.3	0.49



What’s Included:

Tempered Glass transaction top, installation hardware, two post legs.

Notes:

The tempered glass transaction top can be mounted on top of one or two 37-inch high panel frames to provide a transaction surface for a reception station or between two workstations in a team environment.

The tempered glass transaction top is not applicable on 90, 120, or 135-degree configurations.

How To Specify:


Specify metal finish.

When the tempered glass transaction top is to be mounted over a single panel frame, specify the transaction top to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the transaction top to be the total width of the two panel frames.

Options:

width	24, 30, 36, 42, 48, 54,
depth	12
metal finish	metal colors

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-WTGS-2412	967	24	12	5	0.2
C-WTGS-3012	1042	30	12	6	0.2
C-WTGS-3612	1108	36	12	7	0.3
C-WTGS-4212	1169	42	12	8	0.3
C-WTGS-4812	1240	48	12	9	0.3
C-WTGS-5412	1303	54	12	10	0.3



What’s Included:

Laminate countertop, installation hardware, two post legs.

Notes:

How To Specify:

Specify laminate color.

Specify metal finish.

When the laminate countertop is to be mounted over a single panel frame, specify the countertop to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the countertop to be the total width of the two panel frames.

Options:

width	24, 30, 36, 42, 48, 54, 60			
depth	15			
configuration	A 90-degree	B 120-degree	C 135-degree	O 180-degree
end shape	S - straight			
	right 90-degree corner		left 90-degree corner	
	right 120-degree corner		left 120-degree corner	
	right 135-degree corner		left 135-degree corner	
surface finish	laminate colors			
metal finish	metal colors			

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1” Thick						1.5” Thick - 180-degree countertop					
C-WTL0-2415	533	24	15	4.32	0.21	CT-WTL0-2415	586	24	15	4.32	0.21
C-WTL0-3015	572	30	15	5.4	0.26	CT-WTL0-3015	641	30	15	5.4	0.26
C-WTL0-3615	604	36	15	6.48	0.31	CT-WTL0-3615	683	36	15	6.48	0.31
C-WTL0-4215	616	42	15	7.56	0.36	CT-WTL0-4215	701	42	15	7.56	0.36
C-WTL0-4815	670	48	15	8.64	0.42	CT-WTL0-4815	774	48	15	8.64	0.42
C-WTL0-5415	696	54	15	9.72	0.47	CT-WTL0-5415	813	54	15	9.72	0.47
C-WTL0-6015	720	60	15	10.8	0.52	CT-WTL0-6015	850	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1” Thick - 90-degree corner (single)						1.5” Thick - 90-degree corner (single)					
C-WTLA-2415-L	606	24	15	4.32	0.21	CT-WTLA-2415-L	680	24	15	4.32	0.21
C-WTLA-2415-R	606	24	15	4.32	0.21	CT-WTLA-2415-R	680	24	15	4.32	0.21
C-WTLA-3015-L	648	30	15	4.32	0.26	CT-WTLA-3015-L	735	30	15	4.32	0.26
C-WTLA-3015-R	648	30	15	4.32	0.26	CT-WTLA-3015-R	735	30	15	4.32	0.26
C-WTLA-3615-L	673	36	15	6.48	0.31	CT-WTLA-3615-L	759	36	15	6.48	0.31
C-WTLA-3615-R	673	36	15	6.48	0.31	CT-WTLA-3615-R	759	36	15	6.48	0.31
C-WTLA-4215-L	699	42	15	7.56	0.36	CT-WTLA-4215-L	774	42	15	7.56	0.36
C-WTLA-4215-R	699	42	15	7.56	0.36	CT-WTLA-4215-R	774	42	15	7.56	0.36
C-WTLA-4815-L	740	48	15	8.64	0.42	CT-WTLA-4815-L	817	48	15	8.64	0.42
C-WTLA-4815-R	740	48	15	8.64	0.42	CT-WTLA-4815-R	817	48	15	8.64	0.42
C-WTLA-5415-L	772	54	15	9.72	0.47	CT-WTLA-5415-L	849	54	15	9.72	0.47
C-WTLA-5415-R	772	54	15	9.72	0.47	CT-WTLA-5415-R	849	54	15	9.72	0.47
C-WTLA-6015-L	808	60	15	10.8	0.52	CT-WTLA-6015-L	882	60	15	10.8	0.52
C-WTLA-6015-R	808	60	15	10.8	0.52	CT-WTLA-6015-R	882	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1” Thick - 90-degree corner (dual)						1.5” Thick - 90-degree corner (dual)					
C-WTLA-2415	680	24	15	4.32	0.21	CT-WTLA-2415	769	24	15	4.32	0.21
C-WTLA-3015	735	30	15	4.32	0.26	CT-WTLA-3015	836	30	15	4.32	0.26
C-WTLA-3615	759	36	15	6.48	0.31	CT-WTLA-3615	876	36	15	6.48	0.31
C-WTLA-4215	774	42	15	7.56	0.36	CT-WTLA-4215	897	42	15	7.56	0.36
C-WTLA-4815	817	48	15	8.64	0.42	CT-WTLA-4815	960	48	15	8.64	0.42
C-WTLA-5415	849	54	15	9.72	0.47	CT-WTLA-5415	1002	54	15	9.72	0.47
C-WTLA-6015	882	60	15	10.8	0.52	CT-WTLA-6015	1050	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - 120-degree corner (single)						1.5" Thick - 120-degree corner (single)					
C-WTLB-2415-L	593	24	15	4.32	0.21	CT-WTLB-2415-L	656	24	15	4.32	0.21
C-WTLB-2415-R	593	24	15	4.32	0.21	CT-WTLB-2415-R	656	24	15	4.32	0.21
C-WTLB-3015-L	634	30	15	5.4	0.26	CT-WTLB-3015-L	712	30	15	5.4	0.26
C-WTLB-3015-R	634	30	15	5.4	0.26	CT-WTLB-3015-R	712	30	15	5.4	0.26
C-WTLB-3615-L	658	36	15	6.48	0.31	CT-WTLB-3615-L	748	36	15	6.48	0.31
C-WTLB-3615-R	658	36	15	6.48	0.31	CT-WTLB-3615-R	748	36	15	6.48	0.31
C-WTLB-4215-L	668	42	15	7.56	0.36	CT-WTLB-4215-L	768	42	15	7.56	0.36
C-WTLB-4215-R	668	42	15	7.56	0.36	CT-WTLB-4215-R	768	42	15	7.56	0.36
C-WTLB-4815-L	723	48	15	8.64	0.42	CT-WTLB-4815-L	836	48	15	8.64	0.42
C-WTLB-4815-R	723	48	15	8.64	0.42	CT-WTLB-4815-R	836	48	15	8.64	0.42
C-WTLB-5415-L	750	54	15	9.72	0.47	CT-WTLB-5415-L	875	54	15	9.72	0.47
C-WTLB-5415-R	750	54	15	9.72	0.47	CT-WTLB-5415-R	875	54	15	9.72	0.47
C-WTLB-6015-L	780	60	15	10.8	0.52	CT-WTLB-6015-L	922	60	15	10.8	0.52
C-WTLB-6015-R	780	60	15	10.8	0.52	CT-WTLB-6015-R	922	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - 120-degree corner (dual)						1.5" Thick - 120-degree corner (dual)					
C-WTLB-2415	646	24	15	4.32	0.21	CT-WTLB-2415	718	24	15	4.32	0.21
C-WTLB-3015	684	30	15	5.4	0.26	CT-WTLB-3015	775	30	15	5.4	0.26
C-WTLB-3615	714	36	15	6.48	0.31	CT-WTLB-3615	813	36	15	6.48	0.31
C-WTLB-4215	738	42	15	7.56	0.36	CT-WTLB-4215	842	42	15	7.56	0.36
C-WTLB-4815	775	48	15	8.64	0.42	CT-WTLB-4815	902	48	15	8.64	0.42
C-WTLB-5415	813	54	15	9.72	0.47	CT-WTLB-5415	947	54	15	9.72	0.47
C-WTLB-6015	842	60	15	10.8	0.52	CT-WTLB-6015	995	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - 135-degree corner (single)						1.5" Thick - 135-degree corner (single)					
C-WTLC-2415-L	588	24	15	4.32	0.21	CT-WTLC-2415-L	646	24	15	4.32	0.21
C-WTLC-2415-R	588	24	15	4.32	0.21	CT-WTLC-2415-R	646	24	15	4.32	0.21
C-WTLC-3015-L	617	30	15	5.4	0.26	CT-WTLC-3015-L	695	30	15	5.4	0.26
C-WTLC-3015-R	617	30	15	5.4	0.26	CT-WTLC-3015-R	695	30	15	5.4	0.26
C-WTLC-3615-L	653	36	15	6.48	0.31	CT-WTLC-3615-L	740	36	15	6.48	0.31
C-WTLC-3615-R	653	36	15	6.48	0.31	CT-WTLC-3615-R	740	36	15	6.48	0.31
C-WTLC-4215-L	661	42	15	7.56	0.36	CT-WTLC-4215-L	758	42	15	7.56	0.36
C-WTLC-4215-R	661	42	15	7.56	0.36	CT-WTLC-4215-R	758	42	15	7.56	0.36
C-WTLC-4815-L	719	48	15	8.64	0.42	CT-WTLC-4815-L	829	48	15	8.64	0.42
C-WTLC-4815-R	719	48	15	8.64	0.42	CT-WTLC-4815-R	829	48	15	8.64	0.42
C-WTLC-5415-L	744	54	15	9.72	0.47	CT-WTLC-5415-L	910	54	15	9.72	0.47
C-WTLC-5415-R	744	54	15	9.72	0.47	CT-WTLC-5415-R	910	54	15	9.72	0.47
C-WTLC-6015-L	774	60	15	10.8	0.52	CT-WTLC-6015-L	922	60	15	10.8	0.52
C-WTLC-6015-R	774	60	15	10.8	0.52	CT-WTLC-6015-R	922	60	15	10.8	0.52

Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)	Code	Price	H (in)	W (in.)	Wt. (lb)	Vol. (ft³)
1" Thick - 135-degree corner (dual)						1.5" Thick - 135-degree corner (dual)					
C-WTLC-2415	634	24	15	4.32	0.21	CT-WTLC-2415	697	24	15	4.32	0.21
C-WTLC-3015	673	30	15	5.4	0.26	CT-WTLC-3015	753	30	15	5.4	0.26
C-WTLC-3615	698	36	15	6.48	0.31	CT-WTLC-3615	792	36	15	6.48	0.31
C-WTLC-4215	723	42	15	7.56	0.36	CT-WTLC-4215	758	42	15	7.56	0.36
C-WTLC-4815	764	48	15	8.64	0.42	CT-WTLC-4815	884	48	15	8.64	0.42
C-WTLC-5415	794	54	15	9.72	0.47	CT-WTLC-5415	934	54	15	9.72	0.47
C-WTLC-6015	823	60	15	10.8	0.52	CT-WTLC-6015	966	60	15	10.8	0.52




Cosmo Pricebook
November 2025

Worksurface Supports

worksurface supports

cantilever arm	118
universal bracket	119
single post	120
horizontal surface support	121
laminated gable	122
intermediate gable	123
open metal gable	124



What’s Included:

Cantilever Arm, installation hardware.

How to Specify:

Cantilever arms are available only in black.

Options:

size	16, 22		
position	R right	L left	

Notes:


The cantilever arm mounts to the panel frame to support worksurfaces.

Worksurfaces 24 inches and greater require the 22-inch cantilever to be used.


How to Order and Read your Code:

C	CCAB	16	L
product line	item	width	position

Code	Price	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CCAB-16	110	16	2.2	0.01
C-CCAB-16-L	110	16	2.2	0.01
C-CCAB-16-R	110	16	2.2	0.01
C-CCAB-22	118	22	2.7	0.01
C-CCAB-22-L	118	22	2.7	0.01
C-CCAB-22-R	118	22	2.7	0.01



right hand



left hand

What’s Included:

Universal Bracket, installation hardware.

How to Specify:

Specify right or left hand according to the position of the worksurface.

The universal bracket is available only in black.


Notes:

The universal bracket is primarily used for end or side corner support and must be used in conjunction with other primary supports, such as gables, cantilever arms, or single posts.

Options:

hand	R right	L left
------	----------------	---------------

Code	Price	Weight (lb)	Volume (ft³)
C-CB01-L	8	1	0.01
C-CB01-R	8	1	0.01



What’s Included:

Single Post, leveler, installation hardware.

How to Specify:

Specify metal finish. See the metal finish card for details.

Options:


finishmetal finish colors

Notes:

The single post is 28-inch in height and includes an integral leveler that provides a 3-inch levelling range.

This item should be used together with panel-mounted worksurface supports to support semi-suspended worksurfaces.

Code	Price	H (in.)	Weight (lb)	Volume (ft³)
C-CP1G-03	156	28	7	0.11



What’s Included:

Horizontal Surface Support, installation hardware.

How to Specify:

The horizontal surface support is available only in silver.

Options:


width51, 57, 63, 69, 75

Notes:

The horizontal surface support is used to support worksurfaces 54-inches and longer.

This item is mounted to the underside of a worksurface.

Code	Price	W (in)	Weight (lb)	Volume (ft³)
C-CH00-54	74	51	4	0.05
C-CH00-60	80	57	4.5	0.05
C-CH00-66	86	63	5	0.06
C-CH00-72	90	69	5.5	0.06
C-CH00-78	95	75	6	0.07



What’s Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.


Gables can be used for single or dual worksurface support in the left, right and center positions.

The left and right gables are designed to match the depth of standard worksurfaces. The center gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:

position	R right	L left	U - universal
depth	12, 18, 24, 30, 36		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CGL0-12	133	12	7.5	0.01	0.01
C-CGR0-12	133	12	7.5	0.01	0.01
C-CGL0-18	159	18	11.47	0.01	0.01
C-CGR0-18	159	18	11.47	0.01	0.01
C-CGL0-24	182	24	15.4	0.01	0.01
C-CGR0-24	182	24	15.4	0.01	0.01
C-CGL0-30	211	30	19.32	0.01	0.01
C-CGR0-30	211	30	19.32	0.01	0.01
C-CGL0-36	230	36	19.35	0.01	0.01
C-CGR0-36	230	36	19.35	0.01	0.01
C-CGU0-12	133	12	7.5	0.01	0.01
C-CGU0-18	159	18	11.47	0.01	0.01
C-CGU0-24	182	24	15.4	0.01	0.01
C-CGU0-30	211	30	19.32	0.01	0.01
C-CGU0-36	230	36	19.35	0.01	0.01



What’s Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.


Gables can be used for single or dual worksurface support in the left, right and center positions.

The left and right gables are designed to match the depth of standard worksurfaces. The center gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:

position	R right	L right	U - universal
depth	12, 18, 24		
finish	laminate colors		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CGLC-12	133	28	12	7.5	0.01
C-CGRC-12	133	28	12	7.5	0.01
C-CGLC-18	159	28	18	11.47	0.01
C-CGRC-18	159	28	18	11.47	0.01
C-CGUC-12	133	28	12	7.5	0.01
C-CGUC-18	159	28	18	11.47	0.01
C-CGUC-24	182	28	24	16.5	0.01



right hand

left hand

What’s Included:

Open metal gable, installation hardware.

How to Specify:

Specify metal color.

Notes:

- Open metal gables can be used to support workspaces in the left or right position.
- The depth of the open metal gable should match the depth of the workspace that it will support at the end of a run.
- Use the 12 or 18-inch pen metal gable to support workspace in the middle of a run.
- Open metal gables cannot be used in freestanding applications

Options:

position	R right L right
size	12, 18, 24, 30
finish	metal colors

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Left Hand					
C-CGLM-12	509	28	12	6	0.58
C-CGLM-18	535	28	18	10	0.88
C-CGLM-24	573	28	24	14	1.17
C-CGLM-30	607	28	30	14	1.17
Right Hand					
C-CGRM-12	509	28	12	6	0.58
C-CGRM-18	535	28	18	10	0.88
C-CGRM-24	573	28	24	14	1.17
C-CGRM-30	607	28	30	14	1.17




Cosmo Pricebook
November 2025

Mounted Storage

mounted storage

panel-mounted flipper cabinet	128
suspended flipper cabinet	130
wall mounted flipper cabinet	132
top mounted shared open shelf	134
cubby storage	136
open metal shelf	137
overhead back bracket	138
double channel wall mount bracket kit	139



flipper cabinet

What’s Included:

Panel-Mounted Flipper Cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify laminate color (for laminate faced flipper only).

Specify option P for pneumatic slides.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

The panel-mounted flipper cabinet mounts on-module to panel frames of the same width.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:


depth	14		
width	30, 36, 42, 48, 54, 60		
door finish	L laminate colors	M metal colors	
enhancements	P pneumatic*		
case finish	metal colors		

* an upcharge is applicable when this option is specified

How to Order and Read your Code:

C	SOF	M	14	30	P
product line	item	door finish	depth	width	enhancements

Standard	Price	H (in.)	W W (in.)	D1 D 1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SOFL-1430-P	1180	16	30	14	32.1	2.92
C-SOFL-1436-P	1243	16	36	14	34.7	3.5
C-SOFL-1442-P	1287	16	42	14	38.6	4.08
C-SOFL-1448-P	1327	16	48	14	42.5	4.67
C-SOFL-1454-P	1348	16	54	14	45.7	5.25
C-SOFL-1460-P	1416	16	60	14	49.1	5.83
Pneumatic Metal						
C-SOFM-1430-P	1257	16	30	14	32.1	2.92
C-SOFM-1436-P	1327	16	36	14	34.7	3.5
C-SOFM-1442-P	1381	16	42	14	38.6	4.08
C-SOFM-1448-P	1422	16	48	14	42.5	4.67
C-SOFM-1454-P	1441	16	54	14	45.7	5.25
C-SOFM-1460-P	1522	16	60	14	49.1	5.83



What’s Included:

Suspended flipper cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify laminate color (for laminate faced flipper only).

Specify option P for pneumatic slides.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

The suspended flipper cabinet mounts on-module to panel frames of the same width.


The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:

depth	14	
width	30, 36, 42, 48, 54, 60	
door finish	L laminate colors	M metal colors
enhancements	P pneumatic*	
case finish	metal colors	

* an upcharge is applicable when this option is specified

Code	Price	H (in.)	W (in.)	D1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SSFL-1430-P	1386	16	26	30	14	32.1
C-SSFL-1436-P	1442	16	26	36	14	34.7
C-SSFL-1442-P	1491	16	26	42	14	38.6
C-SSFL-1448-P	1525	16	26	48	14	42.5
C-SSFL-1454-P	1538	16	26	54	14	45.7
C-SSFL-1460-P	1606	16	26	60	14	49.1
Pneumatic Metal						
C-SSFM-1430-P	1072	16	26	30	14	32.1
C-SSFM-1436-P	1136	16	26	36	14	34.7
C-SSFM-1442-P	1195	16	26	42	14	38.6
C-SSFM-1448-P	1234	16	26	48	14	42.5
C-SSFM-1454-P	1281	16	26	54	14	45.7
C-SSFM-1460-P	1325	16	26	60	14	49.1



What’s Included:

Wall mounted flipper cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify laminate color (for laminate faced flipper only).

Specify wall mounting hardware separately

Specify option P for pneumatic slides.

The vinyl trim color will default to match the laminate color unless otherwise specified.

Notes:

Grain direction is indicated in the above illustration.

The wall-mounted flipper cabinet mounts off-module to walls to provide overhead storage in a workstation.


The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:

depth	14		
width	30, 36, 42, 48, 54, 60		
door finish	L laminate colors	M metal colors	
enhancements	P pneumatic*		
case finish	metal colors		

* an upcharge is applicable when this option is specified

Code	Price	H (in.)	W (in.)	D1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SOFL-1430-P-W	1180	16	16	30	14	32.1
C-SOFL-1436-P-W	1243	16	16	36	14	34.7
C-SOFL-1442-P-W	1287	16	16	42	14	38.6
C-SOFL-1448-P-W	1327	16	16	48	14	42.5
C-SOFL-1454-P-W	1348	16	16	54	14	45.7
C-SOFL-1460-P-W	1416	16	16	60	14	49.1
Pneumatic Metal						
C-SOFM-1430-P-W	1257	16	16	30	14	32.1
C-SOFM-1436-P-W	1327	16	16	36	14	34.7
C-SOFM-1442-P-W	1381	16	16	42	14	38.6
C-SOFM-1448-P-W	1422	16	16	48	14	42.5
C-SOFM-1454-P-W	1441	16	16	54	14	45.7
C-SOFM-1460-P-W	1522	16	16	60	14	49.1



What's Included:

Top mounted shared open shelf, installation hardware

How to Specify:

- Specify laminate color.
- Specify back option.


Notes:

- Grain direction is indicated in the above illustration.
- The top mounted shared shelf mounts on top of a panel frame and provides open storage to two workstations.
- The back of the top mounted shared shelf can be finished in acrylic or whiteboard.
- The single unit can be used on top of one or two panel frames.
- The double units is used over two or more panel frames where a 3-way or 4-way 90 degree connector is also present, as illustrated above

Options:

back finish	G acrylic	W whiteboard
width	24, 30, 36, 42, 48, 54, 60	
depth	16	
height	16	
hand	L left	R right
case finish	laminate colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Single Shared Shelves						
C-SSOG-30-L	974	16	16	30	16	35
C-SSOG-36-L	1060	16	16	36	16	38
C-SSOG-42-L	1152	16	16	42	16	41
C-SSOG-48-L	1241	16	16	48	16	44
C-SSOG-54-L	1328	16	16	54	16	47
C-SSOG-60-L	1418	16	16	60	16	50
C-SSOG-72-L	1594	16	16	72	16	56
C-SSOG-84-L	1769	16	16	84	16	62
C-SSOG-30-R	974	16	16	30	16	35
C-SSOG-36-R	1060	16	16	36	16	38
C-SSOG-42-R	1152	16	16	42	16	41
C-SSOG-48-R	1241	16	16	48	16	44
C-SSOG-54-R	1328	16	16	54	16	47
C-SSOG-60-R	1418	16	16	60	16	50
C-SSOG-72-R	1594	16	16	72	16	56
C-SSOG-84-R	1769	16	16	84	16	62
Double Shared Shelves						
C-SSOW-24-L	832	16	16	30	16	35
C-SSOW-30-L	875	16	16	30	16	35
C-SSOW-36-L	938	16	16	36	16	38
C-SSOW-42-L	997	16	16	42	16	41
C-SSOW-48-L	1059	16	16	48	16	44
C-SSOW-54-L	1123	16	16	54	16	47
C-SSOW-60-L	1186	16	16	60	16	50
C-SSOW-72-L	1308	16	16	72	16	56
C-SSOW-84-L	1434	16	16	84	16	62
C-SSOW-24-R	832	16	16	30	16	35
C-SSOW-30-R	875	16	16	30	16	35
C-SSOW-36-R	938	16	16	36	16	38
C-SSOW-42-R	997	16	16	42	16	41
C-SSOW-48-R	1059	16	16	48	16	44
C-SSOW-54-R	1123	16	16	54	16	47
C-SSOW-60-R	1186	16	16	60	16	50
C-SSOW-72-R	1308	16	16	72	16	56
C-SSOW-84-R	1434	16	16	84	16	62



cubby storage

What’s Included:

Cubby storage, installation hardware.

Notes:

The panel-mounted cubby storage mounts on-module to panel frames of the same width.

How to Specify:

Grain direction is indicated in the above illustration.

Specify laminate color.


Specify hardware finish.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details

Options:

depth	11
width	24, 30, 36, 42, 48
height	8
finish	L laminate colors
hawdware finish	M metal colors

Code		Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-SCS-081124		330	8	24	11	N/A	1.3
C-SCS-081130		352	8	30	11	N/A	1.7
C-SCS-081136		377	8	36	11	N/A	2
C-SCS-081142		402	8	42	11	N/A	2.3
C-SCS-081148		459	8	48	11	N/A	2.7



open metal shelf

What’s Included:

Open Metal Shelf, installation hardware

How to Specify:

Specify metal color.


Notes:

The open metal shelf is panel-mounted on-module, and provides open storage within the workstation.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code		Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-SOOM-1224		227	24	12	13.03	1
C-SOOM-1230		238	30	12	13.03	1.25
C-SOOM-1236		253	36	12	14.74	1.5
C-SOOM-1242		263	42	12	16.48	1.75
C-SOOM-1248		272	48	12	18.2	2
C-SOOM-1254		283	54	12	19.93	2.25
C-SOOM-1260		294	60	12	21.65	2.5



What's Included:

Overhead Back Bracket, installation hardware


How to Specify:

Specify metal color.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
C-SOBB-24	37	24	1	0.01
C-SOBB-30	40	30	1	0.02
C-SOBB-36	45	36	1.2	0.02
C-SOBB-42	50	42	1.4	0.02
C-SOBB-48	52	48	1.6	0.03
C-SOBB-54	57	54	1.8	0.03
C-SOBB-60	61	60	2	0.03



What's Included:

Double channel wall mount bracket kit

How to Specify:

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
C-ADWB-24-KIT	121	23.5	2	0.03
C-ADWB-30-KIT	149	29.5	4	0.04
C-ADWB-36-KIT	183	35.5	6	0.05
C-ADWB-42-KIT	218	41.5	8	0.05
C-ADWB-48-KIT	248	47.5	10	0.06
C-ADWB-54-KIT	278	53.5	12	0.07
C-ADWB-60-KIT	309	59.5	14	0.08




Cosmo Pricebook
November 2025


Freestanding Storage

freestanding storage


mobile pedestal	142
mobile pedestal with seat	143
freestanding pedestal	144
freestanding joined pedestal	145
freestanding lateral file	146
freestanding lateral file	147
closed storage tower	148
open storage tower with wardrobe	149
closed storage tower with closet	150
file/file/file storage tower	151
single door storage cabinet	152
double door storage tower	154
combination cabinet	155



box file



box/box file



file/file

What’s Included:

One mobile pedestal, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

The mobile pedestal is 21-inches deep and is equipped with castors for easy mobility.

The Manhattan handle style is offered on mobile pedestals.

Grain direction is indicated in the above illustration.


Options:

height	21.5, 28
width	16, 17
case and drawer finish	laminate colors

How to Order and Read your Code:

C	1000	28	16	L112
product line	item	height	width	case & drawer finish

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box file						
C-1000-2317	1255	21.5	16	18	75	4.75
box/box file						
C-FPBM-1621	1120	28	16	21	60	5.64
file/file						
C-FPFM-1621	994	28	16	21	60	5.64



mobile pedestal with seat

What’s Included:

One mobile pedestal with seat, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

The mobile pedestal with seat is 21-inches deep and is equipped with castors for easy mobility.


The Manhattan handle style is offered on mobile pedestals.

Grain direction is indicated in the above illustration.


Options:

height	23
width	17
case and drawer finish	laminate colors
seating upholstery	seating fabrics

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-1030-2317	1307	23	17	23	75	4.75



box/box/file



file/file

What’s Included:

Freestanding Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Pedestals are 21-inches deep.


The box/box/file freestanding pedestal includes a pencil tray

Grain direction is indicated in the above illustration..

Options:

type	B box/box/file	F file/file
width	16	
depth	21	
case finish	laminate colors	
handle style	brooklyn melbourne clifton manhattan rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box/box/file						
C-FPBF-1621	1107	29	16	21	67.2	5.64
file/file						
C-FPFF-1621	976	29	16	21	67.2	5.64



What’s Included:

Freestanding Joined Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Freestanding joined pedestals are 21-inches deep.


The freestanding joined pedestal includes a pencil tray.

Grain direction is indicated in the above illustration..


Options:

width	36
depth	21
case finish	laminate colors


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPJF-3621	1918	29	36	21	130	12.69



2 drawer



3 drawer



4 drawer

What’s Included:

Freestanding Lateral File, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Laterals are 21-inches deep.


Grain direction is indicated in the above illustration..

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.


Options:

type	2 two-drawer		3 three-drawer		4 four-drawer	
width	30, 36, 42					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	manhattan	rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
2 Drawer						
C-FL2F-3021	1545	29	30	21	107	10.57
C-FL2F-3621	1636	29	36	21	130	12.69
C-FL2F-4221	1717	29	42	21	150	14.8
3 Drawer						
C-FL3F-3021	2112	40.5	30	21	167	14.77
C-FL3F-3621	2238	40.5	36	21	180	17.72
4 Drawer						
C-FL4F-3021	2652	52.5	30	21	200	19.14
C-FL4F-3621	2809	52.5	36	21	240	22.97



single door



double door

What’s Included:

Freestanding Storage Cabinet, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Storage cabinets are 21-inches deep.

Grain direction is indicated in the above illustration..


Options:

width	18, 30, 36					
hand (for single cabinet door only)	R right			L left		
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	manhattan	rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Single door						
C-FSF0-1821-L	887	29	18	21	80	6.34
C-FSF0-1821-R	887	29	18	21	80	6.34
Double Door						
C-FSF0-3021	1215	29	30	21	107	7.4
C-FSF0-3621	1296	29	36	21	130	7.4



laminate file/file



laminate box/box file

What’s Included:

Closed Storage Tower, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Shelves are adjustable in 1-inch increments.

Grain direction is indicated in the above illustration..


Options:

type	00 box/box/file	10 file/file
height	66	
width	18	
depth	21	
hand	R rightL left	
case finish	laminate colors	
handle style	brooklynmelbournecliftonmanhattanrosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-7010-6618-L	1969	66	18	21	180	13.64
C-7010-6618-R	1969	66	18	21	180	13.64
C-7000-6618-L	2079	66	18	21	180	13.64
C-7000-6618-R	2079	66	18	21	180	13.64



file/file



box/box file

What’s Included:

Storage Tower with Wardrobe, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.

Options:

type	30 box/box/file	40 file/file
height	66	
width	24	
depth	21	
hand	R rightL left	
case finish	laminate colors	
handle style	brooklynmelbournecliftonmanhattanrosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
file/file						
C-8040-6624-L	2281	66	24	21	190	19.25
C-8040-6624-R	2281	66	24	21	190	19.25
box/box/file						
C-8030-6624-L	2387	66	24	21	190	19.25
C-8030-6624-R	2387	66	24	21	190	19.25



file/file



box/box file

What’s Included:

Closed Storage Tower with Closet, shelves, coat rod, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Shelves are adjustable in 1-inch increments.


Grain direction is indicated in the above illustration..

Cabinets are 21-inches deep.

Options:

type	00 box/box/file 10 file/file	
height	66	
width	24	
depth	21	
hand	R right L left	
case finish	laminate colors	
handle style	brooklynmelbournejcliftonmanhattanrosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-6010-6624-L	2546	66	24	21	195	19.25
C-6010-6624-R	2546	66	24	21	195	19.25
C-6000-6624-L	2657	66	24	21	195	19.25
C-6000-6624-R	2657	66	24	21	195	19.25



What’s Included:

File/File/File Storage Tower, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Towers are 21-inches deep.

Grain direction is indicated in the above illustration..


Options:

height	42
width	18
depth	21
case finish	laminate colors
handle style	brooklynmelbournejcliftonmanhattanrosedale


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-3000-4218	1485	42	18	21	120	8.68



with coat bar
right hand



with shelves
right hand



with coat bar and shelves
right hand

What’s Included:

Single Door Storage Cabinet, shelves and/or coat bar, lock and keys, levelers

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

One shelf is fixed at worksurface height, while the other shelves are adjustable in 1 inch increments.


Cabinets are 21 or 24 inches deep.

Grain direction is indicated in the above illustration.


Options:

height	66				
width	18, 24				
depth	21, 24				
hand	R right	L left			
case finish	laminate colors				
handle style	brooklyn	melbourne	clifton	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSDB-1821-L	1328	66	18	21	140	14.44
C-FSDB-1821-R	1328	66	18	21	140	14.44
C-FSDS-1821-L	1580	66	18	21	160	13.74
C-FSDS-1821-R	1580	66	18	21	160	13.74
C-FSDC-2421-L	1885	66	24	21	150	19.25
C-FSDC-2421-R	1885	66	24	21	150	19.25
Acrylic						
C-FSDB-1821-L-G	2268	66	18	21	140	14.44
C-FSDB-1821-R-G	2268	66	18	21	140	14.44



double laminate door
with shelves



double laminate door
with coat bar

What’s Included:

Double Door Storage Cabinet, shelves or coat rod, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

One shelf is fixed at worksurface height, while the other shelves are adjustable in 1-inch increments.


Cabinets are 21-inches deep.

Grain direction is indicated in the above illustration..


Options:

height	66					
width	36					
depth	21					
case finish	laminate colors					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	manhattan	rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSDB-3621	2058	66	36	21	195	28.88
C-FSDS-3621	2289	66	36	21	195	29.09
Acrylic						
C-FSDB-3621-G	3841	66	36	21	195	29.09
C-FSDS-3621-G	4230	66	36	21	195	29.09



Laminate Combination
Cabinet



Laminate Combination
Cabinet with Acrylic Doors

What’s Included:

Combination Cabinet, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.

Grain direction is indicated in the above illustration..

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:

configuration	L lateral file					
height	66					
width	30, 36					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	manhattan	rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FCSL-3021	2833	66	30	21	220	24.24
C-FCSL-3621	3025	66	36	21	240	29.09
Acrylic						
C-FCSL-3021-G	4110	66	30	21	220	24.24
C-FCSL-3621-G	4381	66	36	21	240	29.09




Cosmo Pricebook
November 2025


Storage

storage

<u>end gable pedestal</u>	160
<u>underdesk joined pedestal</u>	161
<u>underworksurface open shelf</u>	162
<u>underdesk lateral file</u>	164
<u>underdesk storage cabinet</u>	165



box/box/file



file/file

What’s Included:

End Gable Pedestal, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

End gable pedestals are 24-inches or 30-inches deep, depending on the depth of the worksurface that they will be supporting.

The box/box/file end gable pedestal includes a pencil tray.

Grain direction is indicated in the above illustration.


Options:

type	B box/box/file		F file/file		
width	16				
depth	18, 24, 30				
hand	R right		L left		
handle style	brooklyn	melbourne	clifton	manhattan	rosedale
case finish	laminate colors				

How to Order and Read your Code:

C	FPBU	16	24	R or L
product line	item	width	depth	hand

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPBU-1618	922	28	16	18	58	4.67
C-FPBU-1624-L	1048	28	16	24	58	6.22
C-FPBU-1624-R	1048	28	16	24	58	6.22
C-FPBU-1630-L	1108	28	16	30	71	5.2
C-FPBU-1630-R	1108	28	16	30	71	5.2
C-FPFU-1618	816	28	16	18	56.5	4.67
C-FPFU-1624-L	941	28	16	24	58	6.22
C-FPFU-1624-R	941	28	16	24	58	6.22



What’s Included:

Underdesk Joined Pedestal, lock and keys..

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Underdesk joined pedestals are 21-inches deep.



The underdesk joined pedestal includes a pencil tray.

Grain direction is indicated in the above illustration.

Options:

width	36				
depth	21				
case and drawer finish	laminate colors				
handle style	brooklyn	melbourne	clifton	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPJU-3621	1881	28	36	21	130	12.69



What’s Included:

Underworksurface open shelf, installation hardware.

How to Specify:

Specify laminate color.

Notes:

The underworksurface open shelf supports worksurfaces and provides below worksurface storage.

Grain direction is indicated in the above illustration.

Options:

width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	18
height	28
case finish	laminate colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSOU-2418	745	28	24	18	20	7.2
C-FSOU-3018	808	28	30	18	24	9
C-FSOU-3618	868	28	36	18	28	10.8
C-FSOU-4218	926	28	42	18	32	12.6
C-FSOU-4818	990	28	48	18	36	14.4
C-FSOU-5418	1280	28	54	18	40	16.2
C-FSOU-6018	1344	28	60	18	44	18
C-FSOU-6618	1410	28	66	18	48	19.8
C-FSOU-7218	1471	28	72	18	52	21.6
C-FSOU-7818	1539	28	78	18	56	23.4
C-FSOU-8418	1603	28	84	18	60	25.2
C-FSOU-9018	1666	28	90	18	64	27
C-FSOU-9618	1728	28	96	18	68	28.8



What’s Included:

Underdesk Lateral File, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

Laterals are 21-inches deep.


Grain direction is indicated in the above illustration.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:

width	30, 36, 42				
depth	21				
case finish	laminate colors				
handle style	brooklyn	melbourne	clifton	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FL2U-3021	1495	28	30	21	107	10.21
C-FL2U-3621	1575	28	36	21	130	12.25
C-FL2U-4221	1653	28	42	21	150	14.29



What’s Included:

Underdesk Storage Cabinet, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

Storage cabinets are 21-inches deep.

Grain direction is indicated in the above illustration.

Options:

width		18, 30, 36			
depth		21			
hand (for single door cabinet only)		R right	L left		
case finish		laminate colors			
handle style	brooklyn	melbourne	clifton	manhattan	rosedale


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSU0-1821-L	863	28	18	21	80	6.13
C-FSU0-1821-R	863	28	18	21	80	6.13
C-FSU0-3021	1186	28	30	21	107	10.21
C-FSU0-3621	1261	28	36	21	130	12.25




Cosmo Pricebook
November 2025
Accessories

accessories


work organizers	166
accessory bar	167
pencil tray	168
coat hook	169
keyboard tray	170
monitor arm	171
top trim mounted privacy screen	172
wall mounted tackboard	174
workspace edge mounted screen	178
panel mounted privacy screen	180



pen holder



paper sorter



paper tray

What’s Included:

One work organizer, as specified.

How to Specify:

Work organizers are available in a variety of metal finish colors.

Refer to the metal accent and metal finish card for a complete listing of metal colors.

Notes:


Work organizers hang from accessory tile, accessory bar, and surface mounted work organizer support.

Paper trays are available in letter and legal sizes.

Options:

accessory type	S paper sorter H pen holder	P 9 paper tray (letter)	P 13 paper tray (legal)
finish	metal colors (except chrome)		

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
paper sorter					
C-AAS	198	11	10	3	3.2
paper tray (letter)					
C-AAP-9	97	2	12	9	3.2
paper tray (legal)					
C-AAP-13	112	2	15	9	3.2
pen holder					
C-AAH	88	4	4	2	1.13



What’s Included:

Accessory Bar.

How to Specify:

Specify metal color.


Notes:

Accessory bars are installed over panel tiles in 1-inch increments.

Options:

width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
C-AAB0-18	145	8	18	1.7	0.04
C-AAB0-24	170	8	24	1.7	0.06
C-AAB0-30	198	8	30	1.9	0.07
C-AAB0-36	223	8	36	2.3	0.08
C-AAB0-42	251	8	42	2.7	0.1
C-AAB0-48	276	8	48	2.9	0.11
C-AAB0-54	299	8	54	3.2	0.13
C-AAB0-60	325	8	60	3.5	0.14



What’s Included:

Pencil Drawer, installation hardware, mounting slides.

How to Specify:

This product is available only in black.


Options:

There are no options for this product.

Notes:

Pencil drawers provide compartmentalized pencil and stationary storage below the worksurface.

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
V-ADPP	92	21	2	0.62



What’s Included:

One work organizer, as specified.

How to Specify:

Specify metal color.


Options:

finishmetal colors


Notes:

The coat hook can be attached to the hingeway between cosmopolitan panel frames.

Code	Price	Weight (lb)	Volume (ft³)
C-ACH0	86	1	0.01



Articulating Keyboard Tray w/Mouse Tray



Articulating Keyboard Tray

What’s Included:

Keyboard Tray, installation hardware.

How to Specify:

Specify laminate color for retractable keyboard. The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

For articulating keyboard with mouse, right or left hand must be specified.

The articulating keyboards are available only in black.


Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments


Options:

Hand: **R** right **L** left (for adustable keyboard with mouse only)


Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Articulating Keyboard Tray w/Mouse Tray					
V-KAS0-2011-L	657	20	11	3	0.83
V-KAS0-2011-R	657	20	11	3	0.83
Articulating Keyboard Tray					
V-KASX-2510	421	25	10	15	0.94




Single Monitor Arm - clamp mount



Single Monitor Arm - grommet mount



Double Monitor Arm - clamp mount



Double Monitor Arm - grommet mount

What’s Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- ☐ Specify type


Notes:

- Available in silver only
- Single Monitor Arm
- ☐ Screen Size - 17"-36"
 - ☐ Load Capacity - 6.6-26.4lbs/3-12kg
 - ☐ Tilt Range - -90 degrees - -15 degrees
- Dual Monitor Arm
- ☐ Screen Size - 17"-32"
 - ☐ Load Capacity - 4.4-19.8lbs/2-9kg
 - ☐ Tilt Range - -90 degrees - -15 degrees

Dimensions:

Vesa: 75x75 and 100x100

Code	Price
Monitor Arm - Single Mount	
V-AFMA-01	391
Monitor Arm - Double Mount	
V-AFMA-02	652



What’s Included:

Top trim mounted privacy screen, two clamps.

How to Specify:

Specify metal color.

Specify the width of the top trim mounted privacy screen to be the same width of less than the panel frame that it is to be mounted to.

Notes:

The top trim mounted privacy screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.

The top trim mounted privacy screen does not provide accoustical privacy.


The top trim mounted privacy screen is not load bearing.

60-inch top trim mounted privacy screens come with 3 clamps.


Options:

height	8, 16
width	18, 24, 30, 36, 42, 48, 54, 60
top screen finish	F frosted C clear
metal finish	metal colors


Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Frosted Acrylic						Clear Acrylic					
C-VGGP-0818-F	331	8	18	2.2	1	C-VGGP-0818-C	312	8	18	2.2	1
C-VGGP-0824-F	350	8	24	2.4	1.2	C-VGGP-0824-C	333	8	24	2.4	1.2
C-VGGP-0830-F	373	8	30	2.6	1.4	C-VGGP-0830-C	355	8	30	2.6	1.4
C-VGGP-0836-F	392	8	36	2.8	1.6	C-VGGP-0836-C	375	8	36	2.8	1.6
C-VGGP-0842-F	413	8	42	3	1.8	C-VGGP-0842-C	392	8	42	3	1.8
C-VGGP-0848-F	435	8	48	3.2	2	C-VGGP-0848-C	414	8	48	3.2	2
C-VGGP-0854-F	455	8	54	3.4	2.2	C-VGGP-0854-C	433	8	54	3.4	2.2
C-VGGP-0860-F	606	8	60	3.6	2.4	C-VGGP-0860-C	582	8	60	3.6	2.4
C-VGGP-1618-F	392	16	18	4.4	1.6	C-VGGP-1618-C	375	16	18	4.4	1.6
C-VGGP-1624-F	440	16	24	4.8	1.8	C-VGGP-1624-C	419	16	24	4.8	1.8
C-VGGP-1630-F	480	16	30	5.2	2	C-VGGP-1630-C	460	16	30	5.2	2
C-VGGP-1636-F	528	16	36	5.6	2.2	C-VGGP-1636-C	506	16	36	5.6	2.2
C-VGGP-1642-F	572	16	42	6	2.4	C-VGGP-1642-C	545	16	42	6	2.4
C-VGGP-1648-F	617	16	48	6.4	2.6	C-VGGP-1648-C	589	16	48	6.4	2.6
C-VGGP-1654-F	666	16	54	6.8	2.8	C-VGGP-1654-C	634	16	54	6.8	2.8
C-VGGP-1660-F	842	16	60	7.2	3	C-VGGP-1660-C	807	16	60	7.2	3



14-inch



21-inch



24-inch

What’s Included:

Wall mounted tackboard, fasteners.

How to Specify:

Specify fabric.

Notes:

The wall mounted tackboard mounts to a wall in the workspace to provide a fabric wrapped tackable surface.


Options:

height	14, 21, 24
width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
screen finish	panel fabrics

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
V-ATW0-1424-1	122	14	24	1.2	0.19
V-ATW0-1430-1	132	14	30	1.5	0.24
V-ATW0-1436-1	163	14	36	1.9	0.29
V-ATW0-1442-1	172	14	42	2.2	0.34
V-ATW0-1448-1	179	14	48	2.5	0.39
V-ATW0-1454-1	189	14	54	2.8	0.44
V-ATW0-1460-1	199	14	60	3.1	0.49
V-ATW0-1466-1	251	14	66	3.4	0.54
V-ATW0-1472-1	271	14	72	3.7	0.59
V-ATW0-1478-1	370	14	78	4	0.64
V-ATW0-1484-1	379	14	84	4.3	0.69
V-ATW0-1496-1	392	14	96	4.6	0.79
V-ATW0-2124-1	184	21	24	1.8	0.28
V-ATW0-2130-1	198	21	30	2.25	0.36
V-ATW0-2142-1	259	21	42	3.3	0.51
V-ATW0-2148-1	269	21	48	3.75	0.58
V-ATW0-2154-1	283	21	54	4.2	0.66
V-ATW0-2160-1	297	21	60	4.65	0.73
V-ATW0-2166-1	374	21	66	5.1	0.81
V-ATW0-2172-1	405	21	72	5.55	0.89
V-ATW0-2178-1	555	21	78	6	0.96
V-ATW0-2184-1	571	21	84	6.45	1.03
V-ATW0-2196-1	589	21	96	7.35	1.19
V-ATW0-2424-1	208	24	24	2.05	0.32
V-ATW0-2430-1	224	24	30	2.56	0.41
V-ATW0-2436-1	278	24	36	3.25	0.5
V-ATW0-2442-1	294	24	42	3.76	0.58
V-ATW0-2448-1	303	24	48	4.28	0.67
V-ATW0-2454-1	321	24	54	4.79	0.75
V-ATW0-2460-1	338	24	60	5.3	0.84
V-ATW0-2466-1	424	24	66	5.81	0.92
V-ATW0-2472-1	460	24	72	6.33	1.01
V-ATW0-2478-1	629	24	78	6.84	1.09
V-ATW0-2484-1	645	24	84	7.35	1.18
V-ATW0-2490-1	657	24	90	7.87	1.27
V-ATW0-2496-1	668	24	96	8.38	1.35

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
V-ATW0-1424-2	156	14	24	1.2	0.19
V-ATW0-1430-2	165	14	30	1.5	0.24
V-ATW0-1436-2	230	14	36	1.9	0.29
V-ATW0-1442-2	240	14	42	2.2	0.34
V-ATW0-1448-2	245	14	48	2.5	0.39
V-ATW0-1454-2	256	14	54	2.8	0.44
V-ATW0-1460-2	265	14	60	3.1	0.49
V-ATW0-1466-2	350	14	66	3.4	0.54
V-ATW0-1472-2	372	14	72	3.7	0.59
V-ATW0-1478-2	471	14	78	4	0.64
V-ATW0-1484-2	480	14	84	4.3	0.69
V-ATW0-1490-2	486	14	90	4.6	0.74
V-ATW0-1496-2	527	14	96	4.9	0.79
V-ATW0-2124-2	217	21	24	1.8	0.28
V-ATW0-2130-2	230	21	30	2.25	0.36
V-ATW0-2136-2	312	21	36	2.85	0.43
V-ATW0-2142-2	327	21	42	3.3	0.51
V-ATW0-2148-2	335	21	48	3.75	0.58
V-ATW0-2154-2	351	21	54	4.2	0.66
V-ATW0-2160-2	365	21	60	4.65	0.73
V-ATW0-2166-2	474	21	66	5.1	0.81
V-ATW0-2172-2	507	21	72	5.55	0.89
V-ATW0-2178-2	656	21	78	6	0.96
V-ATW0-2184-2	670	21	84	6.45	1.03
V-ATW0-2190-2	680	21	90	6.9	1.11
V-ATW0-2196-2	723	21	96	7.35	1.19
V-ATW0-2424-2	241	24	24	2.05	0.32
V-ATW0-2430-2	257	24	30	2.56	0.41
V-ATW0-2436-2	345	24	36	3.25	0.5
V-ATW0-2442-2	362	24	42	3.76	0.58
V-ATW0-2448-2	370	24	48	4.28	0.67
V-ATW0-2454-2	389	24	54	4.79	0.75
V-ATW0-2460-2	404	24	60	5.3	0.84
V-ATW0-2466-2	524	24	66	5.81	0.92
V-ATW0-2472-2	560	24	72	6.33	1.01
V-ATW0-2478-2	728	24	78	6.84	1.09
V-ATW0-2484-2	745	24	84	7.35	1.18
V-ATW0-2490-2	758	24	90	7.87	1.27
V-ATW0-2496-2	802	24	96	8.38	1.35

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
V-ATW0-1424-3	189	14	24	1.2	0.19
V-ATW0-1430-3	199	14	30	1.5	0.24
V-ATW0-1436-3	297	14	36	1.9	0.29
V-ATW0-1442-3	307	14	42	2.2	0.34
V-ATW0-1448-3	312	14	48	2.5	0.39
V-ATW0-1454-3	324	14	54	2.8	0.44
V-ATW0-1460-3	332	14	60	3.1	0.49
V-ATW0-1466-3	450	14	66	3.4	0.54
V-ATW0-1472-3	472	14	72	3.7	0.59
V-ATW0-1478-3	572	14	78	4	0.64
V-ATW0-1484-3	580	14	84	4.3	0.69
V-ATW0-1490-3	587	14	90	4.6	0.74
V-ATW0-1496-3	594	14	96	4.9	0.79
V-ATW0-2124-3	252	21	24	1.8	0.28
V-ATW0-2130-3	264	21	30	2.25	0.36
V-ATW0-2136-3	379	21	36	2.85	0.43
V-ATW0-2142-3	393	21	42	3.3	0.51
V-ATW0-2148-3	402	21	48	3.75	0.58
V-ATW0-2154-3	418	21	54	4.2	0.66
V-ATW0-2160-3	431	21	60	4.65	0.73
V-ATW0-2166-3	575	21	66	5.1	0.81
V-ATW0-2172-3	607	21	72	5.55	0.89
V-ATW0-2178-3	756	21	78	6	0.96
V-ATW0-2184-3	771	21	84	6.45	1.03
V-ATW0-2190-3	780	21	90	6.9	1.11
V-ATW0-2196-3	791	21	96	7.35	1.19
V-ATW0-2424-3	276	24	24	2.05	0.32
V-ATW0-2430-3	292	24	30	2.56	0.41
V-ATW0-2436-3	412	24	36	3.25	0.5
V-ATW0-2442-3	427	24	42	3.76	0.58
V-ATW0-2448-3	438	24	48	4.28	0.67
V-ATW0-2454-3	456	24	54	4.79	0.75
V-ATW0-2460-3	472	24	60	5.3	0.84
V-ATW0-2466-3	625	24	66	5.81	0.92
V-ATW0-2472-3	660	24	72	6.33	1.01
V-ATW0-2478-3	830	24	78	6.84	1.09
V-ATW0-2484-3	845	24	84	7.35	1.18
V-ATW0-2490-3	857	24	90	7.87	1.27
V-ATW0-2496-3	868	24	96	8.38	1.35



workspace edge mounted screen

What’s Included:

Workspace edge mounted screen, two clamps.

How to Specify:

The workspace edge mounted screen is off-module and can be specified the same width as the workspace it is to be mounted to, or smaller.

The workspace edge mounted screen does not provide accoustical privacy.

Notes:


The clamps on the workspace edge mounted screens are finished in silver only.

Specify the width of the workspace screen to be the same width or less than the workspace or table that it is to be mounted to.

Options:

width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90
screen finish	F - frosted
metal finish	P112 silver

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
C-VGGW-24-F	365	24	24	312	5.78
C-VGGW-30-F	433	24	30	382	7.1
C-VGGW-36-F	498	24	36	452	8.43
C-VGGW-42-F	564	24	42	522	9.75
C-VGGW-48-F	632	24	48	594	11.08
C-VGGW-54-F	697	24	54	665	12.4
C-VGGW-60-F	768	24	60	735	13.73
C-VGGW-66-F	902	24	66	848	15.06
C-VGGW-72-F	967	24	72	917	16.4
C-VGGW-78-F	1035	24	78	989	17.72
C-VGGW-84-F	1100	24	84	1059	19.05
C-VGGW-90-F	1168	24	90	1129	20.38



What’s Included:

Panel mounted acrylic screen, installation hardware. .

How to Specify:

Specify metal color.

Specify the width of the panel top mounted privacy screen to be the same width of the panel frame that it is to be mounted to.

Notes:

The panel top mounted privacy screen is on-module to panel frames of the same width.

The panel top mounted privacy screen does not provide accoustical privacy.

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

Options:

height	8, 16	
width	18, 24, 30, 36, 42, 48, 54, 60	
finish	F frosted acrylic	C clear acrylic
	C-G clear glass	F-G frosted glass
metal	metal colors	

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Clear Acrylic					
C-VUCP-0818-C	487	8	18	2.2	0.17
C-VUCP-0824-C	509	8	24	2.4	0.22
C-VUCP-0830-C	537	8	30	2.6	0.28
C-VUCP-0836-C	588	8	36	2.8	0.33
C-VUCP-0842-C	629	8	42	3	0.39
C-VUCP-0848-C	634	8	48	3.2	0.44
C-VUCP-0854-C	684	8	54	3.4	0.5
C-VUCP-0860-C	693	8	60	3.6	0.56
C-VUCP-1618-C	527	16	18	4.4	0.33
C-VUCP-1624-C	552	16	24	4.8	0.44
C-VUCP-1630-C	586	16	30	5.2	0.56
C-VUCP-1636-C	641	16	36	5.6	0.67
C-VUCP-1642-C	683	16	42	6	0.78
C-VUCP-1648-C	693	16	48	6.4	0.89
C-VUCP-1654-C	746	16	54	6.8	1
C-VUCP-1660-C	751	16	60	7.2	1.11
Double Span Clear Acrylic					
C-VUCP-0872-C	753	8	72	4	0.68
C-VUCP-1672-C	818	16	72	8	1.33

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Frosted Acrylic					
C-VUCP-0818-F	629	8	18	2.2	0.17
C-VUCP-0824-F	659	8	24	2.4	0.22
C-VUCP-0830-F	698	8	30	2.6	0.28
C-VUCP-0836-F	763	8	36	2.8	0.33
C-VUCP-0842-F	818	8	42	3	0.39
C-VUCP-0848-F	827	8	48	3.2	0.44
C-VUCP-0854-F	891	8	54	3.4	0.5
C-VUCP-0860-F	899	8	60	3.6	0.56
C-VUCP-1618-F	683	16	18	4.4	0.33
C-VUCP-1624-F	719	16	24	4.8	0.44
C-VUCP-1630-F	760	16	30	5.2	0.56
C-VUCP-1636-F	831	16	36	5.6	0.67
C-VUCP-1642-F	889	16	42	6	0.78
C-VUCP-1648-F	899	16	48	6.4	0.89
C-VUCP-1654-F	971	16	54	6.8	1
C-VUCP-1660-F	976	16	60	7.2	1.11
Double Span Frosted Acrylic					
C-VUCP-0872-F	978	8	72	4	0.68
C-VUCP-1672-F	1064	16	72	8	1.33

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Clear Tempered Glass					
C-VUCP-0818-C-G	487	8	18	3.4	0.17
C-VUCP-0824-C-G	509	8	24	4.53	0.22
C-VUCP-0830-C-G	537	8	30	5.67	0.28
C-VUCP-0836-C-G	588	8	36	6.8	0.33
C-VUCP-0842-C-G	629	8	42	7.93	0.39
C-VUCP-0848-C-G	634	8	48	9.07	0.44
C-VUCP-0854-C-G	684	8	54	10.2	0.5
C-VUCP-0860-C-G	696	8	60	11.33	0.56
C-VUCP-1618-C-G	527	16	18	6.8	0.33
C-VUCP-1624-C-G	552	16	24	9.07	0.44
C-VUCP-1630-C-G	586	16	30	11.33	0.56
C-VUCP-1636-C-G	641	16	36	13.6	0.67
C-VUCP-1642-C-G	683	16	42	15.87	0.78
C-VUCP-1648-C-G	693	16	48	18.13	0.89
C-VUCP-1654-C-G	746	16	54	20.4	1
C-VUCP-1660-C-G	751	16	60	22.67	1.11
Double Span Clear Tempered Glass					
C-VUCP-0872-C-G	753	8	72	13.59	0.68
C-VUCP-1672-C-G	818	16	72	27.21	1.33

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Frosted Tempered Glass					
C-VUCP-0818-F-G	629	8	18	3.4	0.17
C-VUCP-0824-F-G	659	8	24	4.53	0.22
C-VUCP-0830-F-G	698	8	30	5.67	0.28
C-VUCP-0836-F-G	763	8	36	6.8	0.33
C-VUCP-0842-F-G	818	8	42	7.93	0.39
C-VUCP-0848-F-G	827	8	48	9.07	0.44
C-VUCP-0854-F-G	891	8	54	10.2	0.5
C-VUCP-0860-F-G	899	8	60	11.33	0.56
C-VUCP-1618-F-G	683	16	18	6.8	0.33
C-VUCP-1624-F-G	719	16	24	9.07	0.44
C-VUCP-1630-F-G	760	16	30	11.33	0.56
C-VUCP-1636-F-G	831	16	36	13.6	0.67
C-VUCP-1642-F-G	889	16	42	15.87	0.78
C-VUCP-1648-F-G	899	16	48	18.13	0.89
C-VUCP-1654-F-G	971	16	54	20.4	1
C-VUCP-1660-F-G	976	16	60	22.67	1.11
Double Span Frosted Tempered Glass					
C-VUCP-0872-F-G	978	8	72	13.59	0.68
C-VUCP-1672-F-G	1064	16	72	27.21	1.33




Cosmo Pricebook
November 2025

Electrics
Communication
Lighting

electrics, communication, lighting

task light	190
power modules	191
electric starter harness	192
communication kit	193
power pole	194
belt-line electrics power module	196
horizontal wire manager	197
connector harness	198
male/female extension harness	200



What’s Included:

Task Light, installation hardware.

How to Specify:

This product is available only in silver.

Notes:


The task light can be mounted beneath an overhead cabinet or shelf to provide focused lighting within the workstation.

The task light cord is 9-feet long from the end of the task light.


Options:

width24, 36, 48

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
V-ELU-24	316	1.1	24.53	3.5	9.5	0.16
V-ELU-36	355	1.1	36.34	3.5	13.7	0.27
V-ELU-48	446	1.1	48.15	3.5	17.9	0.38



single sided



double sided

What’s Included:

Base electrics power module as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

The base electrics power module can be retrofitted into the base raceway of existing Cosmo panel frames.

Base electrics power modules can be single-sided or double-sided.

18-inch wide panel frame does not accommodate a base power module.


24-inch wide panel frames placed side-by-side only accommodates one base power module in one panel.

24-inch wide panel frame with base power module does not accommodate base data/communication kits.

Options:

typeS single-sidedD double-sided

Code	Price	Weight (lb)	Volume (ft³)
Single sided			
C-EM84-S	232	1.7	0.2
Double sided			
C-EM84-D	373	2	0.2



What’s Included:

Electric Starter Harness, as specified.

How to Specify:

This product is available only in black.

Options:


configuration	B14 4 outlets (14")	B20 8 outlets (20")
accessibility	S single-sided	D - double-sided

Notes:


8 wire 4 circuit electrical system.

The starter harness is available in 72-inch and 168-inch lengths.


Code	Price	Weight (lb)	Volume (ft³)
Base-line			
C-ES84-072-S	547	2.48	0.4
C-ES84-168-S	720	5.12	0.4
C-ES84-072-D	686	2.28	0.4
C-ES84-168-D	861	5.22	0.4
Belt-line			
C-ES84-072-B14	746	3.28	0.4
C-ES84-168-B14	922	4.48	0.4
C-ES84-072-B20	868	3.48	0.4
C-ES84-168-B20	1044	5.22	0.4
Without Power Module			
C-ES84-072-0	314		
C-ES84-168-0	487		



ECK1



ECK2



ECK3

What’s Included:

Communication kit, face plate, and jacks, as specified.

How to Specify:

This product is available only in black.

Specify configuration.

Notes:

Config 1: one communication outlet (RJ11), one data outlet (RJ45)


Config 2: two communication outlets (RJ11), one data outlet (RJ45)

Config 3: one communication outlet (RJ11), two data outlets (RJ45)


Options:

configuration	1 config 1	2 config 2	3 config 3
type	base-line	B belt-line	


Code	Price	Weight (lb)	Volume (ft³)
Base-line			
C-ECK1	168	0.24	0.2
C-ECK2	206	0.34	0.2
C-ECK3	257	0.34	0.2
Belt-line			
C-ECK1-B	216	0.24	0.2
C-ECK2-B	252	0.34	0.2
C-ECK3-B	306	0.34	0.2




90-degree connection



t-connection



straight connection



4-way connection

What's Included:

Power pole, top cap, ceiling grommet.

How to Specify:

Specify vinyl color.

Refer to the vinyl/metal finish card for details.

Notes:

8 wire 4 circuit electrical system.


The vinyl power pole attaches to cosmo panel connectors in 90-degree connections, T-connections, straight connections or 4-way connections.

144-inch power poles have the option of being divided.


Options:

type	D - divided	O - non-divided
height	72, 144	
connection	N 90-degree connection	T t-connection
	S straight connection	4 4-way connection
finish	vinyl colors	

Code	Price	Weight (lb)	Volume (ft ³)
90-degree connection			
C-EPVD-144-N	392	6	1.5
C-EPV0-072-N	230	3	1
C-EPV0-144-N	357	6	1.5
t-connection			
C-EPVD-144-T	392	6	1.5
C-EPV0-072-T	230	3	1
C-EPV0-144-T	357	6	1.5
straight connection			
C-EPVD-144-S	392	6	1.5
C-EPV0-072-S	230	3	1
C-EPV0-144-S	357	6	1.5
4-way connection			
C-EPVD-144-4	392	6	1.5
C-EPV0-072-4	230	3	1
C-EPV0-144-4	357	6	1.5



4 outlets



8 outlets

What’s Included:

Belt-line electrics power module as specified.

How to Specify:

This product is available only in black.



Notes:

- 8 wire 4 circuit electrical system.
- Belt-line electrics power modules are available with four outlets or eight outlets.
- 18-inch and 24-inch wide panel frames do not accommodate a belt-line power module.
- 30-inch wide panel frame accommodates belt-line power module with 4 outlets only.
- 30-inch wide panel frames placed side-by-side can only accommodate one 4 outlet module in one of the panel frames.
- 30-inch wide panel frame with a belt-line power module does not accommodate belt-line data/communication kits.
- 36-inch wide panel frame with a belt-line power module (8 outlets) does not accommodate belt-line data/communication kits.

Options:

type	B14 4 outlets (14")	B20 8 outlets (20")
------	----------------------------	----------------------------

Code	Price	Weight (lb)	Volume (ft³)
4 outlets			
C-EM84-B14	433	2	0.2
8 outlets			
C-EM84-B20	555	2.7	0.2



wire clip

What’s Included:

Wire Manager, installation hardware.

How to Specify:

Specify the length of the wire manager to be 6-inches less than the width of the workstation to which it will be mounted.


Notes:

The horizontal wire manager attaches to the underside of a worksurface.

Options:

width	12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72
-------	--

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
horizontal wire manager				
V-EWHB-12	8	12	0.15	0.1
V-EWHB-18	13	18	0.25	0.15
V-EWHB-24	17	24	0.35	0.2
V-EWHB-30	21	30	0.45	0.25
V-EWHB-36	24	36	0.55	0.3
V-EWHB-42	28	42	0.65	0.35
V-EWHB-48	31	48	0.75	0.4
V-EWHB-54	34	54	0.85	0.45
V-EWHB-60	39	60	0.95	0.5
V-EWHB-66	43	66	1.05	0.55
V-EWHB-72	45	72	1.15	0.6
worksurface wire clips				
V-EWHC	41			



What’s Included:

Connector Harness, as specified.

How to Specify:

Notes:

8 wire 4 circuit electrical system.


The connector harness is equipped with two male ends.

Connector harnesses, 148-inches and longer are comprised of two pieces connected together.

Options:

length	22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76, 79, 82, 85, 88, 91, 94, 97, 100, 103, 106, 109, 112, 115, 118, 121, 124, 127, 130, 133, 136, 139, 142, 145, 148, 151, 154, 157, 160, 163, 166, 169, 172, 175, 178, 181
--------	--

Code	Price	L (in.)	Weight (lb)	Volume (ft ³)	Code	Price	L (in.)	Weight (lb)	Volume (ft ³)
one piece harness					C-EH84-103	344	103	2.7	0.2
C-EH84-22	175	22	0.6	0.2	C-EH84-106	351	106	2.86	0.2
C-EH84-25	182	25	0.7	0.2	C-EH84-109	357	109	2.86	0.2
C-EH84-28	186	28	0.8	0.2	C-EH84-112	364	112	3.03	0.2
C-EH84-31	195	31	0.8	0.2	C-EH84-115	370	115	3.03	0.2
C-EH84-34	200	34	0.9	0.2	C-EH84-118	377	118	3.19	0.2
C-EH84-37	206	37	1	0.2	C-EH84-121	382	121	3.36	0.2
C-EH84-40	216	40	1.1	0.2	C-EH84-124	388	124	3.36	0.2
C-EH84-43	219	43	1.2	0.2	C-EH84-127	398	127	3.52	0.2
C-EH84-46	224	46	1.3	0.2	C-EH84-130	402	130	3.52	0.2
C-EH84-49	229	49	1.5	0.2	C-EH84-133	405	133	3.39	0.2
C-EH84-52	238	52	1.5	0.2	C-EH84-136	416	136	3.69	0.2
C-EH84-55	245	55	1.6	0.2	C-EH84-139	421	139	3.85	0.2
C-EH84-58	252	58	1.7	0.2	C-EH84-142	426	142	3.85	0.2
C-EH84-61	255	61	1.8	0.2	C-EH84-145	435	145	3.85	0.2
C-EH84-64	263	64	1.9	0.2	two piece harnesses				
C-EH84-67	271	67	1.9	0.2	C-EH84-148	582	148	3.85	0.2
C-EH84-70	276	70	2	0.2	C-EH84-151	587	151	4.18	0.2
C-EH84-73	283	73	1.95	0.2	C-EH84-154	593	154	4.26	0.2
C-EH84-76	289	76	2.04	0.2	C-EH84-157	601	157	4.35	0.2
C-EH84-79	294	79	2.12	0.2	C-EH84-160	605	160	4.43	0.2
C-EH84-82	300	82	2.12	0.2	C-EH84-163	608	163	4.51	0.2
C-EH84-85	307	85	2.37	0.2	C-EH84-166	617	166	4.59	0.2
C-EH84-88	312	88	2.37	0.2	C-EH84-169	625	169	4.68	0.2
C-EH84-91	319	91	2.37	0.2	C-EH84-172	630	172	4.76	0.2
C-EH84-94	325	94	2.53	0.2	C-EH84-175	638	175	4.84	0.2
C-EH84-97	333	97	2.53	0.2	C-EH84-178	645	178	4.92	0.2
C-EH84-100	339	100	2.7	0.2	C-EH84-181	650	181	5.01	0.2



What’s Included:

Harness, as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

The harness is equipped with one male end and one female end. The harness connects connector harnesses to electrical power modules.

Options:

length 44, 122

Code	Price	L (in.)	Weight (lb)	Volume (ft³)
C-E8FM-044	224	44	0.3	0.2
C-E8FM-122	388	122	0.6	0.2