




Echo


Echo PET Acoustic Panels are both resilient and smooth to the touch, crafted entirely from 100% polyester fiber, one of the most sustainable interior building materials available.

Straight Run Privacy Screen



- These privacy screens measure 29 inches in height and are available in widths of 24, 30, 36, 42, 48, 54, 60, 66, and 72 inches.
- Installation requires mounting the screen 18 inches above the surface and 10 inches below, plus an additional 1-inch allowance.

Partial Wrap/Integrated Privacy Screen




- For desks with a 24-inch depth, these screens are 29 inches high and come in widths of 18, 24, 30, 36, 42, 48, 54, 60, 66, and 72 inches, with a depth of 18 inches.
- For desks with a 30-inch depth, these screens are also 29 inches high, with widths of 18, 24, 30, 36, 42, 48, 54, 60, 66, and 72 inches, and a depth of 24 inches.
- Installation for both depths involves mounting 18 inches above the surface and 10 inches below, plus 1 inch.




Echo.

Full wrap U Shape Privacy Screen




- For desks with a 24-inch depth, these U-shaped screens are 29 inches high and available in widths of 38, 44, 50, 56, 62, 68, and 74 inches, with a depth of 18 inches.
- For desks with a 30-inch depth, the U-shaped screens are 29 inches high, with widths of 36, 42, 48, 54, 60, 66, and 72 inches and a depth of 22 inches.
- Integrated versions for 24-inch deep desks are 29 inches high, 36, 42, 48, 54, 60, 66, and 72 inches wide, and 17 inches deep.
- Integrated versions for 30-inch deep desks are 29 inches high, 34, 40, 46, 52, 58, 64, and 70 inches wide, and 21 inches deep.
- Installation for all U-shaped screens is 18 inches above the surface and 10 inches below, plus 1 inch.

Modesty Straight



- These panels are 10 inches high and available in widths of 24, 30, 36, 42, 48, 54, 60, 66, and 72 inches.
- Installation is 10 inches below the surface.

Modesty Partial Wrap/Integrated L Shape




- For 24-inch depth integrated configurations, these panels are 10 inches high and come in widths of 17, 23, 29, 35, 41, 47, 53, 59, and 65 inches, with a depth of 18 inches.
- For 17-inch depth integrated configurations, these panels are 10 inches high and available in widths of 17, 23, 29, 35, 41, 47, 53, and either 59 or 65 inches, with a depth of 23 inches.
- Installation for these L-shaped panels is 10 inches below the surface.



Echo.

Modesty Full Wrap/Integrated U Shape




- For 24-inch depth configurations, these panels are 10 inches high and come in widths of 34, 40, 46, 52, 58, 64, and 70 inches, with a depth of 18 inches.
- For 24-inch depth integrated configurations, these panels are 10 inches high and come in widths of 32, 38, 44, 50, 56, 62, and 68 inches, with a depth of 16 inches.
- For 30-inch depth configurations, these panels are 10 inches high, with widths of 34, 40, 46, 52, 58, 64, and 70 inches and a depth of 23 inches.
- For 30-inch depth integrated configurations, these panels are 10 inches high and come in widths of 32, 38, 44, 50, 56, 62, and 68 inches, with a depth of 22 inches.
- Installation for these U-shaped panels is 10 inches below the surface.

Freestanding Privacy Divider




- These dividers are available in heights of 72, 66, 60, 54, and 48 inches.
- The width of the dividers is 36 inches.
- The depth of the dividers is 13 inches.

Surface Mount Privacy Median Screen




- These screens have a height of 18 inches.
- The available widths are 23, 29, 35, 41, 47, 53, 59, 65, and 71 inches.

Under Surface Mounted Bag Drop



- The height of the bag drop is 15 inches.
- The width is 12 inches.
- The depth is 16 inches.

Under Surface Mounted Wire Manager



- The height of the wire manager is 5 inches.
- The width is 36 inches.
- The depth is 8.5 inches.



Echo.

- Product Name: PET Acoustic Panel
- Composition: 100% Polyester (100% PET-recycled fiber, 40% PET-Virgin Fiber)
- Fire Resistance:
 - ASTM E84 CLASS A
 - EN 13501 CLASS B

Features

- Formaldehyde-free
- No chemicals
- Odor and dust-free
- 100% recycled content/100% recyclable
- Impact resistant/Tack-able
- Easy to handle & apply

Fire Ratings

- ASTM E84-2017
 - Thickness: 12mm
 - Result: Class A
 - Flame Spread Index: 5
 - Smoke-Developed Index: 170
 - Thickness: 25mm
 - Result: Class A
 - Flame Spread Index: 5
 - Smoke-Developed Index: 90
-
- BS EN 13501-1:2007+A1:2009
 - Thickness: 12mm
 - Result: CLASS B-s2, d0

Environmental

Acoustic PET acoustic panels contain a minimum of 45% previously recycled polyester fiber (from PET bottle flakes). Off-cuts and manufacturing waste are re-used or recycled wherever possible. The product is manufactured from 100% polyester fiber and does not contain formaldehyde binders, supporting safer indoor air quality and preventing potential airborne pollutants.

Acoustic Performance

Acoustic PET acoustic panels are specifically designed to reduce and control reverberated noise and echo in building interiors.

- Frequency (Hz): 125, 250, 500, 1000, 2000, 4000
- 12mm: 0.00, 0.06, 0.22, 0.49, 0.71, 0.84

Additional Information

- Product has a directional grain.
- Product may vary from samples and batch to batch due to fiber blending and lay-up, which is an inherent feature of this product.
- Testing Material: Acoustic panel
- Recycled PET/PET acoustic panel, white and disperse masterbatch dyed, recycled content 50%-90%: from post-consumer PET bottles.
- "Disperse masterbatch dyed Recycled PET/PET"