



Tables Pricebook

July 2025

Cautiion	iii	Studi tables	79
Volley tables	5	with Power Module & Daisy Chain	80
120 base & surface	6	with Power Module	82
straight	8	with Grommet	84
5 sided	12	without Grommet	86
unitized	14	Add ons	88
upgrades	24	PET Modesty	88
Norris tables	29	Frosted Acrylic Modesty	89
super ellipse without power and data	30	Ganging Mechanism	90
super ellipse with power and data	32	Daisy Chain	91
video without power and data	34	Echo tables	93
video with power and data	36	Super Ellipse	94
boat without power and data	38	no power module	94
boat with power and data	40	w power module	95
straight without power and data	42	Round	96
straight with power and data	44	no power module	96
options	46	w power module	97
add-on Kits	47	Squircle	98
Kip tables	49	no power module	98
community table without power and data	50	w power module	99
community table with power and data	52		
Koko tables	55		
rectangular table	56		
round table	57		
Hanna tables	59		
T base - slim	60		
T base - tubular	62		
X base - slim	64		
X base - tubular	66		
super ellipse top	68		
round top	70		
squircle top	72		
rectangular top	74		
square top	76		

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Tables Pricebook
July 2025
Volley

Volley tables

120 base & surface	6
straight	8
with enclosures, no modesty	10
with enclosures, trough & modesty	11
5 sided	12
unitized	14
upgrades	24
Height Adjustable Table Enclosure Box	24
Flex Cable Organizer	25
Trough & Trough Mounted Modesty	26



height adjustable surface

height adjustable base

What’s Included:

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.

Load capacity of 330lb with worksurface.


Freestanding Options:

Width	42”, 48”, 54”		
Depth	42”, 48”, 54”		
End	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:

Width	40”, 46”, 52”		
Depth	40”, 46”, 52”		
End	23”, 29”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	Height (in)	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
120 Base						
R-HA3B2-S-G3	3330		40”-48”	24	4.22	120
R-HA3B2-L-G3	3362		52”-60”	24	4.27	128
BIFMA Base						
R-HA3B2-S-G3-B	3330		40”-48”	24	4.22	120
R-HA3B2-L-G3-B	3362		52”-60”	24	4.27	128
120 Surface - Freestanding						
R-S2CG-4224	985	1	42	42	1.8	32
R-S2CG-4230	1193	1	42	42	2.125	35
R-S2CG-4824	1046	1	48	48	1.9	35
R-S2CG-4830	1254	1	48	48	2.25	38
R-S2CG-5424	1059	1	54	54	2.1	38
R-S2CG-5430	1268	1	54	54	2.45	41
120 Surface - Integrated						
R-S2CG-4023	952	1	40	40	1.71	30
R-S2CG-4029	1140	1	40	40	2.03	33
R-S2CG-4623	1013	1	46	46	1.8	33
R-S2CG-4629	1201	1	46	46	2.15	36
R-S2CG-5223	1026	1	52	52	2	36
R-S2CG-5229	1214	1	52	52	2.35	39



What’s Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Straight desk worksurface is 1-inch thick.
Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.
Load capacity of 275lb with worksurface.

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Freestanding Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”		
Depth	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black


Integrated Options:

Width	34”, 40”, 46”, 52”, 58”, 64”, 70”		
Depth	23”, 29”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

straight - base

Code	Price	W Range (in)	D(in)	Weight (lb)	Volume (ft³)
R-HATB-S-G3	1533	40”-72”	24	88	2.8
R-HATB-L-G3	1569	76”-90”	24	90	2.86
BIFMA base					
R-HATB-S-G3-B	1533	40”-72”	24	88	2.8
R-HATB-L-G3-B	1569	76”-90”	24	90	2.86

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
surface - freestanding					
R-WS0G-3624	330	36	24	0	16
R-WS0G-3630	336	36	30	0	20
R-WS0G-4224	352	42	24	0	18.66
R-WS0G-4230	361	42	30	0	23.33
R-WS0G-4824	402	48	24	0	21.33
R-WS0G-4830	423	48	30	0	26.67
R-WS0G-5424	486	54	24	0	24
R-WS0G-5430	519	54	30	0	30
R-WS0G-6024	510	60	24	0	26.67
R-WS0G-6030	543	60	30	0	33.31
R-WS0G-6624	564	66	24	0	29.33
R-WS0G-6630	579	66	30	0	36.65
R-WS0G-7224	591	72	24	0	32
R-WS0G-7230	594	72	30	0	40
R-WS0G-7824	733	78	24	1.3	34
R-WS0G-7830	772	78	30	1.625	42
R-WS0G-8424	799	84	24	1.4	36
R-WS0G-8430	839	84	30	1.75	44
surface integrated					
R-WS0G-3423	330	34	23	0	15.98
R-WS0G-3429	336	34	29	0	19.97
R-WS0G-4023	352	40	23	0	18.64
R-WS0G-4029	361	40	29	0	23.3
R-WS0G-4623	402	46	23	0	21.31
R-WS0G-4629	423	46	29	0	26.64
R-WS0G-5223	472	52	23	0	23.98
R-WS0G-5229	486	52	29	0	29.77
R-WS0G-5823	510	58	23	0	26.65
R-WS0G-5829	501	58	29	0	33.28
R-WS0G-6423	564	64	23	0	29.31
R-WS0G-6429	579	64	29	0	36.62
R-WS0G-7023	591	70	23	0	31.98
R-WS0G-7029	594	70	29	0	39.77
R-WS0G-7623	733	76	23	1.21	33.98
R-WS0G-7629	772	76	29	1.53	41.77
R-WS0G-8223	799	82	23	1.3	35.98
R-WS0G-8229	839	82	29	1.65	43.77



Height Adjustable Table, w/Box Enclosure, w/Grommet, No Modesty

What’s Included:

HAT table, box enclosure, grommet

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Options:

Width	60", 66", 72", 78", 84"		
Depth	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-N	3816	25.5 - 51	60	24
R-HABT-6624-N	3818	25.5 - 52	66	24
R-HABT-7224-N	3898	25.5 - 53	72	24
R-HABT-7824-N	3933	25.5 - 54	78	24
R-HABT-8424-N	3935	25.5 - 55	84	24
R-HABT-6030-N	3825	25.5 - 51	60	30
R-HABT-6630-N	3827	25.5 - 52	66	30
R-HABT-7230-N	3905	25.5 - 53	72	30
R-HABT-7830-N	3941	25.5 - 54	78	30
R-HABT-8430-N	3944	25.5 - 55	84	30



Height Adjustable Table, w/Box Enclosure, w/Grommet, w/ Trough & Modesty, 1" Top

What’s Included:

HAT table, box enclosure, grommet, modesty

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Modesty can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 350lb with worksurface.

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	60", 66", 72", 78", 84"		
Depth	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-M	4415	25.5 - 51	60	24
R-HABT-6624-M	4430	25.5 - 52	66	24
R-HABT-7224-M	4554	25.5 - 53	72	24
R-HABT-7824-M	4640	25.5 - 54	78	24
R-HABT-8424-M	4653	25.5 - 55	84	24
R-HABT-6030-M	4422	25.5 - 51	60	30
R-HABT-6630-M	4437	25.5 - 52	66	30
R-HABT-7230-M	4561	25.5 - 53	72	30
R-HABT-7830-M	4647	25.5 - 54	78	30
R-HABT-8430-M	4662	25.5 - 55	84	30



What's Included:

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

Freestanding Options:

Width/Depth	48", 54", 60",		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:


Width/Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

5 sided base


Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	3093	46"-72"	24	146	4.22
R-HA3B-L-G3	3127	58"-84"	24	148	4.27
BIFMA base					
R-HA3B-S-G3-B	3093	46"-72"	24	146	4.22
R-HA3B-L-G3-B	3127	58"-84"	24	148	4.27

5 sided surface


Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
freestanding curved					
R-W5CG-4824	714	48	24	5.22	47.43
R-W5CG-4830	742	48	30	5.22	50.21
R-W5CG-5424	814	54	24	5.22	49.45
R-W5CG-5430	924	54	30	5.22	51.63
R-W5CG-6024	905	60	24	5.22	54.2
R-W5CG-6030	1056	60	30	5.22	56.32
freestanding 90 degree					
R-W5NG-4824	714	48	24	5.22	47.43
R-W5NG-4830	742	48	30	5.22	50.21
R-W5NG-5424	814	54	24	5.22	49.45
R-W5NG-5430	924	54	30	5.22	51.63
R-W5NG-6024	905	60	24	5.22	54.2
R-W5NG-6030	1056	60	30	5.22	56.32
integrated curved					
R-W5CG-4623	714	46	23	5.22	47.43
R-W5CG-4629	742	46	29	5.22	50.21
R-W5CG-5223	814	52	23	5.22	49.45
R-W5CG-5229	924	52	29	5.22	51.63
R-W5CG-5823	905	58	23	5.22	54.2
R-W5CG-5829	1056	58	29	5.22	56.32
integrated 90 degree					
R-W5NG-4623	714	46	23	5.22	47.43
R-W5NG-4629	742	46	29	5.22	50.12
R-W5NG-5223	814	52	23	5.22	49.43
R-W5NG-5229	924	52	29	5.22	51.6
R-W5NG-5823	905	58	23	5.22	54.01
R-W5NG-5829	1056	58	29	5.22	56.03




unitized height adjustable table - curved
left hand version shown




unitized height adjustable table - 90 degree
left hand version shown



unitized surface - curved
-left hand version shown



unitized surface- 90 degree
- right hand version shown



unitized base

What's Included:

Unitized Volley tables (1) with two grommets (2)
a set of height adjustable supports (1) and one
digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Freestanding Options:

Width	60", 66", 72", 78", 84"		
Depth	48", 54", 60"		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:

Width	58", 64", 70", 76", 82"		
Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

14

unitized base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	3093	46"-72"	24	146	4.22
R-HA3B-L-G3	3127	58"-84"	24	148	4.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding curved						
R-WUCG-604824-L	1039	60	48	24	5.42	46.03
R-WUCG-604824-R	1039	60	48	24	5.42	46.03
R-WUCG-604830-L	1067	60	48	30	5.42	48.13
R-WUCG-604830-R	1067	60	48	30	5.42	48.13
R-WUCG-605424-L	1141	60	54	24	5.42	47.06
R-WUCG-605424-R	1141	60	54	24	5.42	47.06
R-WUCG-605430-L	1169	60	54	30	5.42	49.32
R-WUCG-605430-R	1169	60	54	30	5.42	49.32
R-WUCG-664824-L	1152	66	48	24	5.42	48.13
R-WUCG-664824-R	1152	66	48	24	5.42	48.13
R-WUCG-664830-L	1184	66	48	30	5.42	49.56
R-WUCG-664830-R	1184	66	48	30	5.42	49.56
R-WUCG-665424-L	1262	66	54	24	5.42	49.26
R-WUCG-665424-R	1262	66	54	24	5.42	49.26
R-WUCG-665430-L	1290	66	54	30	5.42	51.96
R-WUCG-665430-R	1290	66	54	30	5.42	51.96

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-666024-L	1371	66	60	24	5.42	52.36
R-WUCG-666024-R	1371	66	60	24	5.42	52.36
R-WUCG-666030-L	1402	66	60	30	5.42	54.65
R-WUCG-666030-R	1402	66	60	30	5.42	54.65
R-WUCG-724824-L	1206	72	48	24	5.42	52.33
R-WUCG-724824-R	1206	72	48	24	5.42	52.33
R-WUCG-724830-L	1234	72	48	30	5.42	53.69
R-WUCG-724830-R	1234	72	48	30	5.42	53.69
R-WUCG-725424-L	1318	72	54	24	5.42	53.65
R-WUCG-725424-R	1318	72	54	24	5.42	53.65
R-WUCG-725430-L	1351	72	54	30	5.42	55.21
R-WUCG-725430-R	1351	72	54	30	5.42	55.21
R-WUCG-726024-L	1435	72	60	24	5.42	55.36
R-WUCG-726024-R	1435	72	60	24	5.42	55.36
R-WUCG-726030-L	1464	72	60	30	5.42	57.31
R-WUCG-726030-R	1464	72	60	30	5.42	57.31
R-WUCG-784824-L	1354	78	48	24	5.42	54.16
R-WUCG-784824-R	1354	78	48	24	5.42	54.16
R-WUCG-784830-L	1388	78	48	30	5.42	56.19
R-WUCG-784830-R	1388	78	48	30	5.42	56.19

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-785424-L	1479	78	54	24	5.42	56.61
R-WUCG-785424-R	1479	78	54	24	5.42	56.61
R-WUCG-785430-L	1513	78	54	30	5.42	58.17
R-WUCG-785430-R	1513	78	54	30	5.42	58.17
R-WUCG-786024-L	1606	78	60	24	5.42	57.96
R-WUCG-786024-R	1606	78	60	24	5.42	57.96
R-WUCG-786030-L	1640	78	60	30	5.42	58.62
R-WUCG-786030-R	1640	78	60	30	5.42	58.62
R-WUCG-844824-L	1485	84	48	24	5.42	56.16
R-WUCG-844824-R	1485	84	48	24	5.42	56.16
R-WUCG-844830-L	1517	84	48	30	5.42	58.32
R-WUCG-844830-R	1517	84	48	30	5.42	58.32
R-WUCG-845424-L	1624	84	54	24	5.42	58.6
R-WUCG-845424-R	1624	84	54	24	5.42	58.6
R-WUCG-845430-L	1656	84	54	30	5.42	59.63
R-WUCG-845430-R	1656	84	54	30	5.42	59.63
R-WUCG-846024-L	1764	84	60	24	5.42	59.99
R-WUCG-846024-R	1764	84	60	24	5.42	59.99
R-WUCG-846030-L	1794	84	60	30	5.42	61.34
R-WUCG-846030-R	1794	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding 90 degree						
R-WUCG-604824-L	1039	60	48	24	5.42	46.03
R-WUCG-604824-R	1039	60	48	24	5.42	46.03
R-WUCG-604830-L	1067	60	48	30	5.42	48.13
R-WUCG-604830-R	1067	60	48	30	5.42	48.13
R-WUCG-605424-L	1141	60	54	24	5.42	47.06
R-WUCG-605424-R	1141	60	54	24	5.42	47.06
R-WUCG-605430-L	1169	60	54	30	5.42	49.32
R-WUCG-605430-R	1169	60	54	30	5.42	49.32
R-WUCG-664824-L	1152	66	48	24	5.42	48.13
R-WUCG-664824-R	1152	66	48	24	5.42	48.13
R-WUCG-664830-L	1184	66	48	30	5.42	49.56
R-WUCG-664830-R	1184	66	48	30	5.42	49.56
R-WUCG-665424-L	1262	66	54	24	5.42	49.26
R-WUCG-665424-R	1262	66	54	24	5.42	49.26
R-WUCG-665430-L	1290	66	54	30	5.42	51.96
R-WUCG-665430-R	1290	66	54	30	5.42	51.96
R-WUCG-666024-L	1371	66	60	24	5.42	52.36
R-WUCG-666024-R	1371	66	60	24	5.42	52.36
R-WUCG-666030-L	1402	66	60	30	5.42	54.65
R-WUCG-666030-R	1402	66	60	30	5.42	54.65
R-WUCG-724824-L	1206	72	48	24	5.42	52.33
R-WUCG-724824-R	1206	72	48	24	5.42	52.33
R-WUCG-724830-L	1234	72	48	30	5.42	53.69
R-WUCG-724830-R	1234	72	48	30	5.42	53.69
R-WUCG-725424-L	1318	72	54	24	5.42	53.65
R-WUCG-725424-R	1318	72	54	24	5.42	53.65
R-WUCG-725430-L	1351	72	54	30	5.42	55.21
R-WUCG-725430-R	1351	72	54	30	5.42	55.21


Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding 90 degree - continued						
R-WUCG-726024-L	1435	72	60	24	5.42	55.36
R-WUCG-726024-R	1435	72	60	24	5.42	55.36
R-WUCG-726030-L	1464	72	60	30	5.42	57.31
R-WUCG-726030-R	1464	72	60	30	5.42	57.31
R-WUCG-784824-L	1354	78	48	24	5.42	54.16
R-WUCG-784824-R	1354	78	48	24	5.42	54.16
R-WUCG-784830-L	1388	78	48	30	5.42	56.19
R-WUCG-784830-R	1388	78	48	30	5.42	56.19
R-WUCG-785424-L	1479	78	54	24	5.42	56.61
R-WUCG-785424-R	1479	78	54	24	5.42	56.61
R-WUCG-785430-L	1513	78	54	30	5.42	58.17
R-WUCG-785430-R	1513	78	54	30	5.42	58.17
R-WUCG-786024-L	1606	78	60	24	5.42	57.96
R-WUCG-786024-R	1606	78	60	24	5.42	57.96
R-WUCG-786030-L	1640	78	60	30	5.42	58.62
R-WUCG-786030-R	1640	78	60	30	5.42	58.62
R-WUCG-844824-L	1485	84	48	24	5.42	56.16
R-WUCG-844824-R	1485	84	48	24	5.42	56.16
R-WUCG-844830-L	1517	84	48	30	5.42	58.32
R-WUCG-844830-R	1517	84	48	30	5.42	58.32
R-WUCG-845424-L	1624	84	54	24	5.42	58.6
R-WUCG-845424-R	1624	84	54	24	5.42	58.6
R-WUCG-845430-L	1656	84	54	30	5.42	59.63
R-WUCG-845430-R	1656	84	54	30	5.42	59.63
R-WUCG-846024-L	1764	84	60	24	5.42	59.99
R-WUCG-846024-R	1764	84	60	24	5.42	59.99
R-WUCG-846030-L	1794	84	60	30	5.42	61.34
R-WUCG-846030-R	1794	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved						
R-WUCG-584623-L	1039	58	46	23	5.42	46
R-WUCG-584623-R	1039	58	46	23	5.42	46
R-WUCG-584629-L	1067	58	46	29	5.42	48.1
R-WUCG-584629-R	1067	58	46	29	5.42	48.1
R-WUCG-585223-L	1141	58	52	23	5.42	47.03
R-WUCG-585223-R	1141	58	52	23	5.42	47.03
R-WUCG-585229-L	1169	58	52	29	5.42	49.3
R-WUCG-585229-R	1169	58	52	29	5.42	49.3
R-WUCG-644623-L	1152	64	46	23	5.42	48
R-WUCG-644623-R	1152	64	46	23	5.42	48
R-WUCG-644629-L	1184	64	46	29	5.42	48.92
R-WUCG-644629-R	1184	64	46	29	5.42	48.92
R-WUCG-645223-L	1262	64	52	23	5.42	49.23
R-WUCG-645223-R	1262	64	52	23	5.42	49.23
R-WUCG-645229-L	1290	64	52	29	5.42	51.93
R-WUCG-645229-R	1290	64	52	29	5.42	51.93
R-WUCG-645823-L	1371	64	58	23	5.42	52.33
R-WUCG-645823-R	1371	64	58	23	5.42	52.33
R-WUCG-645829-L	1402	64	58	29	5.42	54.62
R-WUCG-645829-R	1402	64	58	29	5.42	54.62
R-WUCG-704623-L	1206	70	46	23	5.42	52.3
R-WUCG-704623-R	1206	70	46	23	5.42	52.3
R-WUCG-704629-L	1234	70	46	29	5.42	53.66
R-WUCG-704629-R	1234	70	46	29	5.42	53.66
R-WUCG-705223-L	1318	70	52	23	5.42	53.62
R-WUCG-705223-R	1318	70	52	23	5.42	53.62
R-WUCG-705229-L	1351	70	52	29	5.42	55.18
R-WUCG-705229-R	1351	70	52	29	5.42	55.18

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved - continued						
R-WUCG-705823-L	1435	70	58	23	5.42	55.33
R-WUCG-705823-R	1435	70	58	23	5.42	55.33
R-WUCG-705829-L	1464	70	58	29	5.42	57.28
R-WUCG-705829-R	1464	70	58	29	5.42	57.28
R-WUCG-764623-L	1354	76	46	23	5.42	54.13
R-WUCG-764623-R	1354	76	46	23	5.42	54.13
R-WUCG-764629-L	1388	76	46	29	5.42	56.16
R-WUCG-764629-R	1388	76	46	29	5.42	56.16
R-WUCG-765223-L	1479	76	52	23	5.42	56.58
R-WUCG-765223-R	1479	76	52	23	5.42	56.58
R-WUCG-765229-L	1513	76	52	29	5.42	57.14
R-WUCG-765229-R	1513	76	52	29	5.42	57.14
R-WUCG-765823-L	1606	76	58	23	5.42	57.93
R-WUCG-765823-R	1606	76	58	23	5.42	57.93
R-WUCG-765829-L	1640	76	58	29	5.42	58.59
R-WUCG-765829-R	1640	76	58	29	5.42	58.59
R-WUCG-824623-L	1485	82	46	23	5.42	56.13
R-WUCG-824623-R	1485	82	46	23	5.42	56.13
R-WUCG-824629-L	1517	82	46	29	5.42	58.28
R-WUCG-824629-R	1517	82	46	29	5.42	58.28
R-WUCG-825223-L	1624	82	52	23	5.42	58.57
R-WUCG-825223-R	1624	82	52	23	5.42	58.57
R-WUCG-825229-L	1656	82	52	29	5.42	59.6
R-WUCG-825229-R	1656	82	52	29	5.42	59.6
R-WUCG-825823-L	1764	82	58	23	5.42	59.96
R-WUCG-825823-R	1764	82	58	23	5.42	59.96
R-WUCG-825829-L	1794	82	58	29	5.42	61.31
R-WUCG-825829-R	1794	82	58	29	5.42	61.31

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree						
R-WUNG-584623-L	1089	60	48	24	5.42	46.03
R-WUNG-584623-R	1089	60	48	24	5.42	46.03
R-WUNG-585223-L	1195	60	48	30	5.42	48.13
R-WUNG-585223-R	1195	60	48	30	5.42	48.13
R-WUNG-585229-L	1229	60	54	24	5.42	47.06
R-WUNG-585229-R	1229	60	54	24	5.42	47.06
R-WUNG-644623-L	1208	60	54	30	5.42	49.32
R-WUNG-644623-R	1208	60	54	30	5.42	49.32
R-WUNG-645223-L	1325	66	48	24	5.42	48.13
R-WUNG-645223-R	1325	66	48	24	5.42	48.13
R-WUNG-645229-L	1354	66	48	30	5.42	49.56
R-WUNG-645229-R	1354	66	48	30	5.42	49.56
R-WUNG-645823-L	1438	66	54	24	5.42	49.26
R-WUNG-645823-R	1438	66	54	24	5.42	49.26
R-WUNG-645829-L	1471	66	54	30	5.42	51.96
R-WUNG-645829-R	1471	66	54	30	5.42	51.96
R-WUNG-704623-L	1265	66	60	24	5.42	52.36
R-WUNG-704623-R	1265	66	60	24	5.42	52.36
R-WUNG-705223-L	1381	66	60	30	5.42	54.65
R-WUNG-705223-R	1381	66	60	30	5.42	54.65
R-WUNG-705229-L	1417	72	48	24	5.42	52.33
R-WUNG-705229-R	1417	72	48	24	5.42	52.33
R-WUNG-705823-L	1503	72	48	30	5.42	53.69
R-WUNG-705823-R	1503	72	48	30	5.42	53.69
R-WUNG-705829-L	1536	72	54	24	5.42	53.65
R-WUNG-705829-R	1536	72	54	24	5.42	53.65
R-WUNG-764623-L	1422	72	54	30	5.42	55.21
R-WUNG-764623-R	1422	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree - continued						
R-WUNG-765223-L	1551	72	60	24	5.42	55.36
R-WUNG-765223-R	1551	72	60	24	5.42	55.36
R-WUNG-765229-L	1588	72	60	30	5.42	57.31
R-WUNG-765229-R	1588	72	60	30	5.42	57.31
R-WUNG-765823-L	1685	78	48	24	5.42	54.16
R-WUNG-765823-R	1685	78	48	24	5.42	54.16
R-WUNG-765829-L	1718	78	48	30	5.42	56.19
R-WUNG-765829-R	1718	78	48	30	5.42	56.19
R-WUNG-824623-L	1557	78	54	24	5.42	56.61
R-WUNG-824623-R	1557	78	54	24	5.42	56.61
R-WUNG-825223-L	1703	78	54	30	5.42	58.17
R-WUNG-825223-R	1703	78	54	30	5.42	58.17
R-WUNG-825229-L	1738	78	60	24	5.42	57.96
R-WUNG-825229-R	1738	78	60	24	5.42	57.96
R-WUNG-825823-L	1850	78	60	30	5.42	58.62
R-WUNG-825823-R	1850	78	60	30	5.42	58.62
R-WUNG-825829-L	1881	84	48	24	5.42	56.16
R-WUNG-825829-R	1881	84	48	24	5.42	56.16



Height Adjustable Table Enclosure Box

What’s Included:

HAT enclosure box


How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Options:

Depth	25.5”, 30”
Enclosure	laminate color

Code	Price	H (in)	W (in)	D (in)
R-HBOX-180725	967	18.25	6.75	25.5
R-HBOX-180730	970	18.25	6.75	30



Flex Cable Organizer

What’s Included:

Flex Cable organizer

How to Specify:

This accessory is available in grey only.


Notes:

Designed to fit the Volley height adjustable table frame.
Attaches to frame using magnets. Can also be attached to underside of worksurface using screws.
Height under worksurface is 5” after installation.
Made from flexible woven seam welded plastic.
Includes 2” opening midway on both sides for cable access

Options:

Depth	10”
-------	-----

Code	Price	W (in)	D (in)
V-EWMM-3610	97	36	10



Trough and trough mounted modesty

What's Included:

Trough and trough mounted modesty for Volley height adjustable table

How to Specify:

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

Notes:

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	46", 52", 58", 64", 70"
Modesty	frosted acrylic or laminate color


Code	Price	H (in)	W (in)
Laminate Modesty			
R-HMOD-6021	597	21	46
R-HMOD-6621	609	21	52
R-HMOD-7221	654	21	58
R-HMOD-7821	704	21	64
R-HMOD-8421	717	21	70
Frosted Acrylic Modesty			
R-HMOD-6021-F	907	21	46
R-HMOD-6621-F	1006	21	52
R-HMOD-7221-F	1037	21	58
R-HMOD-7821-F	1271	21	64
R-HMOD-8421-F	1275	21	70



Tables Pricebook
July 2025
Norris Tables

Norris tables

<u>super ellipse without power and data</u>	30
<u>super ellipse with power and data</u>	32
<u>video without power and data</u>	34
<u>video with power and data</u>	36
<u>boat without power and data</u>	38
<u>boat with power and data</u>	40
<u>straight without power and data</u>	42
<u>straight with power and data</u>	44
<u>options</u>	46
<u>add-on Kits</u>	47



What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Notes:

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.


Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" horizontal center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth	Laminate Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BE1N-7236	2836	29.5	72	36	5.04	72.58
R-BE1N-8436	3036	29.5	84	36	5.88	84.67
R-BE1N-9636	3191	29.5	96	36	6.72	96.77
R-BE1N-7242	3153	29.5	72	42	5.88	84.67
R-BE1N-8442	3311	29.5	84	42	6.86	98.78
R-BE1N-9642	3473	29.5	96	42	7.84	112.9
R-BE1N-10842	3641	29.5	108	42	8.82	127.01
R-BE1N-12042	3810	29.5	120	42	9.8	141.12
R-BE1N-8448	3512	29.5	84	48	7.84	112.9
R-BE1N-9648	3633	29.5	96	48	8.96	129.02
R-BE1N-10848	4923	29.5	108	48	10.08	145.15
R-BE1N-12048	5140	29.5	120	48	11.2	161.28
R-BE1N-13248	5664	29.5	132	48	12.32	177.41
R-BE1N-14448	5897	29.5	144	48	13.44	193.54
R-BE1N-15648	6128	29.5	156	48	14.56	209.66
R-BE1N-16848	6636	29.5	168	48	15.68	225.79
R-BE1N-18048	6728	29.5	180	48	16.8	241.92
R-BE1N-19248	6818	29.5	192	48	17.92	258.05
R-BE1N-20448	8540	29.5	204	48	19.04	274.18
R-BE1N-21648	8784	29.5	216	48	20.16	290.3
R-BE1N-22848	9026	29.5	228	48	21.28	306.43
R-BE1N-24048	9528	29.5	240	48	22.4	322.56
R-BE1N-10860	5916	29.5	108	60	12.6	181.44
R-BE1N-12060	6178	29.5	120	60	14	201.6
R-BE1N-13260	6443	29.5	132	60	15.4	221.76
R-BE1N-14460	6714	29.5	144	60	16.8	241.92
R-BE1N-15660	6982	29.5	156	60	18.2	262.08
R-BE1N-16860	7242	29.5	168	60	19.6	282.24
R-BE1N-18060	7515	29.5	180	60	21	302.4
R-BE1N-19260	7776	29.5	192	60	22.4	322.56
R-BE1N-20460	9621	29.5	204	60	23.8	342.72
R-BE1N-21660	9900	29.5	216	60	25.2	362.88
R-BE1N-22860	10173	29.5	228	60	26.6	383.04
R-BE1N-24060	10442	29.5	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" horizontal center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BE1E-7236	4239	29.5	72	36	5.04	72.58
R-BE1E-8436	4439	29.5	84	36	5.88	84.67
R-BE1E-9636	4595	29.5	96	36	6.72	96.77
R-BE1E-7242	4556	29.5	72	42	5.88	84.67
R-BE1E-8442	4714	29.5	84	42	6.86	98.78
R-BE1E-9642	4877	29.5	96	42	7.84	112.9
R-BE1E-10842	5043	29.5	108	42	8.82	127.01
R-BE1E-12042	5215	29.5	120	42	9.8	141.12
R-BE1E-8448	4917	29.5	84	48	7.84	112.9
R-BE1E-9648	5039	29.5	96	48	8.96	129.02
R-BE1E-10848	7730	29.5	108	48	10.08	145.15
R-BE1E-12048	7948	29.5	120	48	11.2	161.28
R-BE1E-13248	8628	29.5	132	48	12.32	177.41
R-BE1E-14448	8863	29.5	144	48	13.44	193.54
R-BE1E-15648	9092	29.5	156	48	14.56	209.66
R-BE1E-16848	9601	29.5	168	48	15.68	225.79
R-BE1E-18048	9694	29.5	180	48	16.8	241.92
R-BE1E-19248	9783	29.5	192	48	17.92	258.05
R-BE1E-20448	12835	29.5	204	48	19.04	274.18
R-BE1E-21648	12978	29.5	216	48	20.16	290.3
R-BE1E-22848	13279	29.5	228	48	21.28	306.43
R-BE1E-24048	13846	29.5	240	48	22.4	322.56
R-BE1E-10860	8883	29.5	108	60	12.6	181.44
R-BE1E-12060	9145	29.5	120	60	14	201.6
R-BE1E-13260	9409	29.5	132	60	15.4	221.76
R-BE1E-14460	9681	29.5	144	60	16.8	241.92
R-BE1E-15660	9946	29.5	156	60	18.2	262.08
R-BE1E-16860	10210	29.5	168	60	19.6	282.24
R-BE1E-18060	10478	29.5	180	60	21	302.4
R-BE1E-19260	10745	29.5	192	60	22.4	322.56
R-BE1E-20460	13954	29.5	204	60	23.8	342.72
R-BE1E-21660	14126	29.5	216	60	25.2	362.88
R-BE1E-22860	14461	29.5	228	60	26.6	383.04
R-BE1E-24060	14796	29.5	240	60	28	403.2



What’s Included:

- Steel bridge under structure.
- 1.5” thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108” and 240” come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

Width	72”, 84”, 96”, 108”, 120”, 132”, 144”, 156”, 168”, 180”, 192”, 204”, 216”, 228”, 240”
Depth	36”, 42”, 48”, 60”
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Notes:

- Sizes between 72”-96” come as a one-piece top.
- Sizes between 108”-192” come as a two-piece top.
- Sizes between 204”-240” come as a three-piece top.
- Tables between 132”-240” come with a 36” horizontal center plinth.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BV1N-7236	2836	29.5	72	36	5.04	72.58
R-BV1N-8436	3036	29.5	84	36	5.88	84.67
R-BV1N-9636	3191	29.5	96	36	6.72	96.77
R-BV1N-7242	3153	29.5	72	42	5.88	84.67
R-BV1N-8442	3311	29.5	84	42	6.86	98.78
R-BV1N-9642	3473	29.5	96	42	7.84	112.9
R-BV1N-10842	3641	29.5	108	42	8.82	127.01
R-BV1N-12042	3810	29.5	120	42	9.8	141.12
R-BV1N-8448	3512	29.5	84	48	7.84	112.9
R-BV1N-9648	3633	29.5	96	48	8.96	129.02
R-BV1N-10848	4923	29.5	108	48	10.08	145.15
R-BV1N-12048	5140	29.5	120	48	11.2	161.28
R-BV1N-13248	5664	29.5	132	48	12.32	177.41
R-BV1N-14448	5897	29.5	144	48	13.44	193.54
R-BV1N-15648	6128	29.5	156	48	14.56	209.66
R-BV1N-16848	6636	29.5	168	48	15.68	225.79
R-BV1N-18048	6728	29.5	180	48	16.8	241.92
R-BV1N-19248	6818	29.5	192	48	17.92	258.05
R-BV1N-20448	8540	29.5	204	48	19.04	274.18
R-BV1N-21648	8784	29.5	216	48	20.16	290.3
R-BV1N-22848	9026	29.5	228	48	21.28	306.43
R-BV1N-24048	9528	29.5	240	48	22.4	322.56
R-BV1N-10860	5916	29.5	108	60	12.6	181.44
R-BV1N-12060	6178	29.5	120	60	14	201.6
R-BV1N-13260	6443	29.5	132	60	15.4	221.76
R-BV1N-14460	6714	29.5	144	60	16.8	241.92
R-BV1N-15660	6982	29.5	156	60	18.2	262.08
R-BV1N-16860	7242	29.5	168	60	19.6	282.24
R-BV1N-18060	7515	29.5	180	60	21	302.4
R-BV1N-19260	7776	29.5	192	60	22.4	322.56
R-BV1N-20460	9621	29.5	204	60	23.8	342.72
R-BV1N-21660	9900	29.5	216	60	25.2	362.88
R-BV1N-22860	10173	29.5	228	60	26.6	383.04
R-BV1N-24060	10442	29.5	240	60	28	403.2



What’s Included:

- Steel bridge under structure.
- 1.5” thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108” and 240” come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Notes:

- Sizes between 72”-96” come as a one-piece top.
- Sizes between 108”-192” come as a two-piece top.
- Sizes between 204”-240” come as a three-piece top.
- Tables between 132”-240” come with a 36” center plinth.
- Tops from 72”-96” have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108”-192” have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204”-240” have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

Width	72”, 84”, 96”, 108”, 120”, 132”, 144”, 156”, 168”, 180”, 192”, 204”, 216”, 228”, 240”
Depth	36”, 42”, 48”, 60”
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BV1E-7236	4239	29.5	72	36	5.04	72.58
R-BV1E-8436	4439	29.5	84	36	5.88	84.67
R-BV1E-9636	4595	29.5	96	36	6.72	96.77
R-BV1E-7242	4556	29.5	72	42	5.88	84.67
R-BV1E-8442	4714	29.5	84	42	6.86	98.78
R-BV1E-9642	4877	29.5	96	42	7.84	112.9
R-BV1E-10842	5043	29.5	108	42	8.82	127.01
R-BV1E-12042	5215	29.5	120	42	9.8	141.12
R-BV1E-8448	4917	29.5	84	48	7.84	112.9
R-BV1E-9648	5039	29.5	96	48	8.96	129.02
R-BV1E-10848	7730	29.5	108	48	10.08	145.15
R-BV1E-12048	7948	29.5	120	48	11.2	161.28
R-BV1E-13248	8628	29.5	132	48	12.32	177.41
R-BV1E-14448	8863	29.5	144	48	13.44	193.54
R-BV1E-15648	9092	29.5	156	48	14.56	209.66
R-BV1E-16848	9601	29.5	168	48	15.68	225.79
R-BV1E-18048	9694	29.5	180	48	16.8	241.92
R-BV1E-19248	9783	29.5	192	48	17.92	258.05
R-BV1E-20448	12835	29.5	204	48	19.04	274.18
R-BV1E-21648	12978	29.5	216	48	20.16	290.3
R-BV1E-22848	13279	29.5	228	48	21.28	306.43
R-BV1E-24048	13846	29.5	240	48	22.4	322.56
R-BV1E-10860	8883	29.5	108	60	12.6	181.44
R-BV1E-12060	9145	29.5	120	60	14	201.6
R-BV1E-13260	9409	29.5	132	60	15.4	221.76
R-BV1E-14460	9681	29.5	144	60	16.8	241.92
R-BV1E-15660	9946	29.5	156	60	18.2	262.08
R-BV1E-16860	10210	29.5	168	60	19.6	282.24
R-BV1E-18060	10478	29.5	180	60	21	302.4
R-BV1E-19260	10745	29.5	192	60	22.4	322.56
R-BV1E-20460	13954	29.5	204	60	23.8	342.72
R-BV1E-21660	14126	29.5	216	60	25.2	362.88
R-BV1E-22860	14461	29.5	228	60	26.6	383.04
R-BV1E-24060	14796	29.5	240	60	28	403.2



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate	Color
Gable + Plinth Laminate	Color
Metal Accent Color	

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" center plinth.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BB1N-7236	2836	29.5	72	36	5.04	72.58
R-BB1N-8436	3036	29.5	84	36	5.88	84.67
R-BB1N-9636	3191	29.5	96	36	6.72	96.77
R-BB1N-7242	3153	29.5	72	42	5.88	84.67
R-BB1N-8442	3311	29.5	84	42	6.86	98.78
R-BB1N-9642	3473	29.5	96	42	7.84	112.9
R-BB1N-10842	3641	29.5	108	42	8.82	127.01
R-BB1N-12042	3810	29.5	120	42	9.8	141.12
R-BB1N-8448	3512	29.5	84	48	7.84	112.9
R-BB1N-9648	3633	29.5	96	48	8.96	129.02
R-BB1N-10848	4923	29.5	108	48	10.08	145.15
R-BB1N-12048	5140	29.5	120	48	11.2	161.28
R-BB1N-13248	5664	29.5	132	48	12.32	177.41
R-BB1N-14448	5897	29.5	144	48	13.44	193.54
R-BB1N-15648	6128	29.5	156	48	14.56	209.66
R-BB1N-16848	6636	29.5	168	48	15.68	225.79
R-BB1N-18048	6728	29.5	180	48	16.8	241.92
R-BB1N-19248	6818	29.5	192	48	17.92	258.05
R-BB1N-20448	8540	29.5	204	48	19.04	274.18
R-BB1N-21648	8784	29.5	216	48	20.16	290.3
R-BB1N-22848	9026	29.5	228	48	21.28	306.43
R-BB1N-24048	9528	29.5	240	48	22.4	322.56
R-BB1N-10860	5916	29.5	108	60	12.6	181.44
R-BB1N-12060	6178	29.5	120	60	14	201.6
R-BB1N-13260	6443	29.5	132	60	15.4	221.76
R-BB1N-14460	6714	29.5	144	60	16.8	241.92
R-BB1N-15660	6982	29.5	156	60	18.2	262.08
R-BB1N-16860	7242	29.5	168	60	19.6	282.24
R-BB1N-18060	7515	29.5	180	60	21	302.4
R-BB1N-19260	7776	29.5	192	60	22.4	322.56
R-BB1N-20460	9621	29.5	204	60	23.8	342.72
R-BB1N-21660	9900	29.5	216	60	25.2	362.88
R-BB1N-22860	10173	29.5	228	60	26.6	383.04
R-BB1N-24060	10442	29.5	240	60	28	403.2



What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Notes:

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center
plinth.

Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

Width 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"


Depth 36", 42", 48", 60"

Worksurface Laminate Color

Gable + Plinth Laminate Color

Metal Accent Color

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BB1E-7236	4239	29.5	72	36	5.04	72.58
R-BB1E-8436	4439	29.5	84	36	5.88	84.67
R-BB1E-9636	4595	29.5	96	36	6.72	96.77
R-BB1E-7242	4556	29.5	72	42	5.88	84.67
R-BB1E-8442	4714	29.5	84	42	6.86	98.78
R-BB1E-9642	4877	29.5	96	42	7.84	112.9
R-BB1E-10842	5043	29.5	108	42	8.82	127.01
R-BB1E-12042	5215	29.5	120	42	9.8	141.12
R-BB1E-8448	4917	29.5	84	48	7.84	112.9
R-BB1E-9648	5039	29.5	96	48	8.96	129.02
R-BB1E-10848	7730	29.5	108	48	10.08	145.15
R-BB1E-12048	7948	29.5	120	48	11.2	161.28
R-BB1E-13248	8628	29.5	132	48	12.32	177.41
R-BB1E-14448	8863	29.5	144	48	13.44	193.54
R-BB1E-15648	9092	29.5	156	48	14.56	209.66
R-BB1E-16848	9601	29.5	168	48	15.68	225.79
R-BB1E-18048	9694	29.5	180	48	16.8	241.92
R-BB1E-19248	9783	29.5	192	48	17.92	258.05
R-BB1E-20448	12835	29.5	204	48	19.04	274.18
R-BB1E-21648	12978	29.5	216	48	20.16	290.3
R-BB1E-22848	13279	29.5	228	48	21.28	306.43
R-BB1E-24048	13846	29.5	240	48	22.4	322.56
R-BB1E-10860	8883	29.5	108	60	12.6	181.44
R-BB1E-12060	9145	29.5	120	60	14	201.6
R-BB1E-13260	9409	29.5	132	60	15.4	221.76
R-BB1E-14460	9681	29.5	144	60	16.8	241.92
R-BB1E-15660	9946	29.5	156	60	18.2	262.08
R-BB1E-16860	10210	29.5	168	60	19.6	282.24
R-BB1E-18060	10478	29.5	180	60	21	302.4
R-BB1E-19260	10745	29.5	192	60	22.4	322.56
R-BB1E-20460	13954	29.5	204	60	23.8	342.72
R-BB1E-21660	14126	29.5	216	60	25.2	362.88
R-BB1E-22860	14461	29.5	228	60	26.6	383.04
R-BB1E-24060	14796	29.5	240	60	28	403.2



What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.


Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate Color	
Gable + Plinth Laminate Color	
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BS1N-7236	2836	29.5	72	36	5.04	72.58
R-BS1N-8436	3036	29.5	84	36	5.88	84.67
R-BS1N-9636	3191	29.5	96	36	6.72	96.77
R-BS1N-7242	3153	29.5	72	42	5.88	84.67
R-BS1N-8442	3311	29.5	84	42	6.86	98.78
R-BS1N-9642	3473	29.5	96	42	7.84	112.9
R-BS1N-10842	3641	29.5	108	42	8.82	127.01
R-BS1N-12042	3810	29.5	120	42	9.8	141.12
R-BS1N-8448	3512	29.5	84	48	7.84	112.9
R-BS1N-9648	3633	29.5	96	48	8.96	129.02
R-BS1N-10848	4923	29.5	108	48	10.08	145.15
R-BS1N-12048	5140	29.5	120	48	11.2	161.28
R-BS1N-13248	5664	29.5	132	48	12.32	177.41
R-BS1N-14448	5897	29.5	144	48	13.44	193.54
R-BS1N-15648	6128	29.5	156	48	14.56	209.66
R-BS1N-16848	6636	29.5	168	48	15.68	225.79
R-BS1N-18048	6728	29.5	180	48	16.8	241.92
R-BS1N-19248	6818	29.5	192	48	17.92	258.05
R-BS1N-20448	8540	29.5	204	48	19.04	274.18
R-BS1N-21648	8784	29.5	216	48	20.16	290.3
R-BS1N-22848	9026	29.5	228	48	21.28	306.43
R-BS1N-24048	9528	29.5	240	48	22.4	322.56
R-BS1N-10860	5916	29.5	108	60	12.6	181.44
R-BS1N-12060	6178	29.5	120	60	14	201.6
R-BS1N-13260	6443	29.5	132	60	15.4	221.76
R-BS1N-14460	6714	29.5	144	60	16.8	241.92
R-BS1N-15660	6982	29.5	156	60	18.2	262.08
R-BS1N-16860	7242	29.5	168	60	19.6	282.24
R-BS1N-18060	7515	29.5	180	60	21	302.4
R-BS1N-19260	7776	29.5	192	60	22.4	322.56
R-BS1N-20460	9621	29.5	204	60	23.8	342.72
R-BS1N-21660	9900	29.5	216	60	25.2	362.88
R-BS1N-22860	10173	29.5	228	60	26.6	383.04
R-BS1N-24060	10442	29.5	240	60	28	403.2



What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

Width	72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"
Depth	36", 42", 48", 60"
Worksurface Laminate Color	
Gable + Plinth Laminate Color	
Metal Accent Color	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-BS1E-7236	4239	29.5	72	36	5.04	72.58
R-BS1E-8436	4439	29.5	84	36	5.88	84.67
R-BS1E-9636	4595	29.5	96	36	6.72	96.77
R-BS1E-7242	4556	29.5	72	42	5.88	84.67
R-BS1E-8442	4714	29.5	84	42	6.86	98.78
R-BS1E-9642	4877	29.5	96	42	7.84	112.9
R-BS1E-10842	5043	29.5	108	42	8.82	127.01
R-BS1E-12042	5215	29.5	120	42	9.8	141.12
R-BS1E-8448	4917	29.5	84	48	7.84	112.9
R-BS1E-9648	5039	29.5	96	48	8.96	129.02
R-BS1E-10848	7730	29.5	108	48	10.08	145.15
R-BS1E-12048	7948	29.5	120	48	11.2	161.28
R-BS1E-13248	8628	29.5	132	48	12.32	177.41
R-BS1E-14448	8863	29.5	144	48	13.44	193.54
R-BS1E-15648	9092	29.5	156	48	14.56	209.66
R-BS1E-16848	9601	29.5	168	48	15.68	225.79
R-BS1E-18048	9694	29.5	180	48	16.8	241.92
R-BS1E-19248	9783	29.5	192	48	17.92	258.05
R-BS1E-20448	12835	29.5	204	48	19.04	274.18
R-BS1E-21648	12978	29.5	216	48	20.16	290.3
R-BS1E-22848	13279	29.5	228	48	21.28	306.43
R-BS1E-24048	13846	29.5	240	48	22.4	322.56
R-BS1E-10860	8883	29.5	108	60	12.6	181.44
R-BS1E-12060	9145	29.5	120	60	14	201.6
R-BS1E-13260	9409	29.5	132	60	15.4	221.76
R-BS1E-14460	9681	29.5	144	60	16.8	241.92
R-BS1E-15660	9946	29.5	156	60	18.2	262.08
R-BS1E-16860	10210	29.5	168	60	19.6	282.24
R-BS1E-18060	10478	29.5	180	60	21	302.4
R-BS1E-19260	10745	29.5	192	60	22.4	322.56
R-BS1E-20460	13954	29.5	204	60	23.8	342.72
R-BS1E-21660	14126	29.5	216	60	25.2	362.88
R-BS1E-22860	14461	29.5	228	60	26.6	383.04
R-BS1E-24060	14796	29.5	240	60	28	403.2

Options

Code	Price	Description	Volume	Weight
R-HDMI	205	HDMI COUPLER, 18”CORD,F/F	12	1.1
R-RJ11	80	RJ11 JACK W/84” CABLE	12	1.1
R-RJ45	211	RJ45, CAT6 W/CORD 72”, BLACK	12	1.2

Add-on Kits

Code	Price	Description
V-ESMU-A	187	USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER)
R-ESMU-K	885	USB KIT (4EA DUAL USB PORTS WITH HUB)




Tables Pricebook
July 2025
Kip Tables

Kip tables

<u>community table without power and data</u>	<u>50</u>
<u>community table with power and data</u>	<u>52</u>

Add-on Kits

Code	Price	Description
V-ESMU-A	187	USB ADAPTER (1EA USB A & C PORTS WITH ADAPTER)
R-ESMU-K	885	USB KIT (4EA DUAL USB PORTS WITH HUB)



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.


Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.

Options:

Width	60”, 72”, 84”, 96”, 108”, 120”, 144”
Depth	30”, 36”, 42”
Outershell	Laminate Color
Inner Cover	Laminate Color
Metal Accent	Color

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PT2N-6030	5920	42	60	30	5	72
R-PT2N-7230	6008	42	72	30	6	86.4
R-PT2N-8430	6054	42	84	30	7	100.8
R-PT2N-9630	6143	42	96	30	8	115.2
R-PT2N-6036	5922	42	60	36	6	86.4
R-PT2N-7236	6012	42	72	36	7.2	103.68
R-PT2N-8436	6056	42	84	36	8.4	120.96
R-PT2N-9636	6146	42	96	36	9.6	138.24
R-PT2N-10836	9058	42	108	36	10.8	155.52
R-PT2N-12036	9154	42	120	36	12	172.8
R-PT2N-13236	9248	42	132	36	13.2	190.08
R-PT2N-14436	9343	42	144	36	14.4	207.36
R-PT2N-7242	6015	42	72	42	8.4	120.96
R-PT2N-8442	6058	42	84	42	9.8	141.12
R-PT2N-9642	6149	42	96	42	11.2	161.28
R-PT2N-10842	9064	42	108	42	12.6	181.44
R-PT2N-12042	9162	42	120	42	14	201.6
R-PT2N-13242	9252	42	132	42	15.4	221.76
R-PT2N-14442	9349	42	144	42	16.8	241.92



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.

Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.
- Tops between 60”-96” come with one flush surface power unit consisting of 2 power & 2 USB.
- Tops from 108”-144” come with two power units, consisting of 2 power & 2 USB.
- When choosing optional side-mounted USB:
 - Tables without mid-legs have 4 USB power modules.
 - Up to 4 side mount USB units can be connected to one hub.

Options:

Width	60”, 72”, 84”, 96”, 108”, 120”, 144”
Depth	30”, 36”, 42”
Outershell	Laminate Color
Inner Cover	Laminate Color
Metal Accent	Color


Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PT2P-6030	6781	42	60	30	5	72
R-PT2P-7230	6876	42	72	30	6	86.4
R-PT2P-8430	6973	42	84	30	7	100.8
R-PT2P-9630	7072	42	96	30	8	115.2
R-PT2P-6036	6785	42	60	36	6	86.4
R-PT2P-7236	6881	42	72	36	7.2	103.68
R-PT2P-8436	6980	42	84	36	8.4	120.96
R-PT2P-9636	7075	42	96	36	9.6	138.24
R-PT2P-10836	10556	42	108	36	10.8	155.52
R-PT2P-12036	10652	42	120	36	12	172.8
R-PT2P-13236	10748	42	132	36	13.2	190.08
R-PT2P-14436	10843	42	144	36	14.4	207.36
R-PT2P-7242	6886	42	72	42	8.4	120.96
R-PT2P-8442	6982	42	84	42	9.8	141.12
R-PT2P-9642	7077	42	96	42	11.2	161.28
R-PT2P-10842	10560	42	108	42	12.6	181.44
R-PT2P-12042	10656	42	120	42	14	201.6
R-PT2P-13242	10751	42	132	42	15.4	221.76
R-PT2P-14442	10845	42	144	42	16.8	241.92



Tables Pricebook
July 2025
Koko Tables

Koko tables

<u>rectangular table</u>	<u>56</u>
<u>round table</u>	<u>57</u>



What’s Included:

Aluminum rectangular laptop table.


How to Specify:

Metal paint color.

Options:

Metal color

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PTR-242014	1167	24	20	14	4	26.88



What’s Included:

Aluminum round laptop table.

How to Specify:

Metal paint color.

Options:

Metal Color


Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-PTO-241616	1167	24	16	16	4	24.58



Tables Pricebook
July 2025
Hanna

Hanna tables

T base - slim	60
T base - tubular	62
X base - slim	64
X base - tubular	66
super ellipse top	68
round top	70
squircle top	72
rectangular top	74
square top	76



What’s Included:

One (1) metal slim T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

Spread	16”, 18”, 22”, 30”, 34”
Height	28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HSB-T-1628	838	28	16	8	Slim T Base
R-HSB-T-1828	845	28	18	9	14
R-HSB-T-2228	844	28	22	11	14
R-HSB-T-3028	856	28	30	15	14
R-HSB-T-3428	887	28	34	17	14
R-HSB-T-1635	1180	35	16	11.5	17.5
R-HSB-T-1835	1184	35	18	12.5	17.5
R-HSB-T-2235	1188	35	22	14.5	17.5
R-HSB-T-3035	1198	35	30	18.5	17.5
R-HSB-T-3435	1230	35	34	20.5	17.5
R-HSB-T-1641	1180	41	16	14.5	20.5
R-HSB-T-1841	1184	41	18	15.5	20.5
R-HSB-T-2241	1188	41	22	17.5	20.5
R-HSB-T-3041	1198	41	30	21.5	20.5
R-HSB-T-3441	1230	41	34	23.5	20.5



What’s Included:

One (1) metal tubular T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

Spread	16”, 18”, 22”, 30”, 34”
Height	28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft3)	Weight (lb)
R-HTB-T-1628	838	28	16	8	Tubular T Base
R-HTB-T-1828	841	28	18	9	14
R-HTB-T-2228	844	28	22	11	14
R-HTB-T-3028	856	28	30	15	14
R-HTB-T-3428	1124	28	34	17	14
R-HTB-T-1635	1107	35	16	11.5	17.5
R-HTB-T-1835	1109	35	18	12.5	17.5
R-HTB-T-2235	1112	35	22	14.5	17.5
R-HTB-T-3035	1124	35	30	18.5	17.5
R-HTB-T-3435	1434	35	34	20.5	17.5
R-HTB-T-1641	1180	41	16	14.5	20.5
R-HTB-T-1841	1184	41	18	15.5	20.5
R-HTB-T-2241	1188	41	22	17.5	20.5
R-HTB-T-3041	1198	41	30	21.5	20.5
R-HTB-T-3441	1506	41	34	23.5	20.5



What’s Included:

One (1) metal slim X base.

How to Specify:

Metal color.

Round

24”dia - 18” spread

30”dia - 22” spread

36”dia - 26” spread

42”dia - 30” spread

48”dia - 34” spread

54”dia - 42” spread

60”dia - 48” spread

Square

18”d - 18” spread

24”d - 22” spread

30”d - 26” spread

36”d - 30” spread

42”d - 34” spread

Squircle

24”d - 22” spread

30”d - 26” spread

36”d - 30” spread

42”d - 34” spread

Rectangular &
Super Ellipse

24”d - 18” spread

30”d - 22” spread

36”d - 26” spread

42”d - 30” spread

48”d - 34” spread


Options:

Spread18”, 22”, 26”, 30”, 34”, 42”, 48”

Height15”, 21”, 28”, 35”, 41”

Metal Color

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HSB-X-1615	1112	15	16	8	Slim X Base
R-HSB-X-1815	1121	15	18	9.5	7.5
R-HSB-X-2215	1150	15	22	11.5	7.5
R-HSB-X-2615	1189	15	26	13.5	7.5
R-HSB-X-3015	1232	15	30	15.5	7.5
R-HSB-X-3415	1270	15	34	17.5	7.5
R-HSB-X-1621	1112	21	16	9	10.5
R-HSB-X-1821	1121	21	18	10.5	10.5
R-HSB-X-2221	1150	21	22	12.5	10.5
R-HSB-X-2621	1189	21	26	14.5	10.5
R-HSB-X-3021	1232	21	30	16.5	10.5
R-HSB-X-3421	1270	21	34	18.5	10.5
R-HSB-X-1628	1112	28	16	12	14
R-HSB-X-1828	1121	28	18	13.5	14
R-HSB-X-2228	1150	28	22	15.5	14
R-HSB-X-2628	1189	28	26	17.5	14
R-HSB-X-3028	1232	28	30	19.5	14
R-HSB-X-3428	1270	28	34	21.5	14
R-HSB-X-1635	1458	35	16	15	17.5
R-HSB-X-1835	1464	35	18	16.5	17.5
R-HSB-X-2235	1493	35	22	18.5	17.5
R-HSB-X-2635	1532	35	26	20.5	17.5
R-HSB-X-3035	1575	35	30	22.5	17.5
R-HSB-X-3435	1611	35	34	24.5	17.5
R-HSB-X-1641	1458	41	16	17	20.5
R-HSB-X-1841	1464	41	18	18.5	20.5
R-HSB-X-2241	1493	41	22	20.5	20.5
R-HSB-X-2641	1532	41	26	22.5	20.5
R-HSB-X-3041	1575	41	30	24.5	20.5
R-HSB-X-3441	1611	41	34	26.5	20.5



What’s Included:

One (1) metal tubular X base.

How to Specify:


Metal color.

Round	Square	Squircle	Rectangular & Super Ellipse
24”dia - 18” spread	18”d - 18” spread	24”d - 22” spread	24”d - 18” spread
30”dia - 22” spread	24”d - 22” spread	30”d - 26” spread	30”d - 22” spread
36”dia - 26” spread	30”d - 26” spread	36”d - 30” spread	36”d - 26” spread
42”dia - 30” spread	36”d - 30” spread	42”d - 34” spread	42”d - 30” spread
48”dia - 34” spread	42”d - 34” spread		48”d - 34” spread
54”dia - 42” spread			
60”dia - 48” spread			

Options:

Spread	18”, 22”, 26”, 30”, 34”, 42”, 48”
Height	15”, 21”, 28”, 35”, 41”
Metal Color	

Code	Price	Height (in)	Spread (in)	Volume (ft³)	Weight (lb)
R-HTB-X-1615	1112	15	16	8	7.5
R-HTB-X-1815	1121	15	18	9.5	7.5
R-HTB-X-2215	1150	15	22	11.5	7.5
R-HTB-X-2615	1189	15	26	13.5	7.5
R-HTB-X-3015	1232	15	30	15.5	7.5
R-HTB-X-3415	1471	15	34	17.5	7.5
R-HTB-X-4215	1904	15	42	21.5	7.5
R-HTB-X-4815	2140	15	48	24.5	7.5
R-HTB-X-1621	1112	21	16	9	10.5
R-HTB-X-1821	1121	21	18	10.5	10.5
R-HTB-X-2221	1150	21	22	12.5	10.5
R-HTB-X-2621	1189	21	26	14.5	10.5
R-HTB-X-3021	1232	21	30	16.5	10.5
R-HTB-X-3421	1471	21	34	18.5	10.5
R-HTB-X-4221	1904	21	42	22.5	10.5
R-HTB-X-4821	2140	21	48	25.5	10.5
R-HTB-X-1628	1112	28	16	12	14
R-HTB-X-1828	1121	28	18	13.5	14
R-HTB-X-2228	1150	28	22	15.5	14
R-HTB-X-2628	1189	28	26	17.5	14
R-HTB-X-3028	1232	28	30	19.5	14
R-HTB-X-3428	1471	28	34	21.5	14
R-HTB-X-4228	1904	28	42	25.5	14
R-HTB-X-4828	2140	28	48	28.5	14
R-HTB-X-1635	1493	35	16	15	17.5
R-HTB-X-1835	1501	35	18	16.5	17.5
R-HTB-X-2235	1532	35	22	18.5	17.5
R-HTB-X-2635	1570	35	26	20.5	17.5
R-HTB-X-3035	1611	35	30	22.5	17.5
R-HTB-X-3435	1732	35	34	24.5	17.5
R-HTB-X-4235	2163	35	42	28.5	17.5
R-HTB-X-4835	2494	35	48	31.5	17.5
R-HTB-X-1641	1493	41	16	17	20.5
R-HTB-X-1841	1501	41	18	18.5	20.5
R-HTB-X-2241	1532	41	22	20.5	20.5
R-HTB-X-2641	1570	41	26	22.5	20.5
R-HTB-X-3041	1611	41	30	24.5	20.5
R-HTB-X-3441	1732	41	34	26.5	20.5
R-HTB-X-4241	2163	41	42	30.5	20.5
R-HTB-X-4841	2494	41	48	33.5	20.5



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with two bases.

Options:

Width	30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”
Depth	24”, 30”, 36”, 42”, 48”
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TE0N-3024	463	1	30	24	0.4	14.4
R-TE0N-3624	469	1	36	24	0.48	17.28
R-TE0N-4224	533	1	42	24	0.56	20.16
R-TE0N-4824	560	1	48	24	0.64	23.04
R-TE0N-5424	647	1	54	24	0.72	25.92
R-TE0N-6024	673	1	60	24	0.8	28.8
R-TE0N-6624	728	1	66	24	0.88	31.68
R-TE0N-7224	759	1	72	24	0.96	34.56
R-TE0N-7824	816	1	78	24	1.04	37.44
R-TE0N-8424	869	1	84	24	1.12	40.32
R-TE0N-9024	975	1	90	24	1.2	43.2
R-TE0N-9624	1040	1	96	24	1.28	46.08
R-TE0N-4230	577	1	42	30	0.7	25.2
R-TE0N-4830	611	1	48	30	0.8	28.8
R-TE0N-5430	671	1	54	30	0.9	32.4
R-TE0N-6030	699	1	60	30	1	36
R-TE0N-6630	781	1	66	30	1.1	39.6
R-TE0N-7230	798	1	72	30	1.2	43.2
R-TE0N-7830	856	1	78	30	1.3	46.8
R-TE0N-8430	915	1	84	30	1.4	50.4
R-TE0N-9030	1026	1	90	30	1.5	54
R-TE0N-9630	1096	1	96	30	1.6	57.6
R-TE0N-6036	727	1	60	36	1.2	43.2
R-TE0N-6636	812	1	66	36	1.32	47.52
R-TE0N-7236	829	1	72	36	1.44	51.84
R-TE0N-7836	886	1	78	36	1.56	56.16
R-TE0N-8436	950	1	84	36	1.68	60.48
R-TE0N-9036	1063	1	90	36	1.8	64.8
R-TE0N-9636	1136	1	96	36	1.92	69.12
R-TE0N-8442	1039	1	84	42	1.96	70.56
R-TE0N-9042	1152	1	90	42	2.1	75.6
R-TE0N-9642	1222	1	96	42	2.24	80.64
R-TE0N-8448	1128	1	84	48	2.24	80.64
R-TE0N-9048	1252	1	90	48	2.4	86.4
R-TE0N-9648	1329	1	96	48	2.56	92.16



What's Included:

1" laminate surface.


How to Specify:

Must be specified with X-base.

Options:

Diameter	24", 30", 36", 42", 48", 54", 60"
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TO0N-24	588	1	24	24	0.32	11.52
R-TO0N-30	645	1	30	30	0.5	18
R-TO0N-36	658	1	36	36	0.72	25.92
R-TO0N-42	697	1	42	42	0.98	35.28
R-TO0N-48	714	1	48	48	1.28	46.08
R-TO0N-54	817	1	54	54	1.28	52.23
R-TO0N-60	943	1	60	60	1.38	56.32



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with a X-base.

Options:

Width	24”, 30”, 36”, 42”, 48”
Depth	24”, 30”, 36”, 42”
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TQ0N-2424	588	1	24	24	0.32	11.52
R-TQ0N-3030	645	1	30	30	0.5	18
R-TQ0N-3636	658	1	36	36	0.72	25.92
R-TQ0N-4242	697	1	42	42	0.98	35.28



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with two bases.

Options:

Width	30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth	18", 24", 30", 36", 42", 48"
Worksurface Laminate	

Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TR0N-3024	307	1	30	24	0.4	14.4
R-TR0N-3624	312	1	36	24	0.48	17.28
R-TR0N-4224	375	1	42	24	0.56	20.16
R-TR0N-4824	402	1	48	24	0.64	23.04
R-TR0N-5424	491	1	54	24	0.72	25.92
R-TR0N-6024	518	1	60	24	0.8	28.8
R-TR0N-6624	573	1	66	24	0.88	31.68
R-TR0N-7224	602	1	72	24	0.96	34.56
R-TR0N-7824	659	1	78	24	1.04	37.44
R-TR0N-8424	714	1	84	24	1.12	40.32
R-TR0N-9024	817	1	90	24	1.2	43.2
R-TR0N-9624	884	1	96	24	1.28	46.08
R-TR0N-4230	421	1	42	30	0.7	25.2
R-TR0N-4830	455	1	48	30	0.8	28.8
R-TR0N-5430	514	1	54	30	0.9	32.4
R-TR0N-6030	543	1	60	30	1	36
R-TR0N-6630	625	1	66	30	1.1	39.6
R-TR0N-7230	642	1	72	30	1.2	43.2
R-TR0N-7830	699	1	78	30	1.3	46.8
R-TR0N-8430	759	1	84	30	1.4	50.4
R-TR0N-9030	868	1	90	30	1.5	54
R-TR0N-9630	939	1	96	30	1.6	57.6
R-TR0N-6036	572	1	60	36	1.2	43.2
R-TR0N-6636	654	1	66	36	1.32	47.52
R-TR0N-7236	671	1	72	36	1.44	51.84
R-TR0N-7836	728	1	78	36	1.56	56.16
R-TR0N-8436	793	1	84	36	1.68	60.48
R-TR0N-9036	908	1	90	36	1.8	64.8
R-TR0N-9636	978	1	96	36	1.92	69.12
R-TR0N-8442	882	1	84	42	1.96	70.56
R-TR0N-9042	995	1	90	42	2.1	75.6
R-TR0N-9642	1067	1	96	42	2.24	80.64
R-TR0N-8448	971	1	84	48	2.24	80.64
R-TR0N-9048	1095	1	90	48	2.4	86.4
R-TR0N-9648	1155	1	96	48	2.56	92.16



What’s Included:

1” laminate surface.

How to Specify:

Must be specified with a X-base.

Options:

Width	18", 24", 30", 36", 42", 48", 54"
Depth	18", 24", 30", 36", 42", 48", 54"
Worksurface Laminate	


Code	Price	Height (in)	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
R-TS0N-1818	365	1	18	18	0.18	6.48
R-TS0N-2424	396	1	24	24	0.32	11.52
R-TS0N-3030	427	1	30	30	0.5	18
R-TS0N-3636	469	1	36	36	0.72	25.92
R-TS0N-4242	599	1	42	42	0.98	35.28




Tables Pricebook
February 2025
Studi

Studi tables

with Power Module & Daisy Chain	80
with Power Module	82
with Grommet	84
without Grommet	86
Add ons	88
 PET Modesty	88
 Frosted Acrylic Modesty	89
 Ganging Mechanism	90
 Daisy Chain	91



Straight Corner



Radius Corner

What's Included:

Studi table with surface power module, daisy chain in feed sold separately

How to Specify:

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

Notes:

Two of the four casters on the Studi table are lockable.


Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C

Daisy chain in feed must be purchased separately. Check add ons section for details.


Options:

Width	48", 54", 60", 66", 72"
Depth	24", 30"
Laminate	laminate color
Corner	straight, radius

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
Straight Corner						
RT-TS0D-4824	2244	29.5	48	24		
RT-TS0D-4830	2247	29.5	48	30		
RT-TS0D-5424	2352	29.5	54	24		
RT-TS0D-5430	2354	29.5	54	30		
RT-TS0D-6024	2361	29.5	60	24		
RT-TS0D-6030	2365	29.5	60	30		
RT-TS0D-6624	2386	29.5	66	24		
RT-TS0D-6630	2388	29.5	66	30		
RT-TS0D-7224	2406	29.5	72	24		
RT-TS0D-7230	2408	29.5	72	30		
Radius Corner						
RT-TR0D-4824	2410	29.5	48	24		
RT-TR0D-4830	2412	29.5	48	30		
RT-TR0D-5424	2518	29.5	54	24		
RT-TR0D-5430	2521	29.5	54	30		
RT-TR0D-6024	2526	29.5	60	24		
RT-TR0D-6030	2531	29.5	60	30		
RT-TR0D-6624	2551	29.5	66	24		
RT-TR0D-6630	2554	29.5	66	30		
RT-TR0D-7224	2571	29.5	72	24		
RT-TR0D-7230	2573	29.5	72	30		



Straight Corner



Radius Corner

What’s Included:

Studi table with surface power module,

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

- Two of the four casters on the Studi table are lockable.
- Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C


Options:

Width	48", 54", 60", 66", 72"
Depth	24", 30"
Laminate	laminate color
Corner	straight, radius

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Straight Corner						
RT-TS0E-4824	1988	29.5	48	24		
RT-TS0E-4830	1990	29.5	48	30		
RT-TS0E-5424	2103	29.5	54	24		
RT-TS0E-5430	2105	29.5	54	30		
RT-TS0E-6024	2105	29.5	60	24		
RT-TS0E-6030	2110	29.5	60	30		
RT-TS0E-6624	2127	29.5	66	24		
RT-TS0E-6630	2130	29.5	66	30		
RT-TS0E-7224	2142	29.5	72	24		
RT-TS0E-7230	2144	29.5	72	30		
Radius Corner						
RT-TR0E-4824	2173	29.5	48	24		
RT-TR0E-4830	2176	29.5	48	30		
RT-TR0E-5424	2288	29.5	54	24		
RT-TR0E-5430	2291	29.5	54	30		
RT-TR0E-6024	2291	29.5	60	24		
RT-TR0E-6030	2296	29.5	60	30		
RT-TR0E-6624	2313	29.5	66	24		
RT-TR0E-6630	2315	29.5	66	30		
RT-TR0E-7224	2327	29.5	72	24		
RT-TR0E-7230	2330	29.5	72	30		



Straight Corner



Radius Corner

What’s Included:

Studi table with surface power module,

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

- Two of the four casters on the Studi table are lockable.
- When the grommet is specified, it will be centrally located along the back edge of the worksurface.


Options:

Width	48", 54", 60", 66", 72"
Depth	24", 30"
Laminate	laminate color
Corner	straight, radius
Grommet	grommet color

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Straight Corner						
RT-TS0G-4824	1501	29.5	48	24		
RT-TS0G-4830	1504	29.5	48	30		
RT-TS0G-5424	1616	29.5	54	24		
RT-TS0G-5430	1619	29.5	54	30		
RT-TS0G-6024	1619	29.5	60	24		
RT-TS0G-6030	1624	29.5	60	30		
RT-TS0G-6624	1641	29.5	66	24		
RT-TS0G-6630	1643	29.5	66	30		
RT-TS0G-7224	1655	29.5	72	24		
RT-TS0G-7230	1658	29.5	72	30		
Radius Corner						
RT-TR0G-4824	1687	29.5	48	24		
RT-TR0G-4830	1689	29.5	48	30		
RT-TR0G-5424	1802	29.5	54	24		
RT-TR0G-5430	1804	29.5	54	30		
RT-TR0G-6024	1804	29.5	60	24		
RT-TR0G-6030	1809	29.5	60	30		
RT-TR0G-6624	1826	29.5	66	24		
RT-TR0G-6630	1829	29.5	66	30		
RT-TR0G-7224	1841	29.5	72	24		
RT-TR0G-7230	1843	29.5	72	30		



Straight Corner



Radius Corner

What’s Included:

Studi table without grommet

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

Two of the four casters on the Studi table are lockable.

Options:

Width	48", 54", 60", 66", 72"
Depth	24", 30"
Laminate	laminate color
Corner	straight, radius

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Straight Corner						
RT-TS0N-4824	1449	29.5	24	48		
RT-TS0N-4830	1453	29.5	30	48		
RT-TS0N-5424	1564	29.5	24	54		
RT-TS0N-5430	1568	29.5	30	54		
RT-TS0N-6024	1568	29.5	24	60		
RT-TS0N-6030	1505	29.5	30	60		
RT-TS0N-6624	1589	29.5	24	66		
RT-TS0N-6630	1592	29.5	30	66		
RT-TS0N-7224	1604	29.5	24	72		
RT-TS0N-7230	1607	29.5	30	72		
Radius Corner						
RT-TR0N-4824	1635	29.5	24	48		
RT-TR0N-4830	1638	29.5	30	48		
RT-TR0N-5424	1750	29.5	24	54		
RT-TR0N-5430	1752	29.5	30	54		
RT-TR0N-6024	1752	29.5	24	60		
RT-TR0N-6030	1758	29.5	30	60		
RT-TR0N-6624	1774	29.5	24	66		
RT-TR0N-6630	1777	29.5	30	66		
RT-TR0N-7224	1790	29.5	24	72		
RT-TR0N-7230	1792	29.5	30	72		



PET Modesty

What’s Included:

PET modesty for Studi table


Notes:

PET modesty comes in Nori T114 finish only

Options:

Width48", 54", 60", 66", 72"

Code	Price	H	W	Weight (lb.)	Volume (ft³)
RT-MMOD-48-P	409	12	48		
RT-MMOD-54-P	429	12	54		
RT-MMOD-60-P	701	12	60		
RT-MMOD-66-P	701	12	66		
RT-MMOD-72-P	701	12	72		



Frosted Acrylic Modesty

What’s Included:


Frosted acrylic modesty for Studi table

Notes:

Options:

Width48", 54", 60", 66", 72"

Code	Price	H	W	Weight (lb.)	Volume (ft³)
RT-MMOD-48-F	858	12	48		
RT-MMOD-54-F	877	12	54		
RT-MMOD-60-F	897	12	60		
RT-MMOD-66-F	935	12	66		
RT-MMOD-72-F	974	12	72		



Ganging Mechanism

What’s Included:


Black ganging mechanism for Studi table

Notes:

The ganging mechanism fits into the pre-drilled holes on the underside of the one-touch table.

Ganging mechanisms are available in pairs.

Code	Price	W	Weight (lb.)	Volume (ft ³)
RT-AGM0	45	2		



Daisy Chain

What’s Included:

Daisy chain in feed

Notes:

Must be purchased for Studi tables with daisy chain cable in feed.

Cable is 72” long


Code	Price	Weight (lb.)	Volume (ft ³)
RT-DCS-072	308		



Tables Pricebook
July 2025
Echo

Echo tables

Super Ellipse	94
no power module	94
w power module	95
Round	96
no power module	96
w power module	97
Squircle	98
no power module	98
w power module	99



Super Ellipse table w/cross PET base, no power

What’s Included:

Table base, table top


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PE0N-362416	1610	16	36	24



Super Ellipse table w/cross PET base, w power module

What’s Included:

Table base, table top and optional power module


How to Specify:

Color of P.E.T., laminate top and power module can be specified in order cover sheet.

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PE0P-362416	2710	16	36	24



Round table w/cross PET base, no power

What’s Included:

Table base, table top


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PC0N-360016	1976	16	36	36
R-PC0N-420016	1976	16	42	42
R-PC0N-300029	1908	29	30	30
R-PC0N-360029	2007	29	36	36
R-PC0N-420029	2155	29	42	42
R-PC0N-480029	2274	29	48	48
R-PC0N-540029	2523	29	54	54
R-PC0N-600029	2803	29	60	60



Round table w/cross PET base

What’s Included:

Table base, table top and optional power module


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PC0P-360016	2954	16	36	36
R-PC0P-420016	3076	16	42	42
R-PC0P-300029	3008	16	30	30
R-PC0P-360029	3107	29	36	36
R-PC0P-420029	3255	29	42	42
R-PC0P-480029	3374	29	48	48
R-PC0P-540029	3623	29	54	54
R-PC0P-600029	3903	29	60	60



Squircle table w/cross PET base, no power

What’s Included:

Table base, table top


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PQ0N-363616	1854	16	36	36
R-PQ0N-424216	1976	16	42	42
R-PQ0N-303029	1908	29	30	30
R-PQ0N-363629	2007	29	36	36
R-PQ0N-424229	2155	29	42	42
R-PQ0N-484829	2287	29	48	48
R-PQ0N-545429	2531	29	54	54
R-PQ0N-606029	2755	29	60	60



Squircle table w/cross PET base

What’s Included:

Table base, table top and optional power module

How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

Code	Price	H	W	D
R-PQ0P-363616	2954	16	36	36
R-PQ0P-424216	3076	16	42	42
R-PQ0P-303029	3008	29	30	30
R-PQ0P-363629	3107	29	36	36
R-PQ0P-424229	3255	29	42	42
R-PQ0P-484829	3387	29	48	48
R-PQ0P-545429	3631	29	54	54
R-PQ0P-606029	3855	29	60	60