



Kubo Pricebook

January 2025

Contents

Caution	iii
Personal Tower	2
Lockers	4
w/ Standard Key Lock	4
w/ Hasp Lock	6
w/ Standard Keypad Electronic Lock	8
w/ Premium Keypad Electronic Lock	10

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer


Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



What’s Included:

One (1) personal tower

How to Specify:

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Refer to metal swatches for metal selections

Choose handle type and finish

Option shelf ledge paint finish

Notes:

42”H and 45”H come with two adjustable shelves, 50”H and 53”H come with three adjustable shelves

Interior is always white

Side panels can be removed to change handedness

Coat hook is located behind the shelves

Personal towers include lock and keys

Storm PET pad finish at the bottom of the tower

Options:


Laminate color

Handle color

Handle style

Shelf ledge color

Code	Price	H (in.)	W (in.)	Depth (in.)	Weight (kg)	Volume (m³)
U-FTP0-421224	2711	42	12	24	140.24	7
U-FTP0-421230	2717	42	12	30	175.3	8.75
U-FTP0-421824	2848	42	18	24	210.36	10.5
U-FTP0-421830	2936	42	18	30	263.05	13.13
U-FTP0-451224	2717	45	12	24	150.26	7.5
U-FTP0-451230	2807	45	12	30	187.92	9.38
U-FTP0-451824	2853	45	18	24	225.38	11.25
U-FTP0-451830	2976	45	18	30	281.74	14.06
U-FTP0-501224	2989	50	12	24	166.88	8.33
U-FTP0-501230	2995	50	12	30	208.75	10.42
U-FTP0-501824	3208	50	18	24	231.02	12.5
U-FTP0-501830	3214	50	18	30	296.32	15.63
U-FTP0-531224	2995	53	12	24	176.9	8.83
U-FTP0-531230	3085	53	12	30	221.22	11.04
U-FTP0-531824	3214	53	18	24	233.02	13.25
U-FTP0-531830	3337	53	18	30	302.3	15.63



1-cluster

2-cluster

3-cluster

What's Included:

Locker(s) with standard key lock,
Small McKay handle, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Specify handle finish. Refer to the metal finish card for details..


Choose left hand or right hand. Right hand configuration shown above.

Options:

Height:	41", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 3-cluster							Right Hand: 3-cluster						
U-K1S3-413620-L	2715	36	20	41	145	17.5	U-K1S3-413620-R	2715	36	20	41	145	17.5
U-K1S3-493620-L	2771	36	20	49	154	20.42	U-K1S3-493620-R	2771	36	20	49	154	20.42
U-K1S3-414820-L	2825	48	20	41	168	23.33	U-K1S3-414820-R	2825	48	20	41	168	23.33
U-K1S3-494820-L	2871	48	20	49	173	27.22	U-K1S3-494820-R	2871	48	20	49	173	27.22
U-K2S3-413620-L	3381	36	20	41	165	17.5	U-K2S3-413620-R	3381	36	20	41	165	17.5
U-K2S3-493620-L	3412	36	20	49	171	20.42	U-K2S3-493620-R	3412	36	20	49	171	20.42
U-K2S3-414820-L	3463	48	20	41	180	23.33	U-K2S3-414820-R	3463	48	20	41	180	23.33
U-K2S3-494820-L	3516	48	20	49	188	27.22	U-K2S3-494820-R	3516	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 1-cluster							Right Hand: 1-cluster						
U-K1S1-411220-L	1323	12	20	41	50	5.83	U-K1S1-411220-R	1323	12	20	41	50	5.83
U-K1S1-491220-L	1361	12	20	49	55	6.81	U-K1S1-491220-R	1361	12	20	49	55	6.81
U-K1S1-721220-L	1533	12	20	72	65	10	U-K1S1-721220-R	1533	12	20	72	65	10
U-K1S1-411620-L	1360	16	20	41	54	7.78	U-K1S1-411620-R	1360	16	20	41	54	7.78
U-K1S1-491620-L	1397	16	20	49	59	9.07	U-K1S1-491620-R	1397	16	20	49	59	9.07
U-K1S1-721620-L	1634	16	20	72	69	13.33	U-K1S1-721620-R	1634	16	20	72	69	13.33
U-K2S1-411220-L	1603	12	20	41	56	5.83	U-K2S1-411220-R	1603	12	20	41	56	5.83
U-K2S1-491220-L	1644	12	20	49	61	6.81	U-K2S1-491220-R	1644	12	20	49	61	6.81
U-K2S1-721220-L	1741	12	20	72	71	10	U-K2S1-721220-R	1741	12	20	72	71	10
U-K2S1-411620-L	1546	16	20	41	60	7.78	U-K2S1-411620-R	1546	16	20	41	60	7.78
U-K2S1-491620-L	1583	16	20	49	65	9.07	U-K2S1-491620-R	1583	16	20	49	65	9.07
U-K2S1-721620-L	1872	16	20	72	78	13.33	U-K2S1-721620-R	1872	16	20	72	78	13.33
U-K3S1-721220-L	2099	12	20	72	85	10	U-K3S1-721220-R	2099	12	20	72	85	10
U-K3S1-721620-L	2155	16	20	72	89	13.33	U-K3S1-721620-R	2155	16	20	72	89	13.33
Left Hand: 2-cluster							Right Hand: 2-cluster						
U-K1S2-412420-L	2022	24	20	41	92	11.67	U-K1S2-412420-R	2022	24	20	41	92	11.67
U-K1S2-492420-L	2071	24	20	49	100	13.61	U-K1S2-492420-R	2071	24	20	49	100	13.61
U-K1S2-722420-L	2594	24	20	72	110	30	U-K1S2-722420-R	2594	24	20	72	110	30
U-K1S2-413220-L	2216	32	20	41	98	15.56	U-K1S2-413220-R	2216	32	20	41	98	15.56
U-K1S2-493220-L	2258	32	20	49	108	18.15	U-K1S2-493220-R	2258	32	20	49	108	18.15
U-K1S2-723220-L	2826	32	20	72	120	26.67	U-K1S2-723220-R	2826	32	20	72	120	26.67
U-K2S2-412420-L	2510	24	20	41	101	11.67	U-K2S2-412420-R	2510	24	20	41	101	11.67
U-K2S2-492420-L	2558	24	20	49	109	13.61	U-K2S2-492420-R	2558	24	20	49	109	13.61
U-K2S2-722420-L	2941	24	20	72	129	20	U-K2S2-722420-R	2941	24	20	72	129	20
U-K2S2-413220-L	2708	32	20	41	108	15.56	U-K2S2-413220-R	2708	32	20	41	108	15.56
U-K2S2-493220-L	2750	32	20	49	118	18.15	U-K2S2-493220-R	2750	32	20	49	118	18.15
U-K2S2-723220-L	3144	32	20	72	128	26.67	U-K2S2-723220-R	3144	32	20	72	128	26.67
U-K3S2-722420-L	3324	24	20	72	133	20	U-K3S2-722420-R	3324	24	20	72	133	20
U-K3S2-723220-L	3499	32	20	72	138	26.67	U-K3S2-723220-R	3499	32	20	72	138	26.67



What's Included:

Locker(s) with hasp lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand. Right hand configuration shown above.

Notes:

Lockers have recessed top. Common top sold separately.

One fixed shelf on single tier lockers 72"H only.

No handle on lockers with hasp lock.

Padlock not included.

Options:

Height: 41", 49", 72"


Width: 12", 16", 24", 32", 36", 48"

Depth: 20"

Laminate color

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 3-cluster							Right Hand: 3-cluster						
U-K1H3-413620-L	2718	36	20	41	145	17.5	U-K1H3-413620-R	2718	36	20	41	145	17.5
U-K1H3-493620-L	2776	36	20	49	154	20.41	U-K1H3-493620-R	2776	36	20	49	154	20.41
U-K1H3-414820-L	2828	48	20	41	168	23.33	U-K1H3-414820-R	2828	48	20	41	168	23.33
U-K1H3-494820-L	2873	48	20	49	173	27.22	U-K1H3-494820-R	2873	48	20	49	173	27.22
U-K2H3-413620-L	3584	36	20	41	165	17.5	U-K2H3-413620-R	3584	36	20	41	165	17.5
U-K2H3-493620-L	3616	36	20	49	171	20.41	U-K2H3-493620-R	3616	36	20	49	171	20.41
U-K2H3-414820-L	3666	48	20	41	180	23.33	U-K2H3-414820-R	3666	48	20	41	180	23.33
U-K2H3-494820-L	3718	48	20	49	188	27.22	U-K2H3-494820-R	3718	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 1-cluster							Right Hand: 1-cluster						
U-K1H1-411220-L	1383	12	20	41	50	5.83	U-K1H1-411220-R	1383	12	20	41	50	5.83
U-K1H1-491220-L	1420	12	20	49	55	6.81	U-K1H1-491220-R	1420	12	20	49	55	6.81
U-K1H1-721220-L	1588	12	20	72	65	10	U-K1H1-721220-R	1588	12	20	72	65	10
U-K1H1-411620-L	1419	16	20	41	54	7.78	U-K1H1-411620-R	1419	16	20	41	54	7.78
U-K1H1-491620-L	1457	16	20	49	59	9.07	U-K1H1-491620-R	1457	16	20	49	59	9.07
U-K1H1-721620-L	1689	16	20	72	69	13.33	U-K1H1-721620-R	1689	16	20	72	69	13.33
U-K2H1-411220-L	1689	12	20	41	56	5.83	U-K2H1-411220-R	1689	12	20	41	56	5.83
U-K2H1-491220-L	1729	12	20	49	61	6.81	U-K2H1-491220-R	1729	12	20	49	61	6.81
U-K2H1-721220-L	1829	12	20	72	71	10	U-K2H1-721220-R	1829	12	20	72	71	10
U-K2H1-411620-L	1639	16	20	41	60	7.78	U-K2H1-411620-R	1639	16	20	41	60	7.78
U-K2H1-491620-L	1676	16	20	49	65	9.07	U-K2H1-491620-R	1676	16	20	49	65	9.07
U-K2H1-721620-L	1954	16	20	72	78	13.33	U-K2H1-721620-R	1954	16	20	72	78	13.33
U-K3H1-721220-L	2123	12	20	72	85	10	U-K3H1-721220-R	2123	12	20	72	85	10
U-K3H1-721620-L	2178	16	20	72	89	13.33	U-K3H1-721620-R	2178	16	20	72	89	13.33
Left Hand: 2-cluster							Right Hand: 2-cluster						
U-K1H2-412420-L	2261	24	20	41	92	11.67	U-K1H2-412420-R	2261	24	20	41	92	11.67
U-K1H2-492420-L	2310	24	20	49	100	13.61	U-K1H2-492420-R	2310	24	20	49	100	13.61
U-K1H2-722420-L	2819	24	20	72	110	30	U-K1H2-722420-R	2819	24	20	72	110	30
U-K1H2-413220-L	2454	32	20	41	98	15.56	U-K1H2-413220-R	2454	32	20	41	98	15.56
U-K1H2-493220-L	2495	32	20	49	108	18.15	U-K1H2-493220-R	2495	32	20	49	108	18.15
U-K1H2-723220-L	3049	32	20	72	120	26.67	U-K1H2-723220-R	3049	32	20	72	120	26.67
U-K2H2-412420-L	2721	24	20	41	101	11.67	U-K2H2-412420-R	2721	24	20	41	101	11.67
U-K2H2-492420-L	2768	24	20	49	109	13.61	U-K2H2-492420-R	2768	24	20	49	109	13.61
U-K2H2-722420-L	3148	24	20	72	129	20	U-K2H2-722420-R	3148	24	20	72	129	20
U-K2H2-413220-L	2917	32	20	41	108	15.56	U-K2H2-413220-R	2917	32	20	41	108	15.56
U-K2H2-493220-L	2959	32	20	49	118	18.15	U-K2H2-493220-R	2959	32	20	49	118	18.15
U-K2H2-723220-L	3348	32	20	72	128	26.67	U-K2H2-723220-R	3348	32	20	72	128	26.67
U-K3H2-722420-L	3592	24	20	72	133	20	U-K3H2-722420-R	3592	24	20	72	133	20
U-K3H2-723220-L	3765	32	20	72	138	26.67	U-K3H2-723220-R	3765	32	20	72	138	26.67



What's Included:

Locker(s) with standard keypad electronic lock,
Small Mckay handle, coat hook.

How to Specify:

Specify laminate for body and door.
Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.
Specify handle finish. Refer to the metal finish card for details..

Choose left hand or right hand. Right hand configuration shown above.

Options:

Height:	41", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 3-cluster							Right Hand: 3-cluster						
U-K1E3-413620-L	2874	36	20	41	145	17.5	U-K1E3-413620-R	2874	36	20	41	145	17.5
U-K1E3-493620-L	2930	36	20	49	154	20.41	U-K1E3-493620-R	2930	36	20	49	154	20.41
U-K1E3-414820-L	2985	48	20	41	168	23.33	U-K1E3-414820-R	2985	48	20	41	168	23.33
U-K1E3-494820-L	3029	48	20	49	173	27.22	U-K1E3-494820-R	3029	48	20	49	173	27.22
U-K2E3-413620-L	3819	36	20	41	165	17.5	U-K2E3-413620-R	3819	36	20	41	165	17.5
U-K2E3-493620-L	3851	36	20	49	171	20.41	U-K2E3-493620-R	3851	36	20	49	171	20.41
U-K2E3-414820-L	3902	48	20	41	180	23.33	U-K2E3-414820-R	3902	48	20	41	180	23.33
U-K2E3-494820-L	3955	48	20	49	188	27.22	U-K2E3-494820-R	3955	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 1-cluster							Right Hand: 1-cluster						
U-K1E1-411220-L	1396	12	20	41	50	5.83	U-K1E1-411220-R	1396	12	20	41	50	5.83
U-K1E1-491220-L	1505	12	20	49	55	6.81	U-K1E1-491220-R	1505	12	20	49	55	6.81
U-K1E1-721220-L	1677	12	20	72	65	10	U-K1E1-721220-R	1677	12	20	72	65	10
U-K1E1-411620-L	1503	16	20	41	54	7.78	U-K1E1-411620-R	1503	16	20	41	54	7.78
U-K1E1-491620-L	1540	16	20	49	59	9.07	U-K1E1-491620-R	1540	16	20	49	59	9.07
U-K1E1-721620-L	1778	16	20	72	69	13.33	U-K1E1-721620-R	1778	16	20	72	69	13.33
U-K2E1-411220-L	1801	12	20	41	56	5.83	U-K2E1-411220-R	1801	12	20	41	56	5.83
U-K2E1-491220-L	1841	12	20	49	61	6.81	U-K2E1-491220-R	1841	12	20	49	61	6.81
U-K2E1-721220-L	1937	12	20	72	71	10	U-K2E1-721220-R	1937	12	20	72	71	10
U-K2E1-411620-L	1743	16	20	41	60	7.78	U-K2E1-411620-R	1743	16	20	41	60	7.78
U-K2E1-491620-L	1780	16	20	49	65	9.07	U-K2E1-491620-R	1780	16	20	49	65	9.07
U-K2E1-721620-L	2068	16	20	72	78	13.33	U-K2E1-721620-R	2068	16	20	72	78	13.33
U-K3E1-721220-L	2258	12	20	72	85	10	U-K3E1-721220-R	2258	12	20	72	85	10
U-K3E1-721620-L	2314	16	20	72	89	13.33	U-K3E1-721620-R	2314	16	20	72	89	13.33
Left Hand: 2-cluster							Right Hand: 2-cluster						
U-K1E2-412420-L	2400	24	20	41	92	11.67	U-K1E2-412420-R	2400	24	20	41	92	11.67
U-K1E2-492420-L	2449	24	20	49	100	13.61	U-K1E2-492420-R	2449	24	20	49	100	13.61
U-K1E2-722420-L	2972	24	20	72	110	30	U-K1E2-722420-R	2972	24	20	72	110	30
U-K1E2-413220-L	2595	32	20	41	98	15.56	U-K1E2-413220-R	2595	32	20	41	98	15.56
U-K1E2-493220-L	2637	32	20	49	108	18.15	U-K1E2-493220-R	2637	32	20	49	108	18.15
U-K1E2-723220-L	3204	32	20	72	120	26.67	U-K1E2-723220-R	3204	32	20	72	120	26.67
U-K2E2-412420-L	2904	24	20	41	101	11.67	U-K2E2-412420-R	2904	24	20	41	101	11.67
U-K2E2-492420-L	2952	24	20	49	109	13.61	U-K2E2-492420-R	2952	24	20	49	109	13.61
U-K2E2-722420-L	3335	24	20	72	129	20	U-K2E2-722420-R	3335	24	20	72	129	20
U-K2E2-413220-L	3102	32	20	41	108	15.56	U-K2E2-413220-R	3102	32	20	41	108	15.56
U-K2E2-493220-L	3144	32	20	49	118	18.15	U-K2E2-493220-R	3144	32	20	49	118	18.15
U-K2E2-723220-L	3538	32	20	72	128	26.67	U-K2E2-723220-R	3538	32	20	72	128	26.67
U-K3E2-722420-L	3824	24	20	72	133	20	U-K3E2-722420-R	3824	24	20	72	133	20
U-K3E2-723220-L	3999	32	20	72	138	26.67	U-K3E2-723220-R	3999	32	20	72	138	26.67



What’s Included:

Locker(s) with premium keypad electronic lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand. Right hand configuration shown above.

Options:

Height:41”, 49”, 72”

Width:12”, 16”, 24”, 32”, 36”, 48”

Depth:20”

Laminate color

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 3-cluster							Right Hand: 3-cluster						
U-K1P3-413620-L	2981	36	20	41	145	17.5	U-K1P3-413620-R	2981	36	20	41	145	17.5
U-K1P3-493620-L	3038	36	20	49	154	20.42	U-K1P3-493620-R	3038	36	20	49	154	20.42
U-K1P3-414820-L	3090	48	20	41	168	23.33	U-K1P3-414820-R	3090	48	20	41	168	23.33
U-K1P3-494820-L	3136	48	20	49	173	27.22	U-K1P3-494820-R	3136	48	20	49	173	27.22
U-K2P3-413620-L	4047	36	20	41	165	17.5	U-K2P3-413620-R	4047	36	20	41	165	17.5
U-K2P3-493620-L	4079	36	20	49	171	20.42	U-K2P3-493620-R	4079	36	20	49	171	20.42
U-K2P3-414820-L	4129	48	20	41	180	23.33	U-K2P3-414820-R	4129	48	20	41	180	23.33
U-K2P3-494820-L	4182	48	20	49	188	27.22	U-K2P3-494820-R	4182	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)	Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m³)
Left Hand: 1-cluster							Right Hand: 1-cluster						
U-K1P1-411220-L	1512	12	20	41	50	5.83	U-K1P1-411220-R	1512	12	20	41	50	5.83
U-K1P1-491220-L	1550	12	20	49	55	6.81	U-K1P1-491220-R	1550	12	20	49	55	6.81
U-K1P1-721220-L	1718	12	20	72	65	10	U-K1P1-721220-R	1718	12	20	72	65	10
U-K1P1-411620-L	1549	16	20	41	54	7.78	U-K1P1-411620-R	1549	16	20	41	54	7.78
U-K1P1-491620-L	1586	16	20	49	59	9.07	U-K1P1-491620-R	1586	16	20	49	59	9.07
U-K1P1-721620-L	1818	16	20	72	69	13.33	U-K1P1-721620-R	1818	16	20	72	69	13.33
U-K2P1-411220-L	1885	12	20	41	56	5.83	U-K2P1-411220-R	1885	12	20	41	56	5.83
U-K2P1-491220-L	1926	12	20	49	61	6.81	U-K2P1-491220-R	1926	12	20	49	61	6.81
U-K2P1-721220-L	2025	12	20	72	71	10	U-K2P1-721220-R	2025	12	20	72	71	10
U-K2P1-411620-L	1835	16	20	41	60	7.78	U-K2P1-411620-R	1835	16	20	41	60	7.78
U-K2P1-491620-L	1873	16	20	49	65	9.07	U-K2P1-491620-R	1873	16	20	49	65	9.07
U-K2P1-721620-L	2151	16	20	72	78	13.33	U-K2P1-721620-R	2151	16	20	72	78	13.33
U-K3P1-721220-L	2386	12	20	72	85	10	U-K3P1-721220-R	2386	12	20	72	85	10
U-K3P1-721620-L	2440	16	20	72	89	13.33	U-K3P1-721620-R	2440	16	20	72	89	13.33
Left Hand: 2-cluster							Right Hand: 2-cluster						
U-K1P2-412420-L	2458	24	20	41	92	11.67	U-K1P2-412420-R	2458	24	20	41	92	11.67
U-K1P2-492420-L	2506	24	20	49	100	13.61	U-K1P2-492420-R	2506	24	20	49	100	13.61
U-K1P2-722420-L	3015	24	20	72	110	30	U-K1P2-722420-R	3015	24	20	72	110	30
U-K1P2-413220-L	2650	32	20	41	98	15.56	U-K1P2-413220-R	2650	32	20	41	98	15.56
U-K1P2-493220-L	2692	32	20	49	108	18.15	U-K1P2-493220-R	2692	32	20	49	108	18.15
U-K1P2-723220-L	3245	32	20	72	120	26.67	U-K1P2-723220-R	3245	32	20	72	120	26.67
U-K2P2-412420-L	3050	24	20	41	101	11.67	U-K2P2-412420-R	3050	24	20	41	101	11.67
U-K2P2-492420-L	3098	24	20	49	109	13.61	U-K2P2-492420-R	3098	24	20	49	109	13.61
U-K2P2-722420-L	3477	24	20	72	129	20	U-K2P2-722420-R	3477	24	20	72	129	20
U-K2P2-413220-L	3246	32	20	41	108	15.56	U-K2P2-413220-R	3246	32	20	41	108	15.56
U-K2P2-493220-L	3289	32	20	49	118	18.15	U-K2P2-493220-R	3289	32	20	49	118	18.15
U-K2P2-723220-L	3678	32	20	72	128	26.67	U-K2P2-723220-R	3678	32	20	72	128	26.67
U-K3P2-722420-L	4055	24	20	72	133	20	U-K3P2-722420-R	4055	24	20	72	133	20
U-K3P2-723220-L	4228	32	20	72	138	26.67	U-K3P2-723220-R	4228	32	20	72	138	26.67