



Quick Ship USA Pricebook

January 2025

Caution	5
Statement of Line	6
Panels & Glass Blade	6
Storage	6
Worksurface & Supports	7
Connections & Trims	8
Electrics	9
Accessories	10
Fabrics	11
Laminates	12
Trims	13
Application Guidelines	14
Types of Surfaces	14
Types of Surfaces	14
Gallery Panel Planning	15
Connection Types - Fillers	16
Panels	18
standard panel - monolithic - fabric	20
non-powered	20
powered capable	22
gallery - solid	24
single span middle	24
single span end /no cutout	26
double span middle	28
double span end/no cutout	30
single span end /w cutout	32
double span end /w cutout	34
frameless blade	36
glass	36
gallery	37
vertical woodgrain	37
horizontal woodgrain	48

Connections & Trims	60
full height end trim	62
partial height end trim	63
full height t filler	64
partial height t filler	65
90 degree filler-full height	66
90 degree filler- partial height	67
partial height straight filler	68
adjustable wall connector	69
gallery panel filler	70
2-way connection	71
3-way t connection	72
4-way x connection	73
standard panel mount corner bracket	74
storage support bracket	75
Worksurface & Supports	76
straight worksurface w/o grommet	78
straight worksurface w grommet	82
straight worksurface w/ wire play	84
ladder gable	88
standard panel	88
gallery panel	90
lamine gable	91
standard panel	91
gallery panel	92
freestanding	93
wrap laminate gable	94
standard panel	94
gallery panel	95
storage support bracket	96
fixed credenza support bracket	97
90 degree storage bracket	98

standard panel mounted cantilever arm	99
gallery panel mounted cantilever arm	100
flush plate	101
Storage	102
metal shelf	104
flipper cabinet	105
pedestals	106
underdesk pedestal	106
mobile	107
lateral file	108
Electrics	110
vertical wire manager	112
wire manager	113
starter harness	114
male to female extension harness	115
Chicago electrical box	116
New York junction box	117
desktop power module	118
power module	119
connector harness	120
communication kit	121
Accessories	122
keyboard tray	124
pencil drawer	125
LED tasklight	126
monitor arm	127
height adjustable base	128
straight	128
5 sided	129
task seating	130

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load


- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard


Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

Panels & Glass Blade




QL-PPF0
Standard Fabric Panel
H: 42", 50", 66", 82"
W: 24" - 60"
*66"H available up to 60"W
*82"H available up to 48"W




QL-PYSE-S1/ QL-PYSM-S1
Solid Single Gallery Panel
H: 42", 50"
W: 26" - 74"



QL-PYGE-S1/QL-PYSM-S1
Woodgrain Single Gallery Panel
H: 42", 50"
W: 26" - 56"



QL-PYSE-D1/D2/ QL-PYSM-D1/D2
Solid Double Gallery Panel
H: 42", 50"
W: 42" - 146"




QL-VG-P
Frameless Frosted Glass Standard Panel Mount
H: 8"
W: 24" - 72"




QL-PYGE-01/02/ QL-PYGM-D1/D2
Woodgrain Double Gallery Panel
H: 42", 50"
W: 42" - 110"

Storage



QL-S00M
Steel Shelf
H: 6"
W: 30" - 60"
D: 12"



QL-SPFL/ QL-SPFM
Flipper Cabinet
H: 16"
W: 30" - 60"
D: 14"



QL-FL2U
2D Underdesk Lateral
H: 28"
W: 30", 36"
D: 23", 29"



QL-FPBU
BBF Underdesk Pedestal
H: 28"
W: 16"
D: 23", 29"



QL-FPFU
FF Underdesk Pedestal
H: 28"
W: 16"
D: 23", 29"



QL-FPLO
BF Mobile Pedestal
H: 21"
W: 16"
D: 18"

Worksurface & Supports



QL-WS00
Straight Worksurface
W: 24" - 96"
D: 20", 24", 30"



QL-WS00
Straight Worksurface with Cropped Depth
W: 23" - 96"
D: 19" - 30"



QL-WS0G
Straight Worksurface with Grommets
W: 24" - 96"
D: 20", 24", 30"



QL-HOEG/ QL-HOMG
Ladder Leg
H: 25", 28"
D: 20", 24", 30"



QL-HCEG
Laminate Gable Leg
H: 25", 28"
D: 20", 24", 30"




QL-HWEG
Wrap Gable
H: 25", 28"
D: 20", 24", 30"



QL-CCAB
Cantilever
H: 8"
D: 16", 22"



QL-HCB
Corner Bracket
H: 3"
W: 4"



QL-PWW
Mending Plate
D: 4"
W: 6"



QL-HSSB
Storage Support Bracket
H: 3"
D: 1"



QL-HPGP/ QL-HPSP
Pedestal to Panel Bracket
H: 28"
W: 1", 7"


Connections & Trims




QL-HETF
Standard End Trim
H: 34", 42", 50", 66", 82"
W: 2"




QL-HETP
End Trim (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"




QL-HFTR
T Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"




QL-HFTP
T Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



QL-HFNR
90 Degree Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"



QL-HFNP
90 Degree Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



QL-HFSP
Strait Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"




QL-HW2/ QL-HW4/
QL-HW6
Wall Connector
H: 34", 42", 50", 66", 82"
W: 2", 4", 6"



QL-HYP
Gallery Panel Filler
H: 8", 16", 24", 32", 40", 48"
W: 1"



QL-HC2W-90-A
90 Degree A
Panel Connector




QL-HC2W-90-B
90 Degree B
Panel Connector




QL-HC2W-180-A
180 Degree A Panel
Connector




QL-HC2W-180-B
180 Degree B
Panel Connector



QL-HC3W-A
3 Way A Panel
Connector




QL-HC3W-B
3 Way B Panel
Connector



QL-HC3W-C
3 Way C Panel
Connector




QL-HC3W-D
3 Way D Panel
Connector



QL-HC4W-A
4 Way A Panel
Connector




QL-HC4W-B
4 Way B Panel
Connector



QL-HC4W-C
4 Way C Panel
Connector




QL-HC4W-D
4 Way D Panel
Connector



QL-HUFC-02
Top Cap
H: 2"
W: 2"


Electrics




V-EE
E-Chain Wire Manager




QL-EP-P/ QL-EP-Y
Wire Manager
3-way, 4-way, 90 degree
H: 120", 144"




QL-ES84
Starter Harness
L: 72", 168"



QL-E8FM
Male to Female Extension Harness
L: 44", 122"




Single sided




Double sided


QL-JBOX/ QL-NY84/QL-NYEJ
Junction Box, Single or Double Sided
W: 30"- 60"




V-EMW
Clamp Mount Power Module



QL-EM84
Power Module




QL-EH84
Connector Harness
L: 22"-67"




type 6
RJ45/45

Communication Kit


Accessories




V-ADP
Plastic Pencil Drawer




V-KASX
Articulating Keyboard Tray




V-ELU
Halifax LED Light 30"




V-AFMA-01
Single Monitor Arm - clamp mount



V-AFMA-01
Single Monitor Arm - grommet mount




V-AFMA-02
Double Monitor Arm - clamp mount



V-AFMA-02
Double Monitor Arm - grommet mount



R-HATB
Height Adjustable Base
W range: 40"-90"



R-HA3B
5 Sided Base
W range: 46"-84"



J-MTCB
Task Seating
H: 39.25, W: 25.25",D: 25"


Fabrics




Seaside
Grade 1 -Ballo-F5191



Nightfall
Grade 1 - Ballo - F6161



Fjord
Grade 1 - Commerce - F2181



Grey
Grade 1 - Commerce - F2161



Slate
Grade 1 - Commerce - F2141



Steel Grey
Grade 1 - Commerce - F2171



Seed
Grade 1 - Reticolo - F4121



Stockinette
Grade 1 - Zapote - F4151


Laminates



Copa_Cabana
L133/V133




Fogo_Harbour
L165/V165



White
L121/V121



Megantic
L163/V163



Moonlight
L164/V164



Sable_Island
L161/V161



Summer_Drops
L154/V154




Tofino
L162/V162




Tuxedo
L132/V132


Trims




Black
P114



Charcoal
P139



Silver
P112




White
P121


Application Guidelines

Types of Surfaces


no grommet




with grommet



wireplay




Gallery Panel Planning




Connection Types - Fillers

2-Way 90° Connection

Type A Connection




Type B Connection




2-Way 180° Connection

Type A Connection




Type B Connection




3-Way Connection


Type A Connection




Type B Connection



Type C Connection




Type D Connection




4-Way Connection


Type A Connection




Type B Connection



Type C Connection



Type D Connection






Quick Ship
USA Pricebook
January 2025
Panels

Panels

standard panel - monolithic	20
fabric	20
non powered	20
powered capable	22
gallery - solid	24
single span middle	24
single span end /no cutout	26
double span middle	28
double span end/no cutout	30
single span end /w cutout	32
double span end /w cutout	34
frameless blade	36
glass	36
gallery	37
vertical woodgrain	37
single span middle	37
double span middle	38
single span end /no cutout	40
double span end/no cutout	42
single span end /w cutout	44
double span end /w cutout	46
horizontal woodgrain	48
single span end/w cutout	48
double span end/w cutout	50
single span end /no cutout	52
double span end /no cutout	54
single span middle	56
double span middle	58



Standard Monolithic
Non-Powered Fabric Panel

What’s Included:

One (1) 2” thick fabric panel with
1” incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to [page 11](#), Fabric Page for fabric
selections

Choose White, Black, Silver, Charcoal for Panel
Frame color

Options:


Height*:	42”, 50”, 66”
Width:	24”, 30”, 36”, 42”, 48”, 54”, 60”
Fabric	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*34” high - 50” high available up to 72” wide, 66” high available up to 60” wide, 82” high available up to 48” wide

Notes:

Non-power capable panel.
Can be used in run with power-capable
panels and allows wires to pass through.
Panels are non tackable.

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PPF0-4224-N	419	42	24	2	20.16	1.17
QL-PPF0-4230-N	452	42	30	2	25.2	1.46
QL-PPF0-4236-N	486	42	36	2	30.24	1.75
QL-PPF0-4242-N	519	42	42	2	35.28	2.04
QL-PPF0-4248-N	551	42	48	2	40.32	2.33
QL-PPF0-4254-N	584	42	54	2	45.36	2.63
QL-PPF0-4260-N	617	42	60	2	50.4	2.92
QL-PPF0-5024-N	452	50	24	2	24	1.39
QL-PPF0-5030-N	502	50	30	2	30	1.74
QL-PPF0-5036-N	551	50	36	2	36	2.08
QL-PPF0-5042-N	601	50	42	2	42	2.43
QL-PPF0-5048-N	651	50	48	2	48	2.78
QL-PPF0-5054-N	701	50	54	2	54	3.13
QL-PPF0-5060-N	747	50	60	2	60	3.47
QL-PPF0-6624-N	519	66	24	2	31.68	1.83
QL-PPF0-6630-N	577	66	30	2	39.6	2.29
QL-PPF0-6636-N	627	66	36	2	47.52	2.75
QL-PPF0-6642-N	676	66	42	2	55.44	3.21
QL-PPF0-6648-N	725	66	48	2	63.36	3.67
QL-PPF0-6654-N	791	66	54	2	71.28	4.13
QL-PPF0-6660-N	856	66	60	2	79.2	4.58



Standard Monolithic
Powered Fabric Panel

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to [page 11](#), Fabric Page for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame color


Notes:

Power capable panel with bracket for power module.
Power module must be specified separately.
Panels are non tackable.

Options:

Height*:	42", 50", 66
Width:	24", 30", 36", 42", 48", 54", 60"
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PPF0-4224-E	468	42	24	2	20.16	1.17
QL-PPF0-4230-E	502	42	30	2	25.2	1.46
QL-PPF0-4236-E	534	42	36	2	30.24	1.75
QL-PPF0-4242-E	570	42	42	2	35.28	2.04
QL-PPF0-4248-E	601	42	48	2	40.32	2.33
QL-PPF0-4254-E	635	42	54	2	45.36	2.63
QL-PPF0-4260-E	665	42	60	2	50.4	2.92
QL-PPF0-5024-E	502	50	24	2	24	1.39
QL-PPF0-5030-E	551	50	30	2	30	1.74
QL-PPF0-5036-E	601	50	36	2	36	2.08
QL-PPF0-5042-E	651	50	42	2	42	2.43
QL-PPF0-5048-E	701	50	48	2	48	2.78
QL-PPF0-5054-E	747	50	54	2	54	3.13
QL-PPF0-5060-E	796	50	60	2	60	3.47
QL-PPF0-6624-E	570	66	24	2	31.68	1.83
QL-PPF0-6630-E	627	66	30	2	39.6	2.29
QL-PPF0-6636-E	676	66	36	2	47.52	2.75
QL-PPF0-6642-E	725	66	42	2	55.44	3.21
QL-PPF0-6648-E	776	66	48	2	63.36	3.67
QL-PPF0-6654-E	840	66	54	2	71.28	4.13
QL-PPF0-6660-E	903	66	60	2	79.2	4.58



Single Span Middle
Solid Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections


Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PYSM-4226-S1	328	42	26	1	21.84	0.63
QL-PYSM-4232-S1	366	42	32	1	26.88	0.78
QL-PYSM-4238-S1	402	42	38	1	31.92	0.92
QL-PYSM-4244-S1	440	42	44	1	36.96	1.07
QL-PYSM-4250-S1	478	42	50	1	42	1.22
QL-PYSM-4256-S1	510	42	56	1	47.04	1.36
QL-PYSM-4262-S1	549	42	62	1	52.08	1.51
QL-PYSM-4268-S1	586	42	68	1	57.12	1.65
QL-PYSM-4274-S1	626	42	74	1	62.16	1.80
QL-PYSM-5026-S1	363	50	26	1	26	0.75
QL-PYSM-5032-S1	403	50	32	1	32	0.93
QL-PYSM-5038-S1	445	50	38	1	38	1.10
QL-PYSM-5044-S1	492	50	44	1	44	1.27
QL-PYSM-5050-S1	533	50	50	1	50	1.45
QL-PYSM-5056-S1	578	50	56	1	56	1.62
QL-PYSM-5062-S1	622	50	62	1	62	1.79
QL-PYSM-5068-S1	661	50	68	1	68	1.97
QL-PYSM-5074-S1	707	50	74	1	74	2.14



Single Span End
Solid Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PYSE-4226-S1L	285	42	26	1	21.84	0.63
QL-PYSE-4232-S1L	322	42	32	1	26.88	0.78
QL-PYSE-4238-S1L	359	42	38	1	31.92	0.92
QL-PYSE-4244-S1L	395	42	44	1	36.96	1.07
QL-PYSE-4250-S1L	434	42	50	1	42	1.22
QL-PYSE-4256-S1L	468	42	56	1	47.04	1.36
QL-PYSE-4262-S1L	506	42	62	1	52.08	1.51
QL-PYSE-4268-S1L	544	42	68	1	57.12	1.65
QL-PYSE-4274-S1L	582	42	74	1	62.16	1.80
QL-PYSE-5026-S1L	317	50	26	1	26	0.75
QL-PYSE-5032-S1L	363	50	32	1	32	0.93
QL-PYSE-5038-S1L	403	50	38	1	38	1.10
QL-PYSE-5044-S1L	446	50	44	1	44	1.27
QL-PYSE-5050-S1L	492	50	50	1	50	1.45
QL-PYSE-5056-S1L	534	50	56	1	56	1.62
QL-PYSE-5062-S1L	578	50	62	1	62	1.79
QL-PYSE-5068-S1L	622	50	68	1	68	1.97
QL-PYSE-5074-S1L	663	50	74	1	74	2.14
right hand						
QL-PYSE-4226-S1R	285	42	26	1	21.84	0.63
QL-PYSE-4232-S1R	322	42	32	1	26.88	0.78
QL-PYSE-4238-S1R	359	42	38	1	31.92	0.92
QL-PYSE-4244-S1R	395	42	44	1	36.96	1.07
QL-PYSE-4250-S1R	434	42	50	1	42	1.22
QL-PYSE-4256-S1R	468	42	56	1	47.04	1.36
QL-PYSE-4262-S1R	506	42	62	1	52.08	1.51
QL-PYSE-4268-S1R	544	42	68	1	57.12	1.65
QL-PYSE-4274-S1R	582	42	74	1	62.16	1.80
QL-PYSE-5026-S1R	317	50	26	1	26	0.75
QL-PYSE-5032-S1R	363	50	32	1	32	0.93
QL-PYSE-5038-S1R	403	50	38	1	38	1.10
QL-PYSE-5044-S1R	446	50	44	1	44	1.27
QL-PYSE-5050-S1R	492	50	50	1	50	1.45
QL-PYSE-5056-S1R	534	50	56	1	56	1.62
QL-PYSE-5062-S1R	578	50	62	1	62	1.79
QL-PYSE-5068-S1R	622	50	68	1	68	1.97
QL-PYSE-5074-S1R	663	50	74	1	74	2.14



Double Span Middle
Solid Gallery Panel

Single piece

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 56", 62", 74", 86", 98", 110", 122", 134", 146"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYSM-4242-D1	427	42	42	1	35.28	1.02
QL-PYSM-4250-D1	478	42	50	1	42	1.22
QL-PYSM-4262-D1	549	42	62	1	52.08	1.51
QL-PYSM-4274-D1	626	42	74	1	62.16	1.80
QL-PYSM-4286-D1	698	42	86	1	72.24	2.09
QL-PYSM-5042-D1	478	50	42	1	42	1.22
QL-PYSM-5050-D1	533	50	50	1	50	1.45
QL-PYSM-5062-D1	622	50	62	1	62	1.79
QL-PYSM-5074-D1	707	50	74	1	74	2.14
QL-PYSM-5086-D1	794	50	86	1	86	2.49
2 pieces						
QL-PYSM-4298-D2	884	42	98	1	82.32	2.38
QL-PYSM-5098-D2	999	50	98	1	98	2.84
QL-PYSM-42110-D2	958	42	110	1	92.4	2.67
QL-PYSM-42122-D2	1030	42	122	1	102.48	2.97
QL-PYSM-42134-D2	1106	42	134	1	112.56	3.26
QL-PYSM-42146-D2	1181	42	146	1	122.64	3.55
QL-PYSM-50110-D2	1085	50	110	1	110	3.18
QL-PYSM-50122-D2	1172	50	122	1	122	3.53
QL-PYSM-50134-D2	1261	50	134	1	134	3.88
QL-PYSM-50146-D2	1347	50	146	1	146	4.22



Single piece

Double Span End
Solid Gallery Panel
No Power Cutout

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	42”, 50”, 56”, 62”, 74”, 86”, 98”, 110”, 122”, 134”, 146”
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYSE-4242-D1	386	42	42	1	35.28	1.02
QL-PYSE-4250-D1	434	42	50	1	42	1.22
QL-PYSE-4262-D1	506	42	62	1	52.08	1.51
QL-PYSE-4274-D1	582	42	74	1	62.16	1.80
QL-PYSE-4286-D1	654	42	86	1	72.24	2.09
QL-PYSE-5042-D1	434	50	42	1	42	1.22
QL-PYSE-5050-D1	492	50	50	1	50	1.45
QL-PYSE-5062-D1	578	50	62	1	62	1.79
QL-PYSE-5074-D1	663	50	74	1	74	2.14
QL-PYSE-5086-D1	752	50	86	1	86	2.49
2 pieces						
QL-PYSE-4298-D2	884	42	98	1	82.32	2.38
QL-PYSE-5098-D2	999	50	98	1	98	2.84
QL-PYSE-42110-D2	958	42	110	1	92.4	2.67
QL-PYSE-42122-D2	1030	42	122	1	102.48	2.97
QL-PYSE-42134-D2	1106	42	134	1	112.56	3.26
QL-PYSE-42146-D2	1181	42	146	1	122.64	3.55
QL-PYSE-50110-D2	1085	50	110	1	110	3.18
QL-PYSE-50122-D2	1172	50	122	1	122	3.53
QL-PYSE-50134-D2	1261	50	134	1	134	3.88
QL-PYSE-50146-D2	1347	50	146	1	146	4.22



Single Span End
Solid Gallery Panel
with Power Cutout

What's Included:

- One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- How to Specify:
- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out


Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, No power cut out	


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PCSE-4226-S1L	285	42	26	1	21.8	0.60
QL-PCSE-4232-S1L	322	42	32	1	26.9	0.80
QL-PCSE-4238-S1L	359	42	38	1	31.9	0.90
QL-PCSE-4244-S1L	395	42	44	1	37	1.10
QL-PCSE-4250-S1L	434	42	50	1	42	1.20
QL-PCSE-4256-S1L	468	42	56	1	47	1.40
QL-PCSE-4262-S1L	506	42	62	1	52.1	1.50
QL-PCSE-4268-S1L	544	42	68	1	57.1	1.70
QL-PCSE-4274-S1L	582	42	74	1	62.2	1.80
QL-PCSE-5026-S1L	317	50	26	1	26	0.80
QL-PCSE-5032-S1L	363	50	32	1	32	0.90
QL-PCSE-5038-S1L	403	50	38	1	38	1.10
QL-PCSE-5044-S1L	446	50	44	1	44	1.30
QL-PCSE-5050-S1L	492	50	50	1	50	1.40
QL-PCSE-5056-S1L	534	50	56	1	56	1.60
QL-PCSE-5062-S1L	578	50	62	1	62	1.80
QL-PCSE-5068-S1L	622	50	68	1	68	2.00
QL-PCSE-5074-S1L	663	50	74	1	74	2.10
right hand						
QL-PCSE-4226-S1R	285	42	26	1	21.8	0.60
QL-PCSE-4232-S1R	322	42	32	1	26.9	0.80
QL-PCSE-4238-S1R	359	42	38	1	31.9	0.90
QL-PCSE-4244-S1R	395	42	44	1	37	1.10
QL-PCSE-4250-S1R	434	42	50	1	42	1.20
QL-PCSE-4256-S1R	468	42	56	1	47	1.40
QL-PCSE-4262-S1R	506	42	62	1	52.1	1.50
QL-PCSE-4268-S1R	544	42	68	1	57.1	1.70
QL-PCSE-4274-S1R	582	42	74	1	62.2	1.80
QL-PCSE-5026-S1R	317	50	26	1	26	0.80
QL-PCSE-5032-S1R	363	50	32	1	32	0.90
QL-PCSE-5038-S1R	403	50	38	1	38	1.10
QL-PCSE-5044-S1R	446	50	44	1	44	1.30
QL-PCSE-5050-S1R	492	50	50	1	50	1.40
QL-PCSE-5056-S1R	534	50	56	1	56	1.60
QL-PCSE-5062-S1R	578	50	62	1	62	1.80
QL-PCSE-5068-S1R	622	50	68	1	68	2.00
QL-PCSE-5074-S1R	663	50	74	1	74	2.10



Single piece



2 pieces

Double Span End
Solid Gallery Panel
with Power Cutout

What’s Included:

X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height: 42”, 50”

Width: 42”, 50”, 62”, 74”, 86”, 98”, 110”, 122”, 134”, 146”

Laminate color

Power cut out, no power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PCSE-4242-D1	386	42	42	1	35.3	1.00
QL-PCSE-4250-D1	434	42	50	1	42	1.20
QL-PCSE-4262-D1	506	42	62	1	52.1	1.50
QL-PCSE-4274-D1	582	42	74	1	62.2	1.80
QL-PCSE-4286-D1	654	42	86	1	72.2	2.10
QL-PCSE-5042-D1	434	50	42	1	42	1.20
QL-PCSE-5050-D1	492	50	50	1	50	1.40
QL-PCSE-5062-D1	578	50	62	1	62	1.80
QL-PCSE-5074-D1	663	50	74	1	74	2.10
QL-PCSE-5086-D1	752	50	86	1	86	2.50
2 pieces						
QL-PCSE-4298-D2	884	42	98	1	91.1	2.60
QL-PCSE-42110-D2	958	42	110	1	99.3	2.90
QL-PCSE-42122-D2	1030	42	122	1	92.4	2.70
QL-PCSE-42134-D2	1106	42	134	1	102.5	3.00
QL-PCSE-42146-D2	1181	42	146	1	112.6	3.30
QL-PCSE-5098-D2	999	50	98	1	122.6	3.50
QL-PCSE-50110-D2	1085	50	110	1	110	3.20
QL-PCSE-50122-D2	1172	50	122	1	122	3.50
QL-PCSE-50134-D2	1261	50	134	1	134	3.90
QL-PCSE-50146-D2	1347	50	146	1	146	4.20



Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

What’s Included:

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

How to Specify:

Refer to [page 13](#), Trims Page for metal finish options

Notes:


One (1) glass piece can span the width of one or two panels up to 72”W

Glass is tempered

Options:

Height:	8”,
Width:	24”, 30”, 36”, 42”, 48”, 54”, 60”, 72”
Frosted	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Frosted						
QL-VG-P-0824-F	641	8	24	1		
QL-VG-P-0830-F	678	8	30	1		
QL-VG-P-0836-F	742	8	36	1		
QL-VG-P-0842-F	795	8	42	1		
QL-VG-P-0848-F	803	8	48	1		
QL-VG-P-0854-F	866	8	54	1		
QL-VG-P-0860-F	873	8	60	1		
QL-VG-P-0872-F	950	8	72	1		



Single Span Middle Vertical Woodgrain Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing


Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PYGM-4226-S1	328	42	26	1	21.84	0.63
QL-PYGM-4232-S1	366	42	32	1	26.88	0.78
QL-PYGM-4238-S1	402	42	38	1	31.92	0.92
QL-PYGM-4244-S1	440	42	44	1	36.96	1.07
QL-PYGM-4250-S1	478	42	50	1	42	1.22
QL-PYGM-4256-S1	510	42	56	1	47.04	1.36
QL-PYGM-5026-S1	363	50	26	1	26	0.75
QL-PYGM-5032-S1	403	50	32	1	32	0.93
QL-PYGM-5038-S1	445	50	38	1	38	1.10
QL-PYGM-5044-S1	492	50	44	1	44	1.27
QL-PYGM-5050-S1	533	50	50	1	50	1.45
QL-PYGM-5056-S1	578	50	56	1	56	1.62



Double Span Middle
Vertical Woodgrain
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	42”, 50”, 62”, 74”, 86”, 98”, 110”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYGM-4242-D1	427	42	42	1	28.56	1.02
QL-PYGM-4250-D1	478	42	50	1	42	1.22
QL-PYGM-5042-D1	478	50	42	1	28.56	1.22
QL-PYGM-5050-D1	533	50	50	1	50	1.45
2 pieces						
QL-PYGM-4262-D2	661	42	62	1	52.08	1.51
QL-PYGM-4274-D2	738	42	74	1	62.16	1.80
QL-PYGM-4286-D2	810	42	86	1	72.24	2.09
QL-PYGM-4298-D2	884	42	98	1	82.32	2.38
QL-PYGM-5062-D2	739	50	62	1	62	1.79
QL-PYGM-5074-D2	823	50	74	1	74	2.14
QL-PYGM-5086-D2	911	50	86	1	86	2.49
QL-PYGM-5098-D2	999	50	98	1	98	2.84
QL-PYGM-34110-D2	832	34	110	1	74.8	2.16
QL-PYGM-42110-D2	958	42	110	1	92.4	2.67
QL-PYGM-50110-D2	1085	50	110	1	110	3.18



Single Span End
Vertical Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PYGE-4226-S1L	285	42	26	1	21.84	0.63
QL-PYGE-4232-S1L	322	42	32	1	26.88	0.78
QL-PYGE-4238-S1L	359	42	38	1	31.92	0.92
QL-PYGE-4244-S1L	395	42	44	1	36.96	1.07
QL-PYGE-4250-S1L	434	42	50	1	42	1.22
QL-PYGE-4256-S1L	468	42	56	1	47.04	1.36
QL-PYGE-5026-S1L	317	50	26	1	26	0.75
QL-PYGE-5032-S1L	363	50	32	1	32	0.93
QL-PYGE-5038-S1L	403	50	38	1	38	1.10
QL-PYGE-5044-S1L	446	50	44	1	44	1.27
QL-PYGE-5050-S1L	492	50	50	1	50	1.45
QL-PYGE-5056-S1L	534	50	56	1	56	1.62
right hand						
QL-PYGE-4226-S1R	285	42	26	1	21.84	0.63
QL-PYGE-4232-S1R	322	42	32	1	26.88	0.78
QL-PYGE-4238-S1R	359	42	38	1	31.92	0.92
QL-PYGE-4244-S1R	395	42	44	1	36.96	1.07
QL-PYGE-4250-S1R	434	42	50	1	42	1.22
QL-PYGE-4256-S1R	468	42	56	1	47.04	1.36
QL-PYGE-5026-S1R	317	50	26	1	26	0.75
QL-PYGE-5032-S1R	363	50	32	1	32	0.93
QL-PYGE-5038-S1R	403	50	38	1	38	1.10
QL-PYGE-5044-S1R	446	50	44	1	44	1.27
QL-PYGE-5050-S1R	492	50	50	1	50	1.45
QL-PYGE-5056-S1R	534	50	56	1	56	1.62



Double Span End
Vertical Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets

X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Options:

Height: 42", 50"

Width: 42", 50", 62", 74",86", 98", 110"

Laminate color

Power cut out, no power cut out


Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYGE-4242-D1	386	42	42	1	28.56	1.02
QL-PYGE-4250-D1	434	42	50	1	42	1.22
QL-PYGE-5042-D1	434	50	42	1	28.56	1.22
QL-PYGE-5050-D1	492	50	50	1	50	1.45
2 pieces						
QL-PYGE-4262-D2	661	42	62	1	52.08	1.51
QL-PYGE-4274-D2	738	42	74	1	62.16	1.80
QL-PYGE-4286-D2	810	42	86	1	72.24	2.09
QL-PYGE-4298-D2	884	42	98	1	82.32	2.38
QL-PYGE-5062-D2	739	50	62	1	62	1.79
QL-PYGE-5074-D2	823	50	74	1	74	2.14
QL-PYGE-5086-D2	911	50	86	1	86	2.49
QL-PYGE-5098-D2	999	50	98	1	98	2.84
QL-PYGE-42110-D2	958	42	110	1	92.4	2.67
QL-PYGE-50110-D2	1085	50	110	1	110	3.18



Single Span End
Vertical Woodgrain
Gallery Panel
with Power Cutout

What's Included:

- One (1) 1"thick laminate gallery panel,
 - two (2) gallery panel top brackets
- How to Specify:
- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56"
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PCGE-4226-S1L	285	42	26	1	21.8	0.63
QL-PCGE-4232-S1L	322	42	32	1	26.9	0.78
QL-PCGE-4238-S1L	359	42	38	1	31.9	0.92
QL-PCGE-4244-S1L	395	42	44	1	37	1.07
QL-PCGE-4250-S1L	434	42	50	1	42	1.22
QL-PCGE-4256-S1L	468	42	56	1	47	1.36
QL-PCGE-5026-S1L	317	50	26	1	26	0.75
QL-PCGE-5032-S1L	363	50	32	1	32	0.93
QL-PCGE-5038-S1L	403	50	38	1	38	1.10
QL-PCGE-5044-S1L	446	50	44	1	44	1.27
QL-PCGE-5050-S1L	492	50	50	1	50	1.45
QL-PCGE-5056-S1L	534	50	56	1	56	1.62
right hand						
QL-PCGE-4226-S1R	285	42	26	1	21.8	0.63
QL-PCGE-4232-S1R	322	42	32	1	26.9	0.78
QL-PCGE-4238-S1R	359	42	38	1	31.9	0.92
QL-PCGE-4244-S1R	395	42	44	1	37	1.07
QL-PCGE-4250-S1R	434	42	50	1	42	1.22
QL-PCGE-4256-S1R	468	42	56	1	47	1.36
QL-PCGE-5026-S1R	317	50	26	1	26	0.75
QL-PCGE-5032-S1R	363	50	32	1	32	0.93
QL-PCGE-5038-S1R	403	50	38	1	38	1.10
QL-PCGE-5044-S1R	446	50	44	1	44	1.27
QL-PCGE-5050-S1R	492	50	50	1	50	1.45
QL-PCGE-5056-S1R	534	50	56	1	56	1.62



What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86",98", 110"
Laminate color	
Power cut out, no power cut out	

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PCGE-4242-D1	386	42	42	1	28.6	1.02
QL-PCGE-4250-D1	434	42	50	1	42	1.22
QL-PCGE-5042-D1	434	50	42	1	28.6	1.22
QL-PCGE-5050-D1	492	50	50	1	50	1.45
2 pieces						
QL-PCGE-4262-D2	661	42	62	1	62.2	1.80
QL-PCGE-4274-D2	738	42	74	1	72.2	2.09
QL-PCGE-4286-D2	810	42	86	1	82.3	2.38
QL-PCGE-4298-D2	884	42	98	1	62	1.79
QL-PCGE-42110-D2	958	42	110	1	74	2.14
QL-PCGE-5062-D2	739	50	62	1	86	2.49
QL-PCGE-5074-D2	823	50	74	1	98	2.84
QL-PCGE-5086-D2	911	50	86	1	74.8	2.16
QL-PCGE-5098-D2	999	50	98	1	92.4	2.67
QL-PCGE-50110-D2	1085	50	110	1	110	3.18



Single Span End Horizontal Woodgrain Gallery Panel with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing


Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PCHE-4226-S1L	285	42	26	1		
QL-PCHE-4232-S1L	322	42	32	1		
QL-PCHE-4238-S1L	359	42	38	1		
QL-PCHE-4244-S1L	395	42	44	1		
QL-PCHE-4250-S1L	434	42	50	1		
QL-PCHE-4256-S1L	468	42	56	1		
QL-PCHE-4262-S1L	506	42	62	1		
QL-PCHE-4268-S1L	544	42	68	1		
QL-PCHE-4274-S1L	582	42	74	1		
QL-PCHE-5026-S1L	317	50	26	1		
QL-PCHE-5032-S1L	363	50	32	1		
QL-PCHE-5038-S1L	403	50	38	1		
QL-PCHE-5044-S1L	446	50	44	1		
QL-PCHE-5050-S1L	492	50	50	1		
QL-PCHE-5056-S1L	534	50	56	1		
QL-PCHE-5062-S1L	578	50	62	1		
QL-PCHE-5068-S1L	622	50	68	1		
QL-PCHE-5074-S1L	663	50	74	1		
right hand						
QL-PCHE-4226-S1R	285	42	26	1		
QL-PCHE-4232-S1R	322	42	32	1		
QL-PCHE-4238-S1R	359	42	38	1		
QL-PCHE-4244-S1R	395	42	44	1		
QL-PCHE-4250-S1R	434	42	50	1		
QL-PCHE-4256-S1R	468	42	56	1		
QL-PCHE-4262-S1R	506	42	62	1		
QL-PCHE-4268-S1R	544	42	68	1		
QL-PCHE-4274-S1R	582	42	74	1		
QL-PCHE-5026-S1R	317	50	26	1		
QL-PCHE-5032-S1R	363	50	32	1		
QL-PCHE-5038-S1R	403	50	38	1		
QL-PCHE-5044-S1R	446	50	44	1		
QL-PCHE-5050-S1R	492	50	50	1		
QL-PCHE-5056-S1R	534	50	56	1		
QL-PCHE-5062-S1R	578	50	62	1		
QL-PCHE-5068-S1R	622	50	68	1		
QL-PCHE-5074-S1R	663	50	74	1		



What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	42”, 50”, 62”, 74”, 86”, 98”, 110”, 122”, 134”, 146”
Laminate color	
No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PCHE-4242-D1	386	42	42	1		
QL-PCHE-4250-D1	434	42	50	1		
QL-PCHE-4262-D1	506	42	62	1		
QL-PCHE-4274-D1	582	42	74	1		
QL-PCHE-4286-D1	654	42	86	1		
QL-PCHE-5042-D1	434	50	42	1		
QL-PCHE-5050-D1	492	50	50	1		
QL-PCHE-5062-D1	578	50	62	1		
QL-PCHE-5074-D1	663	50	74	1		
QL-PCHE-5086-D1	752	50	86	1		
2 pieces						
QL-PCHE-4298-D2	884	42	98	1		
QL-PCHE-42110-D2	958	42	110	1		
QL-PCHE-42122-D2	1030	42	122	1		
QL-PCHE-42134-D2	1106	42	134	1		
QL-PCHE-42146-D2	1181	42	146	1		
QL-PCHE-5098-D2	999	50	98	1		
QL-PCHE-50110-D2	1085	50	110	1		
QL-PCHE-50122-D2	1172	50	122	1		
QL-PCHE-50134-D2	1261	50	134	1		
QL-PCHE-50146-D2	1347	50	146	1		



Single Span End Horizontal
Woodgrain Gallery Panel
No Power Cutout

What's Included:

One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PYHE-4226-S1L	285	42	26	2		
QL-PYHE-4232-S1L	322	42	32	2		
QL-PYHE-4238-S1L	359	42	38	2		
QL-PYHE-4244-S1L	395	42	44	2		
QL-PYHE-4250-S1L	434	42	50	2		
QL-PYHE-4256-S1L	468	42	56	2		
QL-PYHE-4262-S1L	506	42	62	2		
QL-PYHE-4268-S1L	544	42	68	2		
QL-PYHE-4274-S1L	582	42	74	2		
QL-PYHE-5026-S1L	317	50	26	2		
QL-PYHE-5032-S1L	363	50	32	2		
QL-PYHE-5038-S1L	403	50	38	2		
QL-PYHE-5044-S1L	446	50	44	2		
QL-PYHE-5050-S1L	492	50	50	2		
QL-PYHE-5056-S1L	534	50	56	2		
QL-PYHE-5062-S1L	578	50	62	2		
QL-PYHE-5068-S1L	622	50	68	2		
QL-PYHE-5074-S1L	663	50	74	2		
right hand						
QL-PYHE-4226-S1R	285	42	26	2		
QL-PYHE-4232-S1R	322	42	32	2		
QL-PYHE-4238-S1R	359	42	38	2		
QL-PYHE-4244-S1R	395	42	44	2		
QL-PYHE-4250-S1R	434	42	50	2		
QL-PYHE-4256-S1R	468	42	56	2		
QL-PYHE-4262-S1R	506	42	62	2		
QL-PYHE-4268-S1R	544	42	68	2		
QL-PYHE-4274-S1R	582	42	74	2		
QL-PYHE-5026-S1R	317	50	26	2		
QL-PYHE-5032-S1R	363	50	32	2		
QL-PYHE-5038-S1R	403	50	38	2		
QL-PYHE-5044-S1R	446	50	44	2		
QL-PYHE-5050-S1R	492	50	50	2		
QL-PYHE-5056-S1R	534	50	56	2		
QL-PYHE-5062-S1R	578	50	62	2		
QL-PYHE-5068-S1R	622	50	68	2		
QL-PYHE-5074-S1R	663	50	74	2		



Single piece
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout



Two pieces
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height:42", 50"

Width:42", 50", 62", 74", 86",98", 110", 122", 134", 146"

Laminate color

Power cut out, no power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYHE-4242-D1	386	42	42	2		
QL-PYHE-4250-D1	434	42	50	2		
QL-PYHE-4262-D1	506	42	62	2		
QL-PYHE-4274-D1	582	42	74	2		
QL-PYHE-4286-D1	654	42	86	2		
QL-PYHE-5042-D1	434	50	42	2		
QL-PYHE-5050-D1	492	50	50	2		
QL-PYHE-5062-D1	578	50	62	2		
QL-PYHE-5074-D1	663	50	74	2		
QL-PYHE-5086-D1	752	50	86	2		
2 pieces						
QL-PYHE-4298-D2	884	42	98	2		
QL-PYHE-5098-D2	999	50	98	2		
QL-PYHE-42110-D2	958	42	110	2		
QL-PYHE-42122-D2	1030	42	122	2		
QL-PYHE-42134-D2	1106	42	134	2		
QL-PYHE-42146-D2	1181	42	146	2		
QL-PYHE-50110-D2	1085	50	110	2		
QL-PYHE-50122-D2	1172	50	122	2		
QL-PYHE-50134-D2	1261	50	134	2		
QL-PYHE-50146-D2	1347	50	146	2		



Single Span Middle
Horizontal Woodgrain
Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing


Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PYHM-4226-S1	328	42	26	2		
QL-PYHM-4232-S1	366	42	32	2		
QL-PYHM-4238-S1	402	42	38	2		
QL-PYHM-4244-S1	440	42	44	2		
QL-PYHM-4250-S1	478	42	50	2		
QL-PYHM-4256-S1	510	42	50	2		
QL-PYHM-4262-S1	549	42	62	2		
QL-PYHM-4268-S1	586	42	68	2		
QL-PYHM-4274-S1	626	42	74	2		
QL-PYHM-5026-S1	363	50	26	2		
QL-PYHM-5032-S1	403	50	32	2		
QL-PYHM-5038-S1	445	50	38	2		
QL-PYHM-5044-S1	492	50	44	2		
QL-PYHM-5050-S1	533	50	50	2		
QL-PYHM-5056-S1	578	50	50	2		
QL-PYHM-5062-S1	622	50	62	2		
QL-PYHM-5068-S1	661	50	68	2		
QL-PYHM-5074-S1	707	50	74	2		



Double Span Middle
Horizontal Woodgrain
Gallery Panel

What’s Included:

- X"-X": One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86",98", 110", 122", 134", 146"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
1 Piece						
QL-PYHM-4242-D1	427	42	42	2		
QL-PYHM-4250-D1	478	42	50	2		
QL-PYHM-4262-D1	549	42	62	2		
QL-PYHM-4274-D1	626	42	74	2		
QL-PYHM-4286-D1	698	42	86	2		
QL-PYHM-5042-D1	478	50	42	2		
QL-PYHM-5050-D1	533	50	50	2		
QL-PYHM-5062-D1	622	50	62	2		
QL-PYHM-5074-D1	707	50	74	2		
QL-PYHM-5086-D1	794	50	86	2		
2 Pieces						
QL-PYHM-4298-D2	884	42	98	2		
QL-PYHM-5098-D2	999	50	98	2		
QL-PYHM-42110-D2	958	42	110	2		
QL-PYHM-42122-D2	1030	42	122	2		
QL-PYHM-42134-D2	1106	42	134	2		
QL-PYHM-42146-D2	1181	42	146	2		
QL-PYHM-50110-D2	1085	50	110	2		
QL-PYHM-50122-D2	1172	50	122	2		
QL-PYHM-50134-D2	1261	50	134	2		
QL-PYHM-50146-D2	1347	50	146	2		




Quick Ship
USA Pricebook
January 2025

Connections & Trims

Connections & Trims

full height end trim	62
partial height end trim	63
full height t filler	64
partial height t filler	65
90 degree filler-full height	66
90 degree filler- partial height	67
partial height straight filler	68
adjustable wall connector	69
gallery panel filler	70
2-way connection	71
3-way t connection	72
4-way x connection	73
standard panel mount corner bracket	74
storage support bracket	75



Full Height End Trim

What’s Included:

One (1) Full Height End Trim

How to Specify:


Choose White, Black, Silver, Charcoal for Full Height End Trim Color

Notes:

Options:

Height:	42”, 50”, 66”
Width:	2”
Standard	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HETF-42	67	42	2	1	0.84	0.05
QL-HETF-50	78	50	2	1	1	0.06
QL-HETF-66	94	66	2	1	1.32	0.08



Partial Height End Trim

What’s Included:

One (1) Partial Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height End Trim Color

Notes:

Options:

Height:	8”, 16”, 24”
Width:	2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HETP-08	46	8	2	1	0.16	0.01
QL-HETP-16	51	16	2	1	0.32	0.02
QL-HETP-24	67	24	2	1	0.48	0.03



Full Height T Filler

What’s Included:

One (1) Full Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height T Filler


Notes:

Options:

Height: 42”, 50”, 66”, 82”

Width: 2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFTR-42	205	42	2	1	0.84	0.05
QL-HFTR-50	212	50	2	1	1	0.06
QL-HFTR-66	212	66	2	1	1.32	0.08



Partial Height T Filler

What’s Included:

One (1) Partial Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height T Filler

Notes:

Options:

Height: 8”, 16”, 24””

Width: 2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFTP-08	156	8	2	1	0.16	0.01
QL-HFTP-16	156	16	2	1	0.32	0.02
QL-HFTP-24	164	24	2	1	0.48	0.03



Full Height 90 Degree Filler

What’s Included:

One (1) Full Height 90 Degree Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height 90 Degree Filler

Notes:

Options:

Height:	42”, 50”, 66”
Width:	2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFNR-42	178	42	2	1	0.72	0.05
QL-HFNR-50	189	50	2	1	1	0.06
QL-HFNR-66	203	66	2	1	1.32	0.08



Partial Height 90 Degree Filler

What’s Included:

One (1)Partial Height 90 Degree Filler

How to Specify:


Choose White, Black, Silver, Charcoal for Partial Height 90 Degree Fillerr

Notes:

Options:

Height:	8”, 16”, 24”
Width:	2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFNP-08	69	8	2	1	0.16	0.01
QL-HFNP-16	120	16	2	1	0.32	0.02
QL-HFNP-24	131	24	2	1	0.48	0.03



Partial Height Straight Filler

What’s Included:

Partial Height Straight Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height Straight Filler

Notes:

Options:

Height:	8”, 16”, 24”
Width:	2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFSP-08	51	8	2	1	0.16	0.01
QL-HFSP-16	87	16	2	1	0.32	0.02
QL-HFSP-24	95	24	2	1	0.48	0.03



138




mount 4



mount 6

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
mount 2						
QL-HW2-34	148	34	2	2	1.36	0.08
QL-HW2-42	172	42	2	2	1.68	0.10
QL-HW2-50	201	50	2	2	2	0.12
QL-HW2-66	248	66	2	2	2.64	0.15
QL-HW2-82	302	82	2	2	3.2	0.18
mount 4						
QL-HW4-34	166	34	2	4	2.72	0.16
QL-HW4-42	193	42	2	4	3.36	0.19
QL-HW4-50	217	50	2	4	4	0.23
QL-HW4-66	270	66	2	4	5.28	0.31
QL-HW4-82	329	82	2	4	6.56	0.40
mount 6						
QL-HW6-34	189	34	2	6	4.08	0.24
QL-HW6-42	212	42	2	6	5.04	0.29
QL-HW6-50	238	50	2	6	6	0.35
QL-HW6-66	287	66	2	6	7.92	0.46
QL-HW6-82	353	82	2	6	9.84	0.57



Partial Height Gallery Panel Filler

What’s Included:

One (1)Partial Height Gallery Panel Filler

How to Specify:


Gallery Panel Filler matches laminate finish chosen on Gallery Panelr

Notes:

Options:

Height:	8", 16", 24", 32", 40", 48"
Width:	2"
Thickness:	1"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HYP-08	80	8	1	1	0.08	0.00
QL-HYP-16	85	16	1	1	0.16	0.01
QL-HYP-24	107	24	1	1	0.24	0.01
QL-HYP-32	131	32	1	1	0.32	0.02
QL-HYP-40	226	40	1	1	0.44	0.03
QL-HYP-48	245	48	1	1	0.56	0.04



2-Way 90 degree Connection




What’s Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

How to Specify:

Refer to [page 15](#) for connection type application guide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
2-Way Straight Connection						
QL-HC2W-180-A	22	1	2	3	0.02	0.00
QL-HC2W-180-B	19	1	2	3	0.02	0.00
2-Way 90 degree Connection						
QL-HC2W-90-A	51	1	2	3	0.02	0.00
QL-HC2W-90-B	51	1	2	3	0.02	0.00



What's Included:


One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

Notes:

How to Specify:

Refer to [page 15](#) for connection type application guide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
3 Way T Connectors						
QL-HC3W-A	89	1	2	3	0.02	0.00
QL-HC3W-B	116	1	2	3	0.02	0.00
QL-HC3W-C	85	1	2	3	0.02	0.00
QL-HC3W-D	109	1	2	3	0.02	0.00



QL-HC4W-A

QL-HC4W-B

QL-HC4W-C

QL-HC4W-D

What's Included:


One (1) type A, B, C or D 4-Way X connection bracket, accompanying screws

Notes:


How to Specify:

Refer to [page 16](#) for connection type application guide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
4 way connectors						
QL-HC4W-A	143	1	2	3	0.02	0.00
QL-HC4W-B	181	1	2	3	0.02	0.00
QL-HC4W-C	162	1	2	3	0.02	0.00
QL-HC4W-D	168	1	2	3	0.02	0.00



L-HCB
left hand shown



L-HCB1
left hand shown

What’s Included:

One (1) standard panel mounted corner bracket

How to Specify:

- Left, right
- Full depth surface, surface with 1” wire play

Notes:

- Worksurface with 1” wire play requires 1” offset bracket
- Corner bracket available in black only

Options:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HCB-P-L	8	3	4	2	0.05	0.01
QL-HCB-P-R	8	3	4	2	0.05	0.01
QL-HCB1-P-L	16	3	4	2	0.05	0.01
QL-HCB1-P-R	16	3	4	2	0.05	0.01



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface

24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Width: 1”

Code	Price	H	W	Weight (lb.)	Volume (ft³)
for gallery panel					
QL-HPGP-24	63	28	1	8.57	0.39
QL-HPGP-30	131	28	1	10.72	0.49




Quick Ship
USA Pricebook
January 2025

Worksurface & Supports

Worksurface & Supports

straight worksurface w/o grommet	78
straight worksurface w grommet	82
straight worksurface w/ wire play	84
ladder gable	88
standard panel	88
gallery panel	90
lamineate gable	91
standard panel	91
gallery panel	92
freestanding	93
wrap laminate gable	94
standard panel	94
gallery panel	95
storage support bracket	96
fixed credenza support bracket	97
90 degree storage bracket	98
standard panel mounted cantilever arm	99
gallery panel mounted cantilever arm	100
flush plate	101



Straight Worksurface without Full Depth without Grommet

What's Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface is full depth to sit flush against panel with no grommet

Options:

Width: 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96"

Depth: 20", 24", 30"

Thickness: 1"

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Worksurface without Full Depth without Grommet						
QL-WS00-2320	232	23	20	1	9.2	0.27
QL-WS00-2420	232	24	20	1	9.6	0.28
QL-WS00-2920	282	29	20	1	11.6	0.34
QL-WS00-3020	282	30	20	1	12	0.35
QL-WS00-3520	298	35	20	1	14	0.41
QL-WS00-3620	298	36	20	1	14.4	0.42
QL-WS00-4120	329	41	20	1	16.4	0.47
QL-WS00-4220	329	42	20	1	16.8	0.49
QL-WS00-4720	364	47	20	1	18.8	0.54
QL-WS00-4820	364	48	20	1	19.2	0.56
QL-WS00-5320	444	53	20	1	21.2	0.61

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-5420	444	54	20	1	21.6	0.62
QL-WS00-5920	444	59	20	1	23.6	0.68
QL-WS00-6020	444	60	20	1	24	0.69
QL-WS00-6520	502	65	20	1	26	0.75
QL-WS00-6620	502	66	20	1	26.4	0.76
QL-WS00-7120	544	71	20	1	28.4	0.82
QL-WS00-7220	544	72	20	1	28.8	0.83
QL-WS00-7620	577	76	20	1	30.4	0.88
QL-WS00-7720	577	77	20	1	30.8	0.89
QL-WS00-7820	577	78	20	1	31.2	0.90
QL-WS00-8220	627	82	20	1	32.8	0.95
QL-WS00-8320	627	83	20	1	33.2	0.96
QL-WS00-8420	627	84	20	1	33.6	0.97
QL-WS00-8820	658	88	20	1	35.2	1.02
QL-WS00-8920	658	89	20	1	35.6	1.03
QL-WS00-9020	658	90	20	1	36	1.04
QL-WS00-9420	725	94	20	1	37.6	1.09
QL-WS00-9520	725	95	20	1	38	1.10
QL-WS00-9620	725	96	20	1	38.4	1.11
QL-WS00-2324	232	23	24	1	11.04	0.32
QL-WS00-2424	232	24	24	1	11.52	0.33
QL-WS00-2924	282	29	24	1	13.92	0.40
QL-WS00-3024	282	30	24	1	14.4	0.42
QL-WS00-3524	298	35	24	1	16.8	0.49
QL-WS00-3624	298	36	24	1	17.28	0.50
QL-WS00-4124	329	41	24	1	19.68	0.57


[2 of 4] continued on next page

Worksurface continued [3 of 4]

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-4224	329	42	24	1	20.16	0.58
QL-WS00-4724	364	47	24	1	22.56	0.65
QL-WS00-4824	364	48	24	1	23.04	0.67
QL-WS00-5324	444	53	24	1	25.44	0.74
QL-WS00-5424	444	54	24	1	25.92	0.75
QL-WS00-5924	444	59	24	1	28.32	0.82
QL-WS00-6024	444	60	24	1	28.8	0.83
QL-WS00-6524	502	65	24	1	31.2	0.90
QL-WS00-6624	502	66	24	1	31.68	0.92
QL-WS00-7124	544	71	24	1	34.08	0.99
QL-WS00-7224	544	72	24	1	34.56	1.00
QL-WS00-7624	577	76	24	1	36.48	1.06
QL-WS00-7724	577	77	24	1	36.96	1.07
QL-WS00-7824	577	78	24	1	37.44	1.08
QL-WS00-8224	627	82	24	1	39.36	1.14
QL-WS00-8324	627	83	24	1	39.84	1.15
QL-WS00-8424	627	84	24	1	40.32	1.17
QL-WS00-8824	658	88	24	1	42.24	1.22
QL-WS00-8924	658	89	24	1	42.72	1.24
QL-WS00-9024	658	90	24	1	43.2	1.25
QL-WS00-9424	725	94	24	1	45.12	1.31
QL-WS00-9524	725	95	24	1	45.6	1.32
QL-WS00-9624	725	96	24	1	46.08	1.33
QL-WS00-2330	282	23	30	1	13.8	0.40
QL-WS00-2430	282	24	30	1	14.4	0.42
QL-WS00-2930	329	29	30	1	17.4	0.50

Worksurface continued [4 of 4]

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-3030	329	30	30	1	18	0.52
QL-WS00-3530	368	35	30	1	21	0.61
QL-WS00-3630	368	36	30	1	21.6	0.62
QL-WS00-4130	401	41	30	1	24.6	0.71
QL-WS00-4230	401	42	30	1	25.2	0.73
QL-WS00-4730	434	47	30	1	28.2	0.82
QL-WS00-4830	434	48	30	1	28.8	0.83
QL-WS00-5330	492	53	30	1	31.8	0.92
QL-WS00-5430	492	54	30	1	32.4	0.94
QL-WS00-5930	518	59	30	1	35.4	1.02
QL-WS00-6030	518	60	30	1	36	1.04
QL-WS00-6530	596	65	30	1	39	1.13
QL-WS00-6630	596	66	30	1	39.6	1.15
QL-WS00-7130	610	71	30	1	42.6	1.23
QL-WS00-7230	610	72	30	1	43.2	1.25
QL-WS00-7630	666	76	30	1	45.6	1.32
QL-WS00-7730	666	77	30	1	46.2	1.34
QL-WS00-7830	666	78	30	1	46.8	1.35
QL-WS00-8230	724	82	30	1	49.2	1.42
QL-WS00-8330	724	83	30	1	49.8	1.44
QL-WS00-8430	724	84	30	1	50.4	1.46
QL-WS00-8830	826	88	30	1	52.8	1.53
QL-WS00-8930	826	89	30	1	53.4	1.55
QL-WS00-9030	826	90	30	1	54	1.56
QL-WS00-9430	896	94	30	1	56.4	1.63
QL-WS00-9530	896	95	30	1	57	1.65
QL-WS00-9630	896	96	30	1	57.6	1.67



Straight Worksurface with Grommet

What’s Included:

- One (1) worksurface
- 24"-48" - One (1) grommet cover for centre grommet
- 54"-96" - Two (2) grommet covers for grommet on each end

Notes:

- 24"-48" - One (1) grommet hole in the centre of the worksurface
- 54"-96" - Two (2) grommet holes on each end of the worksurface

How to Specify:


Refer to [page 12](#), Laminate Page for laminate selections

Options:

Width:	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth:	20", 24", 30"
Thickness:	1"

Code	Price	Wipth	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS0G-2420	272	24	20	1	9.6	0.28
QL-WS0G-3020	312	30	20	1	12	0.35
QL-WS0G-3620	322	36	20	1	14.4	0.42
QL-WS0G-4220	364	42	20	1	16.8	0.49
QL-WS0G-4820	388	48	20	1	19.2	0.56
QL-WS0G-5420	492	54	20	1	21.6	0.62
QL-WS0G-6020	511	60	20	1	24	0.69
QL-WS0G-6620	572	66	20	1	26.4	0.76
QL-WS0G-7220	599	72	20	1	28.8	0.83
QL-WS0G-7820	650	78	20	1	31.2	0.90
QL-WS0G-8420	693	84	20	1	33.6	0.97
QL-WS0G-9020	796	90	20	1	36	1.04
QL-WS0G-9620	832	96	20	1	38.4	1.11

Code	Price	Wipth	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS0G-2424	272	24	24	1	11.52	0.33
QL-WS0G-3024	312	30	24	1	14.4	0.42
QL-WS0G-3624	322	36	24	1	17.28	0.50
QL-WS0G-4224	364	42	24	1	20.16	0.58
QL-WS0G-4824	388	48	24	1	23.04	0.67
QL-WS0G-5424	492	54	24	1	25.92	0.75
QL-WS0G-6024	511	60	24	1	28.8	0.83
QL-WS0G-6624	572	66	24	1	31.68	0.92
QL-WS0G-7224	599	72	24	1	34.56	1.00
QL-WS0G-7824	650	78	24	1	37.44	1.08
QL-WS0G-8424	693	84	24	1	40.32	1.17
QL-WS0G-9024	796	90	24	1	43.2	1.25
QL-WS0G-9624	832	96	24	1	46.08	1.33
QL-WS0G-2430	312	24	30	1	14.4	0.42
QL-WS0G-3030	364	30	30	1	18	0.52
QL-WS0G-3630	390	36	30	1	21.6	0.62
QL-WS0G-4230	425	42	30	1	25.2	0.73
QL-WS0G-4830	459	48	30	1	28.8	0.83
QL-WS0G-5430	511	54	30	1	32.4	0.94
QL-WS0G-6030	542	60	30	1	36	1.04
QL-WS0G-6630	617	66	30	1	39.6	1.15
QL-WS0G-7230	635	72	30	1	43.2	1.25
QL-WS0G-7830	691	78	30	1	46.8	1.35
QL-WS0G-8430	744	84	30	1	50.4	1.46
QL-WS0G-9030	883	90	30	1	54	1.56
QL-WS0G-9630	915	96	30	1	57.6	1.67



Straight Worksurface with 1" Wire Play

What's Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface sits 1" from the panel to allow for wire routing. No grommet is included with this worksurface

Options:

Width: 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96"

Depth: 19", 23", 29"

Thickness: 1"

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Worksurface with 1" Wire Play						
QL-WS00-2319	232	23	19	1	8.74	0.25
QL-WS00-2419	232	24	19	1	9.12	0.26
QL-WS00-2919	282	29	19	1	11.02	0.32
QL-WS00-3019	282	30	19	1	11.4	0.33
QL-WS00-3519	298	35	19	1	13.3	0.38
QL-WS00-3619	298	36	19	1	13.68	0.40
QL-WS00-4119	329	41	19	1	15.58	0.45
QL-WS00-4219	329	42	19	1	15.96	0.46
QL-WS00-4719	364	47	19	1	17.86	0.52
QL-WS00-4819	364	48	19	1	18.24	0.53
QL-WS00-5319	444	53	19	1	20.14	0.58
QL-WS00-5419	444	54	19	1	20.52	0.59

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-5919	444	59	19	1	22.42	0.65
QL-WS00-6019	444	60	19	1	22.8	0.66
QL-WS00-6519	502	65	19	1	24.7	0.71
QL-WS00-6619	502	66	19	1	25.08	0.73
QL-WS00-7119	544	71	19	1	26.98	0.78
QL-WS00-7219	544	72	19	1	27.36	0.79
QL-WS00-7619	577	76	19	1	28.88	0.84
QL-WS00-7719	577	77	19	1	29.26	0.85
QL-WS00-7819	577	78	19	1	29.64	0.86
QL-WS00-8219	627	82	19	1	31.16	0.90
QL-WS00-8319	627	83	19	1	31.54	0.91
QL-WS00-8419	627	84	19	1	31.92	0.92
QL-WS00-8819	658	88	19	1	33.44	0.97
QL-WS00-8919	658	89	19	1	33.82	0.98
QL-WS00-9019	658	90	19	1	34.2	0.99
QL-WS00-9419	725	94	19	1	35.72	1.03
QL-WS00-9519	725	95	19	1	36.1	1.04
QL-WS00-9619	725	96	19	1	36.48	1.06
QL-WS00-2323	232	23	23	1	10.58	0.31
QL-WS00-2423	232	24	23	1	11.04	0.32
QL-WS00-2923	282	29	23	1	13.34	0.39
QL-WS00-3023	282	30	23	1	13.8	0.40
QL-WS00-3523	298	35	23	1	16.1	0.47
QL-WS00-3623	298	36	23	1	16.56	0.48
QL-WS00-4123	329	41	23	1	18.86	0.55
QL-WS00-4223	329	42	23	1	19.32	0.56
QL-WS00-4723	364	47	23	1	21.62	0.63


[2 of 4] continued on next page

Worksurface continued [3 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-4823	364	48	23	1	22.08	0.64
QL-WS00-5323	444	53	23	1	24.38	0.71
QL-WS00-5423	444	54	23	1	24.84	0.72
QL-WS00-5923	444	59	23	1	27.14	0.79
QL-WS00-6023	444	60	23	1	27.6	0.80
QL-WS00-6523	502	65	23	1	29.9	0.87
QL-WS00-6623	502	66	23	1	30.36	0.88
QL-WS00-7123	544	71	23	1	32.66	0.95
QL-WS00-7223	544	72	23	1	33.12	0.96
QL-WS00-7623	577	76	23	1	34.96	1.01
QL-WS00-7723	577	77	23	1	35.42	1.02
QL-WS00-7823	577	78	23	1	35.88	1.04
QL-WS00-8223	627	82	23	1	37.72	1.09
QL-WS00-8323	627	83	23	1	38.18	1.10
QL-WS00-8423	627	84	23	1	38.64	1.12
QL-WS00-8823	658	88	23	1	40.48	1.17
QL-WS00-8923	658	89	23	1	40.94	1.18
QL-WS00-9023	658	90	23	1	41.4	1.20
QL-WS00-9423	725	94	23	1	43.24	1.25
QL-WS00-9523	725	95	23	1	43.7	1.26
QL-WS00-9623	725	96	23	1	44.16	1.28
QL-WS00-2329	282	23	29	1	13.34	0.39
QL-WS00-2429	282	24	29	1	13.92	0.40
QL-WS00-2929	329	29	29	1	16.82	0.49
QL-WS00-3029	329	30	29	1	17.4	0.50
QL-WS00-3529	368	35	29	1	20.3	0.59
QL-WS00-3629	368	36	29	1	20.88	0.60
QL-WS00-4129	401	41	29	1	23.78	0.69

Worksurface continued [4 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-4229	401	42	29	1	24.36	0.70
QL-WS00-4729	434	47	29	1	27.26	0.79
QL-WS00-4829	434	48	29	1	27.84	0.81
QL-WS00-5329	492	53	29	1	30.74	0.89
QL-WS00-5429	492	54	29	1	31.32	0.91
QL-WS00-5929	518	59	29	1	34.22	0.99
QL-WS00-6029	518	60	29	1	34.8	1.01
QL-WS00-6529	596	65	29	1	37.7	1.09
QL-WS00-6629	596	66	29	1	38.28	1.11
QL-WS00-7129	610	71	29	1	41.18	1.19
QL-WS00-7229	610	72	29	1	41.76	1.21
QL-WS00-7629	666	76	29	1	44.08	1.28
QL-WS00-7729	666	77	29	1	44.66	1.29
QL-WS00-7829	666	78	29	1	45.24	1.31
QL-WS00-8229	724	82	29	1	47.56	1.38
QL-WS00-8329	724	83	29	1	48.14	1.39
QL-WS00-8429	724	84	29	1	48.72	1.41
QL-WS00-8829	826	88	29	1	51.04	1.48
QL-WS00-8929	826	89	29	1	51.62	1.49
QL-WS00-9029	826	90	29	1	52.2	1.51
QL-WS00-9429	896	94	29	1	54.52	1.58
QL-WS00-9529	896	95	29	1	55.1	1.59
QL-WS00-9629	896	96	29	1	55.68	1.61



Standard Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable color

Notes:


Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Mid gable is used at the surface joint

Options:

Height:	28"
Depth:	20", 24", 30"
Ladder Gable Paint Color:	Silver, White, Black, Charcoal
End gable:	(Left hand, right hand) or mid gable

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HOEG-P-2820-L	369	25	20	2	10	0.58
QL-HOEG-P-2824-L	377	28	24	2	13.44	0.78
QL-HOEG-P-2830-L	392	28	30	2	16.8	0.97
Right hand						
QL-HOEG-P-2820-R	369	28	20	2	11.2	0.65
QL-HOEG-P-2824-R	377	28	24	2	13.44	0.78
QL-HOEG-P-2830-R	392	28	30	2	16.8	0.97
Mid						
QL-HOMG-P-2820	369	28	20	2	11.2	0.65
QL-HOMG-P-2824	377	28	24	2	13.44	0.78
QL-HOMG-P-2830	392	28	30	2	16.8	0.97



Gallery Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable color

Options:


Height:	28”
Width:	20”, 24”, 30”
Ladder Gable Paint Color:: Silver, White, Black, Charcoal	
End gable:	(Left hand, right hand) or mid gable

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Mid gable is used at the surface joint

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HOEG-P-2820-L	369	25	20	2	10	0.58
QL-HOEG-P-2824-L	377	28	24	2	13.44	0.78
QL-HOEG-P-2830-L	392	28	30	2	16.8	0.97
Right hand						
QL-HOEG-P-2820-R	369	28	20	2	11.2	0.65
QL-HOEG-P-2824-R	377	28	24	2	13.44	0.78
QL-HOEG-P-2830-R	392	28	30	2	16.8	0.97
Mid						
QL-HOMG-P-2820	369	28	20	2	11.2	0.65
QL-HOMG-P-2824	377	28	24	2	13.44	0.78
QL-HOMG-P-2830	392	28	30	2	16.8	0.97



Standard Panel Laminate Gable

What’s Included:

One (1) laminate gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#), Laminate Page for laminate selectionsEnd gable (Left hand, right hand)


Options:

Height:	, 28”
Width:	20”, 24”, 30”

Notes:

Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HCEG-P-2812-L	220	28	12	2	10	0.39
QL-HCEG-P-2820-L	249	28	20	2	11.2	0.65
QL-HCEG-P-2824-L	270	28	24	2	13.44	0.78
QL-HCEG-P-2830-L	295	28	30	2	16.8	0.97
Right hand						
QL-HCEG-P-2812-R	220	28	12	2	10	0.39
QL-HCEG-P-2820-R	249	28	20	2	11.2	0.65
QL-HCEG-P-2824-R	270	28	24	2	13.44	0.78
QL-HCEG-P-2830-R	295	28	30	2	16.8	0.97



Gallery Panel
Laminate Gable

What’s Included:

One (1) laminate gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),
Laminate Page for laminate selectionsEnd gable (Left hand, right hand)


Options:

Height:	28”
Width:	20”, 24”, 30”

Notes:

Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HCEG-Y-2812-L	212	28	12	2	11.2	0.39
QL-HCEG-Y-2820-L	243	28	20	2	11.2	0.65
QL-HCEG-Y-2824-L	260	28	24	2	13.44	0.78
QL-HCEG-Y-2830-L	286	28	30	2	16.8	0.97
Right hand						
QL-HCEG-Y-2812-R	212	28	12	2	11.2	0.39
QL-HCEG-Y-2820-R	243	28	20	2	11.2	0.65
QL-HCEG-Y-2824-R	260	28	24	2	13.44	0.78
QL-HCEG-Y-2830-R	286	28	30	2	16.8	0.97



Freestanding Laminate Gable

What’s Included:

One (1) laminate gable, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),
Laminate Page for laminate selections

Notes:


Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Height:	28”
Width:	20”, 24”, 30”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HCEG-S-2820	260	28	20	2	11.2	0.65
QL-HCEG-S-2824	282	28	24	2	13.44	0.78
QL-HCEG-S-2830	307	28	30	2	16.8	0.97



What’s Included:

One (1) wrap gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#).
Laminate Page for laminate selectionsEnd gable (Left hand, right hand)

Options:	
Heights*:	28”
Width:	20”, 24”, 30”
*25” high to be used to Tech Drop surface	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HWEG-P-2820-L	419	28	20	2	11.2	0.65
QL-HWEG-P-2824-L	434	28	24	2	13.44	0.78
QL-HWEG-P-2830-L	481	28	30	2	16.8	0.97
Right hand						
QL-HWEG-P-2820-R	419	28	20	2	11.2	0.65
QL-HWEG-P-2824-R	434	28	24	2	13.44	0.78
QL-HWEG-P-2830-R	481	28	30	2	16.8	0.97



What’s Included:

One (1) wrap gable, one (1) gallery panel mount bracket, (1) surface to gable connector


How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal


Laminate Gable Laminate Color: Refer to [page 12](#).
Laminate Page for laminate selectionsEnd gable (Left hand, right hand)

Options:	
Height*:	28”
Width:	20”, 24”, 30”
*25” high to be used to Tech Drop surface	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HWEG-Y-2820-L	419	28	20	2	11.2	0.65
QL-HWEG-Y-2824-L	434	28	24	2	13.44	0.78
QL-HWEG-Y-2830-L	482	28	30	2	16.8	0.97
Right hand						
QL-HWEG-Y-2820-R	419	28	20	2	11.2	0.65
QL-HWEG-Y-2824-R	434	28	24	2	13.44	0.78
QL-HWEG-Y-2830-R	482	28	30	2	16.8	0.97



for standard panel



for gallery panel

What's Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface


24" bracket is used to close 1" gap between storage and panel

30" bracket is used to close 7" gap between storage and panel

Options:

Depth: 24", 30"

Code	Price	H	W	Depth	Weight (lb.)	Volume (ft³)
for standard panel - left hand						
QL-HPSP-24-L	50	28	1	24	8.57	0.39
QL-HPSP-24-R	50	28	1	24	8.57	0.39
for standard panel -right hand						
QL-HPSP-30-L	93	28	1	30	10.71	0.49
QL-HPSP-30-R	93	28	1	30	10.71	0.49
for gallery panel						
QL-HPGP-24	63	28	1	24	8.57	0.39
QL-HPGP-30	131	28	1	30	10.72	0.49



What's Included:

One (1) 90 degree bracket

How to Specify:

Flush Plate Paint Color: Silver, White, Black, Charcoal

Notes:


Options:

Height: 6.4"

Width: 7"

Depth: 4"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HCFM6	181	6.4	7	4	6	0.06



What's Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:


90 degree bracket is used to connect a worksurface to a gallery panel

24" deep surface: two (2) brackets
30" deep surface: three (3) brackets

Options:

Width: 3"

Code	Price	Specifications	Weight (lb.)	Volume (ft³)
QL-HSSB	3	3", 6 Holes	0.5	0.09
QL-HSSB-24	8	3", 6 Holes	2.19	0.09
QL-HSSB-30	14	3", 6 Holes	3	0.09



Standard Panel Mounted
Cantilever Arm

What's Included:

One (1) standard panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only

Options:

Width::16", 22"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
QL-CCAB-P-16	63	8	16	2	2.56	0.15
QL-CCAB-P-22	70	8	22	2	3.52	0.21
left hand						
QL-CCAB-P-16-L	63	8	16	2	1.92	0.11
QL-CCAB-P-22-L	70	8	22	2	2.64	0.15
right hand						
QL-CCAB-P-16-R	63	8	16	2	1.92	0.11
QL-CCAB-P-22-R	70	8	22	2	2.64	0.15



Gallery Panel Mounted Cantilever Arm

What’s Included:

One (1) gallery panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only

Options:

Depth: 16”, 22”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
QL-CCAB-Y-16	63	8	16	2	2.56	0.15
QL-CCAB-Y-22	70	8	22	2	3.52	0.21
left hand						
QL-CCAB-Y-16-L	63	8	16	2	1.92	0.11
QL-CCAB-Y-22-L	70	8	22	2	2.64	0.15
right hand						
QL-CCAB-Y-16-R	63	8	16	2	1.92	0.11
QL-CCAB-Y-22-R	70	8	22	2	2.64	0.15



What’s Included:

One (1) flush plate

How to Specify:

Flush Plate Paint Color: Silver, White, Black, Charcoal

Notes:

Flush plate is used at surface joint to connect two surfaces together

Options:

Width: 5.5”

Depth: 3”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PWW	44	3	5.5	0	1	0.00




Quick Ship
USA Pricebook
January 2025

Storage

Storage

metal shelf	104
flipper cabinet	105
pedestals	106
underdesk pedestal	106
mobile	107
lateral file	108



What’s Included:

One (1) metal shelf

How to Specify:


Choose white, black, silver, charcoal for metal shelf

Notes:

Options:

Height:	6”
Width:	30”, 36”, 42”, 48”, 54”, 60”
Depth:	12”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-SOOM-1230	335	2	30	12	14.4	0.42
QL-SOOM-1236	353	2	36	12	17.28	0.50
QL-SOOM-1242	367	2	42	12	20.16	0.58
QL-SOOM-1248	379	2	48	12	23.04	0.67
QL-SOOM-1254	394	2	54	12	25.92	0.75
QL-SOOM-1260	409	2	60	12	28.8	0.83



What’s Included:

One (1) laminate flipper cabinet

How to Specify:

Choose laminate face

Notes:

Locks can be keyed alike or random
Flipper cabinet slides are easy-down
pneumatic


Refer to [page 12](#), Laminate Page for laminate selections

Options:


Height*:	16”
Width:	30”, 36”, 42”, 48”, 54”, 60”
Depth**:	15”

* Internal cabinet height is 13”
** Internal cabinet depth is 13”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
laminate face w/pneumatic slides						
QL-SPFL-1530-P	626	16	30	15	32.727273	4.17
QL-SPFL-1536-P	630	16	36	15	39.272727	5.00
QL-SPFL-1542-P	653	16	42	15	45.818182	5.83
QL-SPFL-1548-P	659	16	48	15	52.363636	6.67
QL-SPFL-1554-P	684	16	54	15	58.909091	7.50
QL-SPFL-1560-P	691	16	60	15	65.46	8.33



box/box/file



file/file

What’s Included:

One (1) box/box/file or
one (1) file/file underdesk pedestal

How to Specify:

Pedestal type: box/box/file, file/file

Notes:

Pedestal brackets must be
ordered seperately

Locks can be keyed alike or
random


Options:

Height: 28”

Width: 16”

Depth: 23”, 29”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/box/file						
QL-FPBU-281623	930	28	16	23	64.4	5.96
QL-FPBU-281629	961	28	16	29	81.2	7.52
file/file						
QL-FPFU-281623	861	28	16	23	64.4	5.96
QL-FPFU-281629	897	28	16	29	81.2	7.52



box/ file/no cushion

What’s Included:

One (1) box/file mobile pedestal or one (1) box/file mobile
pedestal with cushion, five (5) lockable casters

How to Specify:

Choose handle type and finish

Choose depth

Choose silver or white for caster finish

Notes:

Locks can be keyed alike or
random


Options:

Height: 21” without cushion

Width: 16”

Depth: 18”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/file/no cushion						
QL-FPL0-211618	948	21	16	18	43.2	3.50



Lateral Underdesk File

What’s Included:

One (1) two drawer underdesk lateral filing cabinet, each drawer is equipped with (2) bars for front to back filing

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose handle type and finish

Choose depth

Notes:

Lateral brackets must be ordered seperately

Locks can be keyed alike or random

Options:

Height: 28”

Width: 30”, 36”

Depth: 23”, 29”


Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
underdesk 2 Drawer						
QL-FL2U-283023	1183	28	30	23	107.33	11.18
QL-FL2U-283029	1218	28	30	29	135.33	14.10
QL-FL2U-283623	1277	28	36	23	128.8	13.42
QL-FL2U-283629	1313	28	36	29	162.4	16.92



Quick Ship
USA Pricebook
January 2025
Electrics

Electrics

vertical wire manager	112
wire manager	113
starter harness	114
male to female extension harness	115
Chicago electrical box	116
New York junction box	117
desktop power module	118
power module	119
connector harness	120
communication kit	121



E-Chain Wire Manager

Notes:

E-Chain is available in black only


Code	Price	H	W	D	Volume (ft³)	Weight (lb)
e-chain wire manager						
V-EE-28	308	28			1.00	1



for 3 way connection(3W)



for 4 way connection(4W)



For 90 Degree Connection (N)

What’s Included:

One (1) power pole, chosen mounting hardware

How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

90 degree, 3-way T and 4-way X must be used with same height conneting panels

Use gallery panel mount type at the end of a run


Options:

Connector type height: 120”

Gallery panel height: 144”

Notes:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
standard panel						
QL-EP-P-120-3W	492	120	2	2	2	0.28
QL-EP-P-120-4W	492	120	2	2	2	0.28
QL-EP-P-120-N	492	120	2	2	2	0.28
gallery panel						
QL-EP-Y-144	608	144	2	2	2	0.33



What’s Included:

One (1) open wire starter harness

How to Specify:

- Available in grey only
- Single sided, double sided


Notes:

- Switch electrical system is rated for 20 amps
- Tayco recommends up to 8 workstations hardwired to one power source

Options:

Length: 72", 168"

Code	Price	L	D	Weight (lb.)	Volume (ft³)
QL-ES84-072-0	329	72	0.75	3	0.4
QL-ES84-168-0	414	168	0.75	5	0.5



What’s Included:

One (1) male to female extension harness

How to Specify:

- Available in grey only
- Single sided, double sided


Notes:

Male to female extension harness is used to extend length of the starter harness


Options:

Length: 44", 122"

Code	Price	Length	D	Weight (lb.)
QL-E8FM-044	213	44	0.75	0
QL-E8FM-122	369	122	0.75	1



Single sided



Double sided

What’s Included:

Single Sided: One (1) electrical box with two (2) ac outlets and one (1) panel raceway

Double Sided: Two (2) single sided electrical boxes each with two (2) ac outlets and two (2) panel raceways

How to Specify:

Select corresponding size to match the panel width


Options:

Width: 30”, 36”, 42”, 48”, 54”, 60”, 72”

Notes:

Junction box is located on the left hand side of the panel

Code	Price	Width	Weight (lb.)
Single Sided			
QL-JB0X-30-S	350	30	
QL-JB0X-36-S	350	36	
QL-JB0X-42-S	350	42	
QL-JB0X-48-S	350	48	
QL-JB0X-54-S	350	54	
QL-JB0X-60-S	350	60	
Double Sided			
QL-JB0X-30-D	697	30	
QL-JB0X-36-D	697	36	
QL-JB0X-42-D	697	42	
QL-JB0X-48-D	697	48	
QL-JB0X-54-D	697	54	
QL-JB0X-60-D	697	60	



What’s Included:

Panels 24”, 30”, 36” wide: One (1) New York junction box

Panels 42” or wider: One (1) New York junction box with single or double power module

How to Specify:

Panels 24”, 30”, 36” wide: Specify junction box without power module. Power module and starter harness must be specified speratley

Panels 42” or wider: Specify single or double power module with junction box

Options:


Junction Box width: 9”

Junction Box with power module width: 18”

Notes:


Male to female extension harness is used to extend length of the starter harness

Code	Price	Length	D	Weight (lb.)
QL-NY84-004-D	744			
QL-NY84-004-S	607			
QL-NYEJ-84	211			



clamp mount desktop power module equipped with:
two AC outlets,
one USB A and
one USB C charging ports, and
one (1) three prong cord

Code	Price	H	W	D	Volume	Weight
clamp mount desktop power module (2 AC outlets and 1 ea USB A & C ports)						
V-EMW-2AC	191	6	4	3	1.00	0.04



What's Included:

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

How to Specify:

- Available in grey only
- Single sided, double sided


Notes:

- Power modules are installed in the center cut out power capable panels only
- Double sided power module has four (4) ac outlets on each side
- Refer to Switch electrical specification guide for more information

Options:

Width: 8"

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
single sided						
QL-EM84-S	222	3	6	3	1.7	0.03
double sided						
QL-EM84-D	354	3	6	3	2	0.03



What's Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided

Options:


Length: 22"-67" in 3" increments

Notes:

Connector harness is used to connect two power modules together

Refer to installation guide for connector harness length calculation

Code	Price	Length	D	Weight (lb.)	Volume (ft³)
QL-EH84-22	167	22	0.75	1	0.2
QL-EH84-25	172	25	0.75	1	0.2
QL-EH84-28	178	28	0.75	1	0.2
QL-EH84-31	184	31	0.75	1	0.2
QL-EH84-34	191	34	0.75	1	0.2
QL-EH84-37	196	37	0.75	1	0.2
QL-EH84-40	205	40	0.75	1	0.2
QL-EH84-43	210	43	0.75	1	0.2
QL-EH84-46	213	46	0.75	1	0.2
QL-EH84-49	219	49	0.75	2	0.2
QL-EH84-52	225	52	0.75	2	0.2
QL-EH84-55	235	55	0.75	2	0.2
QL-EH84-58	238	58	0.75	2	0.2
QL-EH84-61	245	61	0.75	2	0.2
QL-EH84-64	249	64	0.75	2	0.2
QL-EH84-67	258	67	0.75	2	0.2



type 6
RJ45/45

What's Included:

One (1) data plate with three (3) openings and chosen combination of RJ45

How to Specify:

Specify RJ45 for data connection

Notes:

Data is placed on the right hand side of the cutout in the panel raceway

Options:

Panel cutout width: 2 3/4"

Panel cutout height: 1 3/8"


Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
type 6						
QL-ECK6	160	2	4	1	0.24	0



Quick Ship
USA Pricebook
January 2025
Accessories

Accessories

keyboard tray	124
pencil drawer	125
LED tasklight	126
monitor arm	127
height adjustable base	128
straight	128
5 sided	129
task seating	130



Articulating Keyboard Tray

What’s Included:

Keyboard Tray, installation hardware.


How to Specify:

The articulating keyboard is available only in black.

Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments

Code	Price	H	W	D	Volume (ft³)	Weight (lb)
Articulating Keyboard Tray						
V-KASX-2510	421	0	25	10	0.00	15



Plastic Pencil Drawer

What’s Included:

One (1) pencil tray

How to Specify:

Available in black only

Notes:


Available in black only

Dimensions:

Width: 24"

Depth: 16"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
V-ADPP	92	2.8	21	16	2	0.62



Halifax LED Light 30"(1) with transformer, Wire manager, Mounting Plate and hardware

Halifax LED Light 30"(2) with transformer, Wire manager, Mounting Plate and hardware

What’s Included:

- LED Tasklight
- Transformer
- Mounting Plate
- Mounting Hardware

Notes:

7284 consists of two 30” lights
Hardware includes screws for wood overhead and magnets for metal overheads


How to Specify:

3666 fits under overheads between 36”-66”W
7284 fits under overheads between 72”-84”W


Options:

Available in Silver only


Code	Price
LED Tasklight	
V-ELU-3666	441
V-ELU-7284	817




Single Monitor Arm - clamp mount



Single Monitor Arm - grommet mount



Double Monitor Arm - clamp mount



Double Monitor Arm - grommet mount

What’s Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- Specify type

Notes:

Available in silver only
Single Monitor Arm

- Screen Size - 17”-36”
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees


Dual Monitor Arm

- Screen Size - 17”-32”
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees

Dimensions:

Vesa: 75x75 and 100x100

Code	Price
Monitor Arm - Single Mount	
V-AFMA-01	391
Monitor Arm - Double Mount	
V-AFMA-02	652



height adjustable base

What’s Included:

Set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground.


Load capacity of 275lb with worksurface.

Options:

Leg color silver white black

straight - base

Code	Price	W Range (in)	D(in)	Weight (lb)	Volume (ft³)
R-HATB-S-G3	1533	40”-72”	24	88	2.80
R-HATB-L-G3	1569	76”-90”	24	90	2.86



5 sided base

What’s Included:

Set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Pinch points are taken into account in all of the Integrated tables.

Notes:

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground.

Load capacity of 330lb with worksurface.

Options:

Leg color silver white black

5 sided base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	3093	46”-72”	24	146	4.22
R-HA3B-L-G3	3127	58”-84”	24	148	4.27



Dimensions:

- Overall height: 39.25"
- Overall width adj. arm: 25.25"
- Overall width fixed arm: 25"
- Overall depth: 25"

Notes:

- Advanced mesh distributes excellent support while being soft and warm to the touch and offers unimpeded airflow for maximum comfort.
- Height adjustable arm with 3 directional movements.
- J1 casters are suitable for hard surfaces and carpet flooring.
- Adjustable lumbar support is built into the frame offering comfort and support with clean lines.
- Streamlined, premium control with side tension allows for consistent and balanced support throughout its ride.
- Frame is available in black finish with 701M black mesh.

Options:

finish color	B black finish with 701M black mesh
arms	AL adjustable arms
seat slider	O no seat slider
seat fabric	701A black
packaging	Unassembled

Black Finish Frame - Fixed Arms

	Code	Price	Volume (ft³)	Weight (lb)
J1 Fabric	J-MTCB-AL0-A	946	7.00	45