



Switch USA Pricebook

June 2025

Contents


Statement of Line	vi
Space Division	vi
Workspace & Supports	viii
Connections & Trims	x
Storage	xi
Electrics	xii
Accessories	xii
Segment Types	xiii
Caution	xiv
Application Guidelines	xv
Types of Surfaces	xv
Gallery Panel Planning	xvi
Connection Types - Panel Doors	xvii
Connection Types - Sliding Doors	xviii
Connection Types - Fillers	xix
Wire Play Planning	xxi
Panels	3
Standard Panel - Monolithic	4
Non Powered Capable	4
Powered Capable	8
Standard - Glazed	12
Non Powered	12
Powered	28
Elevated - Monolithic	44
Elevated - Glazed	48
Gallery - Woodgrain	64
Horizontal Grain	64
Vertical Grain	76
Gallery - Solid	88
Frameless Blade	100
Standard & Elevated Panel Mounted Glass	100
Standard & Elevated Panel Mounted Acrylic	102
Gallery Panel Mounted Glass	104
Gallery Panel Mounted Acrylic	106

Panel Mounted Add Ons	108
Whiteboard	108
Tackboard	109
Doors	110
Hinged	110
Sliding	112
Connections & Trims	117
2-Way Connection	118
3-Way T Connection	119
4-Way X Connection	120
Top Cap	121
Full Height End Trim	122
Partial Height End Trim	123
Full Height T Filler	124
Partial Height T Filler	125
90 Degree Filler-Full Height	126
90 Degree Filler- Partial Height	127
Straight Filler	128
Gallery Panel Filler	129
Adjustable Connections and Trims	130
Workspace	133
Straight w grommet	134
Straight Workspace w/o Grommet	136
Straight Workspace w/ Wire Play	140
5-sided w Grommet	144
Straight Workspace with Wire Play	146
Unitized w/ Grommet	148
Unitized w/ Wire Play	150
Transaction Top	152

Supports	155
Ladder Gable	156
Standard Panel	156
Gallery Panel	158
Freestanding Panel	160
Laminate Gable	161
Standard Panel	161
Gallery Panel	162
Freestanding	163
Wrap Gable	164
Standard Panel	164
Gallery Panel	165
Tech Drop	166
Cantilever	167
Standard Panel	167
Gallery Panel	168
Standard Panel Mount Corner Bracket	170
Flush Plates	171
Storage Support Bracket	172
Fixed Credenza Support Bracket	173
90 Degree Storage Bracket	174
Horizontal Surface Support	175
Electrics	177
Power Module	178
Power & Data	179
Connector Harness	180
Male to Female Extension Harness	182
New York Junction Box	183
Chicago Electrical Box	184
Wire Manager	185
Communication Kit	186
Conversion Kit	187

Storage	189
Pedestals	190
Underdesk Pedestal	190
Mobile	191
Upholstered Seat Pad	192
Lateral File	193
Underdesk	193
Freestanding	194
Credenza	195
Open Lateral	195
Storage Tower	196
Wardrobe Tower	197
Combo Tower	198
w/ Front Access	198
w/ Side Access	200
Panel Mounted Overheads - Cabinet	202
Flipper	202
Hinged Door	203
Shared	204
Cubby	206
Metal Shelf	207
Accessories	209
Cable manager	210
Desktop Power Module	211
Tasklight	212
Monitor Arm	213
Keyboard Tray	214
Work Organizers	215
Accessory Rail	216
Pencil Tray	217

Space Division




L-PPFO
Standard Fabric Panel
H: 34", 42", 50", 66", 82"
W: 24" - 72"
*66"H available up to 60"W
*82"H available up to 48"W




L-PPLO
Standard Laminate Panel
H: 34", 42", 50", 66", 82"
W: 24" - 48"
*82"H available up to 36"W



L-PPFCA/LPPFCG
L-PPFFA/L-PPFFG
Standard Segmented Laminate Panel
H: 34", 42", 50", 66", 82"
W: 24" - 60"
*82"H available up to 48"W



L-PPLCA/LPPLCG
L-PPLFA/L-PPLFG
Standard Segmented Laminate Panel
H: 34", 42", 50", 66", 82"
W: 24" - 60"
*82"H available up to 36"W



L-PEFO
Elevated Fabric Panel
H: 34", 42", 50", 66", 82"
W: 24" - 72"
*66"H available up to 60"W
*82"H available up to 48"W




L-PELO
Elevated Laminate Panel
H: 34", 42", 50", 66", 82"
W: 24" - 48"
*82"H available up to 36"W



L-PEFCA/LPEFCG
L-PEFFA/L-PEFFG
Elevated Glazed Fabric Panel
H: 34", 42", 50", 66", 82"
W: 24" - 60"
*82"H available up to 48"W



L-PELCA/LPELCG
L-PELFA/L-PELFG
Elevated Glazed Laminate Panel
H: 34", 42", 50", 66", 82"
W: 24" - 60"
*82"H available up to 36"W




L-PYSE-S1/ L-PYSM-S1
Solid Single Gallery Panel
H: 34", 42", 50"
W: 26" - 74"




L-PYGE-S1/L-PYSM-S1
Woodgrain Single Gallery Panel
H: 34", 42", 50"
W: 26" - 56"



L-PD00
Hinge Door
H: 82"
W: 36", 42"




L-PDS
Sliding Door
H: 66"
W: 30", 36", 42"




L-PYSE-D1/D2/ L-PYSM-D1/D2
Solid Double Gallery Panel
H: 34", 42", 50"
W: 42" - 146"



L-PYGE-01/02/ L-PYGM-D1/D2
Woodgrain Double Gallery Panel
H: 34", 42", 50"
W: 42" - 110"



L-VG-P/ L-VA-P
Frameless Glass Standard Panel Mount
H: 8", 16", 20"
W: 24" - 72"




L-VG-Y/ L-VA-Y
Frameless Glass Gallery Panel Mount
H: 8", 16"
W: 24" - 60"


Worksurface & Supports




L-HCB
Corner Bracket
H: 3"
W: 4"




L-PWW
Mending Plate
D: 4"
W: 6"



L-HSSE-Y
Return Support Gallery
Panel Mount with Power
H: 3"
W: 24", 30"



L-HSSE-P
Return Support Standard
Mount with Power
H: 3"
W: 24", 30"



L-HCFM
Credenza Support
H: 6"
W: 4"



L-CCAB
Cantilever
H: 8"
D: 16", 22"



L-HSSB
Storage Support Bracket
H: 3"
D: 1"



L-WTT
Transaction Top
D: 15"
W: 24" - 60"



L-WS00
Straight Worksurface
W: 24" - 96"
D: 20", 24", 30"




L-WS00
Straight Worksurface with
Cropped Depth
W: 23" - 96"
D: 19" - 30"



L-WS0G
Straight Worksurface with
Grommets
W: 24" - 96"
D: 20", 24", 30"




L-W5C0
5 Corner Curved Worksurface
with Grommet
A: 36" - 48"
B: 36" - 48"
C: 24" - 30"
D: 24" - 30"



5 Corner Curved Worksurface
with Double Hand Cropped
Depth
A: 35" - 47"
B: 35" - 47"
C: 23" - 39"
D: 23" - 29"



5 Corner Curved Worksurface
with Left Hand Cropped
Depth
A: 36" - 48"
B: 35" - 47"
C: 23" - 39"
D: 24" - 30"




5 Corner Curved Worksurface
with Right Hand Cropped
Depth
A: 35" - 47"
B: 36" - 48"
C: 24" - 30"
D: 23" - 29"



5 Corner Straight Worksurface
with Grommet
A: 36" - 48"
B: 36" - 48"
C: 24" - 30"
D: 24" - 30"



5 Corner Straight Worksurface
with Double Hand Cropped
Depth
A: 35" - 47"
B: 35" - 47"
C: 23" - 39"
D: 23" - 29"



5 Corner Straight Worksurface
with Left Hand Cropped
Depth
A: 36" - 48"
B: 35" - 47"
C: 23" - 39"
D: 24" - 30"



5 Corner Straight Worksurface
with Right Hand Cropped
Depth
A: 35" - 47"
B: 36" - 48"
C: 24" - 30"
D: 23" - 29"




L-WUCG
Unitized Curved Worksurface
with Grommets
A: 36"
B: 54" - 96"
C: 24"
D: 24"
RH Shown



L-WUC0
Unitized Curved Worksurface
with Side A Cropped Depth
A: 35"
B: 54" - 96"
C: 24"
D: 23"
RH Shown



Unitized Curved Worksurface
with Side B Cropped Depth
A: 36"
B: 53" - 95"
C: 23"
D: 24"
RH Shown



Unitized Curved Work-
surface with Side A & B
Cropped Depth
A: 35"
B: 53" - 95"
C: 23"
D: 23"
RH Shown



L-HOEG/ L-HOMG
Ladder Leg
H: 25", 28"
D: 20", 24", 30"




L-HCEG
Laminate Gable Leg
H: 25", 28"
D: 20", 24", 30"



L-HWEG
Wrap Gable
H: 25", 28"
D: 20", 24", 30"




L-HPGP/ L-HPSP
Pedestal to Panel
Bracket
H: 28"
W: 1", 7"



L-S00M
Steel Shelf
H: 6"
W: 30" - 60"
D: 12"




L-SCS
Cubby
H: 8"
W: 24" - 48"
D: 11"




L-STOT/ L-STTO
Shared Overhead with Tack-
board
H: 16"
W: 36" - 72"
D: 15"



L-STMO/ L-STOM
Shared Overhead
H: 16"
W: 36" - 72"
D: 15"



L-SPLO/ L-SPOL
Split Overhead Cabinet
H: 16"
W: 36" - 60"
D: 12"



L-SPFL/ L-SPFM
Flipper Cabinet
H: 16"
W: 30" - 60"
D: 14"



L-FL2F
2D Freestanding Lateral
H: 29"
W: 30", 36"
D: 24"



L-FL3F
3D Freestanding
Lateral
H: 42"
W: 30", 36"
D: 24"



L-FL4F
4D Freestanding
Lateral
H: 54"
W: 30", 36"
D: 24"

Connections & Trims




L-HETF
Standard End Trim
H: 34", 42", 50", 66", 82"
W: 2"




L-HETF-CH
End Trim with Coat Hook
H: 34", 42", 50", 66"
W: 2"




L-HETP
End Trim (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"




L-HFTR
T Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"




L-HFTP
T Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



L-HFNR
90 Degree Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"



L-HFNP
90 Degree Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



L-HFSP
Strait Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



L-HW2/ L-HW4/ L-HW6
Wall Connector
H: 34", 42", 50", 66", 82"
W: 2", 4", 6"



L-HYP
Gallery Panel Filler
H: 8", 16", 24", 32", 40", 48"
W: 1"




L-HC2W-90-A
90 Degree A Panel Connector




L-HC2W-90-B
90 Degree B Panel Connector




L-HC2W-180-A
180 Degree A Panel Connector




L-HC2W-180-B
180 Degree B Panel Connector




L-HC3W-A
3 Way A Panel Connector




L-HC3W-B
3 Way B Panel Connector



L-HC3W-C
3 Way C Panel Connector




L-HC3W-D
3 Way D Panel Connector



L-HC4W-A
4 Way A Panel Connector




L-HC4W-B
4 Way B Panel Connector



L-HC4W-C
4 Way C Panel Connector



L-HC4W-D
4 Way D Panel Connector



L-HUFC-02
Top Cap
H: 2"
W: 2"

Storage



L-CRCL
Credenza
H: 20"
W: 48" - 72"
D: 18"



L-FL2U
2D Underdesk Lateral
H: 28"
W: 30", 36"
D: 23", 29"



L-FPBU
BBF Underdesk Pedestal
H: 28"
W: 16"
D: 23", 29"



L-FPFU
FF Underdesk Pedestal
H: 28"
W: 16"
D: 23", 29"



L-FPLO
BF Mobile Pedestal
H: 21"
W: 16"
D: 18"



L-FPLS
BF Mobile Pedestal with cushion
H: 22"
W: 16"
D: 18"



L-CWTB
Combination Storage Tower
H: 42", 50"
W: 24"
D: 24", 30"



L-CWTF
Combination Storage Tower
H: 42", 50"
W: 24"
D: 24", 30"




L-FTSS
Standard Storage Tower
H: 42", 50"
W: 18"
D: 24", 30"



L-FTCS
Wardrobe Tower
H: 42", 50"
W: 18"
D: 24", 30"

Electrics



V-EMW-2
Desk Mounted Power Bar
L: 6"



V-EWHB
Horizontal Cable Manager
H: 1.5"
W: 12" - 72"




L-ES84
Starter
L: 72", 168"




L-EH84
Connector Harness
L: 22"-181"



L-E8FM
M/F Connector
L: 44", 122"



L-ECK1
Data/Com



L-EM84
Power Module




L-EP-P/ L-EP-Y
Power Pole
H: 96", 120", 144"
W: 2"


Accessories



L-AR
Accessory Rail
H: 3"
W: 24" - 60"




L-APP
Paper Tray
L: 11"
W: 9" - 13"




L-AAS
3 Division Paper Sorter
H: 11"
W: 10"
D: 10"




L-AAPO
Pen Holder
H: 4"
W: 4"
D: 2"



L-ATPO
Tackboard
H: 7", 15"
W: 24" - 60"




L-AWPO
Whiteboard
H: 15"
W: 24" - 60"




L-PAD
Upholstered Pad
L: 18"
W: 24" - 72"



V-AFMA-02
Dual Monitor Arm



V-AFMA-01
Monitor Arm



V-KASX
Keyboard Tray

Segment Types

Standard Panel

OEE 8+	OES 8+16	OSS 16+16	OTS 24+16	OTT 24+24	ESS 8+16+16	SSS 16+16+16

Elevated Panel

OEE 8+8	OES 8+16	OSS 16+16	OTS 24+16	OTT 24+24	ESS 8+16+16	SSS 16+16+16

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard



Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Application Guidelines

Types of Surfaces



no grommet




with grommet




wireplay





Gallery Panel Planning




Connection Types - Panel Doors



Connection Types - Sliding Doors




Connection Types - Fillers




4-Way Connection


Type A Connection





Type B Connection




Type C Connection




Type D Connection




PARTIAL T-FILLER



PARTIAL 90°-FILLER




PARTIAL STRAIGHT FILLER




Wire Play Planning


1" wire play along spine




1" wire play along spine




1" wire play along all surfaces




1" wire play along all surfaces




1" wire play along return




1" wire play along spine



1" wire play along spine and worksurface



1" wire play along spine and worksurface






Switch USA Pricebook

June 2025

Panels

Panels		
Standard Panel - Monolithic	4	Gallery - Woodgrain64
Non Powered Capable	4	Horizontal Grain64
Fabric	4	Single Span Middle64
Laminate	6	Double Span Middle66
Powered Capable	8	Single Span End /No Cutout68
Fabric	8	Single Span End/w Cutout70
Laminate	10	Double Span End /No Cutout72
Standard - Glazed	12	Double Span End/w Cutout74
Non Powered	12	Vertical Grain76
Fabric/Clear Acrylic	12	Single Span Middle76
Fabric/Frosted Acrylic	14	Double Span Middle78
Fabric/Clear Glass	16	Single Span End /No Cutout80
Fabric/Frosted Glass	18	Single Span End /w Cutout82
Laminate/Clear Acrylic	20	Double Span End/No Cutout84
Laminate/Frosted Acrylic	22	Double Span End /w Cutout86
Laminate/Clear Glass	24	Gallery - Solid88
Laminate/Frosted Glass	26	Single Span Middle88
Powered	28	Double Span Middle90
Fabric/Clear Acrylic	28	Single Span End /No Cutout92
Fabric/Frosted Acrylic	30	Single Span End /w Cutout94
Fabric/Clear Glass	32	Double Span End/No Cutout96
Fabric/Frosted Glass	34	Double Span End /w Cutout98
Laminate/Clear Acrylic	36	Frameless Blade100
Laminate/Frosted Acrylic	38	Standard & Elevated
Laminate/Clear Glass	40	Panel Mounted Glass100
Laminate/Frosted Glass	42	Standard & Elevated
Elevated - Monolithic	44	Panel Mounted Acrylic102
Fabric	44	Gallery Panel Mounted Glass104
Laminate	46	Gallery Panel Mounted Acrylic106
Elevated - Glazed	48	Panel Mounted Add Ons108
Fabric/Clear Acrylic	48	Whiteboard108
Fabric/Frosted Acrylic	50	Tackboard109
Fabric/Clear Glass	52	Doors110
Fabric/Frosted Glass	54	Hinged110
Laminate/Clear Acrylic	56	Sliding112
Laminate/Frosted Acrylic	58	Clear Acrylic113
Laminate/Clear Glass	60	Frosted Acrylic114
Laminate/Frosted Glass	62	Fluted Acrylic115



Standard Monolithic
Non-Powered Fabric Panel

What’s Included:

- One (1) 2” thick fabric panel with 1” incremented slotted channels,
- Two (2) raceway covers,
- One (1) top trim

How to Specify:

- Refer to panel fabric cards for fabric selections
- Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:

- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable. For tackable option see Panel Add-On section.
- Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel


Options:

Height*:	34”, 42”, 50”, 66”, 82”
Width:	24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*34” high - 50” high available up to 72” wide, 66” high available up to 60” wide, 82” high available up to 48” wide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPF0-3424-N	419	34	24	2	16.32	0.94
L-PPF0-3430-N	452	34	30	2	20.4	1.18
L-PPF0-3436-N	486	34	36	2	24.48	1.42
L-PPF0-3442-N	519	34	42	2	28.56	1.65
L-PPF0-3448-N	551	34	48	2	32.64	1.89
L-PPF0-3454-N	584	34	54	2	36.72	2.13
L-PPF0-3460-N	617	34	60	2	40.8	2.36
L-PPF0-3466-N	889	34	66	2		
L-PPF0-3472-N	920	34	72	2		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPF0-4224-N	419	42	24	2	20.16	1.17
L-PPF0-4230-N	452	42	30	2	25.2	1.46
L-PPF0-4236-N	486	42	36	2	30.24	1.75
L-PPF0-4242-N	519	42	42	2	35.28	2.04
L-PPF0-4248-N	551	42	48	2	40.32	2.33
L-PPF0-4254-N	584	42	54	2	45.36	2.63
L-PPF0-4260-N	617	42	60	2	50.4	2.92
L-PPF0-4266-N	889	42	66	2		
L-PPF0-4272-N	920	42	72	2		
L-PPF0-5024-N	452	50	24	2	24	1.39
L-PPF0-5030-N	502	50	30	2	30	1.74
L-PPF0-5036-N	551	50	36	2	36	2.08
L-PPF0-5042-N	601	50	42	2	42	2.43
L-PPF0-5048-N	651	50	48	2	48	2.78
L-PPF0-5054-N	701	50	54	2	54	3.13
L-PPF0-5060-N	747	50	60	2	60	3.47
L-PPF0-5066-N	994	50	66	2		
L-PPF0-5072-N	1039	50	72	2		
L-PPF0-6624-N	519	66	24	2	31.68	1.83
L-PPF0-6630-N	577	66	30	2	39.6	2.29
L-PPF0-6636-N	627	66	36	2	47.52	2.75
L-PPF0-6642-N	676	66	42	2	55.44	3.21
L-PPF0-6648-N	725	66	48	2	63.36	3.67
L-PPF0-6654-N	791	66	54	2	71.28	4.13
L-PPF0-6660-N	856	66	60	2	79.2	4.58
L-PPF0-8224-N	983	82	24	2		
L-PPF0-8230-N	1054	82	30	2		
L-PPF0-8236-N	1277	82	36	2		
L-PPF0-8242-N	1344	82	42	2		
L-PPF0-8248-N	1413	82	48	2		



Standard Monolithic
Non-Powered Laminate
Panel

What’s Included:

One (1) 2” thick laminate panel with
1” incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate
selections Choose White, Black, Silver, Charcoal
for Panel Frame colour

Notes:

Non-power capable panel.

Can be used in run with power-capable
panels and allows wires to pass through.


Panels are non tackable. For tackable
option see Panel Add-On section.

Options:

Height*:	34”, 42”, 50”, 66”, 82”
Width:	24”, 30”, 36”, 42”, 48
Fabric	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*82” high available up to 36” wide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPL0-3424-N	530	34	24	2	16.32	0.94
L-PPL0-3430-N	578	34	30	2	20.4	1.18
L-PPL0-3436-N	659	34	36	2	24.48	1.42
L-PPL0-3442-N	709	34	42	2	28.56	1.65
L-PPL0-3448-N	777	34	48	2	32.64	1.89
L-PPL0-4224-N	578	42	24	2	20.16	1.17
L-PPL0-4230-N	629	42	30	2	25.2	1.46
L-PPL0-4236-N	709	42	36	2	30.24	1.75
L-PPL0-4242-N	759	42	42	2	35.28	2.04
L-PPL0-4248-N	825	42	48	2	40.32	2.33
L-PPL0-5024-N	629	50	24	2	24	1.39
L-PPL0-5030-N	678	50	30	2	30	1.74
L-PPL0-5036-N	777	50	36	2	36	2.08
L-PPL0-5042-N	825	50	42	2	42	2.43
L-PPL0-5048-N	892	50	48	2	48	2.78
L-PPL0-6624-N	777	66	24	2	31.68	1.83
L-PPL0-6630-N	825	66	30	2	39.6	2.29
L-PPL0-6636-N	974	66	36	2	47.52	2.75
L-PPL0-6642-N	1025	66	42	2	55.44	3.21
L-PPL0-6648-N	1089	66	48	2	63.36	3.67
L-PPL0-8224-N	1052	82	24	2		
L-PPL0-8230-N	1068	82	30	2		
L-PPL0-8236-N	1396	82	36	2		



Standard Monolithic
Powered Fabric Panel

What's Included:

One (1) 2" thick fabric panel with 1" incremented
slotted channels, Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel
Frame colour

Notes:

Power capable panel with bracket for
power module.

Power module must be specified
seperately.

Panels are non tackable. For tackable
option see Panel Add-On section.

Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"


Fabric

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPF0-3424-E	468	34	24	2	16.32	0.94
L-PPF0-3430-E	502	34	30	2	20.4	1.18
L-PPF0-3436-E	534	34	36	2	24.48	1.42
L-PPF0-3442-E	570	34	42	2	28.56	1.65
L-PPF0-3448-E	601	34	48	2	32.64	1.89
L-PPF0-3454-E	635	34	54	2	36.72	2.13
L-PPF0-3460-E	665	34	60	2	40.8	2.36
L-PPF0-3466-E	933	34	66	2		
L-PPF0-3472-E	961	34	72	2		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPF0-4224-E	468	42	24	2	20.16	1.17
L-PPF0-4230-E	502	42	30	2	25.2	1.46
L-PPF0-4236-E	534	42	36	2	30.24	1.75
L-PPF0-4242-E	570	42	42	2	35.28	2.04
L-PPF0-4248-E	601	42	48	2	40.32	2.33
L-PPF0-4254-E	635	42	54	2	45.36	2.63
L-PPF0-4260-E	665	42	60	2	50.4	2.92
L-PPF0-4266-E	933	42	66	2		
L-PPF0-4272-E	961	42	72	2		
L-PPF0-5024-E	502	50	24	2	24	1.39
L-PPF0-5030-E	551	50	30	2	30	1.74
L-PPF0-5036-E	601	50	36	2	36	2.08
L-PPF0-5042-E	651	50	42	2	42	2.43
L-PPF0-5048-E	701	50	48	2	48	2.78
L-PPF0-5054-E	747	50	54	2	54	3.13
L-PPF0-5060-E	796	50	60	2	60	3.47
L-PPF0-5066-E	1038	50	66	2		
L-PPF0-5072-E	1081	50	72	2		
L-PPF0-6624-E	570	66	24	2	31.68	1.83
L-PPF0-6630-E	627	66	30	2	39.6	2.29
L-PPF0-6636-E	676	66	36	2	47.52	2.75
L-PPF0-6642-E	725	66	42	2	55.44	3.21
L-PPF0-6648-E	776	66	48	2	63.36	3.67
L-PPF0-6654-E	840	66	54	2	71.28	4.13
L-PPF0-6660-E	903	66	60	2	79.2	4.58
L-PPF0-8224-E	1027	82	24	2		
L-PPF0-8230-E	1098	82	30	2		
L-PPF0-8236-E	1319	82	36	2		
L-PPF0-8242-E	1388	82	42	2		
L-PPF0-8248-E	1457	82	48	2		



Standard Monolithic
Powered Laminate
Panel

What’s Included:

One (1) 2” thick flaminite panel with
1” incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections

Choose White, Black, Silver, Charcoal for Panel
Frame colour

Notes:

Power capable panel with bracket for
power module.

Power module must be specified
seperately.


Panels are non tackable. For tackable
option see Panel Add-On section.

Options:

Height*:	34”, 42”, 50”, 66”, 82”
Width:	24”, 30”, 36”, 42”, 48”,
Laminate	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82”H available up to 36”W

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PPL0-3424-E	577	34	24	2	16.32	0.94
L-PPL0-3430-E	627	34	30	2	20.4	1.18
L-PPL0-3436-E	707	34	36	2	24.48	1.42
L-PPL0-3442-E	757	34	42	2	28.56	1.65
L-PPL0-3448-E	823	34	48	2	32.64	1.89
L-PPL0-4224-E	627	42	24	2	20.16	1.17
L-PPL0-4230-E	676	42	30	2	25.2	1.46
L-PPL0-4236-E	757	42	36	2	30.24	1.75
L-PPL0-4242-E	808	42	42	2	35.28	2.04
L-PPL0-4248-E	873	42	48	2	40.32	2.33
L-PPL0-5024-E	676	50	24	2	24	1.39
L-PPL0-5030-E	725	50	30	2	30	1.74
L-PPL0-5036-E	823	50	36	2	36	2.08
L-PPL0-5042-E	873	50	42	2	42	2.43
L-PPL0-5048-E	939	50	48	2	48	2.78
L-PPL0-6624-E	823	66	24	2	31.68	1.83
L-PPL0-6630-E	873	66	30	2	39.6	2.29
L-PPL0-6636-E	1023	66	36	2	47.52	2.75
L-PPL0-6642-E	1072	66	42	2	55.44	3.21
L-PPL0-6648-E	1137	66	48	2	63.36	3.67
L-PPL0-8224-E	1067	82	24	2		
L-PPL0-8230-E	1081	82	30	2		
L-PPL0-8236-E	1440	82	36	2		



How to order and read your code

L	-	P	P	F	C	A	-	42	24	-	0	0	E	-	N
product line		standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width			O = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered		

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour


Notes:

Power capable panel with bracket for power module.
Power module must be specified seperately.
Panels are non tackable. For tackable option see Panel Add-On section.
Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66", 72"
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal
*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide	

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PPFCA-4224-00E-N	815	42	24	2
L-PPFCA-4230-00E-N	899	42	30	2
L-PPFCA-4236-00E-N	983	42	36	2
L-PPFCA-4242-00E-N	1067	42	42	2
L-PPFCA-4248-00E-N	1153	42	48	2
L-PPFCA-4254-00E-N	1234	42	54	2
L-PPFCA-4260-00E-N	1318	42	60	2
L-PPFCA-5024-00E-N	815	50	24	2
L-PPFCA-5030-00E-N	899	50	30	2
L-PPFCA-5036-00E-N	983	50	36	2
L-PPFCA-5042-00E-N	1067	50	42	2
L-PPFCA-5048-00E-N	1153	50	48	2
L-PPFCA-5054-00E-N	1234	50	54	2
L-PPFCA-5060-00E-N	1318	50	60	2
One 16" clear acrylic segment on top				
L-PPFCA-5024-00S-N	815	50	24	2
L-PPFCA-5030-00S-N	899	50	30	2
L-PPFCA-5036-00S-N	983	50	36	2
L-PPFCA-5042-00S-N	1067	50	42	2
L-PPFCA-5048-00S-N	1153	50	48	2
L-PPFCA-5054-00S-N	1234	50	54	2
L-PPFCA-5060-00S-N	1318	50	60	2
L-PPFCA-6624-00S-N	948	66	24	2
L-PPFCA-6630-00S-N	1054	66	30	2
L-PPFCA-6636-00S-N	1159	66	36	2
L-PPFCA-6642-00S-N	1264	66	42	2
L-PPFCA-6648-00S-N	1371	66	48	2
L-PPFCA-6654-00S-N	1476	66	54	2
L-PPFCA-6660-00S-N	1581	66	60	2
L-PPFCA-8224-00S-N	1540	82	24	2
L-PPFCA-8230-00S-N	1787	82	30	2
L-PPFCA-8236-00S-N	1879	82	36	2
L-PPFCA-8242-00S-N	1926	82	42	2
L-PPFCA-8248-00S-N	2013	82	48	2
One 24" clear acrylic segment on top				
L-PPFCA-6624-00T-N	948	66	24	2
L-PPFCA-6630-00T-N	1054	66	30	2
L-PPFCA-6636-00T-N	1159	66	36	2
L-PPFCA-6642-00T-N	1264	66	42	2
L-PPFCA-6648-00T-N	1371	66	48	2
L-PPFCA-6654-00T-N	1476	66	54	2
L-PPFCA-6660-00T-N	1581	66	60	2
Two 8" clear acrylic segments on top				
L-PPFCA-6624-0EE-N	1523	66	24	2
L-PPFCA-6630-0EE-N	1723	66	30	2
L-PPFCA-6636-0EE-N	1796	66	36	2
L-PPFCA-6642-0EE-N	1857	66	42	2
L-PPFCA-6648-0EE-N	1934	66	48	2
L-PPFCA-6654-0EE-N	2059	66	54	2
L-PPFCA-6660-0EE-N	2115	66	60	2
One 8" & One 16" clear acrylic segment on top				
L-PPFCA-6624-0ES-N	1486	66	24	2
L-PPFCA-6630-0ES-N	1680	66	30	2
L-PPFCA-6636-0ES-N	1766	66	36	2
L-PPFCA-6642-0ES-N	1852	66	42	2
L-PPFCA-6648-0ES-N	1941	66	48	2
L-PPFCA-6654-0ES-N	2035	66	54	2
L-PPFCA-6660-0ES-N	2080	66	60	2
Two 16" clear acrylic segments on top				
L-PPFCA-8224-0SS-N	1583	82	24	2
L-PPFCA-8230-0SS-N	1839	82	30	2
L-PPFCA-8236-0SS-N	1972	82	36	2
L-PPFCA-8242-0SS-N	2031	82	42	2
L-PPFCA-8248-0SS-N	2112	82	48	2
One 24" & One 16" clear acrylic segment on top				
L-PPFCA-8224-0TS-N	1574	82	24	2
L-PPFCA-8230-0TS-N	1808	82	30	2
L-PPFCA-8236-0TS-N	1879	82	36	2
L-PPFCA-8242-0TS-N	1937	82	42	2
L-PPFCA-8248-0TS-N	2134	82	48	2
Two 24" clear acrylic segments on top				
L-PPFCA-8224-0TT-N	1571	82	24	2
L-PPFCA-8230-0TT-N	1780	82	30	2
L-PPFCA-8236-0TT-N	1875	82	36	2
L-PPFCA-8242-0TT-N	1997	82	42	2
L-PPFCA-8248-0TT-N	2079	82	48	2
One 8" & Two 16" clear acrylic segments on top				
L-PPFCA-8224-ESS-N	1641	82	24	2
L-PPFCA-8230-ESS-N	1945	82	30	2
L-PPFCA-8236-ESS-N	2031	82	36	2
L-PPFCA-8242-ESS-N	2034	82	42	2
L-PPFCA-8248-ESS-N	2228	82	48	2
Three 16" clear acrylic segments on top				
L-PPFCA-8224-SSS-N	1667	82	24	2
L-PPFCA-8230-SSS-N	1886	82	30	2
L-PPFCA-8236-SSS-N	2061	82	36	2
L-PPFCA-8242-SSS-N	2130	82	42	2
L-PPFCA-8248-SSS-N	2223	82	48	2



How to order and read your code

L - P		P	F	F	A - 42	24 -	00E -	N	
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour


Notes:

Power capable panel with bracket for power module.
Power module must be specified seperately.
Panels are non tackable. For tackable option see Panel Add-On section.
Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66", 72"
Fabric	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide	

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PPFFA-4224-00E-N	922	42	24	2
L-PPFFA-4230-00E-N	1005	42	30	2
L-PPFFA-4236-00E-N	1090	42	36	2
L-PPFFA-4242-00E-N	1174	42	42	2
L-PPFFA-4248-00E-N	1259	42	48	2
L-PPFFA-4254-00E-N	1341	42	54	2
L-PPFFA-4260-00E-N	1424	42	60	2
L-PPFFA-5024-00E-N	922	50	24	2
L-PPFFA-5030-00E-N	1005	50	30	2
L-PPFFA-5036-00E-N	1090	50	36	2
L-PPFFA-5042-00E-N	1174	50	42	2
L-PPFFA-5048-00E-N	1259	50	48	2
L-PPFFA-5054-00E-N	1341	50	54	2
L-PPFFA-5060-00E-N	1424	50	60	2
One 16" frosted acrylic segment on top				
L-PPFFA-5024-00S-N	922	50	24	2
L-PPFFA-5030-00S-N	1005	50	30	2
L-PPFFA-5036-00S-N	1090	50	36	2
L-PPFFA-5042-00S-N	1174	50	42	2
L-PPFFA-5048-00S-N	1259	50	48	2
L-PPFFA-5054-00S-N	1341	50	54	2
L-PPFFA-5060-00S-N	1424	50	60	2
L-PPFFA-6624-00S-N	1054	50	24	2
L-PPFFA-6630-00S-N	1161	50	30	2
L-PPFFA-6636-00S-N	1265	50	36	2
L-PPFFA-6642-00S-N	1371	50	42	2
L-PPFFA-6648-00S-N	1479	50	48	2
L-PPFFA-6654-00S-N	1583	50	54	2
L-PPFFA-6660-00S-N	1689	50	60	2
L-PPFFA-8224-00S-N	1577	82	24	2
L-PPFFA-8230-00S-N	1835	82	30	2
L-PPFFA-8236-00S-N	1942	82	36	2
L-PPFFA-8242-00S-N	1997	82	42	2
L-PPFFA-8248-00S-N	2084	82	48	2
One 24" frosted acrylic segment on top				
L-PPFFA-6624-00T-N	1054	66	24	2
L-PPFFA-6630-00T-N	1161	66	30	2
L-PPFFA-6636-00T-N	1265	66	36	2
L-PPFFA-6642-00T-N	1356	66	42	2
L-PPFFA-6648-00T-N	1463	66	48	2
L-PPFFA-6654-00T-N	1583	66	54	2
L-PPFFA-6660-00T-N	1689	66	60	2
Two 8" frosted acrylic segments on top				
L-PPFFA-6624-0EE-N	1585	66	24	2
L-PPFFA-6630-0EE-N	1809	66	30	2
L-PPFFA-6636-0EE-N	1908	66	36	2
L-PPFFA-6642-0EE-N	1967	66	42	2
L-PPFFA-6648-0EE-N	2062	66	48	2
L-PPFFA-6654-0EE-N	2150	66	54	2
L-PPFFA-6660-0EE-N	2203	66	60	2
One 8" & One 16" frosted acrylic segment on top				
L-PPFFA-6624-0ES-N	1539	66	24	2
L-PPFFA-6630-0ES-N	1754	66	30	2
L-PPFFA-6636-0ES-N	1854	66	36	2
L-PPFFA-6642-0ES-N	1961	66	42	2
L-PPFFA-6648-0ES-N	2048	66	48	2
L-PPFFA-6654-0ES-N	2153	66	54	2
L-PPFFA-6660-0ES-N	2219	66	60	2
Two 16" frosted acrylic segments on top				
L-PPFFA-8224-0SS-N	1482	82	24	2
L-PPFFA-8230-0SS-N	1696	82	30	2
L-PPFFA-8236-0SS-N	1779	82	36	2
L-PPFFA-8242-0SS-N	1844	82	42	2
L-PPFFA-8248-0SS-N	1913	82	48	2
One 24" & One 16" frosted acrylic segment on top				
L-PPFFA-8224-0TS-N	1682	82	24	2
L-PPFFA-8230-0TS-N	1951	82	30	2
L-PPFFA-8236-0TS-N	2022	82	36	2
L-PPFFA-8242-0TS-N	2118	82	42	2
L-PPFFA-8248-0TS-N	2348	82	48	2
Two 24" frosted acrylic segments on top				
L-PPFFA-8224-0TT-N	1678	82	24	2
L-PPFFA-8230-0TT-N	1926	82	30	2
L-PPFFA-8236-0TT-N	2048	82	36	2
L-PPFFA-8242-0TT-N	2213	82	42	2
L-PPFFA-8248-0TT-N	2294	82	48	2
One 8" & Two 16" frosted acrylic segments on top				
L-PPFFA-8224-ESS-N	1748	82	24	2
L-PPFFA-8230-ESS-N	2091	82	30	2
L-PPFFA-8236-ESS-N	2175	82	36	2
L-PPFFA-8242-ESS-N	2245	82	42	2
L-PPFFA-8248-ESS-N	2369	82	48	2
Three 16" frosted acrylic segments on top				
L-PPFFA-8224-SSS-N	1774	82	24	2
L-PPFFA-8230-SSS-N	2031	82	30	2
L-PPFFA-8236-SSS-N	2277	82	36	2
L-PPFFA-8242-SSS-N	2345	82	42	2
L-PPFFA-8248-SSS-N	2437	82	48	2



How to order and read your code

L	-	P		P		F		C		G	-	42		24	-	00		E	-	N
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C=Clear F=Frosted		A=Acrylic G=Glass		height		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered		

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour


Notes:

Power capable panel with bracket for power module.
Power module must be specified seperately.
Panels are non tackable. For tackable option see Panel Add-On section.
Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66", 72"
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal
*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide	

Code	Price	H	W	D
One 8" clear glass segment on top				
L-PPFCG-4224-00E-N	958	42	24	2
L-PPFCG-4230-00E-N	1042	42	30	2
L-PPFCG-4236-00E-N	1128	42	36	2
L-PPFCG-4242-00E-N	1210	42	42	2
L-PPFCG-4248-00E-N	1293	42	48	2
L-PPFCG-4254-00E-N	1377	42	54	2
L-PPFCG-4260-00E-N	1460	42	60	2
L-PPFCG-5024-00E-N	958	50	24	2
L-PPFCG-5030-00E-N	1042	50	30	2
L-PPFCG-5036-00E-N	1128	50	36	2
L-PPFCG-5042-00E-N	1210	50	42	2
L-PPFCG-5048-00E-N	1293	50	48	2
L-PPFCG-5054-00E-N	1377	50	54	2
L-PPFCG-5060-00E-N	1460	50	60	2
One 16" clear glass segment on top				
L-PPFCG-5024-00S-N	958	50	24	2
L-PPFCG-5030-00S-N	1042	50	30	2
L-PPFCG-5036-00S-N	1128	50	36	2
L-PPFCG-5042-00S-N	1210	50	42	2
L-PPFCG-5048-00S-N	1293	50	48	2
L-PPFCG-5054-00S-N	1377	50	54	2
L-PPFCG-5060-00S-N	1460	50	60	2
L-PPFCG-6624-00S-N	1101	66	24	2
L-PPFCG-6630-00S-N	1208	66	30	2
L-PPFCG-6636-00S-N	1314	66	36	2
L-PPFCG-6642-00S-N	1421	66	42	2
L-PPFCG-6648-00S-N	1527	66	48	2
L-PPFCG-6654-00S-N	1633	66	54	2
L-PPFCG-6660-00S-N	1737	66	60	2
L-PPFCG-8224-00S-N	1500	82	24	2
L-PPFCG-8230-00S-N	1771	82	30	2
L-PPFCG-8236-00S-N	1885	82	36	2
L-PPFCG-8242-00S-N	1948	82	42	2
L-PPFCG-8248-00S-N	2058	82	48	2
One 24" clear glass segment on top				
L-PPFCG-6624-00T-N	1101	66	24	2
L-PPFCG-6630-00T-N	1208	66	30	2
L-PPFCG-6636-00T-N	1314	66	36	2
L-PPFCG-6642-00T-N	1421	66	42	2
L-PPFCG-6648-00T-N	1527	66	48	2
L-PPFCG-6654-00T-N	1633	66	54	2
L-PPFCG-6660-00T-N	1737	66	60	2
Two 8" clear glass segments on top				
L-PPFCG-6624-0EE-N	1620	66	24	2
L-PPFCG-6630-0EE-N	1859	66	30	2
L-PPFCG-6636-0EE-N	1958	66	36	2
L-PPFCG-6642-0EE-N	2029	66	42	2
L-PPFCG-6648-0EE-N	2126	66	48	2
L-PPFCG-6654-0EE-N	2250	66	54	2
L-PPFCG-6660-0EE-N	2316	66	60	2
One 8" & One 16" clear glass segment on top				
L-PPFCG-6624-0ES-N	1579	66	24	2
L-PPFCG-6630-0ES-N	1789	66	30	2
L-PPFCG-6636-0ES-N	1890	66	36	2
L-PPFCG-6642-0ES-N	1983	66	42	2
L-PPFCG-6648-0ES-N	2103	66	48	2
L-PPFCG-6654-0ES-N	2235	66	54	2
L-PPFCG-6660-0ES-N	2308	66	60	2
Two 16" clear glass segments on top				
L-PPFCG-8224-0SS-N	1678	82	24	2
L-PPFCG-8230-0SS-N	1930	82	30	2
L-PPFCG-8236-0SS-N	2061	82	36	2
L-PPFCG-8242-0SS-N	2165	82	42	2
L-PPFCG-8248-0SS-N	2294	82	48	2
One 24" & One 16" clear glass segment on top				
L-PPFCG-8224-0TS-N	1666	82	24	2
L-PPFCG-8230-0TS-N	1901	82	30	2
L-PPFCG-8236-0TS-N	2026	82	36	2
L-PPFCG-8242-0TS-N	2143	82	42	2
L-PPFCG-8248-0TS-N	2288	82	48	2
Two 24" clear glass segments on top				
L-PPFCG-8224-0TT-N	1696	82	24	2
L-PPFCG-8230-0TT-N	1923	82	30	2
L-PPFCG-8236-0TT-N	2040	82	36	2
L-PPFCG-8242-0TT-N	2161	82	42	2
L-PPFCG-8248-0TT-N	2303	82	48	2
One 8" & Two 16" clear glass segments on top				
L-PPFCG-8224-ESS-N	1821	82	24	2
L-PPFCG-8230-ESS-N	2120	82	30	2
L-PPFCG-8236-ESS-N	2257	82	36	2
L-PPFCG-8242-ESS-N	2280	82	42	2
L-PPFCG-8248-ESS-N	2460	82	48	2
Three 16" clear glass segments on top				
L-PPFCG-8224-SSS-N	1860	82	24	2
L-PPFCG-8230-SSS-N	2080	82	30	2
L-PPFCG-8236-SSS-N	2223	82	36	2
L-PPFCG-8242-SSS-N	2358	82	42	2
L-PPFCG-8248-SSS-N	2517	82	48	2



How to order and read your code

L - P		P	F	F	G - 42	24 - 00	E - N		
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	O = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim


How to Specify:

Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66", 72"
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal
*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide	

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PPFFG-4224-00E-N	1050	42	24	2
L-PPFFG-4230-00E-N	1146	42	30	2
L-PPFFG-4236-00E-N	1233	42	36	2
L-PPFFG-4242-00E-N	1317	42	42	2
L-PPFFG-4248-00E-N	1400	42	48	2
L-PPFFG-4254-00E-N	1484	42	54	2
L-PPFFG-4260-00E-N	1566	42	60	2
L-PPFFG-5024-00E-N	1065	50	24	2
L-PPFFG-5030-00E-N	1146	50	30	2
L-PPFFG-5036-00E-N	1233	50	36	2
L-PPFFG-5042-00E-N	1317	50	42	2
L-PPFFG-5048-00E-N	1400	50	48	2
L-PPFFG-5054-00E-N	1484	50	54	2
L-PPFFG-5060-00E-N	1566	50	60	2
One 16" frosted glass segment on top				
L-PPFFG-5024-00S-N	1065	50	24	2
L-PPFFG-5030-00S-N	1146	50	30	2
L-PPFFG-5036-00S-N	1233	50	36	2
L-PPFFG-5042-00S-N	1317	50	42	2
L-PPFFG-5048-00S-N	1400	50	48	2
L-PPFFG-5054-00S-N	1484	50	54	2
L-PPFFG-5060-00S-N	1566	50	60	2
L-PPFFG-6624-00S-N	1208	66	24	2
L-PPFFG-6630-00S-N	1315	66	30	2
L-PPFFG-6636-00S-N	1420	66	36	2
L-PPFFG-6642-00S-N	1528	66	42	2
L-PPFFG-6648-00S-N	1633	66	48	2
L-PPFFG-6654-00S-N	1739	66	54	2
L-PPFFG-6660-00S-N	1844	66	60	2
L-PPFFG-8224-00S-N	1585	82	24	2
L-PPFFG-8230-00S-N	1867	82	30	2
L-PPFFG-8236-00S-N	2003	82	36	2
L-PPFFG-8242-00S-N	2084	82	42	2
L-PPFFG-8248-00S-N	2212	82	48	2
One 24" frosted glass segment on top				
L-PPFFG-6624-00T-N	1208	66	24	2
L-PPFFG-6630-00T-N	1315	66	30	2
L-PPFFG-6636-00T-N	1420	66	36	2
L-PPFFG-6642-00T-N	1528	66	42	2
L-PPFFG-6648-00T-N	1633	66	48	2
L-PPFFG-6654-00T-N	1739	66	54	2
L-PPFFG-6660-00T-N	1844	66	60	2
Two 8" frosted glass segments on top				
L-PPFFG-6624-0EE-N	1796	66	24	2
L-PPFFG-6630-0EE-N	2034	66	30	2
L-PPFFG-6636-0EE-N	2133	66	36	2
L-PPFFG-6642-0EE-N	2203	66	42	2
L-PPFFG-6648-0EE-N	2299	66	48	2
L-PPFFG-6654-0EE-N	2424	66	54	2
L-PPFFG-6660-0EE-N	2509	66	60	2
One 8" & One 16" frosted glass segment on top				
L-PPFFG-6624-0ES-N	1755	66	24	2
L-PPFFG-6630-0ES-N	1972	66	30	2
L-PPFFG-6636-0ES-N	2095	66	36	2
L-PPFFG-6642-0ES-N	2205	66	42	2
L-PPFFG-6648-0ES-N	2345	66	48	2
L-PPFFG-6654-0ES-N	2499	66	54	2
L-PPFFG-6660-0ES-N	2602	66	60	2
Two 16" frosted glass segments on top				
L-PPFFG-8224-0SS-N	1854	82	24	2
L-PPFFG-8230-0SS-N	2123	82	30	2
L-PPFFG-8236-0SS-N	2295	82	36	2
L-PPFFG-8242-0SS-N	2437	82	42	2
L-PPFFG-8248-0SS-N	2604	82	48	2
One 24" & One 16" frosted glass segment on top				
L-PPFFG-8224-0TS-N	1870	82	24	2
L-PPFFG-8230-0TS-N	2141	82	30	2
L-PPFFG-8236-0TS-N	2318	82	36	2
L-PPFFG-8242-0TS-N	2482	82	42	2
L-PPFFG-8248-0TS-N	2674	82	48	2
Two 24" frosted glass segments on top				
L-PPFFG-8224-0TT-N	1929	82	24	2
L-PPFFG-8230-0TT-N	2213	82	30	2
L-PPFFG-8236-0TT-N	2389	82	36	2
L-PPFFG-8242-0TT-N	2568	82	42	2
L-PPFFG-8248-0TT-N	2770	82	48	2
One 8" & Two 16" frosted glass segments on top				
L-PPFFG-8224-ESS-N	2084	82	24	2
L-PPFFG-8230-ESS-N	2401	82	30	2
L-PPFFG-8236-ESS-N	2578	82	36	2
L-PPFFG-8242-ESS-N	2640	82	42	2
L-PPFFG-8248-ESS-N	2860	82	48	2
Three 16" frosted glass segments on top				
L-PPFFG-8224-SSS-N	2121	82	24	2
L-PPFFG-8230-SSS-N	2368	82	30	2
L-PPFFG-8236-SSS-N	2569	82	36	2
L-PPFFG-8242-SSS-N	2765	82	42	2
L-PPFFG-8248-SSS-N	2982	82	48	2



How to order and read your code

L	-	P		P		L		C		A	-	42		24	-	00	E	-	N
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic height G=Glass		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered			

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PPLCA-4224-00E-N	1203	42	24	2
L-PPLCA-4230-00E-N	1257	42	30	2
L-PPLCA-4236-00E-N	1315	42	36	2
L-PPLCA-4242-00E-N	1429	42	42	2
L-PPLCA-4248-00E-N	1459	42	48	2
L-PPLCA-5024-00E-N	1098	50	24	2
L-PPLCA-5030-00E-N	1129	50	30	2
L-PPLCA-5036-00E-N	1186	50	36	2
L-PPLCA-5042-00E-N	1347	50	42	2
L-PPLCA-5048-00E-N	1377	50	48	2
One 16" clear acrylic segment on top				
L-PPLCA-5024-00S-N	1114	50	24	2
L-PPLCA-5030-00S-N	1155	50	30	2
L-PPLCA-5036-00S-N	1220	50	36	2
L-PPLCA-5042-00S-N	1364	50	42	2
L-PPLCA-5048-00S-N	1401	50	48	2
L-PPLCA-6624-00S-N	1220	66	24	2
L-PPLCA-6630-00S-N	1257	66	30	2
L-PPLCA-6636-00S-N	1338	66	36	2
L-PPLCA-6642-00S-N	1549	66	42	2
L-PPLCA-6648-00S-N	1589	66	48	2
L-PPLCA-8224-00S-N	1610	82	24	2
L-PPLCA-8230-00S-N	1626	82	30	2
L-PPLCA-8236-00S-N	2169	82	36	2
One 24" clear acrylic segment on top				
L-PPLCA-6624-00T-N	1208	66	24	2
L-PPLCA-6630-00T-N	1255	66	30	2
L-PPLCA-6636-00T-N	1336	66	36	2
L-PPLCA-6642-00T-N	1510	66	42	2
L-PPLCA-6648-00T-N	1559	66	48	2

Code	Price	H	W	D
Two 8" clear acrylic segments on top				
L-PPLCA-6624-0EE-N	1404	66	24	2
L-PPLCA-6630-0EE-N	1423	66	30	2
L-PPLCA-6636-0EE-N	1718	66	36	2
L-PPLCA-6642-0EE-N	1756	66	42	2
L-PPLCA-6648-0EE-N	1814	66	48	2
One 8" & One 16" clear acrylic segment on top				
L-PPLCA-6624-0ES-N	1411	66	24	2
L-PPLCA-6630-0ES-N	1470	66	30	2
L-PPLCA-6636-0ES-N	1789	66	36	2
L-PPLCA-6642-0ES-N	1850	66	42	2
L-PPLCA-6648-0ES-N	1909	66	48	2
Two 16" clear acrylic segments on top				
L-PPLCA-8224-0SS-N	1467	82	24	2
L-PPLCA-8230-0SS-N	1540	82	30	2
L-PPLCA-8236-0SS-N	1894	82	36	2
One 24" & One 16" clear acrylic segment on top				
L-PPLCA-8224-0TS-N	1501	82	24	2
L-PPLCA-8230-0TS-N	1598	82	30	2
L-PPLCA-8236-0TS-N	1903	82	36	2
Two 24" clear acrylic segments on top				
L-PPLCA-8224-0TT-N	1435	82	24	2
L-PPLCA-8230-0TT-N	1518	82	30	2
L-PPLCA-8236-0TT-N	1784	82	36	2
One 8" & Two 16" clear acrylic segments on top				
L-PPLCA-8224-ESS-N	1565	82	24	2
L-PPLCA-8230-ESS-N	1736	82	30	2
L-PPLCA-8236-ESS-N	2052	82	36	2
Three 16" clear acrylic segments on top				
L-PPLCA-8224-SSS-N	1534	82	24	2
L-PPLCA-8230-SSS-N	1625	82	30	2
L-PPLCA-8236-SSS-N	1969	82	36	2



How to order and read your code

L	-	P		P		L		F		A	-	42		24	-	00E	-	N
product line	standard	P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic height G=Glass		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment				N=Non powered E=Powered		

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PPLFA-4224-00E-N	1167	42	24	2
L-PPLFA-4230-00E-N	1195	42	30	2
L-PPLFA-4236-00E-N	1251	42	36	2
L-PPLFA-4242-00E-N	1390	42	42	2
L-PPLFA-4248-00E-N	1420	42	48	2
L-PPLFA-5024-00E-N	1206	50	24	2
L-PPLFA-5030-00E-N	1234	50	30	2
L-PPLFA-5036-00E-N	1293	50	36	2
L-PPLFA-5042-00E-N	1454	50	42	2
L-PPLFA-5048-00E-N	1484	50	48	2
One 16" frosted acrylic segment on top				
L-PPLFA-5024-00S-N	1221	50	24	2
L-PPLFA-5030-00S-N	1261	50	30	2
L-PPLFA-5036-00S-N	1326	50	36	2
L-PPLFA-5042-00S-N	1470	50	42	2
L-PPLFA-5048-00S-N	1508	50	48	2
L-PPLFA-6624-00S-N	1326	66	24	2
L-PPLFA-6630-00S-N	1364	66	30	2
L-PPLFA-6636-00S-N	1444	66	36	2
L-PPLFA-6642-00S-N	1655	66	42	2
L-PPLFA-6648-00S-N	1696	66	48	2
L-PPLFA-8224-00S-N	1646	82	24	2
L-PPLFA-8230-00S-N	1677	82	30	2
L-PPLFA-8236-00S-N	2230	82	36	2
One 24" frosted acrylic segment on top				
L-PPLFA-6624-00T-N	1315	66	24	2
L-PPLFA-6630-00T-N	1363	66	30	2
L-PPLFA-6636-00T-N	1431	66	36	2
L-PPLFA-6642-00T-N	1617	66	42	2
L-PPLFA-6648-00T-N	1666	66	48	2

Code	Price	H	W	D
Two 8" frosted acrylic segments on top				
L-PPLFA-6624-0EE-N	1469	66	24	2
L-PPLFA-6630-0EE-N	1508	66	30	2
L-PPLFA-6636-0EE-N	1831	66	36	2
L-PPLFA-6642-0EE-N	1865	66	42	2
L-PPLFA-6648-0EE-N	1942	66	48	2
One 8" & One 16" frosted acrylic segment on top				
L-PPLFA-6624-0ES-N	1466	66	24	2
L-PPLFA-6630-0ES-N	1543	66	30	2
L-PPLFA-6636-0ES-N	1875	66	36	2
L-PPLFA-6642-0ES-N	1956	66	42	2
L-PPLFA-6648-0ES-N	2017	66	48	2
Two 16" frosted acrylic segments on top				
L-PPLFA-8224-0SS-N	1365	82	24	2
L-PPLFA-8230-0SS-N	1396	82	30	2
L-PPLFA-8236-0SS-N	1701	82	36	2
One 24" & One 16" frosted acrylic segment on top				
L-PPLFA-8224-0TS-N	1609	82	24	2
L-PPLFA-8230-0TS-N	1742	82	30	2
L-PPLFA-8236-0TS-N	2047	82	36	2
Two 24" frosted acrylic segments on top				
L-PPLFA-8224-0TT-N	1543	82	24	2
L-PPLFA-8230-0TT-N	1664	82	30	2
L-PPLFA-8236-0TT-N	1956	82	36	2
One 8" & Two 16" frosted acrylic segments on top				
L-PPLFA-8224-ESS-N	1674	82	24	2
L-PPLFA-8230-ESS-N	1879	82	30	2
L-PPLFA-8236-ESS-N	2197	82	36	2
Three 16" frosted acrylic segments on top				
L-PPLFA-8224-SSS-N	1642	82	24	2
L-PPLFA-8230-SSS-N	1770	82	30	2
L-PPLFA-8236-SSS-N	2186	82	36	2



How to order and read your code

L - P		P	L	C	G - 42	24 -	00E -	N	
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	


Notes:

Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D	Code	Price	H	W	D
One 8" clear glass segment on top					Two 8" clear glass segments on top				
L-PPLCG-4224-00E-N	1305	42	24	2	L-PPLCG-6624-0EE-N	1506	66	24	2
L-PPLCG-4230-00E-N	1371	42	30	2	L-PPLCG-6630-0EE-N	1558	66	30	2
L-PPLCG-4236-00E-N	1435	42	36	2	L-PPLCG-6636-0EE-N	1879	66	36	2
L-PPLCG-4242-00E-N	1508	42	42	2	L-PPLCG-6642-0EE-N	1929	66	42	2
L-PPLCG-4248-00E-N	1471	42	48	2	L-PPLCG-6648-0EE-N	2005	66	48	2
L-PPLCG-5024-00E-N	1185	50	24	2	One 8" & One 16" clear glass segment on top				
L-PPLCG-5030-00E-N	1232	50	30	2	L-PPLCG-6624-0ES-N	1506	66	24	2
L-PPLCG-5036-00E-N	1313	50	36	2	L-PPLCG-6630-0ES-N	1578	66	30	2
L-PPLCG-5042-00E-N	1484	50	42	2	L-PPLCG-6636-0ES-N	1915	66	36	2
L-PPLCG-5048-00E-N	1535	50	48	2	L-PPLCG-6642-0ES-N	1980	66	42	2
One 16" clear glass segment on top					L-PPLCG-6648-0ES-N	2072	66	48	2
L-PPLCG-5024-00S-N	1257	50	24	2	Two 16" clear glass segments on top				
L-PPLCG-5030-00S-N	1325	50	30	2	L-PPLCG-8224-0SS-N	1561	82	24	2
L-PPLCG-5036-00S-N	1422	50	36	2	L-PPLCG-8230-0SS-N	1631	82	30	2
L-PPLCG-5042-00S-N	1594	50	42	2	L-PPLCG-8236-0SS-N	1983	82	36	2
L-PPLCG-5048-00S-N	1664	50	48	2	One 24" & One 16" clear glass segment on top				
L-PPLCG-6624-00S-N	1360	66	24	2	L-PPLCG-8224-0TS-N	1593	82	24	2
L-PPLCG-6630-00S-N	1430	66	30	2	L-PPLCG-8230-0TS-N	1690	82	30	2
L-PPLCG-6636-00S-N	1538	66	36	2	L-PPLCG-8236-0TS-N	2048	82	36	2
L-PPLCG-6642-00S-N	1777	66	42	2	Two 24" clear glass segments on top				
L-PPLCG-6648-00S-N	1847	66	48	2	L-PPLCG-8224-0TT-N	1561	82	24	2
L-PPLCG-8224-00S-N	1566	82	24	2	L-PPLCG-8230-0TT-N	1662	82	30	2
L-PPLCG-8230-00S-N	1612	82	30	2	L-PPLCG-8236-0TT-N	1945	82	36	2
L-PPLCG-8236-00S-N	2176	82	36	2	One 8" & Two 16" clear glass segments on top				
One 24" clear glass segment on top					L-PPLCG-8224-ESS-N	1748	82	24	2
L-PPLCG-6624-00T-N	1403	66	24	2	L-PPLCG-8230-ESS-N	1909	82	30	2
L-PPLCG-6630-00T-N	1494	66	30	2	L-PPLCG-8236-ESS-N	2281	82	36	2
L-PPLCG-6636-00T-N	1612	66	36	2	Three 16" clear glass segments on top				
L-PPLCG-6642-00T-N	1831	66	42	2	L-PPLCG-8224-SSS-N	1724	82	24	2
L-PPLCG-6648-00T-N	1925	66	48	2	L-PPLCG-8230-SSS-N	1818	82	30	2
					L-PPLCG-8236-SSS-N	2127	82	36	2



How to order and read your code

L	-	P		P		L		F		G	-	42		24	-	00	E	-	N
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic G=Glass		height		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered	

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82"H available up to 36"W

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PPLFG-4224-00E-N	1255	42	24	2
L-PPLFG-4230-00E-N	1299	42	30	2
L-PPLFG-4236-00E-N	1374	42	36	2
L-PPLFG-4242-00E-N	1531	42	42	2
L-PPLFG-4248-00E-N	1578	42	48	2
L-PPLFG-5024-00E-N	1292	50	24	2
L-PPLFG-5030-00E-N	1339	50	30	2
L-PPLFG-5036-00E-N	1419	50	36	2
L-PPLFG-5042-00E-N	1590	50	42	2
L-PPLFG-5048-00E-N	1642	50	48	2
One 16" frosted glass segment on top				
L-PPLFG-5024-00S-N	1364	50	24	2
L-PPLFG-5030-00S-N	1431	50	30	2
L-PPLFG-5036-00S-N	1529	50	36	2
L-PPLFG-5042-00S-N	1701	50	42	2
L-PPLFG-5048-00S-N	1770	50	48	2
L-PPLFG-6624-00S-N	1467	66	24	2
L-PPLFG-6630-00S-N	1536	66	30	2
L-PPLFG-6636-00S-N	1645	66	36	2
L-PPLFG-6642-00S-N	1884	66	42	2
L-PPLFG-6648-00S-N	1953	66	48	2
L-PPLFG-8224-00S-N	1655	82	24	2
L-PPLFG-8230-00S-N	1709	82	30	2
L-PPLFG-8236-00S-N	2292	82	36	2
One 24" frosted glass segment on top				
L-PPLFG-6624-00T-N	1510	66	24	2
L-PPLFG-6630-00T-N	1601	66	30	2
L-PPLFG-6636-00T-N	1719	66	36	2
L-PPLFG-6642-00T-N	1937	66	42	2
L-PPLFG-6648-00T-N	2031	66	48	2

Code	Price	H	W	D
Two 8" frosted glass segments on top				
L-PPLFG-6624-0EE-N	1680	66	24	2
L-PPLFG-6630-0EE-N	1732	66	30	2
L-PPLFG-6636-0EE-N	2052	66	36	2
L-PPLFG-6642-0EE-N	2105	66	42	2
L-PPLFG-6648-0EE-N	2179	66	48	2
One 8" & One 16" frosted glass segment on top				
L-PPLFG-6624-0ES-N	1680	66	24	2
L-PPLFG-6630-0ES-N	1762	66	30	2
L-PPLFG-6636-0ES-N	2119	66	36	2
L-PPLFG-6642-0ES-N	2203	66	42	2
L-PPLFG-6648-0ES-N	2316	66	48	2
Two 16" frosted glass segments on top				
L-PPLFG-8224-0SS-N	1736	82	24	2
L-PPLFG-8230-0SS-N	1824	82	30	2
L-PPLFG-8236-0SS-N	2216	82	36	2
One 24" & One 16" frosted glass segment on top				
L-PPLFG-8224-0TS-N	1796	82	24	2
L-PPLFG-8230-0TS-N	1930	82	30	2
L-PPLFG-8236-0TS-N	2341	82	36	2
Two 24" frosted glass segments on top				
L-PPLFG-8224-0TT-N	1795	82	24	2
L-PPLFG-8230-0TT-N	1952	82	30	2
L-PPLFG-8236-0TT-N	2296	82	36	2
One 8" & Two 16" frosted glass segments on top				
L-PPLFG-8224-ESS-N	2011	82	24	2
L-PPLFG-8230-ESS-N	2190	82	30	2
L-PPLFG-8236-ESS-N	2602	82	36	2
Three 16" frosted glass segments on top				
L-PPLFG-8224-SSS-N	1987	82	24	2
L-PPLFG-8230-SSS-N	2108	82	30	2
L-PPLFG-8236-SSS-N	2476	82	36	2



How to order and read your code

L	-	P		P		F		C		A	-	42		24	-	00	E	-	E
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic height G=Glass	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered											

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:


Refer to laminate cards for laminate selections

Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PPFCA-4224-00E-E	864	42	24	2
L-PPFCA-4230-00E-E	948	42	30	2
L-PPFCA-4236-00E-E	1031	42	36	2
L-PPFCA-4242-00E-E	1115	42	42	2
L-PPFCA-4248-00E-E	1199	42	48	2
L-PPFCA-4254-00E-E	1286	42	54	2
L-PPFCA-4260-00E-E	1369	42	60	2
L-PPFCA-5024-00E-E	864	50	24	2
L-PPFCA-5030-00E-E	948	50	30	2
L-PPFCA-5036-00E-E	1031	50	36	2
L-PPFCA-5042-00E-E	1115	50	42	2
L-PPFCA-5048-00E-E	1199	50	48	2
L-PPFCA-5054-00E-E	1286	50	54	2
L-PPFCA-5060-00E-E	1369	50	60	2
One 16" clear acrylic segment on top				
L-PPFCA-5024-00S-E	864	50	24	2
L-PPFCA-5030-00S-E	948	50	30	2
L-PPFCA-5036-00S-E	1031	50	36	2
L-PPFCA-5042-00S-E	1115	50	42	2
L-PPFCA-5048-00S-E	1199	50	48	2
L-PPFCA-5054-00S-E	1286	50	54	2
L-PPFCA-5060-00S-E	1369	50	60	2
L-PPFCA-6624-00S-E	999	66	24	2
L-PPFCA-6630-00S-E	1104	66	30	2
L-PPFCA-6636-00S-E	1209	66	36	2
L-PPFCA-6642-00S-E	1315	66	42	2
L-PPFCA-6648-00S-E	1421	66	48	2
L-PPFCA-6654-00S-E	1527	66	54	2
L-PPFCA-6660-00S-E	1633	66	60	2
L-PPFCA-8224-00S-E	1554	82	24	2
L-PPFCA-8230-00S-E	1801	82	30	2
L-PPFCA-8236-00S-E	1894	82	36	2
L-PPFCA-8242-00S-E	1940	82	42	2
L-PPFCA-8248-00S-E	2026	82	48	2
One 24" clear acrylic segment on top				
L-PPFCA-6624-00T-E	999	66	24	2
L-PPFCA-6630-00T-E	1104	66	30	2
L-PPFCA-6636-00T-E	1209	66	36	2
L-PPFCA-6642-00T-E	1315	66	42	2
L-PPFCA-6648-00T-E	1421	66	48	2
L-PPFCA-6654-00T-E	1527	66	54	2
L-PPFCA-6660-00T-E	1633	66	60	2
Two 8" clear acrylic segments on top				
L-PPFCA-6624-0EE-E	1536	66	24	2
L-PPFCA-6630-0EE-E	1737	66	30	2
L-PPFCA-6636-0EE-E	1810	66	36	2
L-PPFCA-6642-0EE-E	1870	66	42	2
L-PPFCA-6648-0EE-E	1950	66	48	2
L-PPFCA-6654-0EE-E	2073	66	54	2
L-PPFCA-6660-0EE-E	2128	66	60	2
One 8" & One 16" clear acrylic segment on top				
L-PPFCA-6624-0ES-E	1501	66	24	2
L-PPFCA-6630-0ES-E	1694	66	30	2
L-PPFCA-6636-0ES-E	1780	66	36	2
L-PPFCA-6642-0ES-E	1865	66	42	2
L-PPFCA-6648-0ES-E	1954	66	48	2
L-PPFCA-6654-0ES-E	2048	66	54	2
L-PPFCA-6660-0ES-E	2093	66	60	2
Two 16" clear acrylic segments on top				
L-PPFCA-8224-0SS-E	1598	82	24	2
L-PPFCA-8230-0SS-E	1857	82	30	2
L-PPFCA-8236-0SS-E	1987	82	36	2
L-PPFCA-8242-0SS-E	2044	82	42	2
L-PPFCA-8248-0SS-E	2126	82	48	2
One 24" & One 16" clear acrylic segment on top				
L-PPFCA-8224-0TS-E	1588	82	24	2
L-PPFCA-8230-0TS-E	1821	82	30	2
L-PPFCA-8236-0TS-E	1894	82	36	2
L-PPFCA-8242-0TS-E	1951	82	42	2
L-PPFCA-8248-0TS-E	2147	82	48	2
Two 24" clear acrylic segments on top				
L-PPFCA-8224-0TT-E	1584	82	24	2
L-PPFCA-8230-0TT-E	1795	82	30	2
L-PPFCA-8236-0TT-E	1889	82	36	2
L-PPFCA-8242-0TT-E	2013	82	42	2
L-PPFCA-8248-0TT-E	2092	82	48	2
One 8" & Two 16" clear acrylic segments on top				
L-PPFCA-8224-ESS-E	1654	82	24	2
L-PPFCA-8230-ESS-E	1963	82	30	2
L-PPFCA-8236-ESS-E	2044	82	36	2
L-PPFCA-8242-ESS-E	2047	82	42	2
L-PPFCA-8248-ESS-E	2242	82	48	2
Three 16" clear acrylic segments on top				
L-PPFCA-8224-SSS-E	1682	82	24	2
L-PPFCA-8230-SSS-E	1902	82	30	2
L-PPFCA-8236-SSS-E	2075	82	36	2
L-PPFCA-8242-SSS-E	2144	82	42	2
L-PPFCA-8248-SSS-E	2235	82	48	2



How to order and read your code

L	-	P		P		F		F		A	-	42		24	-	00	E	-	E
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic height G=Glass		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered			

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim


How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PPFFA-4224-00E-E	971	42	24	2
L-PPFFA-4230-00E-E	1054	42	30	2
L-PPFFA-4236-00E-E	1138	42	36	2
L-PPFFA-4242-00E-E	1222	42	42	2
L-PPFFA-4248-00E-E	1305	42	48	2
L-PPFFA-4254-00E-E	1393	42	54	2
L-PPFFA-4260-00E-E	1474	42	60	2
L-PPFFA-5024-00E-E	971	50	24	2
L-PPFFA-5030-00E-E	1054	50	30	2
L-PPFFA-5036-00E-E	1138	50	36	2
L-PPFFA-5042-00E-E	1222	50	42	2
L-PPFFA-5048-00E-E	1305	50	48	2
L-PPFFA-5054-00E-E	1393	50	54	2
L-PPFFA-5060-00E-E	1474	50	60	2
One 16" frosted acrylic segment on top				
L-PPFFA-5024-00S-E	971	50	24	2
L-PPFFA-5030-00S-E	1054	50	30	2
L-PPFFA-5036-00S-E	1138	50	36	2
L-PPFFA-5042-00S-E	1222	50	42	2
L-PPFFA-5048-00S-E	1305	50	48	2
L-PPFFA-5054-00S-E	1393	50	54	2
L-PPFFA-5060-00S-E	1474	50	60	2
L-PPFFA-6624-00S-E	1106	50	24	2
L-PPFFA-6630-00S-E	1210	50	30	2
L-PPFFA-6636-00S-E	1316	50	36	2
L-PPFFA-6642-00S-E	1421	50	42	2
L-PPFFA-6648-00S-E	1528	50	48	2
L-PPFFA-6654-00S-E	1633	50	54	2
L-PPFFA-6660-00S-E	1739	50	60	2
L-PPFFA-8224-00S-E	1590	82	24	2
L-PPFFA-8230-00S-E	1851	82	30	2
L-PPFFA-8236-00S-E	1956	82	36	2
L-PPFFA-8242-00S-E	2013	82	42	2
L-PPFFA-8248-00S-E	2097	82	48	2
One 24" frosted acrylic segment on top				
L-PPFFA-6624-00T-E	1106	66	24	2
L-PPFFA-6630-00T-E	1210	66	30	2
L-PPFFA-6636-00T-E	1316	66	36	2
L-PPFFA-6642-00T-E	1371	66	42	2
L-PPFFA-6648-00T-E	1479	66	48	2
L-PPFFA-6654-00T-E	1633	66	54	2
L-PPFFA-6660-00T-E	1739	66	60	2
Two 8" frosted acrylic segments on top				
L-PPFFA-6624-0EE-E	1600	66	24	2
L-PPFFA-6630-0EE-E	1822	66	30	2
L-PPFFA-6636-0EE-E	1923	66	36	2
L-PPFFA-6642-0EE-E	1980	66	42	2
L-PPFFA-6648-0EE-E	2079	66	48	2
L-PPFFA-6654-0EE-E	2164	66	54	2
L-PPFFA-6660-0EE-E	2217	66	60	2
One 8" & One 16" frosted acrylic segment on top				
L-PPFFA-6624-0ES-E	1553	66	24	2
L-PPFFA-6630-0ES-E	1767	66	30	2
L-PPFFA-6636-0ES-E	1866	66	36	2
L-PPFFA-6642-0ES-E	1974	66	42	2
L-PPFFA-6648-0ES-E	2062	66	48	2
L-PPFFA-6654-0ES-E	2168	66	54	2
L-PPFFA-6660-0ES-E	2234	66	60	2
Two 16" frosted acrylic segments on top				
L-PPFFA-8224-0SS-E	1495	82	24	2
L-PPFFA-8230-0SS-E	1710	82	30	2
L-PPFFA-8236-0SS-E	1794	82	36	2
L-PPFFA-8242-0SS-E	1859	82	42	2
L-PPFFA-8248-0SS-E	1928	82	48	2
One 24" & One 16" frosted acrylic segment on top				
L-PPFFA-8224-0TS-E	1696	82	24	2
L-PPFFA-8230-0TS-E	1966	82	30	2
L-PPFFA-8236-0TS-E	2037	82	36	2
L-PPFFA-8242-0TS-E	2131	82	42	2
L-PPFFA-8248-0TS-E	2365	82	48	2
Two 24" frosted acrylic segments on top				
L-PPFFA-8224-0TT-E	1692	82	24	2
L-PPFFA-8230-0TT-E	1940	82	30	2
L-PPFFA-8236-0TT-E	2062	82	36	2
L-PPFFA-8242-0TT-E	2228	82	42	2
L-PPFFA-8248-0TT-E	2306	82	48	2
One 8" & Two 16" frosted acrylic segments on top				
L-PPFFA-8224-ESS-E	1762	82	24	2
L-PPFFA-8230-ESS-E	2105	82	30	2
L-PPFFA-8236-ESS-E	2188	82	36	2
L-PPFFA-8242-ESS-E	2257	82	42	2
L-PPFFA-8248-ESS-E	2384	82	48	2
Three 16" frosted acrylic segments on top				
L-PPFFA-8224-SSS-E	1791	82	24	2
L-PPFFA-8230-SSS-E	2044	82	30	2
L-PPFFA-8236-SSS-E	2293	82	36	2
L-PPFFA-8242-SSS-E	2360	82	42	2
L-PPFFA-8248-SSS-E	2451	82	48	2



How to order and read your code

L	-	P		P		F		C		G	-	42		24	-	0	0	E	-	E
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic G=Glass		height		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered		

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:


Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Code	Price	H	W	D
One 8" clear glass segment on top				
L-PPFCG-4224-00E-E	1005	42	24	2
L-PPFCG-4230-00E-E	1089	42	30	2
L-PPFCG-4236-00E-E	1174	42	36	2
L-PPFCG-4242-00E-E	1257	42	42	2
L-PPFCG-4248-00E-E	1341	42	48	2
L-PPFCG-4254-00E-E	1427	42	54	2
L-PPFCG-4260-00E-E	1508	42	60	2
L-PPFCG-5024-00E-E	1005	50	24	2
L-PPFCG-5030-00E-E	1089	50	30	2
L-PPFCG-5036-00E-E	1174	50	36	2
L-PPFCG-5042-00E-E	1257	50	42	2
L-PPFCG-5048-00E-E	1341	50	48	2
L-PPFCG-5054-00E-E	1427	50	54	2
L-PPFCG-5060-00E-E	1508	50	60	2
One 16" clear glass segment on top				
L-PPFCG-5024-00S-E	1005	50	24	2
L-PPFCG-5030-00S-E	1089	50	30	2
L-PPFCG-5036-00S-E	1174	50	36	2
L-PPFCG-5042-00S-E	1257	50	42	2
L-PPFCG-5048-00S-E	1341	50	48	2
L-PPFCG-5054-00S-E	1427	50	54	2
L-PPFCG-5060-00S-E	1508	50	60	2
L-PPFCG-6624-00S-E	1150	66	24	2
L-PPFCG-6630-00S-E	1253	66	30	2
L-PPFCG-6636-00S-E	1360	66	36	2
L-PPFCG-6642-00S-E	1466	66	42	2
L-PPFCG-6648-00S-E	1574	66	48	2
L-PPFCG-6654-00S-E	1679	66	54	2
L-PPFCG-6660-00S-E	1786	66	60	2
L-PPFCG-8224-00S-E	1512	82	24	2
L-PPFCG-8230-00S-E	1786	82	30	2
L-PPFCG-8236-00S-E	1901	82	36	2
L-PPFCG-8242-00S-E	1964	82	42	2
L-PPFCG-8248-00S-E	2072	82	48	2
One 24" clear glass segment on top				
L-PPFCG-6624-00T-E	1150	66	24	2
L-PPFCG-6630-00T-E	1253	66	30	2
L-PPFCG-6636-00T-E	1360	66	36	2
L-PPFCG-6642-00T-E	1466	66	42	2
L-PPFCG-6648-00T-E	1574	66	48	2
L-PPFCG-6654-00T-E	1679	66	54	2
L-PPFCG-6660-00T-E	1786	66	60	2

Code	Price	H	W	D
Two 8" clear glass segments on top				
L-PPFCG-6624-0EE-E	1636	66	24	2
L-PPFCG-6630-0EE-E	1873	66	30	2
L-PPFCG-6636-0EE-E	1972	66	36	2
L-PPFCG-6642-0EE-E	2043	66	42	2
L-PPFCG-6648-0EE-E	2140	66	48	2
L-PPFCG-6654-0EE-E	2262	66	54	2
L-PPFCG-6660-0EE-E	2329	66	60	2
One 8" & One 16" clear glass segment on top				
L-PPFCG-6624-0ES-E	1594	66	24	2
L-PPFCG-6630-0ES-E	1802	66	30	2
L-PPFCG-6636-0ES-E	1905	66	36	2
L-PPFCG-6642-0ES-E	1997	66	42	2
L-PPFCG-6648-0ES-E	2118	66	48	2
L-PPFCG-6654-0ES-E	2250	66	54	2
L-PPFCG-6660-0ES-E	2323	66	60	2
Two 16" clear glass segments on top				
L-PPFCG-8224-0SS-E	1692	82	24	2
L-PPFCG-8230-0SS-E	1944	82	30	2
L-PPFCG-8236-0SS-E	2075	82	36	2
L-PPFCG-8242-0SS-E	2180	82	42	2
L-PPFCG-8248-0SS-E	2306	82	48	2
One 24" & One 16" clear glass segment on top				
L-PPFCG-8224-0TS-E	1680	82	24	2
L-PPFCG-8230-0TS-E	1913	82	30	2
L-PPFCG-8236-0TS-E	2040	82	36	2
L-PPFCG-8242-0TS-E	2157	82	42	2
L-PPFCG-8248-0TS-E	2300	82	48	2
Two 24" clear glass segments on top				
L-PPFCG-8224-0TT-E	1710	82	24	2
L-PPFCG-8230-0TT-E	1937	82	30	2
L-PPFCG-8236-0TT-E	2054	82	36	2
L-PPFCG-8242-0TT-E	2176	82	42	2
L-PPFCG-8248-0TT-E	2318	82	48	2
One 8" & Two 16" clear glass segments on top				
L-PPFCG-8224-0SS-E	1835	82	24	2
L-PPFCG-8230-0SS-E	2134	82	30	2
L-PPFCG-8236-0SS-E	2273	82	36	2
L-PPFCG-8242-0SS-E	2294	82	42	2
L-PPFCG-8248-0SS-E	2474	82	48	2
Three 16" clear glass segments on top				
L-PPFCG-8224-0SS-E	1874	82	24	2
L-PPFCG-8230-0SS-E	2093	82	30	2
L-PPFCG-8236-0SS-E	2235	82	36	2
L-PPFCG-8242-0SS-E	2370	82	42	2
L-PPFCG-8248-0SS-E	2532	82	48	2



How to order and read your code

L	-	P		P		F		F		G	-	42		24	-	00	E	-	E
product line		standard		P= glazed E = Elevated		F=Fabric L=Laminate		C= Clear F=Frosted		A=Acrylic G=Glass		height		width		0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		N=Non powered E=Powered	

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim


How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PPFFG-4224-00E-E	1112	42	24	2
L-PPFFG-4230-00E-E	1195	42	30	2
L-PPFFG-4236-00E-E	1280	42	36	2
L-PPFFG-4242-00E-E	1364	42	42	2
L-PPFFG-4248-00E-E	1447	42	48	2
L-PPFFG-4254-00E-E	1534	42	54	2
L-PPFFG-4260-00E-E	1615	42	60	2
L-PPFFG-5024-00E-E	1112	50	24	2
L-PPFFG-5030-00E-E	1195	50	30	2
L-PPFFG-5036-00E-E	1280	50	36	2
L-PPFFG-5042-00E-E	1364	50	42	2
L-PPFFG-5048-00E-E	1447	50	48	2
L-PPFFG-5054-00E-E	1534	50	54	2
L-PPFFG-5060-00E-E	1615	50	60	2
One 16" frosted glass segment on top				
L-PPFFG-5024-00S-E	1112	50	24	2
L-PPFFG-5030-00S-E	1195	50	30	2
L-PPFFG-5036-00S-E	1280	50	36	2
L-PPFFG-5042-00S-E	1364	50	42	2
L-PPFFG-5048-00S-E	1447	50	48	2
L-PPFFG-5054-00S-E	1534	50	54	2
L-PPFFG-5060-00S-E	1615	50	60	2
L-PPFFG-6624-00S-E	1255	66	24	2
L-PPFFG-6630-00S-E	1360	66	30	2
L-PPFFG-6636-00S-E	1467	66	36	2
L-PPFFG-6642-00S-E	1573	66	42	2
L-PPFFG-6648-00S-E	1680	66	48	2
L-PPFFG-6654-00S-E	1786	66	54	2
L-PPFFG-6660-00S-E	1892	66	60	2
L-PPFFG-8224-00S-E	1600	82	24	2
L-PPFFG-8230-00S-E	1882	82	30	2
L-PPFFG-8236-00S-E	2016	82	36	2
L-PPFFG-8242-00S-E	2097	82	42	2
L-PPFFG-8248-00S-E	2227	82	48	2
One 24" frosted glass segment on top				
L-PPFFG-6624-00T-E	1255	66	24	2
L-PPFFG-6630-00T-E	1360	66	30	2
L-PPFFG-6636-00T-E	1467	66	36	2
L-PPFFG-6642-00T-E	1573	66	42	2
L-PPFFG-6648-00T-E	1680	66	48	2
L-PPFFG-6654-00T-E	1786	66	54	2
L-PPFFG-6660-00T-E	1892	66	60	2
Two 8" frosted glass segments on top				
L-PPFFG-6624-0EE-E	1810	66	24	2
L-PPFFG-6630-0EE-E	2047	66	30	2
L-PPFFG-6636-0EE-E	2146	66	36	2
L-PPFFG-6642-0EE-E	2217	66	42	2
L-PPFFG-6648-0EE-E	2313	66	48	2
L-PPFFG-6654-0EE-E	2438	66	54	2
L-PPFFG-6660-0EE-E	2522	66	60	2
One 8" & One 16" frosted glass segment on top				
L-PPFFG-6624-0ES-E	1768	66	24	2
L-PPFFG-6630-0ES-E	1987	66	30	2
L-PPFFG-6636-0ES-E	2110	66	36	2
L-PPFFG-6642-0ES-E	2223	66	42	2
L-PPFFG-6648-0ES-E	2360	66	48	2
L-PPFFG-6654-0ES-E	2512	66	54	2
L-PPFFG-6660-0ES-E	2616	66	60	2
Two 16" frosted glass segments on top				
L-PPFFG-8224-0SS-E	1866	82	24	2
L-PPFFG-8230-0SS-E	2139	82	30	2
L-PPFFG-8236-0SS-E	2308	82	36	2
L-PPFFG-8242-0SS-E	2451	82	42	2
L-PPFFG-8248-0SS-E	2618	82	48	2
One 24" & One 16" frosted glass segment on top				
L-PPFFG-8224-0TS-E	1884	82	24	2
L-PPFFG-8230-0TS-E	2156	82	30	2
L-PPFFG-8236-0TS-E	2332	82	36	2
L-PPFFG-8242-0TS-E	2498	82	42	2
L-PPFFG-8248-0TS-E	2688	82	48	2
Two 24" frosted glass segments on top				
L-PPFFG-8224-0TT-E	1943	82	24	2
L-PPFFG-8230-0TT-E	2228	82	30	2
L-PPFFG-8236-0TT-E	2404	82	36	2
L-PPFFG-8242-0TT-E	2581	82	42	2
L-PPFFG-8248-0TT-E	2784	82	48	2
One 8" & Two 16" frosted glass segments on top				
L-PPFFG-8224-ESS-E	2097	82	24	2
L-PPFFG-8230-ESS-E	2414	82	30	2
L-PPFFG-8236-ESS-E	2592	82	36	2
L-PPFFG-8242-ESS-E	2653	82	42	2
L-PPFFG-8248-ESS-E	2873	82	48	2
Three 16" frosted glass segments on top				
L-PPFFG-8224-SSS-E	2136	82	24	2
L-PPFFG-8230-SSS-E	2383	82	30	2
L-PPFFG-8236-SSS-E	2582	82	36	2
L-PPFFG-8242-SSS-E	2779	82	42	2
L-PPFFG-8248-SSS-E	2997	82	48	2



How to order and read your code

L - P		P	L	C	A - 42	24 -	0 0 E - E		
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*82"H available up to 36"W

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PPLCA-4224-00E-E	1226	42	24	2
L-PPLCA-4230-00E-E	1283	42	30	2
L-PPLCA-4236-00E-E	1338	42	36	2
L-PPLCA-4242-00E-E	1454	42	42	2
L-PPLCA-4248-00E-E	1467	42	48	2
L-PPLCA-5024-00E-E	1264	50	24	2
L-PPLCA-5030-00E-E	1176	50	30	2
L-PPLCA-5036-00E-E	1234	50	36	2
L-PPLCA-5042-00E-E	1394	50	42	2
L-PPLCA-5048-00E-E	1427	50	48	2
One 16" clear acrylic segment on top				
L-PPLCA-5024-00S-E	1161	50	24	2
L-PPLCA-5030-00S-E	1199	50	30	2
L-PPLCA-5036-00S-E	1265	50	36	2
L-PPLCA-5042-00S-E	1408	50	42	2
L-PPLCA-5048-00S-E	1448	50	48	2
L-PPLCA-6624-00S-E	1265	66	24	2
L-PPLCA-6630-00S-E	1303	66	30	2
L-PPLCA-6636-00S-E	1386	66	36	2
L-PPLCA-6642-00S-E	1596	66	42	2
L-PPLCA-6648-00S-E	1639	66	48	2
L-PPLCA-8224-00S-E	1623	82	24	2
L-PPLCA-8230-00S-E	1643	82	30	2
L-PPLCA-8236-00S-E	2185	82	36	2
One 24" clear acrylic segment on top				
L-PPLCA-6624-00T-E	1253	66	24	2
L-PPLCA-6630-00T-E	1302	66	30	2
L-PPLCA-6636-00T-E	1383	66	36	2
L-PPLCA-6642-00T-E	1557	66	42	2
L-PPLCA-6648-00T-E	1606	66	48	2

Code	Price	H	W	D
Two 8" clear acrylic segments on top				
L-PPLCA-6624-0EE-E	1420	66	24	2
L-PPLCA-6630-0EE-E	1437	66	30	2
L-PPLCA-6636-0EE-E	1731	66	36	2
L-PPLCA-6642-0EE-E	1770	66	42	2
L-PPLCA-6648-0EE-E	1828	66	48	2
One 8" & One 16" clear acrylic segment on top				
L-PPLCA-6624-0ES-E	1427	66	24	2
L-PPLCA-6630-0ES-E	1484	66	30	2
L-PPLCA-6636-0ES-E	1802	66	36	2
L-PPLCA-6642-0ES-E	1862	66	42	2
L-PPLCA-6648-0ES-E	1925	66	48	2
Two 16" clear acrylic segments on top				
L-PPLCA-8224-0SS-E	1482	82	24	2
L-PPLCA-8230-0SS-E	1554	82	30	2
L-PPLCA-8236-0SS-E	1908	82	36	2
One 24" & One 16" clear acrylic segment on top				
L-PPLCA-8224-0TS-E	1513	82	24	2
L-PPLCA-8230-0TS-E	1611	82	30	2
L-PPLCA-8236-0TS-E	1917	82	36	2
Two 24" clear acrylic segments on top				
L-PPLCA-8224-0TT-E	1447	82	24	2
L-PPLCA-8230-0TT-E	1535	82	30	2
L-PPLCA-8236-0TT-E	1797	82	36	2
One 8" & Two 16" clear acrylic segments on top				
L-PPLCA-8224-ESS-E	1579	82	24	2
L-PPLCA-8230-ESS-E	1750	82	30	2
L-PPLCA-8236-ESS-E	2069	82	36	2
Three 16" clear acrylic segments on top				
L-PPLCA-8224-SSS-E	1548	82	24	2
L-PPLCA-8230-SSS-E	1642	82	30	2
L-PPLCA-8236-SSS-E	1983	82	36	2



How to order and read your code

L	-	P	P	L	F	A	-	42	24	-	00E	-	E
product line	standard	P=glazed E=Elevated	F=Fabric L=Laminate	C=Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment			N=Non powered E=Powered		

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48",

Laminate

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82"H available up to 36"W

Notes:


Power capable panel with bracket for power module.

Power module must be specified seperately.

Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PPLFA-4224-00E-E	1212	42	24	2
L-PPLFA-4230-00E-E	1245	42	30	2
L-PPLFA-4236-00E-E	1298	42	36	2
L-PPLFA-4242-00E-E	1435	42	42	2
L-PPLFA-4248-00E-E	1467	42	48	2
L-PPLFA-5024-00E-E	1251	50	24	2
L-PPLFA-5030-00E-E	1283	50	30	2
L-PPLFA-5036-00E-E	1341	50	36	2
L-PPLFA-5042-00E-E	1501	50	42	2
L-PPLFA-5048-00E-E	1534	50	48	2
One 16" frosted acrylic segment on top				
L-PPLFA-5024-00S-E	1268	50	24	2
L-PPLFA-5030-00S-E	1305	50	30	2
L-PPLFA-5036-00S-E	1372	50	36	2
L-PPLFA-5042-00S-E	1514	50	42	2
L-PPLFA-5048-00S-E	1557	50	48	2
L-PPLFA-6624-00S-E	1372	66	24	2
L-PPLFA-6630-00S-E	1409	66	30	2
L-PPLFA-6636-00S-E	1493	66	36	2
L-PPLFA-6642-00S-E	1702	66	42	2
L-PPLFA-6648-00S-E	1745	66	48	2
L-PPLFA-8224-00S-E	1661	82	24	2
L-PPLFA-8230-00S-E	1691	82	30	2
L-PPLFA-8236-00S-E	2246	82	36	2
One 24" frosted acrylic segment on top				
L-PPLFA-6624-00T-E	1360	66	24	2
L-PPLFA-6630-00T-E	1408	66	30	2
L-PPLFA-6636-00T-E	1444	66	36	2
L-PPLFA-6642-00T-E	1664	66	42	2
L-PPLFA-6648-00T-E	1714	66	48	2

Code	Price	H	W	D
Two 8" frosted acrylic segments on top				
L-PPLFA-6624-0EE-E	1483	66	24	2
L-PPLFA-6630-0EE-E	1524	66	30	2
L-PPLFA-6636-0EE-E	1844	66	36	2
L-PPLFA-6642-0EE-E	1879	66	42	2
L-PPLFA-6648-0EE-E	1956	66	48	2
One 8" & One 16" frosted acrylic segment on top				
L-PPLFA-6624-0ES-E	1481	66	24	2
L-PPLFA-6630-0ES-E	1557	66	30	2
L-PPLFA-6636-0ES-E	1889	66	36	2
L-PPLFA-6642-0ES-E	1970	66	42	2
L-PPLFA-6648-0ES-E	2033	66	48	2
Two 16" frosted acrylic segments on top				
L-PPLFA-8224-0SS-E	1379	82	24	2
L-PPLFA-8230-0SS-E	1409	82	30	2
L-PPLFA-8236-0SS-E	1715	82	36	2
One 24" & One 16" frosted acrylic segment on top				
L-PPLFA-8224-0TS-E	1622	82	24	2
L-PPLFA-8230-0TS-E	1755	82	30	2
L-PPLFA-8236-0TS-E	2061	82	36	2
Two 24" frosted acrylic segments on top				
L-PPLFA-8224-0TT-E	1557	82	24	2
L-PPLFA-8230-0TT-E	1678	82	30	2
L-PPLFA-8236-0TT-E	1970	82	36	2
One 8" & Two 16" frosted acrylic segments on top				
L-PPLFA-8224-ESS-E	1689	82	24	2
L-PPLFA-8230-ESS-E	1894	82	30	2
L-PPLFA-8236-ESS-E	2211	82	36	2
Three 16" frosted acrylic segments on top				
L-PPLFA-8224-SSS-E	1655	82	24	2
L-PPLFA-8230-SSS-E	1785	82	30	2
L-PPLFA-8236-SSS-E	2200	82	36	2



How to order and read your code

L - P		P	L	C	G - 42	24 - 00	E - E		
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	N=Non powered E=Powered

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:


Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*82"H available up to 36"W	

Code	Price	H	W	D
One 8" clear glass segment on top				
L-PPLCG-4224-00E-E	1777	42	24	2
L-PPLCG-4230-00E-E	1395	42	30	2
L-PPLCG-4236-00E-E	1459	42	36	2
L-PPLCG-4242-00E-E	1532	42	42	2
L-PPLCG-4248-00E-E	1605	42	48	2
L-PPLCG-5024-00E-E	1233	50	24	2
L-PPLCG-5030-00E-E	1280	50	30	2
L-PPLCG-5036-00E-E	1357	50	36	2
L-PPLCG-5042-00E-E	1534	50	42	2
L-PPLCG-5048-00E-E	1583	50	48	2
One 16" clear glass segment on top				
L-PPLCG-5024-00S-E	1303	50	24	2
L-PPLCG-5030-00S-E	1372	50	30	2
L-PPLCG-5036-00S-E	1467	50	36	2
L-PPLCG-5042-00S-E	1643	50	42	2
L-PPLCG-5048-00S-E	1712	50	48	2
L-PPLCG-6624-00S-E	1406	66	24	2
L-PPLCG-6630-00S-E	1476	66	30	2
L-PPLCG-6636-00S-E	1587	66	36	2
L-PPLCG-6642-00S-E	1824	66	42	2
L-PPLCG-6648-00S-E	1897	66	48	2
L-PPLCG-8224-00S-E	1581	82	24	2
L-PPLCG-8230-00S-E	1625	82	30	2
L-PPLCG-8236-00S-E	2189	82	36	2
One 24" clear glass segment on top				
L-PPLCG-6624-00T-E	1450	66	24	2
L-PPLCG-6630-00T-E	1539	66	30	2
L-PPLCG-6636-00T-E	1661	66	36	2
L-PPLCG-6642-00T-E	1878	66	42	2
L-PPLCG-6648-00T-E	1970	66	48	2

Code	Price	H	W	D
Two 8" clear glass segments on top				
L-PPLCG-6624-0EE-E	1518	66	24	2
L-PPLCG-6630-0EE-E	1573	66	30	2
L-PPLCG-6636-0EE-E	1894	66	36	2
L-PPLCG-6642-0EE-E	1943	66	42	2
L-PPLCG-6648-0EE-E	2019	66	48	2
One 8" & One 16" clear glass segment on top				
L-PPLCG-6624-0ES-E	1518	66	24	2
L-PPLCG-6630-0ES-E	1593	66	30	2
L-PPLCG-6636-0ES-E	1929	66	36	2
L-PPLCG-6642-0ES-E	1994	66	42	2
L-PPLCG-6648-0ES-E	2085	66	48	2
Two 16" clear glass segments on top				
L-PPLCG-8224-0SS-E	1576	82	24	2
L-PPLCG-8230-0SS-E	1645	82	30	2
L-PPLCG-8236-0SS-E	1997	82	36	2
One 24" & One 16" clear glass segment on top				
L-PPLCG-8224-0TS-E	1606	82	24	2
L-PPLCG-8230-0TS-E	1703	82	30	2
L-PPLCG-8236-0TS-E	2062	82	36	2
Two 24" clear glass segments on top				
L-PPLCG-8224-0TT-E	1576	82	24	2
L-PPLCG-8230-0TT-E	1677	82	30	2
L-PPLCG-8236-0TT-E	1963	82	36	2
One 8" & Two 16" clear glass segments on top				
L-PPLCG-8224-ESS-E	1762	82	24	2
L-PPLCG-8230-ESS-E	1925	82	30	2
L-PPLCG-8236-ESS-E	2295	82	36	2
Three 16" clear glass segments on top				
L-PPLCG-8224-SSS-E	1739	82	24	2
L-PPLCG-8230-SSS-E	1832	82	30	2
L-PPLCG-8236-SSS-E	2141	82	36	2



How to order and read your code

L	-	P	P	L	F	G	-	42	24	-	00	E	-	E
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment				N=Non powered E=Powered		

What's Included:

One (1) 2" thick laminate panel with 1" incremented slotted channels,
Two (2) raceway covers,
One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82"H available up to 36"W

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PPLFG-4224-00E-E	1666	42	24	2
L-PPLFG-4230-00E-E	1349	42	30	2
L-PPLFG-4236-00E-E	1422	42	36	2
L-PPLFG-4242-00E-E	1577	42	42	2
L-PPLFG-4248-00E-E	1625	42	48	2
L-PPLFG-5024-00E-E	1340	50	24	2
L-PPLFG-5030-00E-E	1386	50	30	2
L-PPLFG-5036-00E-E	1464	50	36	2
L-PPLFG-5042-00E-E	1641	50	42	2
L-PPLFG-5048-00E-E	1690	50	48	2
One 16" frosted glass segment on top				
L-PPLFG-5024-00S-E	1409	50	24	2
L-PPLFG-5030-00S-E	1480	50	30	2
L-PPLFG-5036-00S-E	1574	50	36	2
L-PPLFG-5042-00S-E	1749	50	42	2
L-PPLFG-5048-00S-E	1819	50	48	2
L-PPLFG-6624-00S-E	1512	66	24	2
L-PPLFG-6630-00S-E	1583	66	30	2
L-PPLFG-6636-00S-E	1693	66	36	2
L-PPLFG-6642-00S-E	1930	66	42	2
L-PPLFG-6648-00S-E	2003	66	48	2
L-PPLFG-8224-00S-E	1669	82	24	2
L-PPLFG-8230-00S-E	1723	82	30	2
L-PPLFG-8236-00S-E	2304	82	36	2
One 24" frosted glass segment on top				
L-PPLFG-6624-00T-E	1558	66	24	2
L-PPLFG-6630-00T-E	1646	66	30	2
L-PPLFG-6636-00T-E	1767	66	36	2
L-PPLFG-6642-00T-E	1984	66	42	2
L-PPLFG-6648-00T-E	2079	66	48	2

Code	Price	H	W	D
Two 8" frosted glass segments on top				
L-PPLFG-6624-0EE-E	1694	66	24	2
L-PPLFG-6630-0EE-E	1748	66	30	2
L-PPLFG-6636-0EE-E	2069	66	36	2
L-PPLFG-6642-0EE-E	2119	66	42	2
L-PPLFG-6648-0EE-E	2191	66	48	2
One 8" & One 16" frosted glass segment on top				
L-PPLFG-6624-0ES-E	1694	66	24	2
L-PPLFG-6630-0ES-E	1774	66	30	2
L-PPLFG-6636-0ES-E	2133	66	36	2
L-PPLFG-6642-0ES-E	2217	66	42	2
L-PPLFG-6648-0ES-E	2329	66	48	2
Two 16" frosted glass segments on top				
L-PPLFG-8224-0SS-E	1750	82	24	2
L-PPLFG-8230-0SS-E	1837	82	30	2
L-PPLFG-8236-0SS-E	2230	82	36	2
One 24" & One 16" frosted glass segment on top				
L-PPLFG-8224-0TS-E	1810	82	24	2
L-PPLFG-8230-0TS-E	1944	82	30	2
L-PPLFG-8236-0TS-E	2355	82	36	2
Two 24" frosted glass segments on top				
L-PPLFG-8224-0TT-E	1809	82	24	2
L-PPLFG-8230-0TT-E	1967	82	30	2
L-PPLFG-8236-0TT-E	2309	82	36	2
One 8" & Two 16" frosted glass segments on top				
L-PPLFG-8224-ESS-E	2025	82	24	2
L-PPLFG-8230-ESS-E	2204	82	30	2
L-PPLFG-8236-ESS-E	2616	82	36	2
Three 16" frosted glass segments on top				
L-PPLFG-8224-SSS-E	2000	82	24	2
L-PPLFG-8230-SSS-E	2122	82	30	2
L-PPLFG-8236-SSS-E	2490	82	36	2



Elevated Non-Powered
Fabric Panel

What's Included:

One (1) 2" thick fabric panel with
1" incremented slotted channels,
One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel
Frame colour

Notes:

Non-power capable panel.

Can be used in run with power-capable
panels and allows wires to pass through.

Panels are non tackable. For tackable
option see Panel Add-On section.


Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66", 72"
Fabric	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PEF0-3424	419	34	24	2	14.836364	0.94
L-PEF0-3430	452	34	30	2	18.545455	1.18
L-PEF0-3436	486	34	36	2	22.26	1.42
L-PEF0-3442	519	34	42	2	25.963636	1.65
L-PEF0-3448	551	34	48	2	29.672727	1.89
L-PEF0-3454	584	34	54	2	33.381818	2.13
L-PEF0-3460	617	34	60	2	37.090909	2.36
L-PEF0-4224	419	42	24	2	18.327273	1.17
L-PEF0-4230	452	42	30	2	22.909091	1.46
L-PEF0-4236	486	42	36	2	27.490909	1.75
L-PEF0-4242	519	42	42	2	32.072727	2.04
L-PEF0-4248	551	42	48	2	36.66	2.33
L-PEF0-4254	584	42	54	2	41.236364	2.63
L-PEF0-4260	617	42	60	2	45.818182	2.92
L-PEF0-5024	452	50	24	2	21.818182	1.39
L-PEF0-5030	502	50	30	2	27.272727	1.74
L-PEF0-5036	551	50	36	2	32.727273	2.08
L-PEF0-5042	601	50	42	2	38.181818	2.43
L-PEF0-5048	651	50	48	2	43.636364	2.78
L-PEF0-5054	701	50	54	2	49.090909	3.13
L-PEF0-5060	747	50	60	2	54.545455	3.47
L-PEF0-6624	519	66	24	2	28.8	1.83
L-PEF0-6630	577	66	30	2	36	2.29
L-PEF0-6636	627	66	36	2	43.2	2.75
L-PEF0-6642	676	66	42	2	50.4	3.21
L-PEF0-6648	725	66	48	2	57.6	3.67
L-PEF0-6654	791	66	54	2	64.8	4.13
L-PEF0-6660	856	66	60	2	72	4.58
L-PEF0-8224	983	82	24	2		
L-PEF0-8230	1054	82	30	2		
L-PEF0-8236	1277	82	36	2		
L-PEF0-8242	1344	82	42	2		
L-PEF0-8248	1413	82	48	2		



What’s Included:

- One (1) 2” thick laminate panel with 1” incremented slotted channels,
 - One (1) top trim
- How to Specify:**
- Refer to laminate cards for laminate selections
 - Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:


- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82"H available up to 36"W

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PEL0-3424	530	34	24	2	14.836364	0.94
L-PEL0-3430	578	34	30	2	18.545455	1.18
L-PEL0-3436	659	34	36	2	22.26	1.42
L-PEL0-3442	709	34	42	2	25.963636	1.65
L-PEL0-3448	777	34	48	2	29.672727	1.89
L-PEL0-4224	578	42	24	2	18.327273	1.17
L-PEL0-4230	629	42	30	2	22.909091	1.46
L-PEL0-4236	709	42	36	2	27.490909	1.75
L-PEL0-4242	759	42	42	2	32.072727	2.04
L-PEL0-4248	825	42	48	2	36.66	2.33
L-PEL0-5024	629	50	24	2	21.818182	1.39
L-PEL0-5030	678	50	30	2	27.272727	1.74
L-PEL0-5036	777	50	36	2	32.727273	2.08
L-PEL0-5042	825	50	42	2	38.181818	2.43
L-PEL0-5048	892	50	48	2	43.636364	2.78
L-PEL0-6624	777	66	24	2	28.8	1.83
L-PEL0-6630	825	66	30	2	36	2.29
L-PEL0-6636	974	66	36	2	43.2	2.75
L-PEL0-6642	1025	66	42	2	50.4	3.21
L-PEL0-6648	1089	66	48	2	57.6	3.67
L-PEL0-8224	1045	82	24	2		
L-PEL0-8230	1051	82	30	2		
L-PEL0-8236	1396	82	36	2		



How to order and read your code

L	-	P	E	F	C	A	-	42	24	-	0	0	E
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment					

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame colour

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.


Panels are non tackable. For tackable option see Panel Add-On section.

Fabric Upcharge
Grade 2 - \$226 per panel,
Grade 3- \$278 per panel

Options:	
Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60". 66"" 72"
Fabric	
Glass/Acrylic	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	
*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide	

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PEFCA-4224-00E	815	42	24	2
L-PEFCA-4230-00E	899	42	30	2
L-PEFCA-4236-00E	983	42	36	2
L-PEFCA-4242-00E	1067	42	42	2
L-PEFCA-4248-00E	1153	42	48	2
L-PEFCA-4254-00E	1234	42	54	2
L-PEFCA-4260-00E	1318	42	60	2
L-PEFCA-5024-00E	815	50	24	2
L-PEFCA-5030-00E	899	50	30	2
L-PEFCA-5036-00E	983	50	36	2
L-PEFCA-5042-00E	1067	50	42	2
L-PEFCA-5048-00E	1153	50	48	2
L-PEFCA-5054-00E	1234	50	54	2
L-PEFCA-5060-00E	1318	50	60	2
One 16" clear acrylic segment on top				
L-PEFCA-5024-00S	815	50	24	2
L-PEFCA-5030-00S	899	50	30	2
L-PEFCA-5036-00S	983	50	36	2
L-PEFCA-5042-00S	1067	50	42	2
L-PEFCA-5048-00S	1153	50	48	2
L-PEFCA-5054-00S	1234	50	54	2
L-PEFCA-5060-00S	1318	50	60	2
L-PEFCA-6624-00S	948	66	24	2
L-PEFCA-6630-00S	1054	66	30	2
L-PEFCA-6636-00S	1159	66	36	2
L-PEFCA-6642-00S	1264	66	42	2
L-PEFCA-6648-00S	1371	66	48	2
L-PEFCA-6654-00S	1476	66	54	2
L-PEFCA-6660-00S	1581	66	60	2
L-PEFCA-8224-00S	1535	82	24	2
L-PEFCA-8230-00S	1770	82	30	2
L-PEFCA-8236-00S	1854	82	36	2
L-PEFCA-8242-00S	1887	82	42	2
L-PEFCA-8248-00S	1965	82	48	2
One 24" clear acrylic segment on top				
L-PEFCA-6624-00T	948	66	24	2
L-PEFCA-6630-00T	1054	66	30	2
L-PEFCA-6636-00T	1159	66	36	2
L-PEFCA-6642-00T	1264	66	42	2
L-PEFCA-6648-00T	1371	66	48	2
L-PEFCA-6654-00T	1476	66	54	2
L-PEFCA-6660-00T	1581	66	60	2

Code	Price	H	W	D
Two 8" clear acrylic segments on top				
L-PEFCA-6624-0EE	1513	66	24	2
L-PEFCA-6630-0EE	1706	66	30	2
L-PEFCA-6636-0EE	1768	66	36	2
L-PEFCA-6642-0EE	1819	66	42	2
L-PEFCA-6648-0EE	1887	66	48	2
L-PEFCA-6654-0EE	2000	66	54	2
L-PEFCA-6660-0EE	2046	66	60	2
One 8" & One 16" clear acrylic segment on top				
L-PEFCA-6624-0ES	1480	66	24	2
L-PEFCA-6630-0ES	1664	66	30	2
L-PEFCA-6636-0ES	1739	66	36	2
L-PEFCA-6642-0ES	1814	66	42	2
L-PEFCA-6648-0ES	1894	66	48	2
L-PEFCA-6654-0ES	1976	66	54	2
L-PEFCA-6660-0ES	2011	66	60	2
Two 16" clear acrylic segments on top				
L-PEFCA-8224-0SS	1576	82	24	2
L-PEFCA-8230-0SS	1824	82	30	2
L-PEFCA-8236-0SS	1944	82	36	2
L-PEFCA-8242-0SS	1993	82	42	2
L-PEFCA-8248-0SS	2062	82	48	2
One 24" & One 16" clear acrylic segment on top				
L-PEFCA-8224-0TS	1566	82	24	2
L-PEFCA-8230-0TS	1791	82	30	2
L-PEFCA-8236-0TS	1854	82	36	2
L-PEFCA-8242-0TS	1901	82	42	2
L-PEFCA-8248-0TS	2085	82	48	2
Two 24" clear acrylic segments on top				
L-PEFCA-8224-0TT	1564	82	24	2
L-PEFCA-8230-0TT	1763	82	30	2
L-PEFCA-8236-0TT	1850	82	36	2
L-PEFCA-8242-0TT	1961	82	42	2
L-PEFCA-8248-0TT	2029	82	48	2
One 8" & Two 16" clear acrylic segments on top				
L-PEFCA-8224-ESS	1633	82	24	2
L-PEFCA-8230-ESS	1929	82	30	2
L-PEFCA-8236-ESS	2003	82	36	2
L-PEFCA-8242-ESS	1996	82	42	2
L-PEFCA-8248-ESS	2180	82	48	2
Three 16" clear acrylic segments on top				
L-PEFCA-8224-SSS	1661	82	24	2
L-PEFCA-8230-SSS	1870	82	30	2
L-PEFCA-8236-SSS	2035	82	36	2
L-PEFCA-8242-SSS	2092	82	42	2
L-PEFCA-8248-SSS	2174	82	48	2



How to order and read your code

L - P E F F A - 42 24 - 0 0 E									
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic height G=Glass	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60". 66"" 72"
Fabric	
Glass/Acrylic	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PEFFA-4224-00E	922	42	24	2
L-PEFFA-4230-00E	1005	42	30	2
L-PEFFA-4236-00E	1090	42	36	2
L-PEFFA-4242-00E	1174	42	42	2
L-PEFFA-4248-00E	1259	42	48	2
L-PEFFA-4254-00E	1341	42	54	2
L-PEFFA-4260-00E	1424	42	60	2
L-PEFFA-5024-00E	922	50	24	2
L-PEFFA-5030-00E	1005	50	30	2
L-PEFFA-5036-00E	1090	50	36	2
L-PEFFA-5042-00E	1174	50	42	2
L-PEFFA-5048-00E	1259	50	48	2
L-PEFFA-5054-00E	1341	50	54	2
L-PEFFA-5060-00E	1424	50	60	2
One 16" frosted acrylic segment on top				
L-PEFFA-5024-00S	922	50	24	2
L-PEFFA-5030-00S	1005	50	30	2
L-PEFFA-5036-00S	1090	50	36	2
L-PEFFA-5042-00S	1174	50	42	2
L-PEFFA-5048-00S	1259	50	48	2
L-PEFFA-5054-00S	1341	50	54	2
L-PEFFA-5060-00S	1424	50	60	2
L-PEFFA-6624-00S	1054	66	24	2
L-PEFFA-6630-00S	1161	66	30	2
L-PEFFA-6636-00S	1265	66	36	2
L-PEFFA-6642-00S	1371	66	42	2
L-PEFFA-6648-00S	1479	66	48	2
L-PEFFA-6654-00S	1583	66	54	2
L-PEFFA-6660-00S	1689	66	60	2
L-PEFFA-8224-00S	1572	82	24	2
L-PEFFA-8230-00S	1819	82	30	2
L-PEFFA-8236-00S	1913	82	36	2
L-PEFFA-8242-00S	1961	82	42	2
L-PEFFA-8248-00S	2036	82	48	2
One 24" frosted acrylic segment on top				
L-PEFFA-6624-00T	1054	66	24	2
L-PEFFA-6630-00T	1161	66	30	2
L-PEFFA-6636-00T	1265	66	36	2
L-PEFFA-6642-00T	1371	66	42	2
L-PEFFA-6648-00T	1479	66	48	2
L-PEFFA-6654-00T	1583	66	54	2
L-PEFFA-6660-00T	1689	66	60	2

Code	Price	H	W	D
Two 8" frosted acrylic segments on top				
L-PEFFA-6624-0EE	1578	66	24	2
L-PEFFA-6630-0EE	1792	66	30	2
L-PEFFA-6636-0EE	1880	66	36	2
L-PEFFA-6642-0EE	1928	66	42	2
L-PEFFA-6648-0EE	2016	66	48	2
L-PEFFA-6654-0EE	2092	66	54	2
L-PEFFA-6660-0EE	2136	66	60	2
One 8" & One 16" frosted acrylic segment on top				
L-PEFFA-6624-0ES	1534	66	24	2
L-PEFFA-6630-0ES	1736	66	30	2
L-PEFFA-6636-0ES	1825	66	36	2
L-PEFFA-6642-0ES	1923	66	42	2
L-PEFFA-6648-0ES	2003	66	48	2
L-PEFFA-6654-0ES	2095	66	54	2
L-PEFFA-6660-0ES	2151	66	60	2
Two 16" frosted acrylic segments on top				
L-PEFFA-8224-0SS	1474	82	24	2
L-PEFFA-8230-0SS	1679	82	30	2
L-PEFFA-8236-0SS	1752	82	36	2
L-PEFFA-8242-0SS	1807	82	48	2
L-PEFFA-8248-0SS	1866	82	48	2
One 24" & One 16" frosted acrylic segment on top				
L-PEFFA-8224-0TS	1676	82	24	2
L-PEFFA-8230-0TS	1932	82	30	2
L-PEFFA-8236-0TS	1996	82	36	2
L-PEFFA-8242-0TS	2081	82	42	2
L-PEFFA-8248-0TS	2301	82	48	2
Two 24" frosted acrylic segments on top				
L-PEFFA-8224-0TT	1671	82	24	2
L-PEFFA-8230-0TT	1908	82	30	2
L-PEFFA-8236-0TT	2021	82	36	2
L-PEFFA-8242-0TT	2176	82	42	2
L-PEFFA-8248-0TT	2246	82	48	2
One 8" & Two 16" frosted acrylic segments on top				
L-PEFFA-8224-ESS	1742	82	24	2
L-PEFFA-8230-ESS	2073	82	30	2
L-PEFFA-8236-ESS	2146	82	36	2
L-PEFFA-8242-ESS	2204	82	42	2
L-PEFFA-8248-ESS	2321	82	48	2
Three 16" frosted acrylic segments on top				
L-PEFFA-8224-SSS	1768	82	24	2
L-PEFFA-8230-SSS	2014	82	30	2
L-PEFFA-8236-SSS	2251	82	36	2
L-PEFFA-8242-SSS	2306	82	36	2
L-PEFFA-8248-SSS	2389	82	48	2



How to order and read your code

L	-	P	E	F	C	G	-	42	24	-	0	0	E
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment					

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60". 66"" 72"
Fabric	
Glass/Acrylic	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

Code	Price	H	W	D
One 8" clear glass segment on top				
L-PEFCG-4224-00E	958	42	24	2
L-PEFCG-4230-00E	1042	42	30	2
L-PEFCG-4236-00E	1128	42	36	2
L-PEFCG-4242-00E	1210	42	42	2
L-PEFCG-4248-00E	1293	42	48	2
L-PEFCG-4254-00E	1377	42	54	2
L-PEFCG-4260-00E	1460	42	60	2
L-PEFCG-5024-00E	958	50	24	2
L-PEFCG-5030-00E	1042	50	30	2
L-PEFCG-5036-00E	1128	50	36	2
L-PEFCG-5042-00E	1210	50	42	2
L-PEFCG-5048-00E	1293	50	48	2
L-PEFCG-5054-00E	1377	50	54	2
L-PEFCG-5060-00E	1460	50	60	2
One 16" clear glass segment on top				
L-PEFCG-5024-00S	958	50	24	2
L-PEFCG-5030-00S	1042	50	30	2
L-PEFCG-5036-00S	1128	50	36	2
L-PEFCG-5042-00S	1210	50	42	2
L-PEFCG-5048-00S	1293	50	48	2
L-PEFCG-5054-00S	1377	50	54	2
L-PEFCG-5060-00S	1460	50	60	2
L-PEFCG-6624-00S	1101	66	24	2
L-PEFCG-6630-00S	1208	66	30	2
L-PEFCG-6636-00S	1314	66	36	2
L-PEFCG-6642-00S	1421	66	42	2
L-PEFCG-6648-00S	1527	66	48	2
L-PEFCG-6654-00S	1633	66	54	2
L-PEFCG-6660-00S	1737	66	60	2
L-PEFCG-8224-00S	1492	82	24	2
L-PEFCG-8230-00S	1755	82	30	2
L-PEFCG-8236-00S	1859	82	36	2
L-PEFCG-8242-00S	1910	82	42	2
L-PEFCG-8248-00S	2010	82	48	2
One 24" clear glass segment on top				
L-PEFCG-6624-00T	1101	66	24	2
L-PEFCG-6630-00T	1208	66	30	2
L-PEFCG-6636-00T	1314	66	36	2
L-PEFCG-6642-00T	1421	66	42	2
L-PEFCG-6648-00T	1527	66	48	2
L-PEFCG-6654-00T	1633	66	54	2
L-PEFCG-6660-00T	1737	66	60	2

Code	Price	H	W	D
Two 8" clear glass segments on top				
L-PEFCG-6624-0EE	1613	66	24	2
L-PEFCG-6630-0EE	1839	66	30	2
L-PEFCG-6636-0EE	1930	66	36	2
L-PEFCG-6642-0EE	1992	66	42	2
L-PEFCG-6648-0EE	2079	66	48	2
L-PEFCG-6654-0EE	2190	66	54	2
L-PEFCG-6660-0EE	2248	66	60	2
One 8" & One 16" clear glass segment on top				
L-PEFCG-6624-0ES	1573	66	24	2
L-PEFCG-6630-0ES	1771	66	30	2
L-PEFCG-6636-0ES	1863	66	36	2
L-PEFCG-6642-0ES	1945	66	42	2
L-PEFCG-6648-0ES	2057	66	48	2
L-PEFCG-6654-0ES	2179	66	54	2
L-PEFCG-6660-0ES	2239	66	60	2
Two 16" clear glass segments on top				
L-PEFCG-8224-0SS	1670	82	24	2
L-PEFCG-8230-0SS	1913	82	30	2
L-PEFCG-8236-0SS	2035	82	36	2
L-PEFCG-8242-0SS	2128	82	42	2
L-PEFCG-8248-0SS	2246	82	48	2
One 24" & One 16" clear glass segment on top				
L-PEFCG-8224-0TS	1658	82	24	2
L-PEFCG-8230-0TS	1882	82	30	2
L-PEFCG-8236-0TS	1998	82	36	2
L-PEFCG-8242-0TS	2106	82	42	2
L-PEFCG-8248-0TS	2237	82	48	2
Two 24" clear glass segments on top				
L-PEFCG-8224-0TT	1690	82	24	2
L-PEFCG-8230-0TT	1905	82	30	2
L-PEFCG-8236-0TT	2013	82	36	2
L-PEFCG-8242-0TT	2122	82	42	2
L-PEFCG-8248-0TT	2254	82	48	2
One 8" & Two 16" clear glass segments on top				
L-PEFCG-8224-ESS	1815	82	24	2
L-PEFCG-8230-ESS	2103	82	30	2
L-PEFCG-8236-ESS	2229	82	36	2
L-PEFCG-8242-ESS	2242	82	42	2
L-PEFCG-8248-ESS	2411	82	48	2
Three 16" clear glass segments on top				
L-PEFCG-8224-SSS	1854	82	24	2
L-PEFCG-8230-SSS	2061	82	30	2
L-PEFCG-8236-SSS	2192	82	36	2
L-PEFCG-8242-SSS	2320	82	42	2
L-PEFCG-8248-SSS	2470	82	48	2



How to order and read your code

L	-	P	E	F	F	G	-	42	24	-	0	0	E
product line	standard	P=glazed E=Elevated	F=Fabric L=Laminate	C=Clear F=Frosted	A=Acrylic G=Glass	height	width				O = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment		

What's Included:

One (1) 2" thick fabric panel with glazed glass top and laminate bottom, also with 1" incremented slotted channels, One (1) top trim

How to Specify:


Refer to panel fabric cards for fabric selections
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60", 66" 72"
Fabric	
Glass/Acrylic	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*34" high - 50" high available up to 72" wide, 66" high available up to 60" wide, 82" high available up to 48" wide

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PEFFG-4224-00E	1065	42	24	2
L-PEFFG-4230-00E	1146	42	30	2
L-PEFFG-4236-00E	1233	42	36	2
L-PEFFG-4242-00E	1317	42	42	2
L-PEFFG-4248-00E	1400	42	48	2
L-PEFFG-4254-00E	1484	42	54	2
L-PEFFG-4260-00E	1566	42	60	2
L-PEFFG-5024-00E	1065	50	24	2
L-PEFFG-5030-00E	1146	50	30	2
L-PEFFG-5036-00E	1233	50	36	2
L-PEFFG-5042-00E	1317	50	42	2
L-PEFFG-5048-00E	1400	50	48	2
L-PEFFG-5054-00E	1484	50	54	2
L-PEFFG-5060-00E	1566	50	60	2
One 16" frosted glass segment on top				
L-PEFFG-5024-00S	1065	50	24	2
L-PEFFG-5030-00S	1146	50	30	2
L-PEFFG-5036-00S	1233	50	36	2
L-PEFFG-5042-00S	1317	50	42	2
L-PEFFG-5048-00S	1400	50	48	2
L-PEFFG-5054-00S	1484	50	54	2
L-PEFFG-5060-00S	1566	50	60	2
L-PEFFG-6624-00S	1208	66	24	2
L-PEFFG-6630-00S	1315	66	30	2
L-PEFFG-6636-00S	1420	66	36	2
L-PEFFG-6642-00S	1528	66	42	2
L-PEFFG-6648-00S	1633	66	48	2
L-PEFFG-6654-00S	1739	66	54	2
L-PEFFG-6660-00S	1844	66	60	2
L-PEFFG-8224-00S	1688	82	24	2
L-PEFFG-8230-00S	1958	82	30	2
L-PEFFG-8236-00S	2082	82	36	2
L-PEFFG-8242-00S	2152	82	42	2
L-PEFFG-8248-00S	2273	82	48	2
One 24" frosted glass segment on top				
L-PEFFG-6624-00T	1208	66	24	2
L-PEFFG-6630-00T	1315	66	30	2
L-PEFFG-6636-00T	1420	66	36	2
L-PEFFG-6642-00T	1528	66	42	2
L-PEFFG-6648-00T	1633	66	48	2
L-PEFFG-6654-00T	1739	66	54	2
L-PEFFG-6660-00T	1844	66	60	2
Two 8" frosted glass segments on top				
L-PEFFG-6624-0EE	1789	66	24	2
L-PEFFG-6630-0EE	2016	66	30	2
L-PEFFG-6636-0EE	2105	66	36	2
L-PEFFG-6642-0EE	2166	66	42	2
L-PEFFG-6648-0EE	2252	66	48	2
L-PEFFG-6654-0EE	2366	66	54	2
L-PEFFG-6660-0EE	2440	66	60	2
One 8" & One 16" frosted glass segment on top				
L-PEFFG-6624-0ES	1748	66	24	2
L-PEFFG-6630-0ES	1956	66	30	2
L-PEFFG-6636-0ES	2069	66	36	2
L-PEFFG-6642-0ES	2169	66	42	2
L-PEFFG-6648-0ES	2297	66	48	2
L-PEFFG-6654-0ES	2440	66	54	2
L-PEFFG-6660-0ES	2532	66	60	2
Two 16" frosted glass segments on top				
L-PEFFG-8224-0SS	1845	82	24	2
L-PEFFG-8230-0SS	2107	82	30	2
L-PEFFG-8236-0SS	2268	82	36	2
L-PEFFG-8242-0SS	2400	82	42	2
L-PEFFG-8248-0SS	2555	82	48	2
One 24" & One 16" frosted glass segment on top				
L-PEFFG-8224-0TS	1862	82	24	2
L-PEFFG-8230-0TS	2123	82	30	2
L-PEFFG-8236-0TS	2292	82	36	2
L-PEFFG-8242-0TS	2446	82	42	2
L-PEFFG-8248-0TS	2626	82	48	2
Two 24" frosted glass segments on top				
L-PEFFG-8224-0TT	1923	82	24	2
L-PEFFG-8230-0TT	2197	82	30	2
L-PEFFG-8236-0TT	2361	82	36	2
L-PEFFG-8242-0TT	2531	82	42	2
L-PEFFG-8248-0TT	2721	82	48	2
One 8" & Two 16" frosted glass segments on top				
L-PEFFG-8224-ESS	2079	82	24	2
L-PEFFG-8230-ESS	2384	82	30	2
L-PEFFG-8236-ESS	2552	82	36	2
L-PEFFG-8242-ESS	2603	82	42	2
L-PEFFG-8248-ESS	2809	82	48	2
Three 16" frosted glass segments on top				
L-PEFFG-8224-SSS	2117	82	24	2
L-PEFFG-8230-SSS	2353	82	30	2
L-PEFFG-8236-SSS	2542	82	36	2
L-PEFFG-8242-SSS	2730	82	42	2
L-PEFFG-8248-SSS	2935	82	48	2



How to order and read your code

L	-	P	E	L	C	A	-	42	24	-	00	E
product line		standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width			0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom,
 also 1" incremented slotted channels,
 One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
 Choose glass or acrylic
 Choose White, Black, Silver, Charcoal for Panel Frame colour


Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Glass/Acrylic	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*82"H available up to 36"W

Code	Price	H	W	D
One 8" clear acrylic segment on top				
L-PELCA-4224-00E	1058	42	24	2
L-PELCA-4230-00E	1089	42	30	2
L-PELCA-4236-00E	1144	42	36	2
L-PELCA-4242-00E	1283	42	42	2
L-PELCA-4248-00E	1314	42	48	2
L-PELCA-5024-00E	1098	50	24	2
L-PELCA-5030-00E	1129	50	30	2
L-PELCA-5036-00E	1186	50	36	2
L-PELCA-5042-00E	1347	50	42	2
L-PELCA-5048-00E	1377	50	48	2
One 16" clear acrylic segment on top				
L-PELCA-5024-00S	1114	50	24	2
L-PELCA-5030-00S	1155	50	30	2
L-PELCA-5036-00S	1220	50	36	2
L-PELCA-5042-00S	1364	50	42	2
L-PELCA-5048-00S	1401	50	48	2
L-PELCA-6624-00S	1220	66	24	2
L-PELCA-6630-00S	1257	66	30	2
L-PELCA-6636-00S	1338	66	36	2
L-PELCA-6642-00S	1549	66	42	2
L-PELCA-6648-00S	1589	66	48	2
L-PELCA-8224-00S	1603	82	24	2
L-PELCA-8230-00S	1611	82	30	2
L-PELCA-8236-00S	2141	82	36	2
One 24" clear acrylic segment on top				
L-PELCA-6624-00T	1208	66	24	2
L-PELCA-6630-00T	1255	66	30	2
L-PELCA-6636-00T	1336	66	36	2
L-PELCA-6642-00T	1510	66	42	2
L-PELCA-6648-00T	1559	66	48	2

Code	Price	H	W	D
Two 8" clear acrylic segments on top				
L-PELCA-6624-0EE	1397	66	24	2
L-PELCA-6630-0EE	1406	66	30	2
L-PELCA-6636-0EE	1690	66	36	2
L-PELCA-6642-0EE	1719	66	42	2
L-PELCA-6648-0EE	1767	66	48	2
One 8" & One 16" clear acrylic segment on top				
L-PELCA-6624-0ES	1404	66	24	2
L-PELCA-6630-0ES	1454	66	30	2
L-PELCA-6636-0ES	1762	66	36	2
L-PELCA-6642-0ES	1811	66	42	2
L-PELCA-6648-0ES	1861	66	48	2
Two 16" clear acrylic segments on top				
L-PELCA-8224-0SS	1460	82	24	2
L-PELCA-8230-0SS	1526	82	30	2
L-PELCA-8236-0SS	1866	82	36	2
One 24" & One 16" clear acrylic segment on top				
L-PELCA-8224-0TS	1493	82	24	2
L-PELCA-8230-0TS	1579	82	30	2
L-PELCA-8236-0TS	1875	82	36	2
Two 24" clear acrylic segments on top				
L-PELCA-8224-0TT	1430	82	24	2
L-PELCA-8230-0TT	1503	82	30	2
L-PELCA-8236-0TT	1756	82	36	2
One 8" & Two 16" clear acrylic segments on top				
L-PELCA-8224-ESS	1558	82	24	2
L-PELCA-8230-ESS	1719	82	30	2
L-PELCA-8236-ESS	2026	82	36	2
Three 16" clear acrylic segments on top				
L-PELCA-8224-SSS	1527	82	24	2
L-PELCA-8230-SSS	1610	82	30	2
L-PELCA-8236-SSS	1942	82	36	2



How to order and read your code

L - P E L F A - 42 24 - 0 0 E									
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

How to Specify:


- Refer to laminate cards for laminate selections
- Choose glass or acrylic
- Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Glass/Acrylic	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	

*82"H available up to 36"W

Code	Price	H	W	D
One 8" frosted acrylic segment on top				
L-PELFA-4224-00E	1167	24	42	2
L-PELFA-4230-00E	1195	30	42	2
L-PELFA-4236-00E	1251	36	42	2
L-PELFA-4242-00E	1390	42	42	2
L-PELFA-4248-00E	1420	48	42	2
L-PELFA-5024-00E	1206	24	50	2
L-PELFA-5030-00E	1234	30	50	2
L-PELFA-5036-00E	1293	36	50	2
L-PELFA-5042-00E	1454	42	50	2
L-PELFA-5048-00E	1484	48	50	2
One 16" frosted acrylic segment on top				
L-PELFA-5024-00S	1221	24	50	2
L-PELFA-5030-00S	1261	30	50	2
L-PELFA-5036-00S	1326	36	50	2
L-PELFA-5042-00S	1470	42	50	2
L-PELFA-5048-00S	1508	48	50	2
L-PELFA-6624-00S	1326	24	66	2
L-PELFA-6630-00S	1364	30	66	2
L-PELFA-6636-00S	1444	36	66	2
L-PELFA-6642-00S	1655	42	66	2
L-PELFA-6648-00S	1696	48	66	2
L-PELFA-8224-00S	1641	24	82	2
L-PELFA-8230-00S	1658	30	82	2
L-PELFA-8236-00S	2203	36	82	2
One 24" frosted acrylic segment on top				
L-PELFA-6624-00T	1315	24	66	2
L-PELFA-6630-00T	1363	30	66	2
L-PELFA-6636-00T	1442	36	66	2
L-PELFA-6642-00T	1617	42	66	2
L-PELFA-6648-00T	1666	48	66	2
Two 8" frosted acrylic segments on top				
L-PELFA-6624-0EE	1463	24	66	2
L-PELFA-6630-0EE	1492	30	66	2
L-PELFA-6636-0EE	1802	36	66	2
L-PELFA-6642-0EE	1828	42	66	2
L-PELFA-6648-0EE	1897	48	66	2
One 8" & One 16" frosted acrylic segment on top				
L-PELFA-6624-0ES	1459	24	66	2
L-PELFA-6630-0ES	1527	30	66	2
L-PELFA-6636-0ES	1850	36	66	2
L-PELFA-6642-0ES	1919	42	66	2
L-PELFA-6648-0ES	1969	48	66	2
Two 16" frosted acrylic segments on top				
L-PELFA-8224-0SS	1359	24	82	2
L-PELFA-8230-0SS	1379	30	82	2
L-PELFA-8236-0SS	1674	36	82	2
One 24" & One 16" frosted acrylic segment on top				
L-PELFA-8224-0TS	1601	24	82	2
L-PELFA-8230-0TS	1723	30	82	2
L-PELFA-8236-0TS	2020	36	82	2
Two 24" frosted acrylic segments on top				
L-PELFA-8224-0TT	1537	24	82	2
L-PELFA-8230-0TT	1646	30	82	2
L-PELFA-8236-0TT	1928	36	82	2
One 8" & Two 16" frosted acrylic segments on top				
L-PELFA-8224-ESS	1666	24	82	2
L-PELFA-8230-ESS	1862	30	82	2
L-PELFA-8236-ESS	2169	36	82	2
Three 16" frosted acrylic segments on top				
L-PELFA-8224-SSS	1635	24	82	2
L-PELFA-8230-SSS	1754	30	82	2
L-PELFA-8236-SSS	2158	36	82	2



How to order and read your code

L - P E L C G - 42 24 - 0 0 E									
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to laminate cards for laminate selections
Choose glass or acrylic
Choose White, Black, Silver, Charcoal for Panel Frame color

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Glass/Acrylic	
Metal Powder Coat Paint: White, Black, Silver, Charcoal	


*82"H available up to 36"W

Notes:

Non-power capable panel.
Can be used in run with power-capable panels and allows wires to pass through.
Panels are non tackable. For tackable option see Panel Add-On section.

Code	Price	H	W	D
One 8" clear glass segment on top				
L-PELCG-4224-00E	1145	42	24	2
L-PELCG-4230-00E	1190	42	30	2
L-PELCG-4236-00E	1265	42	36	2
L-PELCG-4242-00E	1421	42	42	2
L-PELCG-4248-00E	1470	42	48	2
L-PELCG-5024-00E	1184	50	24	2
L-PELCG-5030-00E	1231	50	30	2
L-PELCG-5036-00E	1311	50	36	2
L-PELCG-5042-00E	1483	50	42	2
L-PELCG-5048-00E	1534	50	48	2
One 16" clear glass segment on top				
L-PELCG-5024-00S	1253	50	24	2
L-PELCG-5030-00S	1323	50	30	2
L-PELCG-5036-00S	1419	50	36	2
L-PELCG-5042-00S	1593	50	42	2
L-PELCG-5048-00S	1661	50	48	2
L-PELCG-6624-00S	1357	66	24	2
L-PELCG-6630-00S	1429	66	30	2
L-PELCG-6636-00S	1536	66	36	2
L-PELCG-6642-00S	1773	66	42	2
L-PELCG-6648-00S	1845	66	48	2
L-PELCG-8224-00S	1561	82	24	2
L-PELCG-8230-00S	1596	82	30	2
L-PELCG-8236-00S	2146	82	36	2
One 24" clear glass segment on top				
L-PELCG-6624-00T	1401	66	24	2
L-PELCG-6630-00T	1493	66	30	2
L-PELCG-6636-00T	1611	66	36	2
L-PELCG-6642-00T	1827	66	42	2
L-PELCG-6648-00T	1923	66	48	2

Code	Price	H	W	D
Two 8" clear glass segments on top				
L-PELCG-6624-0EE	1500	66	24	2
L-PELCG-6630-0EE	1540	66	30	2
L-PELCG-6636-0EE	1852	66	36	2
L-PELCG-6642-0EE	1892	66	42	2
L-PELCG-6648-0EE	1956	66	48	2
One 8" & One 16" clear glass segment on top				
L-PELCG-6624-0ES	1500	66	24	2
L-PELCG-6630-0ES	1561	66	30	2
L-PELCG-6636-0ES	1887	66	36	2
L-PELCG-6642-0ES	1943	66	42	2
L-PELCG-6648-0ES	2022	66	48	2
Two 16" clear glass segments on top				
L-PELCG-8224-0SS	1554	82	24	2
L-PELCG-8230-0SS	1613	82	30	2
L-PELCG-8236-0SS	1956	82	36	2
One 24" & One 16" clear glass segment on top				
L-PELCG-8224-0TS	1585	82	24	2
L-PELCG-8230-0TS	1671	82	30	2
L-PELCG-8236-0TS	2021	82	36	2
Two 24" clear glass segments on top				
L-PELCG-8224-0TT	1553	82	24	2
L-PELCG-8230-0TT	1645	82	30	2
L-PELCG-8236-0TT	1919	82	36	2
One 8" & Two 16" clear glass segments on top				
L-PELCG-8224-ESS	1743	82	24	2
L-PELCG-8230-ESS	1892	82	30	2
L-PELCG-8236-ESS	2253	82	36	2
Three 16" clear glass segments on top				
L-PELCG-8224-SSS	1718	82	24	2
L-PELCG-8230-SSS	1801	82	30	2
L-PELCG-8236-SSS	2099	82	36	2



How to order and read your code

L - P E L F G - 42 24 - 0 0 E									
product line	standard	P= glazed E = Elevated	F=Fabric L=Laminate	C= Clear F=Frosted	A=Acrylic G=Glass	height	width	0 = No segment E = 8 inch segment S = 16 inch segment T = 24 inch segment	

What's Included:

One (1) 2" thick panel with glazed glass top and laminate bottom, also 1" incremented slotted channels, One (1) top trim

Notes:

Non-power capable panel.
Can be used in run with power-capable panels and allows wires to pass through.
Panels are non tackable. For tackable option see Panel Add-On section.

How to Specify:


Refer to laminate cards for laminate selections
Choose glass or acrylic
Choose White, Black, Silver, Charcoal for Panel Frame colour

Options:

Height*:	34", 42", 50", 66", 82"
Width:	24", 30", 36", 42", 48",
Laminate	
Glass/Acrylic	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82"H available up to 36"W

Code	Price	H	W	D
One 8" frosted glass segment on top				
L-PELFG-4224-00E	1252	24	42	2
L-PELFG-4230-00E	1298	30	42	2
L-PELFG-4236-00E	1372	36	42	2
L-PELFG-4242-00E	1528	42	42	2
L-PELFG-4248-00E	1577	48	42	2
L-PELFG-5024-00E	1291	24	50	2
L-PELFG-5030-00E	1338	30	50	2
L-PELFG-5036-00E	1418	36	50	2
L-PELFG-5042-00E	1589	42	50	2
L-PELFG-5048-00E	1641	48	50	2
One 16" frosted glass segment on top				
L-PELFG-5024-00S	1360	24	50	2
L-PELFG-5030-00S	1430	30	50	2
L-PELFG-5036-00S	1526	36	50	2
L-PELFG-5042-00S	1700	42	50	2
L-PELFG-5048-00S	1767	48	50	2
L-PELFG-6624-00S	1464	24	66	2
L-PELFG-6630-00S	1535	30	66	2
L-PELFG-6636-00S	1643	36	66	2
L-PELFG-6642-00S	1880	42	66	2
L-PELFG-6648-00S	1952	48	66	2
L-PELFG-8224-00S	1755	24	82	2
L-PELFG-8230-00S	1798	30	82	2
L-PELFG-8236-00S	2369	36	82	2
One 24" frosted glass segment on top				
L-PELFG-6624-00T	1508	24	66	2
L-PELFG-6630-00T	1600	30	66	2
L-PELFG-6636-00T	1718	36	66	2
L-PELFG-6642-00T	1932	42	66	2
L-PELFG-6648-00T	2029	48	66	2
Two 8" frosted glass segments on top				
L-PELFG-6624-0EE	1674	24	66	2
L-PELFG-6630-0EE	1716	30	66	2
L-PELFG-6636-0EE	2026	36	66	2
L-PELFG-6642-0EE	2067	42	66	2
L-PELFG-6648-0EE	2131	48	66	2
One 8" & One 16" frosted glass segment on top				
L-PELFG-6624-0ES	1674	24	66	2
L-PELFG-6630-0ES	1745	30	66	2
L-PELFG-6636-0ES	2092	36	66	2
L-PELFG-6642-0ES	2166	42	66	2
L-PELFG-6648-0ES	2266	48	66	2
Two 16" frosted glass segments on top				
L-PELFG-8224-0SS	1728	24	82	2
L-PELFG-8230-0SS	1808	30	82	2
L-PELFG-8236-0SS	2189	36	82	2
One 24" & One 16" frosted glass segment on top				
L-PELFG-8224-0TS	1789	24	82	2
L-PELFG-8230-0TS	1913	30	82	2
L-PELFG-8236-0TS	2313	36	82	2
Two 24" frosted glass segments on top				
L-PELFG-8224-0TT	1787	24	82	2
L-PELFG-8230-0TT	1934	30	82	2
L-PELFG-8236-0TT	2270	36	82	2
One 8" & Two 16" frosted glass segments on top				
L-PELFG-8224-ESS	2004	24	82	2
L-PELFG-8230-ESS	2175	30	82	2
L-PELFG-8236-ESS	2574	36	82	2
Three 16" frosted glass segments on top				
L-PELFG-8224-SSS	1980	24	82	2
L-PELFG-8230-SSS	2092	30	82	2
L-PELFG-8236-SSS	2449	36	82	2



Single Span Middle
Horizontal Woodgrain
Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel


Options:

Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PYHM-3426-S1	297	34	26	2		
L-PYHM-3432-S1	328	34	32	2		
L-PYHM-3438-S1	358	34	38	2		
L-PYHM-3444-S1	388	34	44	2		
L-PYHM-3450-S1	418	34	50	2		
L-PYHM-3456-S1	446	34	50	2		
L-PYHM-3462-S1	480	34	62	2		
L-PYHM-3468-S1	508	34	68	2		
L-PYHM-3474-S1	537	34	74	2		
L-PYHM-4226-S1	328	42	26	2		
L-PYHM-4232-S1	366	42	32	2		
L-PYHM-4238-S1	402	42	38	2		
L-PYHM-4244-S1	440	42	44	2		
L-PYHM-4250-S1	478	42	50	2		
L-PYHM-4256-S1	510	42	50	2		
L-PYHM-4262-S1	549	42	62	2		
L-PYHM-4268-S1	586	42	68	2		
L-PYHM-4274-S1	626	42	74	2		
L-PYHM-5026-S1	363	50	26	2		
L-PYHM-5032-S1	403	50	32	2		
L-PYHM-5038-S1	445	50	38	2		
L-PYHM-5044-S1	492	50	44	2		
L-PYHM-5050-S1	533	50	50	2		
L-PYHM-5056-S1	578	50	50	2		
L-PYHM-5062-S1	622	50	62	2		
L-PYHM-5068-S1	661	50	68	2		
L-PYHM-5074-S1	707	50	74	2		



Double Span Middle
Horizontal Woodgrain
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34”, 42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
1 Piece						
L-PYHM-3442-D1	377	34	42	2		
L-PYHM-3450-D1	418	34	50	2		
L-PYHM-3462-D1	480	34	62	2		
L-PYHM-3474-D1	537	34	74	2		
L-PYHM-3486-D1	600	34	86	2		
L-PYHM-4242-D1	427	42	42	2		
L-PYHM-4250-D1	478	42	50	2		
L-PYHM-4262-D1	549	42	62	2		
L-PYHM-4274-D1	626	42	74	2		
L-PYHM-4286-D1	698	42	86	2		
L-PYHM-5042-D1	478	50	42	2		
L-PYHM-5050-D1	533	50	50	2		
L-PYHM-5062-D1	622	50	62	2		
L-PYHM-5074-D1	707	50	74	2		
L-PYHM-5086-D1	794	50	86	2		
2 Pieces						
L-PYHM-3498-D2	769	34	98	2		
L-PYHM-4298-D2	884	42	98	2		
L-PYHM-5098-D2	999	50	98	2		
L-PYHM-34110-D2	832	34	110	2		
L-PYHM-34122-D2	892	34	122	2		
L-PYHM-34134-D2	950	34	134	2		
L-PYHM-34146-D2	1013	34	146	2		
L-PYHM-42110-D2	958	42	110	2		
L-PYHM-42122-D2	1030	42	122	2		
L-PYHM-42134-D2	1106	42	134	2		
L-PYHM-42146-D2	1181	42	146	2		
L-PYHM-50110-D2	1085	50	110	2		
L-PYHM-50122-D2	1172	50	122	2		
L-PYHM-50134-D2	1261	50	134	2		
L-PYHM-50146-D2	1347	50	146	2		



Single Span End Horizontal
Woodgrain Gallery Panel
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:34”, 42”, 50”

Width:26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PYHE-3426-S1L	256	34	26	2		
L-PYHE-3432-S1L	285	34	32	2		
L-PYHE-3438-S1L	315	34	38	2		
L-PYHE-3444-S1L	344	34	44	2		
L-PYHE-3450-S1L	375	34	50	2		
L-PYHE-3456-S1L	405	34	56	2		
L-PYHE-3462-S1L	437	34	62	2		
L-PYHE-3468-S1L	465	34	68	2		
L-PYHE-3474-S1L	496	34	74	2		
L-PYHE-4226-S1L	285	42	26	2		
L-PYHE-4232-S1L	322	42	32	2		
L-PYHE-4238-S1L	359	42	38	2		
L-PYHE-4244-S1L	395	42	44	2		
L-PYHE-4250-S1L	434	42	50	2		
L-PYHE-4256-S1L	468	42	56	2		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PYHE-4262-S1L	506	42	62	2		
L-PYHE-4268-S1L	544	42	68	2		
L-PYHE-4274-S1L	582	42	74	2		
L-PYHE-5026-S1L	317	50	26	2		
L-PYHE-5032-S1L	363	50	32	2		
L-PYHE-5038-S1L	403	50	38	2		
L-PYHE-5044-S1L	446	50	44	2		
L-PYHE-5050-S1L	492	50	50	2		
L-PYHE-5056-S1L	534	50	56	2		
L-PYHE-5062-S1L	578	50	62	2		
L-PYHE-5068-S1L	622	50	68	2		
L-PYHE-5074-S1L	663	50	74	2		
right hand						
L-PYHE-3426-S1R	256	34	26	2		
L-PYHE-3432-S1R	285	34	32	2		
L-PYHE-3438-S1R	315	34	38	2		
L-PYHE-3444-S1R	344	34	44	2		
L-PYHE-3450-S1R	375	34	50	2		
L-PYHE-3456-S1R	405	34	56	2		
L-PYHE-3462-S1R	437	34	62	2		
L-PYHE-3468-S1R	465	34	68	2		
L-PYHE-3474-S1R	496	34	74	2		
L-PYHE-4226-S1R	285	42	26	2		
L-PYHE-4232-S1R	322	42	32	2		
L-PYHE-4238-S1R	359	42	38	2		
L-PYHE-4244-S1R	395	42	44	2		
L-PYHE-4250-S1R	434	42	50	2		
L-PYHE-4256-S1R	468	42	56	2		
L-PYHE-4262-S1R	506	42	62	2		
L-PYHE-4268-S1R	544	42	68	2		
L-PYHE-4274-S1R	582	42	74	2		
L-PYHE-5026-S1R	317	50	26	2		
L-PYHE-5032-S1R	363	50	32	2		
L-PYHE-5038-S1R	403	50	38	2		
L-PYHE-5044-S1R	446	50	44	2		
L-PYHE-5050-S1R	492	50	50	2		
L-PYHE-5056-S1R	534	50	56	2		
L-PYHE-5062-S1R	578	50	62	2		
L-PYHE-5068-S1R	622	50	68	2		
L-PYHE-5074-S1R	663	50	74	2		



Single Span End Horizontal Woodgrain Gallery Panel with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

No power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PCHE-3426-S1L	256	34	26	1		
L-PCHE-3432-S1L	285	34	32	1		
L-PCHE-3438-S1L	315	34	38	1		
L-PCHE-3444-S1L	344	34	44	1		
L-PCHE-3450-S1L	375	34	50	1		
L-PCHE-3456-S1L	405	34	56	1		
L-PCHE-3462-S1L	437	34	62	1		
L-PCHE-3468-S1L	465	34	68	1		
L-PCHE-3474-S1L	496	34	74	1		
L-PCHE-4226-S1L	285	42	26	1		
L-PCHE-4232-S1L	322	42	32	1		
L-PCHE-4238-S1L	359	42	38	1		
L-PCHE-4244-S1L	395	42	44	1		
L-PCHE-4250-S1L	434	42	50	1		
L-PCHE-4256-S1L	468	42	56	1		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PCHE-4262-S1L	506	42	62	1		
L-PCHE-4268-S1L	544	42	68	1		
L-PCHE-4274-S1L	582	42	74	1		
L-PCHE-5026-S1L	317	50	26	1		
L-PCHE-5032-S1L	363	50	32	1		
L-PCHE-5038-S1L	403	50	38	1		
L-PCHE-5044-S1L	446	50	44	1		
L-PCHE-5050-S1L	492	50	50	1		
L-PCHE-5056-S1L	534	50	56	1		
L-PCHE-5062-S1L	578	50	62	1		
L-PCHE-5068-S1L	622	50	68	1		
L-PCHE-5074-S1L	663	50	74	1		
right hand						
L-PCHE-3426-S1R	256	34	26	1		
L-PCHE-3432-S1R	285	34	32	1		
L-PCHE-3438-S1R	315	34	38	1		
L-PCHE-3444-S1R	344	34	44	1		
L-PCHE-3450-S1R	375	34	50	1		
L-PCHE-3456-S1R	405	34	56	1		
L-PCHE-3462-S1R	437	34	62	1		
L-PCHE-3468-S1R	465	34	68	1		
L-PCHE-3474-S1R	496	34	74	1		
L-PCHE-4226-S1R	285	42	26	1		
L-PCHE-4232-S1R	322	42	32	1		
L-PCHE-4238-S1R	359	42	38	1		
L-PCHE-4244-S1R	395	42	44	1		
L-PCHE-4250-S1R	434	42	50	1		
L-PCHE-4256-S1R	468	42	56	1		
L-PCHE-4262-S1R	506	42	62	1		
L-PCHE-4268-S1R	544	42	68	1		
L-PCHE-4274-S1R	582	42	74	1		
L-PCHE-5026-S1R	317	50	26	1		
L-PCHE-5032-S1R	363	50	32	1		
L-PCHE-5038-S1R	403	50	38	1		
L-PCHE-5044-S1R	446	50	44	1		
L-PCHE-5050-S1R	492	50	50	1		
L-PCHE-5056-S1R	534	50	56	1		
L-PCHE-5062-S1R	578	50	62	1		
L-PCHE-5068-S1R	622	50	68	1		
L-PCHE-5074-S1R	663	50	74	1		



Single piece
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout



Two pieces
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

- X"-X": One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PYHE-3442-D1	334	34	42	2		
L-PYHE-3450-D1	375	34	50	2		
L-PYHE-3462-D1	437	34	62	2		
L-PYHE-3474-D1	496	34	74	2		
L-PYHE-3486-D1	557	34	86	2		
L-PYHE-4242-D1	386	42	42	2		
L-PYHE-4250-D1	434	42	50	2		
L-PYHE-4262-D1	506	42	62	2		
L-PYHE-4274-D1	582	42	74	2		
L-PYHE-4286-D1	654	42	86	2		
L-PYHE-5042-D1	434	50	42	2		
L-PYHE-5050-D1	492	50	50	2		
L-PYHE-5062-D1	578	50	62	2		
L-PYHE-5074-D1	663	50	74	2		
L-PYHE-5086-D1	752	50	86	2		
2 pieces						
L-PYHE-3498-D2	769	34	98	2		
L-PYHE-4298-D2	884	42	98	2		
L-PYHE-5098-D2	999	50	98	2		
L-PYHE-34110-D2	832	34	110	2		
L-PYHE-34122-D2	892	34	122	2		
L-PYHE-34134-D2	950	34	134	2		
L-PYHE-34146-D2	1013	34	146	2		
L-PYHE-42110-D2	958	42	110	2		
L-PYHE-42122-D2	1030	42	122	2		
L-PYHE-42134-D2	1106	42	134	2		
L-PYHE-42146-D2	1181	42	146	2		
L-PYHE-50110-D2	1085	50	110	2		
L-PYHE-50122-D2	1172	50	122	2		
L-PYHE-50134-D2	1261	50	134	2		
L-PYHE-50146-D2	1347	50	146	2		



What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height:34", 42", 50"

Width:26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

No power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PCHE-3442-D1	334	34	42	1		
L-PCHE-3450-D1	375	34	50	1		
L-PCHE-3462-D1	437	34	62	1		
L-PCHE-3474-D1	496	34	74	1		
L-PCHE-3486-D1	557	34	86	1		
L-PCHE-4242-D1	386	42	42	1		
L-PCHE-4250-D1	434	42	50	1		
L-PCHE-4262-D1	506	42	62	1		
L-PCHE-4274-D1	582	42	74	1		
L-PCHE-4286-D1	654	42	86	1		
L-PCHE-5042-D1	434	50	42	1		
L-PCHE-5050-D1	492	50	50	1		
L-PCHE-5062-D1	578	50	62	1		
L-PCHE-5074-D1	663	50	74	1		
L-PCHE-5086-D1	752	50	86	1		
2 pieces						
L-PCHE-3498-D2	769	34	98	1		
L-PCHE-34110-D2	832	34	110	1		
L-PCHE-34122-D2	892	34	122	1		
L-PCHE-34134-D2	950	34	134	1		
L-PCHE-34146-D2	1013	34	146	1		
L-PCHE-4298-D2	884	42	98	1		
L-PCHE-42110-D2	958	42	110	1		
L-PCHE-42122-D2	1030	42	122	1		
L-PCHE-42134-D2	1106	42	134	1		
L-PCHE-42146-D2	1181	42	146	1		
L-PCHE-5098-D2	999	50	98	1		
L-PCHE-50110-D2	1085	50	110	1		
L-PCHE-50122-D2	1172	50	122	1		
L-PCHE-50134-D2	1261	50	134	1		
L-PCHE-50146-D2	1347	50	146	1		



Single Span Middle
Vertical Woodgrain
Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PYGM-3426-S1	297	34	26	1	17.68	0.51
L-PYGM-3432-S1	328	34	32	1	21.76	0.63
L-PYGM-3438-S1	358	34	38	1	25.84	0.75
L-PYGM-3444-S1	388	34	44	1	29.92	0.87
L-PYGM-3450-S1	418	34	50	1	34	0.98
L-PYGM-3456-S1	446	34	56	1	38.08	1.10
L-PYGM-4226-S1	328	42	26	1	21.84	0.63
L-PYGM-4232-S1	366	42	32	1	26.88	0.78
L-PYGM-4238-S1	402	42	38	1	31.92	0.92
L-PYGM-4244-S1	440	42	44	1	36.96	1.07
L-PYGM-4250-S1	478	42	50	1	42	1.22
L-PYGM-4256-S1	510	42	56	1	47.04	1.36
L-PYGM-5026-S1	363	50	26	1	26	0.75
L-PYGM-5032-S1	403	50	32	1	32	0.93
L-PYGM-5038-S1	445	50	38	1	38	1.10
L-PYGM-5044-S1	492	50	44	1	44	1.27
L-PYGM-5050-S1	533	50	50	1	50	1.45
L-PYGM-5056-S1	578	50	56	1	56	1.62



Double Span Middle
Vertical Woodgrain
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34”, 42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PYGM-3442-D1	377	34	42	1	28.56	0.83
L-PYGM-3450-D1	418	34	50	1	34	0.98
L-PYGM-4242-D1	427	42	42	1	28.56	1.02
L-PYGM-4250-D1	478	42	50	1	42	1.22
L-PYGM-5042-D1	478	50	42	1	28.56	1.22
L-PYGM-5050-D1	533	50	50	1	50	1.45
2 pieces						
L-PYGM-3462-D2	588	34	62	1	42.16	1.22
L-PYGM-3474-D2	650	34	74	1	50.32	1.46
L-PYGM-3486-D2	709	34	86	1	58.48	1.69
L-PYGM-3498-D2	769	34	98	1	66.64	1.93
L-PYGM-4262-D2	661	42	62	1	52.08	1.51
L-PYGM-4274-D2	738	42	74	1	62.16	1.80
L-PYGM-4286-D2	810	42	86	1	72.24	2.09
L-PYGM-4298-D2	884	42	98	1	82.32	2.38
L-PYGM-5062-D2	739	50	62	1	62	1.79
L-PYGM-5074-D2	823	50	74	1	74	2.14
L-PYGM-5086-D2	911	50	86	1	86	2.49
L-PYGM-5098-D2	999	50	98	1	98	2.84
L-PYGM-34110-D2	832	34	110	1	74.8	2.16
L-PYGM-42110-D2	958	42	110	1	92.4	2.67
L-PYGM-50110-D2	1085	50	110	1	110	3.18



Single Span End
Vertical Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	34”, 42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PYGE-3426-S1L	256	34	26	1	17.68	0.51
L-PYGE-3432-S1L	285	34	32	1	21.76	0.63
L-PYGE-3438-S1L	315	34	38	1	25.84	0.75
L-PYGE-3444-S1L	344	34	44	1	29.92	0.87
L-PYGE-3450-S1L	375	34	50	1	34	0.98
L-PYGE-3456-S1L	405	34	56	1	38.08	1.10
L-PYGE-4226-S1L	285	42	26	1	21.84	0.63
L-PYGE-4232-S1L	322	42	32	1	26.88	0.78
L-PYGE-4238-S1L	359	42	38	1	31.92	0.92
L-PYGE-4244-S1L	395	42	44	1	36.96	1.07
L-PYGE-4250-S1L	434	42	50	1	42	1.22
L-PYGE-4256-S1L	468	42	56	1	47.04	1.36
L-PYGE-5026-S1L	317	50	26	1	26	0.75
L-PYGE-5032-S1L	363	50	32	1	32	0.93
L-PYGE-5038-S1L	403	50	38	1	38	1.10
L-PYGE-5044-S1L	446	50	44	1	44	1.27
L-PYGE-5050-S1L	492	50	50	1	50	1.45
L-PYGE-5056-S1L	534	50	56	1	56	1.62
right hand						
L-PYGE-3426-S1R	256	34	26	1	17.68	0.51
L-PYGE-3432-S1R	285	34	32	1	21.76	0.63
L-PYGE-3438-S1R	315	34	38	1	25.84	0.75
L-PYGE-3444-S1R	344	34	44	1	29.92	0.87
L-PYGE-3450-S1R	375	34	50	1	34	0.98
L-PYGE-3456-S1R	405	34	56	1	38.08	1.10
L-PYGE-4226-S1R	285	42	26	1	21.84	0.63
L-PYGE-4232-S1R	322	42	32	1	26.88	0.78
L-PYGE-4238-S1R	359	42	38	1	31.92	0.92
L-PYGE-4244-S1R	395	42	44	1	36.96	1.07
L-PYGE-4250-S1R	434	42	50	1	42	1.22
L-PYGE-4256-S1R	468	42	56	1	47.04	1.36
L-PYGE-5026-S1R	317	50	26	1	26	0.75
L-PYGE-5032-S1R	363	50	32	1	32	0.93
L-PYGE-5038-S1R	403	50	38	1	38	1.10
L-PYGE-5044-S1R	446	50	44	1	44	1.27
L-PYGE-5050-S1R	492	50	50	1	50	1.45
L-PYGE-5056-S1R	534	50	56	1	56	1.62



Single Span End
Vertical Woodgrain
Gallery Panel
with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing

Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:


Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out, No power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PCGE-3426-S1L	256	34	26	1	17.68	0.51
L-PCGE-3432-S1L	285	34	32	1	21.76	0.63
L-PCGE-3438-S1L	315	34	38	1	25.84	0.75
L-PCGE-3444-S1L	344	34	44	1	29.92	0.87
L-PCGE-3450-S1L	375	34	50	1	34	0.98
L-PCGE-3456-S1L	405	34	56	1	38.08	1.10
L-PCGE-4226-S1L	285	42	26	1	21.84	0.63
L-PCGE-4232-S1L	322	42	32	1	26.88	0.78
L-PCGE-4238-S1L	359	42	38	1	31.92	0.92
L-PCGE-4244-S1L	395	42	44	1	36.96	1.07
L-PCGE-4250-S1L	434	42	50	1	42	1.22
L-PCGE-4256-S1L	468	42	56	1	47.04	1.36
L-PCGE-5026-S1L	317	50	26	1	26	0.75
L-PCGE-5032-S1L	363	50	32	1	32	0.93
L-PCGE-5038-S1L	403	50	38	1	38	1.10
L-PCGE-5044-S1L	446	50	44	1	44	1.27
L-PCGE-5050-S1L	492	50	50	1	50	1.45
L-PCGE-5056-S1L	534	50	56	1	56	1.62
right hand						
L-PCGE-3426-S1R	256	34	26	1	17.68	0.51
L-PCGE-3432-S1R	285	34	32	1	21.76	0.63
L-PCGE-3438-S1R	315	34	38	1	25.84	0.75
L-PCGE-3444-S1R	344	34	44	1	29.92	0.87
L-PCGE-3450-S1R	375	34	50	1	34	0.98
L-PCGE-3456-S1R	405	34	56	1	38.08	1.10
L-PCGE-4226-S1R	285	42	26	1	21.84	0.63
L-PCGE-4232-S1R	322	42	32	1	26.88	0.78
L-PCGE-4238-S1R	359	42	38	1	31.92	0.92
L-PCGE-4244-S1R	395	42	44	1	36.96	1.07
L-PCGE-4250-S1R	434	42	50	1	42	1.22
L-PCGE-4256-S1R	468	42	56	1	47.04	1.36
L-PCGE-5026-S1R	317	50	26	1	26	0.75
L-PCGE-5032-S1R	363	50	32	1	32	0.93
L-PCGE-5038-S1R	403	50	38	1	38	1.10
L-PCGE-5044-S1R	446	50	44	1	44	1.27
L-PCGE-5050-S1R	492	50	50	1	50	1.45
L-PCGE-5056-S1R	534	50	56	1	56	1.62



What’s Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PYGE-3442-D1	334	34	42	1	28.56	0.83
L-PYGE-3450-D1	375	34	50	1	34	0.98
L-PYGE-4242-D1	386	42	42	1	28.56	1.02
L-PYGE-4250-D1	434	42	50	1	42	1.22
L-PYGE-5042-D1	434	50	42	1	28.56	1.22
L-PYGE-5050-D1	492	50	50	1	50	1.45
2 pieces						
L-PYGE-3462-D2	588	34	62	1	42.16	1.22
L-PYGE-3474-D2	650	34	74	1	50.32	1.46
L-PYGE-3486-D2	709	34	86	1	58.48	1.69
L-PYGE-3498-D2	769	34	98	1	66.64	1.93
L-PYGE-4262-D2	661	42	62	1	52.08	1.51
L-PYGE-4274-D2	738	42	74	1	62.16	1.80
L-PYGE-4286-D2	810	42	86	1	72.24	2.09
L-PYGE-4298-D2	884	42	98	1	82.32	2.38
L-PYGE-5062-D2	739	50	62	1	62	1.79
L-PYGE-5074-D2	823	50	74	1	74	2.14
L-PYGE-5086-D2	911	50	86	1	86	2.49
L-PYGE-5098-D2	999	50	98	1	98	2.84
L-PYGE-34110-D2	832	34	110	1	74.8	2.16
L-PYGE-42110-D2	958	42	110	1	92.4	2.67
L-PYGE-50110-D2	1085	50	110	1	110	3.18



What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PCGE-3442-D1	334	34	42	1	28.56	0.83
L-PCGE-3450-D1	375	34	50	1	34	0.98
L-PCGE-4242-D1	386	42	42	1	28.56	1.02
L-PCGE-4250-D1	434	42	50	1	42	1.22
L-PCGE-5042-D1	434	50	42	1	28.56	1.22
L-PCGE-5050-D1	492	50	50	1	50	1.45
2 pieces						
L-PCGE-3462-D2	588	34	62	1	42.16	1.22
L-PCGE-3474-D2	650	34	74	1	50.32	1.46
L-PCGE-3486-D2	709	34	86	1	58.48	1.69
L-PCGE-3498-D2	769	34	98	1	66.64	1.93
L-PCGE-34110-D2	832	34	110	1	52.08	1.51
L-PCGE-4262-D2	661	42	62	1	62.16	1.80
L-PCGE-4274-D2	738	42	74	1	72.24	2.09
L-PCGE-4286-D2	810	42	86	1	82.32	2.38
L-PCGE-4298-D2	884	42	98	1	62	1.79
L-PCGE-42110-D2	958	42	110	1	74	2.14
L-PCGE-5062-D2	739	50	62	1	86	2.49
L-PCGE-5074-D2	823	50	74	1	98	2.84
L-PCGE-5086-D2	911	50	86	1	74.8	2.16
L-PCGE-5098-D2	999	50	98	1	92.4	2.67
L-PCGE-50110-D2	1085	50	110	1	110	3.18



Single Span Middle
Solid Gallery Panel

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	34”, 42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PYSM-3426-S1	297	34	26	1	17.68	0.51
L-PYSM-3432-S1	328	34	32	1	21.76	0.63
L-PYSM-3438-S1	358	34	38	1	25.84	0.75
L-PYSM-3444-S1	388	34	44	1	29.92	0.87
L-PYSM-3450-S1	418	34	50	1	34	0.98
L-PYSM-3456-S1	446	34	56	1	38.08	1.10
L-PYSM-3462-S1	480	34	62	1	42.16	1.22
L-PYSM-3468-S1	508	34	68	1	46.24	1.34
L-PYSM-3474-S1	537	34	74	1	50.32	1.46
L-PYSM-4226-S1	328	42	26	1	21.84	0.63
L-PYSM-4232-S1	366	42	32	1	26.88	0.78
L-PYSM-4238-S1	402	42	38	1	31.92	0.92
L-PYSM-4244-S1	440	42	44	1	36.96	1.07
L-PYSM-4250-S1	478	42	50	1	42	1.22
L-PYSM-4256-S1	510	42	56	1	47.04	1.36
L-PYSM-4262-S1	549	42	62	1	52.08	1.51
L-PYSM-4268-S1	586	42	68	1	57.12	1.65
L-PYSM-4274-S1	626	42	74	1	62.16	1.80
L-PYSM-5026-S1	363	50	26	1	26	0.75
L-PYSM-5032-S1	403	50	32	1	32	0.93
L-PYSM-5038-S1	445	50	38	1	38	1.10
L-PYSM-5044-S1	492	50	44	1	44	1.27
L-PYSM-5050-S1	533	50	50	1	50	1.45
L-PYSM-5056-S1	578	50	56	1	56	1.62
L-PYSM-5062-S1	622	50	62	1	62	1.79
L-PYSM-5068-S1	661	50	68	1	68	1.97
L-PYSM-5074-S1	707	50	74	1	74	2.14



Single piece

Double Span Middle
Solid Gallery Panel

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PYSM-3442-D1	377	34	42	1	28.56	0.83
L-PYSM-3450-D1	418	34	50	1	34	0.98
L-PYSM-3462-D1	480	34	62	1	42.16	1.22
L-PYSM-3474-D1	537	34	74	1	50.32	1.46
L-PYSM-3486-D1	600	34	86	1	58.48	1.69
L-PYSM-4242-D1	427	42	42	1	35.28	1.02
L-PYSM-4250-D1	478	42	50	1	42	1.22
L-PYSM-4262-D1	549	42	62	1	52.08	1.51
L-PYSM-4274-D1	626	42	74	1	62.16	1.80
L-PYSM-4286-D1	698	42	86	1	72.24	2.09
L-PYSM-5042-D1	478	50	42	1	42	1.22
L-PYSM-5050-D1	533	50	50	1	50	1.45
L-PYSM-5062-D1	622	50	62	1	62	1.79
L-PYSM-5074-D1	707	50	74	1	74	2.14
L-PYSM-5086-D1	794	50	86	1	86	2.49
2 pieces						
L-PYSM-3498-D2	769	34	98	1	66.64	1.93
L-PYSM-4298-D2	884	42	98	1	82.32	2.38
L-PYSM-5098-D2	999	50	98	1	98	2.84
L-PYSM-34110-D2	832	34	110	1	74.8	2.16
L-PYSM-34122-D2	892	34	122	1	82.96	2.40
L-PYSM-34134-D2	950	34	134	1	91.12	2.64
L-PYSM-34146-D2	1013	34	146	1	99.28	2.87
L-PYSM-42110-D2	958	42	110	1	92.4	2.67
L-PYSM-42122-D2	1030	42	122	1	102.48	2.97
L-PYSM-42134-D2	1106	42	134	1	112.56	3.26
L-PYSM-42146-D2	1181	42	146	1	122.64	3.55
L-PYSM-50110-D2	1085	50	110	1	110	3.18
L-PYSM-50122-D2	1172	50	122	1	122	3.53
L-PYSM-50134-D2	1261	50	134	1	134	3.88
L-PYSM-50146-D2	1347	50	146	1	146	4.22



Single Span End
Solid Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut
out

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate color

Power cut out, No power cut out

Notes:


Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing

Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PYSE-3426-S1L	256	34	26	1	17.68	0.51
L-PYSE-3432-S1L	285	34	32	1	21.76	0.63
L-PYSE-3438-S1L	315	34	38	1	25.84	0.75
L-PYSE-3444-S1L	344	34	44	1	29.92	0.87
L-PYSE-3450-S1L	375	34	50	1	34	0.98
L-PYSE-3456-S1L	405	34	56	1	38.08	1.10
L-PYSE-3462-S1L	437	34	62	1	42.16	1.22
L-PYSE-3468-S1L	465	34	68	1	46.24	1.34
L-PYSE-3474-S1L	496	34	74	1	50.32	1.46
L-PYSE-4226-S1L	285	42	26	1	21.84	0.63
L-PYSE-4232-S1L	322	42	32	1	26.88	0.78
L-PYSE-4238-S1L	359	42	38	1	31.92	0.92
L-PYSE-4244-S1L	395	42	44	1	36.96	1.07
L-PYSE-4250-S1L	434	42	50	1	42	1.22
L-PYSE-4256-S1L	468	42	56	1	47.04	1.36

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PYSE-4262-S1L	506	42	62	1	52.08	1.51
L-PYSE-4268-S1L	544	42	68	1	57.12	1.65
L-PYSE-4274-S1L	582	42	74	1	62.16	1.80
L-PYSE-5026-S1L	317	50	26	1	26	0.75
L-PYSE-5032-S1L	363	50	32	1	32	0.93
L-PYSE-5038-S1L	403	50	38	1	38	1.10
L-PYSE-5044-S1L	446	50	44	1	44	1.27
L-PYSE-5050-S1L	492	50	50	1	50	1.45
L-PYSE-5056-S1L	534	50	56	1	56	1.62
L-PYSE-5062-S1L	578	50	62	1	62	1.79
L-PYSE-5068-S1L	622	50	68	1	68	1.97
L-PYSE-5074-S1L	663	50	74	1	74	2.14
right hand						
L-PYSE-3426-S1R	256	34	26	1	17.68	0.51
L-PYSE-3432-S1R	285	34	32	1	21.76	0.63
L-PYSE-3438-S1R	315	34	38	1	25.84	0.75
L-PYSE-3444-S1R	344	34	44	1	29.92	0.87
L-PYSE-3450-S1R	375	34	50	1	34	0.98
L-PYSE-3456-S1R	405	34	56	1	38.08	1.10
L-PYSE-3462-S1R	437	34	62	1	42.16	1.22
L-PYSE-3468-S1R	465	34	68	1	46.24	1.34
L-PYSE-3474-S1R	496	34	74	1	50.32	1.46
L-PYSE-4226-S1R	285	42	26	1	21.84	0.63
L-PYSE-4232-S1R	322	42	32	1	26.88	0.78
L-PYSE-4238-S1R	359	42	38	1	31.92	0.92
L-PYSE-4244-S1R	395	42	44	1	36.96	1.07
L-PYSE-4250-S1R	434	42	50	1	42	1.22
L-PYSE-4256-S1R	468	42	56	1	47.04	1.36
L-PYSE-4262-S1R	506	42	62	1	52.08	1.51
L-PYSE-4268-S1R	544	42	68	1	57.12	1.65
L-PYSE-4274-S1R	582	42	74	1	62.16	1.80
L-PYSE-5026-S1R	317	50	26	1	26	0.75
L-PYSE-5032-S1R	363	50	32	1	32	0.93
L-PYSE-5038-S1R	403	50	38	1	38	1.10
L-PYSE-5044-S1R	446	50	44	1	44	1.27
L-PYSE-5050-S1R	492	50	50	1	50	1.45
L-PYSE-5056-S1R	534	50	56	1	56	1.62
L-PYSE-5062-S1R	578	50	62	1	62	1.79
L-PYSE-5068-S1R	622	50	68	1	68	1.97
L-PYSE-5074-S1R	663	50	74	1	74	2.14



Single Span End
Solid Gallery Panel
with Power Cutout

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections
Choose option for power cut out or no power cut out

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, No power cut out	

Notes:


Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
L-PCSE-3426-S1L	256	34	26	1	17.68	0.51
L-PCSE-3432-S1L	285	34	32	1	21.76	0.63
L-PCSE-3438-S1L	315	34	38	1	25.84	0.75
L-PCSE-3444-S1L	344	34	44	1	29.92	0.87
L-PCSE-3450-S1L	375	34	50	1	34	0.98
L-PCSE-3456-S1L	405	34	56	1	38.08	1.10
L-PCSE-3462-S1L	437	34	62	1	42.16	1.22
L-PCSE-3468-S1L	465	34	68	1	46.24	1.34
L-PCSE-3474-S1L	496	34	74	1	50.32	1.46
L-PCSE-4226-S1L	285	42	26	1	21.84	0.63
L-PCSE-4232-S1L	322	42	32	1	26.88	0.78
L-PCSE-4238-S1L	359	42	38	1	31.92	0.92
L-PCSE-4244-S1L	395	42	44	1	36.96	1.07
L-PCSE-4250-S1L	434	42	50	1	42	1.22
L-PCSE-4256-S1L	468	42	56	1	47.04	1.36

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PCSE-4262-S1L	506	42	62	1	52.08	1.51
L-PCSE-4268-S1L	544	42	68	1	57.12	1.65
L-PCSE-4274-S1L	582	42	74	1	62.16	1.80
L-PCSE-5026-S1L	317	50	26	1	26	0.75
L-PCSE-5032-S1L	363	50	32	1	32	0.93
L-PCSE-5038-S1L	403	50	38	1	38	1.10
L-PCSE-5044-S1L	446	50	44	1	44	1.27
L-PCSE-5050-S1L	492	50	50	1	50	1.45
L-PCSE-5056-S1L	534	50	56	1	56	1.62
L-PCSE-5062-S1L	578	50	62	1	62	1.79
L-PCSE-5068-S1L	622	50	68	1	68	1.97
L-PCSE-5074-S1L	663	50	74	1	74	2.14
right hand						
L-PCSE-3426-S1R	256	34	26	1	17.68	0.51
L-PCSE-3432-S1R	285	34	32	1	21.76	0.63
L-PCSE-3438-S1R	315	34	38	1	25.84	0.75
L-PCSE-3444-S1R	344	34	44	1	29.92	0.87
L-PCSE-3450-S1R	375	34	50	1	34	0.98
L-PCSE-3456-S1R	405	34	56	1	38.08	1.10
L-PCSE-3462-S1R	437	34	62	1	42.16	1.22
L-PCSE-3468-S1R	465	34	68	1	46.24	1.34
L-PCSE-3474-S1R	496	34	74	1	50.32	1.46
L-PCSE-4226-S1R	285	42	26	1	21.84	0.63
L-PCSE-4232-S1R	322	42	32	1	26.88	0.78
L-PCSE-4238-S1R	359	42	38	1	31.92	0.92
L-PCSE-4244-S1R	395	42	44	1	36.96	1.07
L-PCSE-4250-S1R	434	42	50	1	42	1.22
L-PCSE-4256-S1R	468	42	56	1	47.04	1.36
L-PCSE-4262-S1R	506	42	62	1	52.08	1.51
L-PCSE-4268-S1R	544	42	68	1	57.12	1.65
L-PCSE-4274-S1R	582	42	74	1	62.16	1.80
L-PCSE-5026-S1R	317	50	26	1	26	0.75
L-PCSE-5032-S1R	363	50	32	1	32	0.93
L-PCSE-5038-S1R	403	50	38	1	38	1.10
L-PCSE-5044-S1R	446	50	44	1	44	1.27
L-PCSE-5050-S1R	492	50	50	1	50	1.45
L-PCSE-5056-S1R	534	50	56	1	56	1.62
L-PCSE-5062-S1R	578	50	62	1	62	1.79
L-PCSE-5068-S1R	622	50	68	1	68	1.97
L-PCSE-5074-S1R	663	50	74	1	74	2.14



Single piece

Double Span End
Solid Gallery Panel
No Power Cutout

What’s Included:

X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height: 34”, 42”, 50”

Width: 26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”

Laminate color

Power cut out, no power cut out

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PYSE-3442-D1	334	34	42	1	28.56	0.83
L-PYSE-3450-D1	375	34	50	1	34	0.98
L-PYSE-3462-D1	437	34	62	1	42.16	1.22
L-PYSE-3474-D1	496	34	74	1	50.32	1.46
L-PYSE-3486-D1	557	34	86	1	58.48	1.69
L-PYSE-4242-D1	386	42	42	1	35.28	1.02
L-PYSE-4250-D1	434	42	50	1	42	1.22
L-PYSE-4262-D1	506	42	62	1	52.08	1.51
L-PYSE-4274-D1	582	42	74	1	62.16	1.80
L-PYSE-4286-D1	654	42	86	1	72.24	2.09
L-PYSE-5042-D1	434	50	42	1	42	1.22
L-PYSE-5050-D1	492	50	50	1	50	1.45
L-PYSE-5062-D1	578	50	62	1	62	1.79
L-PYSE-5074-D1	663	50	74	1	74	2.14
L-PYSE-5086-D1	752	50	86	1	86	2.49
2 pieces						
L-PYSE-3498-D2	769	34	98	1	66.64	1.93
L-PYSE-4298-D2	884	42	98	1	82.32	2.38
L-PYSE-5098-D2	999	50	98	1	98	2.84
L-PYSE-34110-D2	832	34	110	1	74.8	2.16
L-PYSE-34122-D2	892	34	122	1	82.96	2.40
L-PYSE-34134-D2	950	34	134	1	91.12	2.64
L-PYSE-34146-D2	1013	34	146	1	99.28	2.87
L-PYSE-42110-D2	958	42	110	1	92.4	2.67
L-PYSE-42122-D2	1030	42	122	1	102.48	2.97
L-PYSE-42134-D2	1106	42	134	1	112.56	3.26
L-PYSE-42146-D2	1181	42	146	1	122.64	3.55
L-PYSE-50110-D2	1085	50	110	1	110	3.18
L-PYSE-50122-D2	1172	50	122	1	122	3.53
L-PYSE-50134-D2	1261	50	134	1	134	3.88
L-PYSE-50146-D2	1347	50	146	1	146	4.22



What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to laminate cards for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34”, 42”, 50”
Width:	26”, 32”, 38”, 44”, 50”, 56”, 62”, 68”, 74”
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
L-PCSE-3442-D1	334	34	42	1	28.6	0.80
L-PCSE-3450-D1	375	34	50	1	34	1.00
L-PCSE-3462-D1	437	34	62	1	42.2	1.20
L-PCSE-3474-D1	496	34	74	1	50.3	1.50
L-PCSE-3486-D1	557	34	86	1	58.5	1.70
L-PCSE-4242-D1	386	42	42	1	35.3	1.00
L-PCSE-4250-D1	434	42	50	1	42	1.20
L-PCSE-4262-D1	506	42	62	1	52.1	1.50
L-PCSE-4274-D1	582	42	74	1	62.2	1.80
L-PCSE-4286-D1	654	42	86	1	72.2	2.10
L-PCSE-5042-D1	434	50	42	1	42	1.20
L-PCSE-5050-D1	492	50	50	1	50	1.40
L-PCSE-5062-D1	578	50	62	1	62	1.80
L-PCSE-5074-D1	663	50	74	1	74	2.10
L-PCSE-5086-D1	752	50	86	1	86	2.50
2 pieces						
L-PCSE-3498-D2	769	34	98	1	66.6	1.90
L-PCSE-34110-D2	832	34	110	1	82.3	2.40
L-PCSE-34122-D2	892	34	122	1	98	2.80
L-PCSE-34134-D2	950	34	134	1	74.8	2.20
L-PCSE-34146-D2	1013	34	146	1	83	2.40
L-PCSE-4298-D2	884	42	98	1	91.1	2.60
L-PCSE-42110-D2	958	42	110	1	99.3	2.90
L-PCSE-42122-D2	1030	42	122	1	92.4	2.70
L-PCSE-42134-D2	1106	42	134	1	102.5	3.00
L-PCSE-42146-D2	1181	42	146	1	112.6	3.30
L-PCSE-5098-D2	999	50	98	1	122.6	3.50
L-PCSE-50110-D2	1085	50	110	1	110	3.20
L-PCSE-50122-D2	1172	50	122	1	122	3.50
L-PCSE-50134-D2	1261	50	134	1	134	3.90
L-PCSE-50146-D2	1347	50	146	1	146	4.20



Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

What’s Included:

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

How to Specify:

Refer to metal finish card for metal finish options

Notes:

One (1) glass piece can span the width of one or two panels up to 72”W

Glass is tempered

Options:

Height: 8”, 16”, 20”


Width: 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”

Clear, Frosted

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Clear						
L-VG-P-0824-C	494	8	24	0.75		
L-VG-P-0830-C	523	8	30	0.75		
L-VG-P-0836-C	572	8	36	0.75		
L-VG-P-0842-C	611	8	42	0.75		
L-VG-P-0848-C	617	8	48	0.75		
L-VG-P-0854-C	666	8	54	0.75		
L-VG-P-0860-C	676	8	60	0.75		
L-VG-P-0866-C	725	8	66	0.75		
L-VG-P-0872-C	732	8	72	0.75		
L-VG-P-1624-C	536	16	24	0.75		
L-VG-P-1630-C	570	16	30	0.75		
L-VG-P-1636-C	622	16	36	0.75		
L-VG-P-1642-C	665	16	42	0.75		
L-VG-P-1648-C	673	16	48	0.75		
L-VG-P-1654-C	725	16	54	0.75		
L-VG-P-1660-C	729	16	60	0.75		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-VG-P-1666-C	765	16	66	0.75		
L-VG-P-1672-C	795	16	72	0.75		
L-VG-P-2024-C	573	20	24	0.75		
L-VG-P-2030-C	614	20	30	0.75		
L-VG-P-2036-C	693	20	36	0.75		
L-VG-P-2042-C	738	20	42	0.75		
L-VG-P-2048-C	742	20	48	0.75		
L-VG-P-2054-C	795	20	54	0.75		
L-VG-P-2060-C	805	20	60	0.75		
L-VG-P-2066-C	847	20	66	0.75		
L-VG-P-2072-C	862	20	72	0.75		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Frosted						
L-VG-P-0824-F	641	8	24	0.75		
L-VG-P-0830-F	678	8	30	0.75		
L-VG-P-0836-F	742	8	36	0.75		
L-VG-P-0842-F	795	8	42	0.75		
L-VG-P-0848-F	803	8	48	0.75		
L-VG-P-0854-F	866	8	54	0.75		
L-VG-P-0860-F	873	8	60	0.75		
L-VG-P-0866-F	933	8	66	0.75		
L-VG-P-0872-F	950	8	72	0.75		
L-VG-P-1624-F	698	16	24	0.75		
L-VG-P-1630-F	739	16	30	0.75		
L-VG-P-1636-F	808	16	36	0.75		
L-VG-P-1642-F	864	16	42	0.75		
L-VG-P-1648-F	873	16	48	0.75		
L-VG-P-1654-F	943	16	54	0.75		
L-VG-P-1660-F	948	16	60	0.75		
L-VG-P-1666-F	1014	16	66	0.75		
L-VG-P-1672-F	1034	16	72	0.75		
L-VG-P-2024-F	743	20	24	0.75		
L-VG-P-2030-F	799	20	30	0.75		
L-VG-P-2036-F	900	20	36	0.75		
L-VG-P-2042-F	958	20	42	0.75		
L-VG-P-2048-F	963	20	48	0.75		
L-VG-P-2054-F	1034	20	54	0.75		
L-VG-P-2060-F	1046	20	60	0.75		
L-VG-P-2066-F	1102	20	66	0.75		
L-VG-P-2072-F	1121	20	72	0.75		



Acrylic Frameless Blade for Standard and Elevated Panels

What’s Included:

One (1) acrylic piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

Notes:

One (1) acrylic piece can span the width of one or two panels up to 72”W

How to Specify:

Refer to metal finish card for metal finish options

Options:


Height:8”, 16”

Width:24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”

Clear, Frosted

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Acrylic screen - Frosted						
L-VA-P-0824-F	641	8	24	0.75		
L-VA-P-0830-F	678	8	30	0.75		
L-VA-P-0836-F	742	8	36	0.75		
L-VA-P-0842-F	795	8	42	0.75		
L-VA-P-0848-F	803	8	48	0.75		
L-VA-P-0854-F	866	8	54	0.75		
L-VA-P-0860-F	873	8	60	0.75		
L-VA-P-0866-F	933	8	66	0.75		
L-VA-P-0872-F	950	8	72	0.75		
L-VA-P-1624-F	698	16	24	0.75		
L-VA-P-1630-F	739	16	30	0.75		
L-VA-P-1636-F	808	16	36	0.75		
L-VA-P-1642-F	864	16	42	0.75		
L-VA-P-1648-F	873	16	48	0.75		
L-VA-P-1654-F	943	16	54	0.75		
L-VA-P-1660-F	948	16	60	0.75		
L-VA-P-1666-F	1014	16	66	0.75		
L-VA-P-1672-F	1034	16	72	0.75		

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Acrylic screen - Clear						
L-VA-P-0824-C	494	8	24	0.75		
L-VA-P-0830-C	523	8	30	0.75		
L-VA-P-0836-C	572	8	36	0.75		
L-VA-P-0842-C	611	8	42	0.75		
L-VA-P-0848-C	617	8	48	0.75		
L-VA-P-0854-C	666	8	54	0.75		
L-VA-P-0860-C	673	8	60	0.75		
L-VA-P-0866-C	725	16	66	0.75		
L-VA-P-0872-C	732	16	72	0.75		
L-VA-P-1624-C	536	16	24	0.75		
L-VA-P-1630-C	570	16	30	0.75		
L-VA-P-1636-C	622	16	36	0.75		
L-VA-P-1642-C	665	16	42	0.75		
L-VA-P-1648-C	673	16	48	0.75		
L-VA-P-1654-C	725	16	54	0.75		
L-VA-P-1660-C	729	16	60	0.75		
L-VA-P-1666-C	765	16	66	0.75		
L-VA-P-1672-C	795	16	72	0.75		



Glass Frameless Blade for Gallery Panels

What's Included:

One (1) tempered glass piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

One (1) glass piece can span the width of one or two panels up to 72"W

Glass is tempered

Accessory rail channel extrusion can accommodate all Tayco accessories except for the paper sorter

Options:


Height: 8", 16"

Width: 24", 30", 36", 42", 48", 54", 60"

Clear, Frosted

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Frosted						
L-VG-Y-0824-F	728	8	24	0.75	5	0.08
L-VG-Y-0830-F	762	8	30	0.75	6	0.10
L-VG-Y-0836-F	826	8	36	0.75	7	0.13
L-VG-Y-0842-F	881	8	42	0.75	8	0.15
L-VG-Y-0848-F	886	8	48	0.75	10	0.17
L-VG-Y-0854-F	948	8	54	0.75	11	0.19
L-VG-Y-0860-F	954	8	60	0.75	12	0.21
L-VG-Y-1624-F	782	16	24	0.75	10	0.17
L-VG-Y-1630-F	823	16	30	0.75	12	0.21
L-VG-Y-1636-F	889	16	36	0.75	14	0.25
L-VG-Y-1642-F	947	16	42	0.75	17	0.29
L-VG-Y-1648-F	954	16	48	0.75	19	0.33
L-VG-Y-1654-F	1023	16	54	0.75	22	0.38
L-VG-Y-1660-F	1029	16	60	0.75	24	0.42

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Clear						
L-VG-Y-0824-C	630	8	30	0.75	6	0.10
L-VG-Y-0830-C	665	8	36	0.75	7	0.13
L-VG-Y-0836-C	728	8	42	0.75	8	0.15
L-VG-Y-0842-C	783	8	48	0.75	10	0.17
L-VG-Y-0848-C	789	8	54	0.75	11	0.19
L-VG-Y-0854-C	851	8	60	0.75	12	0.21
L-VG-Y-0860-C	856	16	24	0.75	10	0.17
L-VG-Y-1624-C	684	16	30	0.75	12	0.21
L-VG-Y-1630-C	725	16	36	0.75	14	0.25
L-VG-Y-1636-C	792	16	42	0.75	17	0.29
L-VG-Y-1642-C	850	16	48	0.75	19	0.33
L-VG-Y-1648-C	856	16	54	0.75	22	0.38
L-VG-Y-1654-C	925	16	60	0.75	24	0.42
L-VG-Y-1660-C	932	16	60	0.75	24	0.42



Acrylic Frameless Blade for Gallery Panels

What’s Included:

One (1) acrylic piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

One (1) acrylic piece can span the width of one or two panels up to 72”W


Accessory rail channel extrusion can accommodate all Tayco accessories except for the paper sorter

Options:

Height:	8”, 16”
Width:	24”, 30”, 36”, 42”, 48”, 54”, 60”
Clear, Frosted	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Acrylic screen - Frosted						
L-VA-Y-0824-F	728	8	24	0.75	4	0.08
L-VA-Y-0830-F	762	8	30	0.75	5	0.10
L-VA-Y-0836-F	826	8	36	0.75	5	0.13
L-VA-Y-0842-F	881	8	42	0.75	6	0.15
L-VA-Y-0848-F	886	8	48	0.75	7	0.17
L-VA-Y-0854-F	948	8	54	0.75	8	0.19
L-VA-Y-0860-F	954	8	60	0.75	9	0.21
L-VA-Y-1624-F	782	16	24	0.75	7	0.17
L-VA-Y-1630-F	823	16	30	0.75	9	0.21
L-VA-Y-1636-F	889	16	36	0.75	11	0.25
L-VA-Y-1642-F	947	16	42	0.75	13	0.29
L-VA-Y-1648-F	954	16	48	0.75	14	0.33
L-VA-Y-1654-F	1023	16	54	0.75	16	0.38
L-VA-Y-1660-F	1029	16	60	0.75	18	0.42

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Acrylic screen - Clear						
L-VA-Y-0824-C	630	8	24	0.75	4	0.08
L-VA-Y-0830-C	665	8	30	0.75	5	0.10
L-VA-Y-0836-C	728	8	36	0.75	5	0.13
L-VA-Y-0842-C	783	8	42	0.75	6	0.15
L-VA-Y-0848-C	789	8	48	0.75	7	0.17
L-VA-Y-0854-C	851	8	54	0.75	8	0.19
L-VA-Y-0860-C	856	8	60	0.75	9	0.21
L-VA-Y-1624-C	684	16	24	0.75	7	0.17
L-VA-Y-1630-C	725	16	30	0.75	9	0.21
L-VA-Y-1636-C	792	16	36	0.75	11	0.25
L-VA-Y-1642-C	850	16	42	0.75	13	0.29
L-VA-Y-1648-C	856	16	48	0.75	14	0.33
L-VA-Y-1654-C	925	16	54	0.75	16	0.38
L-VA-Y-1660-C	932	16	60	0.75	18	0.42



What’s Included:

One (1) whiteboard, Two (2) slotted channel brackets


How to Specify:

- Specify width of whiteboard to match the width of the panel
- Choose White, Black, Silver, Charcoal for bracket color

Options:

Height:	15"
Width:	24", 30", 36", 42", 48", 54", 60"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-AWP0-1524	272	15	24	0.75	3.74	
L-AWP0-1530	304	15	30	0.75	4.86	
L-AWP0-1536	338	15	36	0.75	6.22	
L-AWP0-1542	369	15	42	0.75	7.48	
L-AWP0-1548	403	15	48	0.75	8.72	
L-AWP0-1554	438	15	54	0.75	9.96	
L-AWP0-1560	468	15	60	0.75	11.22	



What’s Included:

One (1) tackboard, Two (2) slotted channel brackets


How to Specify:

- Specify width of tackboard to match the width of the panel
- Refer to panel fabric cards for fabric selections
- Choose White, Black, Silver, Charcoal for bracket color

Options:

Height:	7", 15"
Width:	24", 30", 36", 42", 48", 54", 60

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-ATP0-0724	172	7	24	0.75	1.87	
L-ATP0-0730	181	7	30	0.75	2.43	
L-ATP0-0736	191	7	36	0.75	3.11	
L-ATP0-0742	200	7	42	0.75	3.74	
L-ATP0-0748	206	7	48	0.75	4.36	
L-ATP0-0754	213	7	54	0.75	4.98	
L-ATP0-0760	220	7	60	0.75	5.61	
L-ATP0-1524	213	15	24	0.75	4	
L-ATP0-1530	232	15	30	0.75	4.86	
L-ATP0-1536	247	15	36	0.75	6.22	
L-ATP0-1542	262	15	42	0.75	7.48	
L-ATP0-1548	282	15	48	0.75	8.72	
L-ATP0-1554	297	15	54	0.75	9.96	
L-ATP0-1560	312	15	60	0.75	11.22	



Hinged Door

What's Included:

Hinged Door laminate available in white and black


How to Specify:

Notes:

Options:

Height:	82"
Width:	36", 42",
Left handed, Right handed	
Straight connection, 90 degree connection, 3-way connection and 4-way connection	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Straight connection						
L-PD00-8236-L	3367	82	36			
L-PD00-8236-R	3367	82	36			
L-PD00-8242-L	3431	82	42			
L-PD00-8242-R	3431	82	42			
3-way connection						
L-PD00-8236-L-3W	4020	82	36			
L-PD00-8236-R-3W	4020	82	36			
L-PD00-8242-L-3W	4084	82	42			
L-PD00-8242-R-3W	4084	82	42			
4-way connection						
L-PD00-8236-L-4W	3754	82	36			
L-PD00-8236-R-4W	3754	82	36			
L-PD00-8242-L-4W	3818	82	42			
L-PD00-8242-R-4W	3818	82	42			
90 degree connection						
L-PD00-8236-L-90	3827	82	36			
L-PD00-8236-R-90	3827	82	36			
L-PD00-8242-L-90	3891	82	42			
L-PD00-8242-R-90	3891	82	42			



Sliding Door - Acrylic

What’s Included:

Sliding door acrylic available in white and black

How to Specify:

Notes:

Options:

Height:	66"
Bracket Width:	30", 36", 42",
Door Width:	30", 36", 42", 48", 54", 60"
Left handed, Right handed	
Clear, Frosted, Fluted	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Clear Acrylic - left hand						
L-PDSC-663030-L	2260	66	30			
L-PDSC-663036-L	2274	66	36			
L-PDSC-663042-L	2281	66	42			
L-PDSC-663048-L	2288	66	48			
L-PDSC-663054-L	2294	66	54			
L-PDSC-663060-L	2299	66	60			
L-PDSC-663636-L	2270	66	36			
L-PDSC-663642-L	2282	66	42			
L-PDSC-663648-L	2289	66	48			
L-PDSC-663654-L	2295	66	54			
L-PDSC-663660-L	2300	66	60			
L-PDSC-664242-L	2276	66	42			
L-PDSC-664248-L	2290	66	48			
L-PDSC-664254-L	2295	66	54			
L-PDSC-664260-L	2301	66	60			
Clear Acrylic - right hand						
L-PDSC-663030-R	2260	66	30			
L-PDSC-663036-R	2274	66	36			
L-PDSC-663042-R	2281	66	42			
L-PDSC-663048-R	2288	66	48			
L-PDSC-663054-R	2294	66	54			
L-PDSC-663060-R	#N/A	66	60			
L-PDSC-663636-R	2270	66	36			
L-PDSC-663642-R	2282	66	42			
L-PDSC-663648-R	2289	66	48			
L-PDSC-663654-R	2295	66	54			
L-PDSC-663660-R	2300	66	60			
L-PDSC-664242-R	2276	66	42			
L-PDSC-664248-R	2290	66	48			
L-PDSC-664254-R	2295	66	54			
L-PDSC-664260-R	2301	66	60			

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Frosted Acrylic - left hand						
L-PDSF-663030-L	2489	66	30			
L-PDSF-663036-L	2502	66	36			
L-PDSF-663042-L	2509	66	42			
L-PDSF-663048-L	2514	66	48			
L-PDSF-663054-L	2521	66	54			
L-PDSF-663060-L	2528	66	60			
L-PDSF-663636-L	2498	66	36			
L-PDSF-663642-L	2510	66	42			
L-PDSF-663648-L	2516	66	48			
L-PDSF-663654-L	2522	66	54			
L-PDSF-663660-L	2530	66	60			
L-PDSF-664242-L	2506	66	42			
L-PDSF-664248-L	2517	66	48			
L-PDSF-664254-L	2523	66	54			
L-PDSF-664260-L	2531	66	60			
Frosted Acrylic - right hand						
L-PDSF-663030-R	2489	66	30			
L-PDSF-663036-R	2502	66	36			
L-PDSF-663042-R	2509	66	42			
L-PDSF-663048-R	2514	66	48			
L-PDSF-663054-R	2521	66	54			
L-PDSF-663060-R	2528	66	60			
L-PDSF-663636-R	2498	66	36			
L-PDSF-663642-R	2510	66	42			
L-PDSF-663648-R	2516	66	48			
L-PDSF-663654-R	2522	66	54			
L-PDSF-663660-R	2530	66	60			
L-PDSF-664242-R	2506	66	42			
L-PDSF-664248-R	2517	66	48			
L-PDSF-664254-R	2523	66	54			
L-PDSF-664260-R	2531	66	60			

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Fluted acrylic - left hand						
L-PDSL-663030-L	2260	66	30			
L-PDSL-663036-L	2274	66	36			
L-PDSL-663042-L	2281	66	42			
L-PDSL-663048-L	2288	66	48			
L-PDSL-663054-L	2294	66	54			
L-PDSL-663060-L	2299	66	60			
L-PDSL-663636-L	2270	66	36			
L-PDSL-663642-L	2282	66	42			
L-PDSL-663648-L	2289	66	48			
L-PDSL-663654-L	2295	66	54			
L-PDSL-663660-L	2300	66	60			
L-PDSL-664242-L	2276	66	42			
L-PDSL-664248-L	2290	66	48			
L-PDSL-664254-L	2295	66	54			
L-PDSL-664260-L	2301	66	60			
Fluted acrylic - right hand						
L-PDSL-663030-R	2260	66	30			
L-PDSL-663036-R	2274	66	36			
L-PDSL-663042-R	2281	66	42			
L-PDSL-663048-R	2288	66	48			
L-PDSL-663054-R	2294	66	54			
L-PDSL-663060-R	2299	66	60			
L-PDSL-663636-R	2270	66	36			
L-PDSL-663642-R	2282	66	42			
L-PDSL-663648-R	2289	66	48			
L-PDSL-663654-R	2295	66	54			
L-PDSL-663660-R	2300	66	60			
L-PDSL-664242-R	2276	66	42			
L-PDSL-664248-R	2290	66	48			
L-PDSL-664254-R	2295	66	54			
L-PDSL-664260-R	2301	66	60			




Switch USA Pricebook
June 2025

Connections
& Trims

Connections & Trims

2-Way Connection	118
3-Way T Connection	119
4-Way X Connection	120
Top Cap	121
Full Height End Trim	122
Partial Height End Trim	123
Full Height T Filler	124
Partial Height T Filler	125
90 Degree Filler-Full Height	126
90 Degree Filler- Partial Height	127
Straight Filler	128
Gallery Panel Filler	129
Adjustable Wall Connector	130



2-Way 90 degree Connection




What’s Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws


How to Specify:

Refer to page X for connection type application guide


Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
2-Way Straight Connection						
L-HC2W-180-A	22	1	2	3	0.02	0.00
L-HC2W-180-B	19	1	2	3	0.02	0.00
2-Way 90 degree Connection						
L-HC2W-90-A	51	1	2	3	0.02	0.00
L-HC2W-90-B	51	1	2	3	0.02	0.00




L-HC3W-A



L-HC3W-B



L-HC3W-C



L-HC3W-D

What’s Included:


One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

How to Specify:


Refer to page X for connection type application guide

Notes:


Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
3 Way T Connectors						
L-HC3W-A	89	1	2	3	0.02	0.00
L-HC3W-B	116	1	2	3	0.02	0.00
L-HC3W-C	85	1	2	3	0.02	0.00
L-HC3W-D	109	1	2	3	0.02	0.00




L-HC4W-A



L-HC4W-B



L-HC4W-C



L-HC4W-D

What’s Included:


One (1) type A, B, C or D 4-Way X connection bracket, accompanying screws

Notes:

How to Specify:

Refer to page X for connection type application guide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
4 way connectors						
L-HC4W-A	143	1	2	3	0.02	0.00
L-HC4W-B	181	1	2	3	0.02	0.00
L-HC4W-C	162	1	2	3	0.02	0.00
L-HC4W-D	168	1	2	3	0.02	0.00



What’s Included:

One (1) Top Cap

Notes:

How to Specify:

Choose White, Black, Silver, Charcoal for Top Cap

Options:

Width: 2"

Depth: 2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HUFC-02	9	1	2	2	0.02	0.00



What’s Included:

One (1) Full Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height End Trim Colour

Notes:

Options:	
Height:	34", 42", 50", 66", 82"
Width:	2"
Standard, Coat Hook	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
standard						
L-HETF-34	57	34	2	1	0.68	0.04
L-HETF-42	67	42	2	1	0.84	0.05
L-HETF-50	78	50	2	1	1	0.06
L-HETF-66	94	66	2	1	1.32	0.08
L-HETF-82	187	82	2	2	1.32	0.19
with coat hook						
L-HETF-34-CH	74	34	2	1	0.68	0.04
L-HETF-42-CH	86	42	2	1	0.84	0.05
L-HETF-50-CH	102	50	2	1	1	0.06
L-HETF-66-CH	124	66	2	1	1.32	0.08



What’s Included:

One (1) Partial Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height End Trim Colour

Notes:

Options:	
Height:	8", 16", 24", 32", 40", 48"
Width:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HETP-08	46	8	2	1	0.16	0.01
L-HETP-16	51	16	2	1	0.32	0.02
L-HETP-24	67	24	2	1	0.48	0.03
L-HETP-32	80	32	2	1	0.64	0.04
L-HETP-40	141	40	2	1	0.72	0.05
L-HETP-48	154	48	2	1	0.84	0.06



Full Height T Filler

What’s Included:

One (1) Full Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height T Filler

Notes:

Options:

Height: 34”, 42”, 50”, 66”, 82”

Width: 2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HFTR-34	205	34	2	1	0.68	0.04
L-HFTR-42	205	42	2	1	0.84	0.05
L-HFTR-50	212	50	2	1	1	0.06
L-HFTR-66	212	66	2	1	1.32	0.08
L-HFTR-82	353	82	2	1	1.64	0.09



Partial Height T Filler

What’s Included:

One (1) Partial Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height T Filler

Notes:

Options:

Height: 8”, 16”, 24”, 32”, 40”, 48”

Width: 2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HFTP-08	156	8	2	1	0.16	0.01
L-HFTP-16	156	16	2	1	0.32	0.02
L-HFTP-24	164	24	2	1	0.48	0.03
L-HFTP-32	164	32	2	1	0.64	0.04
L-HFTP-40	226	40	2	1	0.72	0.05



Full Height 90 Degree Filler

What’s Included:

One (1) Full Height 90 Degree Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height 90 Degree Filler

Options:

Height: 34”, 42”, 50”, 66”, 82”

Width: 2”

Notes:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HFNR-34	167	34	2	1	0.68	0.04
L-HFNR-42	178	42	2	1	0.72	0.05
L-HFNR-50	189	50	2	1	1	0.06
L-HFNR-66	203	66	2	1	1.32	0.08
L-HFNR-82	353	82	2	1	1.64	0.09



Partial Height 90 Degree Filler

What’s Included:

One (1)Partial Height 90 Degree Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height 90 Degree Fillerr


Options:

Height: 8”, 16”, 24”, 32”, 40”, 48”

Width: 2”

Notes:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HFNP-08	69	8	2	1	0.16	0.01
L-HFNP-16	120	16	2	1	0.32	0.02
L-HFNP-24	131	24	2	1	0.48	0.03
L-HFNP-32	179	32	2	1	0.64	0.04
L-HFNP-40	226	40	2	1	0.72	0.05
L-HFNP-48	245	48	2	1	0.84	0.05



What’s Included:

Partial Height Straight Filler

How to Specify:


Choose White, Black, Silver, Charcoal for Partial Height Straight Filler

Notes:

Options:

Height:	8", 16", 24", 32", 40", 48"
Width:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HFSP-08	51	8	2	1	0.16	0.01
L-HFSP-16	87	16	2	1	0.32	0.02
L-HFSP-24	95	24	2	1	0.48	0.03
L-HFSP-32	98	32	2	1	0.64	0.04
L-HFSP-40	226	40	2	1	0.8	0.05
L-HFSP-48	245	48	2	1	0.96	0.06



Partial Height Gallery Panel Filler

What’s Included:

One (1)Partial Height Gallery Panel Filler

How to Specify:

Gallery Panel Filler matches laminate finish chosen on Gallery Panel

Notes:

Options:

Height:	8", 16", 24", 32", 40", 48"
Width:	2"
Thickness:	1"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HYP-08	80	8	1	1	0.08	0.00
L-HYP-16	85	16	1	1	0.16	0.01
L-HYP-24	107	24	1	1	0.24	0.01
L-HYP-32	131	32	1	1	0.32	0.02
L-HYP-40	226	40	1	1	0.44	0.03
L-HYP-48	245	48	1	1	0.56	0.04



138




mount 4



mount 6

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
mount 2						
L-HW2-34	148	34	2	2	1.36	0.08
L-HW2-42	172	42	2	2	1.68	0.10
L-HW2-50	201	50	2	2	2	0.12
L-HW2-66	248	66	2	2	2.64	0.15
L-HW2-82	302	82	2	2	3.2	0.18
mount 4						
L-HW4-34	166	34	2	4	2.72	0.16
L-HW4-42	193	42	2	4	3.36	0.19
L-HW4-50	217	50	2	4	4	0.23
L-HW4-66	270	66	2	4	5.28	0.31
L-HW4-82	329	82	2	4	6.56	0.40
mount 6						
L-HW6-34	189	34	2	6	4.08	0.24
L-HW6-42	212	42	2	6	5.04	0.29
L-HW6-50	238	50	2	6	6	0.35
L-HW6-66	287	66	2	6	7.92	0.46
L-HW6-82	353	82	2	6	9.84	0.57



What's Included:

Spline for Switch panels

How to Specify:

Specify black, white, silver or charcoal

Notes:

Splines are sold in pairs and will come in 82"H lengths that can be cut to size on-site.

All 2-way 90 degree, 3-way T, and 4-way X connections will still come automatically with the splines.

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-XSPL-S-82	215	82				




Switch USA Pricebook
June 2025

Worksurfaces

Worksurface

<u>Straight /w grommet</u>	<u>134</u>
<u>Straight Worksurface w/o Grommet</u>	<u>136</u>
<u>Straight Worksurface w/ Wire Play</u>	<u>140</u>
<u>5-Sided w Grommet</u>	<u>144</u>
<u>Straight Worksurface with Wire Play</u>	<u>146</u>
<u>Unitized w/ Grommet</u>	<u>148</u>
<u>Unitized w/ Wire Play</u>	<u>150</u>
<u>Transaction Top</u>	<u>152</u>



Straight Workspace with Grommet5-Sided Corner

What's Included:

- One (1) workspace
- 24"-48" - One (1) grommet cover for centre grommet
- 54"-96" - Two (2) grommet covers for grommet on each end

Notes:

- 24"-48" - One (1) grommet hole in the centre of the workspace
- 54"-96" - Two (2) grommet holes on each end of the workspace

How to Specify:


Refer to laminate card for laminate options

Options:

- Width: 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
- Depth: 20", 24", 30"
- Thickness: 1"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-WS0G-2420	272	24	20	1	9.6	0.28
L-WS0G-3020	312	30	20	1	12	0.35
L-WS0G-3620	322	36	20	1	14.4	0.42
L-WS0G-4220	364	42	20	1	16.8	0.49
L-WS0G-4820	388	48	20	1	19.2	0.56
L-WS0G-5420	492	54	20	1	21.6	0.62
L-WS0G-6020	511	60	20	1	24	0.69
L-WS0G-6620	572	66	20	1	26.4	0.76
L-WS0G-7220	599	72	20	1	28.8	0.83
L-WS0G-7820	650	78	20	1	31.2	0.90
L-WS0G-8420	693	84	20	1	33.6	0.97
L-WS0G-9020	796	90	20	1	36	1.04
L-WS0G-9620	832	96	20	1	38.4	1.11
L-WS0G-2424	272	24	24	1	11.52	0.33

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-WS0G-3024	312	30	24	1	14.4	0.42
L-WS0G-3624	322	36	24	1	17.28	0.50
L-WS0G-4224	364	42	24	1	20.16	0.58
L-WS0G-4824	388	48	24	1	23.04	0.67
L-WS0G-5424	492	54	24	1	25.92	0.75
L-WS0G-6024	511	60	24	1	28.8	0.83
L-WS0G-6624	572	66	24	1	31.68	0.92
L-WS0G-7224	599	72	24	1	34.56	1.00
L-WS0G-7824	650	78	24	1	37.44	1.08
L-WS0G-8424	693	84	24	1	40.32	1.17
L-WS0G-9024	796	90	24	1	43.2	1.25
L-WS0G-9624	832	96	24	1	46.08	1.33
L-WS0G-2430	312	24	30	1	14.4	0.42
L-WS0G-3030	364	30	30	1	18	0.52
L-WS0G-3630	390	36	30	1	21.6	0.62
L-WS0G-4230	425	42	30	1	25.2	0.73
L-WS0G-4830	459	48	30	1	28.8	0.83
L-WS0G-5430	511	54	30	1	32.4	0.94
L-WS0G-6030	542	60	30	1	36	1.04
L-WS0G-6630	617	66	30	1	39.6	1.15
L-WS0G-7230	635	72	30	1	43.2	1.25
L-WS0G-7830	691	78	30	1	46.8	1.35
L-WS0G-8430	744	84	30	1	50.4	1.46
L-WS0G-9030	883	90	30	1	54	1.56
L-WS0G-9630	915	96	30	1	57.6	1.67



Straight Workspace without Full Depth without Grommet

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace is full depth to sit flush against panel with no grommet

Options:

Width:	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth:	20", 24", 30"
Thickness:	1"

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Workspace without Full Depth without Grommet						
L-WS00-2320	232	23	20	1	9.2	0.27
L-WS00-2420	232	24	20	1	9.6	0.28
L-WS00-2920	282	29	20	1	11.6	0.34
L-WS00-3020	282	30	20	1	12	0.35
L-WS00-3520	298	35	20	1	14	0.41
L-WS00-3620	298	36	20	1	14.4	0.42
L-WS00-4120	329	41	20	1	16.4	0.47
L-WS00-4220	329	42	20	1	16.8	0.49
L-WS00-4720	364	47	20	1	18.8	0.54
L-WS00-4820	364	48	20	1	19.2	0.56
L-WS00-5320	444	53	20	1	21.2	0.61

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-5420	444	54	20	1	21.6	0.62
L-WS00-5920	444	59	20	1	23.6	0.68
L-WS00-6020	444	60	20	1	24	0.69
L-WS00-6520	502	65	20	1	26	0.75
L-WS00-6620	502	66	20	1	26.4	0.76
L-WS00-7120	544	71	20	1	28.4	0.82
L-WS00-7220	544	72	20	1	28.8	0.83
L-WS00-7620	577	76	20	1	30.4	0.88
L-WS00-7720	577	77	20	1	30.8	0.89
L-WS00-7820	577	78	20	1	31.2	0.90
L-WS00-8220	627	82	20	1	32.8	0.95
L-WS00-8320	627	83	20	1	33.2	0.96
L-WS00-8420	627	84	20	1	33.6	0.97
L-WS00-8820	658	88	20	1	35.2	1.02
L-WS00-8920	658	89	20	1	35.6	1.03
L-WS00-9020	658	90	20	1	36	1.04
L-WS00-9420	725	94	20	1	37.6	1.09
L-WS00-9520	725	95	20	1	38	1.10
L-WS00-9620	725	96	20	1	38.4	1.11
L-WS00-2324	232	23	24	1	11.04	0.32
L-WS00-2424	232	24	24	1	11.52	0.33
L-WS00-2924	282	29	24	1	13.92	0.40
L-WS00-3024	282	30	24	1	14.4	0.42
L-WS00-3524	298	35	24	1	16.8	0.49
L-WS00-3624	298	36	24	1	17.28	0.50
L-WS00-4124	329	41	24	1	19.68	0.57


[2 of 4] continued on next page

Worksurface continued [3 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-4224	329	42	24	1	20.16	0.58
L-WS00-4724	364	47	24	1	22.56	0.65
L-WS00-4824	364	48	24	1	23.04	0.67
L-WS00-5324	444	53	24	1	25.44	0.74
L-WS00-5424	444	54	24	1	25.92	0.75
L-WS00-5924	444	59	24	1	28.32	0.82
L-WS00-6024	444	60	24	1	28.8	0.83
L-WS00-6524	502	65	24	1	31.2	0.90
L-WS00-6624	502	66	24	1	31.68	0.92
L-WS00-7124	544	71	24	1	34.08	0.99
L-WS00-7224	544	72	24	1	34.56	1.00
L-WS00-7624	577	76	24	1	36.48	1.06
L-WS00-7724	577	77	24	1	36.96	1.07
L-WS00-7824	577	78	24	1	37.44	1.08
L-WS00-8224	627	82	24	1	39.36	1.14
L-WS00-8324	627	83	24	1	39.84	1.15
L-WS00-8424	627	84	24	1	40.32	1.17
L-WS00-8824	658	88	24	1	42.24	1.22
L-WS00-8924	658	89	24	1	42.72	1.24
L-WS00-9024	658	90	24	1	43.2	1.25
L-WS00-9424	725	94	24	1	45.12	1.31
L-WS00-9524	725	95	24	1	45.6	1.32
L-WS00-9624	725	96	24	1	46.08	1.33
L-WS00-2330	282	23	30	1	13.8	0.40
L-WS00-2430	282	24	30	1	14.4	0.42
L-WS00-2930	329	29	30	1	17.4	0.50

Worksurface continued [4 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-3030	329	30	30	1	18	0.52
L-WS00-3530	368	35	30	1	21	0.61
L-WS00-3630	368	36	30	1	21.6	0.62
L-WS00-4130	401	41	30	1	24.6	0.71
L-WS00-4230	401	42	30	1	25.2	0.73
L-WS00-4730	434	47	30	1	28.2	0.82
L-WS00-4830	434	48	30	1	28.8	0.83
L-WS00-5330	492	53	30	1	31.8	0.92
L-WS00-5430	492	54	30	1	32.4	0.94
L-WS00-5930	518	59	30	1	35.4	1.02
L-WS00-6030	518	60	30	1	36	1.04
L-WS00-6530	596	65	30	1	39	1.13
L-WS00-6630	596	66	30	1	39.6	1.15
L-WS00-7130	610	71	30	1	42.6	1.23
L-WS00-7230	610	72	30	1	43.2	1.25
L-WS00-7630	666	76	30	1	45.6	1.32
L-WS00-7730	666	77	30	1	46.2	1.34
L-WS00-7830	666	78	30	1	46.8	1.35
L-WS00-8230	724	82	30	1	49.2	1.42
L-WS00-8330	724	83	30	1	49.8	1.44
L-WS00-8430	724	84	30	1	50.4	1.46
L-WS00-8830	826	88	30	1	52.8	1.53
L-WS00-8930	826	89	30	1	53.4	1.55
L-WS00-9030	826	90	30	1	54	1.56
L-WS00-9430	896	94	30	1	56.4	1.63
L-WS00-9530	896	95	30	1	57	1.65
L-WS00-9630	896	96	30	1	57.6	1.67



Straight Workspace with 1" Wire Play

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1" from the panel to allow for wire routing. No grommet is included with this workspace

Options:

Width: 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 77", 78", 83", 84", 89," 90", 95", 96"

Depth: 19", 20" 23", 24", 29", 30"

Thickness: 1"

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Workspace with 1" Wire Play						
L-WS00-2319	232	23	19	1	8.74	0.25
L-WS00-2419	232	24	19	1	9.12	0.26
L-WS00-2919	282	29	19	1	11.02	0.32
L-WS00-3019	282	30	19	1	11.4	0.33
L-WS00-3519	298	35	19	1	13.3	0.38
L-WS00-3619	298	36	19	1	13.68	0.40
L-WS00-4119	329	41	19	1	15.58	0.45
L-WS00-4219	329	42	19	1	15.96	0.46
L-WS00-4719	364	47	19	1	17.86	0.52
L-WS00-4819	364	48	19	1	18.24	0.53
L-WS00-5319	444	53	19	1	20.14	0.58
L-WS00-5419	444	54	19	1	20.52	0.59

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-5919	444	59	19	1	22.42	0.65
L-WS00-6019	444	60	19	1	22.8	0.66
L-WS00-6519	502	65	19	1	24.7	0.71
L-WS00-6619	502	66	19	1	25.08	0.73
L-WS00-7119	544	71	19	1	26.98	0.78
L-WS00-7219	544	72	19	1	27.36	0.79
L-WS00-7619	577	76	19	1	28.88	0.84
L-WS00-7719	577	77	19	1	29.26	0.85
L-WS00-7819	577	78	19	1	29.64	0.86
L-WS00-8219	627	82	19	1	31.16	0.90
L-WS00-8319	627	83	19	1	31.54	0.91
L-WS00-8419	627	84	19	1	31.92	0.92
L-WS00-8819	658	88	19	1	33.44	0.97
L-WS00-8919	658	89	19	1	33.82	0.98
L-WS00-9019	658	90	19	1	34.2	0.99
L-WS00-9419	725	94	19	1	35.72	1.03
L-WS00-9519	725	95	19	1	36.1	1.04
L-WS00-9619	725	96	19	1	36.48	1.06
L-WS00-2323	232	23	23	1	10.58	0.31
L-WS00-2423	232	24	23	1	11.04	0.32
L-WS00-2923	282	29	23	1	13.34	0.39
L-WS00-3023	282	30	23	1	13.8	0.40
L-WS00-3523	298	35	23	1	16.1	0.47
L-WS00-3623	298	36	23	1	16.56	0.48
L-WS00-4123	329	41	23	1	18.86	0.55
L-WS00-4223	329	42	23	1	19.32	0.56
L-WS00-4723	364	47	23	1	21.62	0.63


[2 of 4] continued on next page

Worksurface continued [3 of 4]


Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-4823	364	48	23	1	22.08	0.64
L-WS00-5323	444	53	23	1	24.38	0.71
L-WS00-5423	444	54	23	1	24.84	0.72
L-WS00-5923	444	59	23	1	27.14	0.79
L-WS00-6023	444	60	23	1	27.6	0.80
L-WS00-6523	502	65	23	1	29.9	0.87
L-WS00-6623	502	66	23	1	30.36	0.88
L-WS00-7123	544	71	23	1	32.66	0.95
L-WS00-7223	544	72	23	1	33.12	0.96
L-WS00-7623	577	76	23	1	34.96	1.01
L-WS00-7723	577	77	23	1	35.42	1.02
L-WS00-7823	577	78	23	1	35.88	1.04
L-WS00-8223	627	82	23	1	37.72	1.09
L-WS00-8323	627	83	23	1	38.18	1.10
L-WS00-8423	627	84	23	1	38.64	1.12
L-WS00-8823	658	88	23	1	40.48	1.17
L-WS00-8923	658	89	23	1	40.94	1.18
L-WS00-9023	658	90	23	1	41.4	1.20
L-WS00-9423	725	94	23	1	43.24	1.25
L-WS00-9523	725	95	23	1	43.7	1.26
L-WS00-9623	725	96	23	1	44.16	1.28
L-WS00-2329	282	23	29	1	13.34	0.39
L-WS00-2429	282	24	29	1	13.92	0.40
L-WS00-2929	329	29	29	1	16.82	0.49
L-WS00-3029	329	30	29	1	17.4	0.50
L-WS00-3529	368	35	29	1	20.3	0.59
L-WS00-3629	368	36	29	1	20.88	0.60
L-WS00-4129	401	41	29	1	23.78	0.69

Worksurface continued [4 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
L-WS00-4229	401	42	29	1	24.36	0.70
L-WS00-4729	434	47	29	1	27.26	0.79
L-WS00-4829	434	48	29	1	27.84	0.81
L-WS00-5329	492	53	29	1	30.74	0.89
L-WS00-5429	492	54	29	1	31.32	0.91
L-WS00-5929	518	59	29	1	34.22	0.99
L-WS00-6029	518	60	29	1	34.8	1.01
L-WS00-6529	596	65	29	1	37.7	1.09
L-WS00-6629	596	66	29	1	38.28	1.11
L-WS00-7129	610	71	29	1	41.18	1.19
L-WS00-7229	610	72	29	1	41.76	1.21
L-WS00-7629	666	76	29	1	44.08	1.28
L-WS00-7729	666	77	29	1	44.66	1.29
L-WS00-7829	666	78	29	1	45.24	1.31
L-WS00-8229	724	82	29	1	47.56	1.38
L-WS00-8329	724	83	29	1	48.14	1.39
L-WS00-8429	724	84	29	1	48.72	1.41
L-WS00-8829	826	88	29	1	51.04	1.48
L-WS00-8929	826	89	29	1	51.62	1.49
L-WS00-9029	826	90	29	1	52.2	1.51
L-WS00-9429	896	94	29	1	54.52	1.58
L-WS00-9529	896	95	29	1	55.1	1.59
L-WS00-9629	896	96	29	1	55.68	1.61



Curved 5-Sided Workspace with Grommet



Straight 5-Sided Workspace with Grommet

What's Included:

One (1) workspace, One (1) grommet

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1” from the panel to allow for wire routing. No grommet is included with this workspace


Surface has a curved front

Options:


Side A*:	36", 42", 48"
Side B:	24", 30"
Thickness:	1"
Straight, Curved Front	
Grommet Type & Colour: Square (Silver, Black, White), Oval (Silver, Black)	

*36” on side A only available in 24” on side B

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
curved front with grommet						
L-W5CG-3624	477	36	24	1	30	0.50
L-W5CG-4224	576	42	24	1	33	0.58
L-W5CG-4824	691	48	24	1	36	0.67
L-W5CG-4230	576	42	30	1	35	0.73
L-W5CG-4830	691	48	30	1	38	0.83
straight front with grommet						
L-W5SG-3624	477	36	24	1	30	0.50
L-W5SG-4224	576	42	24	1	33	0.58
L-W5SG-4824	691	48	24	1	36	0.67
L-W5SG-4230	576	42	30	1	35	0.73
L-W5SG-4830	691	48	30	1	38	0.83



Curved 5-Sided Workspace with 1" Wire Play



Straight 5-Sided Workspace with 1" Wire Play

What's Included:

One (1) workspace

How to Specify:

Refer to laminate card for laminate options

Notes:

Workspace sits 1" from the panel to allow for wire routing. No grommet is included with this workspace

Options:

Side A & C*: 35", 36", 41", 42", 47", 48"

Side B & D: 23", 24", 29", 30"


Thickness: 1"

Straight, Curved Front

*35" & 36" on side A & C only available in 23" & 24" on side B & D

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Left hand curved front						
L-W5C0-3624-L	477	36	24	1	30	0.50
L-W5C0-4224-L	576	42	24	1	33	0.58
L-W5C0-4824-L	691	48	24	1	36	0.67
L-W5C0-4230-L	576	42	30	1	35	0.73
L-W5C0-4830-L	691	48	30	1	38	0.83
Right hand curved front						
L-W5C0-3624-R	477	36	24	1	30	0.50
L-W5C0-4224-R	576	42	24	1	33	0.58
L-W5C0-4824-R	691	48	24	1	36	0.67
L-W5C0-4230-R	576	42	30	1	35	0.73
L-W5C0-4830-R	691	48	30	1	38	0.83
Double curved front						
L-W5C0-3523-D	477	35	23	1	30	0.47
L-W5C0-4123-D	576	41	23	1	33	0.55
L-W5C0-4723-D	691	47	23	1	36	0.63
L-W5C0-4129-D	576	41	29	1	35	0.69
L-W5C0-4729-D	691	47	29	1	38	0.79

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Left hand straight front						
L-W5S0-3624-L	477	36	24	1	30	0.50
L-W5S0-4224-L	576	42	24	1	33	0.58
L-W5S0-4824-L	691	48	24	1	36	0.67
L-W5S0-4230-L	576	42	30	1	35	0.73
L-W5S0-4830-L	691	48	30	1	38	0.83
Right hand straight front						
L-W5S0-3624-R	477	36	24	1	30	0.50
L-W5S0-4224-R	576	42	24	1	33	0.58
L-W5S0-4824-R	691	48	24	1	36	0.67
L-W5S0-4230-R	576	42	30	1	35	0.73
L-W5S0-4830-R	691	48	30	1	38	0.83
Double straight front						
L-W5S0-3523-D	477	35	23	1	30	0.47
L-W5S0-4123-D	576	41	23	1	33	0.55
L-W5S0-4723-D	691	47	23	1	36	0.63
L-W5S0-4129-D	576	41	29	1	35	0.69
L-W5S0-4729-D	691	47	29	1	38	0.79



left hand shown with grommet

What’s Included:

One (1) worksurface, Two(2) grommets

How to Specify:

Refer to laminate card for laminate options


Notes:

Surface has a curved front

Options:

Side A:	36”
Side B:	24”
Side C:	54”, 60”, 66”, 72”, 78”, 84”, 90”, 96”
Thickness:	1”
Left Hand, Right Hand	
Grommet Type & Color: Square (Silver, Black, White), Oval (Silver, Black)	

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Left hand with grommet						
L-WUCG-543624-L	687	54	36	1	24.88	1.12
L-WUCG-603624-L	725	60	36	1	26.88	1.25
L-WUCG-663624-L	804	66	36	1	28.88	1.38
L-WUCG-723624-L	854	72	36	1	30.88	1.50
L-WUCG-783624-L	923	78	36	1	32.88	1.62
L-WUCG-843624-L	985	84	36	1	34.88	1.75
L-WUCG-903624-L	1135	90	36	1	36.88	1.88
L-WUCG-963624-L	1188	96	36	1	38.88	2.00
Right hand with grommet						
L-WUCG-543624-R	687	54	36	1	24.88	1.12
L-WUCG-603624-R	725	60	36	1	26.88	1.25
L-WUCG-663624-R	804	66	36	1	28.88	1.38
L-WUCG-723624-R	854	72	36	1	30.88	1.50
L-WUCG-783624-R	923	78	36	1	32.88	1.62
L-WUCG-843624-R	985	84	36	1	34.88	1.75
L-WUCG-903624-R	1135	90	36	1	36.88	1.88
L-WUCG-963624-R	1188	96	36	1	38.88	2.00



Unitized Worksurface with 1" Wire Play

What's Included:

One (1) worksurface

How to Specify:

Refer to laminate card for laminate options

Notes:

Worksurface sits 1" from the panel to allow for wire routing. No grommet is included with this worksurface


Surface has a curved front

Options:

Side A:	53", 54", 59", 60", 65", 66", 71", 72", 77", 78", 83", 84", 89", 90", 95", 96"
Side B:	23", 24"
Side C:	35", 36"
Side D:	23", 24"

Code	Price	Height	Depht	Thickness	Weight (lb)	Volume (ft³)
Left hand						
L-WUC0-543524-L	687	54	35	1	24.88	1.09
L-WUC0-603524-L	725	60	35	1	26.88	1.22
L-WUC0-663524-L	804	66	35	1	28.88	1.34
L-WUC0-723524-L	854	72	35	1	30.88	1.46
L-WUC0-783524-L	923	78	35	1	32.88	1.58
L-WUC0-843524-L	985	84	35	1	34.88	1.70
L-WUC0-903524-L	1135	90	35	1	36.88	1.82
L-WUC0-963524-L	1188	96	35	1	38.88	1.94
L-WUC0-533624-L	687	53	36	1	24.88	1.10
L-WUC0-593624-L	725	59	36	1	26.88	1.23
L-WUC0-653624-L	804	65	36	1	28.88	1.35
L-WUC0-713624-L	854	71	36	1	30.88	1.48
L-WUC0-773624-L	923	77	36	1	32.88	1.60
L-WUC0-833624-L	985	83	36	1	34.88	1.73
L-WUC0-893624-L	1135	89	36	1	36.88	1.85

Code	Price	Height	Depht	Thickness	Weight (lb)	Volume (ft³)
L-WUC0-953624-L	1188	95	36	1	38.88	1.98
L-WUC0-533523-L	687	53	35	1	24.88	1.07
L-WUC0-593523-L	725	59	35	1	26.88	1.20
L-WUC0-653523-L	804	65	35	1	28.88	1.32
L-WUC0-713523-L	854	71	35	1	30.88	1.44
L-WUC0-773523-L	923	77	35	1	32.88	1.56
L-WUC0-833523-L	985	83	35	1	34.88	1.68
L-WUC0-893523-L	1135	89	35	1	36.88	1.80
L-WUC0-953523-L	1188	95	35	1	38.88	1.92
Right hand						
L-WUC0-543524-R	687	54	35	1	24.88	1.09
L-WUC0-603524-R	725	60	35	1	26.88	1.22
L-WUC0-663524-R	804	66	35	1	28.88	1.34
L-WUC0-723524-R	854	72	35	1	30.88	1.46
L-WUC0-783524-R	923	78	35	1	32.88	1.58
L-WUC0-843524-R	985	84	35	1	34.88	1.70
L-WUC0-903524-R	1135	90	35	1	36.88	1.82
L-WUC0-963524-R	1188	96	35	1	38.88	1.94
L-WUC0-533624-R	687	53	36	1	24.88	1.10
L-WUC0-593624-R	725	59	36	1	26.88	1.23
L-WUC0-653624-R	804	65	36	1	28.88	1.35
L-WUC0-713624-R	854	71	36	1	30.88	1.48
L-WUC0-773624-R	923	77	36	1	32.88	1.60
L-WUC0-833624-R	985	83	36	1	34.88	1.73
L-WUC0-893624-R	1135	89	36	1	36.88	1.85
L-WUC0-953624-R	1188	95	36	1	38.88	1.98
L-WUC0-533523-R	687	53	35	1	24.88	1.07
L-WUC0-593523-R	725	59	35	1	26.88	1.20
L-WUC0-653523-R	804	65	35	1	28.88	1.32
L-WUC0-713523-R	854	71	35	1	30.88	1.44
L-WUC0-773523-R	923	77	35	1	32.88	1.56
L-WUC0-833523-R	985	83	35	1	34.88	1.68
L-WUC0-893523-R	1135	89	35	1	36.88	1.80
L-WUC0-953523-R	1188	95	35	1	38.88	1.92



What's Included:

One (1) transaction top, Four (4) cantilever brackets

How to Specify:

Match the transaction top to the corresponding panel width

Refer to laminate card for laminate options

Choose White, Black, Silver, Charcoal for cantilever color

Notes:

Options:

Width:	24", 30", 36", 42", 48", 54", 60"
Depth:	15"
Thickness:	1"
Cantilever Paint Colour:	Silver, White, Black, Charcoal

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-WTT-2415	283	24	15	1	5.76	0.21
L-WTT-3015	302	30	15	1	7.2	0.26
L-WTT-3615	315	36	15	1	8.64	0.31
L-WTT-4215	332	42	15	1	10.08	0.36
L-WTT-4815	344	48	15	1	11.52	0.42
L-WTT-5415	366	54	15	1	12.96	0.47
L-WTT-6015	377	60	15	1	14.4	0.52




Switch USA Pricebook
June 2025

Supports

Supports

Ladder Gable	156
Standard Panel	156
Gallery Panel	158
Freestanding Panel	160
Laminate Gable	161
Standard Panel	161
Gallery Panel	162
Freestanding	163
Wrap Gable	164
Standard Panel	164
Gallery Panel	165
Tech Drop	166
Cantilever	167
Standard Panel	167
Gallery Panel	168
Standard Panel Mount Corner Bracket	170
Flush Plates	171
Storage Support Bracket	172
Fixed Credenza Support Bracket	173
90 Degree Storage Bracket	174
Horizontal Surface Support	175



Standard Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable colour

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play


Mid gable is used at the surface joint

Options:

Heights*:	25”, 28”
Depth:	20”, 24”, 30”
Ladder Gable Paint Colour::	Silver, White, Black, Charcoal
End gable:	(Left hand, right hand) or mid gable

*25” high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HOEG-P-2520-L	365	25	20	2	10	0.58
L-HOEG-P-2524-L	368	25	24	2	12	0.69
L-HOEG-P-2530-L	405	25	30	2	15	0.87
L-HOEG-P-2820-L	369	28	20	2	11.2	0.65
L-HOEG-P-2824-L	377	28	24	2	13.44	0.78
L-HOEG-P-2830-L	392	28	30	2	16.8	0.97
Right hand						
L-HOEG-P-2520-R	365	25	20	2	10	0.58
L-HOEG-P-2524-R	368	25	24	2	12	0.69
L-HOEG-P-2530-R	405	25	30	2	15	0.87
L-HOEG-P-2820-R	369	28	20	2	11.2	0.65
L-HOEG-P-2824-R	377	28	24	2	13.44	0.78
Mid						
L-HOMG-P-2520	365	25	20	2	10	0.58
L-HOMG-P-2524	368	25	24	2	12	0.69
L-HOMG-P-2530	405	25	30	2	15	0.87
L-HOMG-P-2820	369	28	20	2	11.2	0.65
L-HOMG-P-2824	377	28	24	2	13.44	0.78
L-HOMG-P-2830	392	28	30	2	16.8	0.97



Gallery Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable colour

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play


Mid gable is used at the surface joint

Options:

Heights*:	25”, 28”
Depth:	20”, 24”, 30”
Ladder Gable Paint Colour::	Silver, White, Black, Charcoal
End gable:	(Left hand, right hand) or mid gable

*25” high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HOEG-Y-2520-L	365	25	20	2	10	0.58
L-HOEG-Y-2524-L	368	25	24	2	12	0.69
L-HOEG-Y-2530-L	405	25	30	2	15	0.87
L-HOEG-Y-2820-L	369	28	20	2	11.2	0.65
L-HOEG-Y-2824-L	377	28	24	2	13.44	0.78
L-HOEG-Y-2830-L	392	28	30	2	16.8	0.97
Right hand						
L-HOEG-Y-2520-R	365	25	20	2	10	0.58
L-HOEG-Y-2524-R	368	25	24	2	12	0.69
L-HOEG-Y-2530-R	405	25	30	2	15	0.87
L-HOEG-Y-2820-R	369	28	20	2	11.2	0.65
L-HOEG-Y-2824-R	377	28	24	2	13.44	0.78
L-HOEG-Y-2830-R	392	28	30	2	16.8	0.97
Mid						
L-HOMG-Y-2520	365	25	20	2	10	0.58
L-HOMG-Y-2524	368	25	24	2	12	0.69
L-HOMG-Y-2530	405	25	30	2	15	0.87
L-HOMG-Y-2820	369	28	20	2	11.2	0.65
L-HOMG-Y-2824	377	28	24	2	13.44	0.78
L-HOMG-Y-2830	392	28	30	2	16.8	0.97



Freestanding

What’s Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:

90 degree bracket is used to connect a worksurface to a gallery panel

Options:

Heights*: 25”, 28”


Depth: 20”, 24”, 30”

Ladder Gable Paint Colour:: Silver, White, Black, Charcoal

End gable: (Left hand, right hand)

*25” high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Freestanding						
L-HOEG-S-2520	365	25	20	2	10	0.58
L-HOEG-S-2524	368	25	24	2	12	0.69
L-HOEG-S-2530	405	25	30	2	15	0.87
L-HOEG-S-2820	369	28	20	2	11.2	0.65
L-HOEG-S-2824	377	28	24	2	13.44	0.78
L-HOEG-S-2830	392	28	30	2	16.8	0.97



Standard Panel
Laminate Gable

What’s Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black, Charcoal

Laminate Gable Laminate Colour: Refer to laminate card for laminate options

End gable (Left hand, right hand)

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play


Options:

Heights*: 25”, 28”

Depth: 20”, 24”, 30”

*25” high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HCEG-P-2520-L	238	25	20	2	10	0.58
L-HCEG-P-2524-L	258	25	24	2	12	0.69
L-HCEG-P-2530-L	282	25	30	2	15	0.87
L-HCEG-P-2812-L	220	28	12	2	10	0.39
L-HCEG-P-2820-L	249	28	20	2	11.2	0.65
L-HCEG-P-2824-L	270	28	24	2	13.44	0.78
L-HCEG-P-2830-L	295	28	30	2	16.8	0.97
Right hand						
L-HCEG-P-2520-R	238	25	20	2	10	0.58
L-HCEG-P-2524-R	258	25	24	2	12	0.69
L-HCEG-P-2530-R	282	25	30	2	15	0.87
L-HCEG-P-2812-R	220	28	12	2	10	0.39
L-HCEG-P-2820-R	249	28	20	2	11.2	0.65
L-HCEG-P-2824-R	270	28	24	2	13.44	0.78
L-HCEG-P-2830-R	295	28	30	2	16.8	0.97



Gallery Panel
Laminate Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket,
(1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black, Charcoal

Laminate Gable Laminate Colour: Refer to laminate card
for laminate options

End gable (Left hand, right hand)

Options:

Heights*: 25”, 28”


Depth: 20”, 24”, 30”

*25” high to be used to Tech Drop surface

Notes:

Ladder Gable can be used with
workspace with grommet,
workspace without grommet,
workspace for 1” wire play

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HCEG-Y-2520-L	234	25	20	2	10	0.58
L-HCEG-Y-2524-L	248	25	24	2	12	0.69
L-HCEG-Y-2530-L	273	25	30	2	15	0.87
L-HCEG-Y-2812-L	212	28	12	2	11.2	0.39
L-HCEG-Y-2820-L	243	28	20	2	11.2	0.65
L-HCEG-Y-2824-L	260	28	24	2	13.44	0.78
L-HCEG-Y-2830-L	286	28	30	2	16.8	0.97
Right hand						
L-HCEG-Y-2520-R	234	25	20	2	10	0.58
L-HCEG-Y-2524-R	248	25	24	2	12	0.69
L-HCEG-Y-2530-R	273	25	30	2	15	0.87
L-HCEG-Y-2812-R	212	28	12	2	11.2	0.39
L-HCEG-Y-2820-R	243	28	20	2	11.2	0.65
L-HCEG-Y-2824-R	260	28	24	2	13.44	0.78
L-HCEG-Y-2830-R	286	28	30	2	16.8	0.97



Freestanding Laminate Gable

What’s Included:

One (1) ladder gable, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Colour: Silver, White, Black,
Charcoal

Laminate Gable Laminate Colour: Refer to laminate
card for laminate options

Notes:

Laminate Gable can be used with
workspace with grommet, workspace
without grommet, workspace for 1” wire
play

Freestanding gable is used when one side
of the surface is connected to a panel and
the other is open


Options:

Heights*: 25”,28”

Depth: 20”, 24”, 30”

*25” is used with the 20” deep surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HCEG-S-2520	249	25	20	2	10	0.58
L-HCEG-S-2524	264	25	24	2	12	0.69
L-HCEG-S-2530	291	25	30	2	15	0.87
L-HCEG-S-2820	260	28	20	2	11.2	0.65
L-HCEG-S-2824	282	28	24	2	13.44	0.78
L-HCEG-S-2830	307	28	30	2	16.8	0.97



Standard Panel
Wrap Lamine Gable

What’s Included:

One (1) wrap gable, one (1) standard panel mount bracket,
(1) surface to gable connector

How to Specify:

Lamine Gable Paint Colour: Silver, White, Black, Charcoal

Lamine Gable Lamine Colour: Refer to lamine card for
lamine options

End gable (Left hand, right hand)

Options:

Heights*: 25”, 28”

Depth: 20”, 24”, 30”


*25” high to be used to Tech Drop surface

Notes:

Lamine Gable can be used
with worksurface with grommet,
worksurface without grommet,
worksurface for 1” wire play

Freestanding gable is used
when one side of the surface is
connected to a panel and the
other is open

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HWEG-P-2520-L	409	25	20	2	10	0.58
L-HWEG-P-2524-L	421	25	24	2	12	0.69
L-HWEG-P-2530-L	465	25	30	2	15	0.87
L-HWEG-P-2820-L	419	28	20	2	11.2	0.65
L-HWEG-P-2824-L	434	28	24	2	13.44	0.78
L-HWEG-P-2830-L	481	28	30	2	16.8	0.97
Right hand						
L-HWEG-P-2520-R	409	25	20	2	10	0.58
L-HWEG-P-2524-R	421	25	24	2	12	0.69
L-HWEG-P-2530-R	465	25	30	2	15	0.87
L-HWEG-P-2820-R	419	28	20	2	11.2	0.65
L-HWEG-P-2824-R	434	28	24	2	13.44	0.78
L-HWEG-P-2830-R	481	28	30	2	16.8	0.97



Gallery Panel
Wrap Lamine Gable

What’s Included:

One (1) wrap gable, one (1) gallery panel mount bracket,
(1) surface to gable connector

How to Specify:

Lamine Gable Paint Colour: Silver, White, Black, Charcoal

Lamine Gable Lamine Colour: Refer to lamine card for
lamine options

End gable (Left hand, right hand)

Options:

Heights*: 25”, 28”

Depth: 20”, 24”, 30”


*25” high to be used to Tech Drop surface

Notes:


Lamine Gable can be used
with worksurface with grommet,
worksurface without grommet,
worksurface for 1” wire play

Freestanding gable is used
when one side of the surface is
connected to a panel and the
other is open

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-HWEG-Y-2520-L	412	25	20	2	10	0.58
L-HWEG-Y-2524-L	421	25	24	2	12	0.69
L-HWEG-Y-2530-L	465	25	30	2	15	0.87
L-HWEG-Y-2820-L	419	28	20	2	11.2	0.65
L-HWEG-Y-2824-L	434	28	24	2	13.44	0.78
L-HWEG-Y-2830-L	482	28	30	2	16.8	0.97
Right hand						
L-HWEG-Y-2520-R	412	25	20	2	10	0.58
L-HWEG-Y-2524-R	421	25	24	2	12	0.69
L-HWEG-Y-2530-R	465	25	30	2	15	0.87
L-HWEG-Y-2820-R	419	28	20	2	11.2	0.65
L-HWEG-Y-2824-R	434	28	24	2	13.44	0.78
L-HWEG-Y-2830-R	482	28	30	2	16.8	0.97



Standard Panel
Tech Drop



Gallery Panel
Tech Drop

What’s Included:

One (1) tech drop, one (1) power module with two (2) AC outlets and two (2) USB-A outlets, one (1) panel connector hardware

How to Specify:

Choose White, Black, Silver, Charcoal for Tech Drop

Left, right

Notes:

Tech drop offers a 3” drop between main surface and return surface

Tech drop must be mounted to the panel


Options:

Heights: 3”

Depth*: 19”, 23”

*19” is used with the 20” deep surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Standard Panel Tech Drop - left hand						
L-HSSE-P-19-L	346	3	19.875	4	6.33	0.14
L-HSSE-P-23-L	354	3	23.875	4	7.67	0.17
Standard Panel Tech Drop - right hand						
L-HSSE-P-19-R	346	3	19.875	4	6.33	0.14
L-HSSE-P-23-R	354	3	23.875	4	7.67	0.17
Gallery Panel Tech Drop - left hand						
L-HSSE-Y-19-L	350	3	19.875	4	6.33	0.14
L-HSSE-Y-23-L	358	3	23.875	4	7.67	0.17
Gallery Panel Tech Drop - right hand						
L-HSSE-Y-19-R	350	3	19.875	4	6.33	0.14
L-HSSE-Y-23-R	358	3	23.875	4	7.67	0.17



Standard Panel Mounted
Cantilever Arm

What’s Included:

One (1) standard panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only

Options:

Depth: 16”, 22”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
L-CCAB-P-16	63	8	16	2	2.56	0.15
L-CCAB-P-22	70	8	22	2	3.52	0.21
left hand						
L-CCAB-P-16-L	63	8	16	1.5	1.92	0.11
L-CCAB-P-22-L	70	8	22	1.5	2.64	0.15
right hand						
L-CCAB-P-16-R	63	8	16	1.5	1.92	0.11
L-CCAB-P-22-R	70	8	22	1.5	2.64	0.15



Gallery Panel Mounted
Cantilever Arm

What’s Included:

One (1) gallery panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only


Options:

Depth: 16", 22"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
L-CCAB-Y-16	63	8	16	2	2.56	0.15
L-CCAB-Y-22	70	8	22	2	3.52	0.21
left hand						
L-CCAB-Y-16-L	63	8	16	1.5	1.92	0.11
L-CCAB-Y-22-L	70	8	22	1.5	2.64	0.15
right hand						
L-CCAB-Y-16-R	63	8	16	1.5	1.92	0.11
L-CCAB-Y-22-R	70	8	22	1.5	2.64	0.15



L-HCB
left hand shown



L-HCB1
left hand shown

What’s Included:

One (1) standard panel mounted corner bracket

How to Specify:


- Left, right
- Full depth surface, surface with 1” wire play

Notes:

- Worksurface with 1” wire play requires 1” offset bracket
- Corner bracket available in black only

Options:

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
L-HCB-P-L	8	3	4	2	0.05	0.01
L-HCB1-P-L	16	3	4	2	0.05	0.01
L-HCB-P-R	8	3	4	2	0.05	0.01
L-HCB1-P-R	16	3	4	2	0.05	0.01



What’s Included:

One (1) flush plate

How to Specify:

Flush Plate Paint Colour: Silver only


Notes:

Flush plate is used at surface joint to connect two surfaces together


Options:

Width:	5.5”
Depth:	3”

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
L-PWW	44	3	5.5	0.125	1	0.00



for standard panel



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface


24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Width: 1”, 7”

Code	Price	H	W	Weight (lb.)	Volume (ft³)
for standard panel - left hand					
L-HPSP-24-L	50	28	1	8.57	0.39
L-HPSP-30-L	93	28	1	10.71	0.49
for standard panel -right hand					
L-HPSP-24-R	50	28	1	8.57	0.39
L-HPSP-30-R	93	28	1	10.71	0.49
for gallery panel					
L-HPGP-24	63	28	1	8.57	0.39
L-HPGP-30	131	28	1	10.72	0.49



What’s Included:

One (1) 90 degree bracket

How to Specify:

Flush Plate Paint Colour: Silver, White, Black, Charcoal

Notes:


Options:

Height: 6”

Width: 4”

Depth: 4”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-HCFM6	173	6.375	7	4	6	0.14



What’s Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:


90 degree bracket is used to connect a worksurface to a gallery panel

24” deep surface: two (2) brackets
30” deep surface: three (3) brackets

Options:

Depth: 3”

Code	Price	Specifications	Weight (lb.)	Volume (ft³)
L-HSSB	3	3”, 6 Holes	0.5	0.09
L-HSSB-24	8	For 24”Deep	2.19	0.09
L-HSSB-30	14	For 30”Deep	3	0.09



What’s Included:

Horizontal Surface Support, installation hardware.

How to Specify:

The horizontal surface support is available only in silver.

Notes:

The horizontal surface support is used to support worksurfaces 54-inches and longer.

This item is mounted to the underside of a worksurface.

Options:

width51, 57, 63, 69, 75


Code	Price	W (in)	Weight (lb)	Volume (ft³)
L-CH00-54	71	51	4	0.05
L-CH00-60	77	57	4.5	0.05
L-CH00-66	82	63	5	0.06
L-CH00-72	86	69	5.5	0.06
L-CH00-78	91	75	6	0.07



Switch USA Pricebook
June 2025
Electrics

Electrics

Power Module	178
Power & Data	179
Connector Harness	180
Male to Female Extension Harness	182
New York Junction Box	183
Chicago Electrical Box	184
Wire Manager	185
Communication Kit	186
Conversion Kit	187



What’s Included:

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

How to Specify:

Available in grey only
Single sided, double sided

Notes:

Power modules are installed in the center cut out power capable panels only


Double sided power module has four (4) ac outlets on each side

Refer to Switch electrical specification guide for more information

Options:

Width: 8”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single sided						
L-EM84-S	222	3	6	3	1.7	0.03
double sided						
L-EM84-D	354	3	6	3	2	0.03



What’s Included:

One (1) open wire starter harness

How to Specify:

Available in grey only
Single sided, double sided

Notes:


Switch electrical system is rated for 20 amps

Tayco recommends up to 8 workstations hardwired to one power source

Options:

Length: 72”, 168”

Code	Price	L	D	Weight (lb.)	Volume (ft³)
L-ES84-072-0	329	72	0.75	2.61	0.40
L-ES84-168-0	414	168	0.75	5.12	0.50



What’s Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided


Options:

Length: 22”-181” in 3” increments

Code	Price	Length	D	Weight (lb.)	Volume (ft³)
L-EH84-22	167	22	0.75	0.6	0.20
L-EH84-25	172	25	0.75	0.7	0.20
L-EH84-28	178	28	0.75	0.8	0.20
L-EH84-31	184	31	0.75	0.8	0.20
L-EH84-34	191	34	0.75	0.9	0.20
L-EH84-37	196	37	0.75	1	0.20
L-EH84-40	205	40	0.75	1.1	0.20
L-EH84-43	210	43	0.75	1.2	0.20
L-EH84-46	213	46	0.75	1.3	0.20
L-EH84-49	219	49	0.75	1.5	0.20
L-EH84-52	225	52	0.75	1.5	0.20
L-EH84-55	235	55	0.75	1.6	0.20
L-EH84-58	238	58	0.75	1.7	0.20
L-EH84-61	245	61	0.75	1.8	0.20
L-EH84-64	249	64	0.75	1.9	0.20
L-EH84-67	258	67	0.75	1.9	0.20
L-EH84-70	261	70	0.75	2	0.20
L-EH84-73	271	73	0.75	1.95	0.20
L-EH84-76	276	76	0.75	2.04	0.20
L-EH84-79	282	79	0.75	2.12	0.20
L-EH84-82	286	82	0.75	2.12	0.20
L-EH84-85	291	85	0.75	2.37	0.20
L-EH84-88	298	88	0.75	2.37	0.20
L-EH84-91	304	91	0.75	2.37	0.20

Power & Data continued

Code	Price	Length	D	Weight (lb.)	Volume (ft³)
L-EH84-94	310	94	0.75	2.53	0.20
L-EH84-97	317	97	0.75	2.53	0.20
L-EH84-100	322	100	0.75	2.7	0.20
L-EH84-103	328	103	0.75	2.7	0.20
L-EH84-106	334	106	0.75	2.86	0.20
L-EH84-109	342	109	0.75	2.86	0.20
L-EH84-112	346	112	0.75	3.03	0.20
L-EH84-115	353	115	0.75	3.03	0.20
L-EH84-118	359	118	0.75	3.19	0.20
L-EH84-121	365	121	0.75	3.36	0.20
L-EH84-124	369	124	0.75	3.36	0.20
L-EH84-127	378	127	0.75	3.52	0.20
L-EH84-130	386	130	0.75	3.52	0.20
L-EH84-133	389	133	0.75	3.39	0.20
L-EH84-136	394	136	0.75	3.69	0.20
L-EH84-139	401	139	0.75	3.85	0.20
L-EH84-142	405	142	0.75	3.85	0.20
L-EH84-145	415	145	0.75	3.85	0.20
L-EH84-148	552	148	0.75	3.85	0.20
L-EH84-151	559	151	0.75	4.18	0.20
L-EH84-154	565	154	0.75	4.26	0.20
L-EH84-157	572	157	0.75	4.35	0.20
L-EH84-160	577	160	0.75	4.43	0.20
L-EH84-163	582	163	0.75	4.51	0.20
L-EH84-166	588	166	0.75	4.59	0.20
L-EH84-169	596	169	0.75	4.68	0.20
L-EH84-172	601	172	0.75	4.76	0.20
L-EH84-175	607	175	0.75	4.84	0.20
L-EH84-178	611	178	0.75	4.92	0.20
L-EH84-181	619	181	0.75	5.01	0.20



What’s Included:

One (1) male to female extension harness

How to Specify:

Available in grey only

Single sided, double sided


Options:

Length: 44”,122”

Notes:

Male to female extension harness is used to extend length of the starter harness

Code	Price	Length	D	Weight (lb.)
L-E8FM-044	213	44	0.75	0.3
L-E8FM-122	369	122	0.75	0.6



What’s Included:

Panels 24”, 30”, 36” wide: One (1) New York junction box

Panels 42” or wider: One (1) New York junction box with single or double power module

How to Specify:

Panels 24”, 30”, 36” wide: Specify junction box without power module. Power module and starter harness must be specified speratley

Panels 42” or wider: Specify single or double power module with junction box

Options:


Junction Box width: 9”

Junction Box with power module width: 18”


Notes:

Male to female extension harness is used to extend length of the starter harness

Code	Price	Length	D	Weight (lb.)
L-NY84-004-D	744			
L-NY84-004-S	607			
L-NYEJ-84	211			



Single sided



Double sided

What’s Included:

Single Sided: One (1) electrical box with two (2) ac outlets and one (1) panel raceway

Double Sided: Two (2) single sided electrical boxes each with two (2) ac outlets and two (2) panel raceways

How to Specify:

Select corresponding size to match the panel width


Options:

Width: 30”, 36”, 42”, 48”, 54”, 60”, 72”

Notes:

Junction box is located on the left hand side of the panel

Code	Price	Length	D	Weight (lb.)
Single Sided				
L-JB0X-30-S	350			
L-JB0X-36-S	350			
L-JB0X-42-S	350			
L-JB0X-48-S	350			
L-JB0X-54-S	350			
L-JB0X-60-S	350			
Double Sided				
L-JB0X-30-D	697			
L-JB0X-36-D	697			
L-JB0X-42-D	697			
L-JB0X-48-D	697			
L-JB0X-54-D	697			
L-JB0X-60-D	697			



for 3 way connection(3W)



for 4 way connection(4W)



For 90 Degree Connection (N)

What’s Included:

One (1) power pole, chosen mounting hardware

How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

90 degree, 3-way T and 4-way X must be used with same height conneting panels

Use gallery panel mount type at the end of a run


Notes:

Options:


Connector type height: 96”, 120”

Gallery panel height: 144”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
standard panel						
L-EP-P-120-3W	492	120	2	2	2	0.28
L-EP-P-120-4W	492	120	2	2	2	0.28
L-EP-P-120-N	492	120	2	2	2	0.28
L-EP-P-96-3W	442	96	2	2	1.5	0.22
L-EP-P-96-4W	442	96	2	2	1.5	0.22
L-EP-P-96-N	442	96	2	2	2	0.22
gallery panel						
L-EP-Y-144	608	144	2	2	2	0.33



type 1
RJ11/45



type 6
RJ45/45

What’s Included:

One (1) data plate with three (3) openings and chosen combination of RJ11/RJ45

How to Specify:

Specify RJ11 for phone connection

Specify RJ45 for data connection

Notes:


Data is placed on the right hand side of the cutout in the panel raceway

Options:

Panel cutout width: 2 3/4”

Panel cutout height: 1 3/8”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
type 1						
L-ECK1	160	2	4	1	0.24	0.00
type 6						
L-ECK6	160	2	4	1	0.24	0.00



Non-Power Capable to Power Capable Panel
Conversion Kit

What’s Included:

One (1) power module mounting bracket

How to Specify:

Specify RJ11 for phone connection

Specify RJ45 for data connection

Notes:

Used to convert a non-power capable panel to a power capable panel

To be placed in the of the non-power capable panel raceway to convert to a power capable

Power module to be specified seperately

Options:


Code	Price	Weight (lb.)	Volume (ft³)
RI-0300	25		




Switch USA Pricebook
June 2025
Storage

Storage

Pedestals	190
Underdesk Pedestal	190
Mobile	191
Upholstered Seat Pad	192
Lateral File	193
Underdesk	193
Freestanding	194
Credenza	195
Open Lateral	195
Storage Tower	196
Wardrobe Tower	197
Combo Tower	198
w/ Front Access	198
w/ Side Access	200
Panel Mounted Overheads - Cabinet	202
Flipper	202
Hinged Door	203
Shared	204
Cubby	206
Metal Shelf	207



box/box/file



file/file

What’s Included:

One (1) box/box/file or
one (1) file/file underdesk pedestal

How to Specify:

Pedestal type: box/box/file, file/file

Notes:

Pedestal brackets must be
ordered seperately

Locks can be keyed alike or
random


Options:

Height: 28”


Width: 16”

Depth: 23”, 29”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/box/file						
L-FPBU-281623	930	28	16	23	64.4	5.96
L-FPBU-281629	961	28	16	29	81.2	7.52
file/file						
L-FPFU-281623	861	28	16	23	64.4	5.96
L-FPFU-281629	897	28	16	29	81.2	7.52



box/ file/no cushion



box/file w/ cushion

What’s Included:

One (1) box/file mobile pedestal or one (1) box/file mobile
pedestal with cushion, five (5) lockable casters

How to Specify:

With or without cushion

Refer to seating fabric card for cushion fabric selection

Choose handle type and finish

Choose depth

Choose silver or white for caster finish

Notes:

Locks can be keyed alike or
random


Options:

Height: 21” without cushion, 22” with cushion

Width: 16”

Depth: 18”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/file/no cushion						
L-FPL0-211618	948	21	16	18	43.2	3.50
box/file w/ cushion						
L-FPLS-221618	1091	22	16	18	45.26	3.67



What’s Included:

One (1) upholstered seat pad

How to Specify:


Refer to seating fabric card for fabric selection

Notes:

Options:

Height:	1”
Width:	24”, 30”, 36”, 48”, 60”, 72”
Depth:	18”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-PAD-1824	317	24	24	2	2.4	0.67
L-PAD-1830	359	24	30	2	3	0.83
L-PAD-1836	402	24	36	2	3.6	1.00
L-PAD-1848	495	24	48	2	4.8	1.33
L-PAD-1860	583	24	60	2	6	1.67
L-PAD-1872	676	24	72	2	7.2	2.00



What’s Included:

One (1) two drawer underdesk lateral filing cabinet, each drawer is equipped with (2) bars for front to back filing

How to Specify:

Refer to laminate card for laminate selection
Choose handle type and finish
Choose depth


Notes:

Lateral brackets must be ordered separately
Locks can be keyed alike or random


Options:

Height: 28”
Width: 30”, 36”
Depth: 23”, 29”


Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
underdesk 2 Drawer						
L-FL2U-283023	1183	28	30	23	107.33	11.18
L-FL2U-283029	1218	28	30	29	135.33	14.10
L-FL2U-283623	1277	28	36	23	128.8	13.42
L-FL2U-283629	1313	28	36	29	162.4	16.92



2 Drawer



3 drawer



4 drawer

What’s Included:

One (1) two drawer, three drawer or four drawer freestanding lateral filing cabinet with finished top, each drawer is equipped with (2) bars for front to back filing

How to Specify:

- Refer to laminate card for laminate selection
- Choose two drawer, three drawer or four drawers
- Choose handle type and finish
- Choose silver or white for caster finish

Notes:

Locks can be keyed alike or random


Options:

Height: 29” for 2 drawer, 42” for 3 drawer, 54” for 4 drawer

Width: 30”, 36”

Depth: 24”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
2 Drawer						
L-FL2F-293024	1459	29	30	24	116	12.08
L-FL2F-293624	1584	29	36	24	139.2	14.50
3 drawer						
L-FL3F-423024	1879	42	30	24	168	17.50
L-FL3F-423624	2029	42	36	24	201.6	21.00
4 drawer						
L-FL4F-543024	2277	54	30	24	216	22.50
L-FL4F-543624	2459	54	36	24	259.2	27.00



(left hand shown)

What’s Included:

One (1) open lateral credenza, one (1) adjustable shelf for open cabinet

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish


Notes:

- Locks can be keyed alike or random
- Right handed has lateral on right side
- Left handed has lateral on left side
- Can be used as a surface support credenza, with credenza fixed support specified seperately

Options:

Height:	22”
Width:	48”, 60”, 72”
Depth:	18”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-CRCL-224818-L	1167	22	48	18	115.2	11.00
L-CRCL-226018-L	1288	22	60	18	144	13.75
L-CRCL-227218-L	1408	22	72	18	172.8	16.50
Right hand						
L-CRCL-224818-R	1167	22	48	18	115.2	11.00
L-CRCL-226018-R	1288	22	60	18	144	13.75
L-CRCL-227218-R	1408	22	72	18	172.8	16.50



left hand shown

What’s Included:

One (1) storage tower with one (1) adjustable shelf and (1) fixed shelf for 42” high or two (2) adjustable shelves and (1) fixed shelf for 50” high

How to Specify:


- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish

Notes:

- Locks can be keyed alike or random
- Right handed has hinge on right side
- Left handed has hinge on left side

Height:	42”, 50”
Width:	18”
Depth:	24”, 30”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-FTSS-421824-L	1461	42	18	24	86.4	10.50
L-FTSS-421830-L	1488	42	18	30	108	13.13
L-FTSS-501824-L	1488	50	18	24	102.86	12.50
L-FTSS-501830-L	1506	50	18	30	128.57	15.63
Right hand						
L-FTSS-421824-R	1461	42	18	24	86.4	10.50
L-FTSS-421830-R	1488	42	18	30	108	13.13
L-FTSS-501824-R	1488	50	18	24	102.86	12.50
L-FTSS-501830-R	1506	50	18	30	128.57	15.63



left hand shown

What’s Included:

One (1) wardrobe tower, one (1) coat bar

How to Specify:


- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish

Notes:


- Locks can be keyed alike or random
- Right handed has hinge on right side
- Left handed has hinge on left side

Height:	42”, 50”
Width:	18”
Depth:	24”, 30”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
L-FTCS-421824-L	1153	42	18	24	86.4	10.50
L-FTCS-421830-L	1228	42	18	30	108	13.13
L-FTCS-501824-L	1273	50	18	24	102.86	12.50
L-FTCS-501830-L	1356	50	18	30	128.57	15.63
Right hand						
L-FTCS-421824-R	1153	42	18	24	86.4	10.50
L-FTCS-421830-R	1228	42	18	30	108	13.13
L-FTCS-501824-R	1273	50	18	24	102.86	12.50
L-FTCS-501830-R	1356	50	18	30	128.57	15.63



(left hand shown)



(left hand shown)

What’s Included:

One (1) combo tower with front access, one (1) coat bar, one (1) adjustable shelf and (1) fixed shelf for 42” high or two (2) adjustable shelves and (1) fixed shelf for 50” high

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish
- Choose box/box/file, file/file drawers


Notes:

Locks can be keyed alike or random
Right handed has door on right side
Left handed has door on left side

Options:

Height:	42”, 50”
Width:	24”
Depth:	24”, 30”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/box/file pedestal -left hand						
L-CWTB-422424-L	2448	42	24	24	127	14.00
L-CWTB-422430-L	2482	42	24	30	159	18.00
L-CWTB-502424-L	2482	50	24	24	152	17.00
L-CWTB-502430-L	2512	50	24	30	189	21.00
box/box/file pedestal - right hand						
L-CWTB-422424-R	2448	42	24	24	127	14.00
L-CWTB-422430-R	2482	42	24	30	159	18.00
L-CWTB-502424-R	2482	50	24	24	152	17.00
L-CWTB-502430-R	2512	50	24	30	189	21.00
file/file pedestal - left hand						
L-CWTF-422424-L	2426	42	24	24	127	14.00
L-CWTF-422430-L	2426	42	24	30	159	18.00
L-CWTF-502424-L	2426	50	24	24	152	17.00
L-CWTF-422430-L	2426	42	24	30	159	18.00
file/file pedestal - right hand						
L-CWTF-422424-R	2426	42	24	24	127	14.00
L-CWTF-422430-R	2426	42	24	30	159	18.00
L-CWTF-502424-R	2426	50	24	24	152	17.00
L-CWTF-502430-R	2426	50	24	30	189	21.00



left hand shown

What’s Included:

One (1) combo tower with side access, one (1) coat bar, (1) box/box/file or (1) file/file drawers, (1) cubby for 42” high or two (2) cubbies for 50” high

How to Specify:

- Choose right hand or left hand
- Refer to laminate card for laminate selection
- Choose handle type and finish
- Choose box/box/file, file/file drawers


Notes:

- Locks can be keyed alike or random
- Right handed has door on right side
- Left handed has door on left side

Options:

Height:	42”, 50”
Width:	24”
Depth:	18.75”, 24”, 30”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left Hand						
L-FTCO-422418-L	1190	41	24	18.75	85	11.00
L-FTCO-422424-L	1323	41	24	24	101	14.00
L-FTCO-422430-L	1484	41	24	30	121	17.00
L-FTCO-502418-L	1372	49	24	18.75	97	13.00
L-FTCO-502424-L	1524	49	24	24	115	16.00
L-FTCO-502430-L	1710	49	24	30	138	21.00
Right hand						
L-FTCO-422418-R	1190	41	24	18.75	85	11.00
L-FTCO-422424-R	1323	41	24	24	101	14.00
L-FTCO-422430-R	1484	41	24	30	121	17.00
L-FTCO-502418-R	1372	49	24	18.75	97	13.00
L-FTCO-502424-R	1524	49	24	24	115	16.00



What’s Included:

One (1) flipper cabinet

How to Specify:

- Choose metal or laminate face
- Choose white, black, silver, charcoal for metal face and body
- Refer to laminate card for laminate face options

Notes:



- Locks can be keyed alike or random
- Flipper cabinet slides are easy-down pneumatic

Options:

Height*:	16"
Width:	30", 36", 42", 48", 54", 60"
Depth**:	15"

* Internal cabinet height is 13"
** Internal cabinet depth is 13"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
laminate face w/pneumatic slides						
L-SPFL-1530-P	626	16	30	15	32.727273	4.17
L-SPFL-1536-P	630	16	36	15	39.272727	5.00
L-SPFL-1542-P	653	16	42	15	45.818182	5.83
L-SPFL-1548-P	659	16	48	15	52.363636	6.67
L-SPFL-1554-P	684	16	54	15	58.909091	7.50
L-SPFL-1560-P	691	16	60	15	65.46	8.33
metal face w/pneumatic slides						
L-SPFM-1530-P	637	16	30	15	32.727273	4.17
L-SPFM-1536-P	655	16	36	15	39.272727	5.00
L-SPFM-1542-P	676	16	42	15	45.818182	5.83
L-SPFM-1548-P	698	16	48	15	52.363636	6.67
L-SPFM-1554-P	714	16	54	15	58.909091	7.50
L-SPFM-1560-P	737	16	60	15	65.46	8.33



What’s Included:

One (1) hinged cabinet, one (1) 12" wide hinged door

How to Specify:

- Choose white, black, silver, charcoal for metal body
- Refer to laminate card for laminate face options
- Door on right or left side

Notes:


- Locks can be keyed alike or random
- OL refers to open on left side
- LO refers to open on right side

Options:

Height*:	16"
Width:	36", 42", 48", 54", 60"
Depth**:	12"

* Internal cabinet height is 13"
** Internal cabinet depth is 12"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
closed/open						
L-SPLO-1536	900	16	36	15	43.2	5.00
L-SPLO-1542	961	16	42	15	50.4	5.83
L-SPLO-1548	983	16	48	15	57.6	6.67
L-SPLO-1554	1053	16	54	15	64.8	7.50
L-SPLO-1560	1069	16	60	15	72	8.33
open/closed						
L-SPOL-1536	900	16	36	15	43.2	5.00
L-SPOL-1542	961	16	42	15	50.4	5.83
L-SPOL-1548	983	16	48	15	57.6	6.67
L-SPOL-1554	1053	16	54	15	64.8	7.50
L-SPOL-1560	1069	16	60	15	72	8.33



What’s Included:

One (1) shared cabinet, (1) tackboard if tackboard option is selected, four (4) panel mount cantilevers for up to 60”W or six (6) panel mount cantilevers for 66”, 72”W

How to Specify:

- Choose white, black, silver, charcoal for cantilever
- Refer to laminate card for laminate face options
- Refer to panel fabric card for tackboard fabric options

Notes:

- OM refers to open on left side
- MO refers to open on right side
- OT refers to open on left side with tackboard on right side
- TO refers to open on right side with tackboard on left side


Options:

Height*:	16”
Width:	36”, 42”, 48”, 54”, 60”, 66”, 72
Depth**:	15”

* Internal cabinet height is 13” ** Internal cabinet depth is 13.5”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left open/right tackboard						
L-STOT-161536	772	16	36	15	43.2	5.00
L-STOT-161542	821	16	42	15	50.4	5.83
L-STOT-161548	868	16	48	15	57.6	6.67
L-STOT-161554	916	16	54	15	64.8	7.50
L-STOT-161560	963	16	60	15	72	8.33
L-STOT-161566	1014	16	66	15	79.2	9.17
L-STOT-161572	1064	16	72	15	86.4	10.00
right open/ left tackboard						
L-STTO-161536	772	16	36	15	43.2	5.00
L-STTO-161542	821	16	42	15	50.4	5.83
L-STTO-161548	868	16	48	15	57.6	6.67
L-STTO-161554	916	16	54	15	64.8	7.50
L-STTO-161560	963	16	60	15	72	8.33
L-STTO-161566	1014	16	66	15	79.2	9.17
L-STTO-161572	1064	16	72	15	86.4	10.00

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
right open/left melamine						
L-STMO-161536	581	16	36	15	43.2	5.00
L-STMO-161542	626	16	42	15	50.4	5.83
L-STMO-161548	666	16	48	15	57.6	6.67
L-STMO-161554	713	16	54	15	64.8	7.50
L-STMO-161560	757	16	60	15	72	8.33
L-STMO-161566	802	16	66	15	79.2	9.17
L-STMO-161572	849	16	72	15	86.4	10.00
left open/right melamine						
L-STOM-161536	581	16	36	15	43.2	5.00
L-STOM-161542	626	16	42	15	50.4	5.83
L-STOM-161548	666	16	48	15	57.6	6.67
L-STOM-161554	713	16	54	15	64.8	7.50
L-STOM-161560	757	16	60	15	72	8.33
L-STOM-161566	802	16	66	15	79.2	9.17
L-STOM-161572	849	16	72	15	86.4	10.00



What’s Included:

One (1) open cubby, two (2) mounting brackets

How to Specify:

Refer to laminate card for laminate face options


Notes:

Options:

Height*:	8”
Width:	24”, 30”, 36”, 42”, 48”
Depth**:	11”

* Internal cabinet height is 6.5”
** Internal cabinet depth is 11”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-SCS-081124	343	8	24	15	24	1.67
L-SCS-081130	358	8	30	15	27	2.08
L-SCS-081136	374	8	36	15	30	2.50
L-SCS-081142	390	8	42	15	33	2.92
L-SCS-081148	407	8	48	15	36	3.33



What’s Included:

One (1) metal shelf

How to Specify:

Choose white, black, silver, charcoal for metal shelf

Notes:

Options:

Height:	6”
Width:	30”, 36”, 42”, 48”, 54”, 60”
Depth:	12”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-SOOM-1230	335	2	30	12	14.4	0.42
L-SOOM-1236	353	2	36	12	17.28	0.50
L-SOOM-1242	367	2	42	12	20.16	0.58
L-SOOM-1248	379	2	48	12	23.04	0.67
L-SOOM-1254	394	2	54	12	25.92	0.75
L-SOOM-1260	409	2	60	12	28.8	0.83




Switch USA Pricebook
June 2025

Accessories

Accessories

Cable manager	210
Desktop Power Module	211
Tasklight	212
Monitor Arm	213
Keyboard Tray	214
Work Organizers	215
Accessory Rail	216
Pencil Tray	217



What’s Included:

One (1) cable manager

How to Specify:


Available in black only

Notes:

Dimensions:

length12”, 18”, 24”, 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
L-EWHB-12	8	1.5	12	1.5	0.15	0.02
L-EWHB-18	11	1.5	18	1.5	0.25	0.02
L-EWHB-24	15	1.5	24	1.5	0.35	0.03
L-EWHB-30	19	1.5	30	1.5	0.45	0.04
L-EWHB-36	23	1.5	36	1.5	0.55	0.05
L-EWHB-42	27	1.5	42	1.5	0.65	0.05
L-EWHB-48	30	1.5	48	1.5	0.75	0.06
L-EWHB-54	33	1.5	54	1.5	0.85	0.07
L-EWHB-60	38	1.5	60	1.5	0.95	0.08
L-EWHB-66	42	1.5	66	1.5	1.05	0.09
L-EWHB-72	44	1.5	72	1.5	1.15	0.09



What’s Included:

Clamp mount desktop power module equipped with two ac outlets, one USB A and one USB C charging ports, and one (1) three prong cord

How to Specify:

Can be used on freestanding surface or surface with 1” wireplay if connected to a panel

Available in black only

Dimensions:


Cord length:120”

Power Module Width:8”

Notes:

Clamp requires 1 3/4” x 8 1/8” undersurface clearance

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
V-EMW-2AC	191	6	4	3	1.0	0.04



What’s Included:

One (1) fluorescent task light

How to Specify:

One size smaller than the width of the overhead

Available in silver only

Notes:


Task light can be mounted to metal or laminate overheads

Task light mounts to metal overheads using supplied magnets


Dimensions:

Length: 24”, 36”, 48”


Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
V-ELU-24	316	3	24	1	9.5	0.04
V-ELU-36	355	3	36	1	13.7	0.06
V-ELU-48	446	3	48	1	17.9	0.08




Single Monitor Arm - clamp mount



Single Monitor Arm - grommet mount



Double Monitor Arm - clamp mount



Double Monitor Arm - grommet mount

What’s Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- Specify type

Notes:

Available in silver only

Single Monitor Arm

- Screen Size - 17”-36”
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees


Dual Monitor Arm

- Screen Size - 17”-32”
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees


Dimensions:

Vesa: 75x75 and 100x100

Code	Price
Monitor Arm - Single Mount	
V-AFMA-01	391
Monitor Arm - Double Mount	
V-AFMA-02	652



Articulating Keyboard
Tray w/Mouse Tray



Articulating Keyboard
Tray

What’s Included:

Keyboard Tray, installation hardware.

How to Specify:

Specify laminate color for retractable keyboard. The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

For articulating keyboard with mouse, right or left hand must be specified.

The articulating keyboards are available only in black.


Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments


Options:

Finish:	laminate colors (retractable keyboard only)	
Hand:	R right	L left (for adustable keyboard with mouse only)


Code	Price	H	W	D	Volume (ft³)	Weight (lb)
Articulating Keyboard Tray w/Mouse Tray						
V-KAS0-2011-L	657	0	20	11	0	3
V-KAS0-2011-R	657	0	20	11	0	3
Articulating Keyboard Tray						
V-KASX-2510	421	0	25	10	0	15




pencil holder



paper tray - legal



paper tray - letter



document sorter

What’s Included:

One (1) paper tray or one (1) paper holder or one (1) paper sorter


How to Specify:

Refer to metal paint card for metal paint colors

Notes:

Dimensions:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
pen holder						
L-AAP0	120	6	4	2	0.32	
paper tray - legal						
L-AAP-13	148	11	13	1	3.2	
paper tray - letter						
L-AAP-9	129	11	9	1	2.1	
paper sorter						
L-AAS	228	10	10	10	3.2	



What’s Included:

One (1) panel mount or wall mount accessory rail

How to Specify:


Panel mount, wall mount
Refer to metal paint card for metal paint colors

Notes:

Dimensions:

Width: 24”, 30”, 36”, 42”, 48”, 54”, 60”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Panel Mounted						
L-AR-24	204	3	24	0.75	0.77	
L-AR-30	211	3	30	0.75	0.86	
L-AR-36	217	3	36	0.75	0.95	
L-AR-42	228	3	42	0.75	1.04	
L-AR-48	237	3	48	0.75	1.13	
L-AR-54	246	3	54	0.75	1.22	
L-AR-60	256	3	60	0.75	1.31	
Wall Mounted						
L-AR-24-W	204	3	24	0.75	0.77	
L-AR-30-W	211	3	30	0.75	0.86	
L-AR-36-W	217	3	36	0.75	0.95	
L-AR-42-W	228	3	42	0.75	1.04	
L-AR-48-W	237	3	48	0.75	1.13	
L-AR-54-W	246	3	54	0.75	1.22	
L-AR-60-W	256	3	60	0.75	1.31	



What’s Included:

One (1) pencil tray

How to Specify:

Available in black only

Notes:

Available in black only

Dimensions:

Width: 24”

Depth: 16”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
V-ADPP	92	14	21	2	1.8	0.34