



Union

Union supports Executive Offices, Private Offices, Meeting Spaces, Reception Areas, Hospitality settings, and Collaborative Environments with coordinated desking, tables, filing, storage, display, and accessory products. Clean detailing, substantial worksurfaces, flexible configurations, and functional storage provide a balanced combination of style and practicality.

Executive. (1.5-inch thickness)

Desktops, Tabletops, Countertops and Filing and Storage Tops

- All Union Executive worksurfaces, coffee and end tabletops, countertops, and freestanding desk-height filing and storage-tops are 1½" thick and fabricated from thermally fused melamine with a 45-lb/cu. ft. density industrial-grade composite wood core.
- Cabinet, hutch, Credenza, tower, planter, and storage-top thickness must follow the applicable Executive product code.
- Surfaces are finished with a vinyl edge. All woodgrain laminates have a coordinating woodgrain vinyl trim.
- Grommet covers are ABS.

Assembly

- Overhead hutches and storage cabinets ship assembled.
- Assembled goods will be palletized with protective corners and shrink-wrapped.

- Desks and bridge surfaces that do not contain a storage unit will require some assembly on site. Non-assembled goods will be packaged in a carton and shipped on pallets to negate any assembly challenges. Installation instructions will be included with each component.
- Peninsula tables are shipped ready to assemble.
- Desks are assembled using cam-locks for ease of assembly.
- Surfaces can be supported by a pedestal or gable support.

Straight Desks

- Straight desks consist of a worksurface with two full end gables and a modesty.
- Modesties may be recessed or flush to the end of the worksurface and are available in full or partial configurations.
- Grommet placement may be specified as left, center, right, or double on applicable Executive configurations.
- Grommet position and quantity must be confirmed through the selected product code.



Union

- Straight desks with flush modesties are available in 21", 24", and 30" depths. 21" deep desks range from 60" to 96" wide in 6" increments; 24" deep desks range from 30" to 96" wide in 6" increments.
- Straight desks with recessed modesties are available in 30" and 36" depths, ranging from 60"W to 96"W in 6" increments.

Arc Desks

- Arc desks are 36" deep at each end and 42" deep at the midpoint of the surface. Desks without pedestals come in widths of 72"–96" in 6" increments.
- Arc desks consist of a worksurface with two full end gables and a recessed full modesty.
- Arc desks are available with or without ABS grommets. Left, center, right, or double grommet placement is available on applicable Executive configurations.
- Grommet position and quantity must be specified through the selected product code.

Executive Tables

- D-, J-, P-, F-, C-, and U-tables support Executive and meeting-space applications. Grommet availability varies by table shape and product code.
- C- and U-tables are available in 42", 48", and 60" widths. The grain direction runs the same direction as the depth of the table.
- Union Executive community tables are available at seated, counter, and bar heights.
- Community tables are available in 29", 36", and 42" heights and widths from 60" to 96".

- Configurations are available with or without power and data.
- Table post supports are 3" in diameter and are available in a choice of 20 paint finishes. Post supports come with an adjustable glide to provide height adjustability for the table.
- Union Executive community tables feature a 1½" thick top. Depth, width, height, and power and data requirements must follow the selected Executive product code.

5-Sided Corner Desks

- Corner desks consist of a worksurface, two partial gables, and a choice of full modesties or partial modesties in combination with a modesty post to support the back corner of the surface.
- Corner worksurfaces are available in four sizes with a straight or curved front.
- 5-sided corners include ABS grommets.

Unitized Desks

- Union Executive unitized desks consist of a worksurface, one full end gable, one partial end gable, and the required modesty and supporting components.
- Curved-front and recessed-front configurations are available.
- Recessed-front unitized desks are available with 30" or 36" front worksurfaces and a 24" return.
- Left- and right-hand configurations are available.
- Union Executive unitized desks feature a 1½" thick worksurface. Dimensions, handedness, modesty configuration, and grommet placement must follow the selected product code.



Union

- Surfaces are available with a curved front edge that accommodates a keyboard tray.

Bridges

- Bridge surfaces consist of a worksurface and a choice of a full or partial modesty. Intermediate gables, if needed, must be specified as a separate item per configuration. Bridge surfaces are intended to be joined to an adjacent desk on either side and share the support gables of the adjacent desks.
- Grain direction on directional laminates runs the depth of bridge worksurfaces.
- Bridges are available in 21" and 24" depths and widths ranging from 30" to 48" in 6" increments.
- All bridges come with grommets.

Returns

- Returns consist of a worksurface, an end gable, and a full or partial modesty.
- Returns are available in 21", 24", and 30" depths, with widths ranging from 24" to 60" in 6" increments.
- Left, center, right, or double grommet placement is available on applicable Executive configurations.
- Grommet position, quantity, and handedness must be specified through the selected product code.

Credenzas

- Credenzas include under-desk storage and/or filing units, or height-adjustable-table applications and ship as complete coded configurations.

- Credenzas are available in 21" and 24" depths and a width of 72", depending on the configuration.

- Credenza options include fridge-cubby configurations, counter-height serving configurations.

- Fridge-cubby Credenzas accommodate a Customer-supplied refrigerator. It is the Customer's responsibility to select a refrigerator that fits within the fridge-cubby opening.

- Available in left- and right-hand configurations for 24"D and 30"D sit-stand applications and are designed to coordinate with T-Leg Volley Tables only. They are not compatible with C-Leg Volley Tables.

- Width, handedness, application depth, and table compatibility must be confirmed through the selected product code.

Gable Supports

- Gable supports are specified as part of the overall configuration. As a result, they come as right- or left-handed. Intermediate gables include a grommet for wire management.
- Intermediate gable supports can be specified for additional support.
- Gables come with a 1½" long glide providing one inch of height adjustability to the desk.

Pedestals

- A wide variety of laminate under-desk and mobile pedestals are available.
- Pedestals are constructed of ¾" thermally fused melamine and can be specified for 21", 24", 30", and 36" deep surfaces.



Union

- A stationary base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Pedestals are available with combinations of box and/or file drawer fronts.
- Drawer slides are used to attach the drawer to the case. Each drawer has the capacity to support a load of up to 100 lb. Drawers and slides are removable and interchangeable on-site.
- All pedestals come equipped with an interlocking mechanism. One lock has the ability to lock all drawers. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Pedestal file drawers can accommodate front-to-back filing for letter-size documents, side-to-side filing for legal-size documents.
- Box and file drawers have full extension steel ball-bearing slides and the top box drawer in a box/box/file includes a pencil tray.
- Mobile pedestals come equipped with a fifth caster on the bottom drawer to ensure stability. mobile pedestals have a ¾" top finished in 2mm vinyl edge banding.
- Two-inch diameter casters allow the pedestal to slide easily under the desk.

Lateral Files

- Lateral files are available as freestanding or under-desk units.
- Full-extension ball-bearing slides on the drawers allow complete and unobstructed access to maximize the use of drawer filing space and to better organize documents.

- Units have a built-in anti-tilt mechanism, which only allows one drawer to be opened at a time for safety purposes. Lateral file case and fronts are constructed of thermally fused melamine. Drawer interiors in lateral files accept adjustable hanger bars for filing legal-size documents front to back or laterally within the drawer. Letter-size documents can be filed front to back.
- All lateral files come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Lateral files have four 1½" high glides that allow the lateral file to adjust up to one inch in height.
- 3-drawer and 4-drawer laterals come with ¾" thick top.

Under-Desk Lateral Files

- Under-desk lateral files are available in widths of 30", 36" or 42" and come in either 20" or 21" deep sizes.
- A 2-drawer lateral file fits below a 21", 24" or 30" deep desk module.

Freestanding Lateral Files

- Freestanding lateral files are available in two-, three-, and four-drawer configurations.
- Two-drawer lateral files are available in 30", 36", and 42" widths. Three- and four-drawer lateral files are available in the widths identified by the applicable product code.
- Lateral files are available in 21" and 24" depths, depending on the configuration.



Union

- Desk-height Executive lateral files feature a 1½" thick top. Top thickness for taller lateral file configurations must follow the selected product code.

Under-Desk and Desk-Height Storage Cabinets

- Under-desk (28" high) and desk height (29½" high) storage cabinets are available in widths of 30", 36", and 42". Under-desk storage cabinets can be 20" or 21" deep, while desk-height storage cabinets are always 21" deep.
- Desk-height cabinet tops are 1½" thick thermally fused melamine.
- Cabinets come standard with locks.
- The cabinet base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.

Under-Desk or Desk-Height Combination Cabinets

- The combination cabinet is available as a 28" high under-desk unit or a 29½" high freestanding unit.
- Under-desk cabinets are available in 20" or 21" depths, while desk-height cabinets are always 21" deep.
- The cabinet has a file drawer on one side and two box drawers on the other side with a lateral file drawer located below the box and file drawers and can be specified as right- or left-handed.
- A pencil tray is included in the top box drawer of the cabinet.
- Box drawers have full extension steel ball-bearing slides.

- Desk-height cabinet top is 1½" thick thermally fused melamine with 2mm vinyl edging to match the worksurface trim.
- Drawer slides are used to attach the drawer to the case. Box and file drawer slides have the capacity to support a load of up to 100 lb. Lateral drawers can support a load of up to 200 lb. Drawers and slides are removable and interchangeable on-site.
- All cabinets come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.

Double-Height Cabinets

- Union Executive double-height cabinets are available in storage, wardrobe, lateral file, combination storage, and pedestal-based configurations.
- Units are available in 21" and 24" depths, depending on the selected product code.
- Maître d' towers combine storage, pedestal filing, and wardrobe functions in one 24"D unit. left- and right-hand configurations are available with box/box/file or file/file pedestal options.
- Open/closed combination towers combine open shelving with enclosed wardrobe storage.
- Interior shelves, coat-storage components, drawer configurations, dimensions, and handedness must follow the selected Executive product code.
- Casings are constructed of ¾" thermally fused melamine. A 24" wide cabinet is available with a coat bar and shelves.



Union

- 18" wide cabinets are available in the following combinations:
 - › storage cabinet with shelves
 - › box/box/file bottom with cabinet top
 - › file/file bottom with cabinet top
- 36" wide cabinets are available in the following options:
 - › lateral file bottom with double-door cabinet top
 - › combination cabinet bottom with a double-door cabinet top
- The cabinet portion of units with cabinet doors comes with a choice of $\frac{3}{4}$ " thermally fused melamine door with vinyl edge, or optional textured acrylic doors. They also come equipped with two adjustable shelves.

Hutches and Wall-Mounted

- Union Executive hutches are available as freestanding or wall-mounted units for use with desks, Credenzas, filing cabinets, and related Union configurations.
- Freestanding bookcase hutches provide open shelving for display and storage.
- Wall-mounted hutches are available in open and hinged-door configurations, including double-height options.
- Floating shelves provide open wall-mounted display and light storage.
- Gallery walls are available without shelves.
- Dimensions, door configurations, shelf quantities, and finish selections must follow the selected Executive product code.
- Wall-mounted products require suitable wall construction, blocking, anchors, and installation hardware.
- Hutch bodies are $\frac{3}{4}$ " thick and fabricated from thermally fused melamine with 45-lb/cu. ft. density industrial-grade composite wood core. Hutch bodies are finished with 2mm vinyl edge banding.
- The top of each hutch is $\frac{3}{4}$ " thick.
- Hutch doors are available in either $\frac{3}{4}$ " thick thermally fused melamine with 45-lb/cu. ft. density industrial grade composite wood core, or optional textured acrylic doors with aluminum framing in a choice of nine paint colors.
- Laminate hutch doors are finished with vinyl edge banding; available in a choice of 22 standard laminates. Hutch doors can be ordered in a different color from the hutch body.
- Open and hinged door hutches can be ordered with pigeonholes.
- Freestanding hutches are 15" deep and available in widths ranging from 30" to 84" in 6" increments.
- Wall-mounted hutches are available from 30"W-72"W in 6" increments.

Planters

- Union Executive planters are available as a planter with storage or as a planter box without storage.
- Planters are 42" high and are available in 12" and 15" depths.
- Union planters are intended for artificial plants only.
- Width, depth, storage configuration, and finish selections must follow the selected Executive product code.



Union

Laminate, Vinyl, and Metal Handle Finishes for Filing and Cabinetry

- Filing and cabinetry are available in 22 laminate finishes. Drawer handles come in a choice of six styles. Laminates are finished with a vinyl edge banding. vinyl is available in 22 standard colors. All woodgrain laminates have a matching woodgrain vinyl trim.
- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.

Bookcases

- Full-height bookcases are available between 29½" to 68" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.
- Straight bookcases are 12" and 15" deep and available in widths of 30" or 36".

O-Tables

- O-Tables are available in 24"-60" diameters. Tabletops are 1½" thick.
- O-Tables can be outfitted in a choice of two base styles: post support, and cross base.

Reception Units

- 72"W straight reception units can be ordered as singular units including worksurfaces and a countertop.

Coffee and End Tables

- Coffee and end tables are with and without a fixed shelf.
- Rectangular coffee tables are 20" deep with widths of 36", 42", and 48".
- Square end tables are available in the following sizes:
 - › 20" x 20"
 - › 24" x 24"
 - › 30" x 30"



Union

Professional. (1-inch thickness) Teaming with style and functionality.

Desktops, Tabletops, Countertops and Filing and Storage Tops

- All Union Professional worksurfaces, coffee and end tabletops, countertops, and freestanding desk-height filing and storage-tops are 1" thick and fabricated from thermally fused melamine with a 45-lb/cu. ft. density industrial-grade composite wood core.
- Cabinet, hutch, Credenza, tower, planter, and storage-top thickness must follow the applicable Professional product code.
- Surfaces are finished with 2mm vinyl edge banding. All woodgrain laminates have a coordinating woodgrain vinyl trim.
- Grommet covers are ABS.

Assembly

- Overhead hutches and storage cabinets ship assembled..
- Desks that include storage will ship assembled. Assembled goods will be palletized with protective corners and shrink-wrapped.
- Desks and bridge surfaces that do not contain a storage unit will require some assembly on site. Non-assembled goods will be packaged in a carton and shipped on pallets to negate any assembly challenges. Installation instructions will be included with each component.
- Peninsula tables are shipped ready to assemble.

- Desks are assembled using cam-locks for ease of assembly.
- Surfaces can be supported by a pedestal or gable support.

Straight Desks

- Straight desks consist of a worksurface with two full end gables and a modesty.
- Modesties may be recessed or flush to the end of the worksurface and are available in full or partial configurations.
- Grommet placement may be specified as left, center, right, or double on applicable Professional configurations.
- Grommet position and quantity must be confirmed through the selected product code.
- Straight desks with flush modesty are available in 21", 24", 30", and 36" depths. 21" deep desks range from 60" to 96" wide in 6" increments. 24" deep desks range from 30" to 96" wide in 6" increments.
- Straight recessed modesty desks are available in 30" and 36" depth ranging from 60"W-96"W in 6" increments.

Arc Desks

- Arc desks consist of a worksurface with two full end gables and a recessed full modesty.
- Arc desks are available with or without ABS grommets. left, center, right, or double grommet placement is available on applicable Professional configurations.
- Grommet position and quantity must be specified through the selected product code.



Union

Professional Tables

- D-, J-, P-, F-, C-, and U-tables support private-office, Team, and meeting-space applications. Grommet availability varies by table shape and product code.
- C- and U-tables are available in 42", 48", and 60" widths. The grain direction runs the same direction as the depth of the table.
- Union Professional community tables are available at seated, counter, and bar heights.
- Community tables are available in 29", 36", and 42" heights and widths from 60" to 96".
- Configurations are available with or without power and data.
- Table post supports are 3" in diameter and are available in a choice of 20 paint finishes. Post supports come with an adjustable glide to provide height adjustability for the table.
- Union Professional community tables feature a 1" thick top. Depth, width, height, and power and data requirements must follow the selected Professional product code.

5-Sided Corner Desks

- Corner desks consist of a worksurface, two partial gables, and a choice of full modesties or partial modesties in combination with a modesty post to support the back corner of the surface.
- Corner worksurfaces are available in four sizes with a straight or curved front.
- 5-sided corners include ABS grommets.

Unitized Desks

- Union Professional unitized desks consist of a worksurface, one full end gable, one partial end gable, and the required modesty and supporting components.
- Curved-front and recessed-front configurations are available.
- Recessed-front unitized desks are available with 30" or 36" front worksurfaces and a 24" return.
- Left- and right-hand configurations are available.
- Union Professional unitized desks feature a 1" thick worksurface. Dimensions, handedness, modesty configuration, grommet placement, and Intermediate support requirements must follow the selected product code.
- Surfaces are available with a curved front edge that accommodates a keyboard tray.

Bridges

- Bridge surfaces consist of a worksurface and a choice of a full or partial modesty. Intermediate gables, if needed, must be specified as a separate item per configuration. Bridge surfaces are intended to be joined to an adjacent desk on either side and share the support gables of the adjacent desks.
- Grain direction on directional laminates runs the depth of bridge worksurfaces.
- Bridges are available in 21" and 24" depths and widths ranging from 30" to 48" in 6" increments.
- All bridges come with grommets.



Union

Returns

- Returns consist of a worksurface, an end gable, and a full or partial modesty.
- Returns are available in 21", 24", and 30" depths, with widths ranging from 24" to 60" in 6" increments.
- Left, center, right, or double grommet placement is available on applicable Professional configurations.
- Grommet position, quantity, handedness, and intermediate support requirements must be specified through the selected product code.

Credenzas

- Union Professional Credenzas support filing, storage, serving, refrigeration, and height-adjustable-table applications and ship as complete coded configurations.
- Credenza options include fridge-cubby Credenzas, counter-height serving Credenzas.
- Fridge-cubby Credenzas accommodate a Customer-supplied refrigerator. It is the Customer's responsibility to select a refrigerator that fits within the fridge-cubby opening.
- Are available in left- and right-hand configurations for 24"D and 30"D sit-stand applications and coordinate with T-Leg Volley Tables only. They are not compatible with C-Leg Volley Tables.
- Width, height, depth, handedness, internal configuration, and table compatibility must be confirmed through the selected Professional product code.
- Credenzas are available in 21" and 24" depths and width of 72".

Gable Supports

- Gable supports are specified as part of the overall configuration. As a result, they come as right- or left-handed. Intermediate gables include a grommet for wire management.
- Intermediate gable supports can be specified for additional support.
- Gables come with a 1½" long glide providing one inch of height adjustability to the desk.

Pedestals

- A wide variety of laminate under-desk and mobile pedestals are available.
- Pedestals are constructed of ¾" thermally fused melamine and can be specified for 21", 24", 30", and 36" deep surfaces.
- A stationary base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Pedestals are available with combinations of box and/or file drawer fronts.
- Drawer slides are used to attach the drawer to the case. Each drawer has the capacity to support a load of up to 100 lb. drawers and slides are removable and interchangeable on-site.
- All pedestals come equipped with an interlocking mechanism. One lock has the ability to lock all drawers. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Pedestal file drawers can accommodate front-to-back filing for letter-size documents and side-to-side filing for legal-size documents.



Union

- Box and file drawers have full-extension steel ball-bearing slides and the top box drawer in a box/box/file includes a pencil tray.
- Mobile pedestals come equipped with a fifth caster on the bottom drawer to ensure stability. Mobile pedestals have a ¾" top finished in 2mm vinyl edge banding.
- Two-inch diameter casters allow the pedestal to slide easily under the desk.

Lateral Files

- Lateral files are available as freestanding or under-desk units.
- Full-extension ball-bearing slides on the drawers allow complete and unobstructed access to maximize the use of drawer filing space and to better organize documents.
- Units have a built-in anti-tilt mechanism, which only allows one drawer to be opened at a time for safety purposes. Lateral file case and fronts are constructed of thermally fused melamine. drawer interiors in lateral files accept adjustable hanger bars for filing legal-size documents front to back or laterally within the drawer. Letter-size documents can be filed front to back.
- All lateral files come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.
- Lateral files have four 1½" high glides that allow the lateral file to adjust up to one inch in height.

Under-Desk Lateral Files

- Under-desk lateral files are available in widths of 30", 36" or 42" and either 20" or 21" deep sizes.
- A 2-drawer lateral file fits below a 21", 24" or 30" deep desk module.

Freestanding Lateral Files

- Union Professional freestanding lateral files are available in two-, three-, and four-drawer configurations.
- Two-drawer lateral files are available in 30", 36", and 42" widths. Three- and Four-drawer configurations are available in the widths identified by the selected product code.
- Lateral files are available in 21" and 24" depths, depending on the configuration.
- Desk-height Professional lateral files feature a 1" thick top. top thickness for taller lateral file configurations must follow the selected product code.
- 3-drawer and 4-drawer laterals come with ¾" thick top.

Under-Desk and Desk-Height Storage Cabinets

- Under-desk (28" high) and desk height (29" high) storage cabinets are available in widths of 30", 36", and 42" and come with 20" and 21" depths.
- Cabinets come standard with locks.
- They have leveling glides for height adjustability.



Union

Under-Desk or Desk-Height Combination Cabinets

- The combination cabinet is available as a 28" high under-desk unit or 29" high freestanding unit.
- Under-desk cabinets are available in 20" or 21" depths, while desk-height cabinets are always 21" deep.
- The cabinet has a file drawer on one side and two box drawers on the other side with a lateral file drawer located below the box and file drawers and can be specified as right- or left-handed.
- A pencil tray is included in the top box drawer of the cabinet.
- Box drawers have full-extension steel ball-bearing slides.
- Desk-height cabinet top is 1" thick thermally fused melamine with 2mm vinyl edging to match the worksurface trim.
- The cabinet base has four adjustable 1½" high leveling glides that provide up to one inch of adjustability.
- Drawer slides are used to attach the drawer to the case. box and file drawer slides have the capacity to support a load of up to 100 lb. Lateral drawers can support a load of up to 200 lb. drawers and slides are removable and interchangeable on-site.
- All cabinets come equipped with a locking mechanism. Stations can be keyed-alike upon request. Master keys are available for the facility manager.

Double-Height Cabinets

- Union Professional double-height cabinets are available in storage, wardrobe, lateral file, combination storage, and pedestal-based configurations.
- Units are available in 21" and 24" depths, depending on the selected product code.
- Maître d' towers combine storage, pedestal filing, and wardrobe functions in one 24"D unit. left- and right-hand configurations are available with box/box/file or file/file pedestal options.
- Open/closed combination towers combine open shelving with enclosed wardrobe storage.
- Interior shelves, coat-storage components, drawer configurations, dimensions, and handedness must follow the selected Professional product code. Casings are constructed of ¾" thermally fused melamine.
- A 24" wide cabinet is available with a coat bar and shelves.
- 18" wide cabinets are available in the following combinations:
 - › storage cabinet with shelves
 - › box/box/file bottom with cabinet top
 - › file/file bottom with cabinet top



Union

- 36" wide cabinets are available in the following options:
 - › lateral file bottom with double-door cabinet top
 - › combination cabinet bottom with a double-door cabinet top
- The cabinet portion of units with cabinet doors comes with a choice of $\frac{3}{4}$ " thermally fused melamine door with vinyl edge, or optional textured acrylic doors. They also come equipped with two adjustable shelves.

Hutches and Wall-Mounted

- Union Professional hutches are available as freestanding or wall-mounted units for use with desks, Credenzas, filing cabinets, and related Union configurations.
- Freestanding bookcase hutches provide open shelving for display and storage.
- Wall-mounted hutches are available in open and hinged-door configurations, including double-height options.
- Floating shelves provide open wall-mounted display and light storage.
- Gallery walls are available without shelves.
- Dimensions, door configurations, shelf quantities, and finish selections must follow the selected Professional product code.
- Wall-mounted products require suitable wall construction, blocking, anchors, and installation hardware.
- Hutch bodies are $\frac{3}{4}$ " thick and fabricated from

thermally fused melamine with 45-lb/cu. ft. density industrial-grade composite wood core. Hutch bodies are finished with 2mm vinyl edge banding.

- Hutch doors are available in either $\frac{3}{4}$ " thick thermally fused melamine with 45-lb/cu. ft. density industrial-grade composite wood core, or optional textured acrylic doors with aluminum framing in a choice of nine paint colors.
- Laminate hutch doors are finished with vinyl edge banding; available in a choice of 22 standard laminates. hutch doors can be ordered in a different color from the hutch body.
- Open and hinged door hutches can be ordered with pigeonholes.
- Freestanding hutches are 15" deep and available in widths ranging from 30" to 84" in 6" increments.
- Wall-mounted hutches are available from 30"W-72"W in 6" increments.

Planters

- Union Professional planters are available as a planter with storage or as a planter box without storage.
- Planters are 42" high and are available in 12" and 15" depths.
- Union planters are intended for artificial plants only.
- Width, depth, storage configuration, and finish selections must follow the selected Professional product code.



Union

Laminate, Vinyl, and Metal Handle Finishes for Filing and Cabinetry

- Filing and cabinetry are available in 22 laminate finishes. Drawer handles come in a choice of six styles. Laminates are finished with vinyl edge banding. Vinyl is available in 22 standard colors.
- All woodgrain laminates have a matching woodgrain vinyl trim.
- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.

Bookcases

- Full-height bookcases are available between 29" to 68" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.
- Straight bookcases are 12" and 15" deep and available in widths of 30" or 36".

O-Tables

- O-Tables are available in 24"-60" diameters. Tabletops are 1" thick.
- O-Tables can be outfitted in a choice of two base styles: Post support, and cross base.

Reception Units

- 72"W straight reception units can be ordered as singular units including worksurfaces and a countertop.

Coffee and End Tables

- Coffee and end tables are with and without a fixed shelf.
- Rectangular coffee tables are 20" deep with widths of 36", 42", and 48".
- Square end tables are available in the following sizes:
 - › 20"x20"
 - › 24"x24"
 - › 30"x30"

Conference. An Invitation to Meet in Elegance.

Conference Tables

- Conference tabletops are 1" or 1½" thick with a choice of laminate. All woodgrain laminates have a matching woodgrain vinyl trim.
- Conference tables consist of a variety of mix and match tabletops and bases. Straight, boat-shaped, racetrack and tapered shaped surfaces combine with a choice of post-support, gable and modesty base or elliptical base.
- Tables range in size from 72" x 36" up to 240" x 60" at 12" increments. An additional center support is included on tables between 108" in length to 240" in length.
- Conference tables come with optional flip-up grommets for tabletop access to power, phone and data feeds. Grommets are available in silver.



Union

- Conference tables are available in 19 laminate finishes for 1-1/2" tops, and 22 laminate finishes for 1" tops.

Conference Credenzas

- Credenzas are available in 21" depths and width of 72" in combinations of a 2-drawer lateral file and a double-door storage cabinet, or two 2-drawer laterals.

Conference Cabinetry

- Conference filing and storage options include:
 - › double-door cabinets
 - › lateral files
 - › serving cabinets
 - › storage cabinets with shelves
 - › double-door storage with shelves
 - › double-door storage with lateral file bottom
 - › audio-visual unit
- Filing and cabinetry are available in 22 laminate finishes.
- Laminates are finished with a combination of tape matching the laminate, and vinyl edge banding. vinyl is available in 22 standard colors. All woodgrain laminates have a matching wood grain vinyl trim.
- Doors and drawer fronts may be specified with a different laminate than the file or cabinet casing.
- Special or COM materials are available upon request.

- 5" wide drawer handles come in a choice of six styles and five standard colors.
- Full-height Conference room cabinets are 78" high to suit the proportions of a conference room.

Conference Bookcases

- Full-height bookcases are 78" high with 1½" adjustable glides that allow for up to one inch in height adjustability and come with one inch thick adjustable shelves. All 30" high shelves are fixed in place to add stability to the unit.
- Straight bookcases are 15" deep and available in widths of 30" or 36". The radius corner bookcase has a 21" radius.

Presentation Tools

- Whiteboards come with a dry-erase marker board and tackboards on the interior of the cabinet doors.

Accessories

- Task lights are UL-listed, CSA certified and available in widths of 24", 36", and 48".
- Task lights hang from the bottom side of both open and closed shelving units. They are shipped complete with a fluorescent lamp, switch, cord, and plug.
- The low profile black pencil drawer is two inches high and provides ample storage without interfering with under-desk knee space.
- Tackboards are available to mount to the back of hutches in widths that correspond with hutch sizes. Tackboards are available in grade 1, grade 2, and grade 3 fabric choices.



Union

- Articulating keyboard trays allow the user to swivel, lift, lower and tilt the keyboard from the horizontal position to a negative angle.
- Flat Screen Monitor Arms are height adjustable, meet VESA standards and will accommodate all standard monitor sizes.

Test Results

- Canadian Government Standards
- Freestanding office desk products and components: CAN/CGSB-44.227-00