



# Tables Pricebook

October 2025

contents

|                                        |     |                                 |    |
|----------------------------------------|-----|---------------------------------|----|
| Cautiun                                | iii | Studi tables                    | 79 |
| Volley tables                          | 5   | with Power Module & Daisy Chain | 80 |
| 120 base & surface                     | 6   | with Power Module               | 82 |
| straight                               | 8   | with Grommet                    | 84 |
| 5 sided                                | 12  | without Grommet                 | 86 |
| unitized                               | 14  | Add ons                         | 88 |
| upgrades                               | 24  | PET Modesty                     | 88 |
| Norris tables                          | 29  | Frosted Acrylic Modesty         | 89 |
| super ellipse without power and data   | 30  | Ganging Mechanism               | 90 |
| super ellipse with power and data      | 32  | Daisy Chain                     | 91 |
| video without power and data           | 34  | Echo tables                     | 93 |
| video with power and data              | 36  | Super Ellipse                   | 94 |
| boat without power and data            | 38  | no power module                 | 94 |
| boat with power and data               | 40  | w power module                  | 95 |
| straight without power and data        | 42  | Round                           | 96 |
| straight with power and data           | 44  | no power module                 | 96 |
| options                                | 46  | w power module                  | 97 |
| add-on Kits                            | 47  | Squircle                        | 98 |
| Kip tables                             | 49  | no power module                 | 98 |
| community table without power and data | 50  | w power module                  | 99 |
| community table with power and data    | 52  |                                 |    |
| Koko tables                            | 55  |                                 |    |
| rectangular table                      | 56  |                                 |    |
| round table                            | 57  |                                 |    |
| Hanna tables                           | 59  |                                 |    |
| T base - slim                          | 60  |                                 |    |
| T base - tubular                       | 62  |                                 |    |
| X base - slim                          | 64  |                                 |    |
| X base - tubular                       | 66  |                                 |    |
| super ellipse top                      | 68  |                                 |    |
| round top                              | 70  |                                 |    |
| squircle top                           | 72  |                                 |    |
| rectangular top                        | 74  |                                 |    |
| square top                             | 76  |                                 |    |

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



Tables Pricebook  
October 2025  
**Volley**

Volley tables

|                                       |    |
|---------------------------------------|----|
| 120 base & surface                    | 6  |
| straight                              | 8  |
| with enclosures, no modesty           | 10 |
| with enclosures, trough & modesty     | 11 |
| 5 sided                               | 12 |
| unitized                              | 14 |
| upgrades                              | 24 |
| Height Adjustable Table Enclosure Box | 24 |
| Flex Cable Organizer                  | 25 |
| Trough & Trough Mounted Modesty       | 26 |



height adjustable surface

height adjustable base

What’s Included:

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.

Load capacity of 330lb with worksurface.


Freestanding Options:

|                      |                |       |       |
|----------------------|----------------|-------|-------|
| Width                | 42”, 48”, 54”  |       |       |
| Depth                | 42”, 48”, 54”  |       |       |
| End                  | 24”, 30”       |       |       |
| Worksurface Laminate | laminate color |       |       |
| Leg color            | silver         | white | black |

Integrated Options:

|                      |                |       |       |
|----------------------|----------------|-------|-------|
| Width                | 40”, 46”, 52”  |       |       |
| Depth                | 40”, 46”, 52”  |       |       |
| End                  | 23”, 29”       |       |       |
| Worksurface Laminate | laminate color |       |       |
| Leg color            | silver         | white | black |

| Code                       | Price | Height (in) | W Range (in) | D (in) | Volume (ft³) | Weight (lb) |
|----------------------------|-------|-------------|--------------|--------|--------------|-------------|
| 120 Base                   |       |             |              |        |              |             |
| R-HA3B2-S-G3               | 3330  |             | 40”-48”      | 24     | 4.22         | 120         |
| R-HA3B2-L-G3               | 3362  |             | 52”-60”      | 24     | 4.27         | 128         |
| BIFMA Base                 |       |             |              |        |              |             |
| R-HA3B2-S-G3-B             | 3330  |             | 40”-48”      | 24     | 4.22         | 120         |
| R-HA3B2-L-G3-B             | 3362  |             | 52”-60”      | 24     | 4.27         | 128         |
| 120 Surface - Freestanding |       |             |              |        |              |             |
| R-S2CG-4224                | 985   | 1           | 42           | 42     | 1.8          | 32          |
| R-S2CG-4230                | 1193  | 1           | 42           | 42     | 2.125        | 35          |
| R-S2CG-4824                | 1046  | 1           | 48           | 48     | 1.9          | 35          |
| R-S2CG-4830                | 1254  | 1           | 48           | 48     | 2.25         | 38          |
| R-S2CG-5424                | 1059  | 1           | 54           | 54     | 2.1          | 38          |
| R-S2CG-5430                | 1268  | 1           | 54           | 54     | 2.45         | 41          |
| 120 Surface - Integrated   |       |             |              |        |              |             |
| R-S2CG-4023                | 952   | 1           | 40           | 40     | 1.71         | 30          |
| R-S2CG-4029                | 1140  | 1           | 40           | 40     | 2.03         | 33          |
| R-S2CG-4623                | 1013  | 1           | 46           | 46     | 1.8          | 33          |
| R-S2CG-4629                | 1201  | 1           | 46           | 46     | 2.15         | 36          |
| R-S2CG-5223                | 1026  | 1           | 52           | 52     | 2            | 36          |
| R-S2CG-5229                | 1214  | 1           | 52           | 52     | 2.35         | 39          |



What’s Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Straight desk worksurface is 1-inch thick.  
Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.  
Load capacity of 275lb with worksurface.

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Freestanding Options:

|                      |                                   |       |       |
|----------------------|-----------------------------------|-------|-------|
| Width                | 36”, 42”, 48”, 54”, 60”, 66”, 72” |       |       |
| Depth                | 24”, 30”                          |       |       |
| Worksurface Laminate | laminate color                    |       |       |
| Leg color            | silver                            | white | black |


Integrated Options:

|                      |                                   |       |       |
|----------------------|-----------------------------------|-------|-------|
| Width                | 34”, 40”, 46”, 52”, 58”, 64”, 70” |       |       |
| Depth                | 23”, 29”                          |       |       |
| Worksurface Laminate | laminate color                    |       |       |
| Leg color            | silver                            | white | black |

straight - base

| Code          | Price | W Range (in) | D(in) | Weight (lb) | Volume (ft³) |
|---------------|-------|--------------|-------|-------------|--------------|
| R-HATB-S-G3   | 1533  | 40”-72”      | 24    | 88          | 2.8          |
| R-HATB-L-G3   | 1569  | 76”-90”      | 24    | 90          | 2.86         |
| BIFMA base    |       |              |       |             |              |
| R-HATB-S-G3-B | 1533  | 40”-72”      | 24    | 88          | 2.8          |
| R-HATB-L-G3-B | 1569  | 76”-90”      | 24    | 90          | 2.86         |

| Code                   | Price | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|------------------------|-------|------------|------------|--------------|-------------|
| surface - freestanding |       |            |            |              |             |
| R-WS0G-3624            | 330   | 36         | 24         | 0            | 16          |
| R-WS0G-3630            | 336   | 36         | 30         | 0            | 20          |
| R-WS0G-4224            | 352   | 42         | 24         | 0            | 18.66       |
| R-WS0G-4230            | 361   | 42         | 30         | 0            | 23.33       |
| R-WS0G-4824            | 402   | 48         | 24         | 0            | 21.33       |
| R-WS0G-4830            | 423   | 48         | 30         | 0            | 26.67       |
| R-WS0G-5424            | 486   | 54         | 24         | 0            | 24          |
| R-WS0G-5430            | 519   | 54         | 30         | 0            | 30          |
| R-WS0G-6024            | 510   | 60         | 24         | 0            | 26.67       |
| R-WS0G-6030            | 543   | 60         | 30         | 0            | 33.31       |
| R-WS0G-6624            | 564   | 66         | 24         | 0            | 29.33       |
| R-WS0G-6630            | 579   | 66         | 30         | 0            | 36.65       |
| R-WS0G-7224            | 591   | 72         | 24         | 0            | 32          |
| R-WS0G-7230            | 594   | 72         | 30         | 0            | 40          |
| R-WS0G-7824            | 733   | 78         | 24         | 1.3          | 34          |
| R-WS0G-7830            | 772   | 78         | 30         | 1.625        | 42          |
| R-WS0G-8424            | 799   | 84         | 24         | 1.4          | 36          |
| R-WS0G-8430            | 839   | 84         | 30         | 1.75         | 44          |
| surface integrated     |       |            |            |              |             |
| R-WS0G-3423            | 330   | 34         | 23         | 0            | 15.98       |
| R-WS0G-3429            | 336   | 34         | 29         | 0            | 19.97       |
| R-WS0G-4023            | 352   | 40         | 23         | 0            | 18.64       |
| R-WS0G-4029            | 361   | 40         | 29         | 0            | 23.3        |
| R-WS0G-4623            | 402   | 46         | 23         | 0            | 21.31       |
| R-WS0G-4629            | 423   | 46         | 29         | 0            | 26.64       |
| R-WS0G-5223            | 472   | 52         | 23         | 0            | 23.98       |
| R-WS0G-5229            | 486   | 52         | 29         | 0            | 29.77       |
| R-WS0G-5823            | 510   | 58         | 23         | 0            | 26.65       |
| R-WS0G-5829            | 501   | 58         | 29         | 0            | 33.28       |
| R-WS0G-6423            | 564   | 64         | 23         | 0            | 29.31       |
| R-WS0G-6429            | 579   | 64         | 29         | 0            | 36.62       |
| R-WS0G-7023            | 591   | 70         | 23         | 0            | 31.98       |
| R-WS0G-7029            | 594   | 70         | 29         | 0            | 39.77       |
| R-WS0G-7623            | 733   | 76         | 23         | 1.21         | 33.98       |
| R-WS0G-7629            | 772   | 76         | 29         | 1.53         | 41.77       |
| R-WS0G-8223            | 799   | 82         | 23         | 1.3          | 35.98       |
| R-WS0G-8229            | 839   | 82         | 29         | 1.65         | 43.77       |



Height Adjustable Table, w/Box Enclosure, w/Grommet, No Modesty

What’s Included:

HAT table, box enclosure, grommet

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Options:

|                      |                         |       |       |
|----------------------|-------------------------|-------|-------|
| Width                | 60", 66", 72", 78", 84" |       |       |
| Depth                | 24", 30"                |       |       |
| Worksurface Laminate | laminate color          |       |       |
| Leg color            | silver                  | white | black |

| Code          | Price | H Range (in) | W (in) | D (in) |
|---------------|-------|--------------|--------|--------|
| R-HABT-6024-N | 3816  | 25.5 - 51    | 60     | 24     |
| R-HABT-6624-N | 3818  | 25.5 - 52    | 66     | 24     |
| R-HABT-7224-N | 3898  | 25.5 - 53    | 72     | 24     |
| R-HABT-7824-N | 3933  | 25.5 - 54    | 78     | 24     |
| R-HABT-8424-N | 3935  | 25.5 - 55    | 84     | 24     |
| R-HABT-6030-N | 3825  | 25.5 - 51    | 60     | 30     |
| R-HABT-6630-N | 3827  | 25.5 - 52    | 66     | 30     |
| R-HABT-7230-N | 3905  | 25.5 - 53    | 72     | 30     |
| R-HABT-7830-N | 3941  | 25.5 - 54    | 78     | 30     |
| R-HABT-8430-N | 3944  | 25.5 - 55    | 84     | 30     |



Height Adjustable Table, w/Box Enclosure, w/Grommet, w/ Trough & Modesty, 1" Top

What’s Included:

HAT table, box enclosure, grommet, modesty

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Modesty can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 350lb with worksurface.

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

|                      |                         |       |       |
|----------------------|-------------------------|-------|-------|
| Width                | 60", 66", 72", 78", 84" |       |       |
| Depth                | 24", 30"                |       |       |
| Worksurface Laminate | laminate color          |       |       |
| Leg color            | silver                  | white | black |

| Code          | Price | H Range (in) | W (in) | D (in) |
|---------------|-------|--------------|--------|--------|
| R-HABT-6024-M | 4415  | 25.5 - 51    | 60     | 24     |
| R-HABT-6624-M | 4430  | 25.5 - 52    | 66     | 24     |
| R-HABT-7224-M | 4554  | 25.5 - 53    | 72     | 24     |
| R-HABT-7824-M | 4640  | 25.5 - 54    | 78     | 24     |
| R-HABT-8424-M | 4653  | 25.5 - 55    | 84     | 24     |
| R-HABT-6030-M | 4422  | 25.5 - 51    | 60     | 30     |
| R-HABT-6630-M | 4437  | 25.5 - 52    | 66     | 30     |
| R-HABT-7230-M | 4561  | 25.5 - 53    | 72     | 30     |
| R-HABT-7830-M | 4647  | 25.5 - 54    | 78     | 30     |
| R-HABT-8430-M | 4662  | 25.5 - 55    | 84     | 30     |



**What's Included:**

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

Freestanding Options:

|                      |                |       |       |
|----------------------|----------------|-------|-------|
| Width/Depth          | 48", 54", 60", |       |       |
| End                  | 24", 30"       |       |       |
| Worksurface Laminate | laminate color |       |       |
| Leg color            | silver         | white | black |

Integrated Options:


|                      |                |       |       |
|----------------------|----------------|-------|-------|
| Width/Depth          | 46", 52", 58"  |       |       |
| End                  | 23", 29"       |       |       |
| Worksurface Laminate | laminate color |       |       |
| Leg color            | silver         | white | black |

5 sided base

| Code          | Price | W Range (in) | D (in) | Volume (ft³) | Weight (lb) |
|---------------|-------|--------------|--------|--------------|-------------|
| R-HA3B-S-G3   | 3093  | 46"-72"      | 24     | 146          | 4.22        |
| R-HA3B-L-G3   | 3127  | 58"-84"      | 24     | 148          | 4.27        |
| BIFMA base    |       |              |        |              |             |
| R-HA3B-S-G3-B | 3093  | 46"-72"      | 24     | 146          | 4.22        |
| R-HA3B-L-G3-B | 3127  | 58"-84"      | 24     | 148          | 4.27        |

5 sided surface

| Code                   | Price | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|------------------------|-------|------------|------------|--------------|-------------|
| freestanding curved    |       |            |            |              |             |
| R-W5CG-4824            | 714   | 48         | 24         | 5.22         | 47.43       |
| R-W5CG-4830            | 742   | 48         | 30         | 5.22         | 50.21       |
| R-W5CG-5424            | 814   | 54         | 24         | 5.22         | 49.45       |
| R-W5CG-5430            | 924   | 54         | 30         | 5.22         | 51.63       |
| R-W5CG-6024            | 905   | 60         | 24         | 5.22         | 54.2        |
| R-W5CG-6030            | 1056  | 60         | 30         | 5.22         | 56.32       |
| freestanding 90 degree |       |            |            |              |             |
| R-W5NG-4824            | 714   | 48         | 24         | 5.22         | 47.43       |
| R-W5NG-4830            | 742   | 48         | 30         | 5.22         | 50.21       |
| R-W5NG-5424            | 814   | 54         | 24         | 5.22         | 49.45       |
| R-W5NG-5430            | 924   | 54         | 30         | 5.22         | 51.63       |
| R-W5NG-6024            | 905   | 60         | 24         | 5.22         | 54.2        |
| R-W5NG-6030            | 1056  | 60         | 30         | 5.22         | 56.32       |
| integrated curved      |       |            |            |              |             |
| R-W5CG-4623            | 714   | 46         | 23         | 5.22         | 47.43       |
| R-W5CG-4629            | 742   | 46         | 29         | 5.22         | 50.21       |
| R-W5CG-5223            | 814   | 52         | 23         | 5.22         | 49.45       |
| R-W5CG-5229            | 924   | 52         | 29         | 5.22         | 51.63       |
| R-W5CG-5823            | 905   | 58         | 23         | 5.22         | 54.2        |
| R-W5CG-5829            | 1056  | 58         | 29         | 5.22         | 56.32       |
| integrated 90 degree   |       |            |            |              |             |
| R-W5NG-4623            | 714   | 46         | 23         | 5.22         | 47.43       |
| R-W5NG-4629            | 742   | 46         | 29         | 5.22         | 50.12       |
| R-W5NG-5223            | 814   | 52         | 23         | 5.22         | 49.43       |
| R-W5NG-5229            | 924   | 52         | 29         | 5.22         | 51.6        |
| R-W5NG-5823            | 905   | 58         | 23         | 5.22         | 54.01       |
| R-W5NG-5829            | 1056  | 58         | 29         | 5.22         | 56.03       |



What’s Included:

Unitized Volley tables (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver orwhite.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5” from the ground and raised to a maximum height of 51” from the ground.

Load capacity of 350lb with worksurface.

Freestanding Options:

|                      |                         |       |       |
|----------------------|-------------------------|-------|-------|
| Width                | 60", 66", 72", 78", 84" |       |       |
| Depth                | 48", 54", 60"           |       |       |
| End                  | 24", 30"                |       |       |
| Worksurface Laminate | laminate color          |       |       |
| Leg color            | silver                  | white | black |

Integated Options:

|                      |                         |       |       |
|----------------------|-------------------------|-------|-------|
| Width                | 58", 64", 70", 76", 82" |       |       |
| Depth                | 46", 52", 58"           |       |       |
| End                  | 23", 29"                |       |       |
| Worksurface Laminate | laminate color          |       |       |
| Leg color            | silver                  | white | black |

uniitized base

| Code        | Price | W Range (in) | D (in) | Volume (ft³) | Weight (lb) |
|-------------|-------|--------------|--------|--------------|-------------|
| R-HA3B-S-G3 | 3093  | 46"-72"      | 24     | 146          | 4.22        |
| R-HA3B-L-G3 | 3127  | 58"-84"      | 24     | 148          | 4.27        |

| Code                          | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|-------------------------------|-------|--------|------------|----------|--------------|-------------|
| surface - freestanding curved |       |        |            |          |              |             |
| R-WUCG-604824-L               | 1039  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUCG-604824-R               | 1039  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUCG-604830-L               | 1067  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUCG-604830-R               | 1067  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUCG-605424-L               | 1141  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUCG-605424-R               | 1141  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUCG-605430-L               | 1169  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUCG-605430-R               | 1169  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUCG-664824-L               | 1152  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUCG-664824-R               | 1152  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUCG-664830-L               | 1184  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUCG-664830-R               | 1184  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUCG-665424-L               | 1262  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUCG-665424-R               | 1262  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUCG-665430-L               | 1290  | 66     | 54         | 30       | 5.42         | 51.96       |
| R-WUCG-665430-R               | 1290  | 66     | 54         | 30       | 5.42         | 51.96       |

| Code                            | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---------------------------------|-------|--------|------------|----------|--------------|-------------|
| freestanding curved - continued |       |        |            |          |              |             |
| R-WUCG-666024-L                 | 1371  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUCG-666024-R                 | 1371  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUCG-666030-L                 | 1402  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUCG-666030-R                 | 1402  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUCG-724824-L                 | 1206  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUCG-724824-R                 | 1206  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUCG-724830-L                 | 1234  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUCG-724830-R                 | 1234  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUCG-725424-L                 | 1318  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUCG-725424-R                 | 1318  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUCG-725430-L                 | 1351  | 72     | 54         | 30       | 5.42         | 55.21       |
| R-WUCG-725430-R                 | 1351  | 72     | 54         | 30       | 5.42         | 55.21       |
| R-WUCG-726024-L                 | 1435  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUCG-726024-R                 | 1435  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUCG-726030-L                 | 1464  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUCG-726030-R                 | 1464  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUCG-784824-L                 | 1354  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUCG-784824-R                 | 1354  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUCG-784830-L                 | 1388  | 78     | 48         | 30       | 5.42         | 56.19       |
| R-WUCG-784830-R                 | 1388  | 78     | 48         | 30       | 5.42         | 56.19       |

| Code                            | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---------------------------------|-------|--------|------------|----------|--------------|-------------|
| freestanding curved - continued |       |        |            |          |              |             |
| R-WUCG-785424-L                 | 1479  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUCG-785424-R                 | 1479  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUCG-785430-L                 | 1513  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUCG-785430-R                 | 1513  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUCG-786024-L                 | 1606  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUCG-786024-R                 | 1606  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUCG-786030-L                 | 1640  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUCG-786030-R                 | 1640  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUCG-844824-L                 | 1485  | 84     | 48         | 24       | 5.42         | 56.16       |
| R-WUCG-844824-R                 | 1485  | 84     | 48         | 24       | 5.42         | 56.16       |
| R-WUCG-844830-L                 | 1517  | 84     | 48         | 30       | 5.42         | 58.32       |
| R-WUCG-844830-R                 | 1517  | 84     | 48         | 30       | 5.42         | 58.32       |
| R-WUCG-845424-L                 | 1624  | 84     | 54         | 24       | 5.42         | 58.6        |
| R-WUCG-845424-R                 | 1624  | 84     | 54         | 24       | 5.42         | 58.6        |
| R-WUCG-845430-L                 | 1656  | 84     | 54         | 30       | 5.42         | 59.63       |
| R-WUCG-845430-R                 | 1656  | 84     | 54         | 30       | 5.42         | 59.63       |
| R-WUCG-846024-L                 | 1764  | 84     | 60         | 24       | 5.42         | 59.99       |
| R-WUCG-846024-R                 | 1764  | 84     | 60         | 24       | 5.42         | 59.99       |
| R-WUCG-846030-L                 | 1794  | 84     | 60         | 30       | 5.42         | 61.34       |
| R-WUCG-846030-R                 | 1794  | 84     | 60         | 30       | 5.42         | 61.34       |

| Code                             | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|----------------------------------|-------|--------|------------|----------|--------------|-------------|
| surface - freestanding 90 degree |       |        |            |          |              |             |
| R-WUCG-604824-L                  | 1039  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUCG-604824-R                  | 1039  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUCG-604830-L                  | 1067  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUCG-604830-R                  | 1067  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUCG-605424-L                  | 1141  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUCG-605424-R                  | 1141  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUCG-605430-L                  | 1169  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUCG-605430-R                  | 1169  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUCG-664824-L                  | 1152  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUCG-664824-R                  | 1152  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUCG-664830-L                  | 1184  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUCG-664830-R                  | 1184  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUCG-665424-L                  | 1262  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUCG-665424-R                  | 1262  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUCG-665430-L                  | 1290  | 66     | 54         | 30       | 5.42         | 51.96       |
| R-WUCG-665430-R                  | 1290  | 66     | 54         | 30       | 5.42         | 51.96       |
| R-WUCG-666024-L                  | 1371  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUCG-666024-R                  | 1371  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUCG-666030-L                  | 1402  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUCG-666030-R                  | 1402  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUCG-724824-L                  | 1206  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUCG-724824-R                  | 1206  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUCG-724830-L                  | 1234  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUCG-724830-R                  | 1234  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUCG-725424-L                  | 1318  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUCG-725424-R                  | 1318  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUCG-725430-L                  | 1351  | 72     | 54         | 30       | 5.42         | 55.21       |
| R-WUCG-725430-R                  | 1351  | 72     | 54         | 30       | 5.42         | 55.21       |


| Code                               | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|------------------------------------|-------|--------|------------|----------|--------------|-------------|
| freestanding 90 degree - continued |       |        |            |          |              |             |
| R-WUCG-726024-L                    | 1435  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUCG-726024-R                    | 1435  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUCG-726030-L                    | 1464  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUCG-726030-R                    | 1464  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUCG-784824-L                    | 1354  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUCG-784824-R                    | 1354  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUCG-784830-L                    | 1388  | 78     | 48         | 30       | 5.42         | 56.19       |
| R-WUCG-784830-R                    | 1388  | 78     | 48         | 30       | 5.42         | 56.19       |
| R-WUCG-785424-L                    | 1479  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUCG-785424-R                    | 1479  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUCG-785430-L                    | 1513  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUCG-785430-R                    | 1513  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUCG-786024-L                    | 1606  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUCG-786024-R                    | 1606  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUCG-786030-L                    | 1640  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUCG-786030-R                    | 1640  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUCG-844824-L                    | 1485  | 84     | 48         | 24       | 5.42         | 56.16       |
| R-WUCG-844824-R                    | 1485  | 84     | 48         | 24       | 5.42         | 56.16       |
| R-WUCG-844830-L                    | 1517  | 84     | 48         | 30       | 5.42         | 58.32       |
| R-WUCG-844830-R                    | 1517  | 84     | 48         | 30       | 5.42         | 58.32       |
| R-WUCG-845424-L                    | 1624  | 84     | 54         | 24       | 5.42         | 58.6        |
| R-WUCG-845424-R                    | 1624  | 84     | 54         | 24       | 5.42         | 58.6        |
| R-WUCG-845430-L                    | 1656  | 84     | 54         | 30       | 5.42         | 59.63       |
| R-WUCG-845430-R                    | 1656  | 84     | 54         | 30       | 5.42         | 59.63       |
| R-WUCG-846024-L                    | 1764  | 84     | 60         | 24       | 5.42         | 59.99       |
| R-WUCG-846024-R                    | 1764  | 84     | 60         | 24       | 5.42         | 59.99       |
| R-WUCG-846030-L                    | 1794  | 84     | 60         | 30       | 5.42         | 61.34       |
| R-WUCG-846030-R                    | 1794  | 84     | 60         | 30       | 5.42         | 61.34       |

| Code              | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|-------------------|-------|--------|------------|----------|--------------|-------------|
| integrated curved |       |        |            |          |              |             |
| R-WUCG-584623-L   | 1039  | 58     | 46         | 23       | 5.42         | 46          |
| R-WUCG-584623-R   | 1039  | 58     | 46         | 23       | 5.42         | 46          |
| R-WUCG-584629-L   | 1067  | 58     | 46         | 29       | 5.42         | 48.1        |
| R-WUCG-584629-R   | 1067  | 58     | 46         | 29       | 5.42         | 48.1        |
| R-WUCG-585223-L   | 1141  | 58     | 52         | 23       | 5.42         | 47.03       |
| R-WUCG-585223-R   | 1141  | 58     | 52         | 23       | 5.42         | 47.03       |
| R-WUCG-585229-L   | 1169  | 58     | 52         | 29       | 5.42         | 49.3        |
| R-WUCG-585229-R   | 1169  | 58     | 52         | 29       | 5.42         | 49.3        |
| R-WUCG-644623-L   | 1152  | 64     | 46         | 23       | 5.42         | 48          |
| R-WUCG-644623-R   | 1152  | 64     | 46         | 23       | 5.42         | 48          |
| R-WUCG-644629-L   | 1184  | 64     | 46         | 29       | 5.42         | 48.92       |
| R-WUCG-644629-R   | 1184  | 64     | 46         | 29       | 5.42         | 48.92       |
| R-WUCG-645223-L   | 1262  | 64     | 52         | 23       | 5.42         | 49.23       |
| R-WUCG-645223-R   | 1262  | 64     | 52         | 23       | 5.42         | 49.23       |
| R-WUCG-645229-L   | 1290  | 64     | 52         | 29       | 5.42         | 51.93       |
| R-WUCG-645229-R   | 1290  | 64     | 52         | 29       | 5.42         | 51.93       |
| R-WUCG-645823-L   | 1371  | 64     | 58         | 23       | 5.42         | 52.33       |
| R-WUCG-645823-R   | 1371  | 64     | 58         | 23       | 5.42         | 52.33       |
| R-WUCG-645829-L   | 1402  | 64     | 58         | 29       | 5.42         | 54.62       |
| R-WUCG-645829-R   | 1402  | 64     | 58         | 29       | 5.42         | 54.62       |
| R-WUCG-704623-L   | 1206  | 70     | 46         | 23       | 5.42         | 52.3        |
| R-WUCG-704623-R   | 1206  | 70     | 46         | 23       | 5.42         | 52.3        |
| R-WUCG-704629-L   | 1234  | 70     | 46         | 29       | 5.42         | 53.66       |
| R-WUCG-704629-R   | 1234  | 70     | 46         | 29       | 5.42         | 53.66       |
| R-WUCG-705223-L   | 1318  | 70     | 52         | 23       | 5.42         | 53.62       |
| R-WUCG-705223-R   | 1318  | 70     | 52         | 23       | 5.42         | 53.62       |
| R-WUCG-705229-L   | 1351  | 70     | 52         | 29       | 5.42         | 55.18       |
| R-WUCG-705229-R   | 1351  | 70     | 52         | 29       | 5.42         | 55.18       |

| Code                          | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|-------------------------------|-------|--------|------------|----------|--------------|-------------|
| integrated curved - continued |       |        |            |          |              |             |
| R-WUCG-705823-L               | 1435  | 70     | 58         | 23       | 5.42         | 55.33       |
| R-WUCG-705823-R               | 1435  | 70     | 58         | 23       | 5.42         | 55.33       |
| R-WUCG-705829-L               | 1464  | 70     | 58         | 29       | 5.42         | 57.28       |
| R-WUCG-705829-R               | 1464  | 70     | 58         | 29       | 5.42         | 57.28       |
| R-WUCG-764623-L               | 1354  | 76     | 46         | 23       | 5.42         | 54.13       |
| R-WUCG-764623-R               | 1354  | 76     | 46         | 23       | 5.42         | 54.13       |
| R-WUCG-764629-L               | 1388  | 76     | 46         | 29       | 5.42         | 56.16       |
| R-WUCG-764629-R               | 1388  | 76     | 46         | 29       | 5.42         | 56.16       |
| R-WUCG-765223-L               | 1479  | 76     | 52         | 23       | 5.42         | 56.58       |
| R-WUCG-765223-R               | 1479  | 76     | 52         | 23       | 5.42         | 56.58       |
| R-WUCG-765229-L               | 1513  | 76     | 52         | 29       | 5.42         | 57.14       |
| R-WUCG-765229-R               | 1513  | 76     | 52         | 29       | 5.42         | 57.14       |
| R-WUCG-765823-L               | 1606  | 76     | 58         | 23       | 5.42         | 57.93       |
| R-WUCG-765823-R               | 1606  | 76     | 58         | 23       | 5.42         | 57.93       |
| R-WUCG-765829-L               | 1640  | 76     | 58         | 29       | 5.42         | 58.59       |
| R-WUCG-765829-R               | 1640  | 76     | 58         | 29       | 5.42         | 58.59       |
| R-WUCG-824623-L               | 1485  | 82     | 46         | 23       | 5.42         | 56.13       |
| R-WUCG-824623-R               | 1485  | 82     | 46         | 23       | 5.42         | 56.13       |
| R-WUCG-824629-L               | 1517  | 82     | 46         | 29       | 5.42         | 58.28       |
| R-WUCG-824629-R               | 1517  | 82     | 46         | 29       | 5.42         | 58.28       |
| R-WUCG-825223-L               | 1624  | 82     | 52         | 23       | 5.42         | 58.57       |
| R-WUCG-825223-R               | 1624  | 82     | 52         | 23       | 5.42         | 58.57       |
| R-WUCG-825229-L               | 1656  | 82     | 52         | 29       | 5.42         | 59.6        |
| R-WUCG-825229-R               | 1656  | 82     | 52         | 29       | 5.42         | 59.6        |
| R-WUCG-825823-L               | 1764  | 82     | 58         | 23       | 5.42         | 59.96       |
| R-WUCG-825823-R               | 1764  | 82     | 58         | 23       | 5.42         | 59.96       |
| R-WUCG-825829-L               | 1794  | 82     | 58         | 29       | 5.42         | 61.31       |
| R-WUCG-825829-R               | 1794  | 82     | 58         | 29       | 5.42         | 61.31       |

| Code                 | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|----------------------|-------|--------|------------|----------|--------------|-------------|
| integrated 90 degree |       |        |            |          |              |             |
| R-WUNG-584623-L      | 1089  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUNG-584623-R      | 1089  | 60     | 48         | 24       | 5.42         | 46.03       |
| R-WUNG-585223-L      | 1195  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUNG-585223-R      | 1195  | 60     | 48         | 30       | 5.42         | 48.13       |
| R-WUNG-585229-L      | 1229  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUNG-585229-R      | 1229  | 60     | 54         | 24       | 5.42         | 47.06       |
| R-WUNG-644623-L      | 1208  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUNG-644623-R      | 1208  | 60     | 54         | 30       | 5.42         | 49.32       |
| R-WUNG-645223-L      | 1325  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUNG-645223-R      | 1325  | 66     | 48         | 24       | 5.42         | 48.13       |
| R-WUNG-645229-L      | 1354  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUNG-645229-R      | 1354  | 66     | 48         | 30       | 5.42         | 49.56       |
| R-WUNG-645823-L      | 1438  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUNG-645823-R      | 1438  | 66     | 54         | 24       | 5.42         | 49.26       |
| R-WUNG-645829-L      | 1471  | 66     | 54         | 30       | 5.42         | 51.96       |
| R-WUNG-645829-R      | 1471  | 66     | 54         | 30       | 5.42         | 51.96       |
| R-WUNG-704623-L      | 1265  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUNG-704623-R      | 1265  | 66     | 60         | 24       | 5.42         | 52.36       |
| R-WUNG-705223-L      | 1381  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUNG-705223-R      | 1381  | 66     | 60         | 30       | 5.42         | 54.65       |
| R-WUNG-705229-L      | 1417  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUNG-705229-R      | 1417  | 72     | 48         | 24       | 5.42         | 52.33       |
| R-WUNG-705823-L      | 1503  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUNG-705823-R      | 1503  | 72     | 48         | 30       | 5.42         | 53.69       |
| R-WUNG-705829-L      | 1536  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUNG-705829-R      | 1536  | 72     | 54         | 24       | 5.42         | 53.65       |
| R-WUNG-764623-L      | 1422  | 72     | 54         | 30       | 5.42         | 55.21       |
| R-WUNG-764623-R      | 1422  | 72     | 54         | 30       | 5.42         | 55.21       |

| Code                             | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|----------------------------------|-------|--------|------------|----------|--------------|-------------|
| integrated 90 degree - continued |       |        |            |          |              |             |
| R-WUNG-765223-L                  | 1551  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUNG-765223-R                  | 1551  | 72     | 60         | 24       | 5.42         | 55.36       |
| R-WUNG-765229-L                  | 1588  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUNG-765229-R                  | 1588  | 72     | 60         | 30       | 5.42         | 57.31       |
| R-WUNG-765823-L                  | 1685  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUNG-765823-R                  | 1685  | 78     | 48         | 24       | 5.42         | 54.16       |
| R-WUNG-765829-L                  | 1718  | 78     | 48         | 30       | 5.42         | 56.19       |
| R-WUNG-765829-R                  | 1718  | 78     | 48         | 30       | 5.42         | 56.19       |
| R-WUNG-824623-L                  | 1557  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUNG-824623-R                  | 1557  | 78     | 54         | 24       | 5.42         | 56.61       |
| R-WUNG-825223-L                  | 1703  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUNG-825223-R                  | 1703  | 78     | 54         | 30       | 5.42         | 58.17       |
| R-WUNG-825229-L                  | 1738  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUNG-825229-R                  | 1738  | 78     | 60         | 24       | 5.42         | 57.96       |
| R-WUNG-825823-L                  | 1850  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUNG-825823-R                  | 1850  | 78     | 60         | 30       | 5.42         | 58.62       |
| R-WUNG-825829-L                  | 1881  | 84     | 48         | 24       | 5.42         | 56.16       |
| R-WUNG-825829-R                  | 1881  | 84     | 48         | 24       | 5.42         | 56.16       |



Height Adjustable Table Enclosure Box

What’s Included:

HAT enclosure box


How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Options:

|           |                |
|-----------|----------------|
| Depth     | 25.5", 30"     |
| Enclosure | laminate color |

| Code          | Price | H (in) | W (in) | D (in) |
|---------------|-------|--------|--------|--------|
| R-HBOX-180725 | 967   | 18.25  | 6.75   | 25.5   |
| R-HBOX-180730 | 970   | 18.25  | 6.75   | 30     |



Flex Cable Organizer

What’s Included:

Flex Cable organizer

How to Specify:

This accessory is available in grey only.


Notes:

- Designed to fit the Volley height adjustable table frame.
- Attaches to frame using magnets. Can also be attached to underside of worksurface using screws.
- Height under worksurface is 5" after installation.
- Made from flexible woven seam welded plastic.
- Includes 2" opening midway on both sides for cable access

Options:

|       |     |
|-------|-----|
| Depth | 10" |
|-------|-----|

| Code        | Price | W (in) | D (in) |
|-------------|-------|--------|--------|
| V-EWMM-3610 | 97    | 36     | 10     |



Trough and trough mounted modesty

What's Included:

Trough and trough mounted modesty for Volley height adjustable table

How to Specify:

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

Notes:

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

|         |                                   |
|---------|-----------------------------------|
| Width   | 46", 52", 58", 64", 70"           |
| Modesty | frosted acrylic or laminate color |


| Code                    | Price | H (in) | W (in) |
|-------------------------|-------|--------|--------|
| Laminate Modesty        |       |        |        |
| R-HMOD-6021             | 597   | 21     | 46     |
| R-HMOD-6621             | 609   | 21     | 52     |
| R-HMOD-7221             | 654   | 21     | 58     |
| R-HMOD-7821             | 704   | 21     | 64     |
| R-HMOD-8421             | 717   | 21     | 70     |
| Frosted Acrylic Modesty |       |        |        |
| R-HMOD-6021-F           | 907   | 21     | 46     |
| R-HMOD-6621-F           | 1006  | 21     | 52     |
| R-HMOD-7221-F           | 1037  | 21     | 58     |
| R-HMOD-7821-F           | 1271  | 21     | 64     |
| R-HMOD-8421-F           | 1275  | 21     | 70     |



Tables Pricebook  
October 2025  
**Norris Tables**

Norris tables

|                                             |    |
|---------------------------------------------|----|
| <u>super ellipse without power and data</u> | 30 |
| <u>super ellipse with power and data</u>    | 32 |
| <u>video without power and data</u>         | 34 |
| <u>video with power and data</u>            | 36 |
| <u>boat without power and data</u>          | 38 |
| <u>boat with power and data</u>             | 40 |
| <u>straight without power and data</u>      | 42 |
| <u>straight with power and data</u>         | 44 |
| <u>options</u>                              | 46 |
| <u>add-on Kits</u>                          | 47 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Width                | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate | Color                                                                                 |
| Gable + Plinth       | Laminate Color                                                                        |
| Metal Accent Color   |                                                                                       |

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" horizontal center plinth.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BE1N-7236  | 2836  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BE1N-8436  | 3036  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BE1N-9636  | 3191  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BE1N-7242  | 3153  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BE1N-8442  | 3311  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BE1N-9642  | 3473  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BE1N-10842 | 3641  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BE1N-12042 | 3810  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BE1N-8448  | 3512  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BE1N-9648  | 3633  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BE1N-10848 | 4923  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BE1N-12048 | 5140  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BE1N-13248 | 5664  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BE1N-14448 | 5897  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BE1N-15648 | 6128  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BE1N-16848 | 6636  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BE1N-18048 | 6728  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BE1N-19248 | 6818  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BE1N-20448 | 8540  | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BE1N-21648 | 8784  | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BE1N-22848 | 9026  | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BE1N-24048 | 9528  | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BE1N-10860 | 5916  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BE1N-12060 | 6178  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BE1N-13260 | 6443  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BE1N-14460 | 6714  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BE1N-15660 | 6982  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BE1N-16860 | 7242  | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BE1N-18060 | 7515  | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BE1N-19260 | 7776  | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BE1N-20460 | 9621  | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BE1N-21660 | 9900  | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BE1N-22860 | 10173 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BE1N-24060 | 10442 | 29.5        | 240        | 60         | 28           | 403.2       |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| Width                   | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                   | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate    | Color                                                                                 |
| Gable + Plinth Laminate | Color                                                                                 |
| Metal Accent Color      |                                                                                       |

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" horizontal center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BE1E-7236  | 4239  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BE1E-8436  | 4439  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BE1E-9636  | 4595  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BE1E-7242  | 4556  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BE1E-8442  | 4714  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BE1E-9642  | 4877  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BE1E-10842 | 5043  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BE1E-12042 | 5215  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BE1E-8448  | 4917  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BE1E-9648  | 5039  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BE1E-10848 | 7730  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BE1E-12048 | 7948  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BE1E-13248 | 8628  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BE1E-14448 | 8863  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BE1E-15648 | 9092  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BE1E-16848 | 9601  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BE1E-18048 | 9694  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BE1E-19248 | 9783  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BE1E-20448 | 12835 | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BE1E-21648 | 12978 | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BE1E-22848 | 13279 | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BE1E-24048 | 13846 | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BE1E-10860 | 8883  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BE1E-12060 | 9145  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BE1E-13260 | 9409  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BE1E-14460 | 9681  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BE1E-15660 | 9946  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BE1E-16860 | 10210 | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BE1E-18060 | 10478 | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BE1E-19260 | 10745 | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BE1E-20460 | 13954 | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BE1E-21660 | 14126 | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BE1E-22860 | 14461 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BE1E-24060 | 14796 | 29.5        | 240        | 60         | 28           | 403.2       |



### What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

## How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

## Notes:

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.


Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" horizontal center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| Width                   | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                   | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate    | Color                                                                                 |
| Gable + Plinth Laminate | Color                                                                                 |
| Metal Accent            | Color                                                                                 |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BV1N-7236  | 2836  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BV1N-8436  | 3036  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BV1N-9636  | 3191  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BV1N-7242  | 3153  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BV1N-8442  | 3311  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BV1N-9642  | 3473  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BV1N-10842 | 3641  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BV1N-12042 | 3810  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BV1N-8448  | 3512  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BV1N-9648  | 3633  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BV1N-10848 | 4923  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BV1N-12048 | 5140  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BV1N-13248 | 5664  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BV1N-14448 | 5897  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BV1N-15648 | 6128  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BV1N-16848 | 6636  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BV1N-18048 | 6728  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BV1N-19248 | 6818  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BV1N-20448 | 8540  | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BV1N-21648 | 8784  | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BV1N-22848 | 9026  | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BV1N-24048 | 9528  | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BV1N-10860 | 5916  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BV1N-12060 | 6178  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BV1N-13260 | 6443  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BV1N-14460 | 6714  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BV1N-15660 | 6982  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BV1N-16860 | 7242  | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BV1N-18060 | 7515  | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BV1N-19260 | 7776  | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BV1N-20460 | 9621  | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BV1N-21660 | 9900  | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BV1N-22860 | 10173 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BV1N-24060 | 10442 | 29.5        | 240        | 60         | 28           | 403.2       |



What’s Included:

- Steel bridge under structure.
- 1.5” thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108” and 240” come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Notes:

- Sizes between 72”-96” come as a one-piece top.
- Sizes between 108”-192” come as a two-piece top.
- Sizes between 204”-240” come as a three-piece top.
- Tables between 132”-240” come with a 36” center plinth.
- Tops from 72”-96” have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108”-192” have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204”-240” have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

Options:

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| Width                   | 72”, 84”, 96”, 108”, 120”, 132”, 144”, 156”, 168”, 180”, 192”, 204”, 216”, 228”, 240” |
| Depth                   | 36”, 42”, 48”, 60”                                                                    |
| Worksurface Laminate    | Color                                                                                 |
| Gable + Plinth Laminate | Color                                                                                 |
| Metal Accent Color      |                                                                                       |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BV1E-7236  | 4239  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BV1E-8436  | 4439  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BV1E-9636  | 4595  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BV1E-7242  | 4556  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BV1E-8442  | 4714  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BV1E-9642  | 4877  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BV1E-10842 | 5043  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BV1E-12042 | 5215  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BV1E-8448  | 4917  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BV1E-9648  | 5039  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BV1E-10848 | 7730  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BV1E-12048 | 7948  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BV1E-13248 | 8628  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BV1E-14448 | 8863  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BV1E-15648 | 9092  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BV1E-16848 | 9601  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BV1E-18048 | 9694  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BV1E-19248 | 9783  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BV1E-20448 | 12835 | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BV1E-21648 | 12978 | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BV1E-22848 | 13279 | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BV1E-24048 | 13846 | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BV1E-10860 | 8883  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BV1E-12060 | 9145  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BV1E-13260 | 9409  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BV1E-14460 | 9681  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BV1E-15660 | 9946  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BV1E-16860 | 10210 | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BV1E-18060 | 10478 | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BV1E-19260 | 10745 | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BV1E-20460 | 13954 | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BV1E-21660 | 14126 | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BV1E-22860 | 14461 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BV1E-24060 | 14796 | 29.5        | 240        | 60         | 28           | 403.2       |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| Width                   | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                   | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate    | Color                                                                                 |
| Gable + Plinth Laminate | Color                                                                                 |
| Metal Accent Color      |                                                                                       |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BB1N-7236  | 2836  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BB1N-8436  | 3036  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BB1N-9636  | 3191  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BB1N-7242  | 3153  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BB1N-8442  | 3311  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BB1N-9642  | 3473  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BB1N-10842 | 3641  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BB1N-12042 | 3810  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BB1N-8448  | 3512  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BB1N-9648  | 3633  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BB1N-10848 | 4923  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BB1N-12048 | 5140  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BB1N-13248 | 5664  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BB1N-14448 | 5897  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BB1N-15648 | 6128  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BB1N-16848 | 6636  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BB1N-18048 | 6728  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BB1N-19248 | 6818  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BB1N-20448 | 8540  | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BB1N-21648 | 8784  | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BB1N-22848 | 9026  | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BB1N-24048 | 9528  | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BB1N-10860 | 5916  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BB1N-12060 | 6178  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BB1N-13260 | 6443  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BB1N-14460 | 6714  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BB1N-15660 | 6982  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BB1N-16860 | 7242  | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BB1N-18060 | 7515  | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BB1N-19260 | 7776  | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BB1N-20460 | 9621  | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BB1N-21660 | 9900  | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BB1N-22860 | 10173 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BB1N-24060 | 10442 | 29.5        | 240        | 60         | 28           | 403.2       |



### What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

## How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.


Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

## Options:

|                               |                                                                                       |
|-------------------------------|---------------------------------------------------------------------------------------|
| Width                         | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                         | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate Color    |                                                                                       |
| Cable + Plinth Laminate Color |                                                                                       |
| Metal Accent Color            |                                                                                       |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BB1E-7236  | 4239  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BB1E-8436  | 4439  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BB1E-9636  | 4595  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BB1E-7242  | 4556  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BB1E-8442  | 4714  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BB1E-9642  | 4877  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BB1E-10842 | 5043  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BB1E-12042 | 5215  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BB1E-8448  | 4917  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BB1E-9648  | 5039  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BB1E-10848 | 7730  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BB1E-12048 | 7948  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BB1E-13248 | 8628  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BB1E-14448 | 8863  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BB1E-15648 | 9092  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BB1E-16848 | 9601  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BB1E-18048 | 9694  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BB1E-19248 | 9783  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BB1E-20448 | 12835 | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BB1E-21648 | 12978 | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BB1E-22848 | 13279 | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BB1E-24048 | 13846 | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BB1E-10860 | 8883  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BB1E-12060 | 9145  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BB1E-13260 | 9409  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BB1E-14460 | 9681  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BB1E-15660 | 9946  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BB1E-16860 | 10210 | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BB1E-18060 | 10478 | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BB1E-19260 | 10745 | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BB1E-20460 | 13954 | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BB1E-21660 | 14126 | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BB1E-22860 | 14461 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BB1E-24060 | 14796 | 29.5        | 240        | 60         | 28           | 403.2       |



### What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

## How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

### Options:

Width 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240"

Depth 36", 42", 48", 60"

Worksurface Laminate Color

Gable + Plinth Laminate Color

Metal Accent Color

### Notes:

Sizes between 72"-96" come as a one-piece top.


Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BS1N-7236  | 2836  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BS1N-8436  | 3036  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BS1N-9636  | 3191  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BS1N-7242  | 3153  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BS1N-8442  | 3311  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BS1N-9642  | 3473  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BS1N-10842 | 3641  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BS1N-12042 | 3810  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BS1N-8448  | 3512  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BS1N-9648  | 3633  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BS1N-10848 | 4923  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BS1N-12048 | 5140  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BS1N-13248 | 5664  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BS1N-14448 | 5897  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BS1N-15648 | 6128  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BS1N-16848 | 6636  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BS1N-18048 | 6728  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BS1N-19248 | 6818  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BS1N-20448 | 8540  | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BS1N-21648 | 8784  | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BS1N-22848 | 9026  | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BS1N-24048 | 9528  | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BS1N-10860 | 5916  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BS1N-12060 | 6178  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BS1N-13260 | 6443  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BS1N-14460 | 6714  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BS1N-15660 | 6982  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BS1N-16860 | 7242  | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BS1N-18060 | 7515  | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BS1N-19260 | 7776  | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BS1N-20460 | 9621  | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BS1N-21660 | 9900  | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BS1N-22860 | 10173 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BS1N-24060 | 10442 | 29.5        | 240        | 60         | 28           | 403.2       |



### What's Included:

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

## How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

### Options:

|                               |                                                                                       |
|-------------------------------|---------------------------------------------------------------------------------------|
| Width                         | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth                         | 36", 42", 48", 60"                                                                    |
| Worksurface Laminate Color    |                                                                                       |
| Gable + Plinth Laminate Color |                                                                                       |
| Metal Accent Color            |                                                                                       |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-BS1E-7236  | 4239  | 29.5        | 72         | 36         | 5.04         | 72.58       |
| R-BS1E-8436  | 4439  | 29.5        | 84         | 36         | 5.88         | 84.67       |
| R-BS1E-9636  | 4595  | 29.5        | 96         | 36         | 6.72         | 96.77       |
| R-BS1E-7242  | 4556  | 29.5        | 72         | 42         | 5.88         | 84.67       |
| R-BS1E-8442  | 4714  | 29.5        | 84         | 42         | 6.86         | 98.78       |
| R-BS1E-9642  | 4877  | 29.5        | 96         | 42         | 7.84         | 112.9       |
| R-BS1E-10842 | 5043  | 29.5        | 108        | 42         | 8.82         | 127.01      |
| R-BS1E-12042 | 5215  | 29.5        | 120        | 42         | 9.8          | 141.12      |
| R-BS1E-8448  | 4917  | 29.5        | 84         | 48         | 7.84         | 112.9       |
| R-BS1E-9648  | 5039  | 29.5        | 96         | 48         | 8.96         | 129.02      |
| R-BS1E-10848 | 7730  | 29.5        | 108        | 48         | 10.08        | 145.15      |
| R-BS1E-12048 | 7948  | 29.5        | 120        | 48         | 11.2         | 161.28      |
| R-BS1E-13248 | 8628  | 29.5        | 132        | 48         | 12.32        | 177.41      |
| R-BS1E-14448 | 8863  | 29.5        | 144        | 48         | 13.44        | 193.54      |
| R-BS1E-15648 | 9092  | 29.5        | 156        | 48         | 14.56        | 209.66      |
| R-BS1E-16848 | 9601  | 29.5        | 168        | 48         | 15.68        | 225.79      |
| R-BS1E-18048 | 9694  | 29.5        | 180        | 48         | 16.8         | 241.92      |
| R-BS1E-19248 | 9783  | 29.5        | 192        | 48         | 17.92        | 258.05      |
| R-BS1E-20448 | 12835 | 29.5        | 204        | 48         | 19.04        | 274.18      |
| R-BS1E-21648 | 12978 | 29.5        | 216        | 48         | 20.16        | 290.3       |
| R-BS1E-22848 | 13279 | 29.5        | 228        | 48         | 21.28        | 306.43      |
| R-BS1E-24048 | 13846 | 29.5        | 240        | 48         | 22.4         | 322.56      |
| R-BS1E-10860 | 8883  | 29.5        | 108        | 60         | 12.6         | 181.44      |
| R-BS1E-12060 | 9145  | 29.5        | 120        | 60         | 14           | 201.6       |
| R-BS1E-13260 | 9409  | 29.5        | 132        | 60         | 15.4         | 221.76      |
| R-BS1E-14460 | 9681  | 29.5        | 144        | 60         | 16.8         | 241.92      |
| R-BS1E-15660 | 9946  | 29.5        | 156        | 60         | 18.2         | 262.08      |
| R-BS1E-16860 | 10210 | 29.5        | 168        | 60         | 19.6         | 282.24      |
| R-BS1E-18060 | 10478 | 29.5        | 180        | 60         | 21           | 302.4       |
| R-BS1E-19260 | 10745 | 29.5        | 192        | 60         | 22.4         | 322.56      |
| R-BS1E-20460 | 13954 | 29.5        | 204        | 60         | 23.8         | 342.72      |
| R-BS1E-21660 | 14126 | 29.5        | 216        | 60         | 25.2         | 362.88      |
| R-BS1E-22860 | 14461 | 29.5        | 228        | 60         | 26.6         | 383.04      |
| R-BS1E-24060 | 14796 | 29.5        | 240        | 60         | 28           | 403.2       |

Options

| Code   | Price | Description                  | Volume | Weight |
|--------|-------|------------------------------|--------|--------|
| R-HDMI | 205   | HDMI COUPLER, 18”CORD,F/F    | 12     | 1.1    |
| R-RJ11 | 80    | RJ11 JACK W/84” CABLE        | 12     | 1.1    |
| R-RJ45 | 211   | RJ45, CAT6 W/CORD 72”, BLACK | 12     | 1.2    |

Add-on Kits

| Code     | Price | Description                                   |
|----------|-------|-----------------------------------------------|
| V-ESMU-A | 187   | USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER) |
| R-ESMU-K | 885   | USB KIT (4EA DUAL USB PORTS WITH HUB)         |



Tables Pricebook  
October 2025


Kip Tables

Kip tables

|                                               |           |
|-----------------------------------------------|-----------|
| <u>community table without power and data</u> | <u>50</u> |
| <u>community table with power and data</u>    | <u>52</u> |

Add-on Kits

| Code     | Price | Description                                    |
|----------|-------|------------------------------------------------|
| V-ESMU-A | 187   | USB ADAPTER (1EA USB A & C PORTS WITH ADAPTER) |
| R-ESMU-K | 885   | USB KIT (4EA DUAL USB PORTS WITH HUB)          |



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.


Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.

Options:

|              |                                      |
|--------------|--------------------------------------|
| Width        | 60”, 72”, 84”, 96”, 108”, 120”, 144” |
| Depth        | 30”, 36”, 42”                        |
| Outershell   | Laminate Color                       |
| Inner Cover  | Laminate Color                       |
| Metal Accent | Color                                |

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-PT2N-6030  | 5920  | 42          | 60         | 30         | 5            | 72          |
| R-PT2N-7230  | 6008  | 42          | 72         | 30         | 6            | 86.4        |
| R-PT2N-8430  | 6054  | 42          | 84         | 30         | 7            | 100.8       |
| R-PT2N-9630  | 6143  | 42          | 96         | 30         | 8            | 115.2       |
| R-PT2N-6036  | 5922  | 42          | 60         | 36         | 6            | 86.4        |
| R-PT2N-7236  | 6012  | 42          | 72         | 36         | 7.2          | 103.68      |
| R-PT2N-8436  | 6056  | 42          | 84         | 36         | 8.4          | 120.96      |
| R-PT2N-9636  | 6146  | 42          | 96         | 36         | 9.6          | 138.24      |
| R-PT2N-10836 | 9058  | 42          | 108        | 36         | 10.8         | 155.52      |
| R-PT2N-12036 | 9154  | 42          | 120        | 36         | 12           | 172.8       |
| R-PT2N-13236 | 9248  | 42          | 132        | 36         | 13.2         | 190.08      |
| R-PT2N-14436 | 9343  | 42          | 144        | 36         | 14.4         | 207.36      |
| R-PT2N-7242  | 6015  | 42          | 72         | 42         | 8.4          | 120.96      |
| R-PT2N-8442  | 6058  | 42          | 84         | 42         | 9.8          | 141.12      |
| R-PT2N-9642  | 6149  | 42          | 96         | 42         | 11.2         | 161.28      |
| R-PT2N-10842 | 9064  | 42          | 108        | 42         | 12.6         | 181.44      |
| R-PT2N-12042 | 9162  | 42          | 120        | 42         | 14           | 201.6       |
| R-PT2N-13242 | 9252  | 42          | 132        | 42         | 15.4         | 221.76      |
| R-PT2N-14442 | 9349  | 42          | 144        | 42         | 16.8         | 241.92      |



What’s Included:

- 1.5” laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5” laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.

Notes:

- Sizes between 60”-96” come as a one-piece top.
- Sizes between 108”-144” come as a two-piece top.
- Tables longer than 96” come with a mid-gable.
- Tops between 60”-96” come with one flush surface power unit consisting of 2 power & 2 USB.
- Tops from 108”-144” come with two power units, consisting of 2 power & 2 USB.
- When choosing optional side-mounted USB:
  - Tables without mid-legs have 4 USB power modules.
  - Up to 4 side mount USB units can be connected to one hub.

Options:

|              |                                      |
|--------------|--------------------------------------|
| Width        | 60”, 72”, 84”, 96”, 108”, 120”, 144” |
| Depth        | 30”, 36”, 42”                        |
| Outershell   | Laminate Color                       |
| Inner Cover  | Laminate Color                       |
| Metal Accent | Color                                |


| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-PT2P-6030  | 6781  | 42          | 60         | 30         | 5            | 72          |
| R-PT2P-7230  | 6876  | 42          | 72         | 30         | 6            | 86.4        |
| R-PT2P-8430  | 6973  | 42          | 84         | 30         | 7            | 100.8       |
| R-PT2P-9630  | 7072  | 42          | 96         | 30         | 8            | 115.2       |
| R-PT2P-6036  | 6785  | 42          | 60         | 36         | 6            | 86.4        |
| R-PT2P-7236  | 6881  | 42          | 72         | 36         | 7.2          | 103.68      |
| R-PT2P-8436  | 6980  | 42          | 84         | 36         | 8.4          | 120.96      |
| R-PT2P-9636  | 7075  | 42          | 96         | 36         | 9.6          | 138.24      |
| R-PT2P-10836 | 10556 | 42          | 108        | 36         | 10.8         | 155.52      |
| R-PT2P-12036 | 10652 | 42          | 120        | 36         | 12           | 172.8       |
| R-PT2P-13236 | 10748 | 42          | 132        | 36         | 13.2         | 190.08      |
| R-PT2P-14436 | 10843 | 42          | 144        | 36         | 14.4         | 207.36      |
| R-PT2P-7242  | 6886  | 42          | 72         | 42         | 8.4          | 120.96      |
| R-PT2P-8442  | 6982  | 42          | 84         | 42         | 9.8          | 141.12      |
| R-PT2P-9642  | 7077  | 42          | 96         | 42         | 11.2         | 161.28      |
| R-PT2P-10842 | 10560 | 42          | 108        | 42         | 12.6         | 181.44      |
| R-PT2P-12042 | 10656 | 42          | 120        | 42         | 14           | 201.6       |
| R-PT2P-13242 | 10751 | 42          | 132        | 42         | 15.4         | 221.76      |
| R-PT2P-14442 | 10845 | 42          | 144        | 42         | 16.8         | 241.92      |



Tables Pricebook  
October 2025  
**Koko Tables**

Koko tables

|                          |           |
|--------------------------|-----------|
| <u>rectangular table</u> | <u>56</u> |
| <u>round table</u>       | <u>57</u> |



What’s Included:

Aluminum rectangular laptop table.


How to Specify:

Metal paint color.

Options:

Metal color

| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-PTR-242014 | 1167  | 24          | 20         | 14         | 4            | 26.88       |



What’s Included:

Aluminum round laptop table.

How to Specify:

Metal paint color.

Options:

Metal Color


| Code         | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|--------------|-------------|
| R-PTO-241616 | 1167  | 24          | 16         | 16         | 4            | 24.58       |



Tables Pricebook  
October 2025  
**Hanna**

Hanna tables

|                   |    |
|-------------------|----|
| T base - slim     | 60 |
| T base - tubular  | 62 |
| X base - slim     | 64 |
| X base - tubular  | 66 |
| super ellipse top | 68 |
| round top         | 70 |
| squircle top      | 72 |
| rectangular top   | 74 |
| square top        | 76 |



What’s Included:

One (1) metal slim T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

|             |                         |
|-------------|-------------------------|
| Spread      | 16”, 18”, 22”, 30”, 34” |
| Height      | 28”, 35”, 41”           |
| Metal Color |                         |

| Code         | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|-------------|--------------|-------------|
| R-HSB-T-1628 | 838   | 28          | 16          | 8            | Slim T Base |
| R-HSB-T-1828 | 845   | 28          | 18          | 9            | 14          |
| R-HSB-T-2228 | 844   | 28          | 22          | 11           | 14          |
| R-HSB-T-3028 | 856   | 28          | 30          | 15           | 14          |
| R-HSB-T-3428 | 887   | 28          | 34          | 17           | 14          |
| R-HSB-T-1635 | 1180  | 35          | 16          | 11.5         | 17.5        |
| R-HSB-T-1835 | 1184  | 35          | 18          | 12.5         | 17.5        |
| R-HSB-T-2235 | 1188  | 35          | 22          | 14.5         | 17.5        |
| R-HSB-T-3035 | 1198  | 35          | 30          | 18.5         | 17.5        |
| R-HSB-T-3435 | 1230  | 35          | 34          | 20.5         | 17.5        |
| R-HSB-T-1641 | 1180  | 41          | 16          | 14.5         | 20.5        |
| R-HSB-T-1841 | 1184  | 41          | 18          | 15.5         | 20.5        |
| R-HSB-T-2241 | 1188  | 41          | 22          | 17.5         | 20.5        |
| R-HSB-T-3041 | 1198  | 41          | 30          | 21.5         | 20.5        |
| R-HSB-T-3441 | 1230  | 41          | 34          | 23.5         | 20.5        |



What’s Included:

One (1) metal tubular T base.

How to Specify:

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread


42”d top - 30” spread

48”d top - 34” spread

Options:

|             |                         |
|-------------|-------------------------|
| Spread      | 16”, 18”, 22”, 30”, 34” |
| Height      | 28”, 35”, 41”           |
| Metal Color |                         |

| Code         | Price | Height (in) | Spread (in) | Volume (ft3) | Weight (lb)    |
|--------------|-------|-------------|-------------|--------------|----------------|
| R-HTB-T-1628 | 838   | 28          | 16          | 8            | Tubular T Base |
| R-HTB-T-1828 | 841   | 28          | 18          | 9            | 14             |
| R-HTB-T-2228 | 844   | 28          | 22          | 11           | 14             |
| R-HTB-T-3028 | 856   | 28          | 30          | 15           | 14             |
| R-HTB-T-3428 | 1124  | 28          | 34          | 17           | 14             |
| R-HTB-T-1635 | 1107  | 35          | 16          | 11.5         | 17.5           |
| R-HTB-T-1835 | 1109  | 35          | 18          | 12.5         | 17.5           |
| R-HTB-T-2235 | 1112  | 35          | 22          | 14.5         | 17.5           |
| R-HTB-T-3035 | 1124  | 35          | 30          | 18.5         | 17.5           |
| R-HTB-T-3435 | 1434  | 35          | 34          | 20.5         | 17.5           |
| R-HTB-T-1641 | 1180  | 41          | 16          | 14.5         | 20.5           |
| R-HTB-T-1841 | 1184  | 41          | 18          | 15.5         | 20.5           |
| R-HTB-T-2241 | 1188  | 41          | 22          | 17.5         | 20.5           |
| R-HTB-T-3041 | 1198  | 41          | 30          | 21.5         | 20.5           |
| R-HTB-T-3441 | 1506  | 41          | 34          | 23.5         | 20.5           |



What’s Included:

One (1) metal slim X base.

How to Specify:

Metal color.

Round

24”dia - 18” spread

30”dia - 22” spread

36”dia - 26” spread

42”dia - 30” spread

48”dia - 34” spread

54”dia - 42” spread

60”dia - 48” spread

Square

18”d - 18” spread

24”d - 22” spread

30”d - 26” spread

36”d - 30” spread

42”d - 34” spread

Squircle

24”d - 22” spread

30”d - 26” spread

36”d - 30” spread

42”d - 34” spread

Rectangular &  
Super Ellipse

24”d - 18” spread

30”d - 22” spread

36”d - 26” spread

42”d - 30” spread

48”d - 34” spread


Options:

Spread18”, 22”, 26”, 30”, 34”, 42”, 48”

Height15”, 21”, 28”, 35”, 41”

Metal Color

| Code         | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|-------------|--------------|-------------|
| R-HSB-X-1615 | 1112  | 15          | 16          | 8            | Slim X Base |
| R-HSB-X-1815 | 1121  | 15          | 18          | 9.5          | 7.5         |
| R-HSB-X-2215 | 1150  | 15          | 22          | 11.5         | 7.5         |
| R-HSB-X-2615 | 1189  | 15          | 26          | 13.5         | 7.5         |
| R-HSB-X-3015 | 1232  | 15          | 30          | 15.5         | 7.5         |
| R-HSB-X-3415 | 1270  | 15          | 34          | 17.5         | 7.5         |
| R-HSB-X-1621 | 1112  | 21          | 16          | 9            | 10.5        |
| R-HSB-X-1821 | 1121  | 21          | 18          | 10.5         | 10.5        |
| R-HSB-X-2221 | 1150  | 21          | 22          | 12.5         | 10.5        |
| R-HSB-X-2621 | 1189  | 21          | 26          | 14.5         | 10.5        |
| R-HSB-X-3021 | 1232  | 21          | 30          | 16.5         | 10.5        |
| R-HSB-X-3421 | 1270  | 21          | 34          | 18.5         | 10.5        |
| R-HSB-X-1628 | 1112  | 28          | 16          | 12           | 14          |
| R-HSB-X-1828 | 1121  | 28          | 18          | 13.5         | 14          |
| R-HSB-X-2228 | 1150  | 28          | 22          | 15.5         | 14          |
| R-HSB-X-2628 | 1189  | 28          | 26          | 17.5         | 14          |
| R-HSB-X-3028 | 1232  | 28          | 30          | 19.5         | 14          |
| R-HSB-X-3428 | 1270  | 28          | 34          | 21.5         | 14          |
| R-HSB-X-1635 | 1458  | 35          | 16          | 15           | 17.5        |
| R-HSB-X-1835 | 1464  | 35          | 18          | 16.5         | 17.5        |
| R-HSB-X-2235 | 1493  | 35          | 22          | 18.5         | 17.5        |
| R-HSB-X-2635 | 1532  | 35          | 26          | 20.5         | 17.5        |
| R-HSB-X-3035 | 1575  | 35          | 30          | 22.5         | 17.5        |
| R-HSB-X-3435 | 1611  | 35          | 34          | 24.5         | 17.5        |
| R-HSB-X-1641 | 1458  | 41          | 16          | 17           | 20.5        |
| R-HSB-X-1841 | 1464  | 41          | 18          | 18.5         | 20.5        |
| R-HSB-X-2241 | 1493  | 41          | 22          | 20.5         | 20.5        |
| R-HSB-X-2641 | 1532  | 41          | 26          | 22.5         | 20.5        |
| R-HSB-X-3041 | 1575  | 41          | 30          | 24.5         | 20.5        |
| R-HSB-X-3441 | 1611  | 41          | 34          | 26.5         | 20.5        |



What’s Included:

One (1) metal tubular X base.

How to Specify:


Metal color.

|                     |                   |                   |                             |
|---------------------|-------------------|-------------------|-----------------------------|
| Round               | Square            | Squircle          | Rectangular & Super Ellipse |
| 24”dia - 18” spread | 18”d - 18” spread | 24”d - 22” spread | 24”d - 18” spread           |
| 30”dia - 22” spread | 24”d - 22” spread | 30”d - 26” spread | 30”d - 22” spread           |
| 36”dia - 26” spread | 30”d - 26” spread | 36”d - 30” spread | 36”d - 26” spread           |
| 42”dia - 30” spread | 36”d - 30” spread | 42”d - 34” spread | 42”d - 30” spread           |
| 48”dia - 34” spread | 42”d - 34” spread |                   | 48”d - 34” spread           |
| 54”dia - 42” spread |                   |                   |                             |
| 60”dia - 48” spread |                   |                   |                             |

Options:

|             |                                   |
|-------------|-----------------------------------|
| Spread      | 18”, 22”, 26”, 30”, 34”, 42”, 48” |
| Height      | 15”, 21”, 28”, 35”, 41”           |
| Metal Color |                                   |

| Code         | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|--------------|-------|-------------|-------------|--------------|-------------|
| R-HTB-X-1615 | 1112  | 15          | 16          | 8            | 7.5         |
| R-HTB-X-1815 | 1121  | 15          | 18          | 9.5          | 7.5         |
| R-HTB-X-2215 | 1150  | 15          | 22          | 11.5         | 7.5         |
| R-HTB-X-2615 | 1189  | 15          | 26          | 13.5         | 7.5         |
| R-HTB-X-3015 | 1232  | 15          | 30          | 15.5         | 7.5         |
| R-HTB-X-3415 | 1471  | 15          | 34          | 17.5         | 7.5         |
| R-HTB-X-4215 | 1904  | 15          | 42          | 21.5         | 7.5         |
| R-HTB-X-4815 | 2140  | 15          | 48          | 24.5         | 7.5         |
| R-HTB-X-1621 | 1112  | 21          | 16          | 9            | 10.5        |
| R-HTB-X-1821 | 1121  | 21          | 18          | 10.5         | 10.5        |
| R-HTB-X-2221 | 1150  | 21          | 22          | 12.5         | 10.5        |
| R-HTB-X-2621 | 1189  | 21          | 26          | 14.5         | 10.5        |
| R-HTB-X-3021 | 1232  | 21          | 30          | 16.5         | 10.5        |
| R-HTB-X-3421 | 1471  | 21          | 34          | 18.5         | 10.5        |
| R-HTB-X-4221 | 1904  | 21          | 42          | 22.5         | 10.5        |
| R-HTB-X-4821 | 2140  | 21          | 48          | 25.5         | 10.5        |
| R-HTB-X-1628 | 1112  | 28          | 16          | 12           | 14          |
| R-HTB-X-1828 | 1121  | 28          | 18          | 13.5         | 14          |
| R-HTB-X-2228 | 1150  | 28          | 22          | 15.5         | 14          |
| R-HTB-X-2628 | 1189  | 28          | 26          | 17.5         | 14          |
| R-HTB-X-3028 | 1232  | 28          | 30          | 19.5         | 14          |
| R-HTB-X-3428 | 1471  | 28          | 34          | 21.5         | 14          |
| R-HTB-X-4228 | 1904  | 28          | 42          | 25.5         | 14          |
| R-HTB-X-4828 | 2140  | 28          | 48          | 28.5         | 14          |
| R-HTB-X-1635 | 1493  | 35          | 16          | 15           | 17.5        |
| R-HTB-X-1835 | 1501  | 35          | 18          | 16.5         | 17.5        |
| R-HTB-X-2235 | 1532  | 35          | 22          | 18.5         | 17.5        |
| R-HTB-X-2635 | 1570  | 35          | 26          | 20.5         | 17.5        |
| R-HTB-X-3035 | 1611  | 35          | 30          | 22.5         | 17.5        |
| R-HTB-X-3435 | 1732  | 35          | 34          | 24.5         | 17.5        |
| R-HTB-X-4235 | 2163  | 35          | 42          | 28.5         | 17.5        |
| R-HTB-X-4835 | 2494  | 35          | 48          | 31.5         | 17.5        |
| R-HTB-X-1641 | 1493  | 41          | 16          | 17           | 20.5        |
| R-HTB-X-1841 | 1501  | 41          | 18          | 18.5         | 20.5        |
| R-HTB-X-2241 | 1532  | 41          | 22          | 20.5         | 20.5        |
| R-HTB-X-2641 | 1570  | 41          | 26          | 22.5         | 20.5        |
| R-HTB-X-3041 | 1611  | 41          | 30          | 24.5         | 20.5        |
| R-HTB-X-3441 | 1732  | 41          | 34          | 26.5         | 20.5        |
| R-HTB-X-4241 | 2163  | 41          | 42          | 30.5         | 20.5        |
| R-HTB-X-4841 | 2494  | 41          | 48          | 33.5         | 20.5        |



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with two bases.

Options:

|                      |                                                            |
|----------------------|------------------------------------------------------------|
| Width                | 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96” |
| Depth                | 24”, 30”, 36”, 42”, 48”                                    |
| Worksurface Laminate |                                                            |

| Code        | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|--------------|-------------|
| R-TE0N-3024 | 463   | 1           | 30         | 24         | 0.4          | 14.4        |
| R-TE0N-3624 | 469   | 1           | 36         | 24         | 0.48         | 17.28       |
| R-TE0N-4224 | 533   | 1           | 42         | 24         | 0.56         | 20.16       |
| R-TE0N-4824 | 560   | 1           | 48         | 24         | 0.64         | 23.04       |
| R-TE0N-5424 | 647   | 1           | 54         | 24         | 0.72         | 25.92       |
| R-TE0N-6024 | 673   | 1           | 60         | 24         | 0.8          | 28.8        |
| R-TE0N-6624 | 728   | 1           | 66         | 24         | 0.88         | 31.68       |
| R-TE0N-7224 | 759   | 1           | 72         | 24         | 0.96         | 34.56       |
| R-TE0N-7824 | 816   | 1           | 78         | 24         | 1.04         | 37.44       |
| R-TE0N-8424 | 869   | 1           | 84         | 24         | 1.12         | 40.32       |
| R-TE0N-9024 | 975   | 1           | 90         | 24         | 1.2          | 43.2        |
| R-TE0N-9624 | 1040  | 1           | 96         | 24         | 1.28         | 46.08       |
| R-TE0N-4230 | 577   | 1           | 42         | 30         | 0.7          | 25.2        |
| R-TE0N-4830 | 611   | 1           | 48         | 30         | 0.8          | 28.8        |
| R-TE0N-5430 | 671   | 1           | 54         | 30         | 0.9          | 32.4        |
| R-TE0N-6030 | 699   | 1           | 60         | 30         | 1            | 36          |
| R-TE0N-6630 | 781   | 1           | 66         | 30         | 1.1          | 39.6        |
| R-TE0N-7230 | 798   | 1           | 72         | 30         | 1.2          | 43.2        |
| R-TE0N-7830 | 856   | 1           | 78         | 30         | 1.3          | 46.8        |
| R-TE0N-8430 | 915   | 1           | 84         | 30         | 1.4          | 50.4        |
| R-TE0N-9030 | 1026  | 1           | 90         | 30         | 1.5          | 54          |
| R-TE0N-9630 | 1096  | 1           | 96         | 30         | 1.6          | 57.6        |
| R-TE0N-6036 | 727   | 1           | 60         | 36         | 1.2          | 43.2        |
| R-TE0N-6636 | 812   | 1           | 66         | 36         | 1.32         | 47.52       |
| R-TE0N-7236 | 829   | 1           | 72         | 36         | 1.44         | 51.84       |
| R-TE0N-7836 | 886   | 1           | 78         | 36         | 1.56         | 56.16       |
| R-TE0N-8436 | 950   | 1           | 84         | 36         | 1.68         | 60.48       |
| R-TE0N-9036 | 1063  | 1           | 90         | 36         | 1.8          | 64.8        |
| R-TE0N-9636 | 1136  | 1           | 96         | 36         | 1.92         | 69.12       |
| R-TE0N-8442 | 1039  | 1           | 84         | 42         | 1.96         | 70.56       |
| R-TE0N-9042 | 1152  | 1           | 90         | 42         | 2.1          | 75.6        |
| R-TE0N-9642 | 1222  | 1           | 96         | 42         | 2.24         | 80.64       |
| R-TE0N-8448 | 1128  | 1           | 84         | 48         | 2.24         | 80.64       |
| R-TE0N-9048 | 1252  | 1           | 90         | 48         | 2.4          | 86.4        |
| R-TE0N-9648 | 1329  | 1           | 96         | 48         | 2.56         | 92.16       |



What's Included:

1" laminate surface.


How to Specify:

Must be specified with X-base.

Options:

|                      |                                   |
|----------------------|-----------------------------------|
| Diameter             | 24", 30", 36", 42", 48", 54", 60" |
| Worksurface Laminate |                                   |

| Code      | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|-----------|-------|-------------|------------|------------|--------------|-------------|
| R-TO0N-24 | 588   | 1           | 24         | 24         | 0.32         | 11.52       |
| R-TO0N-30 | 645   | 1           | 30         | 30         | 0.5          | 18          |
| R-TO0N-36 | 658   | 1           | 36         | 36         | 0.72         | 25.92       |
| R-TO0N-42 | 697   | 1           | 42         | 42         | 0.98         | 35.28       |
| R-TO0N-48 | 714   | 1           | 48         | 48         | 1.28         | 46.08       |
| R-TO0N-54 | 817   | 1           | 54         | 54         | 1.28         | 52.23       |
| R-TO0N-60 | 943   | 1           | 60         | 60         | 1.38         | 56.32       |



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with a X-base.

Options:

|                      |                         |
|----------------------|-------------------------|
| Width                | 24”, 30”, 36”, 42”, 48” |
| Depth                | 24”, 30”, 36”, 42”      |
| Worksurface Laminate |                         |

| Code        | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|--------------|-------------|
| R-TQ0N-2424 | 588   | 1           | 24         | 24         | 0.32         | 11.52       |
| R-TQ0N-3030 | 645   | 1           | 30         | 30         | 0.5          | 18          |
| R-TQ0N-3636 | 658   | 1           | 36         | 36         | 0.72         | 25.92       |
| R-TQ0N-4242 | 697   | 1           | 42         | 42         | 0.98         | 35.28       |



What’s Included:

1” laminate surface.


How to Specify:

Must be specified with two bases.

Options:

|                      |                                                            |
|----------------------|------------------------------------------------------------|
| Width                | 30”, 36”, 42”, 48”, 54”, 60”, 66”, 72”, 78”, 84”, 90”, 96” |
| Depth                | 18”, 24”, 30”, 36”, 42”, 48”                               |
| Worksurface Laminate |                                                            |

| Code        | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|--------------|-------------|
| R-TR0N-3024 | 307   | 1           | 30         | 24         | 0.4          | 14.4        |
| R-TR0N-3624 | 312   | 1           | 36         | 24         | 0.48         | 17.28       |
| R-TR0N-4224 | 375   | 1           | 42         | 24         | 0.56         | 20.16       |
| R-TR0N-4824 | 402   | 1           | 48         | 24         | 0.64         | 23.04       |
| R-TR0N-5424 | 491   | 1           | 54         | 24         | 0.72         | 25.92       |
| R-TR0N-6024 | 518   | 1           | 60         | 24         | 0.8          | 28.8        |
| R-TR0N-6624 | 573   | 1           | 66         | 24         | 0.88         | 31.68       |
| R-TR0N-7224 | 602   | 1           | 72         | 24         | 0.96         | 34.56       |
| R-TR0N-7824 | 659   | 1           | 78         | 24         | 1.04         | 37.44       |
| R-TR0N-8424 | 714   | 1           | 84         | 24         | 1.12         | 40.32       |
| R-TR0N-9024 | 817   | 1           | 90         | 24         | 1.2          | 43.2        |
| R-TR0N-9624 | 884   | 1           | 96         | 24         | 1.28         | 46.08       |
| R-TR0N-4230 | 421   | 1           | 42         | 30         | 0.7          | 25.2        |
| R-TR0N-4830 | 455   | 1           | 48         | 30         | 0.8          | 28.8        |
| R-TR0N-5430 | 514   | 1           | 54         | 30         | 0.9          | 32.4        |
| R-TR0N-6030 | 543   | 1           | 60         | 30         | 1            | 36          |
| R-TR0N-6630 | 625   | 1           | 66         | 30         | 1.1          | 39.6        |
| R-TR0N-7230 | 642   | 1           | 72         | 30         | 1.2          | 43.2        |
| R-TR0N-7830 | 699   | 1           | 78         | 30         | 1.3          | 46.8        |
| R-TR0N-8430 | 759   | 1           | 84         | 30         | 1.4          | 50.4        |
| R-TR0N-9030 | 868   | 1           | 90         | 30         | 1.5          | 54          |
| R-TR0N-9630 | 939   | 1           | 96         | 30         | 1.6          | 57.6        |
| R-TR0N-6036 | 572   | 1           | 60         | 36         | 1.2          | 43.2        |
| R-TR0N-6636 | 654   | 1           | 66         | 36         | 1.32         | 47.52       |
| R-TR0N-7236 | 671   | 1           | 72         | 36         | 1.44         | 51.84       |
| R-TR0N-7836 | 728   | 1           | 78         | 36         | 1.56         | 56.16       |
| R-TR0N-8436 | 793   | 1           | 84         | 36         | 1.68         | 60.48       |
| R-TR0N-9036 | 908   | 1           | 90         | 36         | 1.8          | 64.8        |
| R-TR0N-9636 | 978   | 1           | 96         | 36         | 1.92         | 69.12       |
| R-TR0N-8442 | 882   | 1           | 84         | 42         | 1.96         | 70.56       |
| R-TR0N-9042 | 995   | 1           | 90         | 42         | 2.1          | 75.6        |
| R-TR0N-9642 | 1067  | 1           | 96         | 42         | 2.24         | 80.64       |
| R-TR0N-8448 | 971   | 1           | 84         | 48         | 2.24         | 80.64       |
| R-TR0N-9048 | 1095  | 1           | 90         | 48         | 2.4          | 86.4        |
| R-TR0N-9648 | 1155  | 1           | 96         | 48         | 2.56         | 92.16       |



What’s Included:

1” laminate surface.

How to Specify:

Must be specified with a X-base.

Options:

|                      |                                   |
|----------------------|-----------------------------------|
| Width                | 18", 24", 30", 36", 42", 48", 54" |
| Depth                | 18", 24", 30", 36", 42", 48", 54" |
| Worksurface Laminate |                                   |


| Code        | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|--------------|-------------|
| R-TS0N-1818 | 365   | 1           | 18         | 18         | 0.18         | 6.48        |
| R-TS0N-2424 | 396   | 1           | 24         | 24         | 0.32         | 11.52       |
| R-TS0N-3030 | 427   | 1           | 30         | 30         | 0.5          | 18          |
| R-TS0N-3636 | 469   | 1           | 36         | 36         | 0.72         | 25.92       |
| R-TS0N-4242 | 599   | 1           | 42         | 42         | 0.98         | 35.28       |




Tables Pricebook  
February 2025  
Studi

Studi tables

|                                                     |    |
|-----------------------------------------------------|----|
| <a href="#">with Power Module &amp; Daisy Chain</a> | 80 |
| <a href="#">with Power Module</a>                   | 82 |
| <a href="#">with Grommet</a>                        | 84 |
| <a href="#">without Grommet</a>                     | 86 |
| <a href="#">Add ons</a>                             | 88 |
| <a href="#">    PET Modesty</a>                     | 88 |
| <a href="#">    Frosted Acrylic Modesty</a>         | 89 |
| <a href="#">    Ganging Mechanism</a>               | 90 |
| <a href="#">    Daisy Chain</a>                     | 91 |



Straight Corner



Radius Corner

What's Included:

- Studi table with surface power module, daisy chain in feed sold separately
- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

- Two of the four casters on the Studi table are lockable.
- Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C
- Daisy chain in feed must be purchased separately. Check add ons section for details.


Options:

|          |                         |
|----------|-------------------------|
| Width    | 48", 54", 60", 66", 72" |
| Depth    | 24", 30"                |
| Laminate | laminate color          |
| Corner   | straight, radius        |

| Code            | Price | H    | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|------|----|----|--------------|--------------|
| Straight Corner |       |      |    |    |              |              |
| RT-TS0D-4824    | 2244  | 29.5 | 48 | 24 |              |              |
| RT-TS0D-4830    | 2247  | 29.5 | 48 | 30 |              |              |
| RT-TS0D-5424    | 2352  | 29.5 | 54 | 24 |              |              |
| RT-TS0D-5430    | 2354  | 29.5 | 54 | 30 |              |              |
| RT-TS0D-6024    | 2361  | 29.5 | 60 | 24 |              |              |
| RT-TS0D-6030    | 2365  | 29.5 | 60 | 30 |              |              |
| RT-TS0D-6624    | 2386  | 29.5 | 66 | 24 |              |              |
| RT-TS0D-6630    | 2388  | 29.5 | 66 | 30 |              |              |
| RT-TS0D-7224    | 2406  | 29.5 | 72 | 24 |              |              |
| RT-TS0D-7230    | 2408  | 29.5 | 72 | 30 |              |              |
| Radius Corner   |       |      |    |    |              |              |
| RT-TR0D-4824    | 2410  | 29.5 | 48 | 24 |              |              |
| RT-TR0D-4830    | 2412  | 29.5 | 48 | 30 |              |              |
| RT-TR0D-5424    | 2518  | 29.5 | 54 | 24 |              |              |
| RT-TR0D-5430    | 2521  | 29.5 | 54 | 30 |              |              |
| RT-TR0D-6024    | 2526  | 29.5 | 60 | 24 |              |              |
| RT-TR0D-6030    | 2531  | 29.5 | 60 | 30 |              |              |
| RT-TR0D-6624    | 2551  | 29.5 | 66 | 24 |              |              |
| RT-TR0D-6630    | 2554  | 29.5 | 66 | 30 |              |              |
| RT-TR0D-7224    | 2571  | 29.5 | 72 | 24 |              |              |
| RT-TR0D-7230    | 2573  | 29.5 | 72 | 30 |              |              |



Straight Corner



Radius Corner

What’s Included:

Studi table with surface power module,

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

- Two of the four casters on the Studi table are lockable.
- Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C


Options:

|          |                         |
|----------|-------------------------|
| Width    | 48", 54", 60", 66", 72" |
| Depth    | 24", 30"                |
| Laminate | laminate color          |
| Corner   | straight, radius        |

| Code            | Price | H    | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|------|----|----|--------------|--------------|
| Straight Corner |       |      |    |    |              |              |
| RT-TS0E-4824    | 1988  | 29.5 | 48 | 24 |              |              |
| RT-TS0E-4830    | 1990  | 29.5 | 48 | 30 |              |              |
| RT-TS0E-5424    | 2103  | 29.5 | 54 | 24 |              |              |
| RT-TS0E-5430    | 2105  | 29.5 | 54 | 30 |              |              |
| RT-TS0E-6024    | 2105  | 29.5 | 60 | 24 |              |              |
| RT-TS0E-6030    | 2110  | 29.5 | 60 | 30 |              |              |
| RT-TS0E-6624    | 2127  | 29.5 | 66 | 24 |              |              |
| RT-TS0E-6630    | 2130  | 29.5 | 66 | 30 |              |              |
| RT-TS0E-7224    | 2142  | 29.5 | 72 | 24 |              |              |
| RT-TS0E-7230    | 2144  | 29.5 | 72 | 30 |              |              |
| Radius Corner   |       |      |    |    |              |              |
| RT-TR0E-4824    | 2173  | 29.5 | 48 | 24 |              |              |
| RT-TR0E-4830    | 2176  | 29.5 | 48 | 30 |              |              |
| RT-TR0E-5424    | 2288  | 29.5 | 54 | 24 |              |              |
| RT-TR0E-5430    | 2291  | 29.5 | 54 | 30 |              |              |
| RT-TR0E-6024    | 2291  | 29.5 | 60 | 24 |              |              |
| RT-TR0E-6030    | 2296  | 29.5 | 60 | 30 |              |              |
| RT-TR0E-6624    | 2313  | 29.5 | 66 | 24 |              |              |
| RT-TR0E-6630    | 2315  | 29.5 | 66 | 30 |              |              |
| RT-TR0E-7224    | 2327  | 29.5 | 72 | 24 |              |              |
| RT-TR0E-7230    | 2330  | 29.5 | 72 | 30 |              |              |



Straight Corner



Radius Corner

What’s Included:

Studi table with surface power module,

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

- Two of the four casters on the Studi table are lockable.
- When the grommet is specified, it will be centrally located along the back edge of the worksurface.


Options:

|          |                         |
|----------|-------------------------|
| Width    | 48", 54", 60", 66", 72" |
| Depth    | 24", 30"                |
| Laminate | laminate color          |
| Corner   | straight, radius        |
| Grommet  | grommet color           |

| Code            | Price | H    | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|------|----|----|--------------|--------------|
| Straight Corner |       |      |    |    |              |              |
| RT-TS0G-4824    | 1501  | 29.5 | 48 | 24 |              |              |
| RT-TS0G-4830    | 1504  | 29.5 | 48 | 30 |              |              |
| RT-TS0G-5424    | 1616  | 29.5 | 54 | 24 |              |              |
| RT-TS0G-5430    | 1619  | 29.5 | 54 | 30 |              |              |
| RT-TS0G-6024    | 1619  | 29.5 | 60 | 24 |              |              |
| RT-TS0G-6030    | 1624  | 29.5 | 60 | 30 |              |              |
| RT-TS0G-6624    | 1641  | 29.5 | 66 | 24 |              |              |
| RT-TS0G-6630    | 1643  | 29.5 | 66 | 30 |              |              |
| RT-TS0G-7224    | 1655  | 29.5 | 72 | 24 |              |              |
| RT-TS0G-7230    | 1658  | 29.5 | 72 | 30 |              |              |
| Radius Corner   |       |      |    |    |              |              |
| RT-TR0G-4824    | 1687  | 29.5 | 48 | 24 |              |              |
| RT-TR0G-4830    | 1689  | 29.5 | 48 | 30 |              |              |
| RT-TR0G-5424    | 1802  | 29.5 | 54 | 24 |              |              |
| RT-TR0G-5430    | 1804  | 29.5 | 54 | 30 |              |              |
| RT-TR0G-6024    | 1804  | 29.5 | 60 | 24 |              |              |
| RT-TR0G-6030    | 1809  | 29.5 | 60 | 30 |              |              |
| RT-TR0G-6624    | 1826  | 29.5 | 66 | 24 |              |              |
| RT-TR0G-6630    | 1829  | 29.5 | 66 | 30 |              |              |
| RT-TR0G-7224    | 1841  | 29.5 | 72 | 24 |              |              |
| RT-TR0G-7230    | 1843  | 29.5 | 72 | 30 |              |              |



Straight Corner



Radius Corner

What’s Included:

Studi table without grommet

How to Specify:

- Specify laminate for surface
- Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.
- Refer to the laminate finish card for details.
- Specify straight or radius corner.
- Studi table base is silver only.


Notes:

Two of the four casters on the Studi table are lockable.

Options:

|          |                         |
|----------|-------------------------|
| Width    | 48", 54", 60", 66", 72" |
| Depth    | 24", 30"                |
| Laminate | laminate color          |
| Corner   | straight, radius        |

| Code            | Price | H    | W  | D  | Weight (lb.) | Volume (ft³) |
|-----------------|-------|------|----|----|--------------|--------------|
| Straight Corner |       |      |    |    |              |              |
| RT-TS0N-4824    | 1449  | 29.5 | 24 | 48 |              |              |
| RT-TS0N-4830    | 1453  | 29.5 | 30 | 48 |              |              |
| RT-TS0N-5424    | 1564  | 29.5 | 24 | 54 |              |              |
| RT-TS0N-5430    | 1568  | 29.5 | 30 | 54 |              |              |
| RT-TS0N-6024    | 1568  | 29.5 | 24 | 60 |              |              |
| RT-TS0N-6030    | 1505  | 29.5 | 30 | 60 |              |              |
| RT-TS0N-6624    | 1589  | 29.5 | 24 | 66 |              |              |
| RT-TS0N-6630    | 1592  | 29.5 | 30 | 66 |              |              |
| RT-TS0N-7224    | 1604  | 29.5 | 24 | 72 |              |              |
| RT-TS0N-7230    | 1607  | 29.5 | 30 | 72 |              |              |
| Radius Corner   |       |      |    |    |              |              |
| RT-TR0N-4824    | 1635  | 29.5 | 24 | 48 |              |              |
| RT-TR0N-4830    | 1638  | 29.5 | 30 | 48 |              |              |
| RT-TR0N-5424    | 1750  | 29.5 | 24 | 54 |              |              |
| RT-TR0N-5430    | 1752  | 29.5 | 30 | 54 |              |              |
| RT-TR0N-6024    | 1752  | 29.5 | 24 | 60 |              |              |
| RT-TR0N-6030    | 1758  | 29.5 | 30 | 60 |              |              |
| RT-TR0N-6624    | 1774  | 29.5 | 24 | 66 |              |              |
| RT-TR0N-6630    | 1777  | 29.5 | 30 | 66 |              |              |
| RT-TR0N-7224    | 1790  | 29.5 | 24 | 72 |              |              |
| RT-TR0N-7230    | 1792  | 29.5 | 30 | 72 |              |              |



PET Modesty

What’s Included:

PET modesty for Studi table


Notes:

PET modesty comes in Nori T114 finish only

Options:

Width48", 54", 60", 66", 72"

| Code         | Price | H  | W  | Weight (lb.) | Volume (ft³) |
|--------------|-------|----|----|--------------|--------------|
| RT-MMOD-48-P | 409   | 12 | 48 |              |              |
| RT-MMOD-54-P | 429   | 12 | 54 |              |              |
| RT-MMOD-60-P | 701   | 12 | 60 |              |              |
| RT-MMOD-66-P | 701   | 12 | 66 |              |              |
| RT-MMOD-72-P | 701   | 12 | 72 |              |              |



Frosted Acrylic Modesty

What’s Included:


Frosted acrylic modesty for Studi table

Notes:

Options:

Width48", 54", 60", 66", 72"

| Code         | Price | H  | W  | Weight (lb.) | Volume (ft³) |
|--------------|-------|----|----|--------------|--------------|
| RT-MMOD-48-F | 858   | 12 | 48 |              |              |
| RT-MMOD-54-F | 877   | 12 | 54 |              |              |
| RT-MMOD-60-F | 897   | 12 | 60 |              |              |
| RT-MMOD-66-F | 935   | 12 | 66 |              |              |
| RT-MMOD-72-F | 974   | 12 | 72 |              |              |



Ganging Mechanism

What’s Included:


Black ganging mechanism for Studi table

Notes:

The ganging mechanism fits into the pre-drilled holes on the underside of the one-touch table.

Ganging mechanisms are available in pairs.

| Code    | Price | W | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|---------|-------|---|--------------|---------------------------|
| RT-AGM0 | 45    | 2 |              |                           |



Daisy Chain

What’s Included:

Daisy chain in feed

Notes:

Must be purchased for Studi tables with daisy chain cable in feed.

Cable is 72” long


| Code       | Price | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------|-------|--------------|---------------------------|
| RT-DCS-072 | 308   |              |                           |



Tables Pricebook  
July 2025  
Echo

Echo tables

|                 |    |
|-----------------|----|
| Super Ellipse   | 94 |
| no power module | 94 |
| w power module  | 95 |
| Round           | 96 |
| no power module | 96 |
| w power module  | 97 |
| Squircle        | 98 |
| no power module | 98 |
| w power module  | 99 |



Super Ellipse table w/cross PET base, no power

**What’s Included:**

Table base, table top


**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PE0N-362416 | 1610  | 16 | 36 | 24 |



Super Ellipse table w/cross PET base, w power module

**What’s Included:**

Table base, table top and optional power module


**How to Specify:**

Color of P.E.T., laminate top and power module can be specified in order cover sheet.

**Notes:**

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PE0P-362416 | 2710  | 16 | 36 | 24 |



Round table w/cross PET base, no power

What’s Included:

Table base, table top


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PC0N-360016 | 1854  | 16 | 36 | 36 |
| R-PC0N-420016 | 1976  | 16 | 42 | 42 |
| R-PC0N-300029 | 1908  | 29 | 30 | 30 |
| R-PC0N-360029 | 2007  | 29 | 36 | 36 |
| R-PC0N-420029 | 2155  | 29 | 42 | 42 |
| R-PC0N-480029 | 2274  | 29 | 48 | 48 |
| R-PC0N-540029 | 2523  | 29 | 54 | 54 |
| R-PC0N-600029 | 2803  | 29 | 60 | 60 |



Round table w/cross PET base

What’s Included:

Table base, table top and optional power module


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PC0P-360016 | 2954  | 16 | 36 | 36 |
| R-PC0P-420016 | 3076  | 16 | 42 | 42 |
| R-PC0P-300029 | 3008  | 29 | 30 | 30 |
| R-PC0P-360029 | 3107  | 29 | 36 | 36 |
| R-PC0P-420029 | 3255  | 29 | 42 | 42 |
| R-PC0P-480029 | 3374  | 29 | 48 | 48 |
| R-PC0P-540029 | 3623  | 29 | 54 | 54 |
| R-PC0P-600029 | 3903  | 29 | 60 | 60 |



Squircle table w/cross PET base, no power

What’s Included:

Table base, table top


How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PQ0N-363616 | 1854  | 16 | 36 | 36 |
| R-PQ0N-424216 | 1976  | 16 | 42 | 42 |
| R-PQ0N-303029 | 1908  | 29 | 30 | 30 |
| R-PQ0N-363629 | 2007  | 29 | 36 | 36 |
| R-PQ0N-424229 | 2155  | 29 | 42 | 42 |
| R-PQ0N-484829 | 2287  | 29 | 48 | 48 |
| R-PQ0N-545429 | 2531  | 29 | 54 | 54 |
| R-PQ0N-606029 | 2755  | 29 | 60 | 60 |



Squircle table w/cross PET base

What’s Included:

Table base, table top and optional power module

How to Specify:

Color of P.E.T., and laminate top

Notes:

Top Thickness 1”

| Code          | Price | H  | W  | D  |
|---------------|-------|----|----|----|
| R-PQ0P-363616 | 2954  | 16 | 36 | 36 |
| R-PQ0P-424216 | 3076  | 16 | 42 | 42 |
| R-PQ0P-303029 | 3008  | 29 | 30 | 30 |
| R-PQ0P-363629 | 3107  | 29 | 36 | 36 |
| R-PQ0P-424229 | 3255  | 29 | 42 | 42 |
| R-PQ0P-484829 | 3387  | 29 | 48 | 48 |
| R-PQ0P-545429 | 3631  | 29 | 54 | 54 |
| R-PQ0P-606029 | 3855  | 29 | 60 | 60 |