

tayco®

Kubo Pricebook

January 2026

Contents

Caution	iii
Premium e-lock instructions	iv
Personal Tower	2
Lockers	4
w/ standard key lock	4
w/ Hasp Lock	6
w/ Standard Keypad Electronic Lock	8
w/ Premium Keypad Electronic Lock	10
Locks	12

Caution

Load Bottom Drawer First

- ◆ Operate one drawer at a time
- ◆ Units may tip if loaded incorrectly
- ◆ Units should be attached to a wall or other furniture to reduce tipping hazard
- ◆ Always load the heaviest files in the bottom drawer


Heavy Load

- ◆ Some products must be anchored to wall to ensure stability & safety.
- ◆ It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- ◆ Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- ◆ Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- ◆ Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- ◆ Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- ◆ Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- ◆ Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- ◆ Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- ◆ Failure to follow the guidelines above may result in property damage or personal injury.




Technical parameters

Management password	4321	Management card	3
User password	1234	User card	20
Working temperature	- 20 ~+ 55° C	Dynamic current	130mA
Working humidity	10%~ 85% RH	Batteries life time	1 year
Storage temperature	- 40 ~ + 55° C	Power supply	2 x AA batteries

How to operate

1. Factory default user code is 1234. Factory default management code is 4321. If card database is empty, card can not be unlocked before code is added.
2. With private mode and public mode, factory default mode is private mode.

Lock & unlock



NOTE:

- ◆ When password/card is wrong, an alarm will sound “di..di..di..” 3 times.
- ◆ When buzzer sounds “di.di.di.” 3 times and the red indicator light is on, that means low voltage.
- ◆ When using the management password unlock successfully, user password will be changed back to original password: 1234

Setting password

Change management password

1. Input current management password “4321+C”, buzzer will give a long “di...” sound and the green indicator light will blink
2. Input new management password “*****+ Ⓟ”, when you hear a long “di...” sound, that means management password has been changed

Change user password

1. Input current user password, “1234+C”, buzzer will give a long “di...” sound, the green indicator light will blink
2. Input new user password, “*****+ Ⓟ”, when you hear a long “di...” sound that means user password has been changed

NOTE:

- ◆ Password can consist of 4-15 digits.
- ◆ Please note that the management password can not be the same as the user password

Setting Card

How to add management card

1. Input current management password, press “C”, buzzer will give out a long “di...” sound and the green indicator light will blink.
2. Position card close to inductive zone, buzzer will give out a long “di...” sound indicating successful card activation. This new card will be the new management card, you can continue to add other cards as management cards up to a maximum of 3.

How to add user card

1. Use management card 1 time, you will hear a long “di...” sound and the green indicator light will be on
2. Use management card again, the green indicator light will blink
3. Take any other card to be added, when you hear a long “di...” sound, this new card will be a user card, you can continue to add other user cards (20 at most)

NOTE:

- ◆ Management card is used for unlocking and deleting user card functions, the management card and user card can not be the same card.
- ◆ Verify management card, if green indicator light blinks you can continue adding cards, the first 3 cards will be management cards, the following 20 cards will be user cards.

How to delete single user card

1. Use management card 3 times, you will hear a long “di...” sound and the green indicator light will blink quickly,

- Take the user card you want to delete, when you hear a long “di...” sound indicating successful deletion, you can continue to delete other user cards.

How to delete all cards

- Use management card 5 times, you will hear 2 long “di di” sounds and the green indicator light will blink quickly indicating successful deletion.

How to switch modes

Turn on public mode, set temporary password

Turn on public mode

- Input management password + , buzzer will sound a long “di...”, the green indicator light will be on.
- Press  at least 2 seconds, the green indicator light will blink
- Input “44”, press , when you hear a long “di ...” sound that means public mode has been set.

Set temporary password

- Input the new password consisting of 4-15 digits
- Press , when you hear a long “di...” sound, the green indicator light will be on indicating that the temporary password has been set.

Set temporary card

- Verify any card ,
- When you hear a long “di...” sound, the green indicator light will be on indicating that the temporary card has been activated.

NOTE:

- After switching to public mode, the management card needs to be added again
- In public mode, both management code and management card can delete the temporary code. Please secure the temporary code.
- Temporary password/card can be used for 1 time only.
- LED will blink every 3 seconds when locked

Turn off public mode

- Input management password + , buzzer will sound a long “di...”, the green indicator light will be on.
- Press  at least 2 seconds, the green indicator light will blink
- Input “43”, press , when you hear a long “di ...” sound that means public mode has been turned off.

Turn on/off fake pin code function

- Input management password + , buzzer will sound a long “di...”, the green indicator light will be on.
- Press  at least 2 seconds, the green indicator light will blink
- Input “42 + ”, when you hear a long “di ...” sound that means fake pin code function has been turned on.
- Input “41 + ”, when you hear a long “di ...” sound that means fake pin code function has been turned off.

NOTE:

With Anti-Theft Technology and fake pin password function you can input any code(s) before or after the real password to prevent the real password being discovered. Maximum 16 digits.

Special function description

1. Decode

When password has been forgotten, you can get the decode number by providing the code on the lock body to the distributor, the password will be changed to the original “1234” and “4321”. Or use the pin to press the reset

Hold at least 3 seconds, the password will set back to factory default.

Working mode will be kept.

2. Auto-alarm will be activated after the wrong input of password 4 times and the lock will be deactivated for 60 seconds.

3. Battery low voltage prompts

When the buzzer sounds three sounds “di di di”, and the red indicator light is on, that means battery is at low voltage, please replace the battery, the lock may not work when the voltage is low.


4. Emergency power supply

When the battery indicates low voltage, you can charge via the USB port with an external power supply.


Fixing hole size & installation

Unit: mm


Hole size



Installation



Suitable thickness for wooden door: 16~20mm
Suitable thickness for metal door: 0.6-2mm



What's Included:

One (1) personal tower

How to Specify:

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Refer to metal swatches for metal selections

Choose handle type and finish

Option shelf ledge paint finish

Notes:

42"H and 45"H come with two adjustable shelves, 50"H and 53"H come with three adjustable shelves

Interior is always white

Side panels can be removed to change handedness

Coat hook is located behind the shelves

Personal towers include lock and keys

Storm PET pad finish at the bottom of the tower

Options:


Laminate color

Handle color

Handle style

Shelf ledge color

Code	Price	H (in.)	W (in.)	Depth (in.)	Weight (kg)	Volume (m ³)
U-FTP0-421224	\$2955	42	12	24	140.24	7
U-FTP0-421230	\$2962	42	12	30	175.3	8.75
U-FTP0-421824	\$3104	42	18	24	210.36	10.5
U-FTP0-421830	\$3200	42	18	30	263.05	13.13
U-FTP0-451224	\$2962	45	12	24	150.26	7.5
U-FTP0-451230	\$3060	45	12	30	187.92	9.38
U-FTP0-451824	\$3110	45	18	24	225.38	11.25
U-FTP0-451830	\$3244	45	18	30	281.74	14.06
U-FTP0-501224	\$3258	50	12	24	166.88	8.33
U-FTP0-501230	\$3265	50	12	30	208.75	10.42
U-FTP0-501824	\$3497	50	18	24	231.02	12.5
U-FTP0-501830	\$3503	50	18	30	296.32	15.63
U-FTP0-531224	\$3265	53	12	24	176.9	8.83
U-FTP0-531230	\$3363	53	12	30	221.22	11.04
U-FTP0-531824	\$3503	53	18	24	233.02	13.25
U-FTP0-531830	\$3637	53	18	30	302.3	15.63



What's Included:

Locker(s) with standard key lock,
Small Mckay handle, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Specify handle finish. Refer to the metal finish card for details..

Choose left hand or right hand. Right hand configuration shown above.

Notes:

Lockers have recessed top.
Common top sold separately.

One fixed shelf on single tier lockers 72"H only

Options:

Height:	41", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-K1S3-413620-L	\$2959	36	20	41	145	17.5
U-K1S3-493620-L	\$3020	36	20	49	154	20.42
U-K1S3-414820-L	\$3079	48	20	41	168	23.33
U-K1S3-494820-L	\$3129	48	20	49	173	27.22
U-K2S3-413620-L	\$3685	36	20	41	165	17.5
U-K2S3-493620-L	\$3719	36	20	49	171	20.42
U-K2S3-414820-L	\$3775	48	20	41	180	23.33
U-K2S3-494820-L	\$3832	48	20	49	188	27.22


Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-K1S3-413620-R	\$2959	36	20	41	145	17.5
U-K1S3-493620-R	\$3020	36	20	49	154	20.42
U-K1S3-414820-R	\$3079	48	20	41	168	23.33
U-K1S3-494820-R	\$3129	48	20	49	173	27.22
U-K2S3-413620-R	\$3685	36	20	41	165	17.5
U-K2S3-493620-R	\$3719	36	20	49	171	20.42
U-K2S3-414820-R	\$3775	48	20	41	180	23.33
U-K2S3-494820-R	\$3832	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-K1S1-411220-L	\$1442	12	20	41	50	5.83
U-K1S1-491220-L	\$1483	12	20	49	55	6.81
U-K1S1-721220-L	\$1671	12	20	72	65	10
U-K1S1-411620-L	\$1482	16	20	41	54	7.78
U-K1S1-491620-L	\$1523	16	20	49	59	9.07
U-K1S1-721620-L	\$1781	16	20	72	69	13.33
U-K2S1-411220-L	\$1747	12	20	41	56	5.83
U-K2S1-491220-L	\$1792	12	20	49	61	6.81
U-K2S1-721220-L	\$1898	12	20	72	71	10
U-K2S1-411620-L	\$1685	16	20	41	60	7.78
U-K2S1-491620-L	\$1725	16	20	49	65	9.07
U-K2S1-721620-L	\$2040	16	20	72	78	13.33
U-K3S1-721220-L	\$2288	12	20	72	85	10
U-K3S1-721620-L	\$2349	16	20	72	89	13.33

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 2-cluster						
U-K1S2-412420-L	\$2204	24	20	41	92	11.67
U-K1S2-492420-L	\$2257	24	20	49	100	13.61
U-K1S2-722420-L	\$2827	24	20	72	110	30
U-K1S2-413220-L	\$2415	32	20	41	98	15.56
U-K1S2-493220-L	\$2461	32	20	49	108	18.15
U-K1S2-723220-L	\$3080	32	20	72	120	26.67
U-K2S2-412420-L	\$2736	24	20	41	101	11.67
U-K2S2-492420-L	\$2788	24	20	49	109	13.61
U-K2S2-722420-L	\$3206	24	20	72	129	20
U-K2S2-413220-L	\$2952	32	20	41	108	15.56
U-K2S2-493220-L	\$2998	32	20	49	118	18.15
U-K2S2-723220-L	\$3427	32	20	72	128	26.67
U-K3S2-722420-L	\$3623	24	20	72	133	20
U-K3S2-723220-L	\$3814	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-K1S1-411220-R	\$1442	12	20	41	50	5.83
U-K1S1-491220-R	\$1483	12	20	49	55	6.81
U-K1S1-721220-R	\$1671	12	20	72	65	10
U-K1S1-411620-R	\$1482	16	20	41	54	7.78
U-K1S1-491620-R	\$1523	16	20	49	59	9.07
U-K1S1-721620-R	\$1781	16	20	72	69	13.33
U-K2S1-411220-R	\$1747	12	20	41	56	5.83
U-K2S1-491220-R	\$1792	12	20	49	61	6.81
U-K2S1-721220-R	\$1898	12	20	72	71	10
U-K2S1-411620-R	\$1685	16	20	41	60	7.78
U-K2S1-491620-R	\$1725	16	20	49	65	9.07
U-K2S1-721620-R	\$2040	16	20	72	78	13.33
U-K3S1-721220-R	\$2288	12	20	72	85	10
U-K3S1-721620-R	\$2349	16	20	72	89	13.33

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 2-cluster						
U-K1S2-412420-R	\$2204	24	20	41	92	11.67
U-K1S2-492420-R	\$2257	24	20	49	100	13.61
U-K1S2-722420-R	\$2827	24	20	72	110	30
U-K1S2-413220-R	\$2415	32	20	41	98	15.56
U-K1S2-493220-R	\$2461	32	20	49	108	18.15
U-K1S2-723220-R	\$3080	32	20	72	120	26.67
U-K2S2-412420-R	\$2736	24	20	41	101	11.67
U-K2S2-492420-R	\$2788	24	20	49	109	13.61
U-K2S2-722420-R	\$3206	24	20	72	129	20
U-K2S2-413220-R	\$2952	32	20	41	108	15.56
U-K2S2-493220-R	\$2998	32	20	49	118	18.15
U-K2S2-723220-R	\$3427	32	20	72	128	26.67
U-K3S2-722420-R	\$3623	24	20	72	133	20
U-K3S2-723220-R	\$3814	32	20	72	138	26.67



What's Included:

Locker(s) with hasp lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand. Right hand configuration shown above.

Options:

Height: 41", 49", 72"

Width: 12", 16", 24", 32", 36", 48"

Depth: 20"

Laminate color

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-K1H3-413620-L	\$2963	36	20	41	145	17.5
U-K1H3-493620-L	\$3026	36	20	49	154	20.41
U-K1H3-414820-L	\$3083	48	20	41	168	23.33
U-K1H3-494820-L	\$3132	48	20	49	173	27.22
U-K2H3-413620-L	\$3907	36	20	41	165	17.5
U-K2H3-493620-L	\$3941	36	20	49	171	20.41
U-K2H3-414820-L	\$3996	48	20	41	180	23.33
U-K2H3-494820-L	\$4053	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-K1H3-413620-R	\$2963	36	20	41	145	17.5
U-K1H3-493620-R	\$3026	36	20	49	154	20.41
U-K1H3-414820-R	\$3083	48	20	41	168	23.33
U-K1H3-494820-R	\$3132	48	20	49	173	27.22
U-K2H3-413620-R	\$3907	36	20	41	165	17.5
U-K2H3-493620-R	\$3941	36	20	49	171	20.41
U-K2H3-414820-R	\$3996	48	20	41	180	23.33
U-K2H3-494820-R	\$4053	48	20	49	188	27.22

Notes:

Lockers have recessed top. Common top sold separately.


One fixed shelf on single tier lockers 72"H only.

No handle on lockers with hasp lock.

Padlock not included.

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-K1H1-411220-L	\$1507	12	20	41	50	5.83
U-K1H1-491220-L	\$1548	12	20	49	55	6.81
U-K1H1-721220-L	\$1731	12	20	72	65	10
U-K1H1-411620-L	\$1547	16	20	41	54	7.78
U-K1H1-491620-L	\$1588	16	20	49	59	9.07
U-K1H1-721620-L	\$1841	16	20	72	69	13.33
U-K2H1-411220-L	\$1841	12	20	41	56	5.83
U-K2H1-491220-L	\$1885	12	20	49	61	6.81
U-K2H1-721220-L	\$1994	12	20	72	71	10
U-K2H1-411620-L	\$1787	16	20	41	60	7.78
U-K2H1-491620-L	\$1827	16	20	49	65	9.07
U-K2H1-721620-L	\$2130	16	20	72	78	13.33
U-K3H1-721220-L	\$2314	12	20	72	85	10
U-K3H1-721620-L	\$2374	16	20	72	89	13.33
Left Hand: 2-cluster						
U-K1H2-412420-L	\$2464	24	20	41	92	11.67
U-K1H2-492420-L	\$2518	24	20	49	100	13.61
U-K1H2-722420-L	\$3073	24	20	72	110	30
U-K1H2-413220-L	\$2675	32	20	41	98	15.56
U-K1H2-493220-L	\$2720	32	20	49	108	18.15
U-K1H2-723220-L	\$3323	32	20	72	120	26.67
U-K2H2-412420-L	\$2966	24	20	41	101	11.67
U-K2H2-492420-L	\$3017	24	20	49	109	13.61
U-K2H2-722420-L	\$3431	24	20	72	129	20
U-K2H2-413220-L	\$3180	32	20	41	108	15.56
U-K2H2-493220-L	\$3225	32	20	49	118	18.15
U-K2H2-723220-L	\$3649	32	20	72	128	26.67
U-K3H2-722420-L	\$3915	24	20	72	133	20
U-K3H2-723220-L	\$4104	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-K1H1-411220-R	\$1507	12	20	41	50	5.83
U-K1H1-491220-R	\$1548	12	20	49	55	6.81
U-K1H1-721220-R	\$1731	12	20	72	65	10
U-K1H1-411620-R	\$1547	16	20	41	54	7.78
U-K1H1-491620-R	\$1588	16	20	49	59	9.07
U-K1H1-721620-R	\$1841	16	20	72	69	13.33
U-K2H1-411220-R	\$1841	12	20	41	56	5.83
U-K2H1-491220-R	\$1885	12	20	49	61	6.81
U-K2H1-721220-R	\$1994	12	20	72	71	10
U-K2H1-411620-R	\$1787	16	20	41	60	7.78
U-K2H1-491620-R	\$1827	16	20	49	65	9.07
U-K2H1-721620-R	\$2130	16	20	72	78	13.33
U-K3H1-721220-R	\$2314	12	20	72	85	10
U-K3H1-721620-R	\$2374	16	20	72	89	13.33
Right Hand: 2-cluster						
U-K1H2-412420-R	\$2464	24	20	41	92	11.67
U-K1H2-492420-R	\$2518	24	20	49	100	13.61
U-K1H2-722420-R	\$3073	24	20	72	110	30
U-K1H2-413220-R	\$2675	32	20	41	98	15.56
U-K1H2-493220-R	\$2720	32	20	49	108	18.15
U-K1H2-723220-R	\$3323	32	20	72	120	26.67
U-K2H2-412420-R	\$2966	24	20	41	101	11.67
U-K2H2-492420-R	\$3017	24	20	49	109	13.61
U-K2H2-722420-R	\$3431	24	20	72	129	20
U-K2H2-413220-R	\$3180	32	20	41	108	15.56
U-K2H2-493220-R	\$3225	32	20	49	118	18.15
U-K2H2-723220-R	\$3649	32	20	72	128	26.67
U-K3H2-722420-R	\$3915	24	20	72	133	20
U-K3H2-723220-R	\$4104	32	20	72	138	26.67



What's Included:

Locker(s) with standard keypad electronic lock,
Small McKay handle, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Specify handle finish. Refer to the metal finish card for details..

Choose left hand or right hand. Right hand configuration shown above.

Options:

Height:	41", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-K1E3-413620-L	\$3133	36	20	41	145	17.5
U-K1E3-493620-L	\$3194	36	20	49	154	20.41
U-K1E3-414820-L	\$3254	48	20	41	168	23.33
U-K1E3-494820-L	\$3302	48	20	49	173	27.22
U-K2E3-413620-L	\$4163	36	20	41	165	17.5
U-K2E3-493620-L	\$4198	36	20	49	171	20.41
U-K2E3-414820-L	\$4253	48	20	41	180	23.33
U-K2E3-494820-L	\$4311	48	20	49	188	27.22

Notes:

Lockers have recessed top. Common top sold separately.

1 fixed shelf on single tier lockers 72"H only.

Password can consist of 4-15 digits. The system can store 20 sets of password.

Two AAA batteries (not included) can be used 10000 times and replaced easily.

Automatic power shortage prompts.

Switch between public and private mode.

Auto alarm gets activated after four wrong password attempts.

Both user and management password available.


Emergency master key sold separately.

Master key (8540-1427) - see page 12

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-K1E3-413620-R	\$3133	36	20	41	145	17.5
U-K1E3-493620-R	\$3194	36	20	49	154	20.41
U-K1E3-414820-R	\$3254	48	20	41	168	23.33
U-K1E3-494820-R	\$3302	48	20	49	173	27.22
U-K2E3-413620-R	\$4163	36	20	41	165	17.5
U-K2E3-493620-R	\$4198	36	20	49	171	20.41
U-K2E3-414820-R	\$4253	48	20	41	180	23.33
U-K2E3-494820-R	\$4311	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-K1E1-411220-L	\$1522	12	20	41	50	5.83
U-K1E1-491220-L	\$1640	12	20	49	55	6.81
U-K1E1-721220-L	\$1828	12	20	72	65	10
U-K1E1-411620-L	\$1638	16	20	41	54	7.78
U-K1E1-491620-L	\$1679	16	20	49	59	9.07
U-K1E1-721620-L	\$1938	16	20	72	69	13.33
U-K2E1-411220-L	\$1963	12	20	41	56	5.83
U-K2E1-491220-L	\$2007	12	20	49	61	6.81
U-K2E1-721220-L	\$2111	12	20	72	71	10
U-K2E1-411620-L	\$1900	16	20	41	60	7.78
U-K2E1-491620-L	\$1940	16	20	49	65	9.07
U-K2E1-721620-L	\$2254	16	20	72	78	13.33
U-K3E1-721220-L	\$2461	12	20	72	85	10
U-K3E1-721620-L	\$2522	16	20	72	89	13.33
Left Hand: 2-cluster						
U-K1E2-412420-L	\$2616	24	20	41	92	11.67
U-K1E2-492420-L	\$2669	24	20	49	100	13.61
U-K1E2-722420-L	\$3239	24	20	72	110	30
U-K1E2-413220-L	\$2829	32	20	41	98	15.56
U-K1E2-493220-L	\$2874	32	20	49	108	18.15
U-K1E2-723220-L	\$3492	32	20	72	120	26.67
U-K2E2-412420-L	\$3165	24	20	41	101	11.67
U-K2E2-492420-L	\$3218	24	20	49	109	13.61
U-K2E2-722420-L	\$3635	24	20	72	129	20
U-K2E2-413220-L	\$3381	32	20	41	108	15.56
U-K2E2-493220-L	\$3427	32	20	49	118	18.15
U-K2E2-723220-L	\$3856	32	20	72	128	26.67
U-K3E2-722420-L	\$4168	24	20	72	133	20
U-K3E2-723220-L	\$4359	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-K1E1-411220-R	\$1522	12	20	41	50	5.83
U-K1E1-491220-R	\$1640	12	20	49	55	6.81
U-K1E1-721220-R	\$1828	12	20	72	65	10
U-K1E1-411620-R	\$1638	16	20	41	54	7.78
U-K1E1-491620-R	\$1679	16	20	49	59	9.07
U-K1E1-721620-R	\$1938	16	20	72	69	13.33
U-K2E1-411220-R	\$1963	12	20	41	56	5.83
U-K2E1-491220-R	\$2007	12	20	49	61	6.81
U-K2E1-721220-R	\$2111	12	20	72	71	10
U-K2E1-411620-R	\$1900	16	20	41	60	7.78
U-K2E1-491620-R	\$1940	16	20	49	65	9.07
U-K2E1-721620-R	\$2254	16	20	72	78	13.33
U-K3E1-721220-R	\$2461	12	20	72	85	10
U-K3E1-721620-R	\$2522	16	20	72	89	13.33
Right Hand: 2-cluster						
U-K1E2-412420-R	\$2616	24	20	41	92	11.67
U-K1E2-492420-R	\$2669	24	20	49	100	13.61
U-K1E2-722420-R	\$3239	24	20	72	110	30
U-K1E2-413220-R	\$2829	32	20	41	98	15.56
U-K1E2-493220-R	\$2874	32	20	49	108	18.15
U-K1E2-723220-R	\$3492	32	20	72	120	26.67
U-K2E2-412420-R	\$3165	24	20	41	101	11.67
U-K2E2-492420-R	\$3218	24	20	49	109	13.61
U-K2E2-722420-R	\$3635	24	20	72	129	20
U-K2E2-413220-R	\$3381	32	20	41	108	15.56
U-K2E2-493220-R	\$3427	32	20	49	118	18.15
U-K2E2-723220-R	\$3856	32	20	72	128	26.67
U-K3E2-722420-R	\$4168	24	20	72	133	20
U-K3E2-723220-R	\$4359	32	20	72	138	26.67



What's Included:

Locker(s) with premium keypad electronic lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand. Right hand configuration shown above.

Options:

- Height: 41", 49", 72"
- Width: 12", 16", 24", 32", 36", 48"
- Depth: 20"
- Laminate color

Notes:

Lockers have recessed top. Common top sold separately.

One fixed shelf on single tier lockers 72"H only.

Password can be a maximum of 9 digits

3 AA batteries (included) can last 12-15 months

Integrated handle

Reliable battery pack available to keep you running even after power loss

Switch between public and private mode.

U-KP-PWR: Supplemental Power for Kubo Premium E-lock- \$51

U-KP-FOB: User Key FOB for Kubo Premium E-lock - \$36

Each lock comes with a Master Key FOB.

It is recommended to only keep 2 Master Key FOBs for safety and to purchase User Key Fobs for other users.

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-K1P3-413620-L	\$3249	36	20	41	145	17.5
U-K1P3-493620-L	\$3311	36	20	49	154	20.42
U-K1P3-414820-L	\$3368	48	20	41	168	23.33
U-K1P3-494820-L	\$3418	48	20	49	173	27.22
U-K2P3-413620-L	\$4411	36	20	41	165	17.5
U-K2P3-493620-L	\$4446	36	20	49	171	20.42
U-K2P3-414820-L	\$4501	48	20	41	180	23.33
U-K2P3-494820-L	\$4558	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-K1P3-413620-R	\$3249	36	20	41	145	17.5
U-K1P3-493620-R	\$3311	36	20	49	154	20.42
U-K1P3-414820-R	\$3368	48	20	41	168	23.33
U-K1P3-494820-R	\$3418	48	20	49	173	27.22
U-K2P3-413620-R	\$4411	36	20	41	165	17.5
U-K2P3-493620-R	\$4446	36	20	49	171	20.42
U-K2P3-414820-R	\$4501	48	20	41	180	23.33
U-K2P3-494820-R	\$4558	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-K1P1-411220-L	\$1648	12	20	41	50	5.83
U-K1P1-491220-L	\$1690	12	20	49	55	6.81
U-K1P1-721220-L	\$1873	12	20	72	65	10
U-K1P1-411620-L	\$1688	16	20	41	54	7.78
U-K1P1-491620-L	\$1729	16	20	49	59	9.07
U-K1P1-721620-L	\$1982	16	20	72	69	13.33
U-K2P1-411220-L	\$2055	12	20	41	56	5.83
U-K2P1-491220-L	\$2099	12	20	49	61	6.81
U-K2P1-721220-L	\$2207	12	20	72	71	10
U-K2P1-411620-L	\$2000	16	20	41	60	7.78
U-K2P1-491620-L	\$2042	16	20	49	65	9.07
U-K2P1-721620-L	\$2345	16	20	72	78	13.33
U-K3P1-721220-L	\$2601	12	20	72	85	10
U-K3P1-721620-L	\$2660	16	20	72	89	13.33
Left Hand: 2-cluster						
U-K1P2-412420-L	\$2679	24	20	41	92	11.67
U-K1P2-492420-L	\$2732	24	20	49	100	13.61
U-K1P2-722420-L	\$3286	24	20	72	110	30
U-K1P2-413220-L	\$2889	32	20	41	98	15.56
U-K1P2-493220-L	\$2934	32	20	49	108	18.15
U-K1P2-723220-L	\$3537	32	20	72	120	26.67
U-K2P2-412420-L	\$3325	24	20	41	101	11.67
U-K2P2-492420-L	\$3377	24	20	49	109	13.61
U-K2P2-722420-L	\$3790	24	20	72	129	20
U-K2P2-413220-L	\$3538	32	20	41	108	15.56
U-K2P2-493220-L	\$3585	32	20	49	118	18.15
U-K2P2-723220-L	\$4009	32	20	72	128	26.67
U-K3P2-722420-L	\$4420	24	20	72	133	20
U-K3P2-723220-L	\$4609	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-K1P1-411220-R	\$1648	12	20	41	50	5.83
U-K1P1-491220-R	\$1690	12	20	49	55	6.81
U-K1P1-721220-R	\$1873	12	20	72	65	10
U-K1P1-411620-R	\$1688	16	20	41	54	7.78
U-K1P1-491620-R	\$1729	16	20	49	59	9.07
U-K1P1-721620-R	\$1982	16	20	72	69	13.33
U-K2P1-411220-R	\$2055	12	20	41	56	5.83
U-K2P1-491220-R	\$2099	12	20	49	61	6.81
U-K2P1-721220-R	\$2207	12	20	72	71	10
U-K2P1-411620-R	\$2000	16	20	41	60	7.78
U-K2P1-491620-R	\$2042	16	20	49	65	9.07
U-K2P1-721620-R	\$2345	16	20	72	78	13.33
U-K3P1-721220-R	\$2601	12	20	72	85	10
U-K3P1-721620-R	\$2660	16	20	72	89	13.33
Right Hand: 2-cluster						
U-K1P2-412420-R	\$2679	24	20	41	92	11.67
U-K1P2-492420-R	\$2732	24	20	49	100	13.61
U-K1P2-722420-R	\$3286	24	20	72	110	30
U-K1P2-413220-R	\$2889	32	20	41	98	15.56
U-K1P2-493220-R	\$2934	32	20	49	108	18.15
U-K1P2-723220-R	\$3537	32	20	72	120	26.67
U-K2P2-412420-R	\$3325	24	20	41	101	11.67
U-K2P2-492420-R	\$3377	24	20	49	109	13.61
U-K2P2-722420-R	\$3790	24	20	72	129	20
U-K2P2-413220-R	\$3538	32	20	41	108	15.56
U-K2P2-493220-R	\$3585	32	20	49	118	18.15
U-K2P2-723220-R	\$4009	32	20	72	128	26.67
U-K3P2-722420-R	\$4420	24	20	72	133	20
U-K3P2-723220-R	\$4609	32	20	72	138	26.67