



**Volley**  
Core List - Height  
Adjustable Table

January 2026

## Height Adjustable Desk

VOLLEY | Freestanding Height Adjustable Table R-WS0G-5829, R-HATB-S-GS-B



Available on QuickShip

\*9 laminate options on QS

**Dimensions** 58"W x 29"D

**Height Range** 22.75" - 48.75"

### Specifications

- Rectangular laminate worksurface (1" thick) with grommet
- Electric height adjustable base features three-stage telescopic legs with individual motors, four memory presets, and programmable anti-collision
- Lifting columns, trim & frame in powder-coat paint finish
- Quiet and easy to move, the noise of the height adjustable tables works out to be 42 dB
- Desks are convenient and quick to raise or lower with a speed of 1.3" per second
- Load capacity at 120 kg for two legs, including worksurface

### Power Ratings


- Working : 456W, 3.8 Amp
- Standby : 0.5W
- Cord length : 108"

### Finish Options


Table top 22 standard laminate finishes\*

HA Base White, Silver, or Black

Grommet Square (3 colour options) or Oval (2 colour options)



Desk controller with 4 memory presets



**tayco**<sup>®</sup>



## VOLLEY HEIGHT ADJUSTABLE TABLES

Volley Height Adjustable Tables provide the flexibility and function necessary for healthy living in today's modern working environments. High quality motors with pre-sets allow for a quiet and easy transition from sitting to standing at the press of a button. This ergonomic solution can stand alone for a touch down station or integrate into Tayco's numerous benching, private office, and system solutions.

### Surfaces

All surfaces are 1" thick and fabricated from thermally fused melamine with 45-lbs/cu ft density industrial grade composite wood core. Surfaces are available in a standard selection of solid and woodgrain laminates. Custom laminates and high pressure laminates are available upon request.

Surfaces are finished with a PVC edging which match the laminate colour of choice  
Oval and square grommet options available.

### Desks

Desk heights are within the 25" - 51" range. BIFMA bases are within 22.75" - 48.75" range.

2-Leg desks are between 40"- 72" in length. 3-Leg desks are between 40"- 84" in length

The cleanly designed column size is 1.9"x3.15".

All desks are factory tested to ensure quality assurance and customer satisfaction.

Volley bases come in three sizes 39.75"-42", 46"-66", and 56"-71" and easily are adjusted to size on site.

71" wide base accommodates up to 84" surfaces.

Power ratings: 456W, 3.8 Amp working, 0.5W standby. Cord length is 108".

All Volley Height Adjustable Tables come in silver, white and black in order to match unique interior layouts.

Volley Height Adjustable Tables require on-site assembly.

### Enclosures

All enclosures are 1" thick and fabricated from thermally fused melamine with 45-lbs/cu ft density industrial grade composite wood core.

Enclosures are available in a standard selection of solid and woodgrain laminates. Custom laminates and high pressure laminates are available upon request.

Enclosures are finished with a PVC edging which match the laminate colour of choice.

Modesty is optional and can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified. Modesty size is adjusted to incorporate Volley enclosures.

### Technology

Quiet and easy to move, the noise of the height adjustable tables works out to be 42 dB, ensuring you won't disturb anyone while you find your most comfortable working position.

Anti collision enabled - table will stop if obstruction is encountered..

Full undersurface adjustable frame prevents lateral movement.

Contains a 4 memory key hand set, making it easy for you to adjust your table at any point in the work day.

Desks are convenient and quick to raise or lower with a speed of 1.3" per second.

2 motors available on 2 leg option, 3 motors available on 3 leg option.

#### Certifications

- BIFMA certified bases available upon request.
- Driver box and Electronic Components ( including wires ) tested and approved by TUV Rheinland for UL 60950-1: 2007 R10.14, Can/Csa-C22.2 NO. 60950-1-07+A1;2011+A2:2014.
- Motor and Lifting columns tested and approved by TUV Rheinland for UL 1004-1:2012 R3.17, UL1004-7;2012 R5.16, CSA C22.2, NO.100-14 AND C22.2 NO.77-14+ER1.
- Household and Commercial Furnishings UL 962:2014 Ed.4+R:06May 2019.
- Motor Operated Appliances ( Household and Commercial ) R2019, CSA C22.2#68:2018 Ed.8+U1.