



Switch Quickship Canada Pricebook

July 2026

Contents

Caution	5
Statement of Line	6
Panels & Glass Blade	6
Storage	6
Workspace & Supports	7
Connections & Trims	8
Electrics	9
Accessories	10
Fabrics	11
Laminates	12
Trims	13
Application Guidelines	14
Types of Surfaces	14
Gallery Panel Planning	15
Connection Types - Fillers	16
Panels	18
standard panel - monolithic - fabric	20
non-powered	20
powered capable	22
gallery - solid	24
single span middle	24
single span end /no cutout	26
double span middle	28
double span end/no cutout	30
single span end /w cutout	32
double span end /w cutout	34
frameless blade	36
glass	36
gallery	37
vertical woodgrain	37
horizontal woodgrain	48
Connections & Trims	60
full height end trim	62
partial height end trim	63

full height t filler	64
partial height t filler	65
90 degree filler-full height	66
90 degree filler- partial height	67
partial height straight filler	68
adjustable wall connector	69
gallery panel filler	70
2-way connection	71
3-way t connection	72
4-way x connection	73
Top Cap	74
standard panel mount corner bracket	75
storage support bracket	76
Worksurface & Supports	78
straight worksurface w/o grommet	80
straight worksurface w grommet	84
straight worksurface w/ wire play	86
ladder gable	90
standard panel	90
gallery panel	92
lamine gable	93
standard panel	93
gallery panel	94
freestanding	95
wrap laminate gable	96
standard panel	96
gallery panel	97
storage support bracket	98
90 degree storage bracket	99
standard panel mounted cantilever arm	100
gallery panel mounted cantilever arm	101
flush plate	102

Storage	104
metal shelf	106
flipper cabinet	107
pedestals	108
underdesk pedestal	108
mobile	109
lateral file	110
Electrics	112
vertical wire manager	114
wire manager	115
starter harness	116
male to female extension harness	117
Chicago electrical box	118
New York junction box	119
desktop power module	120
power module	121
connector harness	122
communication kit	123
Accessories	124
keyboard tray	126
pencil drawer	127
LED tasklight	128
monitor arm	129
height adjustable base	130
straight	130
5-sided	131
height adjustable surface	132
5-sided	132
task seating	134

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.


Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

Statement of Line

Panels & Glass Blade




QL-PPF0
Standard Fabric Panel
H: 42", 50", 66"
W: 24" - 60"
*66"H available up to 60"W
*82"H available up to 48"W




QL-PYSE-S1/ QL-PYSM-S1
Solid Single Gallery Panel
H: 42", 50"
W: 26" - 74"



QL-PYGE-S1/QL-PYSM-S1
Woodgrain Single Gallery Panel
H: 42", 50"
W: 26" - 56"



QL-PYSE-D1/D2/ QL-PYSM-D1/D2
Solid Double Gallery Panel
H: 42", 50"
W: 42" - 146"




QL-VG-P
Frameless Frosted Glass Standard Panel
Mount
H: 8"
W: 24" - 72"




QL-PYGE-01/02/ QL-PYGM-D1/D2
Woodgrain Double Gallery Panel
H: 42", 50"
W: 42" - 110"

Storage



QL-S00M
Steel Shelf
H: 6"
W: 30" - 60"
D: 12"



QL-SPFL/ QL-SPFM
Flipper Cabinet
H: 16"
W: 30" - 60"
D: 14"



QL-FL2U
2D Underdesk Lateral
H: 28"
W: 30", 36"
D: 23", 29"



QL-FPBU
BBF Underdesk
Pedestal
H: 28"
W: 16"
D: 23", 29"



QL-FPFU
FF Underdesk Pedestal
H: 28"
W: 16"
D: 23", 29"



QL-FPLO
BF Mobile Pedestal
H: 21"
W: 16"
D: 18"

Worksurface & Supports



QL-WS00
Straight Worksurface
W: 24" - 96"
D: 20", 24", 30"



QL-WS00
Straight Worksurface with
Cropped Depth
W: 23" - 96"
D: 19" - 30"



QL-WS0G
Straight Worksurface with
Grommets
W: 24" - 96"
D: 20", 24", 30"



QL-HOEG/ QL-HOMG
Ladder Leg
H: 25", 28"
D: 20", 24", 30"



QL-HCEG
Laminate Gable Leg
H: 25", 28"
D: 20", 24", 30"



QL-HWEG
Wrap Gable
H: 25", 28"
D: 20", 24", 30"



QL-CCAB
Cantilever
H: 8"
D: 16", 22"



QL-HCB
Corner Bracket
H: 3"
W: 4"



QL-PWW
Mending Plate
D: 4"
W: 6"



QL-HSSB
Storage Support Bracket
H: 3"
D: 1"



QL-HPGP/ QL-HPSP
Pedestal to Panel
Bracket
H: 28"
W: 1", 7"


Connections & Trims




QL-HETF
Standard End Trim
H: 34", 42", 50", 66", 82"
W: 2"




QL-HETP
End Trim (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"




QL-HFTR
T Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"




QL-HFTP
T Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



QL-HFNR
90 Degree Filler (Full)
H: 34", 42", 50", 66", 82"
W: 2"



QL-HFNP
90 Degree Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



QL-HFSP
Strait Filler (Partial)
H: 8", 16", 24", 32", 40", 48"
W: 2"



QL-HW2/ QL-HW4/
QL-HW6
Wall Connector
H: 34", 42", 50", 66", 82"
W: 2", 4", 6"



QL-HYP
Gallery Panel Filler
H: 8", 16", 24", 32", 40",
48"
W: 1"



QL-HC2W-90-A
90 Degree A
Panel Connector



QL-HC2W-90-B
90 Degree B
Panel Connector




QL-HC2W-180-A
180 Degree A Panel
Connector




QL-HC2W-180-B
180 Degree B
Panel Connector



QL-HC3W-A
3 Way A Panel Connector




QL-HC3W-B
3 Way B Panel
Connector



QL-HC3W-C
3 Way C Panel
Connector




QL-HC3W-D
3 Way D Panel
Connector



QL-HC4W-A
4 Way A Panel
Connector




QL-HC4W-B
4 Way B Panel
Connector



QL-HC4W-C
4 Way C Panel
Connector




QL-HC4W-D
4 Way C Panel
Connector



QL-HUFC-02
Top Cap
H: 2"
W: 2"


Electrics




V-EE
E-Chain Wire Manager




QL-EP-P/ QL-EP-Y
Wire Manager
3-way, 4-way, 90 degree
H: 120", 144"




QL-ES84
Starter Harness
L: 72", 168"



QL-E8FM
Male to Female Extension Harness
L: 44", 122"




Single sided




Double sided


QL-JBOX/ QL-NY84/QL-NYEJ
Junction Box, Single or Double Sided
W: 30"- 60"




V-EMW
Clamp Mount Power Module



QL-EM84
Power Module




QL-EH84
Connector Harness
L: 22"-67"




QL-ECK6
Communication Kit

type 6
RJ45/45


Accessories




V-ADP
Plastic Pencil Drawer




V-KASX
Articulating Keyboard Tray




V-ELU
Halifax LED Light 30"




V-AFMA-01
Single Monitor Arm - clamp mount



V-AFMA-01
Single Monitor Arm - grommet mount




V-AFMA-02
Double Monitor Arm - clamp mount



V-AFMA-02
Double Monitor Arm - grommet mount



R-HATB
Height Adjustable Base
W range: 40"-90"




R-HA3B
5-sided Base
W range: 46"-84"



J-MTCB
Task Seating
H: 39.25", W: 25.25", D: 25"

Fabrics




Seaside

Grade 1 - Ballo - F5191




Nightfall

Grade 1 - Ballo - F6161



Fjord

Grade 1 - Commerce - F2181



Grey

Grade 1 - Commerce - F2161



Slate

Grade 1 - Commerce - F2141



Steel Grey

Grade 1 - Commerce - F2171



Seed

Grade 1 - Reticolo - F4121



Stockinette

Grade 1 - Zapote - F4151


Laminates



Copa_Cabana
L133/V133




Fogo_Harbour
L165/V165



White
L121/V121



Megantic
L163/V163



Moonlight
L164/V164



Sable_Island
L161/V161



Summer_Drops
L154/V154




Tofino
L162/V162




Tuxedo
L132/V132


Trims




Black
P114



Charcoal
P139



Silver
P112





White
P121



Application Guidelines

Types of Surfaces



no grommet




with grommet



wireplay




Gallery Panel Planning




Connection Types - Fillers

2-Way 90° Connection

Type A Connection




Type B Connection




2-Way 180° Connection

Type A Connection




Type B Connection




3-Way Connection


Type A Connection




Type B Connection



Type C Connection





Type D Connection





4-Way Connection



Type A Connection





Type B Connection



Type C Connection



Type D Connection






Switch Quickship Canada Pricebook

July 2026

Panels

standard panel - monolithic	20
fabric	20
non powered	20
powered capable	22
gallery - solid	24
single span middle	24
single span end /no cutout	26
double span middle	28
double span end/no cutout	30
single span end /w cutout	32
double span end /w cutout	34
frameless blade	36
glass	36
gallery	37
vertical woodgrain	37
single span middle	37
double span middle	38
single span end /no cutout	40
double span end/no cutout	42
single span end /w cutout	44
double span end /w cutout	46
horizontal woodgrain	48
single span end/w cutout	48
double span end/w cutout	50
single span end /no cutout	52
double span end /no cutout	54
single span middle	56
double span middle	58



Standard Monolithic
Non-Powered Fabric Panel

What’s Included:

- One (1) 2” thick fabric panel with 1” incremented slotted channels,
- Two (2) raceway covers,
- One (1) top trim

How to Specify:

- Refer to [page 11](#), Fabric Page for fabric selections
- Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:


- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable.

Options:

Height*:	42”, 50”, 66”
Width:	24”, 30”, 36”, 42”, 48”, 54”, 60”
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*34” high - 50” high available up to 72” wide, 66” high available up to 60” wide, 82” high available up to 48” wide

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PPF0-4224-N	643	42	24	2	20.16	1.17
QL-PPF0-4230-N	687	42	30	2	25.20	1.46
QL-PPF0-4236-N	782	42	36	2	30.24	1.75
QL-PPF0-4242-N	821	42	42	2	35.28	2.04
QL-PPF0-4248-N	857	42	48	2	40.32	2.33
QL-PPF0-4254-N	899	42	54	2	45.36	2.63
QL-PPF0-4260-N	933	42	60	2	50.40	2.92
QL-PPF0-5024-N	673	50	24	2	24.00	1.39
QL-PPF0-5030-N	714	50	30	2	30.00	1.74
QL-PPF0-5036-N	796	50	36	2	36.00	2.08
QL-PPF0-5042-N	857	50	42	2	42.00	2.43
QL-PPF0-5048-N	907	50	48	2	48.00	2.78
QL-PPF0-5054-N	952	50	54	2	54.00	3.13
QL-PPF0-5060-N	989	50	60	2	60.00	3.47
QL-PPF0-6624-N	738	66	24	2	31.68	1.83
QL-PPF0-6630-N	804	66	30	2	39.60	2.29
QL-PPF0-6636-N	863	66	36	2	47.52	2.75
QL-PPF0-6642-N	923	66	42	2	55.44	3.21
QL-PPF0-6648-N	981	66	48	2	63.36	3.67
QL-PPF0-6654-N	1046	66	54	2	71.28	4.13
QL-PPF0-6660-N	1104	66	60	2	79.20	4.58



Standard Monolithic
Powered Fabric Panel

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to [page 11](#), Fabric Page for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.


Power module must be specified separately.

Panels are non tackable.

Options:

Height*:	42", 50", 66
Width:	24", 30", 36", 42", 48", 54", 60"
Fabric	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
QL-PPF0-4224-E	675	42	24	2	20.16	1.17
QL-PPF0-4230-E	713	42	30	2	25.20	1.46
QL-PPF0-4236-E	809	42	36	2	30.24	1.75
QL-PPF0-4242-E	852	42	42	2	35.28	2.04
QL-PPF0-4248-E	883	42	48	2	40.32	2.33
QL-PPF0-4254-E	928	42	54	2	45.36	2.63
QL-PPF0-4260-E	962	42	60	2	50.40	2.92
QL-PPF0-5024-E	699	50	24	2	24.00	1.39
QL-PPF0-5030-E	740	50	30	2	30.00	1.74
QL-PPF0-5036-E	825	50	36	2	36.00	2.08
QL-PPF0-5042-E	883	50	42	2	42.00	2.43
QL-PPF0-5048-E	934	50	48	2	48.00	2.78
QL-PPF0-5054-E	978	50	54	2	54.00	3.13
QL-PPF0-5060-E	1016	50	60	2	60.00	3.47
QL-PPF0-6624-E	766	66	24	2	31.68	1.83
QL-PPF0-6630-E	831	66	30	2	39.60	2.29
QL-PPF0-6636-E	889	66	36	2	47.52	2.75
QL-PPF0-6642-E	950	66	42	2	55.44	3.21
QL-PPF0-6648-E	1008	66	48	2	63.36	3.67
QL-PPF0-6654-E	1071	66	54	2	71.28	4.13
QL-PPF0-6660-E	1131	66	60	2	79.20	4.58



Single Span Middle
Solid Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
QL-PYSM-4226-S1	363	42	26	1	21.84	0.63
QL-PYSM-4232-S1	407	42	32	1	26.88	0.78
QL-PYSM-4238-S1	448	42	38	1	31.92	0.92
QL-PYSM-4244-S1	491	42	44	1	36.96	1.07
QL-PYSM-4250-S1	530	42	50	1	42.00	1.22
QL-PYSM-4256-S1	568	42	56	1	47.04	1.36
QL-PYSM-4262-S1	611	42	62	1	52.08	1.51
QL-PYSM-4268-S1	651	42	68	1	57.12	1.65
QL-PYSM-4274-S1	694	42	74	1	62.16	1.80
QL-PYSM-5026-S1	401	50	26	1	26.00	0.75
QL-PYSM-5032-S1	451	50	32	1	32.00	0.93
QL-PYSM-5038-S1	498	50	38	1	38.00	1.10
QL-PYSM-5044-S1	545	50	44	1	44.00	1.27
QL-PYSM-5050-S1	593	50	50	1	50.00	1.45
QL-PYSM-5056-S1	641	50	56	1	56.00	1.62
QL-PYSM-5062-S1	692	50	62	1	62.00	1.79
QL-PYSM-5068-S1	737	50	68	1	68.00	1.97
QL-PYSM-5074-S1	788	50	74	1	74.00	2.14



Single Span End
Solid Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PYSE-4226-S1L	317	42	26	1	21.84	0.63
QL-PYSE-4232-S1L	359	42	32	1	26.88	0.78
QL-PYSE-4238-S1L	400	42	38	1	31.92	0.92
QL-PYSE-4244-S1L	441	42	44	1	36.96	1.07
QL-PYSE-4250-S1L	481	42	50	1	42.00	1.22
QL-PYSE-4256-S1L	523	42	56	1	47.04	1.36
QL-PYSE-4262-S1L	564	42	62	1	52.08	1.51
QL-PYSE-4268-S1L	604	42	68	1	57.12	1.65
QL-PYSE-4274-S1L	643	42	74	1	62.16	1.80
QL-PYSE-5026-S1L	353	50	26	1	26.00	0.75
QL-PYSE-5032-S1L	401	50	32	1	32.00	0.93
QL-PYSE-5038-S1L	451	50	38	1	38.00	1.10
QL-PYSE-5044-S1L	499	50	44	1	44.00	1.27
QL-PYSE-5050-S1L	545	50	50	1	50.00	1.45
QL-PYSE-5056-S1L	594	50	56	1	56.00	1.62
QL-PYSE-5062-S1L	641	50	62	1	62.00	1.79
QL-PYSE-5068-S1L	692	50	68	1	68.00	1.97
QL-PYSE-5074-S1L	738	50	74	1	74.00	2.14
right hand						
QL-PYSE-4226-S1R	317	42	26	1	21.84	0.63
QL-PYSE-4232-S1R	359	42	32	1	26.88	0.78
QL-PYSE-4238-S1R	400	42	38	1	31.92	0.92
QL-PYSE-4244-S1R	441	42	44	1	36.96	1.07
QL-PYSE-4250-S1R	481	42	50	1	42.00	1.22
QL-PYSE-4256-S1R	523	42	56	1	47.04	1.36
QL-PYSE-4262-S1R	564	42	62	1	52.08	1.51
QL-PYSE-4268-S1R	604	42	68	1	57.12	1.65
QL-PYSE-4274-S1R	643	42	74	1	62.16	1.80
QL-PYSE-5026-S1R	353	50	26	1	26.00	0.75
QL-PYSE-5032-S1R	401	50	32	1	32.00	0.93
QL-PYSE-5038-S1R	451	50	38	1	38.00	1.10
QL-PYSE-5044-S1R	499	50	44	1	44.00	1.27
QL-PYSE-5050-S1R	545	50	50	1	50.00	1.45
QL-PYSE-5056-S1R	594	50	56	1	56.00	1.62
QL-PYSE-5062-S1R	641	50	62	1	62.00	1.79
QL-PYSE-5068-S1R	692	50	68	1	68.00	1.97
QL-PYSE-5074-S1R	738	50	74	1	74.00	2.14



Single piece

Double Span Middle
Solid Gallery Panel

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 56", 62", 74", 86", 98", 110", 122", 134", 146"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYSM-4242-D1	473	42	42	1	35.28	1.02
QL-PYSM-4250-D1	530	42	50	1	42.00	1.22
QL-PYSM-4262-D1	611	42	62	1	52.08	1.51
QL-PYSM-4274-D1	694	42	74	1	62.16	1.80
QL-PYSM-4286-D1	776	42	86	1	72.24	2.09
QL-PYSM-5042-D1	530	50	42	1	42.00	1.22
QL-PYSM-5050-D1	593	50	50	1	50.00	1.45
QL-PYSM-5062-D1	692	50	62	1	62.00	1.79
QL-PYSM-5074-D1	788	50	74	1	74.00	2.14
QL-PYSM-5086-D1	883	50	86	1	86.00	2.49
2 pieces						
QL-PYSM-4298-D2	981	42	98	1	82.32	2.38
QL-PYSM-5098-D2	1107	50	98	1	98.00	2.84
QL-PYSM-42110-D2	1063	42	110	1	92.40	2.67
QL-PYSM-42122-D2	1147	42	122	1	102.48	2.97
QL-PYSM-42134-D2	1230	42	134	1	112.56	3.26
QL-PYSM-42146-D2	1315	42	146	1	122.64	3.55
QL-PYSM-50110-D2	1206	50	110	1	110.00	3.18
QL-PYSM-50122-D2	1300	50	122	1	122.00	3.53
QL-PYSM-50134-D2	1402	50	134	1	134.00	3.88
QL-PYSM-50146-D2	1495	50	146	1	146.00	4.22



Single piece

Double Span End
Solid Gallery Panel
No Power Cutout

What’s Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 56", 62", 74", 86", 98", 110", 122", 134", 146"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYSE-4242-D1	426	42	42	1	35.28	1.02
QL-PYSE-4250-D1	481	42	50	1	42.00	1.22
QL-PYSE-4262-D1	564	42	62	1	52.08	1.51
QL-PYSE-4274-D1	643	42	74	1	62.16	1.80
QL-PYSE-4286-D1	730	42	86	1	72.24	2.09
QL-PYSE-5042-D1	481	50	42	1	42.00	1.22
QL-PYSE-5050-D1	545	50	50	1	50.00	1.45
QL-PYSE-5062-D1	641	50	62	1	62.00	1.79
QL-PYSE-5074-D1	738	50	74	1	74.00	2.14
QL-PYSE-5086-D1	836	50	86	1	86.00	2.49
2 pieces						
QL-PYSE-4298-D2	981	42	98	1	82.32	2.38
QL-PYSE-5098-D2	1107	50	98	1	98.00	2.84
QL-PYSE-42110-D2	1063	42	110	1	92.40	2.67
QL-PYSE-42122-D2	1147	42	122	1	102.48	2.97
QL-PYSE-42134-D2	1230	42	134	1	112.56	3.26
QL-PYSE-42146-D2	1315	42	146	1	122.64	3.55
QL-PYSE-50110-D2	1206	50	110	1	110.00	3.18
QL-PYSE-50122-D2	1300	50	122	1	122.00	3.53
QL-PYSE-50134-D2	1402	50	134	1	134.00	3.88
QL-PYSE-50146-D2	1495	50	146	1	146.00	4.22



Single Span End
Solid Gallery Panel
with Power Cutout

What's Included:

One (1) 1"thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Options:

- Height: 42", 50"
- Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"
- Laminate color
- Power cut out, No power cut out


Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing

Gallery panels must be used between two
standard fabric or laminate panels


Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PCSE-4226-S1L	317	42	26	1	21.80	0.60
QL-PCSE-4232-S1L	359	42	32	1	26.90	0.80
QL-PCSE-4238-S1L	400	42	38	1	31.90	0.90
QL-PCSE-4244-S1L	441	42	44	1	37.00	1.10
QL-PCSE-4250-S1L	481	42	50	1	42.00	1.20
QL-PCSE-4256-S1L	523	42	56	1	47.00	1.40
QL-PCSE-4262-S1L	564	42	62	1	52.10	1.50
QL-PCSE-4268-S1L	604	42	68	1	57.10	1.70
QL-PCSE-4274-S1L	643	42	74	1	62.20	1.80
QL-PCSE-5026-S1L	353	50	26	1	26.00	0.80
QL-PCSE-5032-S1L	401	50	32	1	32.00	0.90
QL-PCSE-5038-S1L	451	50	38	1	38.00	1.10
QL-PCSE-5044-S1L	499	50	44	1	44.00	1.30
QL-PCSE-5050-S1L	545	50	50	1	50.00	1.40
QL-PCSE-5056-S1L	594	50	56	1	56.00	1.60
QL-PCSE-5062-S1L	641	50	62	1	62.00	1.80
QL-PCSE-5068-S1L	692	50	68	1	68.00	2.00
QL-PCSE-5074-S1L	738	50	74	1	74.00	2.10
right hand						
QL-PCSE-4226-S1R	317	42	26	1	21.80	0.60
QL-PCSE-4232-S1R	359	42	32	1	26.90	0.80
QL-PCSE-4238-S1R	400	42	38	1	31.90	0.90
QL-PCSE-4244-S1R	441	42	44	1	37.00	1.10
QL-PCSE-4250-S1R	481	42	50	1	42.00	1.20
QL-PCSE-4256-S1R	523	42	56	1	47.00	1.40
QL-PCSE-4262-S1R	564	42	62	1	52.10	1.50
QL-PCSE-4268-S1R	604	42	68	1	57.10	1.70
QL-PCSE-4274-S1R	643	42	74	1	62.20	1.80
QL-PCSE-5026-S1R	353	50	26	1	26.00	0.80
QL-PCSE-5032-S1R	401	50	32	1	32.00	0.90
QL-PCSE-5038-S1R	451	50	38	1	38.00	1.10
QL-PCSE-5044-S1R	499	50	44	1	44.00	1.30
QL-PCSE-5050-S1R	545	50	50	1	50.00	1.40
QL-PCSE-5056-S1R	594	50	56	1	56.00	1.60
QL-PCSE-5062-S1R	641	50	62	1	62.00	1.80
QL-PCSE-5068-S1R	692	50	68	1	68.00	2.00
QL-PCSE-5074-S1R	738	50	74	1	74.00	2.10



Single piece

Double Span End
Solid Gallery Panel
with Power Cutout



2 pieces

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86", 98", 110", 122", 134", 146"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
single piece						
QL-PCSE-4242-D1	426	42	42	1	35.30	1.00
QL-PCSE-4250-D1	481	42	50	1	42.00	1.20
QL-PCSE-4262-D1	564	42	62	1	52.10	1.50
QL-PCSE-4274-D1	643	42	74	1	62.20	1.80
QL-PCSE-4286-D1	730	42	86	1	72.20	2.10
QL-PCSE-5042-D1	481	50	42	1	42.00	1.20
QL-PCSE-5050-D1	545	50	50	1	50.00	1.40
QL-PCSE-5062-D1	641	50	62	1	62.00	1.80
QL-PCSE-5074-D1	738	50	74	1	74.00	2.10
QL-PCSE-5086-D1	836	50	86	1	86.00	2.50
2 pieces						
QL-PCSE-4298-D2	981	42	98	1	91.10	2.60
QL-PCSE-42110-D2	1063	42	110	1	99.30	2.90
QL-PCSE-42122-D2	1147	42	122	1	92.40	2.70
QL-PCSE-42134-D2	1230	42	134	1	102.50	3.00
QL-PCSE-42146-D2	1315	42	146	1	112.60	3.30
QL-PCSE-5098-D2	1107	50	98	1	122.60	3.50
QL-PCSE-50110-D2	1206	50	110	1	110.00	3.20
QL-PCSE-50122-D2	1300	50	122	1	122.00	3.50
QL-PCSE-50134-D2	1402	50	134	1	134.00	3.90
QL-PCSE-50146-D2	1495	50	146	1	146.00	4.20



Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

What’s Included:

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

How to Specify:

Refer to [page 13](#), Trims Page for metal finish options

Notes:

One (1) glass piece can span the width of one or two panels up to 72”W

Glass is tempered


Options:

Height:8”,

Width:24”, 30”, 36”, 42”, 48”, 54”, 60”, 72”

Frosted

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Glass screen - Frosted						
QL-VG-P-0824-F	699	8	24	1		
QL-VG-P-0830-F	739	8	30	1		
QL-VG-P-0836-F	809	8	36	1		
QL-VG-P-0842-F	867	8	42	1		
QL-VG-P-0848-F	875	8	48	1		
QL-VG-P-0854-F	944	8	54	1		
QL-VG-P-0860-F	952	8	60	1		
QL-VG-P-0872-F	1036	8	72	1		



Single Span Middle
Vertical Woodgrain
Gallery Panel

What's Included:

One (1) 1" thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel


Options:

Height: 42", 50"

Width: 26", 32", 38", 44", 50", 56"

Laminate color

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
QL-PYGM-4226-S1	363	42	26	1	21.84	0.63
QL-PYGM-4232-S1	407	42	32	1	26.88	0.78
QL-PYGM-4238-S1	448	42	38	1	31.92	0.92
QL-PYGM-4244-S1	491	42	44	1	36.96	1.07
QL-PYGM-4250-S1	530	42	50	1	42.00	1.22
QL-PYGM-4256-S1	568	42	56	1	47.04	1.36
QL-PYGM-5026-S1	401	50	26	1	26.00	0.75
QL-PYGM-5032-S1	451	50	32	1	32.00	0.93
QL-PYGM-5038-S1	498	50	38	1	38.00	1.10
QL-PYGM-5044-S1	545	50	44	1	44.00	1.27
QL-PYGM-5050-S1	593	50	50	1	50.00	1.45
QL-PYGM-5056-S1	641	50	56	1	56.00	1.62



Double Span Middle
Vertical Woodgrain
Gallery Panel

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86", 98", 110"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
single piece						
QL-PYGM-4242-D1	473	42	42	1	28.56	1.02
QL-PYGM-4250-D1	530	42	50	1	42.00	1.22
QL-PYGM-5042-D1	530	50	42	1	28.56	1.22
QL-PYGM-5050-D1	593	50	50	1	50.00	1.45
2 pieces						
QL-PYGM-4262-D2	737	42	62	1	52.08	1.51
QL-PYGM-4274-D2	818	42	74	1	62.16	1.80
QL-PYGM-4286-D2	900	42	86	1	72.24	2.09
QL-PYGM-4298-D2	981	42	98	1	82.32	2.38
QL-PYGM-5062-D2	820	50	62	1	62.00	1.79
QL-PYGM-5074-D2	916	50	74	1	74.00	2.14
QL-PYGM-5086-D2	1014	50	86	1	86.00	2.49
QL-PYGM-5098-D2	1107	50	98	1	98.00	2.84
QL-PYGM-42110-D2	1063	42	110	1	92.40	2.67
QL-PYGM-50110-D2	1206	50	110	1	110.00	3.18



Single Span End
Vertical Woodgrain
Gallery Panel
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56"
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
left hand						
QL-PYGE-4226-S1L	317	42	26	1	21.84	0.63
QL-PYGE-4232-S1L	359	42	32	1	26.88	0.78
QL-PYGE-4238-S1L	400	42	38	1	31.92	0.92
QL-PYGE-4244-S1L	441	42	44	1	36.96	1.07
QL-PYGE-4250-S1L	481	42	50	1	42.00	1.22
QL-PYGE-4256-S1L	523	42	56	1	47.04	1.36
QL-PYGE-5026-S1L	353	50	26	1	26.00	0.75
QL-PYGE-5032-S1L	401	50	32	1	32.00	0.93
QL-PYGE-5038-S1L	451	50	38	1	38.00	1.10
QL-PYGE-5044-S1L	499	50	44	1	44.00	1.27
QL-PYGE-5050-S1L	545	50	50	1	50.00	1.45
QL-PYGE-5056-S1L	594	50	56	1	56.00	1.62
right hand						
QL-PYGE-4226-S1R	317	42	26	1	21.84	0.63
QL-PYGE-4232-S1R	359	42	32	1	26.88	0.78
QL-PYGE-4238-S1R	400	42	38	1	31.92	0.92
QL-PYGE-4244-S1R	441	42	44	1	36.96	1.07
QL-PYGE-4250-S1R	481	42	50	1	42.00	1.22
QL-PYGE-4256-S1R	523	42	56	1	47.04	1.36
QL-PYGE-5026-S1R	353	50	26	1	26.00	0.75
QL-PYGE-5032-S1R	401	50	32	1	32.00	0.93
QL-PYGE-5038-S1R	451	50	38	1	38.00	1.10
QL-PYGE-5044-S1R	499	50	44	1	44.00	1.27
QL-PYGE-5050-S1R	545	50	50	1	50.00	1.45
QL-PYGE-5056-S1R	594	50	56	1	56.00	1.62



Double Span End
Vertical Woodgrain
Gallery Panel
No Power Cutout

Single piece

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	42”, 50”, 62”, 74”, 86”, 98”, 110”
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYGE-4242-D1	426	42	42	1	28.56	1.02
QL-PYGE-4250-D1	481	42	50	1	42.00	1.22
QL-PYGE-5042-D1	481	50	42	1	28.56	1.22
QL-PYGE-5050-D1	545	50	50	1	50.00	1.45
2 pieces						
QL-PYGE-4262-D2	737	42	62	1	52.08	1.51
QL-PYGE-4274-D2	818	42	74	1	62.16	1.80
QL-PYGE-4286-D2	900	42	86	1	72.24	2.09
QL-PYGE-4298-D2	981	42	98	1	82.32	2.38
QL-PYGE-5062-D2	820	50	62	1	62.00	1.79
QL-PYGE-5074-D2	916	50	74	1	74.00	2.14
QL-PYGE-5086-D2	1014	50	86	1	86.00	2.49
QL-PYGE-5098-D2	1107	50	98	1	98.00	2.84
QL-PYGE-42110-D2	1063	42	110	1	92.40	2.67
QL-PYGE-50110-D2	1206	50	110	1	110.00	3.18



Single Span End
Vertical Woodgrain
Gallery Panel
with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel,
two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate
selections

Choose option for power cut out or no power cut
out

Notes:

Gallery panels come with pre-drilled holes
on each side and bottom notch for wire
routing


Gallery panels must be used between two
standard fabric or laminate panels

Gallery panels must be the same height or
lower than the connecting standard fabric
or laminate panel

Options:


Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56"
Laminate color	
Power cut out, No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
left hand						
QL-PCGE-4226-S1L	317	42	26	1	21.80	0.63
QL-PCGE-4232-S1L	359	42	32	1	26.90	0.78
QL-PCGE-4238-S1L	400	42	38	1	31.90	0.92
QL-PCGE-4244-S1L	441	42	44	1	37.00	1.07
QL-PCGE-4250-S1L	481	42	50	1	42.00	1.22
QL-PCGE-4256-S1L	523	42	56	1	47.00	1.36
QL-PCGE-5026-S1L	353	50	26	1	26.00	0.75
QL-PCGE-5032-S1L	401	50	32	1	32.00	0.93
QL-PCGE-5038-S1L	451	50	38	1	38.00	1.10
QL-PCGE-5044-S1L	499	50	44	1	44.00	1.27
QL-PCGE-5050-S1L	545	50	50	1	50.00	1.45
QL-PCGE-5056-S1L	594	50	56	1	56.00	1.62
right hand						
QL-PCGE-4226-S1R	317	42	26	1	21.80	0.63
QL-PCGE-4232-S1R	359	42	32	1	26.90	0.78
QL-PCGE-4238-S1R	400	42	38	1	31.90	0.92
QL-PCGE-4244-S1R	441	42	44	1	37.00	1.07
QL-PCGE-4250-S1R	481	42	50	1	42.00	1.22
QL-PCGE-4256-S1R	523	42	56	1	47.00	1.36
QL-PCGE-5026-S1R	353	50	26	1	26.00	0.75
QL-PCGE-5032-S1R	401	50	32	1	32.00	0.93
QL-PCGE-5038-S1R	451	50	38	1	38.00	1.10
QL-PCGE-5044-S1R	499	50	44	1	44.00	1.27
QL-PCGE-5050-S1R	545	50	50	1	50.00	1.45
QL-PCGE-5056-S1R	594	50	56	1	56.00	1.62



Single piece

Double Span End
Vertical Woodgrain
Gallery Panel
with Power Cutout



2 pieces

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42”, 50”
Width:	42”, 50”, 62”, 74”, 86”, 98”, 110”
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
single piece						
QL-PCGE-4242-D1	426	42	42	1	28.60	1.02
QL-PCGE-4250-D1	481	42	50	1	42.00	1.22
QL-PCGE-5042-D1	481	50	42	1	28.60	1.22
QL-PCGE-5050-D1	545	50	50	1	50.00	1.45
2 pieces						
QL-PCGE-4262-D2	737	42	62	1	62.20	1.80
QL-PCGE-4274-D2	818	42	74	1	72.20	2.09
QL-PCGE-4286-D2	900	42	86	1	82.30	2.38
QL-PCGE-4298-D2	981	42	98	1	62.00	1.79
QL-PCGE-42110-D2	1063	42	110	1	74.00	2.14
QL-PCGE-5062-D2	820	50	62	1	86.00	2.49
QL-PCGE-5074-D2	916	50	74	1	98.00	2.84
QL-PCGE-5086-D2	1014	50	86	1	74.80	2.16
QL-PCGE-5098-D2	1107	50	98	1	92.40	2.67
QL-PCGE-50110-D2	1206	50	110	1	110.00	3.18



Single Span End Horizontal
Woodgrain Gallery Panel
with Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:


Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
left hand						
QL-PCHE-4226-S1L	317	42	26	1		
QL-PCHE-4232-S1L	359	42	32	1		
QL-PCHE-4238-S1L	400	42	38	1		
QL-PCHE-4244-S1L	441	42	44	1		
QL-PCHE-4250-S1L	481	42	50	1		
QL-PCHE-4256-S1L	523	42	56	1		
QL-PCHE-4262-S1L	564	42	62	1		
QL-PCHE-4268-S1L	604	42	68	1		
QL-PCHE-4274-S1L	643	42	74	1		
QL-PCHE-5026-S1L	353	50	26	1		
QL-PCHE-5032-S1L	401	50	32	1		
QL-PCHE-5038-S1L	451	50	38	1		
QL-PCHE-5044-S1L	499	50	44	1		
QL-PCHE-5050-S1L	545	50	50	1		
QL-PCHE-5056-S1L	594	50	56	1		
QL-PCHE-5062-S1L	641	50	62	1		
QL-PCHE-5068-S1L	692	50	68	1		
QL-PCHE-5074-S1L	738	50	74	1		
right hand						
QL-PCHE-4226-S1R	317	42	26	1		
QL-PCHE-4232-S1R	359	42	32	1		
QL-PCHE-4238-S1R	400	42	38	1		
QL-PCHE-4244-S1R	441	42	44	1		
QL-PCHE-4250-S1R	481	42	50	1		
QL-PCHE-4256-S1R	523	42	56	1		
QL-PCHE-4262-S1R	564	42	62	1		
QL-PCHE-4268-S1R	604	42	68	1		
QL-PCHE-4274-S1R	643	42	74	1		
QL-PCHE-5026-S1R	353	50	26	1		
QL-PCHE-5032-S1R	401	50	32	1		
QL-PCHE-5038-S1R	451	50	38	1		
QL-PCHE-5044-S1R	499	50	44	1		
QL-PCHE-5050-S1R	545	50	50	1		
QL-PCHE-5056-S1R	594	50	56	1		
QL-PCHE-5062-S1R	641	50	62	1		
QL-PCHE-5068-S1R	692	50	68	1		
QL-PCHE-5074-S1R	738	50	74	1		



Single piece

Double Span End
Horizontal Woodgrain Gallery
Panel with Power Cutout



2 pieces

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86", 98", 110", 122", 134", 146"
Laminate color	
No power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
single piece						
QL-PCHE-4242-D1	426	42	42	1		
QL-PCHE-4250-D1	481	42	50	1		
QL-PCHE-4262-D1	564	42	62	1		
QL-PCHE-4274-D1	643	42	74	1		
QL-PCHE-4286-D1	730	42	86	1		
QL-PCHE-5042-D1	481	50	42	1		
QL-PCHE-5050-D1	545	50	50	1		
QL-PCHE-5062-D1	641	50	62	1		
QL-PCHE-5074-D1	738	50	74	1		
QL-PCHE-5086-D1	836	50	86	1		
2 pieces						
QL-PCHE-4298-D2	981	42	98	1		
QL-PCHE-42110-D2	1063	42	110	1		
QL-PCHE-42122-D2	1147	42	122	1		
QL-PCHE-42134-D2	1230	42	134	1		
QL-PCHE-42146-D2	1315	42	146	1		
QL-PCHE-5098-D2	1107	50	98	1		
QL-PCHE-50110-D2	1206	50	110	1		
QL-PCHE-50122-D2	1300	50	122	1		
QL-PCHE-50134-D2	1402	50	134	1		
QL-PCHE-50146-D2	1495	50	146	1		



Single Span End Horizontal
Woodgrain Gallery Panel
No Power Cutout

What’s Included:

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
left hand						
QL-PYHE-4226-S1L	317	42	26	2		
QL-PYHE-4232-S1L	359	42	32	2		
QL-PYHE-4238-S1L	400	42	38	2		
QL-PYHE-4244-S1L	441	42	44	2		
QL-PYHE-4250-S1L	481	42	50	2		
QL-PYHE-4256-S1L	523	42	56	2		
QL-PYHE-4262-S1L	564	42	62	2		
QL-PYHE-4268-S1L	604	42	68	2		
QL-PYHE-4274-S1L	643	42	74	2		
QL-PYHE-5026-S1L	353	50	26	2		
QL-PYHE-5032-S1L	401	50	32	2		
QL-PYHE-5038-S1L	451	50	38	2		
QL-PYHE-5044-S1L	499	50	44	2		
QL-PYHE-5050-S1L	545	50	50	2		
QL-PYHE-5056-S1L	594	50	56	2		
QL-PYHE-5062-S1L	641	50	62	2		
QL-PYHE-5068-S1L	692	50	68	2		
QL-PYHE-5074-S1L	738	50	74	2		
right hand						
QL-PYHE-4226-S1R	317	42	26	2		
QL-PYHE-4232-S1R	359	42	32	2		
QL-PYHE-4238-S1R	400	42	38	2		
QL-PYHE-4244-S1R	441	42	44	2		
QL-PYHE-4250-S1R	481	42	50	2		
QL-PYHE-4256-S1R	523	42	56	2		
QL-PYHE-4262-S1R	564	42	62	2		
QL-PYHE-4268-S1R	604	42	68	2		
QL-PYHE-4274-S1R	643	42	74	2		
QL-PYHE-5026-S1R	353	50	26	2		
QL-PYHE-5032-S1R	401	50	32	2		
QL-PYHE-5038-S1R	451	50	38	2		
QL-PYHE-5044-S1R	499	50	44	2		
QL-PYHE-5050-S1R	545	50	50	2		
QL-PYHE-5056-S1R	594	50	56	2		
QL-PYHE-5062-S1R	641	50	62	2		
QL-PYHE-5068-S1R	692	50	68	2		
QL-PYHE-5074-S1R	738	50	74	2		



Single piece
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout



Two pieces
Double Span End
Horizontal Woodgrain
Gallery Panel
No Power Cutout

What's Included:

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86",98", 110", 122", 134", 146"
Laminate color	
Power cut out, no power cut out	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single piece						
QL-PYHE-4242-D1	426	42	42	2		
QL-PYHE-4250-D1	481	42	50	2		
QL-PYHE-4262-D1	564	42	62	2		
QL-PYHE-4274-D1	643	42	74	2		
QL-PYHE-4286-D1	730	42	86	2		
QL-PYHE-5042-D1	481	50	42	2		
QL-PYHE-5050-D1	545	50	50	2		
QL-PYHE-5062-D1	641	50	62	2		
QL-PYHE-5074-D1	738	50	74	2		
QL-PYHE-5086-D1	836	50	86	2		
2 pieces						
QL-PYHE-4298-D2	204	42	98	2		
QL-PYHE-5098-D2	981	50	98	2		
QL-PYHE-42110-D2	1107	42	110	2		
QL-PYHE-42122-D2	1063	42	122	2		
QL-PYHE-42134-D2	1147	42	134	2		
QL-PYHE-42146-D2	1230	42	146	2		
QL-PYHE-50110-D2	1315	50	110	2		
QL-PYHE-50122-D2	1206	50	122	2		
QL-PYHE-50134-D2	1300	50	134	2		
QL-PYHE-50146-D2	1402	50	146	2		



Single Span Middle
Horizontal Woodgrain
Gallery Panel

What's Included:

One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing


Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
QL-PYHM-4226-S1	363	42	26	2		
QL-PYHM-4232-S1	407	42	32	2		
QL-PYHM-4238-S1	448	42	38	2		
QL-PYHM-4244-S1	491	42	44	2		
QL-PYHM-4250-S1	530	42	50	2		
QL-PYHM-4256-S1	568	42	50	2		
QL-PYHM-4262-S1	611	42	62	2		
QL-PYHM-4268-S1	651	42	68	2		
QL-PYHM-4274-S1	694	42	74	2		
QL-PYHM-5026-S1	401	50	26	2		
QL-PYHM-5032-S1	451	50	32	2		
QL-PYHM-5038-S1	498	50	38	2		
QL-PYHM-5044-S1	545	50	44	2		
QL-PYHM-5050-S1	593	50	50	2		
QL-PYHM-5056-S1	641	50	50	2		
QL-PYHM-5062-S1	692	50	62	2		
QL-PYHM-5068-S1	737	50	68	2		
QL-PYHM-5074-S1	788	50	74	2		



Double Span Middle
Horizontal Woodgrain
Gallery Panel

What’s Included:

- X”-X”: One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets
- X”-X”: Two (2) 1”thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	42", 50"
Width:	42", 50", 62", 74", 86",98", 110", 122", 134", 146"
Laminate color	

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
1 Piece						
QL-PYHM-4242-D1	473	42	42	2		
QL-PYHM-4250-D1	530	42	50	2		
QL-PYHM-4262-D1	611	42	62	2		
QL-PYHM-4274-D1	694	42	74	2		
QL-PYHM-4286-D1	776	42	86	2		
QL-PYHM-5042-D1	530	50	42	2		
QL-PYHM-5050-D1	593	50	50	2		
QL-PYHM-5062-D1	692	50	62	2		
QL-PYHM-5074-D1	788	50	74	2		
QL-PYHM-5086-D1	883	50	86	2		
2 Pieces						
QL-PYHM-4298-D2	981	42	98	2		
QL-PYHM-5098-D2	1107	50	98	2		
QL-PYHM-42110-D2	1063	42	110	2		
QL-PYHM-42122-D2	1147	42	122	2		
QL-PYHM-42134-D2	1230	42	134	2		
QL-PYHM-42146-D2	1315	42	146	2		
QL-PYHM-50110-D2	1206	50	110	2		
QL-PYHM-50122-D2	1300	50	122	2		
QL-PYHM-50134-D2	1402	50	134	2		
QL-PYHM-50146-D2	1495	50	146	2		




Switch Quickship
Canada Pricebook

July 2026

**Connections
& Trims**

full height end trim	62
partial height end trim	63
full height t filler	64
partial height t filler	65
90 degree filler-full height	66
90 degree filler- partial height	67
partial height straight filler	68
adjustable wall connector	69
gallery panel filler	70
2-way connection	71
3-way t connection	72
4-way x connection	73
Top Cap	74
standard panel mount corner bracket	75
storage support bracket	76



Full Height End Trim

What's Included:

One (1) Full Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height End Trim Color

Notes:

Options:

Height: 42", 50", 66"

Width: 2"

Standard

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HETF-42	94	42	2	1	0.84	0.05
QL-HETF-50	99	50	2	1	1.00	0.06
QL-HETF-66	119	66	2	1	1.32	0.08



Partial Height End Trim

What’s Included:

One (1) Partial Height End Trim

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height End Trim Color

Notes:

Options:

Height: 8", 16", 24"

Width: 2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HETP-08	84	8	2	1	0.16	0.01
QL-HETP-16	89	16	2	1	0.32	0.02
QL-HETP-24	90	24	2	1	0.48	0.03



Full Height T Filler

What’s Included:

One (1) Full Height T Filler

Notes:

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height T Filler

Options:

Height:	42”, 50”, 66”, 82”
Width:	2”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFTR-42	209	42	2	1	0.84	0.05
QL-HFTR-50	219	50	2	1	1.00	0.06
QL-HFTR-66	219	66	2	1	1.32	0.08



Partial Height T Filler

What’s Included:

One (1) Partial Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height T Filler

Notes:

Options:

Height:	8", 16", 24"
Width:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFTP-08	164	8	2	1	0.16	0.01
QL-HFTP-16	164	16	2	1	0.32	0.02
QL-HFTP-24	170	24	2	1	0.48	0.03



Full Height 90 Degree Filler

What's Included:

One (1) Full Height 90 Degree Filler

Notes:

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height 90 Degree Filler

Options:

Height: 42", 50", 66"

Width: 2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFNR-42	181	42	2	1	0.72	0.05
QL-HFNR-50	193	50	2	1	1.00	0.06
QL-HFNR-66	209	66	2	1	1.32	0.08



Partial Height 90 Degree Filler

What's Included:

One (1)Partial Height 90 Degree Filler

How to Specify:


Choose White, Black, Silver, Charcoal for Partial Height 90 Degree Filler

Notes:

Options:

Height:	8", 16", 24"
Width:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFNP-08	72	8	2	1	0.16	0.01
QL-HFNP-16	124	16	2	1	0.32	0.02
QL-HFNP-24	135	24	2	1	0.48	0.03



Partial Height Straight Filler

What's Included:

Partial Height Straight Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height Straight Filler

Notes:

Options:

Height:	8", 16", 24"
Width:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HFSP-08	55	8	2	1	0.16	0.01
QL-HFSP-16	94	16	2	1	0.32	0.02
QL-HFSP-24	101	24	2	1	0.48	0.03



mount 2




mount 4



mount 6

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
mount 2						
QL-HW2-42	177	42	2	2	1.68	0.10
QL-HW2-50	208	50	2	2	2.00	0.12
QL-HW2-66	263	66	2	2	2.64	0.15
mount 4						
QL-HW4-42	198	42	2	4	3.36	0.19
QL-HW4-50	230	50	2	4	4.00	0.23
QL-HW4-66	284	66	2	4	5.28	0.31
mount 6						
QL-HW6-42	209	42	2	6	5.04	0.29
QL-HW6-50	240	50	2	6	6.00	0.35
QL-HW6-66	304	66	2	6	7.92	0.46



Partial Height Gallery Panel Filler

What's Included:

One (1)Partial Height Gallery Panel Filler

Notes:

How to Specify:

Gallery Panel Filler matches laminate finish chosen on Gallery Panelr


Options:

Height: 8", 16", 24", 32", 40", 48"

Width: 2"

Thickness: 1"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HYP-08	84	8	1	1	0.08	0.00
QL-HYP-16	89	16	1	1	0.16	0.01
QL-HYP-24	112	24	1	1	0.24	0.01



2-Way 90 degree
Connection




What's Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

How to Specify:

Refer to [page 15](#) for connection type application guide

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
2-Way Straight Connection						
QL-HC2W-180-A	25	1	2	3	0.02	0.00
QL-HC2W-180-B	23	1	2	3	0.02	0.00
2-Way 90 degree Connection						
QL-HC2W-90-A	59	1	2	3	0.02	0.00
QL-HC2W-90-B	59	1	2	3	0.02	0.00



What's Included:


One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

How to Specify:


Refer to [page 15](#) for connection type application guide

Notes:


Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
3 Way T Connectors						
QL-HC3W-A	99	1	2	3	0.02	0.00
QL-HC3W-B	129	1	2	3	0.02	0.00
QL-HC3W-C	94	1	2	3	0.02	0.00
QL-HC3W-D	123	1	2	3	0.02	0.00




QL-HC4W-A



QL-HC4W-B



QL-HC4W-C



QL-HC4W-D

What's Included:


One (1) type A, B, C or D 4-Way X connection bracket, accompanying screws

How to Specify:

Refer to [page 16](#) for connection type application guide

Notes:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
4 way connectors						
QL-HC4W-A	158	1	2	3	0.02	0.00
QL-HC4W-B	201	1	2	3	0.02	0.00
QL-HC4W-C	181	1	2	3	0.02	0.00
QL-HC4W-D	187	1	2	3	0.02	0.00



What’s Included:

One (1) Top Cap


How to Specify:

Choose White, Black, Silver, Charcoal for
Top Cap


Options:

Width:	2"
Depth:	2"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HUFC-02	12	1	2	2	0.02	



L-HCB
left hand shown



L-HCB1
left hand shown

What’s Included:

One (1) standard panel mounted corner bracket

How to Specify:

- Left, right
- Full depth surface, surface with 1" wire play

Notes:

- Worksurface with 1" wire play requires 1" offset bracket
- Corner bracket available in black only

Options:

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HCB-P-L	9	3	4	2	0.05	0.01
QL-HCB-P-R	9	3	4	2	0.05	0.01
QL-HCB1-P-L	21	3	4	2	0.05	0.01
QL-HCB1-P-R	21	3	4	2	0.05	0.01



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface

24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Width: 1”

Code	Price	H	W	Weight (lb.)	Volume (ft³)
for gallery panel					
QL-HPGP-24	89	28	1	8.57	0.39
QL-HPGP-30	168	28	1	10.72	0.49




Switch Quickship
Canada Pricebook

July 2026

**Worksurface &
Supports**

Worksurface & Supports

straight worksurface w/o grommet	80
straight worksurface w grommet	84
straight worksurface w/ wire play	86
ladder gable	90
standard panel	90
gallery panel	92
lamineate gable	93
standard panel	93
gallery panel	94
freestanding	95
wrap laminate gable	96
standard panel	96
gallery panel	97
storage support bracket	98
90 degree storage bracket	99
standard panel mounted cantilever arm	100
gallery panel mounted cantilever arm	101
flush plate	102



Straight Worksurface without Full Depth without Grommet

What's Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface is full depth to sit flush against panel with no grommet

Options:

Width:	23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96"
Depth:	20", 24", 30"
Thickness:	1"

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Worksurface without Full Depth without Grommet						
QL-WS00-2320	171	23	20	1	9.20	0.27
QL-WS00-2420	171	24	20	1	9.60	0.28
QL-WS00-2920	206	29	20	1	11.60	0.34
QL-WS00-3020	206	30	20	1	12.00	0.35
QL-WS00-3520	256	35	20	1	14.00	0.41
QL-WS00-3620	256	36	20	1	14.40	0.42
QL-WS00-4120	265	41	20	1	16.40	0.47
QL-WS00-4220	265	42	20	1	16.80	0.49
QL-WS00-4720	292	47	20	1	18.80	0.54
QL-WS00-4820	292	48	20	1	19.20	0.56
QL-WS00-5320	350	53	20	1	21.20	0.61

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS00-5420	350	54	20	1	21.60	0.62
QL-WS00-5920	350	59	20	1	23.60	0.68
QL-WS00-6020	350	60	20	1	24.00	0.69
QL-WS00-6520	407	65	20	1	26.00	0.75
QL-WS00-6620	407	66	20	1	26.40	0.76
QL-WS00-7120	438	71	20	1	28.40	0.82
QL-WS00-7220	438	72	20	1	28.80	0.83
QL-WS00-7620	467	76	20	1	30.40	0.88
QL-WS00-7720	467	77	20	1	30.80	0.89
QL-WS00-7820	467	78	20	1	31.20	0.90
QL-WS00-8220	499	82	20	1	32.80	0.95
QL-WS00-8320	499	83	20	1	33.20	0.96
QL-WS00-8420	499	84	20	1	33.60	0.97
QL-WS00-8820	518	88	20	1	35.20	1.02
QL-WS00-8920	518	89	20	1	35.60	1.03
QL-WS00-9020	518	90	20	1	36.00	1.04
QL-WS00-9420	550	94	20	1	37.60	1.09
QL-WS00-9520	550	95	20	1	38.00	1.10
QL-WS00-9620	550	96	20	1	38.40	1.11
QL-WS00-2324	171	23	24	1	11.04	0.32
QL-WS00-2424	171	24	24	1	11.52	0.33
QL-WS00-2924	206	29	24	1	13.92	0.40
QL-WS00-3024	206	30	24	1	14.40	0.42
QL-WS00-3524	256	35	24	1	16.80	0.49
QL-WS00-3624	256	36	24	1	17.28	0.50
QL-WS00-4124	265	41	24	1	19.68	0.57


[2 of 4] continued on next page

Worksurface continued [3 of 4]

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft ³)
QL-WS00-4224	265	42	24	1	20.16	0.58
QL-WS00-4724	292	47	24	1	22.56	0.65
QL-WS00-4824	292	48	24	1	23.04	0.67
QL-WS00-5324	350	53	24	1	25.44	0.74
QL-WS00-5424	350	54	24	1	25.92	0.75
QL-WS00-5924	374	59	24	1	28.32	0.82
QL-WS00-6024	374	60	24	1	28.80	0.83
QL-WS00-6524	407	65	24	1	31.20	0.90
QL-WS00-6624	407	66	24	1	31.68	0.92
QL-WS00-7124	438	71	24	1	34.08	0.99
QL-WS00-7224	438	72	24	1	34.56	1.00
QL-WS00-7624	467	76	24	1	36.48	1.06
QL-WS00-7724	467	77	24	1	36.96	1.07
QL-WS00-7824	467	78	24	1	37.44	1.08
QL-WS00-8224	499	82	24	1	39.36	1.14
QL-WS00-8324	499	83	24	1	39.84	1.15
QL-WS00-8424	499	84	24	1	40.32	1.17
QL-WS00-8824	518	88	24	1	42.24	1.22
QL-WS00-8924	518	89	24	1	42.72	1.24
QL-WS00-9024	518	90	24	1	43.20	1.25
QL-WS00-9424	550	94	24	1	45.12	1.31
QL-WS00-9524	550	95	24	1	45.60	1.32
QL-WS00-9624	550	96	24	1	46.08	1.33
QL-WS00-2330	206	23	30	1	13.80	0.40
QL-WS00-2430	206	24	30	1	14.40	0.42
QL-WS00-2930	239	29	30	1	17.40	0.50

Worksurface continued [4 of 4]

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft ³)
QL-WS00-3030	239	30	30	1	18.00	0.52
QL-WS00-3530	279	35	30	1	21.00	0.61
QL-WS00-3630	279	36	30	1	21.60	0.62
QL-WS00-4130	310	41	30	1	24.60	0.71
QL-WS00-4230	310	42	30	1	25.20	0.73
QL-WS00-4730	353	47	30	1	28.20	0.82
QL-WS00-4830	353	48	30	1	28.80	0.83
QL-WS00-5330	390	53	30	1	31.80	0.92
QL-WS00-5430	390	54	30	1	32.40	0.94
QL-WS00-5930	427	59	30	1	35.40	1.02
QL-WS00-6030	427	60	30	1	36.00	1.04
QL-WS00-6530	468	65	30	1	39.00	1.13
QL-WS00-6630	468	66	30	1	39.60	1.15
QL-WS00-7130	505	71	30	1	42.60	1.23
QL-WS00-7230	505	72	30	1	43.20	1.25
QL-WS00-7630	549	76	30	1	45.60	1.32
QL-WS00-7730	549	77	30	1	46.20	1.34
QL-WS00-7830	549	78	30	1	46.80	1.35
QL-WS00-8230	578	82	30	1	49.20	1.42
QL-WS00-8330	578	83	30	1	49.80	1.44
QL-WS00-8430	578	84	30	1	50.40	1.46
QL-WS00-8830	616	88	30	1	52.80	1.53
QL-WS00-8930	616	89	30	1	53.40	1.55
QL-WS00-9030	616	90	30	1	54.00	1.56
QL-WS00-9430	651	94	30	1	56.40	1.63
QL-WS00-9530	651	95	30	1	57.00	1.65
QL-WS00-9630	651	96	30	1	57.60	1.67



Straight Worksurface with Grommet

What's Included:

- One (1) worksurface
- 24"-48" - One (1) grommet cover for centre grommet
- 54"-96" - Two (2) grommet covers for grommet on each end

Notes:

- 24"-48" - One (1) grommet hole in the centre of the worksurface
- 54"-96" - Two (2) grommet holes on each end of the worksurface

How to Specify:


Refer to [page 12](#), Laminate Page for laminate selections

Options:

Width:	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth:	20", 24", 30"
Thickness:	1"

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS0G-2420	222	24	20	1	9.60	0.28
QL-WS0G-3020	255	30	20	1	12.00	0.35
QL-WS0G-3620	312	36	20	1	14.40	0.42
QL-WS0G-4220	325	42	20	1	16.80	0.49
QL-WS0G-4820	351	48	20	1	19.20	0.56
QL-WS0G-5420	407	54	20	1	21.60	0.62
QL-WS0G-6020	429	60	20	1	24.00	0.69
QL-WS0G-6620	467	66	20	1	26.40	0.76
QL-WS0G-7220	498	72	20	1	28.80	0.83
QL-WS0G-7820	525	78	20	1	31.20	0.90
QL-WS0G-8420	590	84	20	1	33.60	0.97
QL-WS0G-9020	598	90	20	1	36.00	1.04
QL-WS0G-9620	641	96	20	1	38.40	1.11

Code	Price	Width	Depth	Thickness	Weight (lb.)	Volume (ft³)
QL-WS0G-2424	222	24	24	1	11.52	0.33
QL-WS0G-3024	255	30	24	1	14.40	0.42
QL-WS0G-3624	312	36	24	1	17.28	0.50
QL-WS0G-4224	325	42	24	1	20.16	0.58
QL-WS0G-4824	351	48	24	1	23.04	0.67
QL-WS0G-5424	407	54	24	1	25.92	0.75
QL-WS0G-6024	429	60	24	1	28.80	0.83
QL-WS0G-6624	467	66	24	1	31.68	0.92
QL-WS0G-7224	498	72	24	1	34.56	1.00
QL-WS0G-7824	525	78	24	1	37.44	1.08
QL-WS0G-8424	590	84	24	1	40.32	1.17
QL-WS0G-9024	598	90	24	1	43.20	1.25
QL-WS0G-9624	641	96	24	1	46.08	1.33
QL-WS0G-2430	255	24	30	1	14.40	0.42
QL-WS0G-3030	288	30	30	1	18.00	0.52
QL-WS0G-3630	327	36	30	1	21.60	0.62
QL-WS0G-4230	358	42	30	1	25.20	0.73
QL-WS0G-4830	401	48	30	1	28.80	0.83
QL-WS0G-5430	439	54	30	1	32.40	0.94
QL-WS0G-6030	476	60	30	1	36.00	1.04
QL-WS0G-6630	518	66	30	1	39.60	1.15
QL-WS0G-7230	555	72	30	1	43.20	1.25
QL-WS0G-7830	594	78	30	1	46.80	1.35
QL-WS0G-8430	625	84	30	1	50.40	1.46
QL-WS0G-9030	662	90	30	1	54.00	1.56
QL-WS0G-9630	700	96	30	1	57.60	1.67



Straight Worksurface with 1" Wire Play

What's Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface sits 1" from the panel to allow for wire routing. No grommet is included with this worksurface

Options:

Width:	23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96"
Depth:	19", 23", 29"
Thickness:	1"

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft³)
Straight Worksurface with 1" Wire Play						
QL-WS00-2319	171	23	19	1	8.74	0.25
QL-WS00-2419	171	24	19	1	9.12	0.26
QL-WS00-2919	206	29	19	1	11.02	0.32
QL-WS00-3019	206	30	19	1	11.40	0.33
QL-WS00-3519	256	35	19	1	13.30	0.38
QL-WS00-3619	256	36	19	1	13.68	0.40
QL-WS00-4119	265	41	19	1	15.58	0.45
QL-WS00-4219	265	42	19	1	15.96	0.46
QL-WS00-4719	292	47	19	1	17.86	0.52
QL-WS00-4819	292	48	19	1	18.24	0.53
QL-WS00-5319	350	53	19	1	20.14	0.58
QL-WS00-5419	350	54	19	1	20.52	0.59

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft ³)
QL-WS00-5919	350	59	19	1	22.42	0.65
QL-WS00-6019	350	60	19	1	22.80	0.66
QL-WS00-6519	407	65	19	1	24.70	0.71
QL-WS00-6619	407	66	19	1	25.08	0.73
QL-WS00-7119	438	71	19	1	26.98	0.78
QL-WS00-7219	438	72	19	1	27.36	0.79
QL-WS00-7619	467	76	19	1	28.88	0.84
QL-WS00-7719	467	77	19	1	29.26	0.85
QL-WS00-7819	467	78	19	1	29.64	0.86
QL-WS00-8219	499	82	19	1	31.16	0.90
QL-WS00-8319	499	83	19	1	31.54	0.91
QL-WS00-8419	499	84	19	1	31.92	0.92
QL-WS00-8819	518	88	19	1	33.44	0.97
QL-WS00-8919	518	89	19	1	33.82	0.98
QL-WS00-9019	518	90	19	1	34.20	0.99
QL-WS00-9419	550	94	19	1	35.72	1.03
QL-WS00-9519	550	95	19	1	36.10	1.04
QL-WS00-9619	550	96	19	1	36.48	1.06
QL-WS00-2323	171	23	23	1	10.58	0.31
QL-WS00-2423	171	24	23	1	11.04	0.32
QL-WS00-2923	206	29	23	1	13.34	0.39
QL-WS00-3023	206	30	23	1	13.80	0.40
QL-WS00-3523	256	35	23	1	16.10	0.47
QL-WS00-3623	256	36	23	1	16.56	0.48
QL-WS00-4123	265	41	23	1	18.86	0.55
QL-WS00-4223	265	42	23	1	19.32	0.56
QL-WS00-4723	292	47	23	1	21.62	0.63


[2 of 4] continued on next page

Worksurface continued [3 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft ³)
QL-WS00-4823	292	48	23	1	22.08	0.64
QL-WS00-5323	350	53	23	1	24.38	0.71
QL-WS00-5423	350	54	23	1	24.84	0.72
QL-WS00-5923	350	59	23	1	27.14	0.79
QL-WS00-6023	350	60	23	1	27.60	0.80
QL-WS00-6523	407	65	23	1	29.90	0.87
QL-WS00-6623	407	66	23	1	30.36	0.88
QL-WS00-7123	438	71	23	1	32.66	0.95
QL-WS00-7223	438	72	23	1	33.12	0.96
QL-WS00-7623	467	76	23	1	34.96	1.01
QL-WS00-7723	467	77	23	1	35.42	1.02
QL-WS00-7823	467	78	23	1	35.88	1.04
QL-WS00-8223	499	82	23	1	37.72	1.09
QL-WS00-8323	499	83	23	1	38.18	1.10
QL-WS00-8423	499	84	23	1	38.64	1.12
QL-WS00-8823	518	88	23	1	40.48	1.17
QL-WS00-8923	518	89	23	1	40.94	1.18
QL-WS00-9023	518	90	23	1	41.40	1.20
QL-WS00-9423	550	94	23	1	43.24	1.25
QL-WS00-9523	550	95	23	1	43.70	1.26
QL-WS00-9623	550	96	23	1	44.16	1.28
QL-WS00-2329	206	23	29	1	13.34	0.39
QL-WS00-2429	206	24	29	1	13.92	0.40
QL-WS00-2929	239	29	29	1	16.82	0.49
QL-WS00-3029	239	30	29	1	17.40	0.50
QL-WS00-3529	279	35	29	1	20.30	0.59
QL-WS00-3629	279	36	29	1	20.88	0.60
QL-WS00-4129	310	41	29	1	23.78	0.69

Worksurface continued [4 of 4]

Code	Price	Height	Depth	Thickness	Weight (lb.)	Volume (ft ³)
QL-WS00-4229	310	42	29	1	24.36	0.70
QL-WS00-4729	353	47	29	1	27.26	0.79
QL-WS00-4829	353	48	29	1	27.84	0.81
QL-WS00-5329	390	53	29	1	30.74	0.89
QL-WS00-5429	390	54	29	1	31.32	0.91
QL-WS00-5929	427	59	29	1	34.22	0.99
QL-WS00-6029	427	60	29	1	34.80	1.01
QL-WS00-6529	468	65	29	1	37.70	1.09
QL-WS00-6629	468	66	29	1	38.28	1.11
QL-WS00-7129	505	71	29	1	41.18	1.19
QL-WS00-7229	505	72	29	1	41.76	1.21
QL-WS00-7629	549	76	29	1	44.08	1.28
QL-WS00-7729	549	77	29	1	44.66	1.29
QL-WS00-7829	549	78	29	1	45.24	1.31
QL-WS00-8229	578	82	29	1	47.56	1.38
QL-WS00-8329	578	83	29	1	48.14	1.39
QL-WS00-8429	578	84	29	1	48.72	1.41
QL-WS00-8829	616	88	29	1	51.04	1.48
QL-WS00-8929	616	89	29	1	51.62	1.49
QL-WS00-9029	616	90	29	1	52.20	1.51
QL-WS00-9429	651	94	29	1	54.52	1.58
QL-WS00-9529	651	95	29	1	55.10	1.59
QL-WS00-9629	651	96	29	1	55.68	1.61



Standard Panel Ladder Gable

What's Included:

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Mid gable is used at the surface joint


How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable color

Options:

Height:	28"
Depth:	20", 24", 30"
Ladder Gable Paint Color:	Silver, White, Black, Charcoal
End gable:	(Left hand, right hand) or mid gable

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
Left hand						
QL-HOEG-P-2820-L	529	25	20	2	10.00	0.58
QL-HOEG-P-2824-L	533	28	24	2	13.44	0.78
QL-HOEG-P-2830-L	577	28	30	2	16.80	0.97
Right hand						
QL-HOEG-P-2820-R	529	28	20	2	11.20	0.65
QL-HOEG-P-2824-R	533	28	24	2	13.44	0.78
QL-HOEG-P-2830-R	577	28	30	2	16.80	0.97
Mid						
QL-HOMG-P-2820	529	28	20	2	11.20	0.65
QL-HOMG-P-2824	533	28	24	2	13.44	0.78
QL-HOMG-P-2830	577	28	30	2	16.80	0.97



Gallery Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable color

Options:


Height:	28"
Width:	20", 24", 30"
Ladder Gable Paint Color::	Silver, White, Black, Charcoal
End gable:	(Left hand, right hand) or mid gable

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Mid gable is used at the surface joint

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HOEG-P-2820-L	529	25	20	2	10.00	0.58
QL-HOEG-P-2824-L	533	28	24	2	13.44	0.78
QL-HOEG-P-2830-L	577	28	30	2	16.80	0.97
Right hand						
QL-HOEG-P-2820-R	529	28	20	2	11.20	0.65
QL-HOEG-P-2824-R	533	28	24	2	13.44	0.78
QL-HOEG-P-2830-R	577	28	30	2	16.80	0.97
Mid						
QL-HOMG-P-2820	529	28	20	2	11.20	0.65
QL-HOMG-P-2824	533	28	24	2	13.44	0.78
QL-HOMG-P-2830	577	28	30	2	16.80	0.97



Standard Panel
Laminate Gable

What's Included:

One (1) laminate gable, one (1) standard panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),
Laminate Page for laminate selections

End gable (Left hand, right hand)

Notes:


Laminate Gable can be used
with worksurface with grommet,
worksurface without grommet,
worksurface for 1" wire play

Options:

Height: , 28"

Width: 20", 24", 30"

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
Left hand						
QL-HCEG-P-2812-L	230	28	12	2	10.00	0.39
QL-HCEG-P-2820-L	257	28	20	2	11.20	0.65
QL-HCEG-P-2824-L	275	28	24	2	13.44	0.78
QL-HCEG-P-2830-L	302	28	30	2	16.80	0.97
Right hand						
QL-HCEG-P-2812-R	230	28	12	2	10.00	0.39
QL-HCEG-P-2820-R	257	28	20	2	11.20	0.65
QL-HCEG-P-2824-R	275	28	24	2	13.44	0.78
QL-HCEG-P-2830-R	302	28	30	2	16.80	0.97



Gallery Panel
Laminate Gable

What’s Included:

One (1) laminate gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

- Laminate Gable Paint Color: Silver, White, Black, Charcoal
- Laminate Gable Laminate Color: Refer to [page 12](#), Laminate Page for laminate selections
- End gable (Left hand, right hand)


Notes:

Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Options:

- Height: 28"
- Width: 20", 24", 30"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HCEG-Y-2812-L	222	28	12	2	11.20	0.39
QL-HCEG-Y-2820-L	244	28	20	2	11.20	0.65
QL-HCEG-Y-2824-L	268	28	24	2	13.44	0.78
QL-HCEG-Y-2830-L	295	28	30	2	16.80	0.97
Right hand						
QL-HCEG-Y-2812-R	222	28	12	2	11.20	0.39
QL-HCEG-Y-2820-R	244	28	20	2	11.20	0.65
QL-HCEG-Y-2824-R	268	28	24	2	13.44	0.78
QL-HCEG-Y-2830-R	295	28	30	2	16.80	0.97



Freestanding Laminate Gable

What’s Included:

One (1) laminate gable, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#), Laminate Page for laminate selections

Notes:


Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Height:	28"
Width:	20", 24", 30"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-HCEG-S-2820	268	28	20	2	11.20	0.65
QL-HCEG-S-2824	286	28	24	2	13.44	0.78
QL-HCEG-S-2830	312	28	30	2	16.80	0.97



Standard Panel
Wrap Laminated Gable

What’s Included:

One (1) wrap gable, one (1) standard panel mount bracket,
(1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal
Laminate Gable Laminate Color: Refer to [page 12](#),
Laminate Page for laminate selectionsEnd gable (Left hand,
right hand)

Notes:


Wrap Laminated Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play
Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Heights*: 28”
Width: 20”, 24”, 30”

*25” high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
Left hand						
QL-HWEG-P-2820-L	491	28	20	2	11.20	0.65
QL-HWEG-P-2824-L	502	28	24	2	13.44	0.78
QL-HWEG-P-2830-L	555	28	30	2	16.80	0.97
Right hand						
QL-HWEG-P-2820-R	491	28	20	2	11.20	0.65
QL-HWEG-P-2824-R	502	28	24	2	13.44	0.78
QL-HWEG-P-2830-R	555	28	30	2	16.80	0.97



Gallery Panel
Wrap Laminate Gable

What's Included:

One (1) wrap gable, one (1) gallery panel mount bracket,
(1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),
Laminate Page for laminate selections

End gable (Left hand, right hand)

Notes:

Wrap Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Height*: 28"

Width: 20", 24", 30"

*25" high to be used to Tech Drop surface

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
Left hand						
QL-HWEG-Y-2820-L	491	28	20	2	11.20	0.65
QL-HWEG-Y-2824-L	502	28	24	2	13.44	0.78
QL-HWEG-Y-2830-L	557	28	30	2	16.80	0.97
Right hand						
QL-HWEG-Y-2820-R	491	28	20	2	11.20	0.65
QL-HWEG-Y-2824-R	502	28	24	2	13.44	0.78
QL-HWEG-Y-2830-R	557	28	30	2	16.80	0.97



for standard panel



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface


24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Depth: 24”, 30”

Code	Price	H	W	Depth	Weight (lb.)	Volume (ft³)
for standard panel - left hand						
QL-HPSP-24-L	68	28	1	24	8.57	0.39
QL-HPSP-24-R	68	28	1	24	8.57	0.39
for standard panel -right hand						
QL-HPSP-30-L	121	28	1	30	10.71	0.49
QL-HPSP-30-R	121	28	1	30	10.71	0.49
for gallery panel						
QL-HPGP-24	89	28	1	24	8.57	0.39
QL-HPGP-30	168	28	1	30	10.72	0.49



What's Included:

One (1) 90 degree bracket

How to Specify:

Available in black only

Notes:


90 degree bracket is used to connect a worksurface to a gallery panel

24" deep surface: two (2) brackets
30" deep surface: three (3) brackets

Options:

Width: 3"

Code	Price	Specifications	Weight (lb.)	Volume (ft³)
QL-HSSB	3	3", 6 Holes	0.50	0.09
QL-HSSB-24	9	3", 6 Holes	2.19	0.09
QL-HSSB-30	16	3", 6 Holes	3.00	0.09



Standard Panel Mounted
Cantilever Arm

What’s Included:

One (1) standard panel mounted cantilever arm

Notes:

Cantilever available in black only


How to Specify:

Left, right, mid

Options:

Width:: 16”, 22”

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
QL-CCAB-P-16	48	8	16	2	2.56	0.15
QL-CCAB-P-22	85	8	22	2	3.52	0.21
left hand						
QL-CCAB-P-16-L	48	8	16	2	1.92	0.11
QL-CCAB-P-22-L	85	8	22	2	2.64	0.15
right hand						
QL-CCAB-P-16-R	48	8	16	2	1.92	0.11
QL-CCAB-P-22-R	85	8	22	2	2.64	0.15



Gallery Panel Mounted
Cantilever Arm

What's Included:

One (1) gallery panel mounted cantilever arm

How to Specify:

Left, right, mid


Notes:

Cantilever available in black only

Options:

Depth: 16", 22"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
intermediate						
QL-CCAB-Y-16	48	8	16	2	2.56	0.15
QL-CCAB-Y-22	85	8	22	2	3.52	0.21
left hand						
QL-CCAB-Y-16-L	48	8	16	2	1.92	0.11
QL-CCAB-Y-22-L	85	8	22	2	2.64	0.15
right hand						
QL-CCAB-Y-16-R	48	8	16	2	1.92	0.11
QL-CCAB-Y-22-R	85	8	22	2	2.64	0.15



What's Included:

One (1) flush plate

How to Specify:

Flush Plate Paint Colour: Silver

Notes:

Flush plate is used at surface joint to connect two surfaces together

Options:

Width:	5.5"
Depth:	3"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-PWW	48	3	5.5	0	1.00	0.00




Switch Quickship Canada Pricebook

July 2026

Storage

metal shelf	106
flipper cabinet	107
pedestals	108
underdesk pedestal	108
mobile	109
lateral file	110
	111



What’s Included:

One (1) metal shelf

How to Specify:


Choose white, black, silver, charcoal for metal shelf

Notes:

Options:

Height:	6"
Width:	30", 36", 42", 48", 54", 60"
Depth:	12"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
QL-SOOM-1230	346	2	30	12	14.40	0.42
QL-SOOM-1236	362	2	36	12	17.28	0.50
QL-SOOM-1242	382	2	42	12	20.16	0.58
QL-SOOM-1248	401	2	48	12	23.04	0.67
QL-SOOM-1254	409	2	54	12	25.92	0.75
QL-SOOM-1260	438	2	60	12	28.80	0.83

**What's Included:**

One (1) laminate flipper cabinet

How to Specify:

Choose laminate face

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Locks can be keyed alike or random
Flipper cabinet slides are easy-down
pneumatic

Options:

Height*: 16"


Width: 30", 36", 42", 48", 54", 60"

Depth**: 15"


* Internal cabinet height is 13"

** Internal cabinet depth is 13"

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
laminate face w/pneumatic slides						
QL-SPFL-1530-P	1475	16	30	15	32.73	4.17
QL-SPFL-1536-P	1559	16	36	15	39.27	5.00
QL-SPFL-1542-P	1638	16	42	15	45.82	5.83
QL-SPFL-1548-P	1720	16	48	15	52.36	6.67
QL-SPFL-1554-P	1797	16	54	15	58.91	7.50
QL-SPFL-1560-P	1879	16	60	15	65.46	8.33



box/box/file



file/file

What's Included:

One (1) box/box/file or
one (1) file/file underdesk pedestal

How to Specify:

Pedestal type: box/box/file, file/file

Notes:

Pedestal brackets must be
ordered seperately

Locks can be keyed alike or
random


Options:

Height: 28"

Width: 16"

Depth: 23", 29"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
box/box/file						
QL-FPBU-281623	1005	28	16	23	64.40	5.96
QL-FPBU-281629	1173	28	16	29	81.20	7.52
file/file						
QL-FPFU-281623	1005	28	16	23	64.40	5.96
QL-FPFU-281629	1055	28	16	29	81.20	7.52



box/ file/no cushion

What's Included:

One (1) box/file mobile pedestal or one (1) box/file mobile pedestal with cushion, five (5) lockable casters

How to Specify:

Choose handle type and finish

Choose depth

Choose silver or white for caster finish

Notes:

Locks can be keyed alike or random


Options:

Height: 21" without cushion

Width: 16"

Depth: 18"

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
box/file/no cushion						
QL-FPL0-211618	1330	21	16	18	43.20	3.50



Lateral Underdesk File

What’s Included:

One (1) two drawer underdesk lateral filing cabinet, each drawer is equipped with (2) bars for front to back filing

How to Specify:

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose handle type and finish
- Choose depth

Notes:

- Lateral brackets must be ordered seperately
- Locks can be keyed alike or random

Options:

Height: 28"

Width: 30", 36"


Depth: 23", 29"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
underdesk 2 Drawer						
QL-FL2U-283023	2195	28	30	23	107.33	11.18
QL-FL2U-283029	2231	28	30	29	135.33	14.10
QL-FL2U-283623	2399	28	36	23	128.80	13.42
QL-FL2U-283629	2437	28	36	29	162.40	16.92



Switch Quickship
Canada Pricebook
July 2026
Electrics

vertical wire manager	114
wire manager	115
starter harness	116
male to female extension harness	117
Chicago electrical box	118
New York junction box	119
desktop power module	120
power module	121
connector harness	122
communication kit	123



E-Chain Wire
Manager


Notes:

E-Chain is available in black only


Code	Price	H	W	D	Volume (ft³)	Weight (lb)
e-chain wire manager						
V-EE-28	336	28			1.00	1



for 3 way connection(3W)



for 4 way connection(4W)



For 90 Degree Connection (N)

What's Included:

One (1) power pole, chosen mounting hardware

How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

90 degree, 3-way T and 4-way X must be used with same height connecting panels

Use gallery panel mount type at the end of a run


Notes:

Options:

Connector type height: 120"

Gallery panel height: 144"

Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
standard panel						
QL-EP-P-120-3W	667	120	2	2	2.00	0.28
QL-EP-P-120-4W	667	120	2	2	2.00	0.28
QL-EP-P-120-N	667	120	2	2	2.00	0.28
gallery panel						
QL-EP-Y-144	800	144	2	2	2.00	0.33



What's Included:

One (1) open wire starter harness

How to Specify:

- Available in grey only
- Single sided, double sided


Notes:

- Switch electrical system is rated for 20 amps
- Tayco recommends up to 8 workstations hardwired to one power source

Options:

Length: 72", 168"

Code	Price	L	D	Weight (lb.)	Volume (ft³)
QL-ES84-072-0	364	72	0.75	3	0.40
QL-ES84-168-0	531	168	0.75	5	0.50

**What's Included:**

One (1) male to female extension harness

How to Specify:

Available in grey only

Single sided, double sided


Notes:

Male to female extension harness is used to extend length of the starter harness


Options:

Length: 44", 122"

Code	Price	Length	D	Weight (lb.)
QL-E8FM-044	275	44	0.75	0
QL-E8FM-122	481	122	0.75	1



Single sided



Double sided

What's Included:

Single Sided: One (1) electrical box with two (2) ac outlets and one (1) panel raceway

Double Sided: Two (2) single sided electrical boxes each with two (2) ac outlets and two (2) panel raceways

Notes:

Junction box is located on the left hand side of the panel


How to Specify:

Select corresponding size to match the panel width

Options:

Width: 30", 36", 42", 48", 54", 60", 72"

Code	Price	Width	Weight (lb.)
Single Sided			
QL-JB0X-30-S	387	30	
QL-JB0X-36-S	387	36	
QL-JB0X-42-S	387	42	
QL-JB0X-48-S	387	48	
QL-JB0X-54-S	387	54	
QL-JB0X-60-S	387	60	
Double Sided			
QL-JB0X-30-D	773	30	
QL-JB0X-36-D	773	36	
QL-JB0X-42-D	773	42	
QL-JB0X-48-D	773	48	
QL-JB0X-54-D	773	54	
QL-JB0X-60-D	773	60	



What's Included:

- Panels 24", 30", 36" wide: One (1) New York junction box
- Panels 42" or wider: One (1) New York junction box with single or double power module

How to Specify:

- Panels 24", 30", 36" wide: Specify junction box without power module. Power module and starter harness must be specified speratley
- Panels 42" or wider: Specify single or double power module with junction box


Notes:

Male to female extension harness is used to extend length of the starter harness

Options:


- Junction Box width: 9"
- Junction Box with power module width: 18"

Code	Price	Length	D	Weight (lb.)
QL-NY84-004-D	826			
QL-NY84-004-S	676			
QL-NYEJ-84	234			



clamp mount desktop power module equipped with:
two AC outlets,
one USB A and
one USB C charging ports, and
one (1) three prong cord

Code	Price	H	W	D	Volume	Weight
clamp mount desktop power module (2 AC outlets and 1 ea USB A & C ports)						
V-EMW-2AC	208	6	4	3	1.00	0.04



What's Included:

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

How to Specify:

Available in grey only
Single sided, double sided

Notes:

Power modules are installed in the center cut out power capable panels only


Double sided power module has four (4) ac outlets on each side

Refer to Switch electrical specification guide for more information

Options:

Width: 8"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
single sided						
QL-EM84-S	240	3	6	3	1.70	0.03
double sided						
QL-EM84-D	350	3	6	3	2.00	0.03



What’s Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided

Notes:


Connector harness is used to connect two power modules together

Refer to installation guide for connector harness length calculation

Options:

Length: 22”-67” in 3” increments

Code	Price	Length	D	Weight (lb.)	Volume (ft³)
QL-EH84-22	198	22	0.75	1	0.20
QL-EH84-25	208	25	0.75	1	0.20
QL-EH84-28	214	28	0.75	1	0.20
QL-EH84-31	222	31	0.75	1	0.20
QL-EH84-34	230	34	0.75	1	0.20
QL-EH84-37	234	37	0.75	1	0.20
QL-EH84-40	240	40	0.75	1	0.20
QL-EH84-43	244	43	0.75	1	0.20
QL-EH84-46	257	46	0.75	1	0.20
QL-EH84-49	263	49	0.75	2	0.20
QL-EH84-52	269	52	0.75	2	0.20
QL-EH84-55	275	55	0.75	2	0.20
QL-EH84-58	283	58	0.75	2	0.20
QL-EH84-61	288	61	0.75	2	0.20
QL-EH84-64	296	64	0.75	2	0.20
QL-EH84-67	304	67	0.75	2	0.20



type 6
RJ45/45

What's Included:

One (1) data plate with four (4) openings and chosen combination of RJ45

How to Specify:

Specify RJ45 for data connection

Notes:

Data is placed on the right hand side of the cutout in the panel raceway

Options:

Panel cutout width: 2 3/4"

Panel cutout height: 1 3/8"


Code	Price	H	W	D	Weight (lb.)	Volume (ft ³)
type 6						
QL-ECK6	263	2	4	1	0.24	0



Switch Quickship
Canada Pricebook
July 2026

Accessories

keyboard tray	126
pencil drawer	127
LED tasklight	128
monitor arm	129
height adjustable base	130
straight	130
5-sided	131
height adjustable surface	132
5-sided	132
task seating	134



Articulating Keyboard Tray

What’s Included:

Keyboard Tray, installation hardware.


How to Specify:

The articulating keyboard is available only in black.

Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments

Code	Price	H	W	D	Volume (ft³)	Weight (lb)
Articulating Keyboard Tray						
V-KASX-2510	459	0	25	10	0.00	15



Plastic Pencil Drawer

What’s Included:

One (1) pencil tray

How to Specify:

Available in black only


Notes:

Available in black only


Dimensions:

Width:	24"
Depth:	16"

Code	Price	H	W	D	Weight (lb.)	Volume (ft³)
V-ADPP	100	2.8	21	16	2	0.62



Halifax LED Light 30"(1) with transformer, Wire manager, Mounting Plate and hardware



Halifax LED Light 30"(2) with transformer, Wire manager, Mounting Plate and hardware

What's Included:

- LED Tasklight
- Transformer
- Mounting Plate
- Mounting Hardware

How to Specify:

3666 fits under overheads between 36"-66"W
7284 fits under overheads between 72-84"W


Notes:

7284 consists of two 30" lights
Hardware includes screws for wood overhead and magnets for metal overheads


Options:

Available in Silver only


Code	Price
LED Tasklight	
V-ELU-3666	481
V-ELU-7284	891




Single Monitor Arm -
clamp mount



Single Monitor Arm -
grommet mount



Double Monitor Arm -
clamp mount



Double Monitor Arm -
grommet mount

What's Included:

One monitor arm and installation hardware for both clamp and grommet mount

How to Specify:

- Specify type

Dimensions:

Vesa: 75x75 and 100x100

Notes:

Available in silver only


Single Monitor Arm

- Screen Size - 17"-36"
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees

Dual Monitor Arm

- Screen Size - 17"-32"
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees

Code	Price
Monitor Arm - Single Mount	
V-AFMA-01	426
Monitor Arm - Double Mount	
V-AFMA-02	711



height adjustable base

What's Included:

Set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 220 lb with worksurface.

Options:

Leg color silver white black

straight base - T leg

Code	Price	W Range (in)	D(in)	Weight (lb)	Volume (ft³)
R-HA2T1-S	1150	40"-72"	24	88	2.80
R-HA2T1-L	1150	73"-90"	24	90	2.86



What's Included:

Set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Pinch points are taken into account in all of the Integrated tables.

Notes:

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 320 lb with worksurface.

Options:


Leg color silver white black

3 leg base- 5-sided- T leg


Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3T1-S	1975	46"-72"	24	146	4.22
R-HA3T1-L	1975	73"-90"	24	148	4.27



5-sided height adjustable
table- curved



5-sided surface - curved



5-sided surface - 90 degree

What's Included:

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

- Grommet can be specified in silver or white.
- Edge color will default to match the surface color of the worksurface unless otherwise specified.
- Pinch points are taken into account in all of the Integrated tables.

Notes:

- Straight desk worksurface is 1-inch thick.
- Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.
- Load capacity of 320 lb with worksurface.

Freestanding Options:

Width/Depth	48", 54", 60",
End	24", 30"
Worksurface Laminate	laminate color
Leg color	silver white black

Integrated Options:

Width/Depth	46", 52", 58"
End	23", 29"
Worksurface Laminate	laminate color
Leg color	silver white black

Code	Price	Height (in)	Width (in)	Volume (ft³)	Weight (lb)
freestanding curved					
R-W5CG-4824	778	48	24	5.22	47.43
R-W5CG-4830	809	48	30	5.22	50.21
R-W5CG-5424	887	54	24	5.22	49.45
R-W5CG-5430	1007	54	30	5.22	51.63
R-W5CG-6024	986	60	24	5.22	54.20
R-W5CG-6030	1151	60	30	5.22	56.32
freestanding 90 degree					
R-W5NG-4824	778	48	24	5.22	47.43
R-W5NG-4830	809	48	30	5.22	50.21
R-W5NG-5424	887	54	24	5.22	49.45
R-W5NG-5430	1007	54	30	5.22	51.63
R-W5NG-6024	986	60	24	5.22	54.20
R-W5NG-6030	1151	60	30	5.22	56.32
integrated curved					
R-W5CG-4623	778	46	23	5.22	47.43
R-W5CG-4629	809	46	29	5.22	50.21
R-W5CG-5223	887	52	23	5.22	49.45
R-W5CG-5229	1007	52	29	5.22	51.63
R-W5CG-5823	986	58	23	5.22	54.20
R-W5CG-5829	1151	58	29	5.22	56.32
integrated 90 degree					
R-W5NG-4623	778	46	23	5.22	47.43
R-W5NG-4629	809	46	29	5.22	50.12
R-W5NG-5223	887	52	23	5.22	49.43
R-W5NG-5229	1007	52	29	5.22	51.60
R-W5NG-5823	986	58	23	5.22	54.01
R-W5NG-5829	1151	58	29	5.22	56.03



Dimensions:

- Overall height: 39.25"
- Overall width adj. arm: 25.25"
- Overall width fixed arm: 25"
- Overall depth: 25"

Notes:

- Advanced mesh distributes excellent support while being soft and warm to the touch and offers unimpeded airflow for maximum comfort.
- Height adjustable arm with 3 directional movements.
- J1 casters are suitable for hard surfaces and carpet flooring.
- Adjustable lumbar support is built into the frame offering comfort and support with clean lines.
- Streamlined, premium control with side tension allows for consistent and balanced support throughout its ride.
- Frame is available in black finish with 701M black mesh.

Options:

finish color	B black finish with 701M black mesh
arms	AL adjustable arms
seat slider	O no seat slider
seat fabric	701A black
packaging	Unassembled

Black Finish Frame - Fixed Arms

	Code	Price	Volume (ft³)	Weight (lb)
J1 Fabric	J-MTCB-AL0-A	1031	7.00	45