



# Switch Quickship USA Pricebook

June 2026

# Contents

|                             |    |
|-----------------------------|----|
| Caution                     | 5  |
| Statement of Line           | 6  |
| Panels & Glass Blade        | 6  |
| Storage                     | 6  |
| Workspace & Supports        | 7  |
| Connections & Trims         | 8  |
| Electrics                   | 9  |
| Accessories                 | 10 |
| Fabrics                     | 11 |
| Laminates                   | 12 |
| Trims                       | 13 |
| Application Guidelines      | 14 |
| Types of Surfaces           | 14 |
| Types of Surfaces           | 14 |
| Gallery Panel Planning      | 15 |
| Connection Types - Fillers  | 16 |
| Panels                      | 18 |
| standard panel - monolithic | 20 |
| non-powered                 | 20 |
| powered capable             | 22 |
| gallery - solid             | 24 |
| single span middle          | 24 |
| single span end /no cutout  | 26 |
| double span middle          | 28 |
| double span end/no cutout   | 30 |
| single span end /w cutout   | 32 |
| double span end /w cutout   | 34 |
| frameless blade             | 36 |
| glass                       | 36 |
| gallery                     | 37 |
| vertical woodgrain          | 37 |
| horizontal woodgrain        | 48 |
| Connections & Trims         | 60 |
| full height end trim        | 62 |
| partial height end trim     | 63 |

|                                       |           |
|---------------------------------------|-----------|
| full height t filler                  | 64        |
| partial height t filler               | 65        |
| 90 degree filler-full height          | 66        |
| 90 degree filler- partial height      | 67        |
| partial height straight filler        | 68        |
| adjustable wall connector             | 69        |
| gallery panel filler                  | 70        |
| 2-way connection                      | 71        |
| 3-way t connection                    | 72        |
| 4-way x connection                    | 73        |
| Top Cap                               | 74        |
| standard panel mount corner bracket   | 75        |
| storage support bracket               | 76        |
| <b>Worksurface &amp; Supports</b>     | <b>78</b> |
| straight worksurface w/o grommet      | 80        |
| straight worksurface w grommet        | 84        |
| straight worksurface w/ wire play     | 86        |
| ladder gable                          | 90        |
| standard panel                        | 90        |
| gallery panel                         | 92        |
| lamine gable                          | 93        |
| standard panel                        | 93        |
| gallery panel                         | 94        |
| freestanding                          | 95        |
| wrap laminate gable                   | 96        |
| standard panel                        | 96        |
| gallery panel                         | 97        |
| storage support bracket               | 98        |
| 90 degree storage bracket             | 99        |
| standard panel mounted cantilever arm | 100       |
| gallery panel mounted cantilever arm  | 101       |
| flush plate                           | 102       |

|                                  |     |
|----------------------------------|-----|
| Storage                          | 104 |
| metal shelf                      | 106 |
| flipper cabinet                  | 107 |
| pedestals                        | 108 |
| underdesk pedestal               | 108 |
| mobile                           | 109 |
| lateral file                     | 110 |
| Electrics                        | 112 |
| vertical wire manager            | 114 |
| wire manager                     | 115 |
| starter harness                  | 116 |
| male to female extension harness | 117 |
| Chicago electrical box           | 118 |
| New York junction box            | 119 |
| desktop power module             | 120 |
| power module                     | 121 |
| connector harness                | 122 |
| communication kit                | 123 |
| Accessories                      | 124 |
| keyboard tray                    | 126 |
| pencil drawer                    | 127 |
| LED tasklight                    | 128 |
| monitor arm                      | 129 |
| height adjustable base           | 130 |
| straight                         | 130 |
| 5-sided                          | 131 |
| height adjustable surface        | 132 |
| 5-sided                          | 132 |
| task seating                     | 134 |

## Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

## Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.


## Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:


- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

# Statement of Line

## Panels & Glass Blade




QL-PPF0  
Standard Fabric Panel  
H: 42", 50", 66", 82"  
W: 24" - 60"  
\*66"H available up to 60"W  
\*82"H available up to 48"W




QL-PYSE-S1/ QL-PYSM-S1  
Solid Single Gallery Panel  
H: 42", 50"  
W: 26" - 74"



QL-PYGE-S1/QL-PYSM-S1  
Woodgrain Single Gallery Panel  
H: 42", 50"  
W: 26" - 56"



QL-PYSE-D1/D2/ QL-PYSM-D1/D2  
Solid Double Gallery Panel  
H: 42", 50"  
W: 42" - 146"




QL-VG-P  
Frameless Frosted Glass Standard Panel  
Mount  
H: 8"  
W: 24" - 72"




QL-PYGE-01/02/ QL-PYGM-D1/D2  
Woodgrain Double Gallery Panel  
H: 42", 50"  
W: 42" - 110"

## Storage



QL-S00M  
Steel Shelf  
H: 6"  
W: 30" - 60"  
D: 12"



QL-SPFL/ QL-SPFM  
Flipper Cabinet  
H: 16"  
W: 30" - 60"  
D: 14"



QL-FL2U  
2D Underdesk Lateral  
H: 28"  
W: 30", 36"  
D: 23", 29"



QL-FPBU  
BBF Underdesk  
Pedestal  
H: 28"  
W: 16"  
D: 23", 29"



QL-FPFU  
FF Underdesk Pedestal  
H: 28"  
W: 16"  
D: 23", 29"



QL-FPLO  
BF Mobile Pedestal  
H: 21"  
W: 16"  
D: 18"

## Worksurface & Supports



QL-WS00  
Straight Worksurface  
W: 24" - 96"  
D: 20", 24", 30"



QL-WS00  
Straight Worksurface with  
Cropped Depth  
W: 23" - 96"  
D: 19" - 30"



QL-WS0G  
Straight Worksurface with  
Grommets  
W: 24" - 96"  
D: 20", 24", 30"



QL-HOEG/ QL-HOMG  
Ladder Leg  
H: 25", 28"  
D: 20", 24", 30"



QL-HCEG  
Laminate Gable Leg  
H: 25", 28"  
D: 20", 24", 30"




QL-HWEG  
Wrap Gable  
H: 25", 28"  
D: 20", 24", 30"



QL-CCAB  
Cantilever  
H: 8"  
D: 16", 22"



QL-HCB  
Corner Bracket  
H: 3"  
W: 4"



QL-PWW  
Mending Plate  
D: 4"  
W: 6"



QL-HSSB  
Storage Support Bracket  
H: 3"  
D: 1"



QL-HPGP/ QL-HPSP  
Pedestal to Panel  
Bracket  
H: 28"  
W: 1", 7"


## Connections & Trims




**QL-HETF**  
Standard End Trim  
H: 34", 42", 50", 66", 82"  
W: 2"




**QL-HETP**  
End Trim (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"




**QL-HFTR**  
T Filler (Full)  
H: 34", 42", 50", 66", 82"  
W: 2"




**QL-HFTP**  
T Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



**QL-HFNR**  
90 Degree Filler (Full)  
H: 34", 42", 50", 66", 82"  
W: 2"



**QL-HFNP**  
90 Degree Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



**QL-HFSP**  
Strait Filler (Partial)  
H: 8", 16", 24", 32", 40", 48"  
W: 2"



**QL-HW2/QL-HW4/QL-HW6**  
Wall Connector  
H: 34", 42", 50", 66", 82"  
W: 2", 4", 6"



**QL-HYP**  
Gallery Panel Filler  
H: 8", 16", 24", 32", 40", 48"  
W: 1"



**QL-HC2W-90-A**  
90 Degree A  
Panel Connector




**QL-HC2W-90-B**  
90 Degree B  
Panel Connector




**QL-HC2W-180-A**  
180 Degree A Panel  
Connector




**QL-HC2W-180-B**  
180 Degree B  
Panel Connector



**QL-HC3W-A**  
3 Way A Panel  
Connector




**QL-HC3W-B**  
3 Way B Panel  
Connector



**QL-HC3W-C**  
3 Way C Panel  
Connector




**QL-HC3W-D**  
3 Way D Panel  
Connector



**QL-HC4W-A**  
4 Way A Panel  
Connector




**QL-HC4W-B**  
4 Way B Panel  
Connector



**QL-HC4W-C**  
4 Way C Panel  
Connector




**QL-HC4W-D**  
4 Way C Panel  
Connector



**QL-HUFC-02**  
Top Cap  
H: 2"  
W: 2"




## Electrics




V-EE  
E-Chain Wire Manager




QL-EP-P/ QL-EP-Y  
Wire Manager  
3-way, 4-way, 90 degree  
H: 120", 144"




QL-ES84  
Starter Harness  
L: 72", 168"



QL-E8FM  
Male to Female Extension Harness  
L: 44", 122"




Single sided




Double sided


QL-JBOX/ QL-NY84/QL-NYEJ  
Junction Box, Single or Double Sided  
W: 30" - 60"




V-EMW  
Clamp Mount Power Module



QL-EM84  
Power Module




QL-EH84  
Connector Harness  
L: 22" - 67"




QL-ECK6  
Communication Kit

type 6  
RJ45/45


Accessories




V-ADP  
Plastic Pencil Drawer




V-KASX  
Articulating Keyboard Tray




V-ELU  
Halifax LED Light 30"




V-AFMA-01  
Single Monitor Arm - clamp mount



V-AFMA-01  
Single Monitor Arm - grommet mount




V-AFMA-02  
Double Monitor Arm - clamp mount



V-AFMA-02  
Double Monitor Arm - grommet mount



R-HATB  
Height Adjustable Base  
W range: 40"-90"




R-HA3B  
5-sided Base  
W range: 46"-84"



J-MTCB  
Task Seating  
H: 39.25", W: 25.25", D: 25"

## Fabrics




**Seaside**

Grade 1 - Ballo - F5191




**Nightfall**

Grade 1 - Ballo - F6161



**Fjord**

Grade 1 - Commerce - F2181



**Grey**

Grade 1 - Commerce - F2161



**Slate**

Grade 1 - Commerce - F2141



**Steel Grey**

Grade 1 - Commerce - F2171



**Seed**

Grade 1 - Reticolo - F4121



**Stockinette**

Grade 1 - Zapote - F4151




Laminates



Copa\_Cabana  
L133/V133




Fogo\_Harbour  
L165/V165



White  
L121/V121



Megantic  
L163/V163



Moonlight  
L164/V164



Sable\_Island  
L161/V161



Summer\_Drops  
L154/V154




Tofino  
L162/V162




Tuxedo  
L132/V132


Trims




**Black**  
P114



**Charcoal**  
P139



**Silver**  
P112





**White**  
P121



# Application Guidelines

## Types of Surfaces



no grommet




with grommet



wireplay




## Gallery Panel Planning




# Connection Types - Fillers

## 2-Way 90° Connection

Type A Connection




Type B Connection




## 2-Way 180° Connection

Type A Connection




Type B Connection




## 3-Way Connection


Type A Connection




Type B Connection



Type C Connection



Type D Connection





PARTIAL 90° FILLER





4-Way Connection



Type A Connection





Type B Connection



Type C Connection



Type D Connection






# Switch Quickship USA Pricebook

June 2026

## Panels

|                             |    |
|-----------------------------|----|
| standard panel - monolithic | 20 |
| fabric                      | 20 |
| non powered                 | 20 |
| powered capable             | 22 |
| gallery - solid             | 24 |
| single span middle          | 24 |
| single span end /no cutout  | 26 |
| double span middle          | 28 |
| double span end/no cutout   | 30 |
| single span end /w cutout   | 32 |
| double span end /w cutout   | 34 |
| frameless blade             | 36 |
| glass                       | 36 |
| gallery                     | 37 |
| vertical woodgrain          | 37 |
| single span middle          | 37 |
| double span middle          | 38 |
| single span end /no cutout  | 40 |
| double span end/no cutout   | 42 |
| single span end /w cutout   | 44 |
| double span end /w cutout   | 46 |
| horizontal woodgrain        | 48 |
| single span end/w cutout    | 48 |
| double span end/w cutout    | 50 |
| single span end /no cutout  | 52 |
| double span end /no cutout  | 54 |
| single span middle          | 56 |
| double span middle          | 58 |



Standard Monolithic  
Non-Powered Fabric Panel

**What’s Included:**

- One (1) 2” thick fabric panel with 1” incremented slotted channels,
- Two (2) raceway covers,
- One (1) top trim

**How to Specify:**

Refer to [page 11](#), Fabric Page for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

**Notes:**


- Non-power capable panel.
- Can be used in run with power-capable panels and allows wires to pass through.
- Panels are non tackable.

**Options:**

|                          |                                   |
|--------------------------|-----------------------------------|
| Height*:                 | 42”, 50”, 66”                     |
| Width:                   | 24”, 30”, 36”, 42”, 48”, 54”, 60” |
| Fabric                   |                                   |
| Metal Powder Coat Paint: | White, Black, Silver, Charcoal    |

\*34” high - 50” high available up to 72” wide, 66” high available up to 60” wide, 82” high available up to 48” wide

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|---|--------------|--------------|
| QL-PPF0-4224-N | 457   | 42 | 24 | 2 | 20.16        | 1.17         |
| QL-PPF0-4230-N | 493   | 42 | 30 | 2 | 25.2         | 1.46         |
| QL-PPF0-4236-N | 530   | 42 | 36 | 2 | 30.24        | 1.75         |
| QL-PPF0-4242-N | 566   | 42 | 42 | 2 | 35.28        | 2.04         |
| QL-PPF0-4248-N | 601   | 42 | 48 | 2 | 40.32        | 2.33         |
| QL-PPF0-4254-N | 637   | 42 | 54 | 2 | 45.36        | 2.63         |
| QL-PPF0-4260-N | 673   | 42 | 60 | 2 | 50.4         | 2.92         |
| QL-PPF0-5024-N | 493   | 50 | 24 | 2 | 24           | 1.39         |
| QL-PPF0-5030-N | 547   | 50 | 30 | 2 | 30           | 1.74         |
| QL-PPF0-5036-N | 601   | 50 | 36 | 2 | 36           | 2.08         |
| QL-PPF0-5042-N | 655   | 50 | 42 | 2 | 42           | 2.43         |
| QL-PPF0-5048-N | 710   | 50 | 48 | 2 | 48           | 2.78         |
| QL-PPF0-5054-N | 764   | 50 | 54 | 2 | 54           | 3.13         |
| QL-PPF0-5060-N | 814   | 50 | 60 | 2 | 60           | 3.47         |
| QL-PPF0-6624-N | 566   | 66 | 24 | 2 | 31.68        | 1.83         |
| QL-PPF0-6630-N | 629   | 66 | 30 | 2 | 39.6         | 2.29         |
| QL-PPF0-6636-N | 683   | 66 | 36 | 2 | 47.52        | 2.75         |
| QL-PPF0-6642-N | 737   | 66 | 42 | 2 | 55.44        | 3.21         |
| QL-PPF0-6648-N | 790   | 66 | 48 | 2 | 63.36        | 3.67         |
| QL-PPF0-6654-N | 862   | 66 | 54 | 2 | 71.28        | 4.13         |
| QL-PPF0-6660-N | 933   | 66 | 60 | 2 | 79.2         | 4.58         |



Standard Monolithic  
Powered Fabric Panel

**What’s Included:**

One (1) 2” thick fabric panel with 1” incremented slotted channels, Two (2) raceway covers, One (1) top trim

**How to Specify:**

Refer to [page 11](#), Fabric Page for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

**Notes:**

Power capable panel with bracket for power module.


Power module must be specified separately.

Panels are non tackable.

**Options:**

|                                                         |                                   |
|---------------------------------------------------------|-----------------------------------|
| Height*:                                                | 42", 50", 66                      |
| Width:                                                  | 24", 30", 36", 42", 48", 54", 60" |
| Fabric                                                  |                                   |
| Metal Powder Coat Paint: White, Black, Silver, Charcoal |                                   |

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------|-------|----|----|---|--------------|---------------------------|
| QL-PPF0-4224-E | 510   | 42 | 24 | 2 | 20.16        | 1.17                      |
| QL-PPF0-4230-E | 547   | 42 | 30 | 2 | 25.2         | 1.46                      |
| QL-PPF0-4236-E | 582   | 42 | 36 | 2 | 30.24        | 1.75                      |
| QL-PPF0-4242-E | 621   | 42 | 42 | 2 | 35.28        | 2.04                      |
| QL-PPF0-4248-E | 655   | 42 | 48 | 2 | 40.32        | 2.33                      |
| QL-PPF0-4254-E | 692   | 42 | 54 | 2 | 45.36        | 2.63                      |
| QL-PPF0-4260-E | 725   | 42 | 60 | 2 | 50.4         | 2.92                      |
| QL-PPF0-5024-E | 547   | 50 | 24 | 2 | 24           | 1.39                      |
| QL-PPF0-5030-E | 601   | 50 | 30 | 2 | 30           | 1.74                      |
| QL-PPF0-5036-E | 655   | 50 | 36 | 2 | 36           | 2.08                      |
| QL-PPF0-5042-E | 710   | 50 | 42 | 2 | 42           | 2.43                      |
| QL-PPF0-5048-E | 764   | 50 | 48 | 2 | 48           | 2.78                      |
| QL-PPF0-5054-E | 814   | 50 | 54 | 2 | 54           | 3.13                      |
| QL-PPF0-5060-E | 868   | 50 | 60 | 2 | 60           | 3.47                      |
| QL-PPF0-6624-E | 621   | 66 | 24 | 2 | 31.68        | 1.83                      |
| QL-PPF0-6630-E | 683   | 66 | 30 | 2 | 39.6         | 2.29                      |
| QL-PPF0-6636-E | 737   | 66 | 36 | 2 | 47.52        | 2.75                      |
| QL-PPF0-6642-E | 790   | 66 | 42 | 2 | 55.44        | 3.21                      |
| QL-PPF0-6648-E | 846   | 66 | 48 | 2 | 63.36        | 3.67                      |
| QL-PPF0-6654-E | 916   | 66 | 54 | 2 | 71.28        | 4.13                      |
| QL-PPF0-6660-E | 984   | 66 | 60 | 2 | 79.2         | 4.58                      |



Single Span Middle  
Solid Gallery Panel

**What's Included:**

One (1) 1"thick laminate gallery panel,  
two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate  
selections

**Notes:**

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing

Gallery panels must be used between two  
standard fabric or laminate panels


Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

**Options:**

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 42", 50"                                    |
| Width:         | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color |                                             |



| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|-----------------|-------|----|----|---|--------------|---------------------------|
| QL-PYSM-4226-S1 | 358   | 42 | 26 | 1 | 21.84        | 0.63                      |
| QL-PYSM-4232-S1 | 399   | 42 | 32 | 1 | 26.88        | 0.78                      |
| QL-PYSM-4238-S1 | 438   | 42 | 38 | 1 | 31.92        | 0.92                      |
| QL-PYSM-4244-S1 | 480   | 42 | 44 | 1 | 36.96        | 1.07                      |
| QL-PYSM-4250-S1 | 521   | 42 | 50 | 1 | 42           | 1.22                      |
| QL-PYSM-4256-S1 | 556   | 42 | 56 | 1 | 47.04        | 1.36                      |
| QL-PYSM-4262-S1 | 598   | 42 | 62 | 1 | 52.08        | 1.51                      |
| QL-PYSM-4268-S1 | 639   | 42 | 68 | 1 | 57.12        | 1.65                      |
| QL-PYSM-4274-S1 | 682   | 42 | 74 | 1 | 62.16        | 1.80                      |
| QL-PYSM-5026-S1 | 396   | 50 | 26 | 1 | 26           | 0.75                      |
| QL-PYSM-5032-S1 | 439   | 50 | 32 | 1 | 32           | 0.93                      |
| QL-PYSM-5038-S1 | 485   | 50 | 38 | 1 | 38           | 1.10                      |
| QL-PYSM-5044-S1 | 536   | 50 | 44 | 1 | 44           | 1.27                      |
| QL-PYSM-5050-S1 | 581   | 50 | 50 | 1 | 50           | 1.45                      |
| QL-PYSM-5056-S1 | 630   | 50 | 56 | 1 | 56           | 1.62                      |
| QL-PYSM-5062-S1 | 678   | 50 | 62 | 1 | 62           | 1.79                      |
| QL-PYSM-5068-S1 | 720   | 50 | 68 | 1 | 68           | 1.97                      |
| QL-PYSM-5074-S1 | 771   | 50 | 74 | 1 | 74           | 2.14                      |



Single Span End  
Solid Gallery Panel

**What's Included:**

One (1) 1"thick laminate gallery panel,  
two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate  
selections

Choose option for power cut out or no power cut  
out

**Notes:**

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing


Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

**Options:**

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Height:                         | 42", 50"                                    |
| Width:                          | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color                  |                                             |
| Power cut out, No power cut out |                                             |

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PYSE-4226-S1L | 311   | 42 | 26 | 1 | 21.84        | 0.63         |
| QL-PYSE-4232-S1L | 351   | 42 | 32 | 1 | 26.88        | 0.78         |
| QL-PYSE-4238-S1L | 391   | 42 | 38 | 1 | 31.92        | 0.92         |
| QL-PYSE-4244-S1L | 431   | 42 | 44 | 1 | 36.96        | 1.07         |
| QL-PYSE-4250-S1L | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PYSE-4256-S1L | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| QL-PYSE-4262-S1L | 552   | 42 | 62 | 1 | 52.08        | 1.51         |
| QL-PYSE-4268-S1L | 593   | 42 | 68 | 1 | 57.12        | 1.65         |
| QL-PYSE-4274-S1L | 634   | 42 | 74 | 1 | 62.16        | 1.80         |
| QL-PYSE-5026-S1L | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PYSE-5032-S1L | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PYSE-5038-S1L | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PYSE-5044-S1L | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PYSE-5050-S1L | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PYSE-5056-S1L | 582   | 50 | 56 | 1 | 56           | 1.62         |
| QL-PYSE-5062-S1L | 630   | 50 | 62 | 1 | 62           | 1.79         |
| QL-PYSE-5068-S1L | 678   | 50 | 68 | 1 | 68           | 1.97         |
| QL-PYSE-5074-S1L | 723   | 50 | 74 | 1 | 74           | 2.14         |
| right hand       |       |    |    |   |              |              |
| QL-PYSE-4226-S1R | 311   | 42 | 26 | 1 | 21.84        | 0.63         |
| QL-PYSE-4232-S1R | 351   | 42 | 32 | 1 | 26.88        | 0.78         |
| QL-PYSE-4238-S1R | 391   | 42 | 38 | 1 | 31.92        | 0.92         |
| QL-PYSE-4244-S1R | 431   | 42 | 44 | 1 | 36.96        | 1.07         |
| QL-PYSE-4250-S1R | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PYSE-4256-S1R | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| QL-PYSE-4262-S1R | 552   | 42 | 62 | 1 | 52.08        | 1.51         |
| QL-PYSE-4268-S1R | 593   | 42 | 68 | 1 | 57.12        | 1.65         |
| QL-PYSE-4274-S1R | 634   | 42 | 74 | 1 | 62.16        | 1.80         |
| QL-PYSE-5026-S1R | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PYSE-5032-S1R | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PYSE-5038-S1R | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PYSE-5044-S1R | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PYSE-5050-S1R | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PYSE-5056-S1R | 582   | 50 | 56 | 1 | 56           | 1.62         |
| QL-PYSE-5062-S1R | 630   | 50 | 62 | 1 | 62           | 1.79         |
| QL-PYSE-5068-S1R | 678   | 50 | 68 | 1 | 68           | 1.97         |
| QL-PYSE-5074-S1R | 723   | 50 | 74 | 1 | 74           | 2.14         |



Single piece

Double Span Middle  
Solid Gallery Panel

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                                           |
|---------------------------------|-----------------------------------------------------------|
| Height:                         | 42", 50"                                                  |
| Width:                          | 42", 50", 56", 62", 74", 86", 98", 110", 122", 134", 146" |
| Laminate color                  |                                                           |
| Power cut out, no power cut out |                                                           |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|-----|---|--------------|--------------|
| single piece     |       |    |     |   |              |              |
| QL-PYSM-4242-D1  | 465   | 42 | 42  | 1 | 35.28        | 1.02         |
| QL-PYSM-4250-D1  | 521   | 42 | 50  | 1 | 42           | 1.22         |
| QL-PYSM-4262-D1  | 598   | 42 | 62  | 1 | 52.08        | 1.51         |
| QL-PYSM-4274-D1  | 682   | 42 | 74  | 1 | 62.16        | 1.80         |
| QL-PYSM-4286-D1  | 761   | 42 | 86  | 1 | 72.24        | 2.09         |
| QL-PYSM-5042-D1  | 521   | 50 | 42  | 1 | 42           | 1.22         |
| QL-PYSM-5050-D1  | 581   | 50 | 50  | 1 | 50           | 1.45         |
| QL-PYSM-5062-D1  | 678   | 50 | 62  | 1 | 62           | 1.79         |
| QL-PYSM-5074-D1  | 771   | 50 | 74  | 1 | 74           | 2.14         |
| QL-PYSM-5086-D1  | 865   | 50 | 86  | 1 | 86           | 2.49         |
| 2 pieces         |       |    |     |   |              |              |
| QL-PYSM-4298-D2  | 964   | 42 | 98  | 1 | 82.32        | 2.38         |
| QL-PYSM-5098-D2  | 1089  | 50 | 98  | 1 | 98           | 2.84         |
| QL-PYSM-42110-D2 | 1044  | 42 | 110 | 1 | 92.4         | 2.67         |
| QL-PYSM-42122-D2 | 1123  | 42 | 122 | 1 | 102.48       | 2.97         |
| QL-PYSM-42134-D2 | 1206  | 42 | 134 | 1 | 112.56       | 3.26         |
| QL-PYSM-42146-D2 | 1287  | 42 | 146 | 1 | 122.64       | 3.55         |
| QL-PYSM-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.18         |
| QL-PYSM-50122-D2 | 1277  | 50 | 122 | 1 | 122          | 3.53         |
| QL-PYSM-50134-D2 | 1374  | 50 | 134 | 1 | 134          | 3.88         |
| QL-PYSM-50146-D2 | 1468  | 50 | 146 | 1 | 146          | 4.22         |



Single piece

Double Span End  
Solid Gallery Panel  
No Power Cutout

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                                           |
|---------------------------------|-----------------------------------------------------------|
| Height:                         | 42", 50"                                                  |
| Width:                          | 42", 50", 56", 62", 74", 86", 98", 110", 122", 134", 146" |
| Laminate color                  |                                                           |
| Power cut out, no power cut out |                                                           |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|-----|---|--------------|---------------------------|
| single piece     |       |    |     |   |              |                           |
| QL-PYSE-4242-D1  | 421   | 42 | 42  | 1 | 35.28        | 1.02                      |
| QL-PYSE-4250-D1  | 473   | 42 | 50  | 1 | 42           | 1.22                      |
| QL-PYSE-4262-D1  | 552   | 42 | 62  | 1 | 52.08        | 1.51                      |
| QL-PYSE-4274-D1  | 634   | 42 | 74  | 1 | 62.16        | 1.80                      |
| QL-PYSE-4286-D1  | 713   | 42 | 86  | 1 | 72.24        | 2.09                      |
| QL-PYSE-5042-D1  | 473   | 50 | 42  | 1 | 42           | 1.22                      |
| QL-PYSE-5050-D1  | 536   | 50 | 50  | 1 | 50           | 1.45                      |
| QL-PYSE-5062-D1  | 630   | 50 | 62  | 1 | 62           | 1.79                      |
| QL-PYSE-5074-D1  | 723   | 50 | 74  | 1 | 74           | 2.14                      |
| QL-PYSE-5086-D1  | 820   | 50 | 86  | 1 | 86           | 2.49                      |
| 2 pieces         |       |    |     |   |              |                           |
| QL-PYSE-4298-D2  | 964   | 42 | 98  | 1 | 82.32        | 2.38                      |
| QL-PYSE-5098-D2  | 1089  | 50 | 98  | 1 | 98           | 2.84                      |
| QL-PYSE-42110-D2 | 1044  | 42 | 110 | 1 | 92.4         | 2.67                      |
| QL-PYSE-42122-D2 | 1123  | 42 | 122 | 1 | 102.48       | 2.97                      |
| QL-PYSE-42134-D2 | 1206  | 42 | 134 | 1 | 112.56       | 3.26                      |
| QL-PYSE-42146-D2 | 1287  | 42 | 146 | 1 | 122.64       | 3.55                      |
| QL-PYSE-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.18                      |
| QL-PYSE-50122-D2 | 1277  | 50 | 122 | 1 | 122          | 3.53                      |
| QL-PYSE-50134-D2 | 1374  | 50 | 134 | 1 | 134          | 3.88                      |
| QL-PYSE-50146-D2 | 1468  | 50 | 146 | 1 | 146          | 4.22                      |



Single Span End  
Solid Gallery Panel  
with Power Cutout

**What's Included:**

One (1) 1"thick laminate gallery panel,  
two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate  
selections

Choose option for power cut out or no power cut  
out

**Options:**

- Height: 42", 50"
- Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"
- Laminate color
- Power cut out, No power cut out

**Notes:**


Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing

Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel




| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PCSE-4226-S1L | 311   | 42 | 26 | 1 | 21.8         | 0.60         |
| QL-PCSE-4232-S1L | 351   | 42 | 32 | 1 | 26.9         | 0.80         |
| QL-PCSE-4238-S1L | 391   | 42 | 38 | 1 | 31.9         | 0.90         |
| QL-PCSE-4244-S1L | 431   | 42 | 44 | 1 | 37           | 1.10         |
| QL-PCSE-4250-S1L | 473   | 42 | 50 | 1 | 42           | 1.20         |
| QL-PCSE-4256-S1L | 510   | 42 | 56 | 1 | 47           | 1.40         |
| QL-PCSE-4262-S1L | 552   | 42 | 62 | 1 | 52.1         | 1.50         |
| QL-PCSE-4268-S1L | 593   | 42 | 68 | 1 | 57.1         | 1.70         |
| QL-PCSE-4274-S1L | 634   | 42 | 74 | 1 | 62.2         | 1.80         |
| QL-PCSE-5026-S1L | 346   | 50 | 26 | 1 | 26           | 0.80         |
| QL-PCSE-5032-S1L | 396   | 50 | 32 | 1 | 32           | 0.90         |
| QL-PCSE-5038-S1L | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PCSE-5044-S1L | 486   | 50 | 44 | 1 | 44           | 1.30         |
| QL-PCSE-5050-S1L | 536   | 50 | 50 | 1 | 50           | 1.40         |
| QL-PCSE-5056-S1L | 582   | 50 | 56 | 1 | 56           | 1.60         |
| QL-PCSE-5062-S1L | 630   | 50 | 62 | 1 | 62           | 1.80         |
| QL-PCSE-5068-S1L | 678   | 50 | 68 | 1 | 68           | 2.00         |
| QL-PCSE-5074-S1L | 723   | 50 | 74 | 1 | 74           | 2.10         |
| right hand       |       |    |    |   |              |              |
| QL-PCSE-4226-S1R | 311   | 42 | 26 | 1 | 21.8         | 0.60         |
| QL-PCSE-4232-S1R | 351   | 42 | 32 | 1 | 26.9         | 0.80         |
| QL-PCSE-4238-S1R | 391   | 42 | 38 | 1 | 31.9         | 0.90         |
| QL-PCSE-4244-S1R | 431   | 42 | 44 | 1 | 37           | 1.10         |
| QL-PCSE-4250-S1R | 473   | 42 | 50 | 1 | 42           | 1.20         |
| QL-PCSE-4256-S1R | 510   | 42 | 56 | 1 | 47           | 1.40         |
| QL-PCSE-4262-S1R | 552   | 42 | 62 | 1 | 52.1         | 1.50         |
| QL-PCSE-4268-S1R | 593   | 42 | 68 | 1 | 57.1         | 1.70         |
| QL-PCSE-4274-S1R | 634   | 42 | 74 | 1 | 62.2         | 1.80         |
| QL-PCSE-5026-S1R | 346   | 50 | 26 | 1 | 26           | 0.80         |
| QL-PCSE-5032-S1R | 396   | 50 | 32 | 1 | 32           | 0.90         |
| QL-PCSE-5038-S1R | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PCSE-5044-S1R | 486   | 50 | 44 | 1 | 44           | 1.30         |
| QL-PCSE-5050-S1R | 536   | 50 | 50 | 1 | 50           | 1.40         |
| QL-PCSE-5056-S1R | 582   | 50 | 56 | 1 | 56           | 1.60         |
| QL-PCSE-5062-S1R | 630   | 50 | 62 | 1 | 62           | 1.80         |
| QL-PCSE-5068-S1R | 678   | 50 | 68 | 1 | 68           | 2.00         |
| QL-PCSE-5074-S1R | 723   | 50 | 74 | 1 | 74           | 2.10         |



Single piece

Double Span End  
Solid Gallery Panel  
with Power Cutout



2 pieces

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose option for power cut out or no power cut out


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                                      |
|---------------------------------|------------------------------------------------------|
| Height:                         | 42", 50"                                             |
| Width:                          | 42", 50", 62", 74", 86", 98", 110", 122", 134", 146" |
| Laminate color                  |                                                      |
| Power cut out, no power cut out |                                                      |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|-----|---|--------------|---------------------------|
| single piece     |       |    |     |   |              |                           |
| QL-PCSE-4242-D1  | 421   | 42 | 42  | 1 | 35.3         | 1.00                      |
| QL-PCSE-4250-D1  | 473   | 42 | 50  | 1 | 42           | 1.20                      |
| QL-PCSE-4262-D1  | 552   | 42 | 62  | 1 | 52.1         | 1.50                      |
| QL-PCSE-4274-D1  | 634   | 42 | 74  | 1 | 62.2         | 1.80                      |
| QL-PCSE-4286-D1  | 713   | 42 | 86  | 1 | 72.2         | 2.10                      |
| QL-PCSE-5042-D1  | 473   | 50 | 42  | 1 | 42           | 1.20                      |
| QL-PCSE-5050-D1  | 536   | 50 | 50  | 1 | 50           | 1.40                      |
| QL-PCSE-5062-D1  | 630   | 50 | 62  | 1 | 62           | 1.80                      |
| QL-PCSE-5074-D1  | 723   | 50 | 74  | 1 | 74           | 2.10                      |
| QL-PCSE-5086-D1  | 820   | 50 | 86  | 1 | 86           | 2.50                      |
| 2 pieces         |       |    |     |   |              |                           |
| QL-PCSE-4298-D2  | 964   | 42 | 98  | 1 | 91.1         | 2.60                      |
| QL-PCSE-42110-D2 | 1044  | 42 | 110 | 1 | 99.3         | 2.90                      |
| QL-PCSE-42122-D2 | 1123  | 42 | 122 | 1 | 92.4         | 2.70                      |
| QL-PCSE-42134-D2 | 1206  | 42 | 134 | 1 | 102.5        | 3.00                      |
| QL-PCSE-42146-D2 | 1287  | 42 | 146 | 1 | 112.6        | 3.30                      |
| QL-PCSE-5098-D2  | 1089  | 50 | 98  | 1 | 122.6        | 3.50                      |
| QL-PCSE-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.20                      |
| QL-PCSE-50122-D2 | 1277  | 50 | 122 | 1 | 122          | 3.50                      |
| QL-PCSE-50134-D2 | 1374  | 50 | 134 | 1 | 134          | 3.90                      |
| QL-PCSE-50146-D2 | 1468  | 50 | 146 | 1 | 146          | 4.20                      |



Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

What's Included:

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

How to Specify:

Refer to [page 13](#), Trims Page for metal finish options

Notes:

One (1) glass piece can span the width of one or two panels up to 72"W

Glass is tempered


Options:

Height:8",

Width:24", 30", 36", 42", 48", 54", 60", 72"

Frosted

| Code                   | Price | H | W  | D    | Weight (lb.) | Volume (ft³) |
|------------------------|-------|---|----|------|--------------|--------------|
| Glass screen - Frosted |       |   |    |      |              |              |
| QL-VG-P-0824-F         | 699   | 8 | 24 | 0.75 |              |              |
| QL-VG-P-0830-F         | 739   | 8 | 30 | 0.75 |              |              |
| QL-VG-P-0836-F         | 809   | 8 | 36 | 0.75 |              |              |
| QL-VG-P-0842-F         | 867   | 8 | 42 | 0.75 |              |              |
| QL-VG-P-0848-F         | 875   | 8 | 48 | 0.75 |              |              |
| QL-VG-P-0854-F         | 944   | 8 | 54 | 0.75 |              |              |
| QL-VG-P-0860-F         | 952   | 8 | 60 | 0.75 |              |              |
| QL-VG-P-0872-F         | 1036  | 8 | 72 | 0.75 |              |              |



Single Span Middle  
Vertical Woodgrain  
Gallery Panel

#### What's Included:

One (1) 1" thick laminate gallery panel,  
two (2) gallery panel top brackets

#### How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

#### Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel


#### Options:

Height: 42", 50"

Width: 26", 32", 38", 44", 50", 56"

Laminate color

| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|-----------------|-------|----|----|---|--------------|---------------------------|
| QL-PYGM-4226-S1 | 358   | 42 | 26 | 1 | 21.84        | 0.63                      |
| QL-PYGM-4232-S1 | 399   | 42 | 32 | 1 | 26.88        | 0.78                      |
| QL-PYGM-4238-S1 | 438   | 42 | 38 | 1 | 31.92        | 0.92                      |
| QL-PYGM-4244-S1 | 480   | 42 | 44 | 1 | 36.96        | 1.07                      |
| QL-PYGM-4250-S1 | 521   | 42 | 50 | 1 | 42           | 1.22                      |
| QL-PYGM-4256-S1 | 556   | 42 | 56 | 1 | 47.04        | 1.36                      |
| QL-PYGM-5026-S1 | 396   | 50 | 26 | 1 | 26           | 0.75                      |
| QL-PYGM-5032-S1 | 439   | 50 | 32 | 1 | 32           | 0.93                      |
| QL-PYGM-5038-S1 | 485   | 50 | 38 | 1 | 38           | 1.10                      |
| QL-PYGM-5044-S1 | 536   | 50 | 44 | 1 | 44           | 1.27                      |
| QL-PYGM-5050-S1 | 581   | 50 | 50 | 1 | 50           | 1.45                      |
| QL-PYGM-5056-S1 | 630   | 50 | 56 | 1 | 56           | 1.62                      |



Double Span Middle  
Vertical Woodgrain  
Gallery Panel

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                |                                    |
|----------------|------------------------------------|
| Height:        | 42", 50"                           |
| Width:         | 42", 50", 62", 74", 86", 98", 110" |
| Laminate color |                                    |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|-----|---|--------------|---------------------------|
| single piece     |       |    |     |   |              |                           |
| QL-PYGM-4242-D1  | 465   | 42 | 42  | 1 | 28.56        | 1.02                      |
| QL-PYGM-4250-D1  | 521   | 42 | 50  | 1 | 42           | 1.22                      |
| QL-PYGM-5042-D1  | 521   | 50 | 42  | 1 | 28.56        | 1.22                      |
| QL-PYGM-5050-D1  | 581   | 50 | 50  | 1 | 50           | 1.45                      |
| 2 pieces         |       |    |     |   |              |                           |
| QL-PYGM-4262-D2  | 720   | 42 | 62  | 1 | 52.08        | 1.51                      |
| QL-PYGM-4274-D2  | 804   | 42 | 74  | 1 | 62.16        | 1.80                      |
| QL-PYGM-4286-D2  | 883   | 42 | 86  | 1 | 72.24        | 2.09                      |
| QL-PYGM-4298-D2  | 964   | 42 | 98  | 1 | 82.32        | 2.38                      |
| QL-PYGM-5062-D2  | 806   | 50 | 62  | 1 | 62           | 1.79                      |
| QL-PYGM-5074-D2  | 897   | 50 | 74  | 1 | 74           | 2.14                      |
| QL-PYGM-5086-D2  | 993   | 50 | 86  | 1 | 86           | 2.49                      |
| QL-PYGM-5098-D2  | 1089  | 50 | 98  | 1 | 98           | 2.84                      |
| QL-PYGM-42110-D2 | 1044  | 42 | 110 | 1 | 92.4         | 2.67                      |
| QL-PYGM-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.18                      |



Single Span End  
Vertical Woodgrain  
Gallery Panel  
No Power Cutout

**What’s Included:**

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate  
selections

Choose option for power cut out or no power cut  
out

**Notes:**

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing

Gallery panels must be used between two  
standard fabric or laminate panels


Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

**Options:**

|                                 |                              |
|---------------------------------|------------------------------|
| Height:                         | 42", 50"                     |
| Width:                          | 26", 32", 38", 44", 50", 56" |
| Laminate color                  |                              |
| Power cut out, No power cut out |                              |



| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PYGE-4226-S1L | 311   | 42 | 26 | 1 | 21.84        | 0.63         |
| QL-PYGE-4232-S1L | 351   | 42 | 32 | 1 | 26.88        | 0.78         |
| QL-PYGE-4238-S1L | 391   | 42 | 38 | 1 | 31.92        | 0.92         |
| QL-PYGE-4244-S1L | 431   | 42 | 44 | 1 | 36.96        | 1.07         |
| QL-PYGE-4250-S1L | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PYGE-4256-S1L | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| QL-PYGE-5026-S1L | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PYGE-5032-S1L | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PYGE-5038-S1L | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PYGE-5044-S1L | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PYGE-5050-S1L | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PYGE-5056-S1L | 582   | 50 | 56 | 1 | 56           | 1.62         |
| right hand       |       |    |    |   |              |              |
| QL-PYGE-4226-S1R | 311   | 42 | 26 | 1 | 21.84        | 0.63         |
| QL-PYGE-4232-S1R | 351   | 42 | 32 | 1 | 26.88        | 0.78         |
| QL-PYGE-4238-S1R | 391   | 42 | 38 | 1 | 31.92        | 0.92         |
| QL-PYGE-4244-S1R | 431   | 42 | 44 | 1 | 36.96        | 1.07         |
| QL-PYGE-4250-S1R | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PYGE-4256-S1R | 510   | 42 | 56 | 1 | 47.04        | 1.36         |
| QL-PYGE-5026-S1R | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PYGE-5032-S1R | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PYGE-5038-S1R | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PYGE-5044-S1R | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PYGE-5050-S1R | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PYGE-5056-S1R | 582   | 50 | 56 | 1 | 56           | 1.62         |



Double Span End  
Vertical Woodgrain  
Gallery Panel  
No Power Cutout

Single piece

**What’s Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                    |
|---------------------------------|------------------------------------|
| Height:                         | 42", 50"                           |
| Width:                          | 42", 50", 62", 74", 86", 98", 110" |
| Laminate color                  |                                    |
| Power cut out, no power cut out |                                    |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|-----|---|--------------|--------------|
| single piece     |       |    |     |   |              |              |
| QL-PYGE-4242-D1  | 421   | 42 | 42  | 1 | 28.56        | 1.02         |
| QL-PYGE-4250-D1  | 473   | 42 | 50  | 1 | 42           | 1.22         |
| QL-PYGE-5042-D1  | 473   | 50 | 42  | 1 | 28.56        | 1.22         |
| QL-PYGE-5050-D1  | 536   | 50 | 50  | 1 | 50           | 1.45         |
| 2 pieces         |       |    |     |   |              |              |
| QL-PYGE-4262-D2  | 720   | 42 | 62  | 1 | 52.08        | 1.51         |
| QL-PYGE-4274-D2  | 804   | 42 | 74  | 1 | 62.16        | 1.80         |
| QL-PYGE-4286-D2  | 883   | 42 | 86  | 1 | 72.24        | 2.09         |
| QL-PYGE-4298-D2  | 964   | 42 | 98  | 1 | 82.32        | 2.38         |
| QL-PYGE-5062-D2  | 806   | 50 | 62  | 1 | 62           | 1.79         |
| QL-PYGE-5074-D2  | 897   | 50 | 74  | 1 | 74           | 2.14         |
| QL-PYGE-5086-D2  | 993   | 50 | 86  | 1 | 86           | 2.49         |
| QL-PYGE-5098-D2  | 1089  | 50 | 98  | 1 | 98           | 2.84         |
| QL-PYGE-42110-D2 | 1044  | 42 | 110 | 1 | 92.4         | 2.67         |
| QL-PYGE-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.18         |



Single Span End  
Vertical Woodgrain  
Gallery Panel  
with Power Cutout

**What’s Included:**

One (1) 1”thick laminate gallery panel,  
two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate  
selections

Choose option for power cut out or no power cut  
out

**Notes:**

Gallery panels come with pre-drilled holes  
on each side and bottom notch for wire  
routing


Gallery panels must be used between two  
standard fabric or laminate panels

Gallery panels must be the same height or  
lower than the connecting standard fabric  
or laminate panel

**Options:**


|                                 |                              |
|---------------------------------|------------------------------|
| Height:                         | 42", 50"                     |
| Width:                          | 26", 32", 38", 44", 50", 56" |
| Laminate color                  |                              |
| Power cut out, No power cut out |                              |

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PCGE-4226-S1L | 311   | 42 | 26 | 1 | 21.8         | 0.63         |
| QL-PCGE-4232-S1L | 351   | 42 | 32 | 1 | 26.9         | 0.78         |
| QL-PCGE-4238-S1L | 391   | 42 | 38 | 1 | 31.9         | 0.92         |
| QL-PCGE-4244-S1L | 431   | 42 | 44 | 1 | 37           | 1.07         |
| QL-PCGE-4250-S1L | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PCGE-4256-S1L | 510   | 42 | 56 | 1 | 47           | 1.36         |
| QL-PCGE-5026-S1L | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PCGE-5032-S1L | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PCGE-5038-S1L | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PCGE-5044-S1L | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PCGE-5050-S1L | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PCGE-5056-S1L | 582   | 50 | 56 | 1 | 56           | 1.62         |
| right hand       |       |    |    |   |              |              |
| QL-PCGE-4226-S1R | 311   | 42 | 26 | 1 | 21.8         | 0.63         |
| QL-PCGE-4232-S1R | 351   | 42 | 32 | 1 | 26.9         | 0.78         |
| QL-PCGE-4238-S1R | 391   | 42 | 38 | 1 | 31.9         | 0.92         |
| QL-PCGE-4244-S1R | 431   | 42 | 44 | 1 | 37           | 1.07         |
| QL-PCGE-4250-S1R | 473   | 42 | 50 | 1 | 42           | 1.22         |
| QL-PCGE-4256-S1R | 510   | 42 | 56 | 1 | 47           | 1.36         |
| QL-PCGE-5026-S1R | 346   | 50 | 26 | 1 | 26           | 0.75         |
| QL-PCGE-5032-S1R | 396   | 50 | 32 | 1 | 32           | 0.93         |
| QL-PCGE-5038-S1R | 439   | 50 | 38 | 1 | 38           | 1.10         |
| QL-PCGE-5044-S1R | 486   | 50 | 44 | 1 | 44           | 1.27         |
| QL-PCGE-5050-S1R | 536   | 50 | 50 | 1 | 50           | 1.45         |
| QL-PCGE-5056-S1R | 582   | 50 | 56 | 1 | 56           | 1.62         |



Single piece

Double Span End  
Vertical Woodgrain  
Gallery Panel  
with Power Cutout



2 pieces

**What’s Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                    |
|---------------------------------|------------------------------------|
| Height:                         | 42", 50"                           |
| Width:                          | 42", 50", 62", 74", 86", 98", 110" |
| Laminate color                  |                                    |
| Power cut out, no power cut out |                                    |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|-----|---|--------------|---------------------------|
| single piece     |       |    |     |   |              |                           |
| QL-PCGE-4242-D1  | 421   | 42 | 42  | 1 | 28.6         | 1.02                      |
| QL-PCGE-4250-D1  | 473   | 42 | 50  | 1 | 42           | 1.22                      |
| QL-PCGE-5042-D1  | 473   | 50 | 42  | 1 | 28.6         | 1.22                      |
| QL-PCGE-5050-D1  | 536   | 50 | 50  | 1 | 50           | 1.45                      |
| 2 pieces         |       |    |     |   |              |                           |
| QL-PCGE-4262-D2  | 720   | 42 | 62  | 1 | 62.2         | 1.80                      |
| QL-PCGE-4274-D2  | 804   | 42 | 74  | 1 | 72.2         | 2.09                      |
| QL-PCGE-4286-D2  | 883   | 42 | 86  | 1 | 82.3         | 2.38                      |
| QL-PCGE-4298-D2  | 964   | 42 | 98  | 1 | 62           | 1.79                      |
| QL-PCGE-42110-D2 | 1044  | 42 | 110 | 1 | 74           | 2.14                      |
| QL-PCGE-5062-D2  | 806   | 50 | 62  | 1 | 86           | 2.49                      |
| QL-PCGE-5074-D2  | 897   | 50 | 74  | 1 | 98           | 2.84                      |
| QL-PCGE-5086-D2  | 993   | 50 | 86  | 1 | 74.8         | 2.16                      |
| QL-PCGE-5098-D2  | 1089  | 50 | 98  | 1 | 92.4         | 2.67                      |
| QL-PCGE-50110-D2 | 1183  | 50 | 110 | 1 | 110          | 3.18                      |



Single Span End Horizontal  
Woodgrain Gallery Panel  
with Power Cutout

**What’s Included:**

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

**Notes:**

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                  |                                             |
|------------------|---------------------------------------------|
| Height:          | 42", 50"                                    |
| Width:           | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color   |                                             |
| No power cut out |                                             |




| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PCHE-4226-S1L | 311   | 42 | 26 | 1 |              |              |
| QL-PCHE-4232-S1L | 351   | 42 | 32 | 1 |              |              |
| QL-PCHE-4238-S1L | 391   | 42 | 38 | 1 |              |              |
| QL-PCHE-4244-S1L | 431   | 42 | 44 | 1 |              |              |
| QL-PCHE-4250-S1L | 473   | 42 | 50 | 1 |              |              |
| QL-PCHE-4256-S1L | 510   | 42 | 56 | 1 |              |              |
| QL-PCHE-4262-S1L | 552   | 42 | 62 | 1 |              |              |
| QL-PCHE-4268-S1L | 593   | 42 | 68 | 1 |              |              |
| QL-PCHE-4274-S1L | 634   | 42 | 74 | 1 |              |              |
| QL-PCHE-5026-S1L | 346   | 50 | 26 | 1 |              |              |
| QL-PCHE-5032-S1L | 396   | 50 | 32 | 1 |              |              |
| QL-PCHE-5038-S1L | 439   | 50 | 38 | 1 |              |              |
| QL-PCHE-5044-S1L | 486   | 50 | 44 | 1 |              |              |
| QL-PCHE-5050-S1L | 536   | 50 | 50 | 1 |              |              |
| QL-PCHE-5056-S1L | 582   | 50 | 56 | 1 |              |              |
| QL-PCHE-5062-S1L | 630   | 50 | 62 | 1 |              |              |
| QL-PCHE-5068-S1L | 678   | 50 | 68 | 1 |              |              |
| QL-PCHE-5074-S1L | 723   | 50 | 74 | 1 |              |              |
| right hand       |       |    |    |   |              |              |
| QL-PCHE-4226-S1R | 311   | 42 | 26 | 1 |              |              |
| QL-PCHE-4232-S1R | 351   | 42 | 32 | 1 |              |              |
| QL-PCHE-4238-S1R | 391   | 42 | 38 | 1 |              |              |
| QL-PCHE-4244-S1R | 431   | 42 | 44 | 1 |              |              |
| QL-PCHE-4250-S1R | 473   | 42 | 50 | 1 |              |              |
| QL-PCHE-4256-S1R | 510   | 42 | 56 | 1 |              |              |
| QL-PCHE-4262-S1R | 552   | 42 | 62 | 1 |              |              |
| QL-PCHE-4268-S1R | 593   | 42 | 68 | 1 |              |              |
| QL-PCHE-4274-S1R | 634   | 42 | 74 | 1 |              |              |
| QL-PCHE-5026-S1R | 346   | 50 | 26 | 1 |              |              |
| QL-PCHE-5032-S1R | 396   | 50 | 32 | 1 |              |              |
| QL-PCHE-5038-S1R | 439   | 50 | 38 | 1 |              |              |
| QL-PCHE-5044-S1R | 486   | 50 | 44 | 1 |              |              |
| QL-PCHE-5050-S1R | 536   | 50 | 50 | 1 |              |              |
| QL-PCHE-5056-S1R | 582   | 50 | 56 | 1 |              |              |
| QL-PCHE-5062-S1R | 630   | 50 | 62 | 1 |              |              |
| QL-PCHE-5068-S1R | 678   | 50 | 68 | 1 |              |              |
| QL-PCHE-5074-S1R | 723   | 50 | 74 | 1 |              |              |



Single piece

Double Span End  
Horizontal Woodgrain Gallery  
Panel with Power Cutout



2 pieces

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                  |                                                      |
|------------------|------------------------------------------------------|
| Height:          | 42", 50"                                             |
| Width:           | 42", 50", 62", 74", 86", 98", 110", 122", 134", 146" |
| Laminate color   |                                                      |
| No power cut out |                                                      |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|-----|---|--------------|--------------|
| single piece     |       |    |     |   |              |              |
| QL-PCHE-4242-D1  | 421   | 42 | 42  | 1 |              |              |
| QL-PCHE-4250-D1  | 473   | 42 | 50  | 1 |              |              |
| QL-PCHE-4262-D1  | 552   | 42 | 62  | 1 |              |              |
| QL-PCHE-4274-D1  | 634   | 42 | 74  | 1 |              |              |
| QL-PCHE-4286-D1  | 713   | 42 | 86  | 1 |              |              |
| QL-PCHE-5042-D1  | 473   | 50 | 42  | 1 |              |              |
| QL-PCHE-5050-D1  | 536   | 50 | 50  | 1 |              |              |
| QL-PCHE-5062-D1  | 630   | 50 | 62  | 1 |              |              |
| QL-PCHE-5074-D1  | 723   | 50 | 74  | 1 |              |              |
| QL-PCHE-5086-D1  | 820   | 50 | 86  | 1 |              |              |
| 2 pieces         |       |    |     |   |              |              |
| QL-PCHE-4298-D2  | 964   | 42 | 98  | 1 |              |              |
| QL-PCHE-42110-D2 | 1044  | 42 | 110 | 1 |              |              |
| QL-PCHE-42122-D2 | 1123  | 42 | 122 | 1 |              |              |
| QL-PCHE-42134-D2 | 1206  | 42 | 134 | 1 |              |              |
| QL-PCHE-42146-D2 | 1287  | 42 | 146 | 1 |              |              |
| QL-PCHE-5098-D2  | 1089  | 50 | 98  | 1 |              |              |
| QL-PCHE-50110-D2 | 1183  | 50 | 110 | 1 |              |              |
| QL-PCHE-50122-D2 | 1277  | 50 | 122 | 1 |              |              |
| QL-PCHE-50134-D2 | 1374  | 50 | 134 | 1 |              |              |
| QL-PCHE-50146-D2 | 1468  | 50 | 146 | 1 |              |              |



Single Span End Horizontal  
Woodgrain Gallery Panel  
No Power Cutout

**What’s Included:**

One (1) 1”thick laminate gallery panel, two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out

**Notes:**

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                             |
|---------------------------------|---------------------------------------------|
| Height:                         | 42", 50"                                    |
| Width:                          | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color                  |                                             |
| Power cut out, no power cut out |                                             |

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| left hand        |       |    |    |   |              |              |
| QL-PYHE-4226-S1L | 311   | 42 | 26 | 2 |              |              |
| QL-PYHE-4232-S1L | 351   | 42 | 32 | 2 |              |              |
| QL-PYHE-4238-S1L | 391   | 42 | 38 | 2 |              |              |
| QL-PYHE-4244-S1L | 431   | 42 | 44 | 2 |              |              |
| QL-PYHE-4250-S1L | 473   | 42 | 50 | 2 |              |              |
| QL-PYHE-4256-S1L | 510   | 42 | 56 | 2 |              |              |
| QL-PYHE-4262-S1L | 552   | 42 | 62 | 2 |              |              |
| QL-PYHE-4268-S1L | 593   | 42 | 68 | 2 |              |              |
| QL-PYHE-4274-S1L | 634   | 42 | 74 | 2 |              |              |
| QL-PYHE-5026-S1L | 346   | 50 | 26 | 2 |              |              |
| QL-PYHE-5032-S1L | 396   | 50 | 32 | 2 |              |              |
| QL-PYHE-5038-S1L | 439   | 50 | 38 | 2 |              |              |
| QL-PYHE-5044-S1L | 486   | 50 | 44 | 2 |              |              |
| QL-PYHE-5050-S1L | 536   | 50 | 50 | 2 |              |              |
| QL-PYHE-5056-S1L | 582   | 50 | 56 | 2 |              |              |
| QL-PYHE-5062-S1L | 630   | 50 | 62 | 2 |              |              |
| QL-PYHE-5068-S1L | 678   | 50 | 68 | 2 |              |              |
| QL-PYHE-5074-S1L | 723   | 50 | 74 | 2 |              |              |
| right hand       |       |    |    |   |              |              |
| QL-PYHE-4226-S1R | 311   | 42 | 26 | 2 |              |              |
| QL-PYHE-4232-S1R | 351   | 42 | 32 | 2 |              |              |
| QL-PYHE-4238-S1R | 391   | 42 | 38 | 2 |              |              |
| QL-PYHE-4244-S1R | 431   | 42 | 44 | 2 |              |              |
| QL-PYHE-4250-S1R | 473   | 42 | 50 | 2 |              |              |
| QL-PYHE-4256-S1R | 510   | 42 | 56 | 2 |              |              |
| QL-PYHE-4262-S1R | 552   | 42 | 62 | 2 |              |              |
| QL-PYHE-4268-S1R | 593   | 42 | 68 | 2 |              |              |
| QL-PYHE-4274-S1R | 634   | 42 | 74 | 2 |              |              |
| QL-PYHE-5026-S1R | 346   | 50 | 26 | 2 |              |              |
| QL-PYHE-5032-S1R | 396   | 50 | 32 | 2 |              |              |
| QL-PYHE-5038-S1R | 439   | 50 | 38 | 2 |              |              |
| QL-PYHE-5044-S1R | 486   | 50 | 44 | 2 |              |              |
| QL-PYHE-5050-S1R | 536   | 50 | 50 | 2 |              |              |
| QL-PYHE-5056-S1R | 582   | 50 | 56 | 2 |              |              |
| QL-PYHE-5062-S1R | 630   | 50 | 62 | 2 |              |              |
| QL-PYHE-5068-S1R | 678   | 50 | 68 | 2 |              |              |
| QL-PYHE-5074-S1R | 723   | 50 | 74 | 2 |              |              |



Single piece  
Double Span End  
Horizontal Woodgrain  
Gallery Panel  
No Power Cutout



Two pieces  
Double Span End  
Horizontal Woodgrain  
Gallery Panel  
No Power Cutout

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

Choose option for power cut out or no power cut out


**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                                 |                                                     |
|---------------------------------|-----------------------------------------------------|
| Height:                         | 42", 50"                                            |
| Width:                          | 42", 50", 62", 74", 86",98", 110", 122", 134", 146" |
| Laminate color                  |                                                     |
| Power cut out, no power cut out |                                                     |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|-----|---|--------------|--------------|
| single piece     |       |    |     |   |              |              |
| QL-PYHE-4242-D1  | 421   | 42 | 42  | 2 |              |              |
| QL-PYHE-4250-D1  | 473   | 42 | 50  | 2 |              |              |
| QL-PYHE-4262-D1  | 552   | 42 | 62  | 2 |              |              |
| QL-PYHE-4274-D1  | 634   | 42 | 74  | 2 |              |              |
| QL-PYHE-4286-D1  | 713   | 42 | 86  | 2 |              |              |
| QL-PYHE-5042-D1  | 473   | 50 | 42  | 2 |              |              |
| QL-PYHE-5050-D1  | 536   | 50 | 50  | 2 |              |              |
| QL-PYHE-5062-D1  | 630   | 50 | 62  | 2 |              |              |
| QL-PYHE-5074-D1  | 723   | 50 | 74  | 2 |              |              |
| QL-PYHE-5086-D1  | 820   | 50 | 86  | 2 |              |              |
| 2 pieces         |       |    |     |   |              |              |
| QL-PYHE-4298-D2  | 204   | 42 | 98  | 2 |              |              |
| QL-PYHE-5098-D2  | 964   | 50 | 98  | 2 |              |              |
| QL-PYHE-42110-D2 | 1089  | 42 | 110 | 2 |              |              |
| QL-PYHE-42122-D2 | 1044  | 42 | 122 | 2 |              |              |
| QL-PYHE-42134-D2 | 1123  | 42 | 134 | 2 |              |              |
| QL-PYHE-42146-D2 | 1206  | 42 | 146 | 2 |              |              |
| QL-PYHE-50110-D2 | 1287  | 50 | 110 | 2 |              |              |
| QL-PYHE-50122-D2 | 1183  | 50 | 122 | 2 |              |              |
| QL-PYHE-50134-D2 | 1277  | 50 | 134 | 2 |              |              |
| QL-PYHE-50146-D2 | 1374  | 50 | 146 | 2 |              |              |



Single Span Middle  
Horizontal Woodgrain  
Gallery Panel

**What's Included:**

One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

**Notes:**

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels


Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                |                                             |
|----------------|---------------------------------------------|
| Height:        | 42", 50"                                    |
| Width:         | 26", 32", 38", 44", 50", 56", 62", 68", 74" |
| Laminate color |                                             |



| Code            | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|-----------------|-------|----|----|---|--------------|--------------|
| QL-PYHM-4226-S1 | 358   | 42 | 26 | 2 |              |              |
| QL-PYHM-4232-S1 | 399   | 42 | 32 | 2 |              |              |
| QL-PYHM-4238-S1 | 438   | 42 | 38 | 2 |              |              |
| QL-PYHM-4244-S1 | 480   | 42 | 44 | 2 |              |              |
| QL-PYHM-4250-S1 | 521   | 42 | 50 | 2 |              |              |
| QL-PYHM-4256-S1 | 556   | 42 | 50 | 2 |              |              |
| QL-PYHM-4262-S1 | 598   | 42 | 62 | 2 |              |              |
| QL-PYHM-4268-S1 | 639   | 42 | 68 | 2 |              |              |
| QL-PYHM-4274-S1 | 682   | 42 | 74 | 2 |              |              |
| QL-PYHM-5026-S1 | 396   | 50 | 26 | 2 |              |              |
| QL-PYHM-5032-S1 | 439   | 50 | 32 | 2 |              |              |
| QL-PYHM-5038-S1 | 485   | 50 | 38 | 2 |              |              |
| QL-PYHM-5044-S1 | 536   | 50 | 44 | 2 |              |              |
| QL-PYHM-5050-S1 | 581   | 50 | 50 | 2 |              |              |
| QL-PYHM-5056-S1 | 630   | 50 | 50 | 2 |              |              |
| QL-PYHM-5062-S1 | 678   | 50 | 62 | 2 |              |              |
| QL-PYHM-5068-S1 | 720   | 50 | 68 | 2 |              |              |
| QL-PYHM-5074-S1 | 771   | 50 | 74 | 2 |              |              |



Double Span Middle  
Horizontal Woodgrain  
Gallery Panel

**What's Included:**

- X"-X": One (1) 1"thick laminate gallery panel, two (2) gallery panel top brackets
- X"-X": Two (2) 1"thick laminate gallery panel, four (4) gallery panel top brackets

**How to Specify:**

Refer to [page 12](#), Laminate Page for laminate selections

**Notes:**

- Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing
- Gallery panels must be used between two standard fabric or laminate panels
- Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

**Options:**

|                |                                                     |
|----------------|-----------------------------------------------------|
| Height:        | 42", 50"                                            |
| Width:         | 42", 50", 62", 74", 86",98", 110", 122", 134", 146" |
| Laminate color |                                                     |

| Code             | Price | H  | W   | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|-----|---|--------------|---------------------------|
| 1 Piece          |       |    |     |   |              |                           |
| QL-PYHM-4242-D1  | 465   | 42 | 42  | 2 |              |                           |
| QL-PYHM-4250-D1  | 521   | 42 | 50  | 2 |              |                           |
| QL-PYHM-4262-D1  | 598   | 42 | 62  | 2 |              |                           |
| QL-PYHM-4274-D1  | 682   | 42 | 74  | 2 |              |                           |
| QL-PYHM-4286-D1  | 761   | 42 | 86  | 2 |              |                           |
| QL-PYHM-5042-D1  | 521   | 50 | 42  | 2 |              |                           |
| QL-PYHM-5050-D1  | 581   | 50 | 50  | 2 |              |                           |
| QL-PYHM-5062-D1  | 678   | 50 | 62  | 2 |              |                           |
| QL-PYHM-5074-D1  | 771   | 50 | 74  | 2 |              |                           |
| QL-PYHM-5086-D1  | 865   | 50 | 86  | 2 |              |                           |
| 2 Pieces         |       |    |     |   |              |                           |
| QL-PYHM-4298-D2  | 964   | 42 | 98  | 2 |              |                           |
| QL-PYHM-5098-D2  | 1089  | 50 | 98  | 2 |              |                           |
| QL-PYHM-42110-D2 | 1044  | 42 | 110 | 2 |              |                           |
| QL-PYHM-42122-D2 | 1123  | 42 | 122 | 2 |              |                           |
| QL-PYHM-42134-D2 | 1206  | 42 | 134 | 2 |              |                           |
| QL-PYHM-42146-D2 | 1287  | 42 | 146 | 2 |              |                           |
| QL-PYHM-50110-D2 | 1183  | 50 | 110 | 2 |              |                           |
| QL-PYHM-50122-D2 | 1277  | 50 | 122 | 2 |              |                           |
| QL-PYHM-50134-D2 | 1374  | 50 | 134 | 2 |              |                           |
| QL-PYHM-50146-D2 | 1468  | 50 | 146 | 2 |              |                           |



Switch Quickship  
USA Pricebook

June 2026

**Connections  
& Trims**

|                                     |    |
|-------------------------------------|----|
| full height end trim                | 62 |
| partial height end trim             | 63 |
| full height t filler                | 64 |
| partial height t filler             | 65 |
| 90 degree filler-full height        | 66 |
| 90 degree filler- partial height    | 67 |
| partial height straight filler      | 68 |
| adjustable wall connector           | 69 |
| gallery panel filler                | 70 |
| 2-way connection                    | 71 |
| 3-way t connection                  | 72 |
| 4-way x connection                  | 73 |
| standard panel mount corner bracket | 74 |
| storage support bracket             | 75 |



Full Height End Trim

What's Included:

One (1) Full Height End Trim

Notes:


How to Specify:

Choose White, Black, Silver, Charcoal for Full Height End Trim Color

Options:

|          |               |
|----------|---------------|
| Height:  | 42", 50", 66" |
| Width:   | 2"            |
| Standard |               |

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HETF-42 | 73    | 42 | 2 | 1 | 0.84         | 0.05         |
| QL-HETF-50 | 85    | 50 | 2 | 1 | 1.00         | 0.06         |
| QL-HETF-66 | 102   | 66 | 2 | 1 | 1.32         | 0.08         |



Partial Height End Trim

**What's Included:**

One (1) Partial Height End Trim

**How to Specify:**

Choose White, Black, Silver, Charcoal for Partial Height End Trim Color

**Notes:**

**Options:**

Height: 8", 16", 24"

Width: 2"

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HETP-08 | 50    | 8  | 2 | 1 | 0.16         | 0.01         |
| QL-HETP-16 | 56    | 16 | 2 | 1 | 0.32         | 0.02         |
| QL-HETP-24 | 73    | 24 | 2 | 1 | 0.48         | 0.03         |



Full Height T Filler

What’s Included:

One (1) Full Height T Filler

Notes:

How to Specify:

Choose White, Black, Silver, Charcoal for Full Height T Filler

Options:

|         |                    |
|---------|--------------------|
| Height: | 42”, 50”, 66”, 82” |
| Width:  | 2”                 |

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HFTR-42 | 223   | 42 | 2 | 1 | 0.84         | 0.05         |
| QL-HFTR-50 | 231   | 50 | 2 | 1 | 1.00         | 0.06         |
| QL-HFTR-66 | 231   | 66 | 2 | 1 | 1.32         | 0.08         |





Partial Height T Filler

What’s Included:

One (1) Partial Height T Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height T Filler

Notes:

Options:

|         |               |
|---------|---------------|
| Height: | 8", 16", 24"" |
| Width:  | 2"            |

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HFTP-08 | 170   | 8  | 2 | 1 | 0.16         | 0.01         |
| QL-HFTP-16 | 170   | 16 | 2 | 1 | 0.32         | 0.02         |
| QL-HFTP-24 | 179   | 24 | 2 | 1 | 0.48         | 0.03         |



Full Height 90 Degree Filler

**What's Included:**

One (1) Full Height 90 Degree Filler

**Notes:**

**How to Specify:**

Choose White, Black, Silver, Charcoal for Full Height 90 Degree Filler

**Options:**

Height: 42", 50", 66"

Width: 2"

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HFNR-42 | 194   | 42 | 2 | 1 | 0.72         | 0.05         |
| QL-HFNR-50 | 206   | 50 | 2 | 1 | 1.00         | 0.06         |
| QL-HFNR-66 | 221   | 66 | 2 | 1 | 1.32         | 0.08         |



Partial Height 90 Degree Filler

What’s Included:

One (1)Partial Height 90 Degree Filler

How to Specify:


Choose White, Black, Silver, Charcoal for Partial Height 90 Degree Filler

Notes:

Options:

|         |              |
|---------|--------------|
| Height: | 8", 16", 24" |
| Width:  | 2"           |

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HFNP-08 | 75    | 8  | 2 | 1 | 0.16         | 0.01         |
| QL-HFNP-16 | 131   | 16 | 2 | 1 | 0.32         | 0.02         |
| QL-HFNP-24 | 143   | 24 | 2 | 1 | 0.48         | 0.03         |



Partial Height Straight Filler

What's Included:

Partial Height Straight Filler

How to Specify:

Choose White, Black, Silver, Charcoal for Partial Height Straight Filler

Notes:

Options:

|         |              |
|---------|--------------|
| Height: | 8", 16", 24" |
| Width:  | 2"           |

| Code       | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|----|---|---|--------------|--------------|
| QL-HFSP-08 | 56    | 8  | 2 | 1 | 0.16         | 0.01         |
| QL-HFSP-16 | 95    | 16 | 2 | 1 | 0.32         | 0.02         |
| QL-HFSP-24 | 104   | 24 | 2 | 1 | 0.48         | 0.03         |



mount 2




mount 4



mount 6

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|-----------|-------|----|---|---|--------------|---------------------------|
| mount 2   |       |    |   |   |              |                           |
| QL-HW2-42 | 187   | 42 | 2 | 2 | 1.68         | 0.10                      |
| QL-HW2-50 | 219   | 50 | 2 | 2 | 2.00         | 0.12                      |
| QL-HW2-66 | 270   | 66 | 2 | 2 | 2.64         | 0.15                      |
| mount 4   |       |    |   |   |              |                           |
| QL-HW4-42 | 210   | 42 | 2 | 4 | 3.36         | 0.19                      |
| QL-HW4-50 | 237   | 50 | 2 | 4 | 4.00         | 0.23                      |
| QL-HW4-66 | 294   | 66 | 2 | 4 | 5.28         | 0.31                      |
| mount 6   |       |    |   |   |              |                           |
| QL-HW6-42 | 231   | 42 | 2 | 6 | 5.04         | 0.29                      |
| QL-HW6-50 | 259   | 50 | 2 | 6 | 6.00         | 0.35                      |
| QL-HW6-66 | 313   | 66 | 2 | 6 | 7.92         | 0.46                      |



Partial Height Gallery Panel Filler

What's Included:

One (1)Partial Height Gallery Panel Filler

Notes:


How to Specify:

Gallery Panel Filler matches laminate finish chosen on Gallery Panelr

Options:

|            |                             |
|------------|-----------------------------|
| Height:    | 8", 16", 24", 32", 40", 48" |
| Width:     | 2"                          |
| Thickness: | 1"                          |

| Code      | Price | H  | W | D | Weight (lb.) | Volume (ft³) |
|-----------|-------|----|---|---|--------------|--------------|
| QL-HYP-08 | 87    | 8  | 1 | 1 | 0.08         | 0.00         |
| QL-HYP-16 | 93    | 16 | 1 | 1 | 0.16         | 0.01         |
| QL-HYP-24 | 117   | 24 | 1 | 1 | 0.24         | 0.01         |



2-Way 90 degree  
Connection




#### What's Included:

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws

#### How to Specify:

Refer to [page 15](#) for connection type application guide

| Code                       | Price | H | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------------------|-------|---|---|---|--------------|---------------------------|
| 2-Way Straight Connection  |       |   |   |   |              |                           |
| QL-HC2W-180-A              | 24    | 1 | 2 | 3 | 0.02         | 0.00                      |
| QL-HC2W-180-B              | 21    | 1 | 2 | 3 | 0.02         | 0.00                      |
| 2-Way 90 degree Connection |       |   |   |   |              |                           |
| QL-HC2W-90-A               | 56    | 1 | 2 | 3 | 0.02         | 0.00                      |
| QL-HC2W-90-B               | 56    | 1 | 2 | 3 | 0.02         | 0.00                      |



**What's Included:**

One (1) type A or type B straight or 90 degree connection bracket, accompanying screws


**How to Specify:**

Refer to [page 15](#) for connection type application guide

**Notes:**

| Code               | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|--------------------|-------|---|---|---|--------------|--------------|
| 3 Way T Connectors |       |   |   |   |              |              |
| QL-HC3W-A          | 97    | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC3W-B          | 126   | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC3W-C          | 93    | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC3W-D          | 119   | 1 | 2 | 3 | 0.02         | 0.00         |





QL-HC4W-A



QL-HC4W-B



QL-HC4W-C



QL-HC4W-D

**What's Included:**


One (1) type A, B, C or D 4-Way X connection bracket, accompanying screws

**How to Specify:**

Refer to [page 16](#) for connection type application guide

**Notes:**

| Code             | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|---|---|---|--------------|--------------|
| 4 way connectors |       |   |   |   |              |              |
| QL-HC4W-A        | 156   | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC4W-B        | 197   | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC4W-C        | 177   | 1 | 2 | 3 | 0.02         | 0.00         |
| QL-HC4W-D        | 183   | 1 | 2 | 3 | 0.02         | 0.00         |



**What's Included:**

One (1) Top Cap


**How to Specify:**

Choose White, Black, Silver, Charcoal for  
Top Cap


**Options:**

|        |    |
|--------|----|
| Width: | 2" |
| Depth: | 2" |

| Code       | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|------------|-------|---|---|---|--------------|--------------|
| QL-HUFC-02 | 10    | 1 | 2 | 2 | 0.02         |              |



L-HCB  
left hand shown



L-HCB1  
left hand shown

What’s Included:

One (1) standard panel mounted corner bracket

How to Specify:

- Left, right
- Full depth surface, surface with 1" wire play

Notes:

- Worksurface with 1" wire play requires 1" offset bracket
- Corner bracket available in black only

Options:

| Code        | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|-------------|-------|---|---|---|--------------|--------------|
| QL-HCB-P-L  | 9     | 3 | 4 | 2 | 0.05         | 0.01         |
| QL-HCB-P-R  | 9     | 3 | 4 | 2 | 0.05         | 0.01         |
| QL-HCB1-P-L | 17    | 3 | 4 | 2 | 0.05         | 0.01         |
| QL-HCB1-P-R | 17    | 3 | 4 | 2 | 0.05         | 0.01         |



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface

24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Width: 1”

| Code              | Price | H  | W | Weight (lb.) | Volume (ft³) |
|-------------------|-------|----|---|--------------|--------------|
| for gallery panel |       |    |   |              |              |
| QL-HPGP-24        | 69    | 28 | 1 | 8.57         | 0.39         |
| QL-HPGP-30        | 143   | 28 | 1 | 10.72        | 0.49         |






# Switch Quickship USA Pricebook

June 2026

## Worksurface & Supports

## Worksurface & Supports

|                                       |     |
|---------------------------------------|-----|
| straight worksurface w/o grommet      | 80  |
| straight worksurface w grommet        | 84  |
| straight worksurface w/ wire play     | 86  |
| ladder gable                          | 90  |
| standard panel                        | 90  |
| gallery panel                         | 92  |
| lamine gable                          | 93  |
| standard panel                        | 93  |
| gallery panel                         | 94  |
| freestanding                          | 95  |
| wrap laminate gable                   | 96  |
| standard panel                        | 96  |
| gallery panel                         | 97  |
| storage support bracket               | 98  |
| 90 degree storage bracket             | 99  |
| standard panel mounted cantilever arm | 100 |
| gallery panel mounted cantilever arm  | 101 |
| flush plate                           | 102 |



Straight Worksurface without Full Depth without Grommet

What’s Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface is full depth to sit flush against panel with no grommet

Options:

|            |                                                                                                                                                      |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Width:     | 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96" |
| Depth:     | 20", 24", 30"                                                                                                                                        |
| Thickness: | 1"                                                                                                                                                   |

| Code                                                    | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|---------------------------------------------------------|-------|-------|-------|-----------|--------------|--------------|
| Straight Worksurface without Full Depth without Grommet |       |       |       |           |              |              |
| QL-WS00-2320                                            | 253   | 23    | 20    | 1         | 9.20         | 0.27         |
| QL-WS00-2420                                            | 253   | 24    | 20    | 1         | 9.60         | 0.28         |
| QL-WS00-2920                                            | 307   | 29    | 20    | 1         | 11.60        | 0.34         |
| QL-WS00-3020                                            | 307   | 30    | 20    | 1         | 12.00        | 0.35         |
| QL-WS00-3520                                            | 325   | 35    | 20    | 1         | 14.00        | 0.41         |
| QL-WS00-3620                                            | 325   | 36    | 20    | 1         | 14.40        | 0.42         |
| QL-WS00-4120                                            | 359   | 41    | 20    | 1         | 16.40        | 0.47         |
| QL-WS00-4220                                            | 359   | 42    | 20    | 1         | 16.80        | 0.49         |
| QL-WS00-4720                                            | 397   | 47    | 20    | 1         | 18.80        | 0.54         |
| QL-WS00-4820                                            | 397   | 48    | 20    | 1         | 19.20        | 0.56         |
| QL-WS00-5320                                            | 484   | 53    | 20    | 1         | 21.20        | 0.61         |



| Code         | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|--------------|-------|-------|-------|-----------|--------------|--------------|
| QL-WS00-5420 | 484   | 54    | 20    | 1         | 21.6         | 0.62         |
| QL-WS00-5920 | 484   | 59    | 20    | 1         | 23.60        | 0.68         |
| QL-WS00-6020 | 484   | 60    | 20    | 1         | 24.00        | 0.69         |
| QL-WS00-6520 | 547   | 65    | 20    | 1         | 26.00        | 0.75         |
| QL-WS00-6620 | 547   | 66    | 20    | 1         | 26.40        | 0.76         |
| QL-WS00-7120 | 593   | 71    | 20    | 1         | 28.40        | 0.82         |
| QL-WS00-7220 | 593   | 72    | 20    | 1         | 28.80        | 0.83         |
| QL-WS00-7620 | 629   | 76    | 20    | 1         | 30.40        | 0.88         |
| QL-WS00-7720 | 629   | 77    | 20    | 1         | 30.80        | 0.89         |
| QL-WS00-7820 | 629   | 78    | 20    | 1         | 31.20        | 0.90         |
| QL-WS00-8220 | 683   | 82    | 20    | 1         | 32.80        | 0.95         |
| QL-WS00-8320 | 683   | 83    | 20    | 1         | 33.20        | 0.96         |
| QL-WS00-8420 | 683   | 84    | 20    | 1         | 33.60        | 0.97         |
| QL-WS00-8820 | 717   | 88    | 20    | 1         | 35.20        | 1.02         |
| QL-WS00-8920 | 717   | 89    | 20    | 1         | 35.60        | 1.03         |
| QL-WS00-9020 | 717   | 90    | 20    | 1         | 36.00        | 1.04         |
| QL-WS00-9420 | 790   | 94    | 20    | 1         | 37.60        | 1.09         |
| QL-WS00-9520 | 790   | 95    | 20    | 1         | 38.00        | 1.10         |
| QL-WS00-9620 | 790   | 96    | 20    | 1         | 38.40        | 1.11         |
| QL-WS00-2324 | 253   | 23    | 24    | 1         | 11.04        | 0.32         |
| QL-WS00-2424 | 253   | 24    | 24    | 1         | 11.52        | 0.33         |
| QL-WS00-2924 | 307   | 29    | 24    | 1         | 13.92        | 0.40         |
| QL-WS00-3024 | 307   | 30    | 24    | 1         | 14.40        | 0.42         |
| QL-WS00-3524 | 325   | 35    | 24    | 1         | 16.80        | 0.49         |
| QL-WS00-3624 | 325   | 36    | 24    | 1         | 17.28        | 0.50         |
| QL-WS00-4124 | 359   | 41    | 24    | 1         | 19.68        | 0.57         |


[2 of 4] continued on next page

## Worksurface continued [3 of 4]

| Code         | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|--------------|-------|-------|-------|-----------|--------------|---------------------------|
| QL-WS00-4224 | 359   | 42    | 24    | 1         | 20.16        | 0.58                      |
| QL-WS00-4724 | 397   | 47    | 24    | 1         | 22.56        | 0.65                      |
| QL-WS00-4824 | 397   | 48    | 24    | 1         | 23.04        | 0.67                      |
| QL-WS00-5324 | 484   | 53    | 24    | 1         | 25.44        | 0.74                      |
| QL-WS00-5424 | 484   | 54    | 24    | 1         | 25.92        | 0.75                      |
| QL-WS00-5924 | 484   | 59    | 24    | 1         | 28.32        | 0.82                      |
| QL-WS00-6024 | 484   | 60    | 24    | 1         | 28.80        | 0.83                      |
| QL-WS00-6524 | 547   | 65    | 24    | 1         | 31.20        | 0.90                      |
| QL-WS00-6624 | 547   | 66    | 24    | 1         | 31.68        | 0.92                      |
| QL-WS00-7124 | 593   | 71    | 24    | 1         | 34.08        | 0.99                      |
| QL-WS00-7224 | 593   | 72    | 24    | 1         | 34.56        | 1.00                      |
| QL-WS00-7624 | 629   | 76    | 24    | 1         | 36.48        | 1.06                      |
| QL-WS00-7724 | 629   | 77    | 24    | 1         | 36.96        | 1.07                      |
| QL-WS00-7824 | 629   | 78    | 24    | 1         | 37.44        | 1.08                      |
| QL-WS00-8224 | 683   | 82    | 24    | 1         | 39.36        | 1.14                      |
| QL-WS00-8324 | 683   | 83    | 24    | 1         | 39.84        | 1.15                      |
| QL-WS00-8424 | 683   | 84    | 24    | 1         | 40.32        | 1.17                      |
| QL-WS00-8824 | 717   | 88    | 24    | 1         | 42.24        | 1.22                      |
| QL-WS00-8924 | 717   | 89    | 24    | 1         | 42.72        | 1.24                      |
| QL-WS00-9024 | 717   | 90    | 24    | 1         | 43.20        | 1.25                      |
| QL-WS00-9424 | 790   | 94    | 24    | 1         | 45.12        | 1.31                      |
| QL-WS00-9524 | 790   | 95    | 24    | 1         | 45.60        | 1.32                      |
| QL-WS00-9624 | 790   | 96    | 24    | 1         | 46.08        | 1.33                      |
| QL-WS00-2330 | 307   | 23    | 30    | 1         | 13.80        | 0.40                      |
| QL-WS00-2430 | 307   | 24    | 30    | 1         | 14.40        | 0.42                      |
| QL-WS00-2930 | 359   | 29    | 30    | 1         | 17.40        | 0.50                      |

## Worksurface continued [4 of 4]

| Code         | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|--------------|-------|-------|-------|-----------|--------------|---------------------------|
| QL-WS00-3030 | 359   | 30    | 30    | 1         | 18.00        | 0.52                      |
| QL-WS00-3530 | 401   | 35    | 30    | 1         | 21.00        | 0.61                      |
| QL-WS00-3630 | 401   | 36    | 30    | 1         | 21.60        | 0.62                      |
| QL-WS00-4130 | 437   | 41    | 30    | 1         | 24.60        | 0.71                      |
| QL-WS00-4230 | 437   | 42    | 30    | 1         | 25.20        | 0.73                      |
| QL-WS00-4730 | 473   | 47    | 30    | 1         | 28.20        | 0.82                      |
| QL-WS00-4830 | 473   | 48    | 30    | 1         | 28.80        | 0.83                      |
| QL-WS00-5330 | 536   | 53    | 30    | 1         | 31.80        | 0.92                      |
| QL-WS00-5430 | 536   | 54    | 30    | 1         | 32.40        | 0.94                      |
| QL-WS00-5930 | 565   | 59    | 30    | 1         | 35.40        | 1.02                      |
| QL-WS00-6030 | 565   | 60    | 30    | 1         | 36.00        | 1.04                      |
| QL-WS00-6530 | 650   | 65    | 30    | 1         | 39.00        | 1.13                      |
| QL-WS00-6630 | 650   | 66    | 30    | 1         | 39.60        | 1.15                      |
| QL-WS00-7130 | 665   | 71    | 30    | 1         | 42.60        | 1.23                      |
| QL-WS00-7230 | 665   | 72    | 30    | 1         | 43.20        | 1.25                      |
| QL-WS00-7630 | 726   | 76    | 30    | 1         | 45.60        | 1.32                      |
| QL-WS00-7730 | 726   | 77    | 30    | 1         | 46.20        | 1.34                      |
| QL-WS00-7830 | 726   | 78    | 30    | 1         | 46.80        | 1.35                      |
| QL-WS00-8230 | 789   | 82    | 30    | 1         | 49.20        | 1.42                      |
| QL-WS00-8330 | 789   | 83    | 30    | 1         | 49.80        | 1.44                      |
| QL-WS00-8430 | 789   | 84    | 30    | 1         | 50.40        | 1.46                      |
| QL-WS00-8830 | 900   | 88    | 30    | 1         | 52.80        | 1.53                      |
| QL-WS00-8930 | 900   | 89    | 30    | 1         | 53.40        | 1.55                      |
| QL-WS00-9030 | 900   | 90    | 30    | 1         | 54.00        | 1.56                      |
| QL-WS00-9430 | 977   | 94    | 30    | 1         | 56.40        | 1.63                      |
| QL-WS00-9530 | 977   | 95    | 30    | 1         | 57.00        | 1.65                      |
| QL-WS00-9630 | 977   | 96    | 30    | 1         | 57.60        | 1.67                      |



Straight Worksurface with Grommet

What's Included:

- One (1) worksurface
- 24"-48" - One (1) grommet cover for centre grommet
- 54"-96" - Two (2) grommet covers for grommet on each end

Notes:

- 24"-48" - One (1) grommet hole in the centre of the worksurface
- 54"-96" - Two (2) grommet holes on each end of the worksurface

How to Specify:


Refer to [page 12](#), Laminate Page for laminate selections

Options:

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| Width:     | 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" |
| Depth:     | 20", 24", 30"                                                   |
| Thickness: | 1"                                                              |

| Code         | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|--------------|-------|-------|-------|-----------|--------------|--------------|
| QL-WS0G-2420 | 296   | 24    | 20    | 1         | 9.60         | 0.28         |
| QL-WS0G-3020 | 340   | 30    | 20    | 1         | 12.00        | 0.35         |
| QL-WS0G-3620 | 351   | 36    | 20    | 1         | 14.40        | 0.42         |
| QL-WS0G-4220 | 397   | 42    | 20    | 1         | 16.80        | 0.49         |
| QL-WS0G-4820 | 423   | 48    | 20    | 1         | 19.20        | 0.56         |
| QL-WS0G-5420 | 536   | 54    | 20    | 1         | 21.60        | 0.62         |
| QL-WS0G-6020 | 557   | 60    | 20    | 1         | 24.00        | 0.69         |
| QL-WS0G-6620 | 623   | 66    | 20    | 1         | 26.40        | 0.76         |
| QL-WS0G-7220 | 653   | 72    | 20    | 1         | 28.80        | 0.83         |
| QL-WS0G-7820 | 709   | 78    | 20    | 1         | 31.20        | 0.90         |
| QL-WS0G-8420 | 755   | 84    | 20    | 1         | 33.60        | 0.97         |
| QL-WS0G-9020 | 868   | 90    | 20    | 1         | 36.00        | 1.04         |
| QL-WS0G-9620 | 907   | 96    | 20    | 1         | 38.40        | 1.11         |

| Code         | Price | Width | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|--------------|-------|-------|-------|-----------|--------------|--------------|
| QL-WS0G-2424 | 296   | 24    | 24    | 1         | 11.52        | 0.33         |
| QL-WS0G-3024 | 340   | 30    | 24    | 1         | 14.40        | 0.42         |
| QL-WS0G-3624 | 351   | 36    | 24    | 1         | 17.28        | 0.50         |
| QL-WS0G-4224 | 397   | 42    | 24    | 1         | 20.16        | 0.58         |
| QL-WS0G-4824 | 423   | 48    | 24    | 1         | 23.04        | 0.67         |
| QL-WS0G-5424 | 536   | 54    | 24    | 1         | 25.92        | 0.75         |
| QL-WS0G-6024 | 557   | 60    | 24    | 1         | 28.80        | 0.83         |
| QL-WS0G-6624 | 623   | 66    | 24    | 1         | 31.68        | 0.92         |
| QL-WS0G-7224 | 653   | 72    | 24    | 1         | 34.56        | 1.00         |
| QL-WS0G-7824 | 709   | 78    | 24    | 1         | 37.44        | 1.08         |
| QL-WS0G-8424 | 755   | 84    | 24    | 1         | 40.32        | 1.17         |
| QL-WS0G-9024 | 868   | 90    | 24    | 1         | 43.20        | 1.25         |
| QL-WS0G-9624 | 907   | 96    | 24    | 1         | 46.08        | 1.33         |
| QL-WS0G-2430 | 340   | 24    | 30    | 1         | 14.40        | 0.42         |
| QL-WS0G-3030 | 397   | 30    | 30    | 1         | 18.00        | 0.52         |
| QL-WS0G-3630 | 425   | 36    | 30    | 1         | 21.60        | 0.62         |
| QL-WS0G-4230 | 463   | 42    | 30    | 1         | 25.20        | 0.73         |
| QL-WS0G-4830 | 500   | 48    | 30    | 1         | 28.80        | 0.83         |
| QL-WS0G-5430 | 557   | 54    | 30    | 1         | 32.40        | 0.94         |
| QL-WS0G-6030 | 591   | 60    | 30    | 1         | 36.00        | 1.04         |
| QL-WS0G-6630 | 673   | 66    | 30    | 1         | 39.60        | 1.15         |
| QL-WS0G-7230 | 692   | 72    | 30    | 1         | 43.20        | 1.25         |
| QL-WS0G-7830 | 753   | 78    | 30    | 1         | 46.80        | 1.35         |
| QL-WS0G-8430 | 811   | 84    | 30    | 1         | 50.40        | 1.46         |
| QL-WS0G-9030 | 962   | 90    | 30    | 1         | 54.00        | 1.56         |
| QL-WS0G-9630 | 997   | 96    | 30    | 1         | 57.60        | 1.67         |



Straight Worksurface with 1" Wire Play

What's Included:

One (1) worksurface

How to Specify:

Refer to [page 12](#), Laminate Page for laminate selections

Notes:

Worksurface sits 1" from the panel to allow for wire routing. No grommet is included with this worksurface

Options:

|            |                                                                                                                                                      |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Width:     | 23", 24", 29", 30", 35", 36", 41", 42", 47", 48", 53", 54", 59", 60", 65", 66", 71", 72", 76", 77", 78", 82", 83", 84", 88", 89", 90", 94", 95", 96" |
| Depth:     | 19", 23", 29"                                                                                                                                        |
| Thickness: | 1"                                                                                                                                                   |

| Code                                   | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|----------------------------------------|-------|--------|-------|-----------|--------------|--------------|
| Straight Worksurface with 1" Wire Play |       |        |       |           |              |              |
| QL-WS00-2319                           | 253   | 23     | 19    | 1         | 8.74         | 0.25         |
| QL-WS00-2419                           | 253   | 24     | 19    | 1         | 9.12         | 0.26         |
| QL-WS00-2919                           | 307   | 29     | 19    | 1         | 11.02        | 0.32         |
| QL-WS00-3019                           | 307   | 30     | 19    | 1         | 11.40        | 0.33         |
| QL-WS00-3519                           | 325   | 35     | 19    | 1         | 13.30        | 0.38         |
| QL-WS00-3619                           | 325   | 36     | 19    | 1         | 13.68        | 0.40         |
| QL-WS00-4119                           | 359   | 41     | 19    | 1         | 15.58        | 0.45         |
| QL-WS00-4219                           | 359   | 42     | 19    | 1         | 15.96        | 0.46         |
| QL-WS00-4719                           | 397   | 47     | 19    | 1         | 17.86        | 0.52         |
| QL-WS00-4819                           | 397   | 48     | 19    | 1         | 18.24        | 0.53         |
| QL-WS00-5319                           | 484   | 53     | 19    | 1         | 20.14        | 0.58         |
| QL-WS00-5419                           | 484   | 54     | 19    | 1         | 20.52        | 0.59         |

| Code         | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft³) |
|--------------|-------|--------|-------|-----------|--------------|--------------|
| QL-WS00-5919 | 484   | 59     | 19    | 1         | 22.42        | 0.65         |
| QL-WS00-6019 | 484   | 60     | 19    | 1         | 22.80        | 0.66         |
| QL-WS00-6519 | 547   | 65     | 19    | 1         | 24.70        | 0.71         |
| QL-WS00-6619 | 547   | 66     | 19    | 1         | 25.08        | 0.73         |
| QL-WS00-7119 | 593   | 71     | 19    | 1         | 26.98        | 0.78         |
| QL-WS00-7219 | 593   | 72     | 19    | 1         | 27.36        | 0.79         |
| QL-WS00-7619 | 629   | 76     | 19    | 1         | 28.88        | 0.84         |
| QL-WS00-7719 | 629   | 77     | 19    | 1         | 29.26        | 0.85         |
| QL-WS00-7819 | 629   | 78     | 19    | 1         | 29.64        | 0.86         |
| QL-WS00-8219 | 683   | 82     | 19    | 1         | 31.16        | 0.90         |
| QL-WS00-8319 | 683   | 83     | 19    | 1         | 31.54        | 0.91         |
| QL-WS00-8419 | 683   | 84     | 19    | 1         | 31.92        | 0.92         |
| QL-WS00-8819 | 717   | 88     | 19    | 1         | 33.44        | 0.97         |
| QL-WS00-8919 | 717   | 89     | 19    | 1         | 33.82        | 0.98         |
| QL-WS00-9019 | 717   | 90     | 19    | 1         | 34.20        | 0.99         |
| QL-WS00-9419 | 790   | 94     | 19    | 1         | 35.72        | 1.03         |
| QL-WS00-9519 | 790   | 95     | 19    | 1         | 36.10        | 1.04         |
| QL-WS00-9619 | 790   | 96     | 19    | 1         | 36.48        | 1.06         |
| QL-WS00-2323 | 253   | 23     | 23    | 1         | 10.58        | 0.31         |
| QL-WS00-2423 | 253   | 24     | 23    | 1         | 11.04        | 0.32         |
| QL-WS00-2923 | 307   | 29     | 23    | 1         | 13.34        | 0.39         |
| QL-WS00-3023 | 307   | 30     | 23    | 1         | 13.80        | 0.40         |
| QL-WS00-3523 | 325   | 35     | 23    | 1         | 16.10        | 0.47         |
| QL-WS00-3623 | 325   | 36     | 23    | 1         | 16.56        | 0.48         |
| QL-WS00-4123 | 359   | 41     | 23    | 1         | 18.86        | 0.55         |
| QL-WS00-4223 | 359   | 42     | 23    | 1         | 19.32        | 0.56         |
| QL-WS00-4723 | 397   | 47     | 23    | 1         | 21.62        | 0.63         |

[2 of 4] continued on next page


## Worksurface continued [3 of 4]

| Code         | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|--------------|-------|--------|-------|-----------|--------------|---------------------------|
| QL-WS00-4823 | 397   | 48     | 23    | 1         | 22.08        | 0.64                      |
| QL-WS00-5323 | 484   | 53     | 23    | 1         | 24.38        | 0.71                      |
| QL-WS00-5423 | 484   | 54     | 23    | 1         | 24.84        | 0.72                      |
| QL-WS00-5923 | 484   | 59     | 23    | 1         | 27.14        | 0.79                      |
| QL-WS00-6023 | 484   | 60     | 23    | 1         | 27.60        | 0.80                      |
| QL-WS00-6523 | 547   | 65     | 23    | 1         | 29.90        | 0.87                      |
| QL-WS00-6623 | 547   | 66     | 23    | 1         | 30.36        | 0.88                      |
| QL-WS00-7123 | 593   | 71     | 23    | 1         | 32.66        | 0.95                      |
| QL-WS00-7223 | 593   | 72     | 23    | 1         | 33.12        | 0.96                      |
| QL-WS00-7623 | 629   | 76     | 23    | 1         | 34.96        | 1.01                      |
| QL-WS00-7723 | 629   | 77     | 23    | 1         | 35.42        | 1.02                      |
| QL-WS00-7823 | 629   | 78     | 23    | 1         | 35.88        | 1.04                      |
| QL-WS00-8223 | 683   | 82     | 23    | 1         | 37.72        | 1.09                      |
| QL-WS00-8323 | 683   | 83     | 23    | 1         | 38.18        | 1.10                      |
| QL-WS00-8423 | 683   | 84     | 23    | 1         | 38.64        | 1.12                      |
| QL-WS00-8823 | 717   | 88     | 23    | 1         | 40.48        | 1.17                      |
| QL-WS00-8923 | 717   | 89     | 23    | 1         | 40.94        | 1.18                      |
| QL-WS00-9023 | 717   | 90     | 23    | 1         | 41.40        | 1.20                      |
| QL-WS00-9423 | 790   | 94     | 23    | 1         | 43.24        | 1.25                      |
| QL-WS00-9523 | 790   | 95     | 23    | 1         | 43.70        | 1.26                      |
| QL-WS00-9623 | 790   | 96     | 23    | 1         | 44.16        | 1.28                      |
| QL-WS00-2329 | 307   | 23     | 29    | 1         | 13.34        | 0.39                      |
| QL-WS00-2429 | 307   | 24     | 29    | 1         | 13.92        | 0.40                      |
| QL-WS00-2929 | 359   | 29     | 29    | 1         | 16.82        | 0.49                      |
| QL-WS00-3029 | 359   | 30     | 29    | 1         | 17.40        | 0.50                      |
| QL-WS00-3529 | 401   | 35     | 29    | 1         | 20.30        | 0.59                      |
| QL-WS00-3629 | 401   | 36     | 29    | 1         | 20.88        | 0.60                      |
| QL-WS00-4129 | 437   | 41     | 29    | 1         | 23.78        | 0.69                      |



**Worksurface continued [4 of 4]**

| Code         | Price | Height | Depth | Thickness | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|--------------|-------|--------|-------|-----------|--------------|---------------------------|
| QL-WS00-4229 | 437   | 42     | 29    | 1         | 24.36        | 0.70                      |
| QL-WS00-4729 | 473   | 47     | 29    | 1         | 27.26        | 0.79                      |
| QL-WS00-4829 | 473   | 48     | 29    | 1         | 27.84        | 0.81                      |
| QL-WS00-5329 | 536   | 53     | 29    | 1         | 30.74        | 0.89                      |
| QL-WS00-5429 | 536   | 54     | 29    | 1         | 31.32        | 0.91                      |
| QL-WS00-5929 | 565   | 59     | 29    | 1         | 34.22        | 0.99                      |
| QL-WS00-6029 | 565   | 60     | 29    | 1         | 34.80        | 1.01                      |
| QL-WS00-6529 | 650   | 65     | 29    | 1         | 37.70        | 1.09                      |
| QL-WS00-6629 | 650   | 66     | 29    | 1         | 38.28        | 1.11                      |
| QL-WS00-7129 | 665   | 71     | 29    | 1         | 41.18        | 1.19                      |
| QL-WS00-7229 | 665   | 72     | 29    | 1         | 41.76        | 1.21                      |
| QL-WS00-7629 | 726   | 76     | 29    | 1         | 44.08        | 1.28                      |
| QL-WS00-7729 | 726   | 77     | 29    | 1         | 44.66        | 1.29                      |
| QL-WS00-7829 | 726   | 78     | 29    | 1         | 45.24        | 1.31                      |
| QL-WS00-8229 | 789   | 82     | 29    | 1         | 47.56        | 1.38                      |
| QL-WS00-8329 | 789   | 83     | 29    | 1         | 48.14        | 1.39                      |
| QL-WS00-8429 | 789   | 84     | 29    | 1         | 48.72        | 1.41                      |
| QL-WS00-8829 | 900   | 88     | 29    | 1         | 51.04        | 1.48                      |
| QL-WS00-8929 | 900   | 89     | 29    | 1         | 51.62        | 1.49                      |
| QL-WS00-9029 | 900   | 90     | 29    | 1         | 52.20        | 1.51                      |
| QL-WS00-9429 | 977   | 94     | 29    | 1         | 54.52        | 1.58                      |
| QL-WS00-9529 | 977   | 95     | 29    | 1         | 55.10        | 1.59                      |
| QL-WS00-9629 | 977   | 96     | 29    | 1         | 55.68        | 1.61                      |



Standard Panel Ladder Gable

**What's Included:**

One (1) ladder gable, one (1) standard panel mount bracket, (1) surface to gable connector

**Notes:**

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Mid gable is used at the surface joint


**How to Specify:**

Choose White, Black, Silver, Charcoal for ladder gable color

**Options:**

|                           |                                      |
|---------------------------|--------------------------------------|
| Height:                   | 28"                                  |
| Depth:                    | 20", 24", 30"                        |
| Ladder Gable Paint Color: | Silver, White, Black, Charcoal       |
| End gable:                | (Left hand, right hand) or mid gable |

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|----|---|--------------|---------------------------|
| Left hand        |       |    |    |   |              |                           |
| QL-HOEG-P-2820-L | 402   | 25 | 20 | 2 | 10.00        | 0.58                      |
| QL-HOEG-P-2824-L | 411   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HOEG-P-2830-L | 427   | 28 | 30 | 2 | 16.80        | 0.97                      |
| Right hand       |       |    |    |   |              |                           |
| QL-HOEG-P-2820-R | 402   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HOEG-P-2824-R | 411   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HOEG-P-2830-R | 427   | 28 | 30 | 2 | 16.80        | 0.97                      |
| Mid              |       |    |    |   |              |                           |
| QL-HOMG-P-2820   | 402   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HOMG-P-2824   | 411   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HOMG-P-2830   | 427   | 28 | 30 | 2 | 16.80        | 0.97                      |



Gallery Panel Ladder Gable

What’s Included:

One (1) ladder gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, Charcoal for ladder gable color

Options:


|                            |                                      |
|----------------------------|--------------------------------------|
| Height:                    | 28"                                  |
| Width:                     | 20", 24", 30"                        |
| Ladder Gable Paint Color:: | Silver, White, Black, Charcoal       |
| End gable:                 | (Left hand, right hand) or mid gable |

Notes:

Ladder Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Mid gable is used at the surface joint

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| Left hand        |       |    |    |   |              |              |
| QL-HOEG-P-2820-L | 402   | 25 | 20 | 2 | 10.00        | 0.58         |
| QL-HOEG-P-2824-L | 411   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HOEG-P-2830-L | 427   | 28 | 30 | 2 | 16.80        | 0.97         |
| Right hand       |       |    |    |   |              |              |
| QL-HOEG-P-2820-R | 402   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HOEG-P-2824-R | 411   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HOEG-P-2830-R | 427   | 28 | 30 | 2 | 16.80        | 0.97         |
| Mid              |       |    |    |   |              |              |
| QL-HOMG-P-2820   | 402   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HOMG-P-2824   | 411   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HOMG-P-2830   | 427   | 28 | 30 | 2 | 16.80        | 0.97         |



Standard Panel  
Laminate Gable

### What's Included:

One (1) laminate gable, one (1) standard panel mount bracket, (1) surface to gable connector

### How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),  
Laminate Page for laminate selections

End gable (Left hand, right hand)

### Notes:


Laminate Gable can be used  
with worksurface with grommet,  
worksurface without grommet,  
worksurface for 1" wire play

### Options:

Height: , 28"

Width: 20", 24", 30"

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|----|---|--------------|---------------------------|
| Left hand        |       |    |    |   |              |                           |
| QL-HCEG-P-2812-L | 240   | 28 | 12 | 2 | 10.00        | 0.39                      |
| QL-HCEG-P-2820-L | 271   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HCEG-P-2824-L | 294   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HCEG-P-2830-L | 322   | 28 | 30 | 2 | 16.80        | 0.97                      |
| Right hand       |       |    |    |   |              |                           |
| QL-HCEG-P-2812-R | 240   | 28 | 12 | 2 | 10.00        | 0.39                      |
| QL-HCEG-P-2820-R | 271   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HCEG-P-2824-R | 294   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HCEG-P-2830-R | 322   | 28 | 30 | 2 | 16.80        | 0.97                      |



Gallery Panel  
Laminate Gable

What’s Included:

One (1) laminate gable, one (1) gallery panel mount bracket, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),  
Laminate Page for laminate selections

End gable (Left hand, right hand)

Notes:


Laminate Gable can be used  
with worksurface with grommet,  
worksurface without grommet,  
worksurface for 1" wire play

Options:

Height: 28"

Width: 20", 24", 30"

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| Left hand        |       |    |    |   |              |              |
| QL-HCEG-Y-2812-L | 231   | 28 | 12 | 2 | 11.20        | 0.39         |
| QL-HCEG-Y-2820-L | 265   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HCEG-Y-2824-L | 283   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HCEG-Y-2830-L | 312   | 28 | 30 | 2 | 16.80        | 0.97         |
| Right hand       |       |    |    |   |              |              |
| QL-HCEG-Y-2812-R | 231   | 28 | 12 | 2 | 11.20        | 0.39         |
| QL-HCEG-Y-2820-R | 265   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HCEG-Y-2824-R | 283   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HCEG-Y-2830-R | 312   | 28 | 30 | 2 | 16.80        | 0.97         |



Freestanding Laminate Gable

What’s Included:

One (1) laminate gable, (1) surface to gable connector

How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#), Laminate Page for laminate selections

Notes:


Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1” wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

|         |               |
|---------|---------------|
| Height: | 28"           |
| Width:  | 20", 24", 30" |

| Code           | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|---|--------------|--------------|
| QL-HCEG-S-2820 | 283   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HCEG-S-2824 | 307   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HCEG-S-2830 | 335   | 28 | 30 | 2 | 16.80        | 0.97         |



Standard Panel  
Wrap Laminated Gable

**What's Included:**

One (1) wrap gable, one (1) standard panel mount bracket,  
(1) surface to gable connector

**How to Specify:**

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),  
Laminate Page for laminate selectionsEnd gable (Left hand,  
right hand)

**Notes:**

Wrap Laminated Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

**Options:**


Heights\*: 28"

Width: 20", 24", 30"

\*25" high to be used to Tech Drop surface

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft³) |
|------------------|-------|----|----|---|--------------|--------------|
| Left hand        |       |    |    |   |              |              |
| QL-HWEG-P-2820-L | 457   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HWEG-P-2824-L | 473   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HWEG-P-2830-L | 524   | 28 | 30 | 2 | 16.80        | 0.97         |
| Right hand       |       |    |    |   |              |              |
| QL-HWEG-P-2820-R | 457   | 28 | 20 | 2 | 11.20        | 0.65         |
| QL-HWEG-P-2824-R | 473   | 28 | 24 | 2 | 13.44        | 0.78         |
| QL-HWEG-P-2830-R | 524   | 28 | 30 | 2 | 16.80        | 0.97         |





Gallery Panel  
Wrap Laminate Gable

#### What's Included:

One (1) wrap gable, one (1) gallery panel mount bracket,  
(1) surface to gable connector

#### How to Specify:

Laminate Gable Paint Color: Silver, White, Black, Charcoal

Laminate Gable Laminate Color: Refer to [page 12](#),  
Laminate Page for laminate selections

End gable (Left hand, right hand)

#### Notes:

Wrap Laminate Gable can be used with worksurface with grommet, worksurface without grommet, worksurface for 1" wire play

Freestanding gable is used when one side of the surface is connected to a panel and the other is open

#### Options:

Height\*: 28"

Width: 20", 24", 30"

\*25" high to be used to Tech Drop surface

| Code             | Price | H  | W  | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|------------------|-------|----|----|---|--------------|---------------------------|
| Left hand        |       |    |    |   |              |                           |
| QL-HWEG-Y-2820-L | 457   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HWEG-Y-2824-L | 473   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HWEG-Y-2830-L | 525   | 28 | 30 | 2 | 16.80        | 0.97                      |
| Right hand       |       |    |    |   |              |                           |
| QL-HWEG-Y-2820-R | 457   | 28 | 20 | 2 | 11.20        | 0.65                      |
| QL-HWEG-Y-2824-R | 473   | 28 | 24 | 2 | 13.44        | 0.78                      |
| QL-HWEG-Y-2830-R | 525   | 28 | 30 | 2 | 16.80        | 0.97                      |



for standard panel



for gallery panel

What’s Included:

panel to storage support bracket

How to Specify:

Available in white, black, charcoal, and silver

Notes:

Storage support bracket is used to connect off-modular storage to a surface


24” bracket is used to close 1” gap between storage and panel

30” bracket is used to close 7” gap between storage and panel

Options:

Depth: 24”, 30”

| Code                           | Price | H  | W | Depth | Weight (lb.) | Volume (ft³) |
|--------------------------------|-------|----|---|-------|--------------|--------------|
| for standard panel - left hand |       |    |   |       |              |              |
| QL-HPSP-24-L                   | 55    | 28 | 1 | 24    | 8.57         | 0.39         |
| QL-HPSP-24-R                   | 55    | 28 | 1 | 24    | 8.57         | 0.39         |
| for standard panel -right hand |       |    |   |       |              |              |
| QL-HPSP-30-L                   | 101   | 28 | 1 | 30    | 10.71        | 0.49         |
| QL-HPSP-30-R                   | 101   | 28 | 1 | 30    | 10.71        | 0.49         |
| for gallery panel              |       |    |   |       |              |              |
| QL-HPGP-24                     | 69    | 28 | 1 | 24    | 8.57         | 0.39         |
| QL-HPGP-30                     | 143   | 28 | 1 | 30    | 10.72        | 0.49         |



**What's Included:**

One (1) 90 degree bracket

**How to Specify:**

Available in black only

**Notes:**


90 degree bracket is used to connect a worksurface to a gallery panel

24" deep surface: two (2) brackets  
30" deep surface: three (3) brackets

**Options:**

Width: 3"

| Code       | Price | Specifications | Weight (lb.) | Volume (ft³) |
|------------|-------|----------------|--------------|--------------|
| QL-HSSB    | 3     | 3", 6 Holes    | 0.50         | 0.09         |
| QL-HSSB-24 | 9     | 3", 6 Holes    | 2.19         | 0.09         |
| QL-HSSB-30 | 15    | 3", 6 Holes    | 3.00         | 0.09         |



Standard Panel Mounted  
Cantilever Arm

What’s Included:

One (1) standard panel mounted cantilever arm

Notes:

Cantilever available in black only


How to Specify:

Left, right, mid

Options:

Width:: 16”, 22”

| Code           | Price | H | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|---|----|---|--------------|--------------|
| intermediate   |       |   |    |   |              |              |
| QL-CCAB-P-16   | 69    | 8 | 16 | 2 | 2.56         | 0.15         |
| QL-CCAB-P-22   | 76    | 8 | 22 | 2 | 3.52         | 0.21         |
| left hand      |       |   |    |   |              |              |
| QL-CCAB-P-16-L | 69    | 8 | 16 | 2 | 1.92         | 0.11         |
| QL-CCAB-P-22-L | 76    | 8 | 22 | 2 | 2.64         | 0.15         |
| right hand     |       |   |    |   |              |              |
| QL-CCAB-P-16-R | 69    | 8 | 16 | 2 | 1.92         | 0.11         |
| QL-CCAB-P-22-R | 76    | 8 | 22 | 2 | 2.64         | 0.15         |



Gallery Panel Mounted  
Cantilever Arm

**What's Included:**

One (1) gallery panel mounted cantilever arm

**How to Specify:**

Left, right, mid


**Notes:**

Cantilever available in black only

**Options:**

Depth: 16", 22"

| Code           | Price | H | W  | D | Weight (lb.) | Volume (ft³) |
|----------------|-------|---|----|---|--------------|--------------|
| intermediate   |       |   |    |   |              |              |
| QL-CCAB-Y-16   | 69    | 8 | 16 | 2 | 2.56         | 0.15         |
| QL-CCAB-Y-22   | 76    | 8 | 22 | 2 | 3.52         | 0.21         |
| left hand      |       |   |    |   |              |              |
| QL-CCAB-Y-16-L | 69    | 8 | 16 | 2 | 1.92         | 0.11         |
| QL-CCAB-Y-22-L | 76    | 8 | 22 | 2 | 2.64         | 0.15         |
| right hand     |       |   |    |   |              |              |
| QL-CCAB-Y-16-R | 69    | 8 | 16 | 2 | 1.92         | 0.11         |
| QL-CCAB-Y-22-R | 76    | 8 | 22 | 2 | 2.64         | 0.15         |



What’s Included:

One (1) flush plate

How to Specify:

Flush Plate Paint Colour: Silver

Notes:

Flush plate is used at surface joint to connect two surfaces together

Options:

|        |      |
|--------|------|
| Width: | 5.5" |
| Depth: | 3"   |

| Code   | Price | H | W   | D | Weight (lb.) | Volume (ft³) |
|--------|-------|---|-----|---|--------------|--------------|
| QL-PWW | 48    | 3 | 5.5 | 0 | 1.00         | 0.00         |






# Switch Quickship USA Pricebook

June 2026

## Storage



|                    |     |
|--------------------|-----|
| metal shelf        | 106 |
| flipper cabinet    | 107 |
| pedestals          | 108 |
| underdesk pedestal | 108 |
| mobile             | 109 |
| lateral file       | 110 |



What’s Included:

One (1) metal shelf

How to Specify:


Choose white, black, silver, charcoal for metal shelf

Notes:

Options:

|         |                              |
|---------|------------------------------|
| Height: | 6"                           |
| Width:  | 30", 36", 42", 48", 54", 60" |
| Depth:  | 12"                          |

| Code         | Price | H | W  | D  | Weight (lb.) | Volume (ft³) |
|--------------|-------|---|----|----|--------------|--------------|
| QL-SOOM-1230 | 365   | 2 | 30 | 12 | 14.40        | 0.42         |
| QL-SOOM-1236 | 385   | 2 | 36 | 12 | 17.28        | 0.50         |
| QL-SOOM-1242 | 400   | 2 | 42 | 12 | 20.16        | 0.58         |
| QL-SOOM-1248 | 413   | 2 | 48 | 12 | 23.04        | 0.67         |
| QL-SOOM-1254 | 429   | 2 | 54 | 12 | 25.92        | 0.75         |
| QL-SOOM-1260 | 446   | 2 | 60 | 12 | 28.80        | 0.83         |

**What's Included:**

One (1) laminate flipper cabinet

**How to Specify:**

Choose laminate face

Refer to [page 12](#), Laminate Page for laminate selections

**Notes:**

Locks can be keyed alike or random  
Flipper cabinet slides are easy-down pneumatic

**Options:**

Height\*: 16"


Width: 30", 36", 42", 48", 54", 60"

Depth\*\*: 15"


\* Internal cabinet height is 13"

\*\* Internal cabinet depth is 13"

| Code                             | Price | H  | W  | D  | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------------------------|-------|----|----|----|--------------|---------------------------|
| laminate face w/pneumatic slides |       |    |    |    |              |                           |
| QL-SPFL-1530-P                   | 682   | 16 | 30 | 15 | 32.73        | 4.17                      |
| QL-SPFL-1536-P                   | 687   | 16 | 36 | 15 | 39.27        | 5.00                      |
| QL-SPFL-1542-P                   | 712   | 16 | 42 | 15 | 45.82        | 5.83                      |
| QL-SPFL-1548-P                   | 718   | 16 | 48 | 15 | 52.36        | 6.67                      |
| QL-SPFL-1554-P                   | 746   | 16 | 54 | 15 | 58.91        | 7.50                      |
| QL-SPFL-1560-P                   | 753   | 16 | 60 | 15 | 65.46        | 8.33                      |



box/box/file



file/file

What’s Included:

One (1) box/box/file or  
one (1) file/file underdesk pedestal

How to Specify:

Pedestal type: box/box/file, file/file

Notes:

Pedestal brackets must be  
ordered seperately

Locks can be keyed alike or  
random


Options:

Height: 28"

Width: 16"

Depth: 23", 29"

| Code           | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|----------------|-------|----|----|----|--------------|--------------|
| box/box/file   |       |    |    |    |              |              |
| QL-FPBU-281623 | 1014  | 28 | 16 | 23 | 64.40        | 5.96         |
| QL-FPBU-281629 | 1047  | 28 | 16 | 29 | 81.20        | 7.52         |
| file/file      |       |    |    |    |              |              |
| QL-FPFU-281623 | 938   | 28 | 16 | 23 | 64.40        | 5.96         |
| QL-FPFU-281629 | 978   | 28 | 16 | 29 | 81.20        | 7.52         |



box/ file/no cushion

**What's Included:**

One (1) box/file mobile pedestal or one (1) box/file mobile pedestal with cushion, five (5) lockable casters

**How to Specify:**

Choose handle type and finish

Choose depth

Choose silver or white for caster finish

**Notes:**

Locks can be keyed alike or random


**Options:**

Height: 21" without cushion

Width: 16"

Depth: 18"

| Code                | Price | H  | W  | D  | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|---------------------|-------|----|----|----|--------------|---------------------------|
| box/file/no cushion |       |    |    |    |              |                           |
| QL-FPL0-211618      | 1033  | 21 | 16 | 18 | 43.20        | 3.50                      |



Lateral Underdesk File

What’s Included:

One (1) two drawer underdesk lateral filing cabinet, each drawer is equipped with (2) bars for front to back filing

How to Specify:

- Refer to [page 12](#), Laminate Page for laminate selections
- Choose handle type and finish
- Choose depth

Notes:

- Lateral brackets must be ordered seperately
- Locks can be keyed alike or random

Options:

Height: 28"

Width: 30", 36"

Depth: 23", 29"

| Code               | Price | H  | W  | D  | Weight (lb.) | Volume (ft³) |
|--------------------|-------|----|----|----|--------------|--------------|
| underdesk 2 Drawer |       |    |    |    |              |              |
| QL-FL2U-283023     | 1289  | 28 | 30 | 23 | 107.33       | 11.18        |
| QL-FL2U-283029     | 1328  | 28 | 30 | 29 | 135.33       | 14.10        |
| QL-FL2U-283623     | 1392  | 28 | 36 | 23 | 128.80       | 13.42        |
| QL-FL2U-283629     | 1431  | 28 | 36 | 29 | 162.40       | 16.92        |






# Switch Quickship USA Pricebook

June 2026

## Electrics



|                                  |     |
|----------------------------------|-----|
| vertical wire manager            | 114 |
| wire manager                     | 115 |
| starter harness                  | 116 |
| male to female extension harness | 117 |
| Chicago electrical box           | 118 |
| New York junction box            | 119 |
| desktop power module             | 120 |
| power module                     | 121 |
| connector harness                | 122 |
| communication kit                | 123 |



E-Chain Wire  
Manager


Notes:

E-Chain is available in black only


| Code                 | Price | H  | W | D | Volume (ft³) | Weight (lb) |
|----------------------|-------|----|---|---|--------------|-------------|
| e-chain wire manager |       |    |   |   |              |             |
| V-EE-28              | 336   | 28 |   |   | 1.00         | 1           |



for 3 way connection(3W)



for 4 way connection(4W)


For 90 Degree  
Connection (N)

### What's Included:

One (1) power pole, chosen mounting hardware

### How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

90 degree, 3-way T and 4-way X must be used with same height connecting panels

Use gallery panel mount type at the end of a run


### Notes:

### Options:

Connector type height: 120"

Gallery panel height: 144"

| Code           | Price | H   | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|----------------|-------|-----|---|---|--------------|---------------------------|
| standard panel |       |     |   |   |              |                           |
| QL-EP-P-120-3W | 536   | 120 | 2 | 2 | 2.00         | 0.28                      |
| QL-EP-P-120-4W | 536   | 120 | 2 | 2 | 2.00         | 0.28                      |
| QL-EP-P-120-N  | 536   | 120 | 2 | 2 | 2.00         | 0.28                      |
| gallery panel  |       |     |   |   |              |                           |
| QL-EP-Y-144    | 663   | 144 | 2 | 2 | 2.00         | 0.33                      |



**What's Included:**

One (1) open wire starter harness

**How to Specify:**

- Available in grey only
- Single sided, double sided


**Notes:**

- Switch electrical system is rated for 20 amps
- Tayco recommends up to 8 workstations hardwired to one power source

**Options:**

Length: 72", 168"

| Code          | Price | L   | D    | Weight (lb.) | Volume (ft³) |
|---------------|-------|-----|------|--------------|--------------|
| QL-ES84-072-0 | 359   | 72  | 0.75 | 2.61         | 0.40         |
| QL-ES84-168-0 | 451   | 168 | 0.75 | 5.12         | 0.50         |



What’s Included:

One (1) male to female extension harness

How to Specify:

- Available in grey only
- Single sided, double sided


Options:

Length: 44”, 122”


Notes:

Male to female extension harness is used to extend length of the starter harness

| Code        | Price | Length | D    | Weight (lb.) |
|-------------|-------|--------|------|--------------|
| QL-E8FM-044 | 232   | 44     | 0.75 | 0            |
| QL-E8FM-122 | 402   | 122    | 0.75 | 1            |



Single sided



Double sided

**What's Included:**

- Single Sided: One (1) electrical box with two (2) ac outlets and one (1) panel raceway
- Double Sided: Two (2) single sided electrical boxes each with two (2) ac outlets and two (2) panel raceways

**How to Specify:**

Select corresponding size to match the panel width


**Options:**

Width: 30", 36", 42", 48", 54", 60", 72"

**Notes:**

Junction box is located on the left hand side of the panel

| Code         | Price | Width | Weight (lb.) |
|--------------|-------|-------|--------------|
| Single Sided |       |       |              |
| QL-JB0X-30-S | 382   | 30    |              |
| QL-JB0X-36-S | 382   | 36    |              |
| QL-JB0X-42-S | 382   | 42    |              |
| QL-JB0X-48-S | 382   | 48    |              |
| QL-JB0X-54-S | 382   | 54    |              |
| QL-JB0X-60-S | 382   | 60    |              |
| Double Sided |       |       |              |
| QL-JB0X-30-D | 760   | 30    |              |
| QL-JB0X-36-D | 760   | 36    |              |
| QL-JB0X-42-D | 760   | 42    |              |
| QL-JB0X-48-D | 760   | 48    |              |
| QL-JB0X-54-D | 760   | 54    |              |
| QL-JB0X-60-D | 760   | 60    |              |



**What's Included:**

- Panels 24", 30", 36" wide: One (1) New York junction box
- Panels 42" or wider: One (1) New York junction box with single or double power module

**How to Specify:**

- Panels 24", 30", 36" wide: Specify junction box without power module. Power module and starter harness must be specified speratley
- Panels 42" or wider: Specify single or double power module with junction box


**Notes:**

Male to female extension harness is used to extend length of the starter harness

**Options:**

- Junction Box width: 9"
- Junction Box with power module width: 18"


| Code          | Price | Length | D | Weight (lb.) |
|---------------|-------|--------|---|--------------|
| QL-NY84-004-D | 811   |        |   |              |
| QL-NY84-004-S | 662   |        |   |              |
| QL-NYEJ-84    | 230   |        |   |              |



clamp mount desktop power module equipped with:  
two AC outlets,  
one USB A and  
one USB C charging ports, and  
one (1) three prong cord

| Code                                                                     | Price | H | W | D | Volume | Weight |
|--------------------------------------------------------------------------|-------|---|---|---|--------|--------|
| clamp mount desktop power module (2 AC outlets and 1 ea USB A & C ports) |       |   |   |   |        |        |
| V-EMW-2AC                                                                | 208   | 6 | 4 | 3 | 1.00   | 0.04   |





**What's Included:**

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

**How to Specify:**

Available in grey only  
Single sided, double sided


**Notes:**

Power modules are installed in the center cut out power capable panels only  
  
Double sided power module has four (4) ac outlets on each side  
  
Refer to Switch electrical specification guide for more information

**Options:**

Width: 8"

| Code         | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|--------------|-------|---|---|---|--------------|--------------|
| single sided |       |   |   |   |              |              |
| QL-EM84-S    | 242   | 3 | 6 | 3 | 1.70         | 0.03         |
| double sided |       |   |   |   |              |              |
| QL-EM84-D    | 386   | 3 | 6 | 3 | 2.00         | 0.03         |



What’s Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided

Notes:


Connector harness is used to connect two power modules together

Refer to installation guide for connector harness length calculation

Options:

Length: 22”-67” in 3” increments

| Code       | Price | Length | D    | Weight (lb.) | Volume (ft³) |
|------------|-------|--------|------|--------------|--------------|
| QL-EH84-22 | 182   | 22     | 0.75 | 1            | 0.20         |
| QL-EH84-25 | 187   | 25     | 0.75 | 1            | 0.20         |
| QL-EH84-28 | 194   | 28     | 0.75 | 1            | 0.20         |
| QL-EH84-31 | 201   | 31     | 0.75 | 1            | 0.20         |
| QL-EH84-34 | 208   | 34     | 0.75 | 1            | 0.20         |
| QL-EH84-37 | 214   | 37     | 0.75 | 1            | 0.20         |
| QL-EH84-40 | 223   | 40     | 0.75 | 1            | 0.20         |
| QL-EH84-43 | 229   | 43     | 0.75 | 1            | 0.20         |
| QL-EH84-46 | 232   | 46     | 0.75 | 1            | 0.20         |
| QL-EH84-49 | 239   | 49     | 0.75 | 2            | 0.20         |
| QL-EH84-52 | 245   | 52     | 0.75 | 2            | 0.20         |
| QL-EH84-55 | 256   | 55     | 0.75 | 2            | 0.20         |
| QL-EH84-58 | 259   | 58     | 0.75 | 2            | 0.20         |
| QL-EH84-61 | 267   | 61     | 0.75 | 2            | 0.20         |
| QL-EH84-64 | 271   | 64     | 0.75 | 2            | 0.20         |
| QL-EH84-67 | 281   | 67     | 0.75 | 2            | 0.20         |



type 6  
RJ45/45

#### What's Included:

One (1) data plate with four (4) openings and chosen combination of RJ45

#### How to Specify:

Specify RJ45 for data connection

#### Notes:

Data is placed on the right hand side of the cutout in the panel raceway

#### Options:

Panel cutout width: 2 3/4"

Panel cutout height: 1 3/8"

| Code    | Price | H | W | D | Weight (lb.) | Volume (ft <sup>3</sup> ) |
|---------|-------|---|---|---|--------------|---------------------------|
| type 6  |       |   |   |   |              |                           |
| QL-ECK6 | 174   | 2 | 4 | 1 | 0.24         | 0                         |




# Switch Quickship USA Pricebook

June 2026

## **Accessories**

|                           |     |
|---------------------------|-----|
| keyboard tray             | 126 |
| pencil drawer             | 127 |
| LED tasklight             | 128 |
| monitor arm               | 129 |
| height adjustable base    | 130 |
| straight                  | 130 |
| 5-sided                   | 131 |
| height adjustable surface | 132 |
| 5-sided                   | 132 |
| task seating              | 134 |



Articulating Keyboard Tray

**What’s Included:**

Keyboard Tray, installation hardware.


**How to Specify:**

The articulating keyboard is available only in black.

**Notes:**

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments

| Code                       | Price | H | W  | D  | Volume (ft³) | Weight (lb) |
|----------------------------|-------|---|----|----|--------------|-------------|
| Articulating Keyboard Tray |       |   |    |    |              |             |
| V-KASX-2510                | 459   | 0 | 25 | 10 | 0.00         | 15          |



Plastic Pencil Drawer

**What’s Included:**

One (1) pencil tray

**How to Specify:**

Available in black only


**Notes:**

Available in black only


**Dimensions:**

|        |     |
|--------|-----|
| Width: | 24" |
| Depth: | 16" |

| Code   | Price | H   | W  | D  | Weight (lb.) | Volume (ft³) |
|--------|-------|-----|----|----|--------------|--------------|
| V-ADPP | 100   | 2.8 | 21 | 16 | 2            | 0.62         |



Halifax LED Light 30"(1) with transformer, Wire manager, Mounting Plate and hardware



Halifax LED Light 30"(2) with transformer, Wire manager, Mounting Plate and hardware

**What's Included:**

- LED Tasklight
- Transformer
- Mounting Plate
- Mounting Hardware

**How to Specify:**

3666 fits under overheads between 36"-66"W  
7284 fits under overheads between 72-84"W

**Notes:**


7284 consists of two 30" lights  
Hardware includes screws for wood overhead and magnets for metal overheads

**Options:**


Available in Silver only

| Code          | Price |
|---------------|-------|
| LED Tasklight |       |
| V-ELU-3666    | 481   |
| V-ELU-7284    | 891   |







Single Monitor Arm -  
clamp mount



Single Monitor Arm -  
grommet mount



Double Monitor Arm -  
clamp mount



Double Monitor Arm -  
grommet mount

#### What's Included:

One monitor arm and installation hardware for both clamp and grommet mount

#### How to Specify:

- Specify type

#### Dimensions:

Vesa: 75x75 and 100x100

#### Notes:

Available in silver only


##### Single Monitor Arm

- Screen Size - 17"-36"
- Load Capacity - 6.6-26.4lbs/3-12kg
- Tilt Range - -90 degrees - -15 degrees

##### Dual Monitor Arm

- Screen Size - 17"-32"
- Load Capacity - 4.4-19.8lbs/2-9kg
- Tilt Range - -90 degrees - -15 degrees

| Code                       | Price |
|----------------------------|-------|
| Monitor Arm - Single Mount |       |
| V-AFMA-01                  | 426   |
| Monitor Arm - Double Mount |       |
| V-AFMA-02                  | 711   |



height adjustable base

**What's Included:**

Set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 220 lb with worksurface.

**Options:**

Leg color                      silver   white   black

straight base - T leg

| Code      | Price | W Range (in) | D(in) | Weight (lb) | Volume (ft³) |
|-----------|-------|--------------|-------|-------------|--------------|
| R-HA2T1-S | 1150  | 40"-72"      | 24    | 88          | 2.80         |
| R-HA2T1-L | 1150  | 73"-90"      | 24    | 90          | 2.86         |



**What's Included:**

Set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 320 lb with worksurface.

**Options:**

Leg color                                      silver    white    black

3 leg base- 5-sided- T leg

| Code      | Price | W Range (in) | D (in) | Volume (ft³) | Weight (lb) |
|-----------|-------|--------------|--------|--------------|-------------|
| R-HA3T1-S | 1975  | 46"-72"      | 24     | 146          | 4.22        |
| R-HA3T1-L | 1975  | 73"-90"      | 24     | 148          | 4.27        |



5-sided height adjustable  
table- curved



5-sided surface - curved



5-sided surface - 90 degree

**What's Included:**

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

- Grommet can be specified in silver or white.
- Edge color will default to match the surface color of the worksurface unless otherwise specified.
- Pinch points are taken into account in all of the Integrated tables.

**Notes:**

- Straight desk worksurface is 1-inch thick.
- Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.
- Load capacity of 320 lb with worksurface.

**Freestanding Options:**

|                      |                        |
|----------------------|------------------------|
| Width/Depth          | 48", 54", 60",         |
| End                  | 24", 30"               |
| Worksurface Laminate | laminate color         |
| Leg color            | silver   white   black |

**Integrated Options:**

|                      |                        |
|----------------------|------------------------|
| Width/Depth          | 46", 52", 58"          |
| End                  | 23", 29"               |
| Worksurface Laminate | laminate color         |
| Leg color            | silver   white   black |

| Code                   | Price | Height (in) | Width (in) | Volume (ft³) | Weight (lb) |
|------------------------|-------|-------------|------------|--------------|-------------|
| freestanding curved    |       |             |            |              |             |
| R-W5CG-4824            | 778   | 48          | 24         | 5.22         | 47.43       |
| R-W5CG-4830            | 809   | 48          | 30         | 5.22         | 50.21       |
| R-W5CG-5424            | 887   | 54          | 24         | 5.22         | 49.45       |
| R-W5CG-5430            | 1007  | 54          | 30         | 5.22         | 51.63       |
| R-W5CG-6024            | 986   | 60          | 24         | 5.22         | 54.20       |
| R-W5CG-6030            | 1151  | 60          | 30         | 5.22         | 56.32       |
| freestanding 90 degree |       |             |            |              |             |
| R-W5NG-4824            | 778   | 48          | 24         | 5.22         | 47.43       |
| R-W5NG-4830            | 809   | 48          | 30         | 5.22         | 50.21       |
| R-W5NG-5424            | 887   | 54          | 24         | 5.22         | 49.45       |
| R-W5NG-5430            | 1007  | 54          | 30         | 5.22         | 51.63       |
| R-W5NG-6024            | 986   | 60          | 24         | 5.22         | 54.20       |
| R-W5NG-6030            | 1151  | 60          | 30         | 5.22         | 56.32       |
| integrated curved      |       |             |            |              |             |
| R-W5CG-4623            | 778   | 46          | 23         | 5.22         | 47.43       |
| R-W5CG-4629            | 809   | 46          | 29         | 5.22         | 50.21       |
| R-W5CG-5223            | 887   | 52          | 23         | 5.22         | 49.45       |
| R-W5CG-5229            | 1007  | 52          | 29         | 5.22         | 51.63       |
| R-W5CG-5823            | 986   | 58          | 23         | 5.22         | 54.20       |
| R-W5CG-5829            | 1151  | 58          | 29         | 5.22         | 56.32       |
| integrated 90 degree   |       |             |            |              |             |
| R-W5NG-4623            | 778   | 46          | 23         | 5.22         | 47.43       |
| R-W5NG-4629            | 809   | 46          | 29         | 5.22         | 50.12       |
| R-W5NG-5223            | 887   | 52          | 23         | 5.22         | 49.43       |
| R-W5NG-5229            | 1007  | 52          | 29         | 5.22         | 51.60       |
| R-W5NG-5823            | 986   | 58          | 23         | 5.22         | 54.01       |
| R-W5NG-5829            | 1151  | 58          | 29         | 5.22         | 56.03       |



Dimensions:

- Overall height: 39.25"
- Overall width adj. arm: 25.25"
- Overall width fixed arm: 25"
- Overall depth: 25"

Notes:

- Advanced mesh distributes excellent support while being soft and warm to the touch and offers unimpeded airflow for maximum comfort.
- Height adjustable arm with 3 directional movements.
- J1 casters are suitable for hard surfaces and carpet flooring.
- Adjustable lumbar support is built into the frame offering comfort and support with clean lines.
- Streamlined, premium control with side tension allows for consistent and balanced support throughout its ride.
- Frame is available in black finish with 701M black mesh.

Options:

|              |                                            |
|--------------|--------------------------------------------|
| finish color | <b>B</b> black finish with 701M black mesh |
| arms         | <b>AL</b> adjustable arms                  |
| seat slider  | <b>O</b> no seat slider                    |
| seat fabric  | <b>701A</b> black                          |
| packaging    | Unassembled                                |

Black Finish Frame - Fixed Arms

|           | Code         | Price | Volume (ft³) | Weight (lb) |
|-----------|--------------|-------|--------------|-------------|
| J1 Fabric | J-MTCB-AL0-A | 1031  | 7.00         | 45          |