tayco®

# Tables Pricebook

**Supply Ontario VOR**
Tender #20820

August 2026

# contents


contents ii
Caution iii
Volley tables 5
- 120 degree base & surface 6
- straight 8
- 5-sided 10
- unitized 12
- upgrades 28

Norris tables 33
- super ellipse without power and data 34
- super ellipse with power and data 36
- video without power and data 38
- video with power and data 40
- boat without power and data 42
- boat with power and data 44
- straight without power and data 46
- straight with power and data 48
- options 50
- add-on Kit 51

Kip tables 53
- community table without power and data 54
- community table with power and data 56

Koko tables 59
- rectangular table 60
- round table 61

Hanna tables 63
- T base - slim 64
- T base - tubular 66
- X base - slim 68
- X base - tubular 70
- super ellipse top 72
- round top 74
- squircle top 76
- rectangular top 78
- square top 80

Studi tables 83
- with Power Module & Daisy Chain 84
- with Power Module 86
- with Grommet 88
- without Grommet 90
- Add ons 92
  - PET Modesty 92
  - Frosted Acrylic Modesty 93
  - Ganging Mechanism 94
  - Daisy Chain 95

Echo tables 97
- Super Ellipse 98
  - no power module 98
  - w power module 99
- Round 100
  - no power module 100
  - w power module 101
- Squircle 102
  - no power module 102
  - w power module 103




# Caution

**Load Bottom Drawer First**

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

**Heavy Load**

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

**Instability Hazard**

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

tayco®

# Tables Pricebook

July 2026

## Volley

## Volley tables


120 degree base & surface 6

straight 8

5-sided 10

unitized 12

upgrades 28

- Height Adjustable Table Enclosure Box 28
- Flex Cable Organizer 29
- Trough & Trough Mounted Modesty 30

height adjustable
C legs

height adjustable
C base

height adjustable
surface

height adjustable
T legs



height adjustable
T base

**What's Included:**

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver or white. Edge color will default to match the surface color of the worksurface unless otherwise specified. Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25" from theground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

**Freestanding Options:**

| | | | |
|---|---|---|---|
| Width | 42", 48", 54" | | |
| Depth | 42", 48", 54" | | |
| End | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

**Integrated Options:**

| | | | |
|---|---|---|---|
| Width | 40", 46", 52" | | |
| Depth | 40", 46", 52" | | |
| End | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |





| Code | Price | W Range (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| 3-leg base 120° - T LEG | | | | | |
| R-HA3T2-S | 1975 | 40"-54" | 24 | 4.22 | 120 |
| R-HA3T2-S-B | 1975 | 40"-54" | 24 | 4.27 | 128 |
| 3-leg base 120° - C LEG | | | | | |
| R-HA3C2-S | 1975 | 40"-54" | 24 | 4.22 | 120 |
| R-HA3C2-S-B | 1975 | 40"-54" | 24 | 4.27 | 128 |

| Code | Price | Height(in) | Width (in) | Depth in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| 120° Surface - Freestanding With grommet | | | | | | |
| R-S2CG-4224 | 1074 | 1 | 42 | 42 | 1.8 | 32 |
| R-S2CG-4230 | 1300 | 1 | 42 | 42 | 2.125 | 35 |
| R-S2CG-4824 | 1140 | 1 | 48 | 48 | 1.9 | 35 |
| R-S2CG-4830 | 1367 | 1 | 48 | 48 | 2.25 | 38 |
| R-S2CG-5424 | 1154 | 1 | 54 | 54 | 2.1 | 38 |
| R-S2CG-5430 | 1382 | 1 | 54 | 54 | 2.45 | 41 |
| 120° Surface - Freestanding Without grommet | | | | | | |
| R-S2CN-4224 | 1064 | 1 | 42 | 42 | 1.8 | 32 |
| R-S2CN-4230 | 1290 | 1 | 42 | 42 | 2.125 | 35 |
| R-S2CN-4824 | 1130 | 1 | 48 | 48 | 1.9 | 35 |
| R-S2CN-4830 | 1357 | 1 | 48 | 48 | 2.25 | 38 |
| R-S2CN-5424 | 1144 | 1 | 54 | 54 | 2.1 | 38 |
| R-S2CN-5430 | 1372 | 1 | 54 | 54 | 2.45 | 41 |
| 120° Surface - Integrated With grommet | | | | | | |
| R-S2CG-4023 | 1038 | 1 | 40 | 40 | 1.71 | 30 |
| R-S2CG-4029 | 1243 | 1 | 40 | 40 | 2.03 | 33 |
| R-S2CG-4623 | 1104 | 1 | 46 | 46 | 1.8 | 33 |
| R-S2CG-4629 | 1309 | 1 | 46 | 46 | 2.15 | 36 |
| R-S2CG-5223 | 1118 | 1 | 52 | 52 | 2 | 36 |
| R-S2CG-5229 | 1323 | 1 | 52 | 52 | 2.35 | 39 |
| 120° Surface - Integrated Without grommet | | | | | | |
| R-S2CN-4023 | 1028 | 1 | 40 | 40 | 1.71 | 30 |
| R-S2CN-4029 | 1233 | 1 | 40 | 40 | 2.03 | 33 |
| R-S2CN-4623 | 1094 | 1 | 46 | 46 | 1.8 | 33 |
| R-S2CN-4629 | 1299 | 1 | 46 | 46 | 2.15 | 36 |
| R-S2CN-5223 | 1108 | 1 | 52 | 52 | 2 | 36 |
| R-S2CN-5229 | 1313 | 1 | 52 | 52 | 2.35 | 39 |

height adjustable
C legs



height adjustable
C base

height adjustable
surface

height adjustable
T legs

height adjustable
T base

**What's Included:**

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 220 lbs with worksurface.

The 34"W and 36"W surfaces shown are for use in L-shaped table configurations only. The minimum width for a standalone height adjustable table is 40"W.

**Freestanding Options:**

| | | | |
|---|---|---|---|
| Width | 36", 42", 48", 54", 60", 66", 72" | | |
| Depth | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

**Integrated Options:**

| | | | |
|---|---|---|---|
| Width | 34", 40", 46", 52", 58", 64", 70" | | |
| Depth | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

| Code | Price | W Range (in) | D(in) | Weight (lb) | Volume (ft³) |
|---|---|---|---|---|---|
| Straight Base - T Leg | | | | | |
| R-HA2T1-S | 1150 | 40"-72" | 24 | 88 | 2.8 |
| R-HA2T1-S-B | 1150 | 40"-72" | 24 | 88 | 2.8 |
| R-HA2T1-L | 1150 | 73"-90" | 24 | 90 | 2.86 |
| R-HA2T1-L-B | 1150 | 73"-90" | 24 | 90 | 2.86 |

| Code | Price | W Range (in) | D(in) | Weight (lb) | Volume (ft³) |
|---|---|---|---|---|---|
| Straight Base - C Leg | | | | | |
| R-HA2C1-S | 1150 | 40"-72" | 24 | 88 | 2.8 |
| R-HA2C1-S-B | 1150 | 40"-72" | 24 | 88 | 2.8 |
| R-HA2C1-L | 1150 | 73"-90" | 24 | 90 | 2.86 |
| R-HA2C1-L-B | 1150 | 73"-90" | 24 | 90 | 2.86 |





| Code | Price | Width (in) | Depth (in) | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| surface - freestanding With grommet | | | | | |
| R-WS0G-3624 | 360 | 36 | 24 | | 16 |
| R-WS0G-3630 | 366 | 36 | 30 | | 20 |
| R-WS0G-4224 | 384 | 42 | 24 | | 18.66 |
| R-WS0G-4230 | 393 | 42 | 30 | | 23.33 |
| R-WS0G-4824 | 438 | 48 | 24 | | 21.33 |
| R-WS0G-4830 | 461 | 48 | 30 | | 26.67 |
| R-WS0G-5424 | 530 | 54 | 24 | | 24 |
| R-WS0G-5430 | 566 | 54 | 30 | | 30 |
| R-WS0G-6024 | 556 | 60 | 24 | | 26.67 |
| R-WS0G-6030 | 592 | 60 | 30 | | 33.31 |
| R-WS0G-6624 | 615 | 66 | 24 | | 29.33 |
| R-WS0G-6630 | 631 | 66 | 30 | | 36.65 |
| R-WS0G-7224 | 644 | 72 | 24 | | 32 |
| R-WS0G-7230 | 647 | 72 | 30 | | 40 |
| R-WS0G-7824 | 799 | 78 | 24 | | 34 |
| R-WS0G-7830 | 841 | 78 | 30 | | 42 |
| R-WS0G-8424 | 871 | 84 | 24 | | 36 |
| R-WS0G-8430 | 915 | 84 | 30 | | 44 |
| surface - freestanding Without grommet | | | | | |
| R-WS0N-3624 | 350 | 36 | 24 | | 16 |
| R-WS0N-3630 | 356 | 36 | 30 | | 20 |
| R-WS0N-4224 | 374 | 42 | 24 | | 18.66 |
| R-WS0N-4230 | 383 | 42 | 30 | | 23.33 |
| R-WS0N-4824 | 428 | 48 | 24 | | 21.33 |
| R-WS0N-4830 | 451 | 48 | 30 | | 26.67 |
| R-WS0N-5424 | 520 | 54 | 24 | | 24 |
| R-WS0N-5430 | 556 | 54 | 30 | | 30 |
| R-WS0N-6024 | 546 | 60 | 24 | | 26.67 |
| R-WS0N-6030 | 582 | 60 | 30 | | 33.31 |
| R-WS0N-6624 | 605 | 66 | 24 | | 29.33 |
| R-WS0N-6630 | 621 | 66 | 30 | | 36.65 |
| R-WS0N-7224 | 634 | 72 | 24 | | 32 |
| R-WS0N-7230 | 637 | 72 | 30 | | 40 |
| R-WS0N-7824 | 789 | 78 | 24 | | 34 |
| R-WS0N-7830 | 831 | 78 | 30 | | 42 |
| R-WS0N-8424 | 861 | 84 | 24 | | 36 |
| R-WS0N-8430 | 905 | 84 | 30 | | 44 |

| Code | Price | Width (in) | Depth (in) | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| surface - integrated With grommet | | | | | |
| R-WS0G-3423 | 360 | 34 | 23 | | 15.98 |
| R-WS0G-3429 | 366 | 34 | 29 | | 19.97 |
| R-WS0G-4023 | 384 | 40 | 23 | | 18.64 |
| R-WS0G-4029 | 393 | 40 | 29 | | 23.3 |
| R-WS0G-4623 | 438 | 46 | 23 | | 21.31 |
| R-WS0G-4629 | 461 | 46 | 29 | | 26.64 |
| R-WS0G-5223 | 514 | 52 | 23 | | 23.98 |
| R-WS0G-5229 | 530 | 52 | 29 | | 29.77 |
| R-WS0G-5823 | 556 | 58 | 23 | | 26.65 |
| R-WS0G-5829 | 546 | 58 | 29 | | 33.28 |
| R-WS0G-6423 | 615 | 64 | 23 | | 29.31 |
| R-WS0G-6429 | 631 | 64 | 29 | | 36.62 |
| R-WS0G-7023 | 644 | 70 | 23 | | 31.98 |
| R-WS0G-7029 | 647 | 70 | 29 | | 39.77 |
| R-WS0G-7623 | 799 | 76 | 23 | | 33.98 |
| R-WS0G-7629 | 841 | 76 | 29 | | 41.77 |
| R-WS0G-8223 | 871 | 82 | 23 | | 35.98 |
| R-WS0G-8229 | 915 | 82 | 29 | | 43.77 |
| surface - integrated Without grommet | | | | | |
| R-WS0N-3423 | 350 | 34 | 23 | | 15.98 |
| R-WS0N-3429 | 356 | 34 | 29 | | 19.97 |
| R-WS0N-4023 | 374 | 40 | 23 | | 18.64 |
| R-WS0N-4029 | 383 | 40 | 29 | | 23.3 |
| R-WS0N-4623 | 428 | 46 | 23 | | 21.31 |
| R-WS0N-4629 | 451 | 46 | 29 | | 26.64 |
| R-WS0N-5223 | 504 | 52 | 23 | | 23.98 |
| R-WS0N-5229 | 520 | 52 | 29 | | 29.77 |
| R-WS0N-5823 | 546 | 58 | 23 | | 26.65 |
| R-WS0N-5829 | 536 | 58 | 29 | | 33.28 |
| R-WS0N-6423 | 605 | 64 | 23 | | 29.31 |
| R-WS0N-6429 | 621 | 64 | 29 | | 36.62 |
| R-WS0N-7023 | 634 | 70 | 23 | | 31.98 |
| R-WS0N-7029 | 637 | 70 | 29 | | 39.77 |
| R-WS0N-7623 | 789 | 76 | 23 | | 33.98 |
| R-WS0N-7629 | 831 | 76 | 29 | | 41.77 |
| R-WS0N-8223 | 861 | 82 | 23 | | 35.98 |
| R-WS0N-8229 | 905 | 82 | 29 | | 43.77 |




5-sided height adjustable table- curved



5-sided height adjustable table- 90 degree



5-sided base

5-sided surface - curved

5-sided surface - 90 degree

**What's Included:**

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

**Freestanding Options:**

| | | | |
|---|---|---|---|
| Width/Depth | 48", 54", 60", | | |
| End | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

**Integrated Options:**

| | | | |
|---|---|---|---|
| Width/Depth | 46", 52", 58" | | |
| End | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |





| Code | Price | Width (in) range | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|
| 3 leg Base - 5 Sided - T LEG | | | | |
| R-HA3T1-S | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3T1-S-B | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3T1-L | 1975 | 73"-90" | 4.27 | 148 |
| R-HA3T1-L-B | 1975 | 73"-90" | 4.27 | 148 |

| Code | Price | Width (in) range | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|
| 3 leg Base - 5 Sided - C LEG | | | | |
| R-HA3C1-S | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3C1-S-B | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3C1-L | 1975 | 73"-90" | 4.27 | 148 |
| R-HA3C1-L-B | 1975 | 73"-90" | 4.27 | 148 |

| Code | Price | Width (in) | Depth (in) | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| freestanding curved With Grommet | | | | | |
| R-W5CG-4824 | 778 | 48 | 24 | 5.22 | 47.43 |
| R-W5CG-4830 | 809 | 48 | 30 | 5.22 | 50.21 |
| R-W5CG-5424 | 887 | 54 | 24 | 5.22 | 49.45 |
| R-W5CG-5430 | 1007 | 54 | 30 | 5.22 | 51.63 |
| R-W5CG-6024 | 986 | 60 | 24 | 5.22 | 54.2 |
| R-W5CG-6030 | 1151 | 60 | 30 | 5.22 | 56.32 |
| freestanding 90 degree With Grommet | | | | | |
| R-W5NG-4824 | 778 | 48 | 24 | 5.22 | 47.43 |
| R-W5NG-4830 | 809 | 48 | 30 | 5.22 | 50.21 |
| R-W5NG-5424 | 887 | 54 | 24 | 5.22 | 49.45 |
| R-W5NG-5430 | 1007 | 54 | 30 | 5.22 | 51.63 |
| R-W5NG-6024 | 986 | 60 | 24 | 5.22 | 54.2 |
| R-W5NG-6030 | 1151 | 60 | 30 | 5.22 | 56.32 |
| freestanding integrated curved With Grommet | | | | | |
| R-W5CG-4623 | 778 | 46 | 23 | 5.22 | 47.43 |
| R-W5CG-4629 | 809 | 46 | 29 | 5.22 | 50.21 |
| R-W5CG-5223 | 887 | 52 | 23 | 5.22 | 49.45 |
| R-W5CG-5229 | 1007 | 52 | 29 | 5.22 | 51.63 |
| R-W5CG-5823 | 986 | 58 | 23 | 5.22 | 54.2 |
| R-W5CG-5829 | 1151 | 58 | 29 | 5.22 | 56.32 |
| freestanding integrated 90 degree With Grommet | | | | | |
| R-W5NG-4623 | 778 | 46 | 23 | 5.22 | 47.43 |
| R-W5NG-4629 | 809 | 46 | 29 | 5.22 | 50.12 |
| R-W5NG-5223 | 887 | 52 | 23 | 5.22 | 49.43 |
| R-W5NG-5229 | 1007 | 52 | 29 | 5.22 | 51.6 |
| R-W5NG-5823 | 986 | 58 | 23 | 5.22 | 54.01 |
| R-W5NG-5829 | 1151 | 58 | 29 | 5.22 | 56.03 |

| Code | Price | Width (in) | Depth (in) | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| freestanding curved Without Grommet | | | | | |
| R-W5CN-4824 | 768 | 48 | 24 | 5.22 | 47.43 |
| R-W5CN-4830 | 799 | 48 | 30 | 5.22 | 50.21 |
| R-W5CN-5424 | 877 | 54 | 24 | 5.22 | 49.45 |
| R-W5CN-5430 | 997 | 54 | 30 | 5.22 | 51.63 |
| R-W5CN-6024 | 976 | 60 | 24 | 5.22 | 54.2 |
| R-W5CN-6030 | 1141 | 60 | 30 | 5.22 | 56.32 |
| freestanding 90 degree Without Grommet | | | | | |
| R-W5NN-4824 | 768 | 48 | 24 | 5.22 | 47.43 |
| R-W5NN-4830 | 799 | 48 | 30 | 5.22 | 50.21 |
| R-W5NN-5424 | 877 | 54 | 24 | 5.22 | 49.45 |
| R-W5NN-5430 | 997 | 54 | 30 | 5.22 | 51.63 |
| R-W5NN-6024 | 976 | 60 | 24 | 5.22 | 54.2 |
| R-W5NN-6030 | 1141 | 60 | 30 | 5.22 | 56.32 |
| freestanding integrated curved Without Grommet | | | | | |
| R-W5CN-4623 | 768 | 46 | 23 | 5.22 | 47.43 |
| R-W5CN-4629 | 799 | 46 | 29 | 5.22 | 50.21 |
| R-W5CN-5223 | 877 | 52 | 23 | 5.22 | 49.45 |
| R-W5CN-5229 | 997 | 52 | 29 | 5.22 | 51.63 |
| R-W5CN-5823 | 976 | 58 | 23 | 5.22 | 54.2 |
| R-W5CN-5829 | 1141 | 58 | 29 | 5.22 | 56.32 |
| freestanding integrated 90 degree Without Grommet | | | | | |
| R-W5NN-4623 | 768 | 46 | 23 | 5.22 | 47.43 |
| R-W5NN-4629 | 799 | 46 | 29 | 5.22 | 50.12 |
| R-W5NN-5223 | 877 | 52 | 23 | 5.22 | 49.43 |
| R-W5NN-5229 | 997 | 52 | 29 | 5.22 | 51.6 |
| R-W5NN-5823 | 976 | 58 | 23 | 5.22 | 54.01 |
| R-W5NN-5829 | 1141 | 58 | 29 | 5.22 | 56.03 |




unitized height adjustable table - curved
left hand version shown



unitized height adjustable table - 90 degree
left hand version shown

unitized surface - curved
-left hand version shown



unitized surface- 90 degree
- right hand version shown



unitized base

**What's Included:**

Unitized Volley tables (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

**How to Specify:**

Grommet can be specified in silver orwhite.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

**Notes:**

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

**Freestanding Options:**

| | | | |
|---|---|---|---|
| Width | 60", 66", 72", 78", 84" | | |
| Depth | 48", 54", 60" | | |
| End | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

**Integrated Options:**

| | | | |
|---|---|---|---|
| Width | 58", 64", 70", 76", 82" | | |
| Depth | 46", 52", 58" | | |
| End | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |





| Code | Price | Width (in) range | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|
| 3 leg Base - 5 Sided - T LEG | | | | |
| R-HA3T1-S | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3T1-L | 1975 | 73"-90" | 4.27 | 148 |

| Code | Price | Width (in) range | Vol (ft³) | Weight (lb) |
|---|---|---|---|---|
| Unitized Base - C LEG | | | | |
| R-HA3C1-S | 1975 | 46"-72" | 4.22 | 146 |
| R-HA3C1-L | 1975 | 73"-90" | 4.27 | 148 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding curved With grommet | | | | | | |
| R-WUCG-604824-L | 1133 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604824-R | 1133 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604830-L | 1163 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-604830-R | 1163 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-605424-L | 1244 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605424-R | 1244 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605430-L | 1274 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-605430-R | 1274 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-664824-L | 1256 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664824-R | 1256 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664830-L | 1291 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-664830-R | 1291 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-665424-L | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665424-R | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665430-L | 1406 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCG-665430-R | 1406 | 66 | 54 | 30 | 5.42 | 51.96 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding curved With grommet - continued | | | | | | |
| R-WUCG-666024-L | 1494 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666024-R | 1494 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666030-L | 1528 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-666030-R | 1528 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-724824-L | 1315 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724824-R | 1315 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724830-L | 1345 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-724830-R | 1345 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-725424-L | 1437 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725424-R | 1437 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725430-L | 1473 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCG-725430-R | 1473 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCG-726024-L | 1564 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726024-R | 1564 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726030-L | 1596 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-726030-R | 1596 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-784824-L | 1476 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784824-R | 1476 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784830-L | 1513 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCG-784830-R | 1513 | 78 | 48 | 30 | 5.42 | 56.19 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding curved With grommet - continued | | | | | | |
| R-WUCG-785424-L | 1612 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785424-R | 1612 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785430-L | 1649 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-785430-R | 1649 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-786024-L | 1751 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786024-R | 1751 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786030-L | 1788 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-786030-R | 1788 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-844824-L | 1619 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844824-R | 1619 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844830-L | 1654 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-844830-R | 1654 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-845424-L | 1770 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845424-R | 1770 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845430-L | 1805 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-845430-R | 1805 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-846024-L | 1923 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846024-R | 1923 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846030-L | 1955 | 84 | 60 | 30 | 5.42 | 61.34 |
| R-WUCG-846030-R | 1955 | 84 | 60 | 30 | 5.42 | 61.34 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding curved Without grommet | | | | | | |
| R-WUCN-604824-L | 1123 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCN-604824-R | 1123 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCN-604830-L | 1153 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCN-604830-R | 1153 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCN-605424-L | 1234 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCN-605424-R | 1234 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCN-605430-L | 1264 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCN-605430-R | 1264 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCN-664824-L | 1246 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCN-664824-R | 1246 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCN-664830-L | 1281 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCN-664830-R | 1281 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCN-665424-L | 1366 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCN-665424-R | 1366 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCN-665430-L | 1396 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCN-665430-R | 1396 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCN-666024-L | 1484 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCN-666024-R | 1484 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCN-666030-L | 1518 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCN-666030-R | 1518 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCN-724824-L | 1305 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCN-724824-R | 1305 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCN-724830-L | 1335 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCN-724830-R | 1335 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCN-725424-L | 1427 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCN-725424-R | 1427 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCN-725430-L | 1463 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCN-725430-R | 1463 | 72 | 54 | 30 | 5.42 | 55.21 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding curved Without grommet | | | | | | |
| R-WUCN-726024-L | 1554 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCN-726024-R | 1554 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCN-726030-L | 1586 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCN-726030-R | 1586 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCN-784824-L | 1466 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCN-784824-R | 1466 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCN-784830-L | 1503 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCN-784830-R | 1503 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCN-785424-L | 1602 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCN-785424-R | 1602 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCN-785430-L | 1639 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCN-785430-R | 1639 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCN-786024-L | 1741 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCN-786024-R | 1741 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCN-786030-L | 1778 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCN-786030-R | 1778 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCN-844824-L | 1609 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCN-844824-R | 1609 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCN-844830-L | 1644 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCN-844830-R | 1644 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCN-845424-L | 1760 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCN-845424-R | 1760 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCN-845430-L | 1795 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCN-845430-R | 1795 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCN-846024-L | 1913 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCN-846024-R | 1913 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCN-846030-L | 1945 | 84 | 60 | 30 | 5.42 | 61.34 |
| R-WUCN-846030-R | 1945 | 84 | 60 | 30 | 5.42 | 61.34 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding 90 degree With Grommet | | | | | | |
| R-WUNG-604824-L | 1133 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-604824-R | 1133 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-604830-L | 1163 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-604830-R | 1163 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-605424-L | 1244 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-605424-R | 1244 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-605430-L | 1274 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-605430-R | 1274 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-664824-L | 1256 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-664824-R | 1256 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-664830-L | 1291 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-664830-R | 1291 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-665424-L | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-665424-R | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-665430-L | 1406 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-665430-R | 1406 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-666024-L | 1494 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-666024-R | 1494 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-666030-L | 1528 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-666030-R | 1528 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-724824-L | 1315 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-724824-R | 1315 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-724830-L | 1345 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUNG-724830-R | 1345 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUNG-725424-L | 1437 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-725424-R | 1437 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-725430-L | 1473 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUNG-725430-R | 1473 | 72 | 54 | 30 | 5.42 | 55.21 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - freestanding 90 degree With Grommet - continued | | | | | | |
| R-WUNG-726024-L | 1564 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-726024-R | 1564 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-726030-L | 1596 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-726030-R | 1596 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-784824-L | 1476 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-784824-R | 1476 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-784830-L | 1513 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-784830-R | 1513 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-785424-L | 1612 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-785424-R | 1612 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-785430-L | 1649 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-785430-R | 1649 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-786024-L | 1751 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-786024-R | 1751 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-786030-L | 1788 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-786030-R | 1788 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-844824-L | 1619 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUNG-844824-R | 1619 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUNG-844830-L | 1654 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUNG-844830-R | 1654 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUNG-845424-L | 1770 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUNG-845424-R | 1770 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUNG-845430-L | 1805 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUNG-845430-R | 1805 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUNG-846024-L | 1923 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUNG-846024-R | 1923 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUNG-846030-L | 1955 | 84 | 60 | 30 | 5.42 | 61.34 |
| R-WUNG-846030-R | 1955 | 84 | 60 | 30 | 5.42 | 61.34 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated curved With Grommet | | | | | | |
| R-WUCG-584623-L | 1133 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCG-584623-R | 1133 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCG-584629-L | 1163 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCG-584629-R | 1163 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCG-585223-L | 1244 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCG-585223-R | 1244 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCG-585229-L | 1274 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCG-585229-R | 1274 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCG-644623-L | 1256 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCG-644623-R | 1256 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCG-644629-L | 1291 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCG-644629-R | 1291 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCG-645223-L | 1376 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCG-645223-R | 1376 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCG-645229-L | 1406 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCG-645229-R | 1406 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCG-645823-L | 1494 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCG-645823-R | 1494 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCG-645829-L | 1528 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCG-645829-R | 1528 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCG-704623-L | 1315 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCG-704623-R | 1315 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCG-704629-L | 1345 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCG-704629-R | 1345 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCG-705223-L | 1437 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCG-705223-R | 1437 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCG-705229-L | 1473 | 70 | 52 | 29 | 5.42 | 55.18 |
| R-WUCG-705229-R | 1473 | 70 | 52 | 29 | 5.42 | 55.18 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated curved With grommet - continued | | | | | | |
| R-WUCG-705823-L | 1564 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCG-705823-R | 1564 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCG-705829-L | 1596 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCG-705829-R | 1596 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCG-764623-L | 1476 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCG-764623-R | 1476 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCG-764629-L | 1513 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCG-764629-R | 1513 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCG-765223-L | 1612 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCG-765223-R | 1612 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCG-765229-L | 1649 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCG-765229-R | 1649 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCG-765823-L | 1751 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCG-765823-R | 1751 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCG-765829-L | 1788 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCG-765829-R | 1788 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCG-824623-L | 1619 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCG-824623-R | 1619 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCG-824629-L | 1654 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCG-824629-R | 1654 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCG-825223-L | 1770 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCG-825223-R | 1770 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCG-825229-L | 1805 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCG-825229-R | 1805 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCG-825823-L | 1923 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCG-825823-R | 1923 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCG-825829-L | 1955 | 82 | 58 | 29 | 5.42 | 61.31 |
| R-WUCG-825829-R | 1955 | 82 | 58 | 29 | 5.42 | 61.31 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated curved Without Grommet | | | | | | |
| R-WUCN-584623-L | 1123 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCN-584623-R | 1123 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCN-584629-L | 1153 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCN-584629-R | 1153 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCN-585223-L | 1234 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCN-585223-R | 1234 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCN-585229-L | 1264 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCN-585229-R | 1264 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCN-644623-L | 1246 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCN-644623-R | 1246 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCN-644629-L | 1281 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCN-644629-R | 1281 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCN-645223-L | 1366 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCN-645223-R | 1366 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCN-645229-L | 1396 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCN-645229-R | 1396 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCN-645823-L | 1484 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCN-645823-R | 1484 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCN-645829-L | 1518 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCN-645829-R | 1518 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCN-704623-L | 1305 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCN-704623-R | 1305 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCN-704629-L | 1335 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCN-704629-R | 1335 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCN-705223-L | 1427 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCN-705223-R | 1427 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCN-705229-L | 1463 | 70 | 52 | 29 | 5.42 | 55.18 |
| R-WUCN-705229-R | 1463 | 70 | 52 | 29 | 5.42 | 55.18 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated curved Without Grommet - continued | | | | | | |
| R-WUCN-705823-L | 1554 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCN-705823-R | 1554 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCN-705829-L | 1586 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCN-705829-R | 1586 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCN-764623-L | 1466 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCN-764623-R | 1466 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCN-764629-L | 1503 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCN-764629-R | 1503 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCN-765223-L | 1602 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCN-765223-R | 1602 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCN-765229-L | 1639 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCN-765229-R | 1639 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCN-765823-L | 1741 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCN-765823-R | 1741 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCN-765829-L | 1778 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCN-765829-R | 1778 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCN-824623-L | 1609 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCN-824623-R | 1609 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCN-824629-L | 1644 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCN-824629-R | 1644 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCN-825223-L | 1760 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCN-825223-R | 1760 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCN-825229-L | 1795 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCN-825229-R | 1795 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCN-825823-L | 1913 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCN-825823-R | 1913 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCN-825829-L | 1945 | 82 | 58 | 29 | 5.42 | 61.31 |
| R-WUCN-825829-R | 1945 | 82 | 58 | 29 | 5.42 | 61.31 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated 90 degree With Grommet | | | | | | |
| R-WUNG-584623-L | 1187 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-584623-R | 1187 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-585223-L | 1303 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-585223-R | 1303 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-585229-L | 1340 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-585229-R | 1340 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-644623-L | 1317 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-644623-R | 1317 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-645223-L | 1444 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-645223-R | 1444 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-645229-L | 1476 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-645229-R | 1476 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-645823-L | 1567 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-645823-R | 1567 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-645829-L | 1603 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-645829-R | 1603 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-704623-L | 1379 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-704623-R | 1379 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-705223-L | 1505 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-705223-R | 1505 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-705229-L | 1545 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-705229-R | 1545 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-705823-L | 1638 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUNG-705823-R | 1638 | 72 | 48 | 30 | 5.42 | 53.69 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated 90 degree With grommet - continued | | | | | | |
| R-WUNG-705829-L | 1674 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-705829-R | 1674 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-764623-L | 1550 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUNG-764623-R | 1550 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUNG-765223-L | 1691 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-765223-R | 1691 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-765229-L | 1731 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-765229-R | 1731 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-765823-L | 1837 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-765823-R | 1837 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-765829-L | 1873 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-765829-R | 1873 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-824623-L | 1697 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-824623-R | 1697 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-825223-L | 1856 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-825223-R | 1856 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-825229-L | 1894 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-825229-R | 1894 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-825823-L | 2017 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-825823-R | 2017 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-825829-L | 2050 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUNG-825829-R | 2050 | 84 | 48 | 24 | 5.42 | 56.16 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated 90 degree With Grommet | | | | | | |
| R-WUNN-584623-L | 1177 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUNN-584623-R | 1177 | 58 | 52 | 23 | 5.42 | 46 |
| R-WUNN-585223-L | 1293 | 58 | 52 | 23 | 5.42 | 48.1 |
| R-WUNN-585223-R | 1293 | 58 | 52 | 29 | 5.42 | 48.1 |
| R-WUNN-585229-L | 1330 | 58 | 52 | 29 | 5.42 | 47.03 |
| R-WUNN-585229-R | 1330 | 64 | 46 | 23 | 5.42 | 47.03 |
| R-WUNN-644623-L | 1307 | 64 | 46 | 23 | 5.42 | 49.3 |
| R-WUNN-644623-R | 1307 | 64 | 52 | 23 | 5.42 | 49.3 |
| R-WUNN-645223-L | 1434 | 64 | 52 | 23 | 5.42 | 48 |
| R-WUNN-645223-R | 1434 | 64 | 52 | 29 | 5.42 | 48 |
| R-WUNN-645229-L | 1466 | 64 | 52 | 29 | 5.42 | 48.92 |
| R-WUNN-645229-R | 1466 | 64 | 58 | 23 | 5.42 | 48.92 |
| R-WUNN-645823-L | 1557 | 64 | 58 | 23 | 5.42 | 49.23 |
| R-WUNN-645823-R | 1557 | 64 | 58 | 29 | 5.42 | 49.23 |
| R-WUNN-645829-L | 1593 | 64 | 58 | 29 | 5.42 | 51.93 |
| R-WUNN-645829-R | 1593 | 70 | 46 | 23 | 5.42 | 51.93 |
| R-WUNN-704623-L | 1369 | 70 | 46 | 23 | 5.42 | 52.33 |
| R-WUNN-704623-R | 1369 | 70 | 52 | 23 | 5.42 | 52.33 |
| R-WUNN-705223-L | 1495 | 70 | 52 | 23 | 5.42 | 54.62 |
| R-WUNN-705223-R | 1495 | 70 | 52 | 29 | 5.42 | 54.62 |
| R-WUNN-705229-L | 1535 | 70 | 52 | 29 | 5.42 | 52.3 |
| R-WUNN-705229-R | 1535 | 70 | 58 | 23 | 5.42 | 52.3 |
| R-WUNN-705823-L | 1628 | 70 | 58 | 23 | 5.42 | 53.66 |
| R-WUNN-705823-R | 1628 | 70 | 58 | 29 | 5.42 | 53.66 |





| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| unitized surface - integrated 90 degree Without grommet | | | | | | |
| R-WUNN-705829-L | 1664 | 70 | 58 | 29 | 5.42 | 53.62 |
| R-WUNN-705829-R | 1664 | 76 | 46 | 23 | 5.42 | 53.62 |
| R-WUNN-764623-L | 1540 | 76 | 46 | 23 | 5.42 | 55.18 |
| R-WUNN-764623-R | 1540 | 76 | 52 | 23 | 5.42 | 55.18 |
| R-WUNN-765223-L | 1681 | 76 | 52 | 23 | 5.42 | 55.33 |
| R-WUNN-765223-R | 1681 | 76 | 52 | 29 | 5.42 | 55.33 |
| R-WUNN-765229-L | 1721 | 76 | 52 | 29 | 5.42 | 57.28 |
| R-WUNN-765229-R | 1721 | 76 | 58 | 23 | 5.42 | 57.28 |
| R-WUNN-765823-L | 1827 | 76 | 58 | 23 | 5.42 | 54.13 |
| R-WUNN-765823-R | 1827 | 76 | 58 | 29 | 5.42 | 54.13 |
| R-WUNN-765829-L | 1863 | 76 | 58 | 29 | 5.42 | 56.16 |
| R-WUNN-765829-R | 1863 | 82 | 46 | 23 | 5.42 | 56.16 |
| R-WUNN-824623-L | 1687 | 82 | 46 | 23 | 5.42 | 56.58 |
| R-WUNN-824623-R | 1687 | 82 | 52 | 23 | 5.42 | 56.58 |
| R-WUNN-825223-L | 1846 | 82 | 52 | 23 | 5.42 | 57.14 |
| R-WUNN-825223-R | 1846 | 82 | 52 | 29 | 5.42 | 57.14 |
| R-WUNN-825229-L | 1884 | 82 | 52 | 29 | 5.42 | 57.93 |
| R-WUNN-825229-R | 1884 | 82 | 58 | 23 | 5.42 | 57.93 |
| R-WUNN-825823-L | 2007 | 82 | 58 | 23 | 5.42 | 58.59 |
| R-WUNN-825823-R | 2007 | 82 | 58 | 29 | 5.42 | 58.59 |
| R-WUNN-825829-L | 2040 | 82 | 58 | 29 | 5.42 | 56.13 |
| R-WUNN-825829-R | 2040 | 82 | 58 | 29 | 5.42 | 56.13 |



Height Adjustable Table Enclosure Box

**What's Included:**

HAT enclosure box

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

**Options:**

| | |
|---|---|
| Depth | 25.5", 30" |
| Enclosure | laminate color |

| Code | Price | H (in) | W (in) | D (in) |
|---|---|---|---|---|
| HAT Enclosure Box - T LEG | | | | |
| R-HBOX-180725 | 1054 | 18.25 | 6.75 | 25.5 |
| R-HBOX-180730 | 1057 | 18.25 | 6.75 | 30 |
| HAT Enclosure Box - C LEG | | | | |
| R-CBOX-180725-L | 1054 | 18-1/4" | 6-3/4" | 25-1/2" |
| R-CBOX-180725-R | 1054 | 18-1/4" | 6-3/4" | 25-1/2" |
| R-CBOX-180730-L | 1057 | 18-1/4" | 6-3/4" | 30" |
| R-CBOX-180730-R | 1057 | 18-1/4" | 6-3/4" | 30" |







Flex Cable Organizer

**What's Included:**

Flex Cable organizer

**How to Specify:**

This accessory is available in grey only.

**Notes:**

Designed to fit the Volley height adjustable table frame.

Attaches to frame using magnets. Can also be attached to underside of worksurface using screws.

Height under worksurface is 5" after installation.

Made from flexible woven seam welded plastic.

Includes 2" opening midway on both sides for cable access

**Options:**

| | |
|---|---|
| Depth | 10" |

| Code | Price | W (in) | D (in) |
|---|---|---|---|
| V-EWMM-3610 | 106 | 36 | 10 |



Trough and trough mounted modesty

**What's Included:**

Trough and trough mounted modesty for Volley height adjustable table

**How to Specify:**

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

**Notes:**

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

**Options:**

| | |
|---|---|
| Width | 46", 52",58", 64", 70" |
| Modesty | frosted acrylic or laminate color |





| Code | Price | H (in) | W (in) |
|---|---|---|---|
| Laminate Modesty | | | |
| R-HMOD-6021 | 651 | 21 | 46 |
| R-HMOD-6621 | 664 | 21 | 52 |
| R-HMOD-7221 | 713 | 21 | 58 |
| R-HMOD-7821 | 767 | 21 | 64 |
| R-HMOD-8421 | 782 | 21 | 70 |
| Frosted Acrylic Modesty | | | |
| R-HMOD-6021-F | 989 | 21 | 46 |
| R-HMOD-6621-F | 1097 | 21 | 52 |
| R-HMOD-7221-F | 1130 | 21 | 58 |
| R-HMOD-7821-F | 1385 | 21 | 64 |
| R-HMOD-8421-F | 1390 | 21 | 70 |

tayco®

Tables Pricebook
July 2026

# Norris Tables

## Norris tables


super ellipse without power and data 34
super ellipse with power and data 36
video without power and data 38
video with power and data 40
boat without power and data 42
boat with power and data 44
straight without power and data 46
straight with power and data 48
options 50
add-on Kit 51




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" horizontal center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth | Laminate Color |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BE1N-7236 | 3091 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BE1N-8436 | 3309 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BE1N-9636 | 3478 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BE1N-7242 | 3437 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BE1N-8442 | 3609 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BE1N-9642 | 3786 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BE1N-10842 | 3969 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BE1N-12042 | 4153 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BE1N-8448 | 3828 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BE1N-9648 | 3960 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BE1N-10848 | 5366 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BE1N-12048 | 5603 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BE1N-13248 | 6174 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BE1N-14448 | 6428 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BE1N-15648 | 6680 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BE1N-16848 | 7233 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BE1N-18048 | 7334 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BE1N-19248 | 7432 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BE1N-20448 | 9309 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BE1N-21648 | 9575 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BE1N-22848 | 9838 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BE1N-24048 | 10386 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BE1N-10860 | 6448 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BE1N-12060 | 6734 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BE1N-13260 | 7023 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BE1N-14460 | 7318 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BE1N-15660 | 7610 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BE1N-16860 | 7894 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BE1N-18060 | 8191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BE1N-19260 | 8476 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BE1N-20460 | 10487 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BE1N-21660 | 10791 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BE1N-22860 | 11089 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BE1N-24060 | 11382 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" horizontal center plinth.

Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BE1E-7236 | 4621 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BE1E-8436 | 4839 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BE1E-9636 | 5009 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BE1E-7242 | 4966 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BE1E-8442 | 5138 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BE1E-9642 | 5316 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BE1E-10842 | 5497 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BE1E-12042 | 5684 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BE1E-8448 | 5360 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BE1E-9648 | 5493 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BE1E-10848 | 8426 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BE1E-12048 | 8663 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BE1E-13248 | 9405 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BE1E-14448 | 9661 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BE1E-15648 | 9910 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BE1E-16848 | 10465 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BE1E-18048 | 10566 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BE1E-19248 | 10663 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BE1E-20448 | 13990 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BE1E-21648 | 14146 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BE1E-22848 | 14474 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BE1E-24048 | 15092 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BE1E-10860 | 9682 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BE1E-12060 | 9968 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BE1E-13260 | 10256 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BE1E-14460 | 10552 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BE1E-15660 | 10841 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BE1E-16860 | 11129 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BE1E-18060 | 11421 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BE1E-19260 | 11712 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BE1E-20460 | 15210 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BE1E-21660 | 15397 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BE1E-22860 | 15762 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BE1E-24060 | 16128 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" horizontal center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BV1N-7236 | 3091 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BV1N-8436 | 3309 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BV1N-9636 | 3478 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BV1N-7242 | 3437 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BV1N-8442 | 3609 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BV1N-9642 | 3786 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BV1N-10842 | 3969 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BV1N-12042 | 4153 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BV1N-8448 | 3828 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BV1N-9648 | 3960 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BV1N-10848 | 5366 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BV1N-12048 | 5603 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BV1N-13248 | 6174 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BV1N-14448 | 6428 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BV1N-15648 | 6680 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BV1N-16848 | 7233 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BV1N-18048 | 7334 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BV1N-19248 | 7432 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BV1N-20448 | 9309 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BV1N-21648 | 9575 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BV1N-22848 | 9838 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BV1N-24048 | 10386 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BV1N-10860 | 6448 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BV1N-12060 | 6734 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BV1N-13260 | 7023 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BV1N-14460 | 7318 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BV1N-15660 | 7610 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BV1N-16860 | 7894 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BV1N-18060 | 8191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BV1N-19260 | 8476 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BV1N-20460 | 10487 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BV1N-21660 | 10791 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BV1N-22860 | 11089 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BV1N-24060 | 11382 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate | Color |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BV1E-7236 | 4621 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BV1E-8436 | 4839 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BV1E-9636 | 5009 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BV1E-7242 | 4966 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BV1E-8442 | 5138 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BV1E-9642 | 5316 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BV1E-10842 | 5497 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BV1E-12042 | 5684 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BV1E-8448 | 5360 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BV1E-9648 | 5493 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BV1E-10848 | 8426 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BV1E-12048 | 8663 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BV1E-13248 | 9405 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BV1E-14448 | 9661 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BV1E-15648 | 9910 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BV1E-16848 | 10465 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BV1E-18048 | 10566 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BV1E-19248 | 10663 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BV1E-20448 | 13990 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BV1E-21648 | 14146 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BV1E-22848 | 14474 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BV1E-24048 | 15092 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BV1E-10860 | 9682 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BV1E-12060 | 9968 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BV1E-13260 | 10256 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BV1E-14460 | 10552 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BV1E-15660 | 10841 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BV1E-16860 | 11129 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BV1E-18060 | 11421 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BV1E-19260 | 11712 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BV1E-20460 | 15210 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BV1E-21660 | 15397 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BV1E-22860 | 15762 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BV1E-24060 | 16128 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate | Color |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BB1N-7236 | 3091 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BB1N-8436 | 3309 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BB1N-9636 | 3478 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BB1N-7242 | 3437 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BB1N-8442 | 3609 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BB1N-9642 | 3786 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BB1N-10842 | 3969 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BB1N-12042 | 4153 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BB1N-8448 | 3828 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BB1N-9648 | 3960 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BB1N-10848 | 5366 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BB1N-12048 | 5603 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BB1N-13248 | 6174 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BB1N-14448 | 6428 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BB1N-15648 | 6680 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BB1N-16848 | 7233 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BB1N-18048 | 7334 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BB1N-19248 | 7432 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BB1N-20448 | 9309 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BB1N-21648 | 9575 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BB1N-22848 | 9838 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BB1N-24048 | 10386 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BB1N-10860 | 6448 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BB1N-12060 | 6734 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BB1N-13260 | 7023 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BB1N-14460 | 7318 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BB1N-15660 | 7610 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BB1N-16860 | 7894 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BB1N-18060 | 8191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BB1N-19260 | 8476 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BB1N-20460 | 10487 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BB1N-21660 | 10791 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BB1N-22860 | 11089 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BB1N-24060 | 11382 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BB1E-7236 | 4621 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BB1E-8436 | 4839 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BB1E-9636 | 5009 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BB1E-7242 | 4966 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BB1E-8442 | 5138 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BB1E-9642 | 5316 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BB1E-10842 | 5497 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BB1E-12042 | 5684 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BB1E-8448 | 5360 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BB1E-9648 | 5493 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BB1E-10848 | 8426 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BB1E-12048 | 8663 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BB1E-13248 | 9405 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BB1E-14448 | 9661 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BB1E-15648 | 9910 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BB1E-16848 | 10465 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BB1E-18048 | 10566 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BB1E-19248 | 10663 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BB1E-20448 | 13990 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BB1E-21648 | 14146 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BB1E-22848 | 14474 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BB1E-24048 | 15092 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BB1E-10860 | 9682 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BB1E-12060 | 9968 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BB1E-13260 | 10256 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BB1E-14460 | 10552 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BB1E-15660 | 10841 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BB1E-16860 | 11129 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BB1E-18060 | 11421 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BB1E-19260 | 11712 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BB1E-20460 | 15210 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BB1E-21660 | 15397 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BB1E-22860 | 15762 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BB1E-24060 | 16128 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate | Color |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BS1N-7236 | 3091 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BS1N-8436 | 3309 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BS1N-9636 | 3478 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BS1N-7242 | 3437 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BS1N-8442 | 3609 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BS1N-9642 | 3786 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BS1N-10842 | 3969 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BS1N-12042 | 4153 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BS1N-8448 | 3828 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BS1N-9648 | 3960 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BS1N-10848 | 5366 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BS1N-12048 | 5603 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BS1N-13248 | 6174 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BS1N-14448 | 6428 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BS1N-15648 | 6680 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BS1N-16848 | 7233 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BS1N-18048 | 7334 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BS1N-19248 | 7432 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BS1N-20448 | 9309 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BS1N-21648 | 9575 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BS1N-22848 | 9838 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BS1N-24048 | 10386 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BS1N-10860 | 6448 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BS1N-12060 | 6734 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BS1N-13260 | 7023 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BS1N-14460 | 7318 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BS1N-15660 | 7610 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BS1N-16860 | 7894 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BS1N-18060 | 8191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BS1N-19260 | 8476 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BS1N-20460 | 10487 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BS1N-21660 | 10791 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BS1N-22860 | 11089 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BS1N-24060 | 11382 | 29.5 | 240 | 60 | 28 | 403.2 |




**What's Included:**

Steel bridge under structure.

1.5" thick laminate top plinth + gable covers.

Two metal gables with removable laminate covers for wire management.

Under bridge cover conceals all wires.

Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

**How to Specify:**

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Metal accent color.

Plinth laminates and gable covers can match or contrast the chosen top color.

Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

**Notes:**

Sizes between 72"-96" come as a one-piece top.

Sizes between 108"-192" come as a two-piece top.

Sizes between 204"-240" come as a three-piece top.

Tables between 132"-240" come with a 36" center plinth.

Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.

Boardroom tables with two or more tops will not have a consistent grain pattern.

**Options:**

| | |
|---|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate | Color |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-BS1E-7236 | 4621 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BS1E-8436 | 4839 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BS1E-9636 | 5009 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BS1E-7242 | 4966 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BS1E-8442 | 5138 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BS1E-9642 | 5316 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BS1E-10842 | 5497 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BS1E-12042 | 5684 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BS1E-8448 | 5360 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BS1E-9648 | 5493 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BS1E-10848 | 8426 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BS1E-12048 | 8663 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BS1E-13248 | 9405 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BS1E-14448 | 9661 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BS1E-15648 | 9910 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BS1E-16848 | 10465 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BS1E-18048 | 10566 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BS1E-19248 | 10663 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BS1E-20448 | 13990 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BS1E-21648 | 14146 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BS1E-22848 | 14474 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BS1E-24048 | 15092 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BS1E-10860 | 9682 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BS1E-12060 | 9968 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BS1E-13260 | 10256 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BS1E-14460 | 10552 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BS1E-15660 | 10841 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BS1E-16860 | 11129 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BS1E-18060 | 11421 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BS1E-19260 | 11712 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BS1E-20460 | 15210 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BS1E-21660 | 15397 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BS1E-22860 | 15762 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BS1E-24060 | 16128 | 29.5 | 240 | 60 | 28 | 403.2 |

## Options

| Code | Price | Description | Volume | Weight |
|---|---|---|---|---|
| R-HDMI | 223 | HDMI COUPLER, 18”CORD,F/F | 12 | 1.1 |
| R-RJ11 | 87 | RJ11 JACK W/84” CABLE | 12 | 1.1 |
| R-RJ45 | 230 | RJ45, CAT6 W/CORD 72”, BLACK | 12 | 1.2 |





## Add-on Kit

| Code | Price | Description |
|---|---|---|
| V-ESMU-A | 204 | USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER) |

tayco®

Tables Pricebook
July 2026

# Kip Tables

## Kip tables

community table without power and data 54
community table with power and data 56

### Add-on Kits

| Code | Price | Description |
|---|---|---|
| V-ESMU-A | 204 | USB ADAPTER (1EA USB A & C PORTS WITH ADAPTER) |




**What's Included:**

1.5" laminate top & gables.

Aluminum bridge under structure.

**How to Specify:**

Gables and tops are to be selected from 1.5" laminate selection.

Inner covers may match the tops and gables or can be selected from a contrasting finish.

All metal components have an unified finish.

Laminates surface will automatically come with matching configured trim unless otherwise specified.

**Notes:**

Sizes between 60"-96" come as a one-piece top.

Sizes between 108"-144" come as a two-piece top.

Tables longer than 96" come with a mid-gable.

**Options:**

| | |
|---|---|
| Width | 60", 72", 84", 96", 108", 120", 144" |
| Depth | 30", 36", 42" |
| Outershell | Laminate Color |
| Inner Cover | Laminate Color |
| Metal Accent | Color |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-PT2N-6030 | 6453 | 42 | 60 | 30 | 5 | 72 |
| R-PT2N-7230 | 6549 | 42 | 72 | 30 | 6 | 86.4 |
| R-PT2N-8430 | 6599 | 42 | 84 | 30 | 7 | 100.8 |
| R-PT2N-9630 | 6696 | 42 | 96 | 30 | 8 | 115.2 |
| R-PT2N-6036 | 6455 | 42 | 60 | 36 | 6 | 86.4 |
| R-PT2N-7236 | 6553 | 42 | 72 | 36 | 7.2 | 103.68 |
| R-PT2N-8436 | 6601 | 42 | 84 | 36 | 8.4 | 120.96 |
| R-PT2N-9636 | 6699 | 42 | 96 | 36 | 9.6 | 138.24 |
| R-PT2N-10836 | 9873 | 42 | 108 | 36 | 10.8 | 155.52 |
| R-PT2N-12036 | 9978 | 42 | 120 | 36 | 12 | 172.8 |
| R-PT2N-13236 | 10080 | 42 | 132 | 36 | 13.2 | 190.08 |
| R-PT2N-14436 | 10184 | 42 | 144 | 36 | 14.4 | 207.36 |
| R-PT2N-7242 | 6556 | 42 | 72 | 42 | 8.4 | 120.96 |
| R-PT2N-8442 | 6603 | 42 | 84 | 42 | 9.8 | 141.12 |
| R-PT2N-9642 | 6702 | 42 | 96 | 42 | 11.2 | 161.28 |
| R-PT2N-10842 | 9880 | 42 | 108 | 42 | 12.6 | 181.44 |
| R-PT2N-12042 | 9987 | 42 | 120 | 42 | 14 | 201.6 |
| R-PT2N-13242 | 10085 | 42 | 132 | 42 | 15.4 | 221.76 |
| R-PT2N-14442 | 10190 | 42 | 144 | 42 | 16.8 | 241.92 |




**What's Included:**

1.5" laminate top & gables.

Aluminum bridge under structure.

**How to Specify:**

Gables and tops are to be selected from 1.5" laminate selection.

Inner covers may match the tops and gables or can be selected from a contrasting finish.

All metal components have an unified finish.

Laminates surface will automatically come with matching configured trim unless otherwise specified.

**Notes:**

Sizes between 60"-96" come as a one-piece top.

Sizes between 108"-144" come as a two-piece top.

Tables longer than 96" come with a mid-gable.

Tops between 60"-96" come with one flush surface power unit consisting of 2 power & 2 USB.

Tops from 108"-144" come with two power units, consisting of 2 power & 2 USB.

When choosing optional side-mounted USB:

- Tables without mid-legs have 4 USB power modules.
- Up to 4 side mount USB units can be connected to one hub.

**Options:**

| | |
|---|---|
| Width | 60", 72", 84", 96", 108", 120", 144" |
| Depth | 30", 36", 42" |
| Outershell | Laminate Color |
| Inner Cover | Laminate Color |
| Metal Accent | Color |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-PT2P-6030 | 7391 | 42 | 60 | 30 | 5 | 72 |
| R-PT2P-7230 | 7495 | 42 | 72 | 30 | 6 | 86.4 |
| R-PT2P-8430 | 7601 | 42 | 84 | 30 | 7 | 100.8 |
| R-PT2P-9630 | 7708 | 42 | 96 | 30 | 8 | 115.2 |
| R-PT2P-6036 | 7396 | 42 | 60 | 36 | 6 | 86.4 |
| R-PT2P-7236 | 7500 | 42 | 72 | 36 | 7.2 | 103.68 |
| R-PT2P-8436 | 7608 | 42 | 84 | 36 | 8.4 | 120.96 |
| R-PT2P-9636 | 7712 | 42 | 96 | 36 | 9.6 | 138.24 |
| R-PT2P-10836 | 11506 | 42 | 108 | 36 | 10.8 | 155.52 |
| R-PT2P-12036 | 11611 | 42 | 120 | 36 | 12 | 172.8 |
| R-PT2P-13236 | 11715 | 42 | 132 | 36 | 13.2 | 190.08 |
| R-PT2P-14436 | 11819 | 42 | 144 | 36 | 14.4 | 207.36 |
| R-PT2P-7242 | 7506 | 42 | 72 | 42 | 8.4 | 120.96 |
| R-PT2P-8442 | 7610 | 42 | 84 | 42 | 9.8 | 141.12 |
| R-PT2P-9642 | 7714 | 42 | 96 | 42 | 11.2 | 161.28 |
| R-PT2P-10842 | 11510 | 42 | 108 | 42 | 12.6 | 181.44 |
| R-PT2P-12042 | 11615 | 42 | 120 | 42 | 14 | 201.6 |
| R-PT2P-13242 | 11719 | 42 | 132 | 42 | 15.4 | 221.76 |
| R-PT2P-14442 | 11821 | 42 | 144 | 42 | 16.8 | 241.92 |

tayco®

Tables Pricebook
July 2026

# Koko Tables

## Koko tables


rectangular table 60

round table 61



**What's Included:**

Aluminum rectangular laptop table.

**How to Specify:**

Metal paint color.

**Options:**

Metal color

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-PTR-242014 | 1272 | 24 | 20 | 14 | 4 | 26.88 |







**What's Included:**

Aluminum round laptop table.

**How to Specify:**

Metal paint color.

**Options:**

Metal Color

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-PTO-241616 | 1272 | 24 | 16 | 16 | 4 | 24.58 |

tayco®

# Tables Pricebook
July 2026

# Hanna

## Hanna tables


T base - slim 64

T base - tubular 66

X base - slim 68

X base - tubular 70

super ellipse top 72

round top 74

squircle  top 76

rectangular top 78

square top 80




**What’s Included:**

One (1) metal slim T base.

**How to Specify:**

T bases should be specified in two’s.

Metal color.

24”d top - 16” spread

30”d top - 18” spread

36”d top - 22” spread

42”d top - 30” spread

48”d top - 34” spread

**Options:**

| | |
|---|---|
| Spread | 16”, 18”, 22”, 30”, 34” |
| Height | 28”, 35”, 41” |
| Metal Color | |





| Code | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| R-HSB-T-1628 | 913 | 28 | 16 | 8 | Slim T Base |
| R-HSB-T-1828 | 921 | 28 | 18 | 9 | 14 |
| R-HSB-T-2228 | 920 | 28 | 22 | 11 | 14 |
| R-HSB-T-3028 | 933 | 28 | 30 | 15 | 14 |
| R-HSB-T-3428 | 967 | 28 | 34 | 17 | 14 |
| R-HSB-T-1635 | 1286 | 35 | 16 | 11.5 | 17.5 |
| R-HSB-T-1835 | 1291 | 35 | 18 | 12.5 | 17.5 |
| R-HSB-T-2235 | 1295 | 35 | 22 | 14.5 | 17.5 |
| R-HSB-T-3035 | 1306 | 35 | 30 | 18.5 | 17.5 |
| R-HSB-T-3435 | 1341 | 35 | 34 | 20.5 | 17.5 |
| R-HSB-T-1641 | 1286 | 41 | 16 | 14.5 | 20.5 |
| R-HSB-T-1841 | 1291 | 41 | 18 | 15.5 | 20.5 |
| R-HSB-T-2241 | 1295 | 41 | 22 | 17.5 | 20.5 |
| R-HSB-T-3041 | 1306 | 41 | 30 | 21.5 | 20.5 |
| R-HSB-T-3441 | 1341 | 41 | 34 | 23.5 | 20.5 |




**What's Included:**

One (1) metal tubular T base.

**How to Specify:**

T bases should be specified in two's.

Metal color.

24"d top - 16" spread

30"d top - 18" spread

36"d top - 22" spread

42"d top - 30" spread

48"d top - 34" spread

**Options:**

| | |
|---|---|
| Spread | 16", 18", 22", 30", 34" |
| Height | 28", 35", 41" |
| Metal Color | |





| Code | Price | Height (in) | Spread (in) | Volume (ft3) | Weight (lb) |
|---|---|---|---|---|---|
| R-HTB-T-1628 | 913 | 28 | 16 | 8 | Tubular T Base |
| R-HTB-T-1828 | 917 | 28 | 18 | 9 | 14 |
| R-HTB-T-2228 | 920 | 28 | 22 | 11 | 14 |
| R-HTB-T-3028 | 933 | 28 | 30 | 15 | 14 |
| R-HTB-T-3428 | 1225 | 28 | 34 | 17 | 14 |
| R-HTB-T-1635 | 1207 | 35 | 16 | 11.5 | 17.5 |
| R-HTB-T-1835 | 1209 | 35 | 18 | 12.5 | 17.5 |
| R-HTB-T-2235 | 1212 | 35 | 22 | 14.5 | 17.5 |
| R-HTB-T-3035 | 1225 | 35 | 30 | 18.5 | 17.5 |
| R-HTB-T-3435 | 1563 | 35 | 34 | 20.5 | 17.5 |
| R-HTB-T-1641 | 1286 | 41 | 16 | 14.5 | 20.5 |
| R-HTB-T-1841 | 1291 | 41 | 18 | 15.5 | 20.5 |
| R-HTB-T-2241 | 1295 | 41 | 22 | 17.5 | 20.5 |
| R-HTB-T-3041 | 1306 | 41 | 30 | 21.5 | 20.5 |
| R-HTB-T-3441 | 1642 | 41 | 34 | 23.5 | 20.5 |




**What’s Included:**

One (1) metal slim X base.

**How to Specify:**

Metal color.

| Round | Square | Squircle | Rectangular & Super Ellipse |
|---|---|---|---|
| 24”dia - 16” spread | 18”d - 16” spread | 24”d - 16” spread | 24”d - 16” spread |
| 30”dia - 18” spread | 24”d - 18” spread | 30”d - 22” spread | 30”d -18” spread |
| 36”dia - 22” spread | 30”d - 22” spread | 36”d - 26” spread | 36”d - 22” spread |
| 42”dia - 26” spread | 36”d - 26” spread | 42”d - 30” spread | 42”d - 30” spread |
| 48”dia - 30” spread | 42”d - 30” spread | | 48”d - 34” spread |

**Options:**

| | |
|---|---|
| Spread | 16”, 18”, 22”, 26”, 30”, 34” |
| Height | 15”, 21”, 28”, 35”, 41” |
| Metal Color | |





| Code | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| R-HSB-X-1615 | 1212 | 15 | 16 | 8 | Slim X Base |
| R-HSB-X-1815 | 1222 | 15 | 18 | 9.5 | 7.5 |
| R-HSB-X-2215 | 1254 | 15 | 22 | 11.5 | 7.5 |
| R-HSB-X-2615 | 1296 | 15 | 26 | 13.5 | 7.5 |
| R-HSB-X-3015 | 1343 | 15 | 30 | 15.5 | 7.5 |
| R-HSB-X-3415 | 1384 | 15 | 34 | 17.5 | 7.5 |
| R-HSB-X-1621 | 1212 | 21 | 16 | 9 | 10.5 |
| R-HSB-X-1821 | 1222 | 21 | 18 | 10.5 | 10.5 |
| R-HSB-X-2221 | 1254 | 21 | 22 | 12.5 | 10.5 |
| R-HSB-X-2621 | 1296 | 21 | 26 | 14.5 | 10.5 |
| R-HSB-X-3021 | 1343 | 21 | 30 | 16.5 | 10.5 |
| R-HSB-X-3421 | 1384 | 21 | 34 | 18.5 | 10.5 |
| R-HSB-X-1628 | 1212 | 28 | 16 | 12 | 14 |
| R-HSB-X-1828 | 1222 | 28 | 18 | 13.5 | 14 |
| R-HSB-X-2228 | 1254 | 28 | 22 | 15.5 | 14 |
| R-HSB-X-2628 | 1296 | 28 | 26 | 17.5 | 14 |
| R-HSB-X-3028 | 1343 | 28 | 30 | 19.5 | 14 |
| R-HSB-X-3428 | 1384 | 28 | 34 | 21.5 | 14 |
| R-HSB-X-1635 | 1589 | 35 | 16 | 15 | 17.5 |
| R-HSB-X-1835 | 1596 | 35 | 18 | 16.5 | 17.5 |
| R-HSB-X-2235 | 1627 | 35 | 22 | 18.5 | 17.5 |
| R-HSB-X-2635 | 1670 | 35 | 26 | 20.5 | 17.5 |
| R-HSB-X-3035 | 1717 | 35 | 30 | 22.5 | 17.5 |
| R-HSB-X-3435 | 1756 | 35 | 34 | 24.5 | 17.5 |
| R-HSB-X-1641 | 1589 | 41 | 16 | 17 | 20.5 |
| R-HSB-X-1841 | 1596 | 41 | 18 | 18.5 | 20.5 |
| R-HSB-X-2241 | 1627 | 41 | 22 | 20.5 | 20.5 |
| R-HSB-X-2641 | 1670 | 41 | 26 | 22.5 | 20.5 |
| R-HSB-X-3041 | 1717 | 41 | 30 | 24.5 | 20.5 |
| R-HSB-X-3441 | 1756 | 41 | 34 | 26.5 | 20.5 |



15” h 21” h 28” h 35” h 41” h

**What’s Included:**

One (1) metal tubular X base.

**How to Specify:**

Metal color.

| Round | Square | Squircle | Rectangular & Super Ellipse |
|---|---|---|---|
| 24”dia - 18” spread | 18”d - 18” spread | 24”d - 22” spread | 24”d - 18” spread |
| 30”dia - 22” spread | 24”d - 22” spread | 30”d - 26” spread | 30”d - 22” spread |
| 36”dia - 26” spread | 30”d - 26” spread | 36”d - 30” spread | 36”d - 26” spread |
| 42”dia - 30” spread | 36”d - 30” spread | 42”d - 34” spread | 42”d - 30” spread |
| 48”dia - 34” spread | 42”d - 34” spread | | 48”d - 34” spread |
| 54”dia - 42” spread | | | |
| 60”dia - 48” spread | | | |

**Options:**

| | |
|---|---|
| Spread | 16”, 18”, 22”, 26”, 30”, 34”, 42”, 48” |
| Height | 15”, 21”, 28”, 35”, 41” |
| Metal Color | |





| Code | Price | Height (in) | Spread (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|
| R-HTB-X-1615 | 1212 | 15 | 16 | 8 | 7.5 |
| R-HTB-X-1815 | 1222 | 15 | 18 | 9.5 | 7.5 |
| R-HTB-X-2215 | 1254 | 15 | 22 | 11.5 | 7.5 |
| R-HTB-X-2615 | 1296 | 15 | 26 | 13.5 | 7.5 |
| R-HTB-X-3015 | 1343 | 15 | 30 | 15.5 | 7.5 |
| R-HTB-X-3415 | 1603 | 15 | 34 | 17.5 | 7.5 |
| R-HTB-X-4215 | 2075 | 15 | 42 | 21.5 | 7.5 |
| R-HTB-X-4815 | 2333 | 15 | 48 | 24.5 | 7.5 |
| R-HTB-X-1621 | 1212 | 21 | 16 | 9 | 10.5 |
| R-HTB-X-1821 | 1222 | 21 | 18 | 10.5 | 10.5 |
| R-HTB-X-2221 | 1254 | 21 | 22 | 12.5 | 10.5 |
| R-HTB-X-2621 | 1296 | 21 | 26 | 14.5 | 10.5 |
| R-HTB-X-3021 | 1343 | 21 | 30 | 16.5 | 10.5 |
| R-HTB-X-3421 | 1603 | 21 | 34 | 18.5 | 10.5 |
| R-HTB-X-4221 | 2075 | 21 | 42 | 22.5 | 10.5 |
| R-HTB-X-4821 | 2333 | 21 | 48 | 25.5 | 10.5 |
| R-HTB-X-1628 | 1212 | 28 | 16 | 12 | 14 |
| R-HTB-X-1828 | 1222 | 28 | 18 | 13.5 | 14 |
| R-HTB-X-2228 | 1254 | 28 | 22 | 15.5 | 14 |
| R-HTB-X-2628 | 1296 | 28 | 26 | 17.5 | 14 |
| R-HTB-X-3028 | 1343 | 28 | 30 | 19.5 | 14 |
| R-HTB-X-3428 | 1603 | 28 | 34 | 21.5 | 14 |
| R-HTB-X-4228 | 2075 | 28 | 42 | 25.5 | 14 |
| R-HTB-X-4828 | 2333 | 28 | 48 | 28.5 | 14 |
| R-HTB-X-1635 | 1627 | 35 | 16 | 15 | 17.5 |
| R-HTB-X-1835 | 1636 | 35 | 18 | 16.5 | 17.5 |
| R-HTB-X-2235 | 1670 | 35 | 22 | 18.5 | 17.5 |
| R-HTB-X-2635 | 1711 | 35 | 26 | 20.5 | 17.5 |
| R-HTB-X-3035 | 1756 | 35 | 30 | 22.5 | 17.5 |
| R-HTB-X-3435 | 1888 | 35 | 34 | 24.5 | 17.5 |
| R-HTB-X-4235 | 2358 | 35 | 42 | 28.5 | 17.5 |
| R-HTB-X-4835 | 2718 | 35 | 48 | 31.5 | 17.5 |
| R-HTB-X-1641 | 1627 | 41 | 16 | 17 | 20.5 |
| R-HTB-X-1841 | 1636 | 41 | 18 | 18.5 | 20.5 |
| R-HTB-X-2241 | 1670 | 41 | 22 | 20.5 | 20.5 |
| R-HTB-X-2641 | 1711 | 41 | 26 | 22.5 | 20.5 |
| R-HTB-X-3041 | 1756 | 41 | 30 | 24.5 | 20.5 |
| R-HTB-X-3441 | 1888 | 41 | 34 | 26.5 | 20.5 |
| R-HTB-X-4241 | 2358 | 41 | 42 | 30.5 | 20.5 |
| R-HTB-X-4841 | 2718 | 41 | 48 | 33.5 | 20.5 |



**What's Included:**

1" laminate surface.

**How to Specify:**

Must be specified with two bases.

**Options:**

| | |
|---|---|
| Width | 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" |
| Depth | 24", 30", 36", 42", 48" |
| Worksurface Laminate | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-TE0N-3024 | 505 | 1 | 30 | 24 | 0.4 | 14.4 |
| R-TE0N-3624 | 511 | 1 | 36 | 24 | 0.48 | 17.28 |
| R-TE0N-4224 | 581 | 1 | 42 | 24 | 0.56 | 20.16 |
| R-TE0N-4824 | 610 | 1 | 48 | 24 | 0.64 | 23.04 |
| R-TE0N-5424 | 705 | 1 | 54 | 24 | 0.72 | 25.92 |
| R-TE0N-6024 | 734 | 1 | 60 | 24 | 0.8 | 28.8 |
| R-TE0N-6624 | 794 | 1 | 66 | 24 | 0.88 | 31.68 |
| R-TE0N-7224 | 827 | 1 | 72 | 24 | 0.96 | 34.56 |
| R-TE0N-7824 | 889 | 1 | 78 | 24 | 1.04 | 37.44 |
| R-TE0N-8424 | 947 | 1 | 84 | 24 | 1.12 | 40.32 |
| R-TE0N-9024 | 1063 | 1 | 90 | 24 | 1.2 | 43.2 |
| R-TE0N-9624 | 1134 | 1 | 96 | 24 | 1.28 | 46.08 |
| R-TE0N-4230 | 629 | 1 | 42 | 30 | 0.7 | 25.2 |
| R-TE0N-4830 | 666 | 1 | 48 | 30 | 0.8 | 28.8 |
| R-TE0N-5430 | 731 | 1 | 54 | 30 | 0.9 | 32.4 |
| R-TE0N-6030 | 762 | 1 | 60 | 30 | 1 | 36 |
| R-TE0N-6630 | 851 | 1 | 66 | 30 | 1.1 | 39.6 |
| R-TE0N-7230 | 870 | 1 | 72 | 30 | 1.2 | 43.2 |
| R-TE0N-7830 | 933 | 1 | 78 | 30 | 1.3 | 46.8 |
| R-TE0N-8430 | 997 | 1 | 84 | 30 | 1.4 | 50.4 |
| R-TE0N-9030 | 1118 | 1 | 90 | 30 | 1.5 | 54 |
| R-TE0N-9630 | 1195 | 1 | 96 | 30 | 1.6 | 57.6 |
| R-TE0N-6036 | 792 | 1 | 60 | 36 | 1.2 | 43.2 |
| R-TE0N-6636 | 885 | 1 | 66 | 36 | 1.32 | 47.52 |
| R-TE0N-7236 | 904 | 1 | 72 | 36 | 1.44 | 51.84 |
| R-TE0N-7836 | 966 | 1 | 78 | 36 | 1.56 | 56.16 |
| R-TE0N-8436 | 1036 | 1 | 84 | 36 | 1.68 | 60.48 |
| R-TE0N-9036 | 1159 | 1 | 90 | 36 | 1.8 | 64.8 |
| R-TE0N-9636 | 1238 | 1 | 96 | 36 | 1.92 | 69.12 |
| R-TE0N-8442 | 1133 | 1 | 84 | 42 | 1.96 | 70.56 |
| R-TE0N-9042 | 1256 | 1 | 90 | 42 | 2.1 | 75.6 |
| R-TE0N-9642 | 1332 | 1 | 96 | 42 | 2.24 | 80.64 |
| R-TE0N-8448 | 1230 | 1 | 84 | 48 | 2.24 | 80.64 |
| R-TE0N-9048 | 1365 | 1 | 90 | 48 | 2.4 | 86.4 |
| R-TE0N-9648 | 1449 | 1 | 96 | 48 | 2.56 | 92.16 |



**What's Included:**

1" laminate surface.

**How to Specify:**

Must be specified with X-base.

**Options:**

| | |
|---|---|
| Diameter | 24", 30", 36", 42", 48", 54", 60" |
| Worksurface Laminate | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-TO0N-24 | 641 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TO0N-30 | 703 | 1 | 30 | 30 | 0.5 | 18 |
| R-TO0N-36 | 717 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TO0N-42 | 760 | 1 | 42 | 42 | 0.98 | 35.28 |
| R-TO0N-48 | 778 | 1 | 48 | 48 | 1.28 | 46.08 |
| R-TO0N-54 | 891 | 1 | 54 | 54 | 1.28 | 52.23 |
| R-TO0N-60 | 1028 | 1 | 60 | 60 | 1.38 | 56.32 |



**What's Included:**

1" laminate surface.

**How to Specify:**

Must be specified with a X-base.

**Options:**

| | |
|---|---|
| Width | 24", 30", 36", 42", 48" |
| Depth | 24", 30", 36", 42" |
| Worksurface Laminate | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-TQ0N-2424 | 641 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TQ0N-3030 | 703 | 1 | 30 | 30 | 0.5 | 18 |
| R-TQ0N-3636 | 717 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TQ0N-4242 | 760 | 1 | 42 | 42 | 0.98 | 35.28 |



**What's Included:**

1" laminate surface.

**How to Specify:**

Must be specified with two bases.

**Options:**

| | |
|---|---|
| Width | 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" |
| Depth | 18", 24", 30", 36", 42", 48" |
| Worksurface Laminate | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-TR0N-3024 | 335 | 1 | 30 | 24 | 0.4 | 14.4 |
| R-TR0N-3624 | 340 | 1 | 36 | 24 | 0.48 | 17.28 |
| R-TR0N-4224 | 409 | 1 | 42 | 24 | 0.56 | 20.16 |
| R-TR0N-4824 | 438 | 1 | 48 | 24 | 0.64 | 23.04 |
| R-TR0N-5424 | 535 | 1 | 54 | 24 | 0.72 | 25.92 |
| R-TR0N-6024 | 565 | 1 | 60 | 24 | 0.8 | 28.8 |
| R-TR0N-6624 | 625 | 1 | 66 | 24 | 0.88 | 31.68 |
| R-TR0N-7224 | 656 | 1 | 72 | 24 | 0.96 | 34.56 |
| R-TR0N-7824 | 718 | 1 | 78 | 24 | 1.04 | 37.44 |
| R-TR0N-8424 | 778 | 1 | 84 | 24 | 1.12 | 40.32 |
| R-TR0N-9024 | 891 | 1 | 90 | 24 | 1.2 | 43.2 |
| R-TR0N-9624 | 964 | 1 | 96 | 24 | 1.28 | 46.08 |
| R-TR0N-4230 | 459 | 1 | 42 | 30 | 0.7 | 25.2 |
| R-TR0N-4830 | 496 | 1 | 48 | 30 | 0.8 | 28.8 |
| R-TR0N-5430 | 560 | 1 | 54 | 30 | 0.9 | 32.4 |
| R-TR0N-6030 | 592 | 1 | 60 | 30 | 1 | 36 |
| R-TR0N-6630 | 681 | 1 | 66 | 30 | 1.1 | 39.6 |
| R-TR0N-7230 | 700 | 1 | 72 | 30 | 1.2 | 43.2 |
| R-TR0N-7830 | 762 | 1 | 78 | 30 | 1.3 | 46.8 |
| R-TR0N-8430 | 827 | 1 | 84 | 30 | 1.4 | 50.4 |
| R-TR0N-9030 | 946 | 1 | 90 | 30 | 1.5 | 54 |
| R-TR0N-9630 | 1024 | 1 | 96 | 30 | 1.6 | 57.6 |
| R-TR0N-6036 | 623 | 1 | 60 | 36 | 1.2 | 43.2 |
| R-TR0N-6636 | 713 | 1 | 66 | 36 | 1.32 | 47.52 |
| R-TR0N-7236 | 731 | 1 | 72 | 36 | 1.44 | 51.84 |
| R-TR0N-7836 | 794 | 1 | 78 | 36 | 1.56 | 56.16 |
| R-TR0N-8436 | 864 | 1 | 84 | 36 | 1.68 | 60.48 |
| R-TR0N-9036 | 990 | 1 | 90 | 36 | 1.8 | 64.8 |
| R-TR0N-9636 | 1066 | 1 | 96 | 36 | 1.92 | 69.12 |
| R-TR0N-8442 | 961 | 1 | 84 | 42 | 1.96 | 70.56 |
| R-TR0N-9042 | 1085 | 1 | 90 | 42 | 2.1 | 75.6 |
| R-TR0N-9642 | 1163 | 1 | 96 | 42 | 2.24 | 80.64 |
| R-TR0N-8448 | 1058 | 1 | 84 | 48 | 2.24 | 80.64 |
| R-TR0N-9048 | 1194 | 1 | 90 | 48 | 2.4 | 86.4 |
| R-TR0N-9648 | 1259 | 1 | 96 | 48 | 2.56 | 92.16 |



**What's Included:**

1" laminate surface.

**How to Specify:**

Must be specified with a X-base.

**Options:**

| | |
|---|---|
| Width | 18", 24", 30", 36", 42", 48", 54" |
| Depth | 18", 24", 30", 36", 42", 48", 54" |
| Worksurface Laminate | |





| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft³) | Weight (lb) |
|---|---|---|---|---|---|---|
| R-TS0N-1818 | 398 | 1 | 18 | 18 | 0.18 | 6.48 |
| R-TS0N-2424 | 432 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TS0N-3030 | 465 | 1 | 30 | 30 | 0.5 | 18 |
| R-TS0N-3636 | 511 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TS0N-4242 | 653 | 1 | 42 | 42 | 0.98 | 35.28 |

tayco®

# Tables Pricebook
July 2026

# Studi



## Studi tables


with Power Module & Daisy Chain 84

with Power Module 86

with Grommet 88

without Grommet 90

Add ons 92

PET Modesty 92

Frosted Acrylic Modesty 93

Ganging Mechanism 94

Daisy Chain 95



Straight Corner



Radius Corner

**What's Included:**

Studi table with surface power module, daisy chain in feed sold separately

**How to Specify:**

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

**Notes:**

Two of the four casters on the Studi table are lockable.

Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C

Daisy chain in feed must be purchased separately. Check add ons section for details.

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |





| Code | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|---|
| Straight Corner | | | | | | |
| RT-TS0D-4824 | 2446 | 29.5 | 48 | 24 | | |
| RT-TS0D-4830 | 2449 | 29.5 | 48 | 30 | | |
| RT-TS0D-5424 | 2564 | 29.5 | 54 | 24 | | |
| RT-TS0D-5430 | 2566 | 29.5 | 54 | 30 | | |
| RT-TS0D-6024 | 2573 | 29.5 | 60 | 24 | | |
| RT-TS0D-6030 | 2578 | 29.5 | 60 | 30 | | |
| RT-TS0D-6624 | 2601 | 29.5 | 66 | 24 | | |
| RT-TS0D-6630 | 2603 | 29.5 | 66 | 30 | | |
| RT-TS0D-7224 | 2623 | 29.5 | 72 | 24 | | |
| RT-TS0D-7230 | 2625 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0D-4824 | 2627 | 29.5 | 48 | 24 | | |
| RT-TR0D-4830 | 2629 | 29.5 | 48 | 30 | | |
| RT-TR0D-5424 | 2745 | 29.5 | 54 | 24 | | |
| RT-TR0D-5430 | 2748 | 29.5 | 54 | 30 | | |
| RT-TR0D-6024 | 2753 | 29.5 | 60 | 24 | | |
| RT-TR0D-6030 | 2759 | 29.5 | 60 | 30 | | |
| RT-TR0D-6624 | 2781 | 29.5 | 66 | 24 | | |
| RT-TR0D-6630 | 2784 | 29.5 | 66 | 30 | | |
| RT-TR0D-7224 | 2802 | 29.5 | 72 | 24 | | |
| RT-TR0D-7230 | 2805 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

**What's Included:**

Studi table with surface power module,

**How to Specify:**

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

**Notes:**

Two of the four casters on the Studi table are lockable.

Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |





| Code | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|---|
| Straight Corner | | | | | | |
| RT-TS0E-4824 | 2167 | 29.5 | 48 | 24 | | |
| RT-TS0E-4830 | 2169 | 29.5 | 48 | 30 | | |
| RT-TS0E-5424 | 2292 | 29.5 | 54 | 24 | | |
| RT-TS0E-5430 | 2294 | 29.5 | 54 | 30 | | |
| RT-TS0E-6024 | 2294 | 29.5 | 60 | 24 | | |
| RT-TS0E-6030 | 2300 | 29.5 | 60 | 30 | | |
| RT-TS0E-6624 | 2318 | 29.5 | 66 | 24 | | |
| RT-TS0E-6630 | 2322 | 29.5 | 66 | 30 | | |
| RT-TS0E-7224 | 2335 | 29.5 | 72 | 24 | | |
| RT-TS0E-7230 | 2337 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0E-4824 | 2369 | 29.5 | 48 | 24 | | |
| RT-TR0E-4830 | 2372 | 29.5 | 48 | 30 | | |
| RT-TR0E-5424 | 2494 | 29.5 | 54 | 24 | | |
| RT-TR0E-5430 | 2497 | 29.5 | 54 | 30 | | |
| RT-TR0E-6024 | 2497 | 29.5 | 60 | 24 | | |
| RT-TR0E-6030 | 2503 | 29.5 | 60 | 30 | | |
| RT-TR0E-6624 | 2521 | 29.5 | 66 | 24 | | |
| RT-TR0E-6630 | 2523 | 29.5 | 66 | 30 | | |
| RT-TR0E-7224 | 2536 | 29.5 | 72 | 24 | | |
| RT-TR0E-7230 | 2540 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

**What's Included:**

Studi table with surface power module,

**How to Specify:**

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

**Notes:**

Two of the four casters on the Studi table are lockable.

When the grommet is specified, it will be centrally located along the back edge of the worksurface.

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |
| Grommet | grommet color |





| Code | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|---|
| Straight Corner | | | | | | |
| RT-TS0G-4824 | 1636 | 29.5 | 48 | 24 | | |
| RT-TS0G-4830 | 1639 | 29.5 | 48 | 30 | | |
| RT-TS0G-5424 | 1761 | 29.5 | 54 | 24 | | |
| RT-TS0G-5430 | 1765 | 29.5 | 54 | 30 | | |
| RT-TS0G-6024 | 1765 | 29.5 | 60 | 24 | | |
| RT-TS0G-6030 | 1770 | 29.5 | 60 | 30 | | |
| RT-TS0G-6624 | 1789 | 29.5 | 66 | 24 | | |
| RT-TS0G-6630 | 1791 | 29.5 | 66 | 30 | | |
| RT-TS0G-7224 | 1804 | 29.5 | 72 | 24 | | |
| RT-TS0G-7230 | 1807 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0G-4824 | 1839 | 29.5 | 48 | 24 | | |
| RT-TR0G-4830 | 1841 | 29.5 | 48 | 30 | | |
| RT-TR0G-5424 | 1964 | 29.5 | 54 | 24 | | |
| RT-TR0G-5430 | 1966 | 29.5 | 54 | 30 | | |
| RT-TR0G-6024 | 1966 | 29.5 | 60 | 24 | | |
| RT-TR0G-6030 | 1972 | 29.5 | 60 | 30 | | |
| RT-TR0G-6624 | 1990 | 29.5 | 66 | 24 | | |
| RT-TR0G-6630 | 1994 | 29.5 | 66 | 30 | | |
| RT-TR0G-7224 | 2007 | 29.5 | 72 | 24 | | |
| RT-TR0G-7230 | 2009 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

**What's Included:**

Studi table without grommet

**How to Specify:**

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

**Notes:**

Two of the four casters on the Studi table are lockable.

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |





| Code | Price | H | W | D | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|---|
| Straight Corner | | | | | | |
| RT-TS0N-4824 | 1579 | 29.5 | 24 | 48 | | |
| RT-TS0N-4830 | 1584 | 29.5 | 30 | 48 | | |
| RT-TS0N-5424 | 1705 | 29.5 | 24 | 54 | | |
| RT-TS0N-5430 | 1709 | 29.5 | 30 | 54 | | |
| RT-TS0N-6024 | 1709 | 29.5 | 24 | 60 | | |
| RT-TS0N-6030 | 1715 | 29.5 | 30 | 60 | | |
| RT-TS0N-6624 | 1732 | 29.5 | 24 | 66 | | |
| RT-TS0N-6630 | 1735 | 29.5 | 30 | 66 | | |
| RT-TS0N-7224 | 1748 | 29.5 | 24 | 72 | | |
| RT-TS0N-7230 | 1752 | 29.5 | 30 | 72 | | |
| Radius Corner | | | | | | |
| RT-TR0N-4824 | 1782 | 29.5 | 24 | 48 | | |
| RT-TR0N-4830 | 1785 | 29.5 | 30 | 48 | | |
| RT-TR0N-5424 | 1908 | 29.5 | 24 | 54 | | |
| RT-TR0N-5430 | 1910 | 29.5 | 30 | 54 | | |
| RT-TR0N-6024 | 1910 | 29.5 | 24 | 60 | | |
| RT-TR0N-6030 | 1916 | 29.5 | 30 | 60 | | |
| RT-TR0N-6624 | 1934 | 29.5 | 24 | 66 | | |
| RT-TR0N-6630 | 1937 | 29.5 | 30 | 66 | | |
| RT-TR0N-7224 | 1951 | 29.5 | 24 | 72 | | |
| RT-TR0N-7230 | 1953 | 29.5 | 30 | 72 | | |



PET Modesty

**What's Included:**

PET modesty for Studi table

**Notes:**

PET modesty comes in Nori T114 finish only

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |

| Code | Price | H | W | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|
| RT-MMOD-48-P | 446 | 12 | 48 | | |
| RT-MMOD-54-P | 468 | 12 | 54 | | |
| RT-MMOD-60-P | 763 | 12 | 60 | | |
| RT-MMOD-66-P | 763 | 12 | 66 | | |
| RT-MMOD-72-P | 763 | 12 | 72 | | |







Frosted Acrylic Modesty

**What's Included:**

Frosted acrylic modesty for Studi table

**Notes:**

**Options:**

| | |
|---|---|
| Width | 48", 54", 60", 66", 72" |

| Code | Price | H | W | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|---|
| RT-MMOD-48-F | 935 | 12 | 48 | | |
| RT-MMOD-54-F | 956 | 12 | 54 | | |
| RT-MMOD-60-F | 978 | 12 | 60 | | |
| RT-MMOD-66-F | 1019 | 12 | 66 | | |
| RT-MMOD-72-F | 1062 | 12 | 72 | | |



Ganging Mechanism

**What's Included:**

Black ganging mechanism for Studi table

**Notes:**

The ganging mechanism fits into the pre-drilled holes on the underside of the one-touch table.

Ganging mechanisms are available in pairs.

| Code | Price | W | Weight (lb.) | Volume (ft³) |
|---|---|---|---|---|
| RT-AGM0 | 49 | 2 | | |







Daisy Chain

**What's Included:**

Daisy chain in feed

**Notes:**

Must be purchased for Studi tables with daisy chain cable in feed.

Cable is 72" long

| Code | Price | Weight (lb.) | Volume (ft³) |
|---|---|---|---|
| RT-DCS-072 | 336 | | |

tayco®

# Tables Pricebook
July 2026

# Echo



## Echo tables


Super Ellipse 98

no power module 98

w power module 99

Round 100

no power module 100

w power module 101

Squircle 102

no power module 102

w power module 103



Super Ellipse table w/cross PET base, no power

**What's Included:**

Table base, table top

**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PE0N-362416 | 1755 | 16 | 36 | 24 |







Super Ellipse table w/cross PET base, w power module

**What's Included:**

Table base, table top and optional power module

**How to Specify:**

Color of P.E.T., laminate top and power module can be specified in order cover sheet.

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PE0P-362416 | 2954 | 16 | 36 | 24 |



Round table w/cross PET base, no power

**What's Included:**

Table base, table top

**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PC0N-360016 | 2021 | 16 | 36 | 36 |
| R-PC0N-420016 | 2154 | 16 | 42 | 42 |
| R-PC0N-300029 | 2080 | 29 | 30 | 30 |
| R-PC0N-360029 | 2188 | 29 | 36 | 36 |
| R-PC0N-420029 | 2349 | 29 | 42 | 42 |
| R-PC0N-480029 | 2479 | 29 | 48 | 48 |
| R-PC0N-540029 | 2750 | 29 | 54 | 54 |
| R-PC0N-600029 | 3055 | 29 | 60 | 60 |







Round table w/cross PET base

**What's Included:**

Table base, table top and optional power module

**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PC0P-360016 | 3220 | 16 | 36 | 36 |
| R-PC0P-420016 | 3353 | 16 | 42 | 42 |
| R-PC0P-300029 | 3279 | 29 | 30 | 30 |
| R-PC0P-360029 | 3387 | 29 | 36 | 36 |
| R-PC0P-420029 | 3548 | 29 | 42 | 42 |
| R-PC0P-480029 | 3678 | 29 | 48 | 48 |
| R-PC0P-540029 | 3949 | 29 | 54 | 54 |
| R-PC0P-600029 | 4254 | 29 | 60 | 60 |



Squircle table w/cross PET base, no power

**What's Included:**

Table base, table top

**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PQ0N-363616 | 2021 | 16 | 36 | 36 |
| R-PQ0N-424216 | 2154 | 16 | 42 | 42 |
| R-PQ0N-303029 | 2080 | 29 | 30 | 30 |
| R-PQ0N-363629 | 2188 | 29 | 36 | 36 |
| R-PQ0N-424229 | 2349 | 29 | 42 | 42 |
| R-PQ0N-484829 | 2493 | 29 | 48 | 48 |
| R-PQ0N-545429 | 2759 | 29 | 54 | 54 |
| R-PQ0N-606029 | 3003 | 29 | 60 | 60 |







Squircle table w/cross PET base

**What's Included:**

Table base, table top and optional power module

**How to Specify:**

Color of P.E.T., and laminate top

**Notes:**

Top Thickness 1"

| Code | Price | H | W | D |
|---|---|---|---|---|
| R-PQ0P-363616 | 3220 | 16 | 36 | 36 |
| R-PQ0P-424216 | 3353 | 16 | 42 | 42 |
| R-PQ0P-303029 | 3279 | 29 | 30 | 30 |
| R-PQ0P-363629 | 3387 | 29 | 36 | 36 |
| R-PQ0P-424229 | 3548 | 29 | 42 | 42 |
| R-PQ0P-484829 | 3692 | 29 | 48 | 48 |
| R-PQ0P-545429 | 3958 | 29 | 54 | 54 |
| R-PQ0P-606029 | 4202 | 29 | 60 | 60 |