





Tables Pricebook
February 2024
Volley

Volley tables

120 base & surface	6
straight	8
with enclosures, no modesty	10
with enclosures, trough & modesty	11
5 sided	12
unitized	14
upgrades	24



height adjustable surface



height adjustable base

What’s Included:

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.

Load capacity of 330lb with worksurface.


Freestanding Options:

Width	42”, 48”, 54”		
Depth	42”, 48”, 54”		
End	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:

Width	40”, 46”, 52”		
Depth	40”, 46”, 52”		
End	23”, 29”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	Height (in)	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
120 Base						
R-HA3B2-S-G3	3187		40”-48”	24	4.22	120
R-HA3B2-L-G3	3217		52”-60”	24	4.27	128
BIFMA Base						
R-HA3B2-S-G3-B	3187		40”-48”	24	4.22	120
R-HA3B2-L-G3-B	3217		52”-60”	24	4.27	128
120 Surface - Freestanding						
R-S2CG-4224	943	1	42	42	1.8	32
R-S2CG-4230	1142	1	42	42	2.125	35
R-S2CG-4824	1001	1	48	48	1.9	35
R-S2CG-4830	1200	1	48	48	2.25	38
R-S2CG-5424	1013	1	54	54	2.1	38
R-S2CG-5430	1213	1	54	54	2.45	41
120 Surface - Integrated						
R-S2CG-4023	911	1	40	40	1.71	30
R-S2CG-4029	1091	1	40	40	2.03	33
R-S2CG-4623	969	1	46	46	1.8	33
R-S2CG-4629	1149	1	46	46	2.15	36
R-S2CG-5223	982	1	52	52	2	36
R-S2CG-5229	1162	1	52	52	2.35	39



What’s Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

Notes:

Straight desk worksurface is 1-inch thick.
Table height can be adjusted to 25” from the ground and raised to a maximum height of 51” from the ground. BIFMA bases can be adjusted to 22.75” from the ground and raised to a maximum height of 48.75” from the ground.
Load capacity of 275lb with worksurface.

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Freestanding Options:

Width	36”, 42”, 48”, 54”, 60”, 66”, 72”		
Depth	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black


Integrated Options:

Width	34”, 40”, 46”, 52”, 58”, 64”, 70”		
Depth	23”, 29”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

straight - base

Code	Price	W Range (in)	D(in)	Weight (lb)	Volume (ft³)
R-HATB-S-G3	1467	40”-72”	24	88	2.8
R-HATB-L-G3	1501	76”-90”	24	90	2.86
BIFMA base					
R-HATB-S-G3-B	1467	40”-72”	24	88	2.8
R-HATB-L-G3-B	1501	76”-90”	24	90	2.86

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
surface - freestanding					
R-WS0G-3624	316	36	24	0	16
R-WS0G-3630	322	36	30	0	20
R-WS0G-4224	337	42	24	0	18.66
R-WS0G-4230	345	42	30	0	23.33
R-WS0G-4824	385	48	24	0	21.33
R-WS0G-4830	405	48	30	0	26.67
R-WS0G-5424	465	54	24	0	24
R-WS0G-5430	497	54	30	0	30
R-WS0G-6024	488	60	24	0	26.67
R-WS0G-6030	520	60	30	0	33.31
R-WS0G-6624	540	66	24	0	29.33
R-WS0G-6630	554	66	30	0	36.65
R-WS0G-7224	566	72	24	0	32
R-WS0G-7230	568	72	30	0	40
R-WS0G-7824	701	78	24	1.3	34
R-WS0G-7830	739	78	30	1.625	42
R-WS0G-8424	765	84	24	1.4	36
R-WS0G-8430	803	84	30	1.75	44
surface integrated					
R-WS0G-3423	316	34	23	0	15.98
R-WS0G-3429	322	34	29	0	19.97
R-WS0G-4023	337	40	23	0	18.64
R-WS0G-4029	345	40	29	0	23.3
R-WS0G-4623	385	46	23	0	21.31
R-WS0G-4629	405	46	29	0	26.64
R-WS0G-5223	452	52	23	0	23.98
R-WS0G-5229	465	52	29	0	29.77
R-WS0G-5823	488	58	23	0	26.65
R-WS0G-5829	479	58	29	0	33.28
R-WS0G-6423	540	64	23	0	29.31
R-WS0G-6429	554	64	29	0	36.62
R-WS0G-7023	566	70	23	0	31.98
R-WS0G-7029	568	70	29	0	39.77
R-WS0G-7623	701	76	23	1.21	33.98
R-WS0G-7629	739	76	29	1.53	41.77
R-WS0G-8223	765	82	23	1.3	35.98
R-WS0G-8229	803	82	29	1.65	43.77



Height Adjustable Table, w/Box Enclosure, w/Grommet, No Modesty

What’s Included:

HAT table, box enclosure, grommet

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Table height can be adjusted to 25.5” from the ground and raised to a maximum height of 51” from the ground.

Load capacity of 350lb with worksurface.

Options:

Width	60”, 66”, 72”, 78”, 84”		
Depth	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-N	3652	25.5 - 51	60	24
R-HABT-6624-N	3654	25.5 - 51	66	24
R-HABT-7224-N	3730	25.5 - 51	72	24
R-HABT-7824-N	3764	25.5 - 51	78	24
R-HABT-8424-N	3766	25.5 - 51	84	24
R-HABT-6030-N	3660	25.5 - 51	60	30
R-HABT-6630-N	3662	25.5 - 51	66	30
R-HABT-7230-N	3737	25.5 - 51	72	30
R-HABT-7830-N	3771	25.5 - 51	78	30
R-HABT-8430-N	3774	25.5 - 51	84	30



Height Adjustable Table, w/Box Enclosure, w/Grommet, w/ Trough & Modesty, 1” Top

What’s Included:

HAT table, box enclosure, grommet, modesty

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Modesty can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5” from the ground and raised to a maximum height of 51” from the ground.



Load capacity of 350lb with worksurface.

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	60”, 66”, 72”, 78”, 84”		
Depth	24”, 30”		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Code	Price	H Range (in)	W (in)	D (in)
R-HABT-6024-M	4225	25.5 - 51	60	24
R-HABT-6624-M	4239	25.5 - 51	66	24
R-HABT-7224-M	4358	25.5 - 51	72	24
R-HABT-7824-M	4440	25.5 - 51	78	24
R-HABT-8424-M	4453	25.5 - 51	84	24
R-HABT-6030-M	4232	25.5 - 51	60	30
R-HABT-6630-M	4246	25.5 - 51	66	30
R-HABT-7230-M	4365	25.5 - 51	72	30
R-HABT-7830-M	4447	25.5 - 51	78	30
R-HABT-8430-M	4461	25.5 - 51	84	30



What's Included:

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

Freestanding Options:

Width/Depth	48", 54", 60",		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integrated Options:


Width/Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

5 sided base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	2960	46"-72"	24	146	4.22
R-HA3B-L-G3	2992	58"-84"	24	148	4.27
BIFMA base					
R-HA3B-S-G3-B	2960	46"-72"	24	146	4.22
R-HA3B-L-G3-B	2992	58"-84"	24	148	4.27

5 sided surface

Code	Price	Width (in)	Depth (in)	Volume (ft³)	Weight (lb)
freestanding curved					
R-W5CG-4824	683	48	24	5.22	47.43
R-W5CG-4830	710	48	30	5.22	50.21
R-W5CG-5424	779	54	24	5.22	49.45
R-W5CG-5430	884	54	30	5.22	51.63
R-W5CG-6024	866	60	24	5.22	54.2
R-W5CG-6030	1011	60	30	5.22	56.32
freestanding 90 degree					
R-W5NG-4824	683	48	24	5.22	47.43
R-W5NG-4830	710	48	30	5.22	50.21
R-W5NG-5424	779	54	24	5.22	49.45
R-W5NG-5430	884	54	30	5.22	51.63
R-W5NG-6024	866	60	24	5.22	54.2
R-W5NG-6030	1011	60	30	5.22	56.32
integrated curved					
R-W5CG-4623	683	46	23	5.22	47.43
R-W5CG-4629	710	46	29	5.22	50.21
R-W5CG-5223	779	52	23	5.22	49.45
R-W5CG-5229	884	52	29	5.22	51.63
R-W5CG-5823	866	58	23	5.22	54.2
R-W5CG-5829	1011	58	29	5.22	56.32
integrated 90 degree					
R-W5NG-4623	683	46	23	5.22	47.43
R-W5NG-4629	710	46	29	5.22	50.12
R-W5NG-5223	779	52	23	5.22	49.43
R-W5NG-5229	884	52	29	5.22	51.6
R-W5NG-5823	866	58	23	5.22	54.01
R-W5NG-5829	1011	58	29	5.22	56.03



What's Included:

Unitized Volley tables (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver orwhite.
Edge color will default to match the surface color of the worksurface unless otherwise specified.
Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.
All worksurfaces have 2mm vinyl edge trim.
Low pressure laminate is available on the top surface of a worksurface.
Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.
Load capacity of 350lb with worksurface.

Freestanding Options:

Width	60", 66", 72", 78", 84"		
Depth	48", 54", 60"		
End	24", 30"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

Integated Options:

Width	58", 64", 70", 76", 82"		
Depth	46", 52", 58"		
End	23", 29"		
Worksurface Laminate	laminate color		
Leg color	silver	white	black

uniitized base

Code	Price	W Range (in)	D (in)	Volume (ft³)	Weight (lb)
R-HA3B-S-G3	2960	46"-72"	24	146	4.22
R-HA3B-L-G3	2992	58"-84"	24	148	4.27

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding curved						
R-WUCG-604824-L	994	60	48	24	5.42	46.03
R-WUCG-604824-R	994	60	48	24	5.42	46.03
R-WUCG-604830-L	1021	60	48	30	5.42	48.13
R-WUCG-604830-R	1021	60	48	30	5.42	48.13
R-WUCG-605424-L	1092	60	54	24	5.42	47.06
R-WUCG-605424-R	1092	60	54	24	5.42	47.06
R-WUCG-605430-L	1119	60	54	30	5.42	49.32
R-WUCG-605430-R	1119	60	54	30	5.42	49.32
R-WUCG-664824-L	1102	66	48	24	5.42	48.13
R-WUCG-664824-R	1102	66	48	24	5.42	48.13
R-WUCG-664830-L	1133	66	48	30	5.42	49.56
R-WUCG-664830-R	1133	66	48	30	5.42	49.56
R-WUCG-665424-L	1208	66	54	24	5.42	49.26
R-WUCG-665424-R	1208	66	54	24	5.42	49.26
R-WUCG-665430-L	1234	66	54	30	5.42	51.96
R-WUCG-665430-R	1234	66	54	30	5.42	51.96

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-666024-L	1312	66	60	24	5.42	52.36
R-WUCG-666024-R	1312	66	60	24	5.42	52.36
R-WUCG-666030-L	1342	66	60	30	5.42	54.65
R-WUCG-666030-R	1342	66	60	30	5.42	54.65
R-WUCG-724824-L	1154	72	48	24	5.42	52.33
R-WUCG-724824-R	1154	72	48	24	5.42	52.33
R-WUCG-724830-L	1181	72	48	30	5.42	53.69
R-WUCG-724830-R	1181	72	48	30	5.42	53.69
R-WUCG-725424-L	1261	72	54	24	5.42	53.65
R-WUCG-725424-R	1261	72	54	24	5.42	53.65
R-WUCG-725430-L	1293	72	54	30	5.42	55.21
R-WUCG-725430-R	1293	72	54	30	5.42	55.21
R-WUCG-726024-L	1373	72	60	24	5.42	55.36
R-WUCG-726024-R	1373	72	60	24	5.42	55.36
R-WUCG-726030-L	1401	72	60	30	5.42	57.31
R-WUCG-726030-R	1401	72	60	30	5.42	57.31
R-WUCG-784824-L	1296	78	48	24	5.42	54.16
R-WUCG-784824-R	1296	78	48	24	5.42	54.16
R-WUCG-784830-L	1328	78	48	30	5.42	56.19
R-WUCG-784830-R	1328	78	48	30	5.42	56.19

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding curved - continued						
R-WUCG-785424-L	1415	78	54	24	5.42	56.61
R-WUCG-785424-R	1415	78	54	24	5.42	56.61
R-WUCG-785430-L	1448	78	54	30	5.42	58.17
R-WUCG-785430-R	1448	78	54	30	5.42	58.17
R-WUCG-786024-L	1537	78	60	24	5.42	57.96
R-WUCG-786024-R	1537	78	60	24	5.42	57.96
R-WUCG-786030-L	1569	78	60	30	5.42	58.62
R-WUCG-786030-R	1569	78	60	30	5.42	58.62
R-WUCG-844824-L	1421	84	48	24	5.42	56.16
R-WUCG-844824-R	1421	84	48	24	5.42	56.16
R-WUCG-844830-L	1452	84	48	30	5.42	58.32
R-WUCG-844830-R	1452	84	48	30	5.42	58.32
R-WUCG-845424-L	1554	84	54	24	5.42	58.6
R-WUCG-845424-R	1554	84	54	24	5.42	58.6
R-WUCG-845430-L	1585	84	54	30	5.42	59.63
R-WUCG-845430-R	1585	84	54	30	5.42	59.63
R-WUCG-846024-L	1688	84	60	24	5.42	59.99
R-WUCG-846024-R	1688	84	60	24	5.42	59.99
R-WUCG-846030-L	1717	84	60	30	5.42	61.34
R-WUCG-846030-R	1717	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
surface - freestanding 90 degree						
R-WUCG-604824-L	994	60	48	24	5.42	46.03
R-WUCG-604824-R	994	60	48	24	5.42	46.03
R-WUCG-604830-L	1021	60	48	30	5.42	48.13
R-WUCG-604830-R	1021	60	48	30	5.42	48.13
R-WUCG-605424-L	1092	60	54	24	5.42	47.06
R-WUCG-605424-R	1092	60	54	24	5.42	47.06
R-WUCG-605430-L	1119	60	54	30	5.42	49.32
R-WUCG-605430-R	1119	60	54	30	5.42	49.32
R-WUCG-664824-L	1102	66	48	24	5.42	48.13
R-WUCG-664824-R	1102	66	48	24	5.42	48.13
R-WUCG-664830-L	1133	66	48	30	5.42	49.56
R-WUCG-664830-R	1133	66	48	30	5.42	49.56
R-WUCG-665424-L	1208	66	54	24	5.42	49.26
R-WUCG-665424-R	1208	66	54	24	5.42	49.26
R-WUCG-665430-L	1234	66	54	30	5.42	51.96
R-WUCG-665430-R	1234	66	54	30	5.42	51.96
R-WUCG-666024-L	1312	66	60	24	5.42	52.36
R-WUCG-666024-R	1312	66	60	24	5.42	52.36
R-WUCG-666030-L	1342	66	60	30	5.42	54.65
R-WUCG-666030-R	1342	66	60	30	5.42	54.65
R-WUCG-724824-L	1154	72	48	24	5.42	52.33
R-WUCG-724824-R	1154	72	48	24	5.42	52.33
R-WUCG-724830-L	1181	72	48	30	5.42	53.69
R-WUCG-724830-R	1181	72	48	30	5.42	53.69
R-WUCG-725424-L	1261	72	54	24	5.42	53.65
R-WUCG-725424-R	1261	72	54	24	5.42	53.65
R-WUCG-725430-L	1293	72	54	30	5.42	55.21
R-WUCG-725430-R	1293	72	54	30	5.42	55.21


Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
freestanding 90 degree - continued						
R-WUCG-726024-L	1373	72	60	24	5.42	55.36
R-WUCG-726024-R	1373	72	60	24	5.42	55.36
R-WUCG-726030-L	1401	72	60	30	5.42	57.31
R-WUCG-726030-R	1401	72	60	30	5.42	57.31
R-WUCG-784824-L	1296	78	48	24	5.42	54.16
R-WUCG-784824-R	1296	78	48	24	5.42	54.16
R-WUCG-784830-L	1328	78	48	30	5.42	56.19
R-WUCG-784830-R	1328	78	48	30	5.42	56.19
R-WUCG-785424-L	1415	78	54	24	5.42	56.61
R-WUCG-785424-R	1415	78	54	24	5.42	56.61
R-WUCG-785430-L	1448	78	54	30	5.42	58.17
R-WUCG-785430-R	1448	78	54	30	5.42	58.17
R-WUCG-786024-L	1537	78	60	24	5.42	57.96
R-WUCG-786024-R	1537	78	60	24	5.42	57.96
R-WUCG-786030-L	1569	78	60	30	5.42	58.62
R-WUCG-786030-R	1569	78	60	30	5.42	58.62
R-WUCG-844824-L	1421	84	48	24	5.42	56.16
R-WUCG-844824-R	1421	84	48	24	5.42	56.16
R-WUCG-844830-L	1452	84	48	30	5.42	58.32
R-WUCG-844830-R	1452	84	48	30	5.42	58.32
R-WUCG-845424-L	1554	84	54	24	5.42	58.6
R-WUCG-845424-R	1554	84	54	24	5.42	58.6
R-WUCG-845430-L	1585	84	54	30	5.42	59.63
R-WUCG-845430-R	1585	84	54	30	5.42	59.63
R-WUCG-846024-L	1688	84	60	24	5.42	59.99
R-WUCG-846024-R	1688	84	60	24	5.42	59.99
R-WUCG-846030-L	1717	84	60	30	5.42	61.34
R-WUCG-846030-R	1717	84	60	30	5.42	61.34

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved						
R-WUCG-584623-L	994	58	46	23	5.42	46
R-WUCG-584623-R	994	58	46	23	5.42	46
R-WUCG-584629-L	1021	58	46	29	5.42	48.1
R-WUCG-584629-R	1021	58	46	29	5.42	48.1
R-WUCG-585223-L	1092	58	52	23	5.42	47.03
R-WUCG-585223-R	1092	58	52	23	5.42	47.03
R-WUCG-585229-L	1119	58	52	29	5.42	49.3
R-WUCG-585229-R	1119	58	52	29	5.42	49.3
R-WUCG-644623-L	1102	64	46	23	5.42	48
R-WUCG-644623-R	1102	64	46	23	5.42	48
R-WUCG-644629-L	1133	64	46	29	5.42	48.92
R-WUCG-644629-R	1133	64	46	29	5.42	48.92
R-WUCG-645223-L	1208	64	52	23	5.42	49.23
R-WUCG-645223-R	1208	64	52	23	5.42	49.23
R-WUCG-645229-L	1234	64	52	29	5.42	51.93
R-WUCG-645229-R	1234	64	52	29	5.42	51.93
R-WUCG-645823-L	1312	64	58	23	5.42	52.33
R-WUCG-645823-R	1312	64	58	23	5.42	52.33
R-WUCG-645829-L	1342	64	58	29	5.42	54.62
R-WUCG-645829-R	1342	64	58	29	5.42	54.62
R-WUCG-704623-L	1154	70	46	23	5.42	52.3
R-WUCG-704623-R	1154	70	46	23	5.42	52.3
R-WUCG-704629-L	1181	70	46	29	5.42	53.66
R-WUCG-704629-R	1181	70	46	29	5.42	53.66
R-WUCG-705223-L	1261	70	52	23	5.42	53.62
R-WUCG-705223-R	1261	70	52	23	5.42	53.62
R-WUCG-705229-L	1293	70	52	29	5.42	55.18
R-WUCG-705229-R	1293	70	52	29	5.42	55.18

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated curved - continued						
R-WUCG-705823-L	1373	70	58	23	5.42	55.33
R-WUCG-705823-R	1373	70	58	23	5.42	55.33
R-WUCG-705829-L	1401	70	58	29	5.42	57.28
R-WUCG-705829-R	1401	70	58	29	5.42	57.28
R-WUCG-764623-L	1296	76	46	23	5.42	54.13
R-WUCG-764623-R	1296	76	46	23	5.42	54.13
R-WUCG-764629-L	1328	76	46	29	5.42	56.16
R-WUCG-764629-R	1328	76	46	29	5.42	56.16
R-WUCG-765223-L	1415	76	52	23	5.42	56.58
R-WUCG-765223-R	1415	76	52	23	5.42	56.58
R-WUCG-765229-L	1448	76	52	29	5.42	57.14
R-WUCG-765229-R	1448	76	52	29	5.42	57.14
R-WUCG-765823-L	1537	76	58	23	5.42	57.93
R-WUCG-765823-R	1537	76	58	23	5.42	57.93
R-WUCG-765829-L	1569	76	58	29	5.42	58.59
R-WUCG-765829-R	1569	76	58	29	5.42	58.59
R-WUCG-824623-L	1421	82	46	23	5.42	56.13
R-WUCG-824623-R	1421	82	46	23	5.42	56.13
R-WUCG-824629-L	1452	82	46	29	5.42	58.28
R-WUCG-824629-R	1452	82	46	29	5.42	58.28
R-WUCG-825223-L	1554	82	52	23	5.42	58.57
R-WUCG-825223-R	1554	82	52	23	5.42	58.57
R-WUCG-825229-L	1585	82	52	29	5.42	59.6
R-WUCG-825229-R	1585	82	52	29	5.42	59.6
R-WUCG-825823-L	1688	82	58	23	5.42	59.96
R-WUCG-825823-R	1688	82	58	23	5.42	59.96
R-WUCG-825829-L	1717	82	58	29	5.42	61.31
R-WUCG-825829-R	1717	82	58	29	5.42	61.31

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree						
R-WUNG-584623-L	1042	60	48	24	5.42	46.03
R-WUNG-584623-R	1042	60	48	24	5.42	46.03
R-WUNG-585223-L	1144	60	48	30	5.42	48.13
R-WUNG-585223-R	1144	60	48	30	5.42	48.13
R-WUNG-585229-L	1176	60	54	24	5.42	47.06
R-WUNG-585229-R	1176	60	54	24	5.42	47.06
R-WUNG-644623-L	1156	60	54	30	5.42	49.32
R-WUNG-644623-R	1156	60	54	30	5.42	49.32
R-WUNG-645223-L	1268	66	48	24	5.42	48.13
R-WUNG-645223-R	1268	66	48	24	5.42	48.13
R-WUNG-645229-L	1296	66	48	30	5.42	49.56
R-WUNG-645229-R	1296	66	48	30	5.42	49.56
R-WUNG-645823-L	1376	66	54	24	5.42	49.26
R-WUNG-645823-R	1376	66	54	24	5.42	49.26
R-WUNG-645829-L	1408	66	54	30	5.42	51.96
R-WUNG-645829-R	1408	66	54	30	5.42	51.96
R-WUNG-704623-L	1211	66	60	24	5.42	52.36
R-WUNG-704623-R	1211	66	60	24	5.42	52.36
R-WUNG-705223-L	1322	66	60	30	5.42	54.65
R-WUNG-705223-R	1322	66	60	30	5.42	54.65
R-WUNG-705229-L	1356	72	48	24	5.42	52.33
R-WUNG-705229-R	1356	72	48	24	5.42	52.33
R-WUNG-705823-L	1438	72	48	30	5.42	53.69
R-WUNG-705823-R	1438	72	48	30	5.42	53.69
R-WUNG-705829-L	1470	72	54	24	5.42	53.65
R-WUNG-705829-R	1470	72	54	24	5.42	53.65
R-WUNG-764623-L	1361	72	54	30	5.42	55.21
R-WUNG-764623-R	1361	72	54	30	5.42	55.21

Code	Price	W (in)	Depth (in)	End (in)	Volume (ft³)	Weight (lb)
integrated 90 degree - continued						
R-WUNG-765223-L	1484	72	60	24	5.42	55.36
R-WUNG-765223-R	1484	72	60	24	5.42	55.36
R-WUNG-765229-L	1520	72	60	30	5.42	57.31
R-WUNG-765229-R	1520	72	60	30	5.42	57.31
R-WUNG-765823-L	1612	78	48	24	5.42	54.16
R-WUNG-765823-R	1612	78	48	24	5.42	54.16
R-WUNG-765829-L	1644	78	48	30	5.42	56.19
R-WUNG-765829-R	1644	78	48	30	5.42	56.19
R-WUNG-824623-L	1490	78	54	24	5.42	56.61
R-WUNG-824623-R	1490	78	54	24	5.42	56.61
R-WUNG-825223-L	1630	78	54	30	5.42	58.17
R-WUNG-825223-R	1630	78	54	30	5.42	58.17
R-WUNG-825229-L	1663	78	60	24	5.42	57.96
R-WUNG-825229-R	1663	78	60	24	5.42	57.96
R-WUNG-825823-L	1770	78	60	30	5.42	58.62
R-WUNG-825823-R	1770	78	60	30	5.42	58.62
R-WUNG-825829-L	1800	84	48	24	5.42	56.16
R-WUNG-825829-R	1800	84	48	24	5.42	56.16



Height Adjustable Table Enclosure Box

What’s Included:

HAT enclosure box


How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Options:

Depth	25.5", 30"
Enclosure	laminate color

Code	Price	H (in)	W (in)	D (in)
R-HBOX-180725	925	18.25	6.75	25.5
R-HBOX-180730	928	18.25	6.75	30



Trough and trough mounted modesty

What’s Included:

Trough and trough mounted modesty for Volley height adjustable table

How to Specify:

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

Notes:

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

Width	46", 52",58", 64", 70"
Modesty	frosted acrylic or laminate color

Code	Price	H (in)	W (in)
Laminate Modesty			
R-HMOD-6021	571	21	46
R-HMOD-6621	583	21	52
R-HMOD-7221	626	21	58
R-HMOD-7821	674	21	64
R-HMOD-8421	686	21	70
Frosted Acrylic Modesty			
R-HMOD-6021-F	868	21	46
R-HMOD-6621-F	963	21	52
R-HMOD-7221-F	992	21	58
R-HMOD-7821-F	1216	21	64
R-HMOD-8421-F	1220	21	70