

The logo for Tayco, featuring the word "tayco" in a lowercase, orange, sans-serif font with a registered trademark symbol (®) to the upper right. The background of the entire page is composed of three geometric shapes: a light blue triangle at the top right, a large orange triangle on the left, and a dark grey triangle at the bottom right.

tayco®

Tables Pricebook

August 2024

| | |
|--|-----|
| Caution | iii |
| Volley tables | 5 |
| 120 base & surface | 6 |
| straight | 8 |
| 5 sided | 12 |
| unitized | 14 |
| upgrades | 24 |
| Norris tables | 27 |
| super ellipse without power and data | 28 |
| super ellipse with power and data | 30 |
| video without power and data | 32 |
| video with power and data | 34 |
| boat without power and data | 36 |
| boat with power and data | 38 |
| straight without power and data | 40 |
| straight with power and data | 42 |
| options | 44 |
| add-on Kits | 45 |
| Kip tables | 47 |
| community table without power and data | 48 |
| community table with power and data | 50 |
| Koko tables | 53 |
| rectangular table | 54 |
| round table | 55 |
| Hanna tables | 57 |
| T base - slim | 58 |
| T base - tubular | 60 |
| X base - slim | 62 |
| X base - tubular | 64 |
| super ellipse top | 66 |
| round top | 68 |
| squircle top | 70 |
| rectangular top | 72 |
| square top | 74 |
| Studi tables | 77 |
| with Power Module & Daisy Chain | 78 |
| with Power Module | 80 |
| with Grommet | 82 |
| without Grommet | 84 |
| Add ons | 86 |
| PET Modesty | 86 |
| Frosted Acrylic Modesty | 87 |
| Ganging Mechanism | 88 |
| Daisy Chain | 89 |

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer

Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:



- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.




Tables Pricebook
August 2024
Volley

Volley tables

| | |
|-----------------------------------|----|
| 120 base & surface | 6 |
| straight | 8 |
| with enclosures, no modesty | 10 |
| with enclosures, trough & modesty | 11 |
| 5 sided | 12 |
| unitized | 14 |
| upgrades | 24 |



height adjustable surface



height adjustable base

What's Included:

One (1) 120 Volley table (1) with one (1) grommet, a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white. Edge color will default to match the surface color of the worksurface unless otherwise specified. Pinch points are taken into account in all of the Integrated tables.

Notes:

Worksurface is 1-inch thick. All worksurfaces have 2mm vinyl edge trim. Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.


Freestanding Options:

| | | | |
|----------------------|----------------|-------|-------|
| Width | 42", 48", 54" | | |
| Depth | 42", 48", 54" | | |
| End | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

Integrated Options:

| | | | |
|----------------------|----------------|-------|-------|
| Width | 40", 46", 52" | | |
| Depth | 40", 46", 52" | | |
| End | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

| Code | Price | Height (in) | W Range (in) | D (in) | Volume (ft ³) | Weight (lb) |
|-----------------------------------|-------|-------------|--------------|--------|---------------------------|-------------|
| 120 Base | | | | | | |
| R-HA3B2-S-G3 | 3187 | | 40"-48" | 24 | 4.22 | 120 |
| R-HA3B2-L-G3 | 3217 | | 52"-60" | 24 | 4.27 | 128 |
| BIFMA Base | | | | | | |
| R-HA3B2-S-G3-B | 3187 | | 40"-48" | 24 | 4.22 | 120 |
| R-HA3B2-L-G3-B | 3217 | | 52"-60" | 24 | 4.27 | 128 |
| 120 Surface - Freestanding | | | | | | |
| R-S2CG-4224 | 943 | 1 | 42 | 42 | 1.8 | 32 |
| R-S2CG-4230 | 1142 | 1 | 42 | 42 | 2.125 | 35 |
| R-S2CG-4824 | 1001 | 1 | 48 | 48 | 1.9 | 35 |
| R-S2CG-4830 | 1200 | 1 | 48 | 48 | 2.25 | 38 |
| R-S2CG-5424 | 1013 | 1 | 54 | 54 | 2.1 | 38 |
| R-S2CG-5430 | 1213 | 1 | 54 | 54 | 2.45 | 41 |
| 120 Surface - Integrated | | | | | | |
| R-S2CG-4023 | 911 | 1 | 40 | 40 | 1.71 | 30 |
| R-S2CG-4029 | 1091 | 1 | 40 | 40 | 2.03 | 33 |
| R-S2CG-4623 | 969 | 1 | 46 | 46 | 1.8 | 33 |
| R-S2CG-4629 | 1149 | 1 | 46 | 46 | 2.15 | 36 |
| R-S2CG-5223 | 982 | 1 | 52 | 52 | 2 | 36 |
| R-S2CG-5229 | 1162 | 1 | 52 | 52 | 2.35 | 39 |



height adjustable base

height adjustable surface

What's Included:

Straight desk worksurface (1) with a center grommet (1) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 275lb with worksurface.

Freestanding Options:

| | | | |
|----------------------|-----------------------------------|-------|-------|
| Width | 36", 42", 48", 54", 60", 66", 72" | | |
| Depth | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |


Integrated Options:

| | | | |
|----------------------|-----------------------------------|-------|-------|
| Width | 34", 40", 46", 52", 58", 64", 70" | | |
| Depth | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

straight - base

| Code | Price | W Range (in) | D(in) | Weight (lb) | Volume (ft ³) |
|-------------------|-------|--------------|-------|-------------|---------------------------|
| R-HATB-S-G3 | 1467 | 40"-72" | 24 | 88 | 2.8 |
| R-HATB-L-G3 | 1501 | 76"-90" | 24 | 90 | 2.86 |
| BIFMA base | | | | | |
| R-HATB-S-G3-B | 1467 | 40"-72" | 24 | 88 | 2.8 |
| R-HATB-L-G3-B | 1501 | 76"-90" | 24 | 90 | 2.86 |

| Code | Price | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------------------------|-------|------------|------------|---------------------------|-------------|
| surface - freestanding | | | | | |
| R-WS0G-3624 | 316 | 36 | 24 | 0 | 16 |
| R-WS0G-3630 | 322 | 36 | 30 | 0 | 20 |
| R-WS0G-4224 | 337 | 42 | 24 | 0 | 18.66 |
| R-WS0G-4230 | 345 | 42 | 30 | 0 | 23.33 |
| R-WS0G-4824 | 385 | 48 | 24 | 0 | 21.33 |
| R-WS0G-4830 | 405 | 48 | 30 | 0 | 26.67 |
| R-WS0G-5424 | 465 | 54 | 24 | 0 | 24 |
| R-WS0G-5430 | 497 | 54 | 30 | 0 | 30 |
| R-WS0G-6024 | 488 | 60 | 24 | 0 | 26.67 |
| R-WS0G-6030 | 520 | 60 | 30 | 0 | 33.31 |
| R-WS0G-6624 | 540 | 66 | 24 | 0 | 29.33 |
| R-WS0G-6630 | 554 | 66 | 30 | 0 | 36.65 |
| R-WS0G-7224 | 566 | 72 | 24 | 0 | 32 |
| R-WS0G-7230 | 568 | 72 | 30 | 0 | 40 |
| R-WS0G-7824 | 701 | 78 | 24 | 1.3 | 34 |
| R-WS0G-7830 | 739 | 78 | 30 | 1.625 | 42 |
| R-WS0G-8424 | 765 | 84 | 24 | 1.4 | 36 |
| R-WS0G-8430 | 803 | 84 | 30 | 1.75 | 44 |
| surface integrated | | | | | |
| R-WS0G-3423 | 316 | 34 | 23 | 0 | 15.98 |
| R-WS0G-3429 | 322 | 34 | 29 | 0 | 19.97 |
| R-WS0G-4023 | 337 | 40 | 23 | 0 | 18.64 |
| R-WS0G-4029 | 345 | 40 | 29 | 0 | 23.3 |
| R-WS0G-4623 | 385 | 46 | 23 | 0 | 21.31 |
| R-WS0G-4629 | 405 | 46 | 29 | 0 | 26.64 |
| R-WS0G-5223 | 452 | 52 | 23 | 0 | 23.98 |
| R-WS0G-5229 | 465 | 52 | 29 | 0 | 29.77 |
| R-WS0G-5823 | 488 | 58 | 23 | 0 | 26.65 |
| R-WS0G-5829 | 479 | 58 | 29 | 0 | 33.28 |
| R-WS0G-6423 | 540 | 64 | 23 | 0 | 29.31 |
| R-WS0G-6429 | 554 | 64 | 29 | 0 | 36.62 |
| R-WS0G-7023 | 566 | 70 | 23 | 0 | 31.98 |
| R-WS0G-7029 | 568 | 70 | 29 | 0 | 39.77 |
| R-WS0G-7623 | 701 | 76 | 23 | 1.21 | 33.98 |
| R-WS0G-7629 | 739 | 76 | 29 | 1.53 | 41.77 |
| R-WS0G-8223 | 765 | 82 | 23 | 1.3 | 35.98 |
| R-WS0G-8229 | 803 | 82 | 29 | 1.65 | 43.77 |



Height Adjustable Table, w/Box Enclosure, w/Grommet, No Modesty

What's Included:

HAT table, box enclosure, grommet

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.


Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Options:

| | | | |
|----------------------|-------------------------|-------|-------|
| Width | 60", 66", 72", 78", 84" | | |
| Depth | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

| Code | Price | H Range (in) | W (in) | D (in) |
|---------------|-------|--------------|--------|--------|
| R-HABT-6024-N | 3652 | 25.5 - 51 | 60 | 24 |
| R-HABT-6624-N | 3654 | 25.5 - 51 | 66 | 24 |
| R-HABT-7224-N | 3730 | 25.5 - 51 | 72 | 24 |
| R-HABT-7824-N | 3764 | 25.5 - 51 | 78 | 24 |
| R-HABT-8424-N | 3766 | 25.5 - 51 | 84 | 24 |
| R-HABT-6030-N | 3660 | 25.5 - 51 | 60 | 30 |
| R-HABT-6630-N | 3662 | 25.5 - 51 | 66 | 30 |
| R-HABT-7230-N | 3737 | 25.5 - 51 | 72 | 30 |
| R-HABT-7830-N | 3771 | 25.5 - 51 | 78 | 30 |
| R-HABT-8430-N | 3774 | 25.5 - 51 | 84 | 30 |



Height Adjustable Table, w/Box Enclosure, w/Grommet, w/ Trough & Modesty, 1" Top

What's Included:

HAT table, box enclosure, grommet, modesty

How to Specify:

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Grommet can be specified in silver or white.

Enclosure comes with automatically matching worksurface laminate unless otherwise specified.

HAT leg can be specified in silver, black or white.

Modesty can be specified in frost acrylic or laminate. Laminate modesty will default to match the worksurface colour unless otherwise specified.

Notes:

Worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.


Load capacity of 350lb with worksurface.

Modesty size is adjusted to incorporate Volley height adjustable table enclosures


Options:

| | | | |
|----------------------|-------------------------|-------|-------|
| Width | 60", 66", 72", 78", 84" | | |
| Depth | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |


| Code | Price | H Range (in) | W (in) | D (in) |
|---------------|-------|--------------|--------|--------|
| R-HABT-6024-M | 4225 | 25.5 - 51 | 60 | 24 |
| R-HABT-6624-M | 4239 | 25.5 - 51 | 66 | 24 |
| R-HABT-7224-M | 4358 | 25.5 - 51 | 72 | 24 |
| R-HABT-7824-M | 4440 | 25.5 - 51 | 78 | 24 |
| R-HABT-8424-M | 4453 | 25.5 - 51 | 84 | 24 |
| R-HABT-6030-M | 4232 | 25.5 - 51 | 60 | 30 |
| R-HABT-6630-M | 4246 | 25.5 - 51 | 66 | 30 |
| R-HABT-7230-M | 4365 | 25.5 - 51 | 72 | 30 |
| R-HABT-7830-M | 4447 | 25.5 - 51 | 78 | 30 |
| R-HABT-8430-M | 4461 | 25.5 - 51 | 84 | 30 |




5 sided height adjustable table- curved




5 sided height adjustable table- 90 degree



5 sided base



5 sided surface - curved



5 sided surface - 90 degree

What's Included:

Unitized Volley tables (1) with one grommet (1), a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

Table height can be adjusted to 25" from the ground and raised to a maximum height of 51" from the ground. BIFMA bases can be adjusted to 22.75" from the ground and raised to a maximum height of 48.75" from the ground.

Load capacity of 330lb with worksurface.

Freestanding Options:

| | | | |
|----------------------|----------------|-------|-------|
| Width/Depth | 48", 54", 60", | | |
| End | 24", 30" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

Integrated Options:


| | | | |
|----------------------|----------------|-------|-------|
| Width/Depth | 46", 52", 58" | | |
| End | 23", 29" | | |
| Worksurface Laminate | laminate color | | |
| Leg color | silver | white | black |

5 sided base


| Code | Price | W Range (in) | D (in) | Volume (ft ³) | Weight (lb) |
|-------------------|-------|--------------|--------|---------------------------|-------------|
| R-HA3B-S-G3 | 2960 | 46"-72" | 24 | 146 | 4.22 |
| R-HA3B-L-G3 | 2992 | 58"-84" | 24 | 148 | 4.27 |
| BIFMA base | | | | | |
| R-HA3B-S-G3-B | 2960 | 46"-72" | 24 | 146 | 4.22 |
| R-HA3B-L-G3-B | 2992 | 58"-84" | 24 | 148 | 4.27 |

5 sided surface


| Code | Price | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------------------------|-------|------------|------------|---------------------------|-------------|
| freestanding curved | | | | | |
| R-W5CG-4824 | 683 | 48 | 24 | 5.22 | 47.43 |
| R-W5CG-4830 | 710 | 48 | 30 | 5.22 | 50.21 |
| R-W5CG-5424 | 779 | 54 | 24 | 5.22 | 49.45 |
| R-W5CG-5430 | 884 | 54 | 30 | 5.22 | 51.63 |
| R-W5CG-6024 | 866 | 60 | 24 | 5.22 | 54.2 |
| R-W5CG-6030 | 1011 | 60 | 30 | 5.22 | 56.32 |
| freestanding 90 degree | | | | | |
| R-W5NG-4824 | 683 | 48 | 24 | 5.22 | 47.43 |
| R-W5NG-4830 | 710 | 48 | 30 | 5.22 | 50.21 |
| R-W5NG-5424 | 779 | 54 | 24 | 5.22 | 49.45 |
| R-W5NG-5430 | 884 | 54 | 30 | 5.22 | 51.63 |
| R-W5NG-6024 | 866 | 60 | 24 | 5.22 | 54.2 |
| R-W5NG-6030 | 1011 | 60 | 30 | 5.22 | 56.32 |
| integrated curved | | | | | |
| R-W5CG-4623 | 683 | 46 | 23 | 5.22 | 47.43 |
| R-W5CG-4629 | 710 | 46 | 29 | 5.22 | 50.21 |
| R-W5CG-5223 | 779 | 52 | 23 | 5.22 | 49.45 |
| R-W5CG-5229 | 884 | 52 | 29 | 5.22 | 51.63 |
| R-W5CG-5823 | 866 | 58 | 23 | 5.22 | 54.2 |
| R-W5CG-5829 | 1011 | 58 | 29 | 5.22 | 56.32 |
| integrated 90 degree | | | | | |
| R-W5NG-4623 | 683 | 46 | 23 | 5.22 | 47.43 |
| R-W5NG-4629 | 710 | 46 | 29 | 5.22 | 50.12 |
| R-W5NG-5223 | 779 | 52 | 23 | 5.22 | 49.43 |
| R-W5NG-5229 | 884 | 52 | 29 | 5.22 | 51.6 |
| R-W5NG-5823 | 866 | 58 | 23 | 5.22 | 54.01 |
| R-W5NG-5829 | 1011 | 58 | 29 | 5.22 | 56.03 |




unitized height adjustable table - curved left hand version shown




unitized height adjustable table - 90 degree left hand version shown



unitized surface - curved -left hand version shown



unitized surface- 90 degree - right hand version shown



unitized base

What's Included:

Unitized Volley tables (1) with two grommets (2) a set of height adjustable supports (1) and one digital height display unit (1).

How to Specify:

Grommet can be specified in silver or white.

Edge color will default to match the surface color of the worksurface unless otherwise specified.

Pinch points are taken into account in all of the Integrated tables.

Notes:

Straight desk worksurface is 1-inch thick.

All worksurfaces have 2mm vinyl edge trim.

Low pressure laminate is available on the top surface of a worksurface.

Table height can be adjusted to 25.5" from the ground and raised to a maximum height of 51" from the ground.

Load capacity of 350lb with worksurface.

Freestanding Options:

| | |
|----------------------|------------------------------|
| Width | 60", 66", 72", 78", 84" |
| Depth | 48", 54", 60" |
| End | 24", 30" |
| Worksurface Laminate | laminate color |
| Leg color | silver white black |

Integrated Options:

| | |
|----------------------|------------------------------|
| Width | 58", 64", 70", 76", 82" |
| Depth | 46", 52", 58" |
| End | 23", 29" |
| Worksurface Laminate | laminate color |
| Leg color | silver white black |

unitized base

| Code | Price | W Range (in) | D (in) | Volume (ft ³) | Weight (lb) |
|-------------|-------|--------------|--------|---------------------------|-------------|
| R-HA3B-S-G3 | 2960 | 46"-72" | 24 | 146 | 4.22 |
| R-HA3B-L-G3 | 2992 | 58"-84" | 24 | 148 | 4.27 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|--------------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| surface - freestanding curved | | | | | | |
| R-WUCG-604824-L | 994 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604824-R | 994 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604830-L | 1021 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-604830-R | 1021 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-605424-L | 1092 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605424-R | 1092 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605430-L | 1119 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-605430-R | 1119 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-664824-L | 1102 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664824-R | 1102 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664830-L | 1133 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-664830-R | 1133 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-665424-L | 1208 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665424-R | 1208 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665430-L | 1234 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCG-665430-R | 1234 | 66 | 54 | 30 | 5.42 | 51.96 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|---------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| freestanding curved - continued | | | | | | |
| R-WUCG-666024-L | 1312 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666024-R | 1312 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666030-L | 1342 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-666030-R | 1342 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-724824-L | 1154 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724824-R | 1154 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724830-L | 1181 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-724830-R | 1181 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-725424-L | 1261 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725424-R | 1261 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725430-L | 1293 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCG-725430-R | 1293 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCG-726024-L | 1373 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726024-R | 1373 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726030-L | 1401 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-726030-R | 1401 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-784824-L | 1296 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784824-R | 1296 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784830-L | 1328 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCG-784830-R | 1328 | 78 | 48 | 30 | 5.42 | 56.19 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|---------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| freestanding curved - continued | | | | | | |
| R-WUCG-785424-L | 1415 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785424-R | 1415 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785430-L | 1448 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-785430-R | 1448 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-786024-L | 1537 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786024-R | 1537 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786030-L | 1569 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-786030-R | 1569 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-844824-L | 1421 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844824-R | 1421 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844830-L | 1452 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-844830-R | 1452 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-845424-L | 1554 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845424-R | 1554 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845430-L | 1585 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-845430-R | 1585 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-846024-L | 1688 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846024-R | 1688 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846030-L | 1717 | 84 | 60 | 30 | 5.42 | 61.34 |
| R-WUCG-846030-R | 1717 | 84 | 60 | 30 | 5.42 | 61.34 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|----------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| surface - freestanding 90 degree | | | | | | |
| R-WUCG-604824-L | 994 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604824-R | 994 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUCG-604830-L | 1021 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-604830-R | 1021 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUCG-605424-L | 1092 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605424-R | 1092 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUCG-605430-L | 1119 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-605430-R | 1119 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUCG-664824-L | 1102 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664824-R | 1102 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUCG-664830-L | 1133 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-664830-R | 1133 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUCG-665424-L | 1208 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665424-R | 1208 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUCG-665430-L | 1234 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCG-665430-R | 1234 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUCG-666024-L | 1312 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666024-R | 1312 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUCG-666030-L | 1342 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-666030-R | 1342 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUCG-724824-L | 1154 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724824-R | 1154 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUCG-724830-L | 1181 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-724830-R | 1181 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUCG-725424-L | 1261 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725424-R | 1261 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUCG-725430-L | 1293 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUCG-725430-R | 1293 | 72 | 54 | 30 | 5.42 | 55.21 |


| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|------------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| freestanding 90 degree - continued | | | | | | |
| R-WUCG-726024-L | 1373 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726024-R | 1373 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUCG-726030-L | 1401 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-726030-R | 1401 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUCG-784824-L | 1296 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784824-R | 1296 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUCG-784830-L | 1328 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCG-784830-R | 1328 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUCG-785424-L | 1415 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785424-R | 1415 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUCG-785430-L | 1448 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-785430-R | 1448 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUCG-786024-L | 1537 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786024-R | 1537 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUCG-786030-L | 1569 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-786030-R | 1569 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUCG-844824-L | 1421 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844824-R | 1421 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUCG-844830-L | 1452 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-844830-R | 1452 | 84 | 48 | 30 | 5.42 | 58.32 |
| R-WUCG-845424-L | 1554 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845424-R | 1554 | 84 | 54 | 24 | 5.42 | 58.6 |
| R-WUCG-845430-L | 1585 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-845430-R | 1585 | 84 | 54 | 30 | 5.42 | 59.63 |
| R-WUCG-846024-L | 1688 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846024-R | 1688 | 84 | 60 | 24 | 5.42 | 59.99 |
| R-WUCG-846030-L | 1717 | 84 | 60 | 30 | 5.42 | 61.34 |
| R-WUCG-846030-R | 1717 | 84 | 60 | 30 | 5.42 | 61.34 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|-------------------|-------|--------|------------|----------|---------------------------|-------------|
| integrated curved | | | | | | |
| R-WUCG-584623-L | 994 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCG-584623-R | 994 | 58 | 46 | 23 | 5.42 | 46 |
| R-WUCG-584629-L | 1021 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCG-584629-R | 1021 | 58 | 46 | 29 | 5.42 | 48.1 |
| R-WUCG-585223-L | 1092 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCG-585223-R | 1092 | 58 | 52 | 23 | 5.42 | 47.03 |
| R-WUCG-585229-L | 1119 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCG-585229-R | 1119 | 58 | 52 | 29 | 5.42 | 49.3 |
| R-WUCG-644623-L | 1102 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCG-644623-R | 1102 | 64 | 46 | 23 | 5.42 | 48 |
| R-WUCG-644629-L | 1133 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCG-644629-R | 1133 | 64 | 46 | 29 | 5.42 | 48.92 |
| R-WUCG-645223-L | 1208 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCG-645223-R | 1208 | 64 | 52 | 23 | 5.42 | 49.23 |
| R-WUCG-645229-L | 1234 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCG-645229-R | 1234 | 64 | 52 | 29 | 5.42 | 51.93 |
| R-WUCG-645823-L | 1312 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCG-645823-R | 1312 | 64 | 58 | 23 | 5.42 | 52.33 |
| R-WUCG-645829-L | 1342 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCG-645829-R | 1342 | 64 | 58 | 29 | 5.42 | 54.62 |
| R-WUCG-704623-L | 1154 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCG-704623-R | 1154 | 70 | 46 | 23 | 5.42 | 52.3 |
| R-WUCG-704629-L | 1181 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCG-704629-R | 1181 | 70 | 46 | 29 | 5.42 | 53.66 |
| R-WUCG-705223-L | 1261 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCG-705223-R | 1261 | 70 | 52 | 23 | 5.42 | 53.62 |
| R-WUCG-705229-L | 1293 | 70 | 52 | 29 | 5.42 | 55.18 |
| R-WUCG-705229-R | 1293 | 70 | 52 | 29 | 5.42 | 55.18 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|-------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| integrated curved - continued | | | | | | |
| R-WUCG-705823-L | 1373 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCG-705823-R | 1373 | 70 | 58 | 23 | 5.42 | 55.33 |
| R-WUCG-705829-L | 1401 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCG-705829-R | 1401 | 70 | 58 | 29 | 5.42 | 57.28 |
| R-WUCG-764623-L | 1296 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCG-764623-R | 1296 | 76 | 46 | 23 | 5.42 | 54.13 |
| R-WUCG-764629-L | 1328 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCG-764629-R | 1328 | 76 | 46 | 29 | 5.42 | 56.16 |
| R-WUCG-765223-L | 1415 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCG-765223-R | 1415 | 76 | 52 | 23 | 5.42 | 56.58 |
| R-WUCG-765229-L | 1448 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCG-765229-R | 1448 | 76 | 52 | 29 | 5.42 | 57.14 |
| R-WUCG-765823-L | 1537 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCG-765823-R | 1537 | 76 | 58 | 23 | 5.42 | 57.93 |
| R-WUCG-765829-L | 1569 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCG-765829-R | 1569 | 76 | 58 | 29 | 5.42 | 58.59 |
| R-WUCG-824623-L | 1421 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCG-824623-R | 1421 | 82 | 46 | 23 | 5.42 | 56.13 |
| R-WUCG-824629-L | 1452 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCG-824629-R | 1452 | 82 | 46 | 29 | 5.42 | 58.28 |
| R-WUCG-825223-L | 1554 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCG-825223-R | 1554 | 82 | 52 | 23 | 5.42 | 58.57 |
| R-WUCG-825229-L | 1585 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCG-825229-R | 1585 | 82 | 52 | 29 | 5.42 | 59.6 |
| R-WUCG-825823-L | 1688 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCG-825823-R | 1688 | 82 | 58 | 23 | 5.42 | 59.96 |
| R-WUCG-825829-L | 1717 | 82 | 58 | 29 | 5.42 | 61.31 |
| R-WUCG-825829-R | 1717 | 82 | 58 | 29 | 5.42 | 61.31 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|----------------------|-------|--------|------------|----------|---------------------------|-------------|
| integrated 90 degree | | | | | | |
| R-WUNG-584623-L | 1042 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-584623-R | 1042 | 60 | 48 | 24 | 5.42 | 46.03 |
| R-WUNG-585223-L | 1144 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-585223-R | 1144 | 60 | 48 | 30 | 5.42 | 48.13 |
| R-WUNG-585229-L | 1176 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-585229-R | 1176 | 60 | 54 | 24 | 5.42 | 47.06 |
| R-WUNG-644623-L | 1156 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-644623-R | 1156 | 60 | 54 | 30 | 5.42 | 49.32 |
| R-WUNG-645223-L | 1268 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-645223-R | 1268 | 66 | 48 | 24 | 5.42 | 48.13 |
| R-WUNG-645229-L | 1296 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-645229-R | 1296 | 66 | 48 | 30 | 5.42 | 49.56 |
| R-WUNG-645823-L | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-645823-R | 1376 | 66 | 54 | 24 | 5.42 | 49.26 |
| R-WUNG-645829-L | 1408 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-645829-R | 1408 | 66 | 54 | 30 | 5.42 | 51.96 |
| R-WUNG-704623-L | 1211 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-704623-R | 1211 | 66 | 60 | 24 | 5.42 | 52.36 |
| R-WUNG-705223-L | 1322 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-705223-R | 1322 | 66 | 60 | 30 | 5.42 | 54.65 |
| R-WUNG-705229-L | 1356 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-705229-R | 1356 | 72 | 48 | 24 | 5.42 | 52.33 |
| R-WUNG-705823-L | 1438 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUNG-705823-R | 1438 | 72 | 48 | 30 | 5.42 | 53.69 |
| R-WUNG-705829-L | 1470 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-705829-R | 1470 | 72 | 54 | 24 | 5.42 | 53.65 |
| R-WUNG-764623-L | 1361 | 72 | 54 | 30 | 5.42 | 55.21 |
| R-WUNG-764623-R | 1361 | 72 | 54 | 30 | 5.42 | 55.21 |

| Code | Price | W (in) | Depth (in) | End (in) | Volume (ft ³) | Weight (lb) |
|----------------------------------|-------|--------|------------|----------|---------------------------|-------------|
| integrated 90 degree - continued | | | | | | |
| R-WUNG-765223-L | 1484 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-765223-R | 1484 | 72 | 60 | 24 | 5.42 | 55.36 |
| R-WUNG-765229-L | 1520 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-765229-R | 1520 | 72 | 60 | 30 | 5.42 | 57.31 |
| R-WUNG-765823-L | 1612 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-765823-R | 1612 | 78 | 48 | 24 | 5.42 | 54.16 |
| R-WUNG-765829-L | 1644 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-765829-R | 1644 | 78 | 48 | 30 | 5.42 | 56.19 |
| R-WUNG-824623-L | 1490 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-824623-R | 1490 | 78 | 54 | 24 | 5.42 | 56.61 |
| R-WUNG-825223-L | 1630 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-825223-R | 1630 | 78 | 54 | 30 | 5.42 | 58.17 |
| R-WUNG-825229-L | 1663 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-825229-R | 1663 | 78 | 60 | 24 | 5.42 | 57.96 |
| R-WUNG-825823-L | 1770 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-825823-R | 1770 | 78 | 60 | 30 | 5.42 | 58.62 |
| R-WUNG-825829-L | 1800 | 84 | 48 | 24 | 5.42 | 56.16 |
| R-WUNG-825829-R | 1800 | 84 | 48 | 24 | 5.42 | 56.16 |



Height Adjustable Table Enclosure Box

What's Included:

HAT enclosure box


How to Specify:

Laminate comes with automatically matching vinyl trim unless otherwise specified.

Options:

| | |
|-----------|----------------|
| Depth | 25.5", 30" |
| Enclosure | laminate color |

| Code | Price | H (in) | W (in) | D (in) |
|---------------|-------|--------|--------|--------|
| R-HBOX-180725 | 925 | 18.25 | 6.75 | 25.5 |
| R-HBOX-180730 | 928 | 18.25 | 6.75 | 30 |



Trough and trough mounted modesty

What's Included:

Trough and trough mounted modesty for Volley height adjustable table

How to Specify:

Modesty can be specified in frosted acrylic or laminate.

Laminate modesty will default to match the worksurface color unless otherwise specified.

Notes:

Modesty size is adjusted to incorporate Volley height adjustable table enclosures

Options:

| | |
|---------|-----------------------------------|
| Width | 46", 52", 58", 64", 70" |
| Modesty | frosted acrylic or laminate color |


| Code | Price | H (in) | W (in) |
|--------------------------------|-------|--------|--------|
| Laminate Modesty | | | |
| R-HMOD-6021 | 571 | 21 | 46 |
| R-HMOD-6621 | 583 | 21 | 52 |
| R-HMOD-7221 | 626 | 21 | 58 |
| R-HMOD-7821 | 674 | 21 | 64 |
| R-HMOD-8421 | 686 | 21 | 70 |
| Frosted Acrylic Modesty | | | |
| R-HMOD-6021-F | 868 | 21 | 46 |
| R-HMOD-6621-F | 963 | 21 | 52 |
| R-HMOD-7221-F | 992 | 21 | 58 |
| R-HMOD-7821-F | 1216 | 21 | 64 |
| R-HMOD-8421-F | 1220 | 21 | 70 |



Tables Pricebook
August 2024
Norris Tables

Norris tables

| | |
|---|----|
| <u>super ellipse without power and data</u> | 28 |
| <u>super ellipse with power and data</u> | 30 |
| <u>video without power and data</u> | 32 |
| <u>video with power and data</u> | 34 |
| <u>boat without power and data</u> | 36 |
| <u>boat with power and data</u> | 38 |
| <u>straight without power and data</u> | 40 |
| <u>straight with power and data</u> | 42 |
| <u>options</u> | 44 |
| <u>add-on Kits</u> | 45 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|----------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth | Laminate Color |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BE1N-7236 | 2714 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BE1N-8436 | 2905 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BE1N-9636 | 3054 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BE1N-7242 | 3017 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BE1N-8442 | 3168 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BE1N-9642 | 3323 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BE1N-10842 | 3484 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BE1N-12042 | 3646 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BE1N-8448 | 3361 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BE1N-9648 | 3477 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BE1N-10848 | 4711 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BE1N-12048 | 4919 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BE1N-13248 | 5420 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BE1N-14448 | 5643 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BE1N-15648 | 5864 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BE1N-16848 | 6350 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BE1N-18048 | 6438 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BE1N-19248 | 6524 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BE1N-20448 | 8172 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BE1N-21648 | 8406 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BE1N-22848 | 8637 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BE1N-24048 | 9118 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BE1N-10860 | 5661 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BE1N-12060 | 5912 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BE1N-13260 | 6166 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BE1N-14460 | 6425 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BE1N-15660 | 6681 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BE1N-16860 | 6930 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BE1N-18060 | 7191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BE1N-19260 | 7441 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BE1N-20460 | 9207 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BE1N-21660 | 9474 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BE1N-22860 | 9735 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BE1N-24060 | 9992 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.


Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

Notes:

- Sizes between 72"-96" come as a one-piece top.
- Sizes between 108"-192" come as a two-piece top.
- Sizes between 204"-240" come as a three-piece top.
- Tables between 132"-240" come with a 36" horizontal center plinth.
- Tops from 72"-96" have one unit consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 108"-192" have two units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Tops from 204"-240" have three units consisting of two power, dual USB, & one open slot for RS45/RJ11/HDMI/video.
- Boardroom tables with two or more tops will not have a consistent grain pattern.

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BE1E-7236 | 4056 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BE1E-8436 | 4248 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BE1E-9636 | 4397 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BE1E-7242 | 4360 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BE1E-8442 | 4511 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BE1E-9642 | 4667 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BE1E-10842 | 4826 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BE1E-12042 | 4990 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BE1E-8448 | 4705 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BE1E-9648 | 4822 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BE1E-10848 | 7397 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BE1E-12048 | 7606 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BE1E-13248 | 8256 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BE1E-14448 | 8481 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BE1E-15648 | 8700 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BE1E-16848 | 9188 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BE1E-18048 | 9277 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BE1E-19248 | 9362 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BE1E-20448 | 12282 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BE1E-21648 | 12419 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BE1E-22848 | 12707 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BE1E-24048 | 13250 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BE1E-10860 | 8500 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BE1E-12060 | 8751 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BE1E-13260 | 9004 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BE1E-14460 | 9264 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BE1E-15660 | 9518 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BE1E-16860 | 9770 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BE1E-18060 | 10027 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BE1E-19260 | 10282 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BE1E-20460 | 13353 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BE1E-21660 | 13518 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BE1E-22860 | 13838 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BE1E-24060 | 14159 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BV1N-7236 | 2714 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BV1N-8436 | 2905 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BV1N-9636 | 3054 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BV1N-7242 | 3017 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BV1N-8442 | 3168 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BV1N-9642 | 3323 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BV1N-10842 | 3484 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BV1N-12042 | 3646 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BV1N-8448 | 3361 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BV1N-9648 | 3477 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BV1N-10848 | 4711 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BV1N-12048 | 4919 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BV1N-13248 | 5420 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BV1N-14448 | 5643 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BV1N-15648 | 5864 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BV1N-16848 | 6350 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BV1N-18048 | 6438 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BV1N-19248 | 6524 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BV1N-20448 | 8172 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BV1N-21648 | 8406 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BV1N-22848 | 8637 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BV1N-24048 | 9118 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BV1N-10860 | 5661 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BV1N-12060 | 5912 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BV1N-13260 | 6166 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BV1N-14460 | 6425 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BV1N-15660 | 6681 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BV1N-16860 | 6930 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BV1N-18060 | 7191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BV1N-19260 | 7441 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BV1N-20460 | 9207 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BV1N-21660 | 9474 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BV1N-22860 | 9735 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BV1N-24060 | 9992 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BV1E-7236 | 4056 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BV1E-8436 | 4248 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BV1E-9636 | 4397 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BV1E-7242 | 4360 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BV1E-8442 | 4511 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BV1E-9642 | 4667 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BV1E-10842 | 4826 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BV1E-12042 | 4990 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BV1E-8448 | 4705 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BV1E-9648 | 4822 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BV1E-10848 | 7397 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BV1E-12048 | 7606 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BV1E-13248 | 8256 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BV1E-14448 | 8481 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BV1E-15648 | 8700 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BV1E-16848 | 9188 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BV1E-18048 | 9277 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BV1E-19248 | 9362 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BV1E-20448 | 12282 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BV1E-21648 | 12419 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BV1E-22848 | 12707 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BV1E-24048 | 13250 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BV1E-10860 | 8500 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BV1E-12060 | 8751 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BV1E-13260 | 9004 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BV1E-14460 | 9264 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BV1E-15660 | 9518 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BV1E-16860 | 9770 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BV1E-18060 | 10027 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BV1E-19260 | 10282 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BV1E-20460 | 13353 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BV1E-21660 | 13518 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BV1E-22860 | 13838 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BV1E-24060 | 14159 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BB1N-7236 | 2714 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BB1N-8436 | 2905 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BB1N-9636 | 3054 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BB1N-7242 | 3017 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BB1N-8442 | 3168 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BB1N-9642 | 3323 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BB1N-10842 | 3484 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BB1N-12042 | 3646 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BB1N-8448 | 3361 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BB1N-9648 | 3477 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BB1N-10848 | 4711 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BB1N-12048 | 4919 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BB1N-13248 | 5420 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BB1N-14448 | 5643 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BB1N-15648 | 5864 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BB1N-16848 | 6350 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BB1N-18048 | 6438 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BB1N-19248 | 6524 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BB1N-20448 | 8172 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BB1N-21648 | 8406 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BB1N-22848 | 8637 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BB1N-24048 | 9118 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BB1N-10860 | 5661 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BB1N-12060 | 5912 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BB1N-13260 | 6166 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BB1N-14460 | 6425 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BB1N-15660 | 6681 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BB1N-16860 | 6930 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BB1N-18060 | 7191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BB1N-19260 | 7441 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BB1N-20460 | 9207 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BB1N-21660 | 9474 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BB1N-22860 | 9735 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BB1N-24060 | 9992 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BB1E-7236 | 4056 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BB1E-8436 | 4248 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BB1E-9636 | 4397 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BB1E-7242 | 4360 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BB1E-8442 | 4511 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BB1E-9642 | 4667 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BB1E-10842 | 4826 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BB1E-12042 | 4990 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BB1E-8448 | 4705 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BB1E-9648 | 4822 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BB1E-10848 | 7397 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BB1E-12048 | 7606 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BB1E-13248 | 8256 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BB1E-14448 | 8481 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BB1E-15648 | 8700 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BB1E-16848 | 9188 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BB1E-18048 | 9277 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BB1E-19248 | 9362 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BB1E-20448 | 12282 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BB1E-21648 | 12419 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BB1E-22848 | 12707 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BB1E-24048 | 13250 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BB1E-10860 | 8500 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BB1E-12060 | 8751 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BB1E-13260 | 9004 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BB1E-14460 | 9264 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BB1E-15660 | 9518 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BB1E-16860 | 9770 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BB1E-18060 | 10027 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BB1E-19260 | 10282 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BB1E-20460 | 13353 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BB1E-21660 | 13518 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BB1E-22860 | 13838 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BB1E-24060 | 14159 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.


How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BS1N-7236 | 2714 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BS1N-8436 | 2905 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BS1N-9636 | 3054 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BS1N-7242 | 3017 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BS1N-8442 | 3168 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BS1N-9642 | 3323 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BS1N-10842 | 3484 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BS1N-12042 | 3646 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BS1N-8448 | 3361 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BS1N-9648 | 3477 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BS1N-10848 | 4711 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BS1N-12048 | 4919 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BS1N-13248 | 5420 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BS1N-14448 | 5643 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BS1N-15648 | 5864 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BS1N-16848 | 6350 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BS1N-18048 | 6438 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BS1N-19248 | 6524 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BS1N-20448 | 8172 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BS1N-21648 | 8406 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BS1N-22848 | 8637 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BS1N-24048 | 9118 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BS1N-10860 | 5661 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BS1N-12060 | 5912 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BS1N-13260 | 6166 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BS1N-14460 | 6425 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BS1N-15660 | 6681 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BS1N-16860 | 6930 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BS1N-18060 | 7191 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BS1N-19260 | 7441 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BS1N-20460 | 9207 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BS1N-21660 | 9474 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BS1N-22860 | 9735 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BS1N-24060 | 9992 | 29.5 | 240 | 60 | 28 | 403.2 |



What's Included:

- Steel bridge under structure.
- 1.5" thick laminate top plinth + gable covers.
- Two metal gables with removable laminate covers for wire management.
- Under bridge cover conceals all wires.
- Sizes 108" and 240" come with a horizontal plinth with fixed laminate covers + removable metal insert.

How to Specify:

- Laminate comes with automatically matching vinyl trim unless otherwise specified.
- Metal accent color.
- Plinth laminates and gable covers can match or contrast the chosen top color.
- Metal Gables, bridge, and plinth side covers are painted in matching powder paint color.

Options:

| | |
|-------------------------------|---|
| Width | 72", 84", 96", 108", 120", 132", 144", 156", 168", 180", 192", 204", 216", 228", 240" |
| Depth | 36", 42", 48", 60" |
| Worksurface Laminate Color | |
| Gable + Plinth Laminate Color | |
| Metal Accent Color | |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-BS1E-7236 | 4056 | 29.5 | 72 | 36 | 5.04 | 72.58 |
| R-BS1E-8436 | 4248 | 29.5 | 84 | 36 | 5.88 | 84.67 |
| R-BS1E-9636 | 4397 | 29.5 | 96 | 36 | 6.72 | 96.77 |
| R-BS1E-7242 | 4360 | 29.5 | 72 | 42 | 5.88 | 84.67 |
| R-BS1E-8442 | 4511 | 29.5 | 84 | 42 | 6.86 | 98.78 |
| R-BS1E-9642 | 4667 | 29.5 | 96 | 42 | 7.84 | 112.9 |
| R-BS1E-10842 | 4826 | 29.5 | 108 | 42 | 8.82 | 127.01 |
| R-BS1E-12042 | 4990 | 29.5 | 120 | 42 | 9.8 | 141.12 |
| R-BS1E-8448 | 4705 | 29.5 | 84 | 48 | 7.84 | 112.9 |
| R-BS1E-9648 | 4822 | 29.5 | 96 | 48 | 8.96 | 129.02 |
| R-BS1E-10848 | 7397 | 29.5 | 108 | 48 | 10.08 | 145.15 |
| R-BS1E-12048 | 7606 | 29.5 | 120 | 48 | 11.2 | 161.28 |
| R-BS1E-13248 | 8256 | 29.5 | 132 | 48 | 12.32 | 177.41 |
| R-BS1E-14448 | 8481 | 29.5 | 144 | 48 | 13.44 | 193.54 |
| R-BS1E-15648 | 8700 | 29.5 | 156 | 48 | 14.56 | 209.66 |
| R-BS1E-16848 | 9188 | 29.5 | 168 | 48 | 15.68 | 225.79 |
| R-BS1E-18048 | 9277 | 29.5 | 180 | 48 | 16.8 | 241.92 |
| R-BS1E-19248 | 9362 | 29.5 | 192 | 48 | 17.92 | 258.05 |
| R-BS1E-20448 | 12282 | 29.5 | 204 | 48 | 19.04 | 274.18 |
| R-BS1E-21648 | 12419 | 29.5 | 216 | 48 | 20.16 | 290.3 |
| R-BS1E-22848 | 12707 | 29.5 | 228 | 48 | 21.28 | 306.43 |
| R-BS1E-24048 | 13250 | 29.5 | 240 | 48 | 22.4 | 322.56 |
| R-BS1E-10860 | 8500 | 29.5 | 108 | 60 | 12.6 | 181.44 |
| R-BS1E-12060 | 8751 | 29.5 | 120 | 60 | 14 | 201.6 |
| R-BS1E-13260 | 9004 | 29.5 | 132 | 60 | 15.4 | 221.76 |
| R-BS1E-14460 | 9264 | 29.5 | 144 | 60 | 16.8 | 241.92 |
| R-BS1E-15660 | 9518 | 29.5 | 156 | 60 | 18.2 | 262.08 |
| R-BS1E-16860 | 9770 | 29.5 | 168 | 60 | 19.6 | 282.24 |
| R-BS1E-18060 | 10027 | 29.5 | 180 | 60 | 21 | 302.4 |
| R-BS1E-19260 | 10282 | 29.5 | 192 | 60 | 22.4 | 322.56 |
| R-BS1E-20460 | 13353 | 29.5 | 204 | 60 | 23.8 | 342.72 |
| R-BS1E-21660 | 13518 | 29.5 | 216 | 60 | 25.2 | 362.88 |
| R-BS1E-22860 | 13838 | 29.5 | 228 | 60 | 26.6 | 383.04 |
| R-BS1E-24060 | 14159 | 29.5 | 240 | 60 | 28 | 403.2 |

Options

| Code | Price | Description | Volume | Weight |
|--------|-------|------------------------------|--------|--------|
| R-HDMI | 196 | HDMI COUPLER, 18"CORD,F/F | 12 | 1.1 |
| R-RJ11 | 77 | RJ11 JACK W/84" CABLE | 12 | 1.1 |
| R-RJ45 | 202 | RJ45, CAT6 W/CORD 72", BLACK | 12 | 1.2 |

Add-on Kits

| Code | Price | Description |
|----------|-------|---|
| R-ESMU-A | 123 | USB ADAPTER (1EA DUAL USB PORTS WITH ADAPTER) |
| R-ESMU-K | 799 | USB KIT (4EA DUAL USB PORTS WITH HUB) |




Tables Pricebook
August 2024
Kip Tables

Kip tables

| | |
|---|----|
| <u>community table without power and data</u> | 48 |
| <u>community table with power and data</u> | 50 |

Add-on Kits

| Code | Price | Description |
|----------|-------|--|
| V-ESMU-A | 179 | USB ADAPTER (1EA USB A & C PORTS WITH ADAPTER) |
| R-ESMU-K | #N/A | USB KIT (4EA DUAL USB PORTS WITH HUB) |



What's Included:

- 1.5" laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5" laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.


Notes:

- Sizes between 60"-96" come as a one-piece top.
- Sizes between 108"-144" come as a two-piece top.
- Tables longer than 96" come with a mid-gable.

Options:

| | |
|--------------|--------------------------------------|
| Width | 60", 72", 84", 96", 108", 120", 144" |
| Depth | 30", 36", 42" |
| Outershell | Laminate Color |
| Inner Cover | Laminate Color |
| Metal Accent | Color |

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-PT2N-6030 | 5665 | 42 | 60 | 30 | 5 | 72 |
| R-PT2N-7230 | 5749 | 42 | 72 | 30 | 6 | 86.4 |
| R-PT2N-8430 | 5793 | 42 | 84 | 30 | 7 | 100.8 |
| R-PT2N-9630 | 5878 | 42 | 96 | 30 | 8 | 115.2 |
| R-PT2N-6036 | 5667 | 42 | 60 | 36 | 6 | 86.4 |
| R-PT2N-7236 | 5753 | 42 | 72 | 36 | 7.2 | 103.68 |
| R-PT2N-8436 | 5795 | 42 | 84 | 36 | 8.4 | 120.96 |
| R-PT2N-9636 | 5881 | 42 | 96 | 36 | 9.6 | 138.24 |
| R-PT2N-10836 | 8668 | 42 | 108 | 36 | 10.8 | 155.52 |
| R-PT2N-12036 | 8760 | 42 | 120 | 36 | 12 | 172.8 |
| R-PT2N-13236 | 8850 | 42 | 132 | 36 | 13.2 | 190.08 |
| R-PT2N-14436 | 8941 | 42 | 144 | 36 | 14.4 | 207.36 |
| R-PT2N-7242 | 5756 | 42 | 72 | 42 | 8.4 | 120.96 |
| R-PT2N-8442 | 5797 | 42 | 84 | 42 | 9.8 | 141.12 |
| R-PT2N-9642 | 5884 | 42 | 96 | 42 | 11.2 | 161.28 |
| R-PT2N-10842 | 8674 | 42 | 108 | 42 | 12.6 | 181.44 |
| R-PT2N-12042 | 8767 | 42 | 120 | 42 | 14 | 201.6 |
| R-PT2N-13242 | 8854 | 42 | 132 | 42 | 15.4 | 221.76 |
| R-PT2N-14442 | 8946 | 42 | 144 | 42 | 16.8 | 241.92 |



What's Included:

- 1.5" laminate top & gables.
- Aluminum bridge under structure.

How to Specify:

- Gables and tops are to be selected from 1.5" laminate selection.
- Inner covers November match the tops and gables or can be selected from a contrasting finish.
- All metal components have an unified finish.
- Laminates surface will automatically come with matching configured trim unless otherwise specified.

Notes:

- Sizes between 60"-96" come as a one-piece top.
- Sizes between 108"-144" come as a two-piece top.
- Tables longer than 96" come with a mid-gable.
- Tops between 60"-96" come with one flush surface power unit consisting of 2 power & 2 USB.
- Tops from 108"-144" come with two power units, consisting of 2 power & 2 USB.
- When choosing optional side-mounted USB:
 - Tables without mid-legs have 4 USB power modules.
 - Up to 4 side mount USB units can be connected to one hub.

Options:

| | |
|--------------|--------------------------------------|
| Width | 60", 72", 84", 96", 108", 120", 144" |
| Depth | 30", 36", 42" |
| Outershell | Laminate Color |
| Inner Cover | Laminate Color |
| Metal Accent | Color |


| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-PT2P-6030 | 6489 | 42 | 60 | 30 | 5 | 72 |
| R-PT2P-7230 | 6580 | 42 | 72 | 30 | 6 | 86.4 |
| R-PT2P-8430 | 6673 | 42 | 84 | 30 | 7 | 100.8 |
| R-PT2P-9630 | 6767 | 42 | 96 | 30 | 8 | 115.2 |
| R-PT2P-6036 | 6493 | 42 | 60 | 36 | 6 | 86.4 |
| R-PT2P-7236 | 6585 | 42 | 72 | 36 | 7.2 | 103.68 |
| R-PT2P-8436 | 6679 | 42 | 84 | 36 | 8.4 | 120.96 |
| R-PT2P-9636 | 6770 | 42 | 96 | 36 | 9.6 | 138.24 |
| R-PT2P-10836 | 10101 | 42 | 108 | 36 | 10.8 | 155.52 |
| R-PT2P-12036 | 10193 | 42 | 120 | 36 | 12 | 172.8 |
| R-PT2P-13236 | 10285 | 42 | 132 | 36 | 13.2 | 190.08 |
| R-PT2P-14436 | 10376 | 42 | 144 | 36 | 14.4 | 207.36 |
| R-PT2P-7242 | 6589 | 42 | 72 | 42 | 8.4 | 120.96 |
| R-PT2P-8442 | 6681 | 42 | 84 | 42 | 9.8 | 141.12 |
| R-PT2P-9642 | 6772 | 42 | 96 | 42 | 11.2 | 161.28 |
| R-PT2P-10842 | 10105 | 42 | 108 | 42 | 12.6 | 181.44 |
| R-PT2P-12042 | 10197 | 42 | 120 | 42 | 14 | 201.6 |
| R-PT2P-13242 | 10288 | 42 | 132 | 42 | 15.4 | 221.76 |
| R-PT2P-14442 | 10378 | 42 | 144 | 42 | 16.8 | 241.92 |



Tables Pricebook
August 2024
Koko Tables

Koko tables

| | |
|--------------------------|----|
| <u>rectangular table</u> | 54 |
| <u>round table</u> | 55 |



What's Included:

Aluminum rectangular laptop table.


How to Specify:

Metal paint color.

Options:

Metal color

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-PTR-242014 | 1117 | 24 | 20 | 14 | 4 | 26.88 |



What's Included:

Aluminum round laptop table.

How to Specify:

Metal paint color.

Options:

Metal Color


| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-PTO-241616 | 1117 | 24 | 16 | 16 | 4 | 24.58 |



Tables Pricebook
August 2024
Hanna

Hanna tables

| | |
|-------------------|----|
| T base - slim | 58 |
| T base - tubular | 60 |
| X base - slim | 62 |
| X base - tubular | 64 |
| super ellipse top | 66 |
| round top | 68 |
| squircle top | 70 |
| rectangular top | 72 |
| square top | 74 |



What's Included:

One (1) metal slim T base.

How to Specify:

T bases should be specified in two's.

Metal color.

24"d top - 16" spread

30"d top - 18" spread

36"d top - 22" spread

42"d top - 30" spread

48"d top - 34" spread


Options:

Spread 16", 18", 22", 30", 34"

Height 28", 35", 41"

Metal Color

| Code | Price | Height (in) | Spread (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|-------------|---------------------------|-------------|
| R-HSB-T-1628 | 802 | 28 | 16 | 8 | Slim T Base |
| R-HSB-T-1828 | 809 | 28 | 18 | 9 | 14 |
| R-HSB-T-2228 | 808 | 28 | 22 | 11 | 14 |
| R-HSB-T-3028 | 819 | 28 | 30 | 15 | 14 |
| R-HSB-T-3428 | 849 | 28 | 34 | 17 | 14 |
| R-HSB-T-1635 | 1129 | 35 | 16 | 11.5 | 17.5 |
| R-HSB-T-1835 | 1133 | 35 | 18 | 12.5 | 17.5 |
| R-HSB-T-2235 | 1137 | 35 | 22 | 14.5 | 17.5 |
| R-HSB-T-3035 | 1146 | 35 | 30 | 18.5 | 17.5 |
| R-HSB-T-3435 | 1177 | 35 | 34 | 20.5 | 17.5 |
| R-HSB-T-1641 | 1129 | 41 | 16 | 14.5 | 20.5 |
| R-HSB-T-1841 | 1133 | 41 | 18 | 15.5 | 20.5 |
| R-HSB-T-2241 | 1137 | 41 | 22 | 17.5 | 20.5 |
| R-HSB-T-3041 | 1146 | 41 | 30 | 21.5 | 20.5 |
| R-HSB-T-3441 | 1177 | 41 | 34 | 23.5 | 20.5 |



What's Included:

One (1) metal tubular T base.

How to Specify:

T bases should be specified in two's.

Metal color.

24"d top - 16" spread

30"d top - 18" spread

36"d top - 22" spread

42"d top - 30" spread

48"d top - 34" spread


Options:

Spread 16", 18", 22", 30", 34"

Height 28", 35", 41"

Metal Color

| Code | Price | Height (in) | Spread (in) | Volume (ft3) | Weight (lb) |
|--------------|-------|-------------|-------------|--------------|----------------|
| R-HTB-T-1628 | 802 | 28 | 16 | 8 | Tubular T Base |
| R-HTB-T-1828 | 805 | 28 | 18 | 9 | 14 |
| R-HTB-T-2228 | 808 | 28 | 22 | 11 | 14 |
| R-HTB-T-3028 | 819 | 28 | 30 | 15 | 14 |
| R-HTB-T-3428 | 1076 | 28 | 34 | 17 | 14 |
| R-HTB-T-1635 | 1059 | 35 | 16 | 11.5 | 17.5 |
| R-HTB-T-1835 | 1061 | 35 | 18 | 12.5 | 17.5 |
| R-HTB-T-2235 | 1064 | 35 | 22 | 14.5 | 17.5 |
| R-HTB-T-3035 | 1076 | 35 | 30 | 18.5 | 17.5 |
| R-HTB-T-3435 | 1372 | 35 | 34 | 20.5 | 17.5 |
| R-HTB-T-1641 | 1129 | 41 | 16 | 14.5 | 20.5 |
| R-HTB-T-1841 | 1133 | 41 | 18 | 15.5 | 20.5 |
| R-HTB-T-2241 | 1137 | 41 | 22 | 17.5 | 20.5 |
| R-HTB-T-3041 | 1146 | 41 | 30 | 21.5 | 20.5 |
| R-HTB-T-3441 | 1441 | 41 | 34 | 23.5 | 20.5 |



What's Included:

One (1) metal slim X base.

How to Specify:


Metal color.

| | | | |
|---------------------|-------------------|-------------------|-----------------------------|
| Round | Square | Squircle | Rectangular & Super Ellipse |
| 24"dia - 18" spread | 18"d - 18" spread | 24"d - 22" spread | 24"d - 18" spread |
| 30"dia - 22" spread | 24"d - 22" spread | 30"d - 26" spread | 30"d - 22" spread |
| 36"dia - 26" spread | 30"d - 26" spread | 36"d - 30" spread | 36"d - 26" spread |
| 42"dia - 30" spread | 36"d - 30" spread | 42"d - 34" spread | 42"d - 30" spread |
| 48"dia - 34" spread | 42"d - 34" spread | | 48"d - 34" spread |
| 54"dia - 42" spread | | | |
| 60"dia - 48" spread | | | |

Options:

| | |
|-------------|-----------------------------------|
| Spread | 18", 22", 26", 30", 34", 42", 48" |
| Height | 15", 21", 28", 35", 41" |
| Metal Color | |

| Code | Price | Height (in) | Spread (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|-------------|---------------------------|-------------|
| R-HSB-X-1615 | 1064 | 15 | 16 | 8 | Slim X Base |
| R-HSB-X-1815 | 1073 | 15 | 18 | 9.5 | 7.5 |
| R-HSB-X-2215 | 1100 | 15 | 22 | 11.5 | 7.5 |
| R-HSB-X-2615 | 1138 | 15 | 26 | 13.5 | 7.5 |
| R-HSB-X-3015 | 1179 | 15 | 30 | 15.5 | 7.5 |
| R-HSB-X-3415 | 1215 | 15 | 34 | 17.5 | 7.5 |
| R-HSB-X-1621 | 1064 | 21 | 16 | 9 | 10.5 |
| R-HSB-X-1821 | 1073 | 21 | 18 | 10.5 | 10.5 |
| R-HSB-X-2221 | 1100 | 21 | 22 | 12.5 | 10.5 |
| R-HSB-X-2621 | 1138 | 21 | 26 | 14.5 | 10.5 |
| R-HSB-X-3021 | 1179 | 21 | 30 | 16.5 | 10.5 |
| R-HSB-X-3421 | 1215 | 21 | 34 | 18.5 | 10.5 |
| R-HSB-X-1628 | 1064 | 28 | 16 | 12 | 14 |
| R-HSB-X-1828 | 1073 | 28 | 18 | 13.5 | 14 |
| R-HSB-X-2228 | 1100 | 28 | 22 | 15.5 | 14 |
| R-HSB-X-2628 | 1138 | 28 | 26 | 17.5 | 14 |
| R-HSB-X-3028 | 1179 | 28 | 30 | 19.5 | 14 |
| R-HSB-X-3428 | 1215 | 28 | 34 | 21.5 | 14 |
| R-HSB-X-1635 | 1395 | 35 | 16 | 15 | 17.5 |
| R-HSB-X-1835 | 1401 | 35 | 18 | 16.5 | 17.5 |
| R-HSB-X-2235 | 1429 | 35 | 22 | 18.5 | 17.5 |
| R-HSB-X-2635 | 1466 | 35 | 26 | 20.5 | 17.5 |
| R-HSB-X-3035 | 1507 | 35 | 30 | 22.5 | 17.5 |
| R-HSB-X-3435 | 1542 | 35 | 34 | 24.5 | 17.5 |
| R-HSB-X-1641 | 1395 | 41 | 16 | 17 | 20.5 |
| R-HSB-X-1841 | 1401 | 41 | 18 | 18.5 | 20.5 |
| R-HSB-X-2241 | 1429 | 41 | 22 | 20.5 | 20.5 |
| R-HSB-X-2641 | 1466 | 41 | 26 | 22.5 | 20.5 |
| R-HSB-X-3041 | 1507 | 41 | 30 | 24.5 | 20.5 |
| R-HSB-X-3441 | 1542 | 41 | 34 | 26.5 | 20.5 |



What's Included:

One (1) metal tubular X base.

How to Specify:


Metal color.

| | | | |
|---------------------|-------------------|-------------------|-----------------------------|
| Round | Square | Squircle | Rectangular & Super Ellipse |
| 24"dia - 18" spread | 18"d - 18" spread | 24"d - 22" spread | 24"d - 18" spread |
| 30"dia - 22" spread | 24"d - 22" spread | 30"d - 26" spread | 30"d - 22" spread |
| 36"dia - 26" spread | 30"d - 26" spread | 36"d - 30" spread | 36"d - 26" spread |
| 42"dia - 30" spread | 36"d - 30" spread | 42"d - 34" spread | 42"d - 30" spread |
| 48"dia - 34" spread | 42"d - 34" spread | | 48"d - 34" spread |
| 54"dia - 42" spread | | | |
| 60"dia - 48" spread | | | |

Options:

| | |
|-------------|-----------------------------------|
| Spread | 18", 22", 26", 30", 34", 42", 48" |
| Height | 15", 21", 28", 35", 41" |
| Metal Color | |

| Code | Price | Height (in) | Spread (in) | Volume (ft ³) | Weight (lb) |
|--------------|-------|-------------|-------------|---------------------------|-------------|
| R-HTB-X-1615 | 1064 | 15 | 16 | 8 | 7.5 |
| R-HTB-X-1815 | 1073 | 15 | 18 | 9.5 | 7.5 |
| R-HTB-X-2215 | 1100 | 15 | 22 | 11.5 | 7.5 |
| R-HTB-X-2615 | 1138 | 15 | 26 | 13.5 | 7.5 |
| R-HTB-X-3015 | 1179 | 15 | 30 | 15.5 | 7.5 |
| R-HTB-X-3415 | 1408 | 15 | 34 | 17.5 | 7.5 |
| R-HTB-X-4215 | 1822 | 15 | 42 | 21.5 | 7.5 |
| R-HTB-X-4815 | 2048 | 15 | 48 | 24.5 | 7.5 |
| R-HTB-X-1621 | 1064 | 21 | 16 | 9 | 10.5 |
| R-HTB-X-1821 | 1073 | 21 | 18 | 10.5 | 10.5 |
| R-HTB-X-2221 | 1100 | 21 | 22 | 12.5 | 10.5 |
| R-HTB-X-2621 | 1138 | 21 | 26 | 14.5 | 10.5 |
| R-HTB-X-3021 | 1179 | 21 | 30 | 16.5 | 10.5 |
| R-HTB-X-3421 | 1408 | 21 | 34 | 18.5 | 10.5 |
| R-HTB-X-4221 | 1822 | 21 | 42 | 22.5 | 10.5 |
| R-HTB-X-4821 | 2048 | 21 | 48 | 25.5 | 10.5 |
| R-HTB-X-1628 | 1064 | 28 | 16 | 12 | 14 |
| R-HTB-X-1828 | 1073 | 28 | 18 | 13.5 | 14 |
| R-HTB-X-2228 | 1100 | 28 | 22 | 15.5 | 14 |
| R-HTB-X-2628 | 1138 | 28 | 26 | 17.5 | 14 |
| R-HTB-X-3028 | 1179 | 28 | 30 | 19.5 | 14 |
| R-HTB-X-3428 | 1408 | 28 | 34 | 21.5 | 14 |
| R-HTB-X-4228 | 1822 | 28 | 42 | 25.5 | 14 |
| R-HTB-X-4828 | 2048 | 28 | 48 | 28.5 | 14 |
| R-HTB-X-1635 | 1429 | 35 | 16 | 15 | 17.5 |
| R-HTB-X-1835 | 1436 | 35 | 18 | 16.5 | 17.5 |
| R-HTB-X-2235 | 1466 | 35 | 22 | 18.5 | 17.5 |
| R-HTB-X-2635 | 1502 | 35 | 26 | 20.5 | 17.5 |
| R-HTB-X-3035 | 1542 | 35 | 30 | 22.5 | 17.5 |
| R-HTB-X-3435 | 1657 | 35 | 34 | 24.5 | 17.5 |
| R-HTB-X-4235 | 2070 | 35 | 42 | 28.5 | 17.5 |
| R-HTB-X-4835 | 2387 | 35 | 48 | 31.5 | 17.5 |
| R-HTB-X-1641 | 1429 | 41 | 16 | 17 | 20.5 |
| R-HTB-X-1841 | 1436 | 41 | 18 | 18.5 | 20.5 |
| R-HTB-X-2241 | 1466 | 41 | 22 | 20.5 | 20.5 |
| R-HTB-X-2641 | 1502 | 41 | 26 | 22.5 | 20.5 |
| R-HTB-X-3041 | 1542 | 41 | 30 | 24.5 | 20.5 |
| R-HTB-X-3441 | 1657 | 41 | 34 | 26.5 | 20.5 |
| R-HTB-X-4241 | 2070 | 41 | 42 | 30.5 | 20.5 |
| R-HTB-X-4841 | 2387 | 41 | 48 | 33.5 | 20.5 |



What's Included:

1" laminate surface.

How to Specify:

Must be specified with two bases.


Options:

Width 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

Depth 24", 30", 36", 42", 48"

Worksurface Laminate

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-TE0N-3024 | 443 | 1 | 30 | 24 | 0.4 | 14.4 |
| R-TE0N-3624 | 449 | 1 | 36 | 24 | 0.48 | 17.28 |
| R-TE0N-4224 | 510 | 1 | 42 | 24 | 0.56 | 20.16 |
| R-TE0N-4824 | 536 | 1 | 48 | 24 | 0.64 | 23.04 |
| R-TE0N-5424 | 619 | 1 | 54 | 24 | 0.72 | 25.92 |
| R-TE0N-6024 | 644 | 1 | 60 | 24 | 0.8 | 28.8 |
| R-TE0N-6624 | 697 | 1 | 66 | 24 | 0.88 | 31.68 |
| R-TE0N-7224 | 726 | 1 | 72 | 24 | 0.96 | 34.56 |
| R-TE0N-7824 | 781 | 1 | 78 | 24 | 1.04 | 37.44 |
| R-TE0N-8424 | 832 | 1 | 84 | 24 | 1.12 | 40.32 |
| R-TE0N-9024 | 933 | 1 | 90 | 24 | 1.2 | 43.2 |
| R-TE0N-9624 | 995 | 1 | 96 | 24 | 1.28 | 46.08 |
| R-TE0N-4230 | 552 | 1 | 42 | 30 | 0.7 | 25.2 |
| R-TE0N-4830 | 585 | 1 | 48 | 30 | 0.8 | 28.8 |
| R-TE0N-5430 | 642 | 1 | 54 | 30 | 0.9 | 32.4 |
| R-TE0N-6030 | 669 | 1 | 60 | 30 | 1 | 36 |
| R-TE0N-6630 | 747 | 1 | 66 | 30 | 1.1 | 39.6 |
| R-TE0N-7230 | 764 | 1 | 72 | 30 | 1.2 | 43.2 |
| R-TE0N-7830 | 819 | 1 | 78 | 30 | 1.3 | 46.8 |
| R-TE0N-8430 | 876 | 1 | 84 | 30 | 1.4 | 50.4 |
| R-TE0N-9030 | 982 | 1 | 90 | 30 | 1.5 | 54 |
| R-TE0N-9630 | 1049 | 1 | 96 | 30 | 1.6 | 57.6 |
| R-TE0N-6036 | 696 | 1 | 60 | 36 | 1.2 | 43.2 |
| R-TE0N-6636 | 777 | 1 | 66 | 36 | 1.32 | 47.52 |
| R-TE0N-7236 | 793 | 1 | 72 | 36 | 1.44 | 51.84 |
| R-TE0N-7836 | 848 | 1 | 78 | 36 | 1.56 | 56.16 |
| R-TE0N-8436 | 909 | 1 | 84 | 36 | 1.68 | 60.48 |
| R-TE0N-9036 | 1017 | 1 | 90 | 36 | 1.8 | 64.8 |
| R-TE0N-9636 | 1087 | 1 | 96 | 36 | 1.92 | 69.12 |
| R-TE0N-8442 | 994 | 1 | 84 | 42 | 1.96 | 70.56 |
| R-TE0N-9042 | 1102 | 1 | 90 | 42 | 2.1 | 75.6 |
| R-TE0N-9642 | 1169 | 1 | 96 | 42 | 2.24 | 80.64 |
| R-TE0N-8448 | 1079 | 1 | 84 | 48 | 2.24 | 80.64 |
| R-TE0N-9048 | 1198 | 1 | 90 | 48 | 2.4 | 86.4 |
| R-TE0N-9648 | 1272 | 1 | 96 | 48 | 2.56 | 92.16 |



What's Included:

1" laminate surface.

How to Specify:


Must be specified with X-base.

Options:

Diameter 24", 30", 36", 42", 48", 54", 60"

Worksurface Laminate

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-----------|-------|-------------|------------|------------|---------------------------|-------------|
| R-TO0N-24 | 563 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TO0N-30 | 617 | 1 | 30 | 30 | 0.5 | 18 |
| R-TO0N-36 | 630 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TO0N-42 | 667 | 1 | 42 | 42 | 0.98 | 35.28 |
| R-TO0N-48 | 683 | 1 | 48 | 48 | 1.28 | 46.08 |
| R-TO0N-54 | 782 | 1 | 54 | 54 | 1.28 | 52.23 |
| R-TO0N-60 | 902 | 1 | 60 | 60 | 1.38 | 56.32 |



What's Included:

1" laminate surface.

How to Specify:

Must be specified with a X-base.


Options:

Width 24", 30", 36", 42", 48"

Depth 24", 30", 36", 42"

Worksurface Laminate

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-TQ0N-2424 | 563 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TQ0N-3030 | 617 | 1 | 30 | 30 | 0.5 | 18 |
| R-TQ0N-3636 | 630 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TQ0N-4242 | 667 | 1 | 42 | 42 | 0.98 | 35.28 |



What's Included:

1" laminate surface.

How to Specify:

Must be specified with two bases.


Options:

Width 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

Depth 18", 24", 30", 36", 42", 48"

Worksurface Laminate

| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-TR0N-3024 | 294 | 1 | 30 | 24 | 0.4 | 14.4 |
| R-TR0N-3624 | 299 | 1 | 36 | 24 | 0.48 | 17.28 |
| R-TR0N-4224 | 359 | 1 | 42 | 24 | 0.56 | 20.16 |
| R-TR0N-4824 | 385 | 1 | 48 | 24 | 0.64 | 23.04 |
| R-TR0N-5424 | 470 | 1 | 54 | 24 | 0.72 | 25.92 |
| R-TR0N-6024 | 496 | 1 | 60 | 24 | 0.8 | 28.8 |
| R-TR0N-6624 | 548 | 1 | 66 | 24 | 0.88 | 31.68 |
| R-TR0N-7224 | 576 | 1 | 72 | 24 | 0.96 | 34.56 |
| R-TR0N-7824 | 631 | 1 | 78 | 24 | 1.04 | 37.44 |
| R-TR0N-8424 | 683 | 1 | 84 | 24 | 1.12 | 40.32 |
| R-TR0N-9024 | 782 | 1 | 90 | 24 | 1.2 | 43.2 |
| R-TR0N-9624 | 846 | 1 | 96 | 24 | 1.28 | 46.08 |
| R-TR0N-4230 | 403 | 1 | 42 | 30 | 0.7 | 25.2 |
| R-TR0N-4830 | 435 | 1 | 48 | 30 | 0.8 | 28.8 |
| R-TR0N-5430 | 492 | 1 | 54 | 30 | 0.9 | 32.4 |
| R-TR0N-6030 | 520 | 1 | 60 | 30 | 1 | 36 |
| R-TR0N-6630 | 598 | 1 | 66 | 30 | 1.1 | 39.6 |
| R-TR0N-7230 | 614 | 1 | 72 | 30 | 1.2 | 43.2 |
| R-TR0N-7830 | 669 | 1 | 78 | 30 | 1.3 | 46.8 |
| R-TR0N-8430 | 726 | 1 | 84 | 30 | 1.4 | 50.4 |
| R-TR0N-9030 | 831 | 1 | 90 | 30 | 1.5 | 54 |
| R-TR0N-9630 | 899 | 1 | 96 | 30 | 1.6 | 57.6 |
| R-TR0N-6036 | 547 | 1 | 60 | 36 | 1.2 | 43.2 |
| R-TR0N-6636 | 626 | 1 | 66 | 36 | 1.32 | 47.52 |
| R-TR0N-7236 | 642 | 1 | 72 | 36 | 1.44 | 51.84 |
| R-TR0N-7836 | 697 | 1 | 78 | 36 | 1.56 | 56.16 |
| R-TR0N-8436 | 759 | 1 | 84 | 36 | 1.68 | 60.48 |
| R-TR0N-9036 | 869 | 1 | 90 | 36 | 1.8 | 64.8 |
| R-TR0N-9636 | 936 | 1 | 96 | 36 | 1.92 | 69.12 |
| R-TR0N-8442 | 844 | 1 | 84 | 42 | 1.96 | 70.56 |
| R-TR0N-9042 | 952 | 1 | 90 | 42 | 2.1 | 75.6 |
| R-TR0N-9642 | 1021 | 1 | 96 | 42 | 2.24 | 80.64 |
| R-TR0N-8448 | 929 | 1 | 84 | 48 | 2.24 | 80.64 |
| R-TR0N-9048 | 1048 | 1 | 90 | 48 | 2.4 | 86.4 |
| R-TR0N-9648 | 1105 | 1 | 96 | 48 | 2.56 | 92.16 |



What's Included:

1" laminate surface.

How to Specify:

Must be specified with a X-base.

Options:

Width 18", 24", 30", 36", 42", 48", 54"

Depth 18", 24", 30", 36", 42", 48", 54"

Worksurface Laminate


| Code | Price | Height (in) | Width (in) | Depth (in) | Volume (ft ³) | Weight (lb) |
|-------------|-------|-------------|------------|------------|---------------------------|-------------|
| R-TS0N-1818 | 349 | 1 | 18 | 18 | 0.18 | 6.48 |
| R-TS0N-2424 | 379 | 1 | 24 | 24 | 0.32 | 11.52 |
| R-TS0N-3030 | 409 | 1 | 30 | 30 | 0.5 | 18 |
| R-TS0N-3636 | 449 | 1 | 36 | 36 | 0.72 | 25.92 |
| R-TS0N-4242 | 573 | 1 | 42 | 42 | 0.98 | 35.28 |




Tables Pricebook
August 2024
Studi

Studi tables

| | |
|--|----|
| <u>with Power Module & Daisy Chain</u> | 78 |
| <u>with Power Module</u> | 80 |
| <u>with Grommet</u> | 82 |
| <u>without Grommet</u> | 84 |
| <u>Add ons</u> | 86 |
| <u>PET Modesty</u> | 86 |
| <u>Frosted Acrylic Modesty</u> | 87 |
| <u>Ganging Mechanism</u> | 88 |
| <u>Daisy Chain</u> | 89 |



Straight Corner



Radius Corner

What's Included:

Studi table with surface power module, daisy chain in feed sold separately

How to Specify:

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

Notes:

Two of the four casters on the Studi table are lockable.


Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C

Daisy chain in feed must be purchased separately. Check add ons section for details.


Options:

| | |
|----------|-------------------------|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |

| Code | Price | H | W | D | Weight (lb.) | Volume (ft ³) |
|-----------------|-------|------|----|----|--------------|---------------------------|
| Straight Corner | | | | | | |
| RT-TS0D-4824 | 2147 | 29.5 | 48 | 24 | | |
| RT-TS0D-4830 | 2150 | 29.5 | 48 | 30 | | |
| RT-TS0D-5424 | 2251 | 29.5 | 54 | 24 | | |
| RT-TS0D-5430 | 2253 | 29.5 | 54 | 30 | | |
| RT-TS0D-6024 | 2259 | 29.5 | 60 | 24 | | |
| RT-TS0D-6030 | 2263 | 29.5 | 60 | 30 | | |
| RT-TS0D-6624 | 2283 | 29.5 | 66 | 24 | | |
| RT-TS0D-6630 | 2285 | 29.5 | 66 | 30 | | |
| RT-TS0D-7224 | 2302 | 29.5 | 72 | 24 | | |
| RT-TS0D-7230 | 2304 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0D-4824 | 2306 | 29.5 | 48 | 24 | | |
| RT-TR0D-4830 | 2308 | 29.5 | 48 | 30 | | |
| RT-TR0D-5424 | 2410 | 29.5 | 54 | 24 | | |
| RT-TR0D-5430 | 2412 | 29.5 | 54 | 30 | | |
| RT-TR0D-6024 | 2417 | 29.5 | 60 | 24 | | |
| RT-TR0D-6030 | 2422 | 29.5 | 60 | 30 | | |
| RT-TR0D-6624 | 2441 | 29.5 | 66 | 24 | | |
| RT-TR0D-6630 | 2444 | 29.5 | 66 | 30 | | |
| RT-TR0D-7224 | 2460 | 29.5 | 72 | 24 | | |
| RT-TR0D-7230 | 2462 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

What's Included:

Studi table with surface power module,

How to Specify:

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

Notes:

Two of the four casters on the Studi table are lockable.

Surface power module comes in black only and includes 2 power, 1 USB A, and 1 USB C

Options:


Width 48", 54", 60", 66", 72"

Depth 24", 30"


Laminate laminate color

Corner straight, radius

| Code | Price | H | W | D | Weight (lb.) | Volume (ft ³) |
|-----------------|-------|------|----|----|--------------|---------------------------|
| Straight Corner | | | | | | |
| RT-TS0E-4824 | 1902 | 29.5 | 48 | 24 | | |
| RT-TS0E-4830 | 1904 | 29.5 | 48 | 30 | | |
| RT-TS0E-5424 | 2012 | 29.5 | 54 | 24 | | |
| RT-TS0E-5430 | 2014 | 29.5 | 54 | 30 | | |
| RT-TS0E-6024 | 2014 | 29.5 | 60 | 24 | | |
| RT-TS0E-6030 | 2019 | 29.5 | 60 | 30 | | |
| RT-TS0E-6624 | 2035 | 29.5 | 66 | 24 | | |
| RT-TS0E-6630 | 2038 | 29.5 | 66 | 30 | | |
| RT-TS0E-7224 | 2050 | 29.5 | 72 | 24 | | |
| RT-TS0E-7230 | 2052 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0E-4824 | 2079 | 29.5 | 48 | 24 | | |
| RT-TR0E-4830 | 2082 | 29.5 | 48 | 30 | | |
| RT-TR0E-5424 | 2189 | 29.5 | 54 | 24 | | |
| RT-TR0E-5430 | 2192 | 29.5 | 54 | 30 | | |
| RT-TR0E-6024 | 2192 | 29.5 | 60 | 24 | | |
| RT-TR0E-6030 | 2197 | 29.5 | 60 | 30 | | |
| RT-TR0E-6624 | 2213 | 29.5 | 66 | 24 | | |
| RT-TR0E-6630 | 2215 | 29.5 | 66 | 30 | | |
| RT-TR0E-7224 | 2227 | 29.5 | 72 | 24 | | |
| RT-TR0E-7230 | 2230 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

What's Included:

Studi table with surface power module,

How to Specify:

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.

Notes:


Two of the four casters on the Studi table are lockable.

When the grommet is specified, it will be centrally located along the back edge of the worksurface.


Options:

| | |
|----------|-------------------------|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |
| Grommet | grommet color |

| Code | Price | H | W | D | Weight (lb.) | Volume (ft ³) |
|------------------------|-------|------|----|----|--------------|---------------------------|
| Straight Corner | | | | | | |
| RT-TS0G-4824 | 1436 | 29.5 | 48 | 24 | | |
| RT-TS0G-4830 | 1439 | 29.5 | 48 | 30 | | |
| RT-TS0G-5424 | 1546 | 29.5 | 54 | 24 | | |
| RT-TS0G-5430 | 1549 | 29.5 | 54 | 30 | | |
| RT-TS0G-6024 | 1549 | 29.5 | 60 | 24 | | |
| RT-TS0G-6030 | 1554 | 29.5 | 60 | 30 | | |
| RT-TS0G-6624 | 1570 | 29.5 | 66 | 24 | | |
| RT-TS0G-6630 | 1572 | 29.5 | 66 | 30 | | |
| RT-TS0G-7224 | 1584 | 29.5 | 72 | 24 | | |
| RT-TS0G-7230 | 1587 | 29.5 | 72 | 30 | | |
| Radius Corner | | | | | | |
| RT-TR0G-4824 | 1614 | 29.5 | 48 | 24 | | |
| RT-TR0G-4830 | 1616 | 29.5 | 48 | 30 | | |
| RT-TR0G-5424 | 1724 | 29.5 | 54 | 24 | | |
| RT-TR0G-5430 | 1726 | 29.5 | 54 | 30 | | |
| RT-TR0G-6024 | 1726 | 29.5 | 60 | 24 | | |
| RT-TR0G-6030 | 1731 | 29.5 | 60 | 30 | | |
| RT-TR0G-6624 | 1747 | 29.5 | 66 | 24 | | |
| RT-TR0G-6630 | 1750 | 29.5 | 66 | 30 | | |
| RT-TR0G-7224 | 1762 | 29.5 | 72 | 24 | | |
| RT-TR0G-7230 | 1764 | 29.5 | 72 | 30 | | |



Straight Corner



Radius Corner

What's Included:

Studi table without grommet

How to Specify:

Specify laminate for surface

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order.

Refer to the laminate finish card for details.

Specify straight or radius corner.

Studi table base is silver only.


Notes:

Two of the four casters on the Studi table are lockable.

Options:

| | |
|----------|-------------------------|
| Width | 48", 54", 60", 66", 72" |
| Depth | 24", 30" |
| Laminate | laminate color |
| Corner | straight, radius |

| Code | Price | H | W | D | Weight (lb.) | Volume (ft ³) |
|------------------------|-------|------|----|----|--------------|---------------------------|
| Straight Corner | | | | | | |
| RT-TS0N-4824 | 1387 | 29.5 | 24 | 48 | | |
| RT-TS0N-4830 | 1390 | 29.5 | 30 | 48 | | |
| RT-TS0N-5424 | 1497 | 29.5 | 24 | 54 | | |
| RT-TS0N-5430 | 1500 | 29.5 | 30 | 54 | | |
| RT-TS0N-6024 | 1500 | 29.5 | 24 | 60 | | |
| RT-TS0N-6030 | 1505 | 29.5 | 30 | 60 | | |
| RT-TS0N-6624 | 1521 | 29.5 | 24 | 66 | | |
| RT-TS0N-6630 | 1523 | 29.5 | 30 | 66 | | |
| RT-TS0N-7224 | 1535 | 29.5 | 24 | 72 | | |
| RT-TS0N-7230 | 1538 | 29.5 | 30 | 72 | | |
| Radius Corner | | | | | | |
| RT-TR0N-4824 | 1565 | 29.5 | 24 | 48 | | |
| RT-TR0N-4830 | 1567 | 29.5 | 30 | 48 | | |
| RT-TR0N-5424 | 1675 | 29.5 | 24 | 54 | | |
| RT-TR0N-5430 | 1677 | 29.5 | 30 | 54 | | |
| RT-TR0N-6024 | 1677 | 29.5 | 24 | 60 | | |
| RT-TR0N-6030 | 1682 | 29.5 | 30 | 60 | | |
| RT-TR0N-6624 | 1698 | 29.5 | 24 | 66 | | |
| RT-TR0N-6630 | 1700 | 29.5 | 30 | 66 | | |
| RT-TR0N-7224 | 1713 | 29.5 | 24 | 72 | | |
| RT-TR0N-7230 | 1715 | 29.5 | 30 | 72 | | |



PET Modesty

What's Included:

PET modesty for Studi table


Notes:

PET modesty comes in T103 Storm finish only

Options:

Width 48", 54", 60", 66", 72"

| Code | Price | H | W | Weight (lb.) | Volume (ft ³) |
|--------------|-------|----|----|--------------|---------------------------|
| RT-MMOD-48-P | 391 | 12 | 48 | | |
| RT-MMOD-54-P | 411 | 12 | 54 | | |
| RT-MMOD-60-P | 670 | 12 | 60 | | |
| RT-MMOD-66-P | 670 | 12 | 66 | | |
| RT-MMOD-72-P | 670 | 12 | 72 | | |



Frosted Acrylic Modesty

What's Included:


Frosted acrylic modesty for Studi table

Notes:

Options:

Width 48", 54", 60", 66", 72"

| Code | Price | H | W | Weight (lb.) | Volume (ft ³) |
|--------------|-------|----|----|--------------|---------------------------|
| RT-MMOD-48-F | 821 | 12 | 48 | | |
| RT-MMOD-54-F | 839 | 12 | 54 | | |
| RT-MMOD-60-F | 858 | 12 | 60 | | |
| RT-MMOD-66-F | 895 | 12 | 66 | | |
| RT-MMOD-72-F | 932 | 12 | 72 | | |



Ganging Mechanism


What's Included:

Black ganging mechanism for Studi table

Notes:

The ganging mechanism fits into the pre-drilled holes on the underside of the one-touch table.
Ganging mechanisms are available in pairs.

| Code | Price | W | Weight (lb.) | Volume (ft ³) |
|---------|-------|---|--------------|---------------------------|
| RT-AGM0 | 43 | 2 | | |



Daisy Chain

What's Included:

Daisy chain in feed

Notes:

Must be purchased for Studi tables with daisy chain cable in feed.
Cable is 72" long

| Code | Price | Weight (lb.) | Volume (ft ³) |
|------------|-------|--------------|---------------------------|
| RT-DCS-072 | 295 | | |